

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/2/6 1:00	—	—	—	0	—	—	—	—	—	—
2025/2/6 2:00	—	—	—	0	—	—	—	—	—	—
2025/2/6 3:00	—	—	—	0	—	—	—	—	—	—
2025/2/6 4:00	—	—	—	0	—	—	—	—	—	—
2025/2/6 5:00	—	—	—	0	—	—	—	—	—	—
2025/2/6 6:00	—	—	—	0	—	—	—	—	—	—
2025/2/6 7:00	—	—	—	0	—	—	—	—	—	—
2025/2/6 8:00	—	—	—	0	—	—	—	—	—	—
2025/2/6 9:00	—	—	—	0	—	—	—	—	—	—
2025/2/6 10:00	—	—	—	0	—	—	—	—	—	—
2025/2/6 11:00	—	—	—	0	—	—	—	—	—	—
2025/2/6 12:00	—	—	—	0	—	—	—	—	—	—
2025/2/6 13:00	—	—	—	0	—	—	—	—	—	—
2025/2/6 14:00	—	—	—	0	—	—	—	—	—	—
2025/2/6 15:00	—	—	—	0	—	—	—	—	—	—
2025/2/6 16:00	—	—	—	0	—	—	—	—	—	—
2025/2/6 17:00	0	0	0	0	—	—	—	—	—	—
2025/2/6 18:00	0	0	0	0	—	—	—	—	—	—
2025/2/6 19:00	0	0	0	0	—	—	—	—	—	—
2025/2/6 20:00	0	0	0	0	—	—	—	—	—	—
2025/2/6 21:00	0	0	0	0	—	—	—	—	—	—
2025/2/6 22:00	0	0	0	0	—	—	—	—	—	—
2025/2/6 23:00	0	0	0	0	—	—	—	—	—	—
2025/2/7 1:00	0	0	0	0	—	—	—	—	—	—
2025/2/7 2:00	0	0	0	0	—	—	—	—	—	—
2025/2/7 3:00	0	0	0	0	—	—	—	—	—	—
2025/2/7 4:00	0	0	0	0	—	—	—	—	—	—
2025/2/7 5:00	0	0	0	0	—	—	—	—	—	—
2025/2/7 6:00	0	0	0	0	—	—	—	—	—	—
2025/2/7 7:00	0	0	0	0	—	—	—	—	—	—
2025/2/7 8:00	0	0	0	0	—	—	—	—	—	—
2025/2/7 9:00	0	0	0	0	—	—	—	—	—	—
2025/2/7 10:00	0	0	0	0	—	—	—	—	—	—
2025/2/7 11:00	0	0	0	0	—	—	—	—	—	—
2025/2/7 12:00	0	0	0	0	—	—	—	—	—	—
2025/2/7 13:00	0	0	0	0	—	—	—	—	—	—
2025/2/7 14:00	0	0	0	0	—	—	—	—	—	—
2025/2/7 15:00	0	0	0	0	—	—	—	—	—	—
2025/2/7 16:00	0	0	0	0	—	—	—	—	—	—
2025/2/7 17:00	0	0	0	0	—	—	—	—	—	—
2025/2/7 18:00	0	0	0	0	—	—	—	—	—	—
2025/2/7 19:00	0	0	0	0	—	—	—	—	—	—
2025/2/7 20:00	0	0	0	0	—	—	—	—	—	—
2025/2/7 21:00	0	0	0	0	—	—	—	—	—	—
2025/2/7 22:00	0	0	0	0	—	—	—	—	—	—
2025/2/7 23:00	0	0	0	0	—	—	—	—	—	—
2025/2/8 0:00	0	0	0	0	—	—	—	—	—	—
2025/2/8 1:00	0	0	0	0	—	—	—	—	—	—
2025/2/8 2:00	0	0	0	0	—	—	—	—	—	—
2025/2/8 3:00	0	0	0	0	—	—	—	—	—	—
2025/2/8 4:00	0	0	0	0	—	—	—	—	—	—
2025/2/8 5:00	0	0	0	0	—	—	—	—	—	—
2025/2/8 6:00	0	0	0	0	—	—	—	—	—	—
2025/2/8 7:00	0	0	0	0	—	—	—	—	—	—
2025/2/8 8:00	0	0	0	0	—	—	—	—	—	—
2025/2/8 9:00	0	0	0	0	—	—	—	—	—	—
2025/2/8 10:00	0	0	0	0	—	—	—	—	—	—
2025/2/8 11:00	0	0	0	0	—	—	—	—	—	—
2025/2/8 12:00	0	0	0	0	—	—	—	—	—	—
2025/2/8 13:00	0	0	0	0	—	—	—	—	—	—
2025/2/8 14:00	0	0	0	0	—	—	—	—	—	—
2025/2/8 15:00	0	0	0	0	—	—	—	—	—	—
2025/2/8 16:00	0	0	0	0	—	—	—	—	—	—
2025/2/8 17:00	0	0	0	0	—	—	—	—	—	—
2025/2/8 18:00	0	0	0	0	—	—	—	—	—	—
2025/2/8 19:00	0	0	0	0	—	—	—	—	—	—
2025/2/8 20:00	0	0	0	0	—	—	—	—	—	—
2025/2/8 21:00	0	0	0	0	—	—	—	—	—	—
2025/2/8 22:00	0	0	0	0	—	—	—	—	—	—
2025/2/8 23:00	0	0	0	0	—	—	—	—	—	—
2025/2/9 0:00	0	0	0	0	—	—	—	—	—	—
2025/2/9 1:00	0	0	0	0	—	—	—	—	—	—
2025/2/9 2:00	0	0	0	0	—	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/2/9 3:00	0	0	0	0	—	—	—	—	—	—
2025/2/9 4:00	0	0	0	0	—	—	—	—	—	—
2025/2/9 5:00	0	0	0	0	—	—	—	—	—	—
2025/2/9 6:00	0	0	0	0	—	—	—	—	—	—
2025/2/9 7:00	0	0	0	0	—	—	—	—	—	—
2025/2/9 8:00	0	0	0	0	—	—	—	—	—	—
2025/2/9 9:00	0	0	0	0	—	—	—	—	—	—
2025/2/9 10:00	0	0	0	0	—	—	—	—	—	—
2025/2/9 11:00	0	0	0	0	—	—	—	—	—	—
2025/2/9 12:00	0	0	0	0	—	—	—	—	—	—
2025/2/9 13:00	0	0	0	0	—	—	—	—	—	—
2025/2/9 14:00	0	0	0	0	—	—	—	—	—	—
2025/2/9 15:00	0	0	0	0	—	—	—	—	—	—
2025/2/9 16:00	0	0	0	0	—	—	—	—	—	—
2025/2/9 17:00	0	0	0	0	—	—	—	—	—	—
2025/2/9 18:00	0	0	0	0	—	—	—	—	—	—
2025/2/9 19:00	0	0	0	0	—	—	—	—	—	—
2025/2/9 20:00	0	0	0	0	—	—	—	—	—	—
2025/2/9 21:00	0	0	0	0	—	—	—	—	—	—
2025/2/9 22:00	0	0	0	0	—	—	—	—	—	—
2025/2/9 23:00	0	0	0	0	—	—	—	—	—	—
2025/2/10 0:00	0	0	0	0	—	—	—	—	—	—
2025/2/10 1:00	0	0	0	0	—	—	—	—	—	—
2025/2/10 2:00	0	0	0	0	—	—	—	—	—	—
2025/2/10 3:00	0	0	0	0	—	—	—	—	—	—
2025/2/10 4:00	0	0	0	0	—	—	—	—	—	—
2025/2/10 5:00	0	0	0	0	—	—	—	—	—	—
2025/2/10 6:00	0	0	0	0	—	—	—	—	—	—
2025/2/10 7:00	0	0	0	0	—	—	—	—	—	—
2025/2/10 8:00	0	0	0	0	—	—	—	—	—	—
2025/2/10 9:00	0	0	0	0	—	—	—	—	—	—
2025/2/10 10:00	0	0	0	0	—	—	—	—	—	—
2025/2/10 11:00	0	0	0	0	—	—	—	—	—	—
2025/2/10 12:00	0	0	0	0	—	—	—	—	—	—
2025/2/10 13:00	0	0	0	0	—	—	—	—	—	—
2025/2/10 14:00	0	0	0	0	—	—	—	—	—	—
2025/2/10 15:00	0	0	0	0	—	—	—	—	—	—
2025/2/10 16:00	0	0	0	0	—	—	—	—	—	—
2025/2/10 17:00	0	0	0	0	—	—	—	—	—	—
2025/2/10 18:00	0	0	0	0	—	—	—	—	—	—
2025/2/10 19:00	0	0	0	0	—	—	—	—	—	—
2025/2/10 20:00	0	0	0	0	—	—	—	—	—	—
2025/2/10 21:00	0	0	0	0	—	—	—	—	—	—
2025/2/10 22:00	0	0	0	0	—	—	—	—	—	—
2025/2/10 23:00	0	0	0	0	—	—	—	—	—	—
2025/2/11 0:00	0	0	0	0	—	—	—	—	—	—
2025/2/11 1:00	0	0	0	0	—	—	—	—	—	—
2025/2/11 2:00	0	0	0	0	—	—	—	—	—	—
2025/2/11 3:00	0	0	0	0	—	—	—	—	—	—
2025/2/11 4:00	0	0	0	0	—	—	—	—	—	—
2025/2/11 5:00	0	0	0	0	—	—	—	—	—	—
2025/2/11 6:00	0	0	0	0	—	—	—	—	—	—
2025/2/11 7:00	0	0	0	0	—	—	—	—	—	—
2025/2/11 8:00	0	0	0	0	—	—	—	—	—	—
2025/2/11 9:00	0	0	0	0	—	—	—	—	—	—
2025/2/11 10:00	0	0	0	0	—	—	—	—	—	—
2025/2/11 11:00	0	0	0	0	—	—	—	—	—	—
2025/2/11 12:00	0	0	0	0	—	—	—	—	—	—
2025/2/11 13:00	0	0	0	0	—	—	—	—	—	—
2025/2/11 14:00	0	0	0	0	—	—	—	—	—	—
2025/2/11 15:00	0	0	0	0	—	—	—	—	—	—
2025/2/11 16:00	0	0	0	0	—	—	—	—	—	—
2025/2/11 17:00	0	0	0	0	—	—	—	—	—	—
2025/2/11 18:00	0	0	0	0	—	—	—	—	—	—
2025/2/11 19:00	0	0	0	0	—	—	—	—	—	—
2025/2/11 20:00	0	0	0	0	—	—	—	—	—	—
2025/2/11 21:00	0	0	0	0	—	—	—	—	—	—
2025/2/11 22:00	0	0	0	0	—	—	—	—	—	—
2025/2/11 23:00	0	0	0	0	—	—	—	—	—	—
2025/2/12 0:00	0	0	0	0	—	—	—	—	—	—
2025/2/12 1:00	0	0	0	0	—	—	—	—	—	—
2025/2/12 2:00	0	0	0	0	—	—	—	—	—	—
2025/2/12 3:00	0	0	0	0	—	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/2/12 4:00	0	0	0	0	—	—	—	—	—	—
2025/2/12 5:00	0	0	0	0	—	—	—	—	—	—
2025/2/12 6:00	0	0	0	0	—	—	—	—	—	—
2025/2/12 7:00	0	0	0	0	—	—	—	—	—	—
2025/2/12 8:00	0	0	0	0	—	—	—	—	—	—
2025/2/12 9:00	0	0	0	0	—	—	—	—	—	—
2025/2/12 10:00	0	0	0	0	—	—	—	—	—	—
2025/2/12 11:00	0	0	0	0	—	—	—	—	—	—
2025/2/12 12:00	0	0	0	0	—	—	—	—	—	—
2025/2/12 13:00	0	0	0	0	—	—	—	—	—	—
2025/2/12 14:00	0	0	0	0	—	—	—	—	—	—
2025/2/12 15:00	0	0	0	0	—	—	—	—	—	—
2025/2/12 16:00	0	0	0	0	—	—	—	—	—	—
2025/2/12 17:00	0	0	0	0	—	—	—	—	—	—
2025/2/12 18:00	0	0	0	0	—	—	—	—	—	—
2025/2/12 19:00	0	0	0	0	—	—	—	—	—	—
2025/2/12 20:00	0	0	0	0	—	—	—	—	—	—
2025/2/13 1:00	0	0	0	0	—	—	—	—	—	—
2025/2/13 3:00	0	0	0	0	—	—	—	—	—	—
2025/2/13 4:00	0	0	0	0	—	—	—	—	—	—
2025/2/13 5:00	0	0	0	0	—	—	—	—	—	—
2025/2/13 6:00	0	0	0	0	—	—	—	—	—	—
2025/2/13 7:00	0	0	0	0	—	—	—	—	—	—
2025/2/13 8:00	0	0	0	0	—	—	—	—	—	—
2025/2/13 9:00	0	0	0	0	0	—	—	—	—	—
2025/2/13 10:00	0	0	0	0	0	—	—	—	—	—
2025/2/13 11:00	0	0	0	0	0	—	—	—	—	—
2025/2/13 12:00	0	0	0	0	0	—	—	—	—	—
2025/2/13 13:00	0	0	0	0	0	—	—	—	—	—
2025/2/13 14:00	0	0	0	0	0	—	—	—	—	—
2025/2/13 15:00	0	0	0	0	0	—	—	—	—	—
2025/2/13 16:00	0	0	0	0	0	—	—	—	—	—
2025/2/13 17:00	0	0	0	0	0	—	—	—	—	—
2025/2/13 18:00	0	0	0	0	0	—	—	—	—	—
2025/2/13 19:00	0	0	0	0	0	—	—	—	—	—
2025/2/13 20:00	0	0	0	0	0	—	—	—	—	—
2025/2/13 21:00	0	—	0	0	0	—	—	—	—	—
2025/2/13 22:00	0	—	0	0	0	—	—	—	—	—
2025/2/13 23:00	0	0	0	0	0	—	—	—	—	—
2025/2/14 0:00	0	0	0	0	0	—	—	—	—	—
2025/2/14 1:00	0	0	0	0	0	—	—	—	—	—
2025/2/14 2:00	0	0	0	0	0	—	—	—	—	—
2025/2/14 3:00	0	0	0	0	0	—	—	—	—	—
2025/2/14 4:00	0	0	0	0	0	—	—	—	—	—
2025/2/14 5:00	0	0	0	0	0	—	—	—	—	—
2025/2/14 6:00	0	0	0	0	0	—	—	—	—	—
2025/2/14 7:00	0	0	0	0	0	—	—	—	—	—
2025/2/14 8:00	0	0	0	0	0	—	—	—	—	—
2025/2/14 9:00	0	0	0	0	0	—	—	—	—	—
2025/2/14 10:00	0	0	0	0	0	—	—	—	—	—
2025/2/14 11:00	0	0	0	0	0	—	—	—	—	—
2025/2/14 12:00	0	0	0	0	0	—	—	—	—	—
2025/2/14 13:00	0	0	0	0	0	—	—	—	—	—
2025/2/14 14:00	0	0	0	0	0	—	—	—	—	—
2025/2/14 15:00	0	0	0	0	0	—	—	—	—	—
2025/2/14 16:00	0	0	0	0	0	—	—	—	—	—
2025/2/14 17:00	0	0	0	0	0	—	—	—	—	—
2025/2/14 18:00	0	0	0	0	0	—	—	—	—	—
2025/2/14 19:00	0	0	0	0	0	—	—	—	—	—
2025/2/14 20:00	0	0	0	0	0	—	—	—	—	—
2025/2/14 21:00	0	0	0	0	0	—	—	—	—	—
2025/2/14 22:00	0	0	0	0	0	—	—	—	—	—
2025/2/14 23:00	0	0	0	0	0	—	—	—	—	—
2025/2/15 0:00	0	0	0	0	0	—	—	—	—	—
2025/2/15 1:00	0	0	0	0	0	—	—	—	—	—
2025/2/15 2:00	0	0	0	0	0	—	—	—	—	—
2025/2/15 3:00	0	0	0	0	0	—	—	—	—	—
2025/2/15 4:00	0	0	0	0	0	—	—	—	—	—
2025/2/15 5:00	0	0	0	0	0	—	—	—	—	—
2025/2/15 6:00	0	0	0	0	0	—	—	—	—	—
2025/2/15 7:00	0	0	0	0	0	—	—	—	—	—
2025/2/15 8:00	0	0	0	0	0	—	—	—	—	—
2025/2/15 9:00	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/2/15 10:00	0	0	0	0	0	—	—	—	—	—
2025/2/15 11:00	0	0	0	0	0	—	—	—	—	—
2025/2/15 12:00	0	0	0	0	0	—	—	—	—	—
2025/2/15 13:00	0	0	0	0	0	—	—	—	—	—
2025/2/15 14:00	0	0	0	0	0	—	—	—	—	—
2025/2/15 15:00	0	0	0	0	0	—	—	—	—	—
2025/2/15 16:00	0	0	0	0	0	—	—	—	—	—
2025/2/15 17:00	0	0	0	0	0	—	—	—	—	—
2025/2/15 18:00	0	0	0	0	0	—	—	—	—	—
2025/2/15 19:00	0	0	0	0	0	—	—	—	—	—
2025/2/15 20:00	0	0	0	0	0	—	—	—	—	—
2025/2/15 21:00	0	0	0	0	0	—	—	—	—	—
2025/2/15 22:00	0	0	0	0	0	—	—	—	—	—
2025/2/15 23:00	0	0	0	0	0	—	—	—	—	—
2025/2/16 0:00	0	0	0	0	0	—	—	—	—	—
2025/2/16 1:00	0	0	0	0	0	—	—	—	—	—
2025/2/16 2:00	0	0	0	0	0	—	—	—	—	—
2025/2/16 3:00	0	0	0	0	0	—	—	—	—	—
2025/2/16 4:00	0	0	0	0	0	—	—	—	—	—
2025/2/16 5:00	0	0	0	0	0	—	—	—	—	—
2025/2/16 6:00	0	0	0	0	0	—	—	—	—	—
2025/2/16 7:00	0	0	0	0	0	—	—	—	—	—
2025/2/16 8:00	0	0	0	0	0	—	—	—	—	—
2025/2/16 9:00	0	0	0	0	0	—	—	—	—	—
2025/2/16 10:00	0	0	0	0	0	—	—	—	—	—
2025/2/16 11:00	0	0	0	0	0	—	—	—	—	—
2025/2/16 12:00	0	0	0	0	0	—	—	—	—	—
2025/2/16 13:00	0	0	0	0	0	—	—	—	—	—
2025/2/16 14:00	0	0	0	0	0	—	—	—	—	—
2025/2/16 15:00	0	0	0	0	0	—	—	—	—	—
2025/2/16 16:00	0	0	0	0	0	—	—	—	—	—
2025/2/16 17:00	0	0	0	0	0	—	—	—	—	—
2025/2/16 18:00	0	0	0	0	0	—	—	—	—	—
2025/2/16 19:00	0	0	0	0	0	—	—	—	—	—
2025/2/16 20:00	0	0	0	0	0	—	—	—	—	—
2025/2/16 21:00	0	0	0	0	0	—	—	—	—	—
2025/2/16 22:00	0	0	0	0	0	—	—	—	—	—
2025/2/16 23:00	0	0	0	0	0	—	—	—	—	—
2025/2/17 0:00	0	0	0	0	0	—	—	—	—	—
2025/2/17 1:00	0	0	0	0	0	—	—	—	—	—
2025/2/17 2:00	0	0	0	0	0	—	—	—	—	—
2025/2/17 3:00	0	0	0	0	0	—	—	—	—	—
2025/2/17 4:00	0	0	0	0	0	—	—	—	—	—
2025/2/17 5:00	0	0	0	0	0	—	—	—	—	—
2025/2/17 6:00	0	0	0	0	0	—	—	—	—	—
2025/2/17 7:00	0	0	0	0	0	—	—	—	—	—
2025/2/17 8:00	0	0	0	0	0	—	—	—	—	—
2025/2/17 9:00	0	0	0	0	0	—	—	—	—	—
2025/2/17 10:00	0	0	0	0	0	—	—	—	—	—
2025/2/17 11:00	0	0	0	0	0	—	—	—	—	—
2025/2/17 12:00	0	0	0	0	0	—	—	—	—	—
2025/2/17 13:00	0	0	0	0	0	—	—	—	—	—
2025/2/17 14:00	0	0	0	0	0	—	—	—	—	—
2025/2/17 15:00	0	0	0	0	0	—	—	—	—	—
2025/2/17 16:00	0	0	0	0	0	—	—	—	—	—
2025/2/17 17:00	0	0	0	0	0	—	—	—	—	—
2025/2/17 18:00	0	0	0	0	0	—	—	—	—	—
2025/2/17 19:00	0	0	0	0	0	—	—	—	—	—
2025/2/17 20:00	0	0	0	0	0	—	—	—	—	—
2025/2/17 21:00	0	0	0	0	0	—	—	—	—	—
2025/2/17 22:00	0	0	0	0	0	—	—	—	—	—
2025/2/17 23:00	0	0	0	0	0	—	—	—	—	—
2025/2/18 0:00	0	0	0	0	0	—	—	—	—	—
2025/2/18 1:00	0	0	0	0	—	—	—	—	—	—
2025/2/18 2:00	0	0	0	0	—	—	—	—	—	—
2025/2/18 3:00	0	0	0	0	—	—	—	—	—	—
2025/2/18 4:00	0	0	0	0	—	—	—	—	—	—
2025/2/18 5:00	0	0	0	0	—	—	—	—	—	—
2025/2/18 6:00	0	0	0	0	—	—	—	—	—	—
2025/2/18 7:00	0	0	0	0	—	—	—	—	—	—
2025/2/18 8:00	0	0	0	0	—	—	—	—	—	—
2025/2/18 9:00	0	0	0	0	—	—	—	—	—	—
2025/2/18 10:00	0	0	0	0	—	—	—	—	—	—

※「—」は、測定開始前、測定対象外の時間帯、欠測又は測定器のデータ保存期間経過後のため記録が残っていないものです。

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/2/18 11:00	0	0	0	0	—	—	—	—	—	—
2025/2/18 12:00	0	0	0	0	—	—	—	—	—	—
2025/2/18 13:00	0	0	0	0	—	—	—	—	—	—
2025/2/18 14:00	0	0	0	0	—	—	—	—	—	—
2025/2/18 15:00	0	0	0	0	—	—	—	—	—	—
2025/2/18 16:00	0	0	0	0	—	—	—	—	—	—
2025/2/18 17:00	0	0	0	0	—	—	—	—	—	—
2025/2/18 18:00	0	0	0	0	—	—	—	—	—	—
2025/2/18 19:00	0	0	0	0	—	—	—	—	—	—
2025/2/18 20:00	0	0	0	0	—	—	—	—	—	—
2025/2/18 21:00	0	0	0	0	—	—	—	—	—	—
2025/2/18 22:00	0	0	0	0	—	—	—	—	—	—
2025/2/18 23:00	0	0	0	0	—	—	—	—	—	—
2025/2/19 0:00	0	0	0	0	—	—	—	—	—	—
2025/2/19 1:00	0	0	0	0	0	—	—	—	—	—
2025/2/19 2:00	0	0	0	0	0	—	—	—	—	—
2025/2/19 3:00	0	0	0	0	0	—	—	—	—	—
2025/2/19 4:00	0	0	0	0	0	—	—	—	—	—
2025/2/19 5:00	0	0	0	0	0	—	—	—	—	—
2025/2/19 6:00	0	0	0	0	0	—	—	—	—	—
2025/2/19 7:00	0	0	0	0	0	—	—	—	—	—
2025/2/19 8:00	0	0	0	0	0	—	—	—	—	—
2025/2/19 9:00	0	0	0	0	0	—	—	—	—	—
2025/2/19 10:00	0	0	0	0	0	—	—	—	—	—
2025/2/19 11:00	0	0	0	0	0	—	—	—	—	—
2025/2/19 12:00	0	0	0	0	0	—	—	—	—	—
2025/2/19 13:00	0	0	0	0	0	—	—	—	—	—
2025/2/19 14:00	0	0	0	0	0	—	—	—	—	—
2025/2/19 15:00	0	0	0	0	0	—	—	—	—	—
2025/2/19 16:00	0	0	0	0	0	—	—	—	—	—
2025/2/19 17:00	0	0	0	0	0	—	—	—	—	—
2025/2/19 18:00	0	0	0	0	0	—	—	—	—	—
2025/2/19 19:00	0	0	0	0	0	—	—	—	—	—
2025/2/19 20:00	0	0	0	0	0	—	—	—	—	—
2025/2/19 21:00	0	0	0	0	0	—	—	—	—	—
2025/2/19 22:00	0	0	0	0	0	—	—	—	—	—
2025/2/19 23:00	0	0	0	0	0	—	—	—	—	—
2025/2/20 0:00	0	0	0	0	0	—	—	—	—	—
2025/2/20 1:00	0	0	0	0	0	—	—	—	—	—
2025/2/20 2:00	0	0	0	0	0	—	—	—	—	—
2025/2/20 3:00	0	0	0	0	0	—	—	—	—	—
2025/2/20 4:00	0	0	0	0	0	—	—	—	—	—
2025/2/20 5:00	0	0	0	0	0	—	—	—	—	—
2025/2/20 6:00	0	0	0	0	0	—	—	—	—	—
2025/2/20 7:00	0	0	0	0	0	—	—	—	—	—
2025/2/20 8:00	0	0	0	0	0	—	—	—	—	—
2025/2/20 9:00	0	0	0	0	0	—	—	—	—	—
2025/2/20 10:00	0	0	0	0	0	—	—	—	—	—
2025/2/20 11:00	0	0	0	0	0	—	—	—	—	—
2025/2/20 12:00	0	0	0	0	0	—	—	—	—	—
2025/2/20 13:00	0	0	0	0	0	—	—	—	—	—
2025/2/20 14:00	0	0	0	0	0	—	—	—	—	—
2025/2/20 15:00	0	0	0	0	0	—	—	—	—	—
2025/2/20 16:00	0	0	0	0	0	—	—	—	—	—
2025/2/20 17:00	0	0	0	0	0	—	—	—	—	—
2025/2/20 18:00	0	0	0	0	0	—	—	—	—	—
2025/2/20 19:00	0	0	0	0	0	—	—	—	—	—
2025/2/20 20:00	0	0	0	0	0	—	—	—	—	—
2025/2/20 21:00	0	0	0	0	0	—	—	—	—	—
2025/2/20 22:00	0	0	0	0	0	—	—	—	—	—
2025/2/20 23:00	0	0	0	0	0	—	—	—	—	—
2025/2/21 0:00	0	0	0	0	0	—	—	—	—	—
2025/2/21 1:00	0	0	0	0	0	—	—	—	—	—
2025/2/21 2:00	0	0	0	0	0	—	—	—	—	—
2025/2/21 3:00	0	0	0	0	0	—	—	—	—	—
2025/2/21 4:00	0	0	0	1	0	—	—	—	—	—
2025/2/21 5:00	0	0	0	0.7	0	—	—	—	—	—
2025/2/21 6:00	0	0	0	0.8	0	—	—	—	—	—
2025/2/21 7:00	0	0.6	0	0	0	—	—	—	—	—
2025/2/21 8:00	0	0.6	0	0	0	—	—	—	—	—
2025/2/21 9:00	0	0	0	0	0	—	—	—	—	—
2025/2/21 10:00	0	0	0	0	0	—	—	—	—	—
2025/2/21 11:00	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/2/21 12:00	0	0	0	0	0	—	—	—	—	—
2025/2/21 13:00	0	0	0	0	0	—	—	—	—	—
2025/2/21 14:00	0	0	0	0	0	—	—	—	—	—
2025/2/21 15:00	0	0	0	0	0	—	—	—	—	—
2025/2/21 16:00	0	0	0	0	0	—	—	—	—	—
2025/2/21 17:00	0	0	0	0	0	—	—	—	—	—
2025/2/21 18:00	0	0	0	0	0	—	—	—	—	—
2025/2/21 19:00	0	0	0	0	0	—	—	—	—	—
2025/2/21 20:00	0	0	0	0	0	—	—	—	—	—
2025/2/21 21:00	0	0	0	0	0	—	—	—	—	—
2025/2/21 22:00	0	0	0	0	0	—	—	—	—	—
2025/2/21 23:00	0	0	0	0	0	—	—	—	—	—
2025/2/22 0:00	0	0	0	0	0	—	—	—	—	—
2025/2/22 1:00	0	0	0	0	0	—	—	—	—	—
2025/2/22 2:00	0	0	0	0	0	—	—	—	—	—
2025/2/22 3:00	0	0	0	0	0	—	—	—	—	—
2025/2/22 4:00	0	0	0	0	0	—	—	—	—	—
2025/2/22 5:00	0	0	0	0.5	0	—	—	—	—	—
2025/2/22 6:00	0	0	0	0	0	—	—	—	—	—
2025/2/22 7:00	0	0	0	0	0	—	—	—	—	—
2025/2/22 8:00	0	0	0	0.4	0	—	—	—	—	—
2025/2/22 9:00	0	0	0	0	0	—	—	—	—	—
2025/2/22 10:00	0	0	0.5	0	0	—	—	—	—	—
2025/2/22 11:00	0	0	0	0	0	—	—	—	—	—
2025/2/22 12:00	0	0	0	0	0	—	—	—	—	—
2025/2/22 13:00	0	0	0	0	0	—	—	—	—	—
2025/2/22 14:00	0	0	0	0	0	—	—	—	—	—
2025/2/22 15:00	0	0	0	0	0	—	—	—	—	—
2025/2/22 16:00	0	0	0	0	0	—	—	—	—	—
2025/2/22 17:00	0	0	0	0	0	—	—	—	—	—
2025/2/22 18:00	0	0	0.3	0	0	—	—	—	—	—
2025/2/22 19:00	0	0	0	0	0	—	—	—	—	—
2025/2/22 20:00	0	0	0	0	0	—	—	—	—	—
2025/2/22 21:00	0	0	0	0	0	—	—	—	—	—
2025/2/22 22:00	0	0	0	0	0	—	—	—	—	—
2025/2/22 23:00	0	0	0	0	0	—	—	—	—	—
2025/2/23 0:00	0	0	0	0	0	—	—	—	—	—
2025/2/23 1:00	0	0	0	0	0	—	—	—	—	—
2025/2/23 2:00	0	0	0	0	0	—	—	—	—	—
2025/2/23 3:00	0	0	0	0	0	—	—	—	—	—
2025/2/23 4:00	0	0	0	0	0	—	—	—	—	—
2025/2/23 5:00	0	0	0	0	0	—	—	—	—	—
2025/2/23 6:00	0	0	0	0	0	—	—	—	—	—
2025/2/23 7:00	0	0	0	0	0	—	—	—	—	—
2025/2/23 8:00	0	0	0	0	0	—	—	—	—	—
2025/2/23 9:00	0	0	0	0	0	—	—	—	—	—
2025/2/23 10:00	0	0	0	0	0	—	—	—	—	—
2025/2/23 11:00	0	0	0	0	0	—	—	—	—	—
2025/2/23 12:00	0	0	0	0	0	—	—	—	—	—
2025/2/23 13:00	0	0	0	0	0	—	—	—	—	—
2025/2/23 14:00	0	0	0	0	0	—	—	—	—	—
2025/2/23 15:00	0	0	0	0	0	—	—	—	—	—
2025/2/23 16:00	0	0	0	0	0	—	—	—	—	—
2025/2/23 17:00	0	0	0	0	0	—	—	—	—	—
2025/2/23 18:00	0	0	0	0	0	—	—	—	—	—
2025/2/23 19:00	0	0	0	0	0	—	—	—	—	—
2025/2/23 20:00	0	0	0	0	0	—	—	—	—	—
2025/2/23 21:00	0	0	0	0	0	—	—	—	—	—
2025/2/23 22:00	0	0	0	0	0	—	—	—	—	—
2025/2/23 23:00	0	0	0	0	0	—	—	—	—	—
2025/2/24 0:00	0	0	0	0	0	—	—	—	—	—
2025/2/24 1:00	0	0	0	0	0	—	—	—	—	—
2025/2/24 2:00	0	0	0	0	0	—	—	—	—	—
2025/2/24 3:00	0	0	0	0	0	—	—	—	—	—
2025/2/24 4:00	0	0	0	0	0	—	—	—	—	—
2025/2/24 5:00	0	0	0	0	0	—	—	—	—	—
2025/2/24 6:00	0	0	0	0	0	—	—	—	—	—
2025/2/24 7:00	0	0	0	0	0	—	—	—	—	—
2025/2/24 8:00	0	0	0	0	0	—	—	—	—	—
2025/2/24 9:00	0	0	0	0	0	110	120	120	100	100
2025/2/24 10:00	0	0	0	0	0	88	68	92	86	57
2025/2/24 11:00	0	0	0	0	0	108	81	81	80	80
2025/2/24 12:00	0	0	0	0	0	178	62	102	87	65

※「—」は、測定開始前、測定対象外の時間帯、欠測又は測定器のデータ保存期間経過後のため記録が残っていないものです。

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/2/24 13:00	0	0	0	0	0	85	65	65	140	65
2025/2/24 14:00	0	0	0	0	0	66	62	66	78	60
2025/2/24 15:00	0	0	0	0	0	78	66	67	133	57
2025/2/24 16:00	0	0	0	0	0	141	81	74	141	75
2025/2/24 17:00	0	0	0	0	0	114	81	40	140	48
2025/2/24 18:00	0	0	0	0	0	82	74	67	187	62
2025/2/24 19:00	0	0	0	0	0	114	60	48	251	68
2025/2/24 20:00	0	0	0	0	0	108	62	55	260	55
2025/2/24 21:00	0	0	0	0	0	62	62	42	318	35
2025/2/24 22:00	0	0	0	0	0	55	55	48	280	55
2025/2/24 23:00	0	0	0	0	0	68	55	54	326	48
2025/2/25 0:00	0	0	0	0	0	41	48	35	332	42
2025/2/25 1:00	0	0	0	0	0	47	35	42	81	55
2025/2/25 2:00	0	0	0	0	0	88	82	246	128	148
2025/2/25 3:00	0	0	0	0	0	128	113	220	168	121
2025/2/25 4:00	0	0	0	0	0	68	61	206	68	68
2025/2/25 5:00	0	0	0	0	0	87	64	174	306	75
2025/2/25 6:00	0	0	0	0	0	82	82	226	108	75
2025/2/25 7:00	0	0	0	0	0	82	86	101	82	67
2025/2/25 8:00	0	0	0	0	0	86	87	88	86	88
2025/2/25 9:00	0	0	0	0	0	108	82	128	141	62
2025/2/25 10:00	0	0	0	0	0	88	86	95	68	75
2025/2/25 11:00	0	0	0	0	0	82	82	87	140	118
2025/2/25 12:00	0	0	0	0	0	155	95	102	106	95
2025/2/25 13:00	0	0	0	0	0	203	75	87	102	82
2025/2/25 14:00	0	0	0	0	0	173	297	102	193	113
2025/2/25 15:00	0	0	0	0	0	182	166	168	80	114
2025/2/25 16:00	0	0	0	0	0	180	115	120	102	141
2025/2/25 17:00	0	0	0	0	0	266	108	140	68	62
2025/2/25 18:00	0	0	0	0	0	318	94	351	75	134
2025/2/25 19:00	0	0	0	0	0	95	126	121	285	115
2025/2/25 20:00	0	0	0	0	0	151	66	75	68	68
2025/2/25 21:00	0	0	0	0	0	260	135	80	65	86
2025/2/25 22:00	0	0	0	0	0	68	107	40	42	40
2025/2/25 23:00	0	0	0	0	0	55	120	82	68	121
2025/2/26 0:00	0	0	0	0	0	62	155	68	66	55
2025/2/26 1:00	0	0	0	0	0	62	121	55	82	54
2025/2/26 2:00	0	0	0	0	0	55	199	61	82	55
2025/2/26 3:00	0	0	0	0	0	82	313	68	74	61
2025/2/26 4:00	0	0	0	0	0	102	102	102	192	121
2025/2/26 5:00	0	0	0	0	0	115	120	140	141	114
2025/2/26 6:00	0	0	0	0	0	140	94	94	102	120
2025/2/26 7:00	0	0	0	0	0	121	101	82	114	112
2025/2/26 8:00	0	0	0	0	0	120	180	113	168	115
2025/2/26 9:00	0	0	0	0	0	115	200	114	128	121
2025/2/26 10:00	0	0	0	0	0	121	115	140	180	140
2025/2/26 11:00	0	0	0	0	0	141	173	141	161	128
2025/2/26 12:00	0	0	0	0	0	106	159	108	102	113
2025/2/26 13:00	0	0	0	0	0	181	227	188	168	115
2025/2/26 14:00	0	0	0	0	0	128	135	173	128	121
2025/2/26 15:00	0	0	0	0	0	121	107	102	102	82
2025/2/26 16:00	0	0	0	0	0	140	87	134	198	88
2025/2/26 17:00	0	0	0	0	0	140	94	147	100	75
2025/2/26 18:00	0	0	0	0	0	127	81	87	161	74
2025/2/26 19:00	0	0	0	0	0	93	101	161	100	74
2025/2/26 20:00	0	0	0	0	0	67	54	80	103	48
2025/2/26 21:00	0	0	0	0	0	67	54	74	187	54
2025/2/26 22:00	0	0	0	0	0	391	101	66	81	212
2025/2/26 23:00	0	0	0	0	0	100	61	81	153	134
2025/2/27 0:00	0	0	0	0	0	68	55	35	95	73
2025/2/27 1:00	0	0	0	0	0	27	28	42	199	67
2025/2/27 2:00	0	0	0	0	0	41	33	120	372	41
2025/2/27 3:00	0	0	0	0	0	48	35	88	258	54
2025/2/27 4:00	0	0	0	0	0	46	46	42	55	54
2025/2/27 5:00	0	0	0	0	0	68	108	107	146	74
2025/2/27 6:00	0	0	0	0	0	42	35	75	187	47
2025/2/27 7:00	0	0	0	0	0	62	55	35	371	54
2025/2/27 8:00	0	0	0	0	0	86	54	61	252	95
2025/2/27 9:00	0	0	0	0	0	135	62	107	95	101
2025/2/27 10:00	0	0	0	0	0	119	82	106	159	108
2025/2/27 11:00	0	0	0	0	0	75	68	108	141	107
2025/2/27 12:00	0	0	0	0	0	115	94	157	61	106
2025/2/27 13:00	0	0	0	0	0	88	88	88	101	102

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/2/27 14:00	0	0	0	0	0	94	74	108	106	107
2025/2/27 15:00	0	0	0	0	0	153	127	141	107	233
2025/2/27 16:00	0	0	0	0	0	160	123	280	160	311
2025/2/27 17:00	0	0	0	0	0	193	151	186	146	246
2025/2/27 18:00	0	0	0	0	0	—	—	—	253	207
2025/2/27 19:00	0	0	0	0	0	—	—	—	—	—
2025/2/27 20:00	0	0	0	0	0	—	—	—	—	—
2025/2/27 21:00	0	0	0	0	0	—	—	168	—	160
2025/2/27 22:00	0	0	0	0	0	—	—	—	—	—
2025/2/27 23:00	0	0	0	0	0	—	—	—	—	—
2025/2/28 0:00	0	0	0	0	0	155	180	160	145	490
2025/2/28 1:00	0	0	0	0	0	148	153	121	155	180
2025/2/28 2:00	0	0	0	0	0	146	133	128	265	141
2025/2/28 3:00	0	0	0	0	0	135	135	126	272	147
2025/2/28 4:00	0	0	0	0	0	114	120	95	114	114
2025/2/28 5:00	0	0	0	0	0	101	107	93	120	101
2025/2/28 6:00	0	0	0	0	0	107	115	108	135	114
2025/2/28 7:00	0	0	0	0	0	120	108	101	146	108
2025/2/28 8:00	0	0	0	0	0	113	108	88	128	94
2025/2/28 9:00	0	0	0	0	0	140	135	115	180	115
2025/2/28 10:00	0	0	0	0	0	139	153	126	198	147
2025/2/28 11:00	0	0	0	0	0	161	141	303	161	153
2025/2/28 12:00	0	0	0	0	0	172	159	160	167	168
2025/2/28 13:00	0	0	0	0	0	141	148	190	168	155
2025/2/28 14:00	0	0	0	0	0	121	126	121	113	141
2025/2/28 15:00	0	0	0	0	0	119	134	141	127	140
2025/2/28 16:00	0	0	0	0	0	154	193	155	187	252
2025/2/28 17:00	0	0	0	0	0	199	253	218	265	220
2025/2/28 18:00	0	0	0	0	0	168	174	146	220	180
2025/2/28 19:00	0	0	0	0	0	180	253	260	260	189
2025/2/28 20:00	0	0	0	0	0	140	140	141	168	148
2025/2/28 21:00	0	0	0	0	0	127	127	168	140	134
2025/2/28 22:00	0	0	0	0	0	107	100	102	133	101
2025/2/28 23:00	0	0	0	0	0	100	100	108	113	100
2025/3/1 0:00	0	0	0	0	0	95	95	102	119	120
2025/3/1 1:00	0	0	0	0	0	100	95	100	333	100
2025/3/1 2:00	0	0	0	0	0	120	102	102	253	121
2025/3/1 3:00	0	0	0	0	0	174	103	128	194	114
2025/3/1 4:00	0	0	0	0	0	115	180	127	139	113
2025/3/1 5:00	0	0	0	0	0	140	121	128	155	160
2025/3/1 6:00	—	—	0	0	0	—	—	120	188	140
2025/3/1 7:00	0	0	0	0	0	114	102	108	370	127
2025/3/1 8:00	0	0	0	0	0	90	75	81	150	87
2025/3/1 9:00	0	0	0	0	0	80	67	207	115	213
2025/3/1 10:00	0	0	0	0	0	148	155	120	128	134
2025/3/1 11:00	0	0	0	0	0	105	198	153	174	147
2025/3/1 12:00	0	0	0	0	0	160	141	120	146	233
2025/3/1 13:00	0	0	0	0	0	181	159	127	173	166
2025/3/1 14:00	0	0	0	0	0	141	172	141	148	266
2025/3/1 15:00	0	0	0	0	0	194	154	197	146	157
2025/3/1 16:00	0	0	0	0	0	194	206	87	135	299
2025/3/1 17:00	0	0	0	0	0	167	167	113	172	172
2025/3/1 18:00	0	0	0	0	0	120	95	82	66	93
2025/3/1 19:00	0	0	0	0	0	172	161	206	146	205
2025/3/1 20:00	0	0	0	0	0	102	87	160	180	220
2025/3/1 21:00	0	0	0	0	0	86	87	140	75	240
2025/3/1 22:00	0	0	0	0	0	95	81	108	93	213
2025/3/1 23:00	0	0	0	0	0	114	86	231	67	155
2025/3/2 0:00	0	0	0	0	0	115	107	198	107	154
2025/3/2 1:00	0	0	0	0	0	105	133	133	160	140
2025/3/2 2:00	0	0	0	0	0	141	160	113	135	121
2025/3/2 3:00	0	0	0	0	0	115	100	93	620	155
2025/3/2 4:00	0	0	0	0	0	102	80	100	230	120
2025/3/2 5:00	0	0	0	0	0	86	67	106	107	240
2025/3/2 6:00	0	0	0	0	0	100	93	93	166	330
2025/3/2 7:00	0	0	0	0	0	86	80	68	81	87
2025/3/2 8:00	0	0	0	0	0	80	67	74	104	101
2025/3/2 9:00	0	0	0	0	0	74	126	107	101	87
2025/3/2 10:00	0	0	0	0	0	107	106	330	135	101
2025/3/2 11:00	0	0	0	0	0	200	147	107	106	94
2025/3/2 12:00	0	0	0	0	0	93	87	101	133	107
2025/3/2 13:00	0	0	0	0	0	113	87	210	95	134
2025/3/2 14:00	0	0	0	0	0	160	106	260	120	106

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/3/2 15:00	0	0	0	0	0	400	127	107	80	173
2025/3/2 16:00	0	0	0	0	0	205	93	167	81	250
2025/3/2 17:00	0	0	0	0	0	180	93	600	81	390
2025/3/2 18:00	0	0	0.3	0	0	121	73	450	81	570
2025/3/2 19:00	0	0	0	0	0	113	60	172	67	60
2025/3/2 20:00	0	0	0	0	0	86	60	226	67	284
2025/3/2 21:00	0	0	0	0	0	106	66	370	62	61
2025/3/2 22:00	0	0	0	1.7	0	115	80	724	198	62
2025/3/2 23:00	0	0	0	0	0	107	73	186	74	66
2025/3/3 0:00	0	0	0.4	0	0	68	55	444	121	68
2025/3/3 1:00	0	0	0	0	0	73	48	205	95	55
2025/3/3 2:00	0	0	0	0	0	88	—	344	94	40
2025/3/3 3:00	0	0	0	0	0	81	46	312	82	53
2025/3/3 4:00	0	0	0	0	0	54	43	74	85	40
2025/3/3 5:00	0	0	0	0	0	68	48	332	54	46
2025/3/3 6:00	0	0	0	0	0	88	61	114	95	55
2025/3/3 7:00	0	0	0	0	0	95	97	284	106	55
2025/3/3 8:00	0	0	0	0	0	107	68	266	75	46
2025/3/3 9:00	0	0	0	0	0	55	55	200	88	53
2025/3/3 10:00	0	0	0	0	0	40	46	107	60	35
2025/3/3 11:00	0	0	0	0	0	45	148	102	140	40
2025/3/3 12:00	0	0	0	0	0	101	74	133	120	73
2025/3/3 13:00	0	0	0	0	0	43	22	63	33	48
2025/3/3 14:00	0	0	0	0	0	50	47	200	180	110
2025/3/3 15:00	0	0	0	0	0	120	101	101	114	94
2025/3/3 16:00	0	0	0	0	0	107	95	95	120	80
2025/3/3 17:00	0	0	0	0	0	134	94	102	75	87
2025/3/3 18:00	0	0	0	0	0	66	55	95	95	80
2025/3/3 19:00	0	0	0	0	0	80	67	95	80	82
2025/3/3 20:00	0	0	0	0	0	100	68	81	145	80
2025/3/3 21:00	0	0	0	0	0	40	42	180	40	55
2025/3/3 22:00	0	0	0	0	0	46	55	147	67	55
2025/3/3 23:00	0	0	0	0	0	59	58	162	70	65
2025/3/4 0:00	0	0	0	0	0	60	54	265	68	62
2025/3/4 1:00	0	0	0	0	0	42	34	55	33	55
2025/3/4 2:00	0	0	0	0	0	48	55	55	35	61
2025/3/4 3:00	0	0	0	0	0	40	29	82	35	42
2025/3/4 4:00	0	0	0	0	0	46	35	68	55	40
2025/3/4 5:00	0	0	0	0	0	48	47	81	47	55
2025/3/4 6:00	0	0	0	0	0	80	73	102	75	74
2025/3/4 7:00	0	0	0	0	0	66	55	66	47	55
2025/3/4 8:00	0	0	0	0	0	62	54	107	54	73
2025/3/4 9:00	0	0	0	0	0	82	80	68	80	108
2025/3/4 10:00	0	0	0	0	0	75	60	62	68	48
2025/3/4 11:00	0	0	0	0	0	68	55	101	146	80
2025/3/4 12:00	0	0	0	0	0	81	62	68	94	75
2025/3/4 13:00	0	0	0	0	0	115	114	121	140	80
2025/3/4 14:00	0	0	0	0	0	82	95	190	231	75
2025/3/4 15:00	0	0	0	0	0	120	133	220	93	180
2025/3/4 16:00	0	0	0	0	0	82	68	126	95	140
2025/3/4 17:00	0	0	0	0	0	75	75	114	100	95
2025/3/4 18:00	0	0	0	0	0	60	46	87	135	102
2025/3/4 19:00	0	0	0	0	0	55	35	200	101	54
2025/3/4 20:00	0	0	0	0	0	47	28	95	160	65
2025/3/4 21:00	0	0	0	0	0	73	67	140	106	107
2025/3/4 22:00	0	0	0	0	0	59	47	147	198	114
2025/3/4 23:00	0	0	0	0	0	29	53	62	88	81
2025/3/5 0:00	0	0	0	0	0	48	55	140	80	75
2025/3/5 1:00	0	0	0	0	0	40	35	48	75	47
2025/3/5 2:00	0	0	0	0	0	55	62	61	95	68
2025/3/5 3:00	0	0	0	0	0	40	46	46	102	40
2025/3/5 4:00	0	0	0	0	0	33	40	60	80	46
2025/3/5 5:00	0	0	0	0	0	28	20	53	106	42
2025/3/5 6:00	0	0	0	0	0	28	40	42	86	33
2025/3/5 7:00	0	0	0	0	0	28	22	45	108	32
2025/3/5 8:00	0	0	0	0	0	29	20	42	95	46
2025/3/5 9:00	0	0	0	0	0	113	62	87	80	54
2025/3/5 10:00	0	0	0	0	0	46	35	60	81	42
2025/3/5 11:00	0	0	0	0	0	166	160	153	168	155
2025/3/5 12:00	0	0	0	0	0	114	118	147	141	127
2025/3/5 13:00	0	0	0	0	0	78	84	88	128	81
2025/3/5 14:00	0	0	0	0	0	101	94	101	113	95
2025/3/5 15:00	0	0	0	0	0	87	81	140	141	94

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/3/5 16:00	0	0	0	0	0	106	128	114	139	103
2025/3/5 17:00	0	0	0	0	0	167	186	160	148	168
2025/3/5 18:00	0	0	0	0	0	128	166	135	153	121
2025/3/5 19:00	0	0	0	0	0	66	87	102	86	101
2025/3/5 20:00	0	0	0	0	0	50	55	77	69	60
2025/3/5 21:00	0	0	0	0	0	75	74	102	108	62
2025/3/5 22:00	0	0	0	0	0	93	108	126	139	95
2025/3/5 23:00	0	0	0	0	0	68	73	82	108	66
2025/3/6 0:00	0	0	0	0	0	88	101	81	141	74
2025/3/6 1:00	0	0	0	0	0	115	113	107	141	106
2025/3/6 2:00	0	0	0	0	0	82	75	75	108	86
2025/3/6 3:00	0	0	0	0	0	66	82	82	87	46
2025/3/6 4:00	0	0	0	0	0	68	81	95	102	68
2025/3/6 5:00	0	0	0	0	0	35	75	48	134	55
2025/3/6 6:00	0	0	0	0	0	34	34	68	161	41
2025/3/6 7:00	0	0	0	0	0	33	27	48	29	35
2025/3/6 8:00	0	0	0	0	0	35	41	33	120	46
2025/3/6 9:00	0	0	0	0	0	106	46	73	82	106
2025/3/6 10:00	0	0	0	0	0	53	22	62	75	78
2025/3/6 11:00	0	0	0	0	0	88	48	68	95	94
2025/3/6 12:00	0	0	0	0	0	113	74	126	107	181
2025/3/6 13:00	0	0	0	0	0	61	54	68	53	101
2025/3/6 14:00	0	0	0	0	0	61	54	53	80	66
2025/3/6 15:00	0	0	0	0	0	86	62	107	81	211
2025/3/6 16:00	0	0	0	0	0	87	68	80	80	95
2025/3/6 17:00	0	0	0	0	0	67	60	88	93	114
2025/3/6 18:00	0	0	0	0	0	82	54	93	54	82
2025/3/6 19:00	0	0	0	0	0	74	67	93	107	82
2025/3/6 20:00	0	0	0	0	0	68	41	73	46	82
2025/3/6 21:00	0	0	0	0	0	54	40	87	81	67
2025/3/6 22:00	0	0	0	0	0	46	80	120	106	53
2025/3/6 23:00	0	0	0	0	0	60	73	95	115	62
2025/3/7 0:00	0	0	0	0	0	54	133	80	95	61
2025/3/7 1:00	0	0	0	0	0	54	86	81	61	68
2025/3/7 2:00	0	0	0	0	0	82	160	60	75	75
2025/3/7 3:00	0	0	0	0	0	46	61	60	155	61
2025/3/7 4:00	0	0	0	0	0	62	55	40	61	81
2025/3/7 5:00	0	0	0	0	0	48	75	42	140	42
2025/3/7 6:00	0	0	0	0	0	54	42	55	47	48
2025/3/7 7:00	0	0	0	0	0	48	48	106	60	41
2025/3/7 8:00	0	0	0	0	0	55	47	41	48	29
2025/3/7 9:00	0	0	0	0	0	60	54	107	118	74
2025/3/7 10:00	0	0	0	0	0	82	48	120	205	60
2025/3/7 11:00	0	0	0	0	0	80	120	95	120	100
2025/3/7 12:00	0	0	0	0	0	53	68	60	128	130
2025/3/7 13:00	0	0	0	0	0	50	75	80	110	115
2025/3/7 14:00	0	0	0	0	0	100	60	109	70	140
2025/3/7 15:00	0	0	0	0	0	101	106	75	173	100
2025/3/7 16:00	0	0	0	0	0	50	75	120	200	50
2025/3/7 17:00	0	0	0	0	0	60	82	88	140	68
2025/3/7 18:00	0	0	0	0	0	55	100	128	140	66
2025/3/7 19:00	0	0	0	0	0	106	68	82	66	95
2025/3/7 20:00	0	0	0	0	0	70	55	110	120	80
2025/3/7 21:00	0	0	0	0	0	66	75	74	101	68
2025/3/7 22:00	0	0	0	0	0	48	88	54	160	93
2025/3/7 23:00	0	0	0	0	0	74	55	220	95	68
2025/3/8 0:00	0	0	0	0	0	134	113	212	115	121
2025/3/8 1:00	0	0	0	0	0	332	135	95	120	240
2025/3/8 2:00	0	0	0	0	0	181	87	82	62	246
2025/3/8 3:00	0	0	0	0	0	114	128	332	139	141
2025/3/8 4:00	0	0	0	0	0	102	82	108	161	94
2025/3/8 5:00	0	0	0	0	0	88	87	68	88	107
2025/3/8 6:00	0	0	0	0	0	94	88	68	135	102
2025/3/8 7:00	0	0	0	0	0	62	114	108	240	62
2025/3/8 8:00	0	0	0	0	0	68	82	42	472	62
2025/3/8 9:00	0	0	0	0	0	48	74	48	88	61
2025/3/8 10:00	0	0	0	0	0	68	108	75	231	81
2025/3/8 11:00	0	0	0	0	0	62	81	115	67	75
2025/3/8 12:00	0	0	0	0	0	102	88	121	108	94
2025/3/8 13:00	0	0	0	0	0	94	95	147	115	95
2025/3/8 14:00	0	0	0	0	0	161	48	82	75	345
2025/3/8 15:00	0	0	0	0	0	68	55	62	42	62
2025/3/8 16:00	0	0	0	0	0	82	55	141	67	48

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/3/8 17:00	0	0	0	0	0	95	68	108	106	68
2025/3/8 18:00	0	0	0	0	0	55	53	121	140	61
2025/3/8 19:00	0	0	0	0	0	47	42	94	140	47
2025/3/8 20:00	0	0	0	0	0	61	42	101	147	68
2025/3/8 21:00	0	0	0	0	0	62	102	173	168	102
2025/3/8 22:00	0	0	0	0	0	54	95	174	253	75
2025/3/8 23:00	0	0	0	0	0	29	55	95	121	88
2025/3/9 0:00	0	0	0	0	0	67	48	161	55	48
2025/3/9 1:00	0	0	0	0	0	42	48	108	226	61
2025/3/9 2:00	0	0	0	0	0	299	87	121	173	88
2025/3/9 3:00	0	0	0	0	0	42	48	95	244	114
2025/3/9 4:00	0	0	0	0	0	42	50	101	161	55
2025/3/9 5:00	0	0	0	0	0	48	55	112	148	62
2025/3/9 6:00	0	0	0	0	0	48	48	68	101	48
2025/3/9 7:00	0	0	0	0	0	42	29	95	108	55
2025/3/9 8:00	0	0	0	0	0	48	82	75	196	68
2025/3/9 9:00	0	0	0	0	0	73	46	47	210	80
2025/3/9 10:00	0	0	0	0	0	60	86	75	205	74
2025/3/9 11:00	0	0	0	0	0	81	66	81	161	106
2025/3/9 12:00	0	0	0	0	0	68	55	180	168	86
2025/3/9 13:00	0	0	0	0	0	75	40	66	251	100
2025/3/9 14:00	0	0	0	0	0	73	62	60	220	87
2025/3/9 15:00	0	0	0	0	0	80	54	86	147	102
2025/3/9 16:00	0	0	0	0	0	80	53	126	192	82
2025/3/9 17:00	0	0	0	0	0	81	54	87	126	87
2025/3/9 18:00	0	0	0	0	0	102	81	266	134	124
2025/3/9 19:00	0	0	0	0	0	74	46	285	114	106
2025/3/9 20:00	0	0	0	0	0	74	60	410	146	94
2025/3/9 21:00	0	0	0	0	0	81	60	80	100	93
2025/3/9 22:00	0	0	0	0	0	82	114	82	189	95
2025/3/9 23:00	0	0	0	0	0	54	101	75	241	68
2025/3/10 0:00	0	0	0	0	0	48	61	68	155	68
2025/3/10 1:00	0	0	0	0	0	66	40	107	193	62
2025/3/10 2:00	0	0	0	0	0	62	88	88	503	82
2025/3/10 3:00	0	0	0	0	0	68	61	75	370	88
2025/3/10 4:00	0	0	0	0	0	42	115	62	252	135
2025/3/10 5:00	0	0	0	0	0	120	128	95	280	148
2025/3/10 6:00	0	0	0	0	0	141	344	148	220	161
2025/3/10 7:00	0	0	0	0	0	108	95	108	188	102
2025/3/10 8:00	0	0	0	0	0	95	88	141	102	95
2025/3/10 9:00	0	0	0	0	0	74	88	108	200	95
2025/3/10 10:00	0	0	0	0	0	62	62	88	161	95
2025/3/10 11:00	0	0	0	0	0	75	114	140	82	68
2025/3/10 12:00	0	0	0	0	0	127	161	108	139	86
2025/3/10 13:00	0	0	0	0	0	67	67	102	75	102
2025/3/10 14:00	0	0	0	0	0	253	207	81	114	220
2025/3/10 15:00	0	0	0	0	0	212	161	88	74	212
2025/3/10 16:00	0	0	0	0	0	233	181	141	187	273
2025/3/10 17:00	0	0	0	0	0	188	220	121	199	108
2025/3/10 18:00	0	0	0	0	0	379	273	154	128	141
2025/3/10 19:00	0	0	0	0	0	217	128	102	95	161
2025/3/10 20:00	0	0	0	0	0	135	140	75	82	207
2025/3/10 21:00	0	0	0	0	0	160	102	87	75	95
2025/3/10 22:00	0	0	0	0	0	194	128	102	95	128
2025/3/10 23:00	0	0	0	0	0	181	102	126	88	213
2025/3/11 0:00	0	0	0	0	0	115	120	160	107	166
2025/3/11 1:00	0	0	0	0	0	134	127	115	102	141
2025/3/11 2:00	0	0	0	0	0	114	133	184	82	139
2025/3/11 3:00	0	0	0	0	0	75	62	88	106	113
2025/3/11 4:00	0	0	0	0	0	75	106	120	198	101
2025/3/11 5:00	0	0	0	0	0	126	130	155	240	150
2025/3/11 6:00	0	0	0	0	0	130	133	154	142	155
2025/3/11 7:00	0	0	0	0	0	127	155	146	140	154
2025/3/11 8:00	0	0	0	0	0	115	100	140	146	135
2025/3/11 9:00	0	0	0	0	0	121	130	159	172	145
2025/3/11 10:00	0	0	0	0	0	125	120	125	198	135
2025/3/11 11:00	0	0	0	0	0	165	128	115	140	210
2025/3/11 12:00	0	0	0	0	0	160	153	127	127	180
2025/3/11 13:00	0	0	0	0	0	188	158	220	133	160
2025/3/11 14:00	0	0	0	0	0	126	160	113	127	155
2025/3/11 15:00	0	0	0	0	0	167	125	148	113	120
2025/3/11 16:00	0	0	0	0	0	180	188	172	154	146
2025/3/11 17:00	0	0	0	0	0	212	180	182	152	140

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/3/11 18:00	0	0	0	0	0	193	213	154	179	196
2025/3/11 19:00	0	0	0	0	0	154	202	153	173	155
2025/3/11 20:00	0	0	0	0	0	207	166	108	121	127
2025/3/11 21:00	0	0	0	0	0	125	145	130	155	119
2025/3/11 22:00	0	0	0	0	0	145	180	180	190	155
2025/3/11 23:00	0	0	0	0	0	174	181	135	153	193
2025/3/12 0:00	0	0	0	0	0	154	168	205	194	166
2025/3/12 1:00	0	0	0	0	0	133	146	173	159	147
2025/3/12 2:00	0	0	0	0	0	146	153	153	155	154
2025/3/12 3:00	0	0	0	0	0	86	106	113	120	102
2025/3/12 4:00	0	0	0	0	0	82	88	128	113	94
2025/3/12 5:00	0	0	0	0	0	88	108	139	168	106
2025/3/12 6:00	0	0	0	0	0	106	133	146	153	115
2025/3/12 7:00	0	0	0	0	0	108	119	120	146	141
2025/3/12 8:00	0	0	0	0	0	114	160	141	174	113
2025/3/12 9:00	0	0	0	0	0	127	238	179	187	126
2025/3/12 10:00	0	0	0	0	0	166	172	173	168	159
2025/3/12 11:00	0	0	0	0	0	140	160	198	160	146
2025/3/12 12:00	0	0	0	0	0	186	187	107	127	193
2025/3/12 13:00	0	0	0	0	0	153	147	179	168	146
2025/3/12 14:00	0	0	0	0	0	173	192	119	107	186
2025/3/12 15:00	0	0	0	0	0	264	273	141	166	166
2025/3/12 16:00	0	0	0	0	0	180	371	206	198	318
2025/3/12 17:00	0	0	0	0	0	181	352	291	160	232
2025/3/12 18:00	0	0	0	0	0	192	198	311	179	139
2025/3/12 19:00	0	0	0	0	0	148	153	121	127	135
2025/3/12 20:00	0	0	0	0	0	81	88	153	106	87
2025/3/12 21:00	0	0	0	0	0	101	134	155	186	107
2025/3/12 22:00	0	0	0	0	0	88	82	120	127	88
2025/3/12 23:00	0	0	0	0	0	62	68	100	167	60
2025/3/13 0:00	0	0	0	0	0	46	48	93	63	50
2025/3/13 1:00	0	0	0	0	0	55	54	100	62	54
2025/3/13 2:00	0	0	0	0	0	41	53	101	60	53
2025/3/13 3:00	0	0	0	0	0	164	72	155	84	120
2025/3/13 4:00	0	0	0	0	0	86	120	133	96	139
2025/3/13 5:00	0	0	0	0	0	87	167	97	140	101
2025/3/13 6:00	0	0	0	0	0	82	198	114	120	120
2025/3/13 7:00	0	0	0	0	0	100	148	121	119	127
2025/3/13 8:00	0	0	0	0	0	107	101	147	153	140
2025/3/13 9:00	0	0	0	0	0	108	120	167	133	160
2025/3/13 10:00	0	0	0	0	0	115	135	135	147	141
2025/3/13 11:00	0	0	0	0	0	126	127	166	167	172
2025/3/13 12:00	0	0	0	0	0	148	114	135	134	147
2025/3/13 13:00	0	0	0	0	0	159	140	154	205	173
2025/3/13 14:00	0	0	0	0	0	180	190	159	153	218
2025/3/13 15:00	0	0	0	0	0	173	220	199	108	251
2025/3/13 16:00	0	0	0	0	0	198	280	126	120	225
2025/3/13 17:00	0	0	0	0	0	194	272	146	127	147
2025/3/13 18:00	0	0	0	0	0	318	180	138	192	258
2025/3/13 19:00	0	0	0	0	0	149	186	141	114	225
2025/3/13 20:00	0	0	0	0	0	62	66	120	146	106
2025/3/13 21:00	0	0	0	0	0	112	123	114	182	121
2025/3/13 22:00	0	0	0	0	0	82	63	68	140	48
2025/3/13 23:00	0	0	0	0	0	62	95	55	115	55
2025/3/14 0:00	0	0	0	0	0	60	102	94	230	68
2025/3/14 1:00	0	0	0	0	0	66	115	66	225	68
2025/3/14 2:00	0	0	0	0	0	40	62	73	245	34
2025/3/14 3:00	0	0	0	0	0	48	62	55	180	33
2025/3/14 4:00	0	0	0	0	0	33	100	46	280	29
2025/3/14 5:00	0	0	0	0	0	29	40	35	153	35
2025/3/14 6:00	0	0	0	0	0	75	114	62	227	60
2025/3/14 7:00	0	0	0	0	0	41	35	133	27	80
2025/3/14 8:00	0	0	0	0	0	46	42	62	101	105
2025/3/14 9:00	0	0	0	0	0	41	40	75	74	62
2025/3/14 10:00	0	0	0	0	0	75	88	95	102	82
2025/3/14 11:00	0	0	0	0	0	74	67	87	120	62
2025/3/14 12:00	0	0	0	0	0	95	82	102	168	74
2025/3/14 13:00	0	0	0	0	0	161	94	74	134	120
2025/3/14 14:00	0	0	0	0	0	155	88	87	108	106
2025/3/14 15:00	0	0	0	0	0	232	102	127	112	200
2025/3/14 16:00	0	0	0	0	0	238	180	127	121	188
2025/3/14 17:00	0	0	0	0	0	161	141	167	108	227
2025/3/14 18:00	0	0	0	0	0	128	155	115	75	102

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/3/14 19:00	0	0	0	0	0	95	141	107	74	87
2025/3/14 20:00	0	0	0	0	0	48	55	95	233	80
2025/3/14 21:00	0	0	0	0	0	42	52	67	115	61
2025/3/14 22:00	0	0	0	0	0	35	60	62	130	33
2025/3/14 23:00	0	0	0	0	0	54	62	55	101	35
2025/3/15 0:00	0	0	0	0	0	55	60	42	153	29
2025/3/15 1:00	0	0	0	0	0	41	61	62	172	22
2025/3/15 2:00	0	0	0	0	0	48	48	62	182	34
2025/3/15 3:00	0	0	0	0	0	61	55	40	100	46
2025/3/15 4:00	0	0	0	0	0	47	94	88	471	102
2025/3/15 5:00	0	0	0	0	0	61	60	102	200	133
2025/3/15 6:00	0	0	0	0	0	60	80	40	200	62
2025/3/15 7:00	0	0	0	0	0	82	80	127	210	63
2025/3/15 8:00	0	0	0	0	0	67	60	100	141	68
2025/3/15 9:00	0	0	0	0	0	47	55	35	42	55
2025/3/15 10:00	0	0	0	0	0	67	94	115	62	115
2025/3/15 11:00	0	0	0	0	0	67	80	81	54	62
2025/3/15 12:00	0	0	0	0	0	82	41	82	62	107
2025/3/15 13:00	0	0	0	0	0	55	54	88	75	88
2025/3/15 14:00	0	0	0	0	0	68	62	67	115	62
2025/3/15 15:00	0	0	0	0	0	75	75	102	75	114
2025/3/15 16:00	0	0	0	0	0	102	102	190	88	200
2025/3/15 17:00	0	0	0	0	0	82	82	259	114	115
2025/3/15 18:00	0	0	0	0	0	95	86	200	86	94
2025/3/15 19:00	0	0	0	0	0	55	62	200	100	140
2025/3/15 20:00	0	0	0	0	0	48	67	74	210	67
2025/3/15 21:00	0	0	0	0	0	80	75	135	121	114
2025/3/15 22:00	0	0	0	0	0	88	87	114	167	95
2025/3/15 23:00	0	0	0	0	0	68	67	108	115	114
2025/3/16 0:00	0	0	0	0	0	48	54	95	82	48
2025/3/16 1:00	0	0	0	0	0	62	47	115	62	82
2025/3/16 2:00	0	0	0	0	0	48	42	82	155	75
2025/3/16 3:00	0	0	0	0	0	46	40	80	60	60
2025/3/16 4:00	0	0	0	0	0	40	41	81	60	33
2025/3/16 5:00	0	0	0	0	0	40	46	93	66	27
2025/3/16 6:00	0	0	0	0	0	34	27	53	66	27
2025/3/16 7:00	0	0	0	0	0	33	20	47	33	21
2025/3/16 8:00	0	0	0	0	0	28	20	41	46	14
2025/3/16 9:00	0	0	0	0	0	40	15	42	34	27
2025/3/16 10:00	0	0	0	0	0	15	9	48	67	9
2025/3/16 11:00	0	0	0	0	0	22	2	28	28	14
2025/3/16 12:00	0	0	0	0	0	9	21	29	29	9
2025/3/16 13:00	0	0	0	0	0	9	2	29	9	2
2025/3/16 14:00	0	0	0	0	0	9	8	28	29	2
2025/3/16 15:00	0	0	0	0	0	15	9	55	28	9
2025/3/16 16:00	0	0	0	0	0	15	15	35	35	9
2025/3/16 17:00	0	0	0	0	0	15	29	35	35	9
2025/3/16 18:00	0	0	0	0	0	2	2	42	34	2
2025/3/16 19:00	0	0	0	0	0	2	8	42	34	1
2025/3/16 20:00	0	0	0	0	0	9	14	29	28	9
2025/3/16 21:00	0	0	0	0	0	13	30	40	38	11
2025/3/16 22:00	0	0	0	0	0	22	80	22	74	22
2025/3/16 23:00	0	0	0	0	0	21	67	28	134	15
2025/3/17 0:00	0	0	0	0	0	21	88	29	42	35
2025/3/17 1:00	0	0	0	0	0	27	142	34	48	28
2025/3/17 2:00	0	0	0	0	0	42	134	35	42	62
2025/3/17 3:00	0	0	0	0	0	68	154	68	68	68
2025/3/17 4:00	0	0	0	0	0	48	95	67	88	55
2025/3/17 5:00	0	0	0	0	0	29	62	35	42	68
2025/3/17 6:00	0	0	0	0	0	58	68	48	115	48
2025/3/17 7:00	0	0	0	0	0	42	61	55	62	42
2025/3/17 8:00	0	0	0	0	0	22	75	55	48	48
2025/3/17 9:00	0	0	0	0	0	15	35	42	28	22
2025/3/17 10:00	0	0	0	0	0	62	46	67	61	42
2025/3/17 11:00	0	0	0	0	0	60	42	93	67	54
2025/3/17 12:00	0	0	0	0	0	20	22	40	62	34
2025/3/17 13:00	0	0	0	0	0	34	42	81	120	40
2025/3/17 14:00	0	0	0	0	0	47	48	75	82	42
2025/3/17 15:00	0	0	0	0	0	55	48	81	93	54
2025/3/17 16:00	0	0	0	0	0	66	87	87	81	47
2025/3/17 17:00	0	0	0	0	0	60	54	87	74	68
2025/3/17 18:00	0	0	0	0	0	93	86	82	108	62
2025/3/17 19:00	0	0	0	0	0	61	61	94	74	54

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/3/17 20:00	0	0	0	0	0	40	66	101	87	40
2025/3/17 21:00	0	0	0	0	0	54	61	101	133	42
2025/3/17 22:00	0	0	0	0	0	80	74	106	115	46
2025/3/17 23:00	0	0	0	0	0	48	60	113	102	41
2025/3/18 0:00	0	0	0	0	0	48	54	119	100	45
2025/3/18 1:00	0	0	0	0	0	62	61	113	220	42
2025/3/18 2:00	0	0	0	0	0	60	70	121	94	61
2025/3/18 3:00	0	0	0	0	0	46	47	101	200	42
2025/3/18 4:00	0	0	0	0	0	47	42	100	88	47
2025/3/18 5:00	0	0	0	0	0	55	35	100	220	42
2025/3/18 6:00	0	0	0	0	0	40	47	110	108	46
2025/3/18 7:00	0	0	0	0	0	34	41	100	102	41
2025/3/18 8:00	0	0	0	0	0	41	54	120	80	45
2025/3/18 9:00	0	0	0	0	0	68	67	—	74	75
2025/3/18 10:00	0	0	0	0	0	53	62	170	100	100
2025/3/18 11:00	0	0	0	0	0	61	120	140	114	100
2025/3/18 12:00	0	0	0	0	0	114	93	200	127	126
2025/3/18 13:00	0	0	0	0	0	115	140	110	46	126
2025/3/18 14:00	0	0	0	0	0	120	135	67	75	133
2025/3/18 15:00	0	0	0	0	0	93	210	87	120	115
2025/3/18 16:00	0	0	0	0	0	147	211	88	155	113
2025/3/18 17:00	0	0	0	0	0	225	146	114	205	179
2025/3/18 18:00	0	0	0	0	0	180	146	114	197	139
2025/3/18 19:00	0	0	0	0	0	154	126	67	114	133
2025/3/18 20:00	0	0	0	0	0	95	80	115	94	113
2025/3/18 21:00	0	0	0	0	0	80	73	67	73	62
2025/3/18 22:00	0	0	0	0	0	106	140	124	93	159
2025/3/18 23:00	0	0	0	0	0	211	154	88	114	121
2025/3/19 0:00	0	0	0	0	0	68	95	74	62	106
2025/3/19 1:00	0	0	0	0	0	75	93	55	75	68
2025/3/19 2:00	0	0	0	0	0	48	47	41	48	150
2025/3/19 3:00	0	0	0	0	0	121	82	102	135	108
2025/3/19 4:00	0	0	0	0	0	55	54	154	153	101
2025/3/19 5:00	0	0	0	0	0	62	48	41	35	42
2025/3/19 6:00	0	0	0	0	0	35	22	62	55	42
2025/3/19 7:00	0	0	0	0	0	42	22	55	107	35
2025/3/19 8:00	0	0	0	0	0	29	62	47	29	41
2025/3/19 9:00	0	0	0	0	0	57	55	48	68	35
2025/3/19 10:00	0	0	0	0	0	95	87	135	145	140
2025/3/19 11:00	0	0	0	0	0	138	147	181	172	161
2025/3/19 12:00	0	0	0	0	0	153	136	127	126	55
2025/3/19 13:00	0	0	0	0	0	135	113	126	140	120
2025/3/19 14:00	0	0	0	0	0	67	87	100	134	60
2025/3/19 15:00	0	0	0	0	0	113	101	120	127	86
2025/3/19 16:00	0	0	0	0	0	61	48	62	67	40
2025/3/19 17:00	0	0	0	0	0	47	28	34	34	28
2025/3/19 18:00	0	0	0	0	0	28	48	54	80	21
2025/3/19 19:00	0	0	0	0	0	42	41	54	67	34
2025/3/19 20:00	0	0	0	0	0	33	42	60	88	48
2025/3/19 21:00	0	0	0	0	0	53	87	47	95	41
2025/3/19 22:00	0	0	0	0	0	54	68	42	68	35
2025/3/19 23:00	0	0	0	0	0	22	21	62	68	21
2025/3/20 0:00	0	0	0	0	0	35	28	62	68	29
2025/3/20 0:10	—	—	—	—	0	—	—	—	—	—
2025/3/20 0:20	—	—	—	—	0	—	—	—	—	—
2025/3/20 0:30	—	—	—	—	0	—	—	—	—	—
2025/3/20 0:40	—	—	—	—	0	—	—	—	—	—
2025/3/20 0:50	—	—	—	—	0	—	—	—	—	—
2025/3/20 1:00	0	0	0	0	0	41	54	40	62	22
2025/3/20 1:10	—	—	—	—	0	—	—	—	—	—
2025/3/20 1:20	—	—	—	—	0	—	—	—	—	—
2025/3/20 1:30	—	—	—	—	0	—	—	—	—	—
2025/3/20 1:40	—	—	—	—	0	—	—	—	—	—
2025/3/20 1:50	—	—	—	—	0	—	—	—	—	—
2025/3/20 2:00	0	0	0	0	0	20	33	46	54	20
2025/3/20 2:10	—	—	—	—	0	—	—	—	—	—
2025/3/20 2:20	—	—	—	—	0	—	—	—	—	—
2025/3/20 2:30	—	—	—	—	0	—	—	—	—	—
2025/3/20 2:40	—	—	—	—	0	—	—	—	—	—
2025/3/20 2:50	—	—	—	—	0	—	—	—	—	—
2025/3/20 3:00	0	0	0	0	0	34	33	54	61	46
2025/3/20 3:10	—	—	—	—	0	—	—	—	—	—
2025/3/20 3:20	—	—	—	—	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/3/20 3:30	—	—	—	—	0	—	—	—	—	—
2025/3/20 3:40	—	—	—	—	0	—	—	—	—	—
2025/3/20 3:50	—	—	—	—	0	—	—	—	—	—
2025/3/20 4:00	0	0	0	0	0	27	33	46	53	27
2025/3/20 4:10	—	—	—	—	0	—	—	—	—	—
2025/3/20 4:20	—	—	—	—	0	—	—	—	—	—
2025/3/20 4:30	—	—	—	—	0	—	—	—	—	—
2025/3/20 4:40	—	—	—	—	0	—	—	—	—	—
2025/3/20 4:50	—	—	—	—	0	—	—	—	—	—
2025/3/20 5:00	0	0	0	0	0	86	61	86	75	73
2025/3/20 5:10	—	—	—	—	0	—	—	—	—	—
2025/3/20 5:20	—	—	—	—	0	—	—	—	—	—
2025/3/20 5:30	—	—	—	—	0	—	—	—	—	—
2025/3/20 5:40	—	—	—	—	0	—	—	—	—	—
2025/3/20 5:50	—	—	—	—	0	—	—	—	—	—
2025/3/20 6:00	0	0	0	0	0	53	73	87	73	66
2025/3/20 6:10	—	—	—	—	0	—	—	—	—	—
2025/3/20 6:20	—	—	—	—	0	—	—	—	—	—
2025/3/20 6:30	—	—	—	—	0	—	—	—	—	—
2025/3/20 6:40	—	—	—	—	0	—	—	—	—	—
2025/3/20 6:50	—	—	—	—	0	—	—	—	—	—
2025/3/20 7:00	0	0	0	0	0	47	46	40	46	46
2025/3/20 7:10	—	—	—	—	0	—	—	—	—	—
2025/3/20 7:20	—	—	—	—	0	—	—	—	—	—
2025/3/20 7:30	—	—	—	—	0	—	—	—	—	—
2025/3/20 7:40	—	—	—	—	0	—	—	—	—	—
2025/3/20 7:50	—	—	—	—	0	—	—	—	—	—
2025/3/20 8:00	0	0	0	0	0	42	68	80	93	54
2025/3/20 8:10	—	—	—	—	0	—	—	—	—	—
2025/3/20 8:20	—	—	—	—	0	—	—	—	—	—
2025/3/20 8:30	—	—	—	—	0	—	—	—	—	—
2025/3/20 8:40	—	—	—	—	0	—	—	—	—	—
2025/3/20 8:50	—	—	—	—	0	—	—	—	—	—
2025/3/20 9:00	0	0	0	0	0	53	48	80	95	67
2025/3/20 9:10	—	—	—	—	0	—	—	—	—	—
2025/3/20 9:20	—	—	—	—	0	—	—	—	—	—
2025/3/20 9:30	—	—	—	—	0	—	—	—	—	—
2025/3/20 9:40	—	—	—	—	0	—	—	—	—	—
2025/3/20 9:50	—	—	—	—	0	—	—	—	—	—
2025/3/20 10:00	0	0	0	0	0	62	55	60	67	62
2025/3/20 10:10	—	—	—	—	0	—	—	—	—	—
2025/3/20 10:20	—	—	—	—	0	—	—	—	—	—
2025/3/20 10:30	—	—	—	—	0	—	—	—	—	—
2025/3/20 10:40	—	—	—	—	0	—	—	—	—	—
2025/3/20 10:50	—	—	—	—	0	—	—	—	—	—
2025/3/20 11:00	0	0	0	0	0	61	82	54	74	74
2025/3/20 11:10	—	—	—	—	0	—	—	—	—	—
2025/3/20 11:20	—	—	—	—	0	—	—	—	—	—
2025/3/20 11:30	—	—	—	—	0	—	—	—	—	—
2025/3/20 11:40	—	—	—	—	0	—	—	—	—	—
2025/3/20 11:50	—	—	—	—	0	—	—	—	—	—
2025/3/20 12:00	0	0	0	0	0	107	86	108	67	74
2025/3/20 12:10	—	—	—	—	0.1	—	—	—	—	—
2025/3/20 12:20	—	—	—	—	0	—	—	—	—	—
2025/3/20 12:30	—	—	—	—	0.1	—	—	—	—	—
2025/3/20 12:40	—	—	—	—	0.1	—	—	—	—	—
2025/3/20 12:50	—	—	—	—	0.1	—	—	—	—	—
2025/3/20 13:00	0	0	0	0	0	120	81	75	54	94
2025/3/20 13:10	—	—	—	—	0	—	—	—	—	—
2025/3/20 13:20	—	—	—	—	0.1	—	—	—	—	—
2025/3/20 13:30	—	—	—	—	0.1	—	—	—	—	—
2025/3/20 13:40	—	—	—	—	0	—	—	—	—	—
2025/3/20 13:50	—	—	—	—	0	—	—	—	—	—
2025/3/20 14:00	0	0	0	0	0	60	86	50	50	46
2025/3/20 14:10	—	—	—	—	0	—	—	—	—	—
2025/3/20 14:20	—	—	—	—	0	—	—	—	—	—
2025/3/20 14:30	—	—	—	—	0	—	—	—	—	—
2025/3/20 14:40	—	—	—	—	0	—	—	—	—	—
2025/3/20 14:50	—	—	—	—	0	—	—	—	—	—
2025/3/20 15:00	0	0	0	0	0	80	62	40	42	120
2025/3/20 15:10	—	—	—	—	0	—	—	—	—	—
2025/3/20 15:20	—	—	—	—	0	—	—	—	—	—
2025/3/20 15:30	—	—	—	—	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/3/20 15:40	—	—	—	—	0	—	—	—	—	—
2025/3/20 15:50	—	—	—	—	0	—	—	—	—	—
2025/3/20 16:00	0	0	0	0	0	101	86	102	106	93
2025/3/20 16:10	—	—	—	—	0	—	—	—	—	—
2025/3/20 16:20	—	—	—	—	0	—	—	—	—	—
2025/3/20 16:30	—	—	—	—	0	—	—	—	—	—
2025/3/20 16:40	—	—	—	—	0	—	—	—	—	—
2025/3/20 16:50	—	—	—	—	0	—	—	—	—	—
2025/3/20 17:00	0	0	0	0	0	82	106	62	74	95
2025/3/20 17:10	—	—	—	—	0	—	—	—	—	—
2025/3/20 17:20	—	—	—	—	0	—	—	—	—	—
2025/3/20 17:30	—	—	—	—	0	—	—	—	—	—
2025/3/20 17:40	—	—	—	—	0	—	—	—	—	—
2025/3/20 17:50	—	—	—	—	0	—	—	—	—	—
2025/3/20 18:00	0	0	0	0	0	80	133	81	75	210
2025/3/20 18:10	—	—	—	—	0	—	—	—	—	—
2025/3/20 18:20	—	—	—	—	0	—	—	—	—	—
2025/3/20 18:30	—	—	—	—	0	—	—	—	—	—
2025/3/20 18:40	—	—	—	—	0	—	—	—	—	—
2025/3/20 18:50	—	—	—	—	0	—	—	—	—	—
2025/3/20 19:00	0	0	0	0	0	82	106	108	74	154
2025/3/20 19:10	—	—	—	—	0	—	—	—	—	—
2025/3/20 19:20	—	—	—	—	0	—	—	—	—	—
2025/3/20 19:30	—	—	—	—	0	—	—	—	—	—
2025/3/20 19:40	—	—	—	—	0	—	—	—	—	—
2025/3/20 19:50	—	—	—	—	0	—	—	—	—	—
2025/3/20 20:00	0	0	0	0	0	120	133	108	121	245
2025/3/20 20:10	—	—	—	—	0	—	—	—	—	—
2025/3/20 20:20	—	—	—	—	0	—	—	—	—	—
2025/3/20 20:30	—	—	—	—	0	—	—	—	—	—
2025/3/20 20:40	—	—	—	—	0	—	—	—	—	—
2025/3/20 20:50	—	—	—	—	0	—	—	—	—	—
2025/3/20 21:00	0	0	0	0	0	128	107	74	82	121
2025/3/20 21:10	—	—	—	—	0	—	—	—	—	—
2025/3/20 21:20	—	—	—	—	0	—	—	—	—	—
2025/3/20 21:30	—	—	—	—	0	—	—	—	—	—
2025/3/20 21:40	—	—	—	—	0	—	—	—	—	—
2025/3/20 21:50	—	—	—	—	0	—	—	—	—	—
2025/3/20 22:00	0	0	0	0	0	108	102	94	81	86
2025/3/20 22:10	—	—	—	—	0	—	—	—	—	—
2025/3/20 22:20	—	—	—	—	0	—	—	—	—	—
2025/3/20 22:30	—	—	—	—	0	—	—	—	—	—
2025/3/20 22:40	—	—	—	—	0	—	—	—	—	—
2025/3/20 22:50	—	—	—	—	0	—	—	—	—	—
2025/3/20 23:00	0	0	0	0	0	200	121	119	95	155
2025/3/20 23:10	—	—	—	—	0	—	—	—	—	—
2025/3/20 23:20	—	—	—	—	0	—	—	—	—	—
2025/3/20 23:30	—	—	—	—	0	—	—	—	—	—
2025/3/20 23:40	—	—	—	—	0	—	—	—	—	—
2025/3/20 23:50	—	—	—	—	0	—	—	—	—	—
2025/3/21 0:00	0	0	0	0	0	133	172	141	200	135
2025/3/21 0:10	—	—	—	—	0	—	—	—	—	—
2025/3/21 0:20	—	—	—	—	0	—	—	—	—	—
2025/3/21 0:30	—	—	—	—	0	—	—	—	—	—
2025/3/21 0:40	—	—	—	—	0	—	—	—	—	—
2025/3/21 0:50	—	—	—	—	0	—	—	—	—	—
2025/3/21 1:00	0	0	0	0	0	121	120	107	153	113
2025/3/21 1:10	—	—	—	—	0	—	—	—	—	—
2025/3/21 1:20	—	—	—	—	0	—	—	—	—	—
2025/3/21 1:30	—	—	—	—	0	—	—	—	—	—
2025/3/21 1:40	—	—	—	—	0	—	—	—	—	—
2025/3/21 1:50	—	—	—	—	0	—	—	—	—	—
2025/3/21 2:00	0	0	0	0	0	120	155	141	199	120
2025/3/21 2:10	—	—	—	—	0	—	—	—	—	—
2025/3/21 2:20	—	—	—	—	0	—	—	—	—	—
2025/3/21 2:30	—	—	—	—	0	—	—	—	—	—
2025/3/21 2:40	—	—	—	—	0	—	—	—	—	—
2025/3/21 2:50	—	—	—	—	0	—	—	—	—	—
2025/3/21 3:00	0	0	0	0	0	141	148	153	181	148
2025/3/21 3:10	—	—	—	—	0	—	—	—	—	—
2025/3/21 3:20	—	—	—	—	0	—	—	—	—	—
2025/3/21 3:30	—	—	—	—	0	—	—	—	—	—
2025/3/21 3:40	—	—	—	—	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/3/21 3:50	—	—	—	—	0	—	—	—	—	—
2025/3/21 4:00	0	0	0	0	0	100	140	187	134	102
2025/3/21 4:10	—	—	—	—	0	—	—	—	—	—
2025/3/21 4:20	—	—	—	—	0	—	—	—	—	—
2025/3/21 4:30	—	—	—	—	0	—	—	—	—	—
2025/3/21 4:40	—	—	—	—	0	—	—	—	—	—
2025/3/21 4:50	—	—	—	—	0	—	—	—	—	—
2025/3/21 5:00	0	0	0	0	0	102	115	211	120	106
2025/3/21 5:10	—	—	—	—	0	—	—	—	—	—
2025/3/21 5:20	—	—	—	—	0	—	—	—	—	—
2025/3/21 5:30	—	—	—	—	0	—	—	—	—	—
2025/3/21 5:40	—	—	—	—	0	—	—	—	—	—
2025/3/21 5:50	—	—	—	—	0	—	—	—	—	—
2025/3/21 6:00	0	0	0	0	0	93	108	180	115	101
2025/3/21 6:10	—	—	—	—	0	—	—	—	—	—
2025/3/21 6:20	—	—	—	—	0	—	—	—	—	—
2025/3/21 6:30	—	—	—	—	0	—	—	—	—	—
2025/3/21 6:40	—	—	—	—	0	—	—	—	—	—
2025/3/21 6:50	—	—	—	—	0	—	—	—	—	—
2025/3/21 7:00	0	0	0	0	0	106	121	218	119	121
2025/3/21 7:10	—	—	—	—	0	—	—	—	—	—
2025/3/21 7:20	—	—	—	—	0	—	—	—	—	—
2025/3/21 7:30	—	—	—	—	0	—	—	—	—	—
2025/3/21 7:40	—	—	—	—	0	—	—	—	—	—
2025/3/21 7:50	—	—	—	—	0	—	—	—	—	—
2025/3/21 8:00	0	0	0	0	0	113	146	106	114	115
2025/3/21 8:10	—	—	—	—	0	—	—	—	—	—
2025/3/21 8:20	—	—	—	—	0	—	—	—	—	—
2025/3/21 8:30	—	—	—	—	0	—	—	—	—	—
2025/3/21 8:40	—	—	—	—	0	—	—	—	—	—
2025/3/21 8:50	—	—	—	—	0	—	—	—	—	—
2025/3/21 9:00	0	0	0	0	0	166	172	114	127	133
2025/3/21 9:10	—	—	—	—	0	—	—	—	—	—
2025/3/21 9:20	—	—	—	—	0	—	—	—	—	—
2025/3/21 9:30	—	—	—	—	0	—	—	—	—	—
2025/3/21 9:40	—	—	—	—	0	—	—	—	—	—
2025/3/21 9:50	—	—	—	—	0	—	—	—	—	—
2025/3/21 10:00	0	0	0	0	0	160	167	200	126	225
2025/3/21 10:10	—	—	—	—	0	—	—	—	—	—
2025/3/21 10:20	—	—	—	—	0	—	—	—	—	—
2025/3/21 10:30	—	—	—	—	0	—	—	—	—	—
2025/3/21 10:40	—	—	—	—	0	—	—	—	—	—
2025/3/21 10:50	—	—	—	—	0	—	—	—	—	—
2025/3/21 11:00	0	0	0	0	0	211	147	146	120	218
2025/3/21 11:10	—	—	—	—	0	—	—	—	—	—
2025/3/21 11:20	—	—	—	—	0	—	—	—	—	—
2025/3/21 11:30	—	—	—	—	0	—	—	—	—	—
2025/3/21 11:40	—	—	—	—	0	—	—	—	—	—
2025/3/21 11:50	—	—	—	—	0	—	—	—	—	—
2025/3/21 12:00	0	0	0	0	0	147	160	140	147	180
2025/3/21 12:10	—	—	—	—	0	—	—	—	—	—
2025/3/21 12:20	—	—	—	—	0.1	—	—	—	—	—
2025/3/21 12:30	—	—	—	—	0.1	—	—	—	—	—
2025/3/21 12:40	—	—	—	—	0.1	—	—	—	—	—
2025/3/21 12:50	—	—	—	—	0.1	—	—	—	—	—
2025/3/21 13:00	0	0	0	0	0.1	114	126	101	119	180
2025/3/21 13:10	—	—	—	—	0.1	—	—	—	—	—
2025/3/21 13:20	—	—	—	—	0.1	—	—	—	—	—
2025/3/21 13:30	—	—	—	—	0.1	—	—	—	—	—
2025/3/21 13:40	—	—	—	—	0.1	—	—	—	—	—
2025/3/21 13:50	—	—	—	—	0.1	—	—	—	—	—
2025/3/21 14:00	0	0	0	0	0.1	193	179	126	114	211
2025/3/21 14:10	—	—	—	—	0.1	—	—	—	—	—
2025/3/21 14:20	—	—	—	—	0.1	—	—	—	—	—
2025/3/21 14:30	—	—	—	—	0.1	—	—	—	—	—
2025/3/21 14:40	—	—	—	—	0.1	—	—	—	—	—
2025/3/21 14:50	—	—	—	—	0.1	—	—	—	—	—
2025/3/21 15:00	0	0	0	0	0.1	226	205	166	126	113
2025/3/21 15:10	—	—	—	—	0.1	—	—	—	—	—
2025/3/21 15:20	—	—	—	—	0	—	—	—	—	—
2025/3/21 15:30	—	—	—	—	0	—	—	—	—	—
2025/3/21 15:40	—	—	—	—	0	—	—	—	—	—
2025/3/21 15:50	—	—	—	—	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/3/21 16:00	0	0	0	0	0	166	198	199	114	153
2025/3/21 16:10	—	—	—	—	0	—	—	—	—	—
2025/3/21 16:20	—	—	—	—	0	—	—	—	—	—
2025/3/21 16:30	—	—	—	—	0	—	—	—	—	—
2025/3/21 16:40	—	—	—	—	0	—	—	—	—	—
2025/3/21 16:50	—	—	—	—	0	—	—	—	—	—
2025/3/21 17:00	0	0	0	0	0	245	167	291	94	134
2025/3/21 17:10	—	—	—	—	0	—	—	—	—	—
2025/3/21 17:20	—	—	—	—	0	—	—	—	—	—
2025/3/21 17:30	—	—	—	—	0	—	—	—	—	—
2025/3/21 17:40	—	—	—	—	0	—	—	—	—	—
2025/3/21 17:50	—	—	—	—	0	—	—	—	—	—
2025/3/21 18:00	0	0	0	0	0	199	291	352	192	153
2025/3/21 18:10	—	—	—	—	0	—	—	—	—	—
2025/3/21 18:20	—	—	—	—	0	—	—	—	—	—
2025/3/21 18:30	—	—	—	—	0	—	—	—	—	—
2025/3/21 18:40	—	—	—	—	0	—	—	—	—	—
2025/3/21 18:50	—	—	—	—	0	—	—	—	—	—
2025/3/21 19:00	0	0	0	0	0	167	292	160	278	192
2025/3/21 19:10	—	—	—	—	0	—	—	—	—	—
2025/3/21 19:20	—	—	—	—	0	—	—	—	—	—
2025/3/21 19:30	—	—	—	—	0	—	—	—	—	—
2025/3/21 19:40	—	—	—	—	0	—	—	—	—	—
2025/3/21 19:50	—	—	—	—	0	—	—	—	—	—
2025/3/21 20:00	0	0	0	0	0	270	213	140	140	140
2025/3/21 20:10	—	—	—	—	0	—	—	—	—	—
2025/3/21 20:20	—	—	—	—	0	—	—	—	—	—
2025/3/21 20:30	—	—	—	—	0	—	—	—	—	—
2025/3/21 20:40	—	—	—	—	0	—	—	—	—	—
2025/3/21 20:50	—	—	—	—	0	—	—	—	—	—
2025/3/21 21:00	0	0	0	0	0	231	181	133	119	250
2025/3/21 21:10	—	—	—	—	0	—	—	—	—	—
2025/3/21 21:20	—	—	—	—	0	—	—	—	—	—
2025/3/21 21:30	—	—	—	—	0	—	—	—	—	—
2025/3/21 21:40	—	—	—	—	0	—	—	—	—	—
2025/3/21 21:50	—	—	—	—	0	—	—	—	—	—
2025/3/21 22:00	0	0	0	0	0	154	167	126	154	128
2025/3/21 22:10	—	—	—	—	0	—	—	—	—	—
2025/3/21 22:20	—	—	—	—	0	—	—	—	—	—
2025/3/21 22:30	—	—	—	—	0	—	—	—	—	—
2025/3/21 22:40	—	—	—	—	0	—	—	—	—	—
2025/3/21 22:50	—	—	—	—	0	—	—	—	—	—
2025/3/21 23:00	0	0	0	0	0	220	187	146	197	378
2025/3/21 23:10	—	—	—	—	0	—	—	—	—	—
2025/3/21 23:20	—	—	—	—	0	—	—	—	—	—
2025/3/21 23:30	—	—	—	—	0	—	—	—	—	—
2025/3/21 23:40	—	—	—	—	0	—	—	—	—	—
2025/3/21 23:50	—	—	—	—	0	—	—	—	—	—
2025/3/22 0:00	0	0	0	0	0	278	192	153	199	172
2025/3/22 0:10	—	—	—	—	0	—	—	—	—	—
2025/3/22 0:20	—	—	—	—	0	—	—	—	—	—
2025/3/22 0:30	—	—	—	—	0	—	—	—	—	—
2025/3/22 0:40	—	—	—	—	0	—	—	—	—	—
2025/3/22 0:50	—	—	—	—	0	—	—	—	—	—
2025/3/22 1:00	0	0	0	0	0	167	154	186	260	174
2025/3/22 1:10	—	—	—	—	0	—	—	—	—	—
2025/3/22 1:20	—	—	—	—	0	—	—	—	—	—
2025/3/22 1:30	—	—	—	—	0	—	—	—	—	—
2025/3/22 1:40	—	—	—	—	0	—	—	—	—	—
2025/3/22 1:50	—	—	—	—	0	—	—	—	—	—
2025/3/22 2:00	0	0	0	0	0	148	161	179	212	160
2025/3/22 2:10	—	—	—	—	0	—	—	—	—	—
2025/3/22 2:20	—	—	—	—	0	—	—	—	—	—
2025/3/22 2:30	—	—	—	—	0	—	—	—	—	—
2025/3/22 2:40	—	—	—	—	0	—	—	—	—	—
2025/3/22 2:50	—	—	—	—	0	—	—	—	—	—
2025/3/22 3:00	0	0	0	0	0	126	139	199	153	135
2025/3/22 3:10	—	—	—	—	0	—	—	—	—	—
2025/3/22 3:20	—	—	—	—	0	—	—	—	—	—
2025/3/22 3:30	—	—	—	—	0	—	—	—	—	—
2025/3/22 3:40	—	—	—	—	0	—	—	—	—	—
2025/3/22 3:50	—	—	—	—	0	—	—	—	—	—
2025/3/22 4:00	0	0	0	0	0	128	138	159	213	128

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/3/22 4:10	—	—	—	—	0	—	—	—	—	—
2025/3/22 4:20	—	—	—	—	0	—	—	—	—	—
2025/3/22 4:30	—	—	—	—	0	—	—	—	—	—
2025/3/22 4:40	—	—	—	—	0	—	—	—	—	—
2025/3/22 4:50	—	—	—	—	0	—	—	—	—	—
2025/3/22 5:00	0	0	0	0	0	227	180	181	192	174
2025/3/22 5:10	—	—	—	—	0	—	—	—	—	—
2025/3/22 5:20	—	—	—	—	0	—	—	—	—	—
2025/3/22 5:30	—	—	—	—	0	—	—	—	—	—
2025/3/22 5:40	—	—	—	—	0	—	—	—	—	—
2025/3/22 5:50	—	—	—	—	0	—	—	—	—	—
2025/3/22 6:00	0	0	0	0	0	192	198	191	218	303
2025/3/22 6:10	—	—	—	—	0	—	—	—	—	—
2025/3/22 6:20	—	—	—	—	0	—	—	—	—	—
2025/3/22 6:30	—	—	—	—	0	—	—	—	—	—
2025/3/22 6:40	—	—	—	—	0	—	—	—	—	—
2025/3/22 6:50	—	—	—	—	0	—	—	—	—	—
2025/3/22 7:00	0	0	0	0	0	113	120	232	102	160
2025/3/22 7:10	—	—	—	—	0	—	—	—	—	—
2025/3/22 7:20	—	—	—	—	0	—	—	—	—	—
2025/3/22 7:30	—	—	—	—	0	—	—	—	—	—
2025/3/22 7:40	—	—	—	—	0	—	—	—	—	—
2025/3/22 7:50	—	—	—	—	0	—	—	—	—	—
2025/3/22 8:00	0	0	0	0	0	218	135	113	146	113
2025/3/22 8:10	—	—	—	—	0	—	—	—	—	—
2025/3/22 8:20	—	—	—	—	0	—	—	—	—	—
2025/3/22 8:30	—	—	—	—	0	—	—	—	—	—
2025/3/22 8:40	—	—	—	—	0	—	—	—	—	—
2025/3/22 8:50	—	—	—	—	0	—	—	—	—	—
2025/3/22 9:00	0	0	0	0	0	120	132	152	104	128
2025/3/22 9:10	—	—	—	—	0	—	—	—	—	—
2025/3/22 9:20	—	—	—	—	0	—	—	—	—	—
2025/3/22 9:30	—	—	—	—	0	—	—	—	—	—
2025/3/22 9:40	—	—	—	—	0	—	—	—	—	—
2025/3/22 9:50	—	—	—	—	0	—	—	—	—	—
2025/3/22 10:00	0	0	0	0	0	126	180	158	111	123
2025/3/22 10:10	—	—	—	—	0	—	—	—	—	—
2025/3/22 10:20	—	—	—	—	0	—	—	—	—	—
2025/3/22 10:30	—	—	—	—	0	—	—	—	—	—
2025/3/22 10:40	—	—	—	—	0	—	—	—	—	—
2025/3/22 10:50	—	—	—	—	0	—	—	—	—	—
2025/3/22 11:00	0	0	0	0	0	139	147	101	87	103
2025/3/22 11:10	—	—	—	—	0	—	—	—	—	—
2025/3/22 11:20	—	—	—	—	0	—	—	—	—	—
2025/3/22 11:30	—	—	—	—	0.1	—	—	—	—	—
2025/3/22 11:40	—	—	—	—	0.1	—	—	—	—	—
2025/3/22 11:50	—	—	—	—	0.1	—	—	—	—	—
2025/3/22 12:00	0	0	0	0	0.1	159	148	114	153	120
2025/3/22 12:10	—	—	—	—	0.1	—	—	—	—	—
2025/3/22 12:20	—	—	—	—	0.1	—	—	—	—	—
2025/3/22 12:30	—	—	—	—	0.1	—	—	—	—	—
2025/3/22 12:40	—	—	—	—	0.1	—	—	—	—	—
2025/3/22 12:50	—	—	—	—	0.1	—	—	—	—	—
2025/3/22 13:00	0	0	0	0	0.1	133	138	125	160	115
2025/3/22 13:10	—	—	—	—	0.1	—	—	—	—	—
2025/3/22 13:20	—	—	—	—	0.1	—	—	—	—	—
2025/3/22 13:30	—	—	—	—	0.1	—	—	—	—	—
2025/3/22 13:40	—	—	—	—	0.1	—	—	—	—	—
2025/3/22 13:50	—	—	—	—	0.1	—	—	—	—	—
2025/3/22 14:00	0	0	0	0	0.1	107	192	106	114	140
2025/3/22 14:10	—	—	—	—	0.1	—	—	—	—	—
2025/3/22 14:20	—	—	—	—	0.1	—	—	—	—	—
2025/3/22 14:30	—	—	—	—	0.1	—	—	—	—	—
2025/3/22 14:40	—	—	—	—	0.1	—	—	—	—	—
2025/3/22 14:50	—	—	—	—	0.1	—	—	—	—	—
2025/3/22 15:00	0	0	0	0	0.1	139	134	139	107	133
2025/3/22 15:10	—	—	—	—	0.1	—	—	—	—	—
2025/3/22 15:20	—	—	—	—	0	—	—	—	—	—
2025/3/22 15:30	—	—	—	—	0	—	—	—	—	—
2025/3/22 15:40	—	—	—	—	0	—	—	—	—	—
2025/3/22 15:50	—	—	—	—	0	—	—	—	—	—
2025/3/22 16:00	0	0	0	0	0	255	199	295	201	147
2025/3/22 16:10	—	—	—	—	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/3/22 16:20	—	—	—	—	0	—	—	—	—	—
2025/3/22 16:30	—	—	—	—	0	—	—	—	—	—
2025/3/22 16:40	—	—	—	—	0	—	—	—	—	—
2025/3/22 16:50	—	—	—	—	0	—	—	—	—	—
2025/3/22 17:00	0	0	0	0	0	180	173	133	135	153
2025/3/22 17:10	—	—	—	—	0	—	—	—	—	—
2025/3/22 17:20	—	—	—	—	0	—	—	—	—	—
2025/3/22 17:30	—	—	—	—	0	—	—	—	—	—
2025/3/22 17:40	—	—	—	—	0	—	—	—	—	—
2025/3/22 17:50	—	—	—	—	0	—	—	—	—	—
2025/3/22 18:00	0	0	0	0	0	265	132	212	94	238
2025/3/22 18:10	—	—	—	—	0	—	—	—	—	—
2025/3/22 18:20	—	—	—	—	0	—	—	—	—	—
2025/3/22 18:30	—	—	—	—	0	—	—	—	—	—
2025/3/22 18:40	—	—	—	—	0	—	—	—	—	—
2025/3/22 18:50	—	—	—	—	0	—	—	—	—	—
2025/3/22 19:00	0	0	0	0	0	211	147	140	207	450
2025/3/22 19:10	—	—	—	—	0	—	—	—	—	—
2025/3/22 19:20	—	—	—	—	0	—	—	—	—	—
2025/3/22 19:30	—	—	—	—	0	—	—	—	—	—
2025/3/22 19:40	—	—	—	—	0	—	—	—	—	—
2025/3/22 19:50	—	—	—	—	0	—	—	—	—	—
2025/3/22 20:00	0	0	0	0	0	232	227	155	345	200
2025/3/22 20:10	—	—	—	—	0	—	—	—	—	—
2025/3/22 20:20	—	—	—	—	0	—	—	—	—	—
2025/3/22 20:30	—	—	—	—	0	—	—	—	—	—
2025/3/22 20:40	—	—	—	—	0	—	—	—	—	—
2025/3/22 20:50	—	—	—	—	0	—	—	—	—	—
2025/3/22 21:00	0	0	0	0	0	251	206	220	168	200
2025/3/22 21:10	—	—	—	—	0	—	—	—	—	—
2025/3/22 21:20	—	—	—	—	0	—	—	—	—	—
2025/3/22 21:30	—	—	—	—	0	—	—	—	—	—
2025/3/22 21:40	—	—	—	—	0	—	—	—	—	—
2025/3/22 21:50	—	—	—	—	0	—	—	—	—	—
2025/3/22 22:00	0	0	0	0	0	293	193	194	168	450
2025/3/22 22:10	—	—	—	—	0	—	—	—	—	—
2025/3/22 22:20	—	—	—	—	0	—	—	—	—	—
2025/3/22 22:30	—	—	—	—	0	—	—	—	—	—
2025/3/22 22:40	—	—	—	—	0	—	—	—	—	—
2025/3/22 22:50	—	—	—	—	0	—	—	—	—	—
2025/3/22 23:00	0	0	0	0	0	239	188	161	167	424
2025/3/22 23:10	—	—	—	—	0	—	—	—	—	—
2025/3/22 23:20	—	—	—	—	0	—	—	—	—	—
2025/3/22 23:30	—	—	—	—	0	—	—	—	—	—
2025/3/22 23:40	—	—	—	—	0	—	—	—	—	—
2025/3/22 23:50	—	—	—	—	0	—	—	—	—	—
2025/3/23 0:00	0	0	0	0	0	537	168	174	154	172
2025/3/23 0:10	—	—	—	—	0	—	—	—	—	—
2025/3/23 0:20	—	—	—	—	0	—	—	—	—	—
2025/3/23 0:30	—	—	—	—	0	—	—	—	—	—
2025/3/23 0:40	—	—	—	—	0	—	—	—	—	—
2025/3/23 0:50	—	—	—	—	0	—	—	—	—	—
2025/3/23 1:00	0	0	0	0	0	213	161	161	148	219
2025/3/23 1:10	—	—	—	—	0	—	—	—	—	—
2025/3/23 1:20	—	—	—	—	0	—	—	—	—	—
2025/3/23 1:30	—	—	—	—	0	—	—	—	—	—
2025/3/23 1:40	—	—	—	—	0	—	—	—	—	—
2025/3/23 1:50	—	—	—	—	0	—	—	—	—	—
2025/3/23 2:00	0	0	0	0	0	517	161	167	181	227
2025/3/23 2:10	—	—	—	—	0	—	—	—	—	—
2025/3/23 2:20	—	—	—	—	0	—	—	—	—	—
2025/3/23 2:30	—	—	—	—	0	—	—	—	—	—
2025/3/23 2:40	—	—	—	—	0	—	—	—	—	—
2025/3/23 2:50	—	—	—	—	0	—	—	—	—	—
2025/3/23 3:00	0	0	0	0	0	101	121	107	160	148
2025/3/23 3:10	—	—	—	—	0	—	—	—	—	—
2025/3/23 3:20	—	—	—	—	0	—	—	—	—	—
2025/3/23 3:30	—	—	—	—	0	—	—	—	—	—
2025/3/23 3:40	—	—	—	—	0	—	—	—	—	—
2025/3/23 3:50	—	—	—	—	0	—	—	—	—	—
2025/3/23 4:00	0	0	0	0	0	200	280	155	120	128
2025/3/23 4:10	—	—	—	—	0	—	—	—	—	—
2025/3/23 4:20	—	—	—	—	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/3/23 4:30	—	—	—	—	0	—	—	—	—	—
2025/3/23 4:40	—	—	—	—	0	—	—	—	—	—
2025/3/23 4:50	—	—	—	—	0	—	—	—	—	—
2025/3/23 5:00	0	0	0	0	0	114	280	115	180	115
2025/3/23 5:10	—	—	—	—	0	—	—	—	—	—
2025/3/23 5:20	—	—	—	—	0	—	—	—	—	—
2025/3/23 5:30	—	—	—	—	0	—	—	—	—	—
2025/3/23 5:40	—	—	—	—	0	—	—	—	—	—
2025/3/23 5:50	—	—	—	—	0	—	—	—	—	—
2025/3/23 6:00	0	0	0	0	0	154	200	148	167	154
2025/3/23 6:10	—	—	—	—	0	—	—	—	—	—
2025/3/23 6:20	—	—	—	—	0	—	—	—	—	—
2025/3/23 6:30	—	—	—	—	0	—	—	—	—	—
2025/3/23 6:40	—	—	—	—	0	—	—	—	—	—
2025/3/23 6:50	—	—	—	—	0	—	—	—	—	—
2025/3/23 7:00	0	0	0	0	0	121	200	141	240	168
2025/3/23 7:10	—	—	—	—	0	—	—	—	—	—
2025/3/23 7:20	—	—	—	—	0	—	—	—	—	—
2025/3/23 7:30	—	—	—	—	0	—	—	—	—	—
2025/3/23 7:40	—	—	—	—	0	—	—	—	—	—
2025/3/23 7:50	—	—	—	—	0	—	—	—	—	—
2025/3/23 8:00	0	0	0	0	0	115	106	100	93	106
2025/3/23 8:10	—	—	—	—	0	—	—	—	—	—
2025/3/23 8:20	—	—	—	—	0	—	—	—	—	—
2025/3/23 8:30	—	—	—	—	0	—	—	—	—	—
2025/3/23 8:40	—	—	—	—	0	—	—	—	—	—
2025/3/23 8:50	—	—	—	—	0	—	—	—	—	—
2025/3/23 9:00	0	0	0	0	0	107	127	200	107	161
2025/3/23 9:10	—	—	—	—	0	—	—	—	—	—
2025/3/23 9:20	—	—	—	—	0	—	—	—	—	—
2025/3/23 9:30	—	—	—	—	0	—	—	—	—	—
2025/3/23 9:40	—	—	—	—	0	—	—	—	—	—
2025/3/23 9:50	—	—	—	—	0	—	—	—	—	—
2025/3/23 10:00	0	0	0	0	0	47	40	106	95	68
2025/3/23 10:10	—	—	—	—	0	—	—	—	—	—
2025/3/23 10:20	—	—	—	—	0	—	—	—	—	—
2025/3/23 10:30	—	—	—	—	0	—	—	—	—	—
2025/3/23 10:40	—	—	—	—	0	—	—	—	—	—
2025/3/23 10:50	—	—	—	—	0	—	—	—	—	—
2025/3/23 11:00	0	0	0	0	0	106	121	107	28	75
2025/3/23 11:10	—	—	—	—	0.1	—	—	—	—	—
2025/3/23 11:20	—	—	—	—	0.1	—	—	—	—	—
2025/3/23 11:30	—	—	—	—	0.1	—	—	—	—	—
2025/3/23 11:40	—	—	—	—	0.1	—	—	—	—	—
2025/3/23 11:50	—	—	—	—	0.1	—	—	—	—	—
2025/3/23 12:00	0	0	0	0	0.1	62	62	140	75	46
2025/3/23 12:10	—	—	—	—	0.1	—	—	—	—	—
2025/3/23 12:20	—	—	—	—	0.1	—	—	—	—	—
2025/3/23 12:30	—	—	—	—	0.1	—	—	—	—	—
2025/3/23 12:40	—	—	—	—	0.1	—	—	—	—	—
2025/3/23 12:50	—	—	—	—	0.1	—	—	—	—	—
2025/3/23 13:00	0	0	0	0	0.1	62	62	140	75	46
2025/3/23 13:10	—	—	—	—	0.1	—	—	—	—	—
2025/3/23 13:20	—	—	—	—	0.1	—	—	—	—	—
2025/3/23 13:30	—	—	—	—	0.1	—	—	—	—	—
2025/3/23 13:40	—	—	—	—	0.1	—	—	—	—	—
2025/3/23 13:50	—	—	—	—	0.1	—	—	—	—	—
2025/3/23 14:00	0	0	0	0	0.1	60	135	88	82	75
2025/3/23 14:10	—	—	—	—	0.1	—	—	—	—	—
2025/3/23 14:20	—	—	—	—	0.1	—	—	—	—	—
2025/3/23 14:30	—	—	—	—	0.1	—	—	—	—	—
2025/3/23 14:40	—	—	—	—	0.1	—	—	—	—	—
2025/3/23 14:50	—	—	—	—	0.1	—	—	—	—	—
2025/3/23 15:00	0	0	0	0	0.1	66	75	127	192	55
2025/3/23 15:10	—	—	—	—	0	—	—	—	—	—
2025/3/23 15:20	—	—	—	—	0	—	—	—	—	—
2025/3/23 15:30	—	—	—	—	0	—	—	—	—	—
2025/3/23 15:40	—	—	—	—	0	—	—	—	—	—
2025/3/23 15:50	—	—	—	—	0	—	—	—	—	—
2025/3/23 16:00	0	0	0	0	0	55	141	160	75	102
2025/3/23 16:10	—	—	—	—	0	—	—	—	—	—
2025/3/23 16:20	—	—	—	—	0	—	—	—	—	—
2025/3/23 16:30	—	—	—	—	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/3/23 16:40	—	—	—	—	0	—	—	—	—	—
2025/3/23 16:50	—	—	—	—	0	—	—	—	—	—
2025/3/23 17:00	0	0	0	0	0	42	102	87	55	66
2025/3/23 17:10	—	—	—	—	0	—	—	—	—	—
2025/3/23 17:20	—	—	—	—	0	—	—	—	—	—
2025/3/23 17:30	—	—	—	—	0	—	—	—	—	—
2025/3/23 17:40	—	—	—	—	0	—	—	—	—	—
2025/3/23 17:50	—	—	—	—	0	—	—	—	—	—
2025/3/23 18:00	0	0	0	0	0	42	87	161	48	62
2025/3/23 18:10	—	—	—	—	0	—	—	—	—	—
2025/3/23 18:20	—	—	—	—	0	—	—	—	—	—
2025/3/23 18:30	—	—	—	—	0	—	—	—	—	—
2025/3/23 18:40	—	—	—	—	0	—	—	—	—	—
2025/3/23 18:50	—	—	—	—	0	—	—	—	—	—
2025/3/23 19:00	0	0	0	0	0	42	82	198	40	94
2025/3/23 19:10	—	—	—	—	0	—	—	—	—	—
2025/3/23 19:20	—	—	—	—	0	—	—	—	—	—
2025/3/23 19:30	—	—	—	—	0	—	—	—	—	—
2025/3/23 19:40	—	—	—	—	0	—	—	—	—	—
2025/3/23 19:50	—	—	—	—	0	—	—	—	—	—
2025/3/23 20:00	0	0	0	0	0	68	69	141	48	46
2025/3/23 20:10	—	—	—	—	0	—	—	—	—	—
2025/3/23 20:20	—	—	—	—	0	—	—	—	—	—
2025/3/23 20:30	—	—	—	—	0	—	—	—	—	—
2025/3/23 20:40	—	—	—	—	0	—	—	—	—	—
2025/3/23 20:50	—	—	—	—	0	—	—	—	—	—
2025/3/23 21:00	0	0	0	0	0	54	100	254	68	68
2025/3/23 21:10	—	—	—	—	0	—	—	—	—	—
2025/3/23 21:20	—	—	—	—	0	—	—	—	—	—
2025/3/23 21:30	—	—	—	—	0	—	—	—	—	—
2025/3/23 21:40	—	—	—	—	0	—	—	—	—	—
2025/3/23 21:50	—	—	—	—	0	—	—	—	—	—
2025/3/23 22:00	0	0	0	0	0	41	62	121	74	35
2025/3/23 22:10	—	—	—	—	0	—	—	—	—	—
2025/3/23 22:20	—	—	—	—	0	—	—	—	—	—
2025/3/23 22:30	—	—	—	—	0	—	—	—	—	—
2025/3/23 22:40	—	—	—	—	0	—	—	—	—	—
2025/3/23 22:50	—	—	—	—	0	—	—	—	—	—
2025/3/23 23:00	0	0	0	0	0	35	68	95	54	34
2025/3/23 23:10	—	—	—	—	0	—	—	—	—	—
2025/3/23 23:20	—	—	—	—	0	—	—	—	—	—
2025/3/23 23:30	—	—	—	—	0	—	—	—	—	—
2025/3/23 23:40	—	—	—	—	0	—	—	—	—	—
2025/3/23 23:50	—	—	—	—	0	—	—	—	—	—
2025/3/24 0:00	0	0	0	0	0	42	68	121	87	46
2025/3/24 0:10	—	—	—	—	0	—	—	—	—	—
2025/3/24 0:20	—	—	—	—	0	—	—	—	—	—
2025/3/24 0:30	—	—	—	—	0	—	—	—	—	—
2025/3/24 0:40	—	—	—	—	0	—	—	—	—	—
2025/3/24 0:50	—	—	—	—	0	—	—	—	—	—
2025/3/24 1:00	0	0	0	0	0	62	82	126	180	61
2025/3/24 1:10	—	—	—	—	0	—	—	—	—	—
2025/3/24 1:20	—	—	—	—	0	—	—	—	—	—
2025/3/24 1:30	—	—	—	—	0	—	—	—	—	—
2025/3/24 1:40	—	—	—	—	0	—	—	—	—	—
2025/3/24 1:50	—	—	—	—	0	—	—	—	—	—
2025/3/24 2:00	0	0	0	0	0	40	53	101	179	42
2025/3/24 2:10	—	—	—	—	0	—	—	—	—	—
2025/3/24 2:20	—	—	—	—	0	—	—	—	—	—
2025/3/24 2:30	—	—	—	—	0	—	—	—	—	—
2025/3/24 2:40	—	—	—	—	0	—	—	—	—	—
2025/3/24 2:50	—	—	—	—	0	—	—	—	—	—
2025/3/24 3:00	0	0	0	0	0	85	100	120	102	94
2025/3/24 3:10	—	—	—	—	0	—	—	—	—	—
2025/3/24 3:20	—	—	—	—	0	—	—	—	—	—
2025/3/24 3:30	—	—	—	—	0	—	—	—	—	—
2025/3/24 3:40	—	—	—	—	0	—	—	—	—	—
2025/3/24 3:50	—	—	—	—	0	—	—	—	—	—
2025/3/24 4:00	0	0	0	0	0	81	80	160	93	119
2025/3/24 4:10	—	—	—	—	0	—	—	—	—	—
2025/3/24 4:20	—	—	—	—	0	—	—	—	—	—
2025/3/24 4:30	—	—	—	—	0	—	—	—	—	—
2025/3/24 4:40	—	—	—	—	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/3/24 4:50	—	—	—	—	0	—	—	—	—	—
2025/3/24 5:00	0	0	0	0	0	62	93	102	74	81
2025/3/24 5:10	—	—	—	—	0	—	—	—	—	—
2025/3/24 5:20	—	—	—	—	0	—	—	—	—	—
2025/3/24 5:30	—	—	—	—	0	—	—	—	—	—
2025/3/24 5:40	—	—	—	—	0	—	—	—	—	—
2025/3/24 5:50	—	—	—	—	0	—	—	—	—	—
2025/3/24 6:00	0	0	0	0	0	73	153	120	198	93
2025/3/24 6:10	—	—	—	—	0	—	—	—	—	—
2025/3/24 6:20	—	—	—	—	0	—	—	—	—	—
2025/3/24 6:30	—	—	—	—	0	—	—	—	—	—
2025/3/24 6:40	—	—	—	—	0	—	—	—	—	—
2025/3/24 6:50	—	—	—	—	0	—	—	—	—	—
2025/3/24 7:00	0	0	0	0	0	81	80	108	74	87
2025/3/24 7:10	—	—	—	—	0	—	—	—	—	—
2025/3/24 7:20	—	—	—	—	0	—	—	—	—	—
2025/3/24 7:30	—	—	—	—	0	—	—	—	—	—
2025/3/24 7:40	—	—	—	—	0	—	—	—	—	—
2025/3/24 7:50	—	—	—	—	0	—	—	—	—	—
2025/3/24 8:00	0	0	0	0	0	35	54	190	107	41
2025/3/24 8:10	—	—	—	—	0	—	—	—	—	—
2025/3/24 8:20	—	—	—	—	0	—	—	—	—	—
2025/3/24 8:30	—	—	—	—	0	—	—	—	—	—
2025/3/24 8:40	—	—	—	—	0	—	—	—	—	—
2025/3/24 8:50	—	—	—	—	0	—	—	—	—	—
2025/3/24 9:00	0	0	0	0	0	60	79	107	75	95
2025/3/24 9:10	—	—	—	—	0	—	—	—	—	—
2025/3/24 9:20	—	—	—	—	0	—	—	—	—	—
2025/3/24 9:30	—	—	—	—	0	—	—	—	—	—
2025/3/24 9:40	—	—	—	—	0	—	—	—	—	—
2025/3/24 9:50	—	—	—	—	0	—	—	—	—	—
2025/3/24 10:00	0	0	0	0	0	80	75	67	66	60
2025/3/24 10:10	—	—	—	—	0	—	—	—	—	—
2025/3/24 10:20	—	—	—	—	0	—	—	—	—	—
2025/3/24 10:30	—	—	—	—	0	—	—	—	—	—
2025/3/24 10:40	—	—	—	—	0	—	—	—	—	—
2025/3/24 10:50	—	—	—	—	0	—	—	—	—	—
2025/3/24 11:00	0	0	0	0	0	134	140	87	106	106
2025/3/24 11:10	—	—	—	—	0	—	—	—	—	—
2025/3/24 11:20	—	—	—	—	0	—	—	—	—	—
2025/3/24 11:30	—	—	—	—	0	—	—	—	—	—
2025/3/24 11:40	—	—	—	—	0	—	—	—	—	—
2025/3/24 11:50	—	—	—	—	0	—	—	—	—	—
2025/3/24 12:00	0	0	0	0	0	108	140	68	93	86
2025/3/24 12:10	—	—	—	—	0	—	—	—	—	—
2025/3/24 12:20	—	—	—	—	0	—	—	—	—	—
2025/3/24 12:30	—	—	—	—	0	—	—	—	—	—
2025/3/24 12:40	—	—	—	—	0	—	—	—	—	—
2025/3/24 12:50	—	—	—	—	0	—	—	—	—	—
2025/3/24 13:00	0	0	0	0	0	187	198	121	75	133
2025/3/24 13:10	—	—	—	—	0	—	—	—	—	—
2025/3/24 13:20	—	—	—	—	0	—	—	—	—	—
2025/3/24 13:30	—	—	—	—	0	—	—	—	—	—
2025/3/24 13:40	—	—	—	—	0	—	—	—	—	—
2025/3/24 13:50	—	—	—	—	0	—	—	—	—	—
2025/3/24 14:00	0	0	0	0	0	146	180	141	67	68
2025/3/24 14:10	—	—	—	—	0	—	—	—	—	—
2025/3/24 14:20	—	—	—	—	0	—	—	—	—	—
2025/3/24 14:30	—	—	—	—	0	—	—	—	—	—
2025/3/24 14:40	—	—	—	—	0	—	—	—	—	—
2025/3/24 14:50	—	—	—	—	0	—	—	—	—	—
2025/3/24 15:00	0	0	0	0	0	107	133	121	178	200
2025/3/24 15:10	—	—	—	—	0	—	—	—	—	—
2025/3/24 15:20	—	—	—	—	0	—	—	—	—	—
2025/3/24 15:30	—	—	—	—	0	—	—	—	—	—
2025/3/24 15:40	—	—	—	—	0	—	—	—	—	—
2025/3/24 15:50	—	—	—	—	0	—	—	—	—	—
2025/3/24 16:00	0	0	0	0	0	121	119	198	82	81
2025/3/24 16:10	—	—	—	—	0	—	—	—	—	—
2025/3/24 16:20	—	—	—	—	0	—	—	—	—	—
2025/3/24 16:30	—	—	—	—	0	—	—	—	—	—
2025/3/24 16:40	—	—	—	—	0	—	—	—	—	—
2025/3/24 16:50	—	—	—	—	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/3/24 17:00	0	0	0	0	0	102	94	100	73	94
2025/3/24 17:10	—	—	—	—	0	—	—	—	—	—
2025/3/24 17:20	—	—	—	—	0	—	—	—	—	—
2025/3/24 17:30	—	—	—	—	0	—	—	—	—	—
2025/3/24 17:40	—	—	—	—	0	—	—	—	—	—
2025/3/24 17:50	—	—	—	—	0	—	—	—	—	—
2025/3/24 18:00	0	0	0	0	0	135	121	82	94	213
2025/3/24 18:10	—	—	—	—	0	—	—	—	—	—
2025/3/24 18:20	—	—	—	—	0	—	—	—	—	—
2025/3/24 18:30	—	—	—	—	0	—	—	—	—	—
2025/3/24 18:40	—	—	—	—	0	—	—	—	—	—
2025/3/24 18:50	—	—	—	—	0	—	—	—	—	—
2025/3/24 19:00	0	0	0	0	0	101	54	147	61	220
2025/3/24 19:10	—	—	—	—	0	—	—	—	—	—
2025/3/24 19:20	—	—	—	—	0	—	—	—	—	—
2025/3/24 19:30	—	—	—	—	0	—	—	—	—	—
2025/3/24 19:40	—	—	—	—	0	—	—	—	—	—
2025/3/24 19:50	—	—	—	—	0	—	—	—	—	—
2025/3/24 20:00	0	0	0	0	0	200	102	174	55	306
2025/3/24 20:10	—	—	—	—	0	—	—	—	—	—
2025/3/24 20:20	—	—	—	—	0	—	—	—	—	—
2025/3/24 20:30	—	—	—	—	0	—	—	—	—	—
2025/3/24 20:40	—	—	—	—	0	—	—	—	—	—
2025/3/24 20:50	—	—	—	—	0	—	—	—	—	—
2025/3/24 21:00	0	0	0	0	0	62	68	148	82	82
2025/3/24 21:10	—	—	—	—	0	—	—	—	—	—
2025/3/24 21:20	—	—	—	—	0	—	—	—	—	—
2025/3/24 21:30	—	—	—	—	0	—	—	—	—	—
2025/3/24 21:40	—	—	—	—	0	—	—	—	—	—
2025/3/24 21:50	—	—	—	—	0	—	—	—	—	—
2025/3/24 22:00	0	0	0	0	0	55	62	102	82	68
2025/3/24 22:10	—	—	—	—	0	—	—	—	—	—
2025/3/24 22:20	—	—	—	—	0	—	—	—	—	—
2025/3/24 22:30	—	—	—	—	0	—	—	—	—	—
2025/3/24 22:40	—	—	—	—	0	—	—	—	—	—
2025/3/24 22:50	—	—	—	—	0	—	—	—	—	—
2025/3/24 23:00	0	0	0	0	0	101	95	161	141	115
2025/3/24 23:10	—	—	—	—	0	—	—	—	—	—
2025/3/24 23:20	—	—	—	—	0	—	—	—	—	—
2025/3/24 23:30	—	—	—	—	0	—	—	—	—	—
2025/3/24 23:40	—	—	—	—	0	—	—	—	—	—
2025/3/24 23:50	—	—	—	—	0	—	—	—	—	—
2025/3/25 0:00	0	0	0	0	0	75	82	128	266	82
2025/3/25 0:10	—	—	—	—	0	—	—	—	—	—
2025/3/25 0:20	—	—	—	—	0	—	—	—	—	—
2025/3/25 0:30	—	—	—	—	0	—	—	—	—	—
2025/3/25 0:40	—	—	—	—	0	—	—	—	—	—
2025/3/25 0:50	—	—	—	—	0	—	—	—	—	—
2025/3/25 1:00	0	0	0	0	0	62	68	86	206	74
2025/3/25 1:10	—	—	—	—	0	—	—	—	—	—
2025/3/25 1:20	—	—	—	—	0	—	—	—	—	—
2025/3/25 1:30	—	—	—	—	0	—	—	—	—	—
2025/3/25 1:40	—	—	—	—	0	—	—	—	—	—
2025/3/25 1:50	—	—	—	—	0	—	—	—	—	—
2025/3/25 2:00	0	0	0	0	0	75	80	82	75	82
2025/3/25 2:10	—	—	—	—	0	—	—	—	—	—
2025/3/25 2:20	—	—	—	—	0	—	—	—	—	—
2025/3/25 2:30	—	—	—	—	0	—	—	—	—	—
2025/3/25 2:40	—	—	—	—	0	—	—	—	—	—
2025/3/25 2:50	—	—	—	—	0	—	—	—	—	—
2025/3/25 3:00	0	0	0	0	0	82	108	88	102	102
2025/3/25 3:10	—	—	—	—	0	—	—	—	—	—
2025/3/25 3:20	—	—	—	—	0	—	—	—	—	—
2025/3/25 3:30	—	—	—	—	0	—	—	—	—	—
2025/3/25 3:40	—	—	—	—	0	—	—	—	—	—
2025/3/25 3:50	—	—	—	—	0	—	—	—	—	—
2025/3/25 4:00	0	0	0	0	0	161	155	161	181	168
2025/3/25 4:10	—	—	—	—	0	—	—	—	—	—
2025/3/25 4:20	—	—	—	—	0	—	—	—	—	—
2025/3/25 4:30	—	—	—	—	0	—	—	—	—	—
2025/3/25 4:40	—	—	—	—	0	—	—	—	—	—
2025/3/25 4:50	—	—	—	—	0	—	—	—	—	—
2025/3/25 5:00	0	0	0	0	0	206	212	206	213	245

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/3/25 5:10	—	—	—	—	0	—	—	—	—	—
2025/3/25 5:20	—	—	—	—	0	—	—	—	—	—
2025/3/25 5:30	—	—	—	—	0	—	—	—	—	—
2025/3/25 5:40	—	—	—	—	0	—	—	—	—	—
2025/3/25 5:50	—	—	—	—	0	—	—	—	—	—
2025/3/25 6:00	0	0	0	0	0	253	199	194	188	372
2025/3/25 6:10	—	—	—	—	0	—	—	—	—	—
2025/3/25 6:20	—	—	—	—	0	—	—	—	—	—
2025/3/25 6:30	—	—	—	—	0	—	—	—	—	—
2025/3/25 6:40	—	—	—	—	0	—	—	—	—	—
2025/3/25 6:50	—	—	—	—	0	—	—	—	—	—
2025/3/25 7:00	0	0	0	0	0	155	148	166	121	312
2025/3/25 7:10	—	—	—	—	0	—	—	—	—	—
2025/3/25 7:20	—	—	—	—	0	—	—	—	—	—
2025/3/25 7:30	—	—	—	—	0	—	—	—	—	—
2025/3/25 7:40	—	—	—	—	0	—	—	—	—	—
2025/3/25 7:50	—	—	—	—	0	—	—	—	—	—
2025/3/25 8:00	0	0	0	0	0	68	126	194	88	165
2025/3/25 8:10	—	—	—	—	0	—	—	—	—	—
2025/3/25 8:20	—	—	—	—	0	—	—	—	—	—
2025/3/25 8:30	—	—	—	—	0	—	—	—	—	—
2025/3/25 8:40	—	—	—	—	0	—	—	—	—	—
2025/3/25 8:50	—	—	—	—	0	—	—	—	—	—
2025/3/25 9:00	0	0	0	0	0	95	135	220	113	161
2025/3/25 9:10	—	—	—	—	0	—	—	—	—	—
2025/3/25 9:20	—	—	—	—	0	—	—	—	—	—
2025/3/25 9:30	—	—	—	—	0	—	—	—	—	—
2025/3/25 9:40	—	—	—	—	0	—	—	—	—	—
2025/3/25 9:50	—	—	—	—	0	—	—	—	—	—
2025/3/25 10:00	0	0	0	0	0	200	133	128	108	225
2025/3/25 10:10	—	—	—	—	0	—	—	—	—	—
2025/3/25 10:20	—	—	—	—	0	—	—	—	—	—
2025/3/25 10:30	—	—	—	—	0	—	—	—	—	—
2025/3/25 10:40	—	—	—	—	0	—	—	—	—	—
2025/3/25 10:50	—	—	—	—	0	—	—	—	—	—
2025/3/25 11:00	0	0	0	0	0	135	168	150	133	211
2025/3/25 11:10	—	—	—	—	0	—	—	—	—	—
2025/3/25 11:20	—	—	—	—	0	—	—	—	—	—
2025/3/25 11:30	—	—	—	—	0.1	—	—	—	—	—
2025/3/25 11:40	—	—	—	—	0.1	—	—	—	—	—
2025/3/25 11:50	—	—	—	—	0.1	—	—	—	—	—
2025/3/25 12:00	0	0	0	0	0.1	168	135	200	108	105
2025/3/25 12:10	—	—	—	—	0.1	—	—	—	—	—
2025/3/25 12:20	—	—	—	—	0.1	—	—	—	—	—
2025/3/25 12:30	—	—	—	—	0.1	—	—	—	—	—
2025/3/25 12:40	—	—	—	—	0.1	—	—	—	—	—
2025/3/25 12:50	—	—	—	—	0.1	—	—	—	—	—
2025/3/25 13:00	0	0	0	0	0.1	147	128	174	107	200
2025/3/25 13:10	—	—	—	—	0.1	—	—	—	—	—
2025/3/25 13:20	—	—	—	—	0.1	—	—	—	—	—
2025/3/25 13:30	—	—	—	—	0.1	—	—	—	—	—
2025/3/25 13:40	—	—	—	—	0	—	—	—	—	—
2025/3/25 13:50	—	—	—	—	0	—	—	—	—	—
2025/3/25 14:00	0	0	0	0	0	120	108	274	68	205
2025/3/25 14:10	—	—	—	—	0	—	—	—	—	—
2025/3/25 14:20	—	—	—	—	0	—	—	—	—	—
2025/3/25 14:30	—	—	—	—	0	—	—	—	—	—
2025/3/25 14:40	—	—	—	—	0	—	—	—	—	—
2025/3/25 14:50	—	—	—	—	0	—	—	—	—	—
2025/3/25 15:00	0	0	0	0	0	128	136	135	119	174
2025/3/25 15:10	—	—	—	—	0	—	—	—	—	—
2025/3/25 15:20	—	—	—	—	0	—	—	—	—	—
2025/3/25 15:30	—	—	—	—	0	—	—	—	—	—
2025/3/25 15:40	—	—	—	—	0	—	—	—	—	—
2025/3/25 15:50	—	—	—	—	0	—	—	—	—	—
2025/3/25 16:00	0	0	0	0	0	114	145	128	140	108
2025/3/25 16:10	—	—	—	—	0	—	—	—	—	—
2025/3/25 16:20	—	—	—	—	0	—	—	—	—	—
2025/3/25 16:30	—	—	—	—	0	—	—	—	—	—
2025/3/25 16:40	—	—	—	—	0	—	—	—	—	—
2025/3/25 16:50	—	—	—	—	0	—	—	—	—	—
2025/3/25 17:00	0	0	0	0	0	140	208	224	135	220
2025/3/25 17:10	—	—	—	—	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/3/25 17:20	—	—	—	—	0	—	—	—	—	—
2025/3/25 17:30	—	—	—	—	0	—	—	—	—	—
2025/3/25 17:40	—	—	—	—	0	—	—	—	—	—
2025/3/25 17:50	—	—	—	—	0	—	—	—	—	—
2025/3/25 18:00	0	0	0	0	0	159	127	245	192	225
2025/3/25 18:10	—	—	—	—	0	—	—	—	—	—
2025/3/25 18:20	—	—	—	—	0	—	—	—	—	—
2025/3/25 18:30	—	—	—	—	0	—	—	—	—	—
2025/3/25 18:40	—	—	—	—	0	—	—	—	—	—
2025/3/25 18:50	—	—	—	—	0	—	—	—	—	—
2025/3/25 19:00	0	0	0	0	0	120	135	302	108	180
2025/3/25 19:10	—	—	—	—	0	—	—	—	—	—
2025/3/25 19:20	—	—	—	—	0	—	—	—	—	—
2025/3/25 19:30	—	—	—	—	0	—	—	—	—	—
2025/3/25 19:40	—	—	—	—	0	—	—	—	—	—
2025/3/25 19:50	—	—	—	—	0	—	—	—	—	—
2025/3/25 20:00	0	0	0	0	0	261	108	392	121	372
2025/3/25 20:10	—	—	—	—	0	—	—	—	—	—
2025/3/25 20:20	—	—	—	—	0	—	—	—	—	—
2025/3/25 20:30	—	—	—	—	0	—	—	—	—	—
2025/3/25 20:40	—	—	—	—	0	—	—	—	—	—
2025/3/25 20:50	—	—	—	—	0	—	—	—	—	—
2025/3/25 21:00	0	0	0	0	0	200	135	252	102	207
2025/3/25 21:10	—	—	—	—	0	—	—	—	—	—
2025/3/25 21:20	—	—	—	—	0	—	—	—	—	—
2025/3/25 21:30	—	—	—	—	0	—	—	—	—	—
2025/3/25 21:40	—	—	—	—	0	—	—	—	—	—
2025/3/25 21:50	—	—	—	—	0	—	—	—	—	—
2025/3/25 22:00	0	0	0	0	0	82	102	133	47	81
2025/3/25 22:10	—	—	—	—	0	—	—	—	—	—
2025/3/25 22:20	—	—	—	—	0	—	—	—	—	—
2025/3/25 22:30	—	—	—	—	0	—	—	—	—	—
2025/3/25 22:40	—	—	—	—	0	—	—	—	—	—
2025/3/25 22:50	—	—	—	—	0	—	—	—	—	—
2025/3/25 23:00	0	0	0	0	0	67	102	168	42	68
2025/3/25 23:10	—	—	—	—	0	—	—	—	—	—
2025/3/25 23:20	—	—	—	—	0	—	—	—	—	—
2025/3/25 23:30	—	—	—	—	0	—	—	—	—	—
2025/3/25 23:40	—	—	—	—	0	—	—	—	—	—
2025/3/25 23:50	—	—	—	—	0	—	—	—	—	—
2025/3/26 0:00	0	0	0	0	0	173	108	61	40	55
2025/3/26 0:10	—	—	—	—	0	—	—	—	—	—
2025/3/26 0:20	—	—	—	—	0	—	—	—	—	—
2025/3/26 0:30	—	—	—	—	0	—	—	—	—	—
2025/3/26 0:40	—	—	—	—	0	—	—	—	—	—
2025/3/26 0:50	—	—	—	—	0	—	—	—	—	—
2025/3/26 1:00	0	0	0	0	0	41	200	88	62	67
2025/3/26 1:10	—	—	—	—	0	—	—	—	—	—
2025/3/26 1:20	—	—	—	—	0	—	—	—	—	—
2025/3/26 1:30	—	—	—	—	0	—	—	—	—	—
2025/3/26 1:40	—	—	—	—	0	—	—	—	—	—
2025/3/26 1:50	—	—	—	—	0	—	—	—	—	—
2025/3/26 2:00	0	0	0	0	0	82	128	55	90	60
2025/3/26 2:10	—	—	—	—	0	—	—	—	—	—
2025/3/26 2:20	—	—	—	—	0	—	—	—	—	—
2025/3/26 2:30	—	—	—	—	0	—	—	—	—	—
2025/3/26 2:40	—	—	—	—	0	—	—	—	—	—
2025/3/26 2:50	—	—	—	—	0	—	—	—	—	—
2025/3/26 3:00	0	0	0	0	0	180	102	126	42	95
2025/3/26 3:10	—	—	—	—	0	—	—	—	—	—
2025/3/26 3:20	—	—	—	—	0	—	—	—	—	—
2025/3/26 3:30	—	—	—	—	0	—	—	—	—	—
2025/3/26 3:40	—	—	—	—	0	—	—	—	—	—
2025/3/26 3:50	—	—	—	—	0	—	—	—	—	—
2025/3/26 4:00	0	0	0	0	0	193	102	200	55	107
2025/3/26 4:10	—	—	—	—	0	—	—	—	—	—
2025/3/26 4:20	—	—	—	—	0	—	—	—	—	—
2025/3/26 4:30	—	—	—	—	0	—	—	—	—	—
2025/3/26 4:40	—	—	—	—	0	—	—	—	—	—
2025/3/26 4:50	—	—	—	—	0	—	—	—	—	—
2025/3/26 5:00	0	0	0	0	0	133	68	139	47	67
2025/3/26 5:10	—	—	—	—	0	—	—	—	—	—
2025/3/26 5:20	—	—	—	—	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/3/26 5:30	—	—	—	—	0	—	—	—	—	—
2025/3/26 5:40	—	—	—	—	0	—	—	—	—	—
2025/3/26 5:50	—	—	—	—	0	—	—	—	—	—
2025/3/26 6:00	0	0	0	0	0	140	68	200	42	75
2025/3/26 6:10	—	—	—	—	0	—	—	—	—	—
2025/3/26 6:20	—	—	—	—	0	—	—	—	—	—
2025/3/26 6:30	—	—	—	—	0	—	—	—	—	—
2025/3/26 6:40	—	—	—	—	0	—	—	—	—	—
2025/3/26 6:50	—	—	—	—	0	—	—	—	—	—
2025/3/26 7:00	0	0	0	0	0	115	81	141	55	81
2025/3/26 7:10	—	—	—	—	0	—	—	—	—	—
2025/3/26 7:20	—	—	—	—	0	—	—	—	—	—
2025/3/26 7:30	—	—	—	—	0	—	—	—	—	—
2025/3/26 7:40	—	—	—	—	0	—	—	—	—	—
2025/3/26 7:50	—	—	—	—	0	—	—	—	—	—
2025/3/26 8:00	0	0	0	0	0	86	101	146	46	67
2025/3/26 8:10	—	—	—	—	0	—	—	—	—	—
2025/3/26 8:20	—	—	—	—	0	—	—	—	—	—
2025/3/26 8:30	—	—	—	—	0	—	—	—	—	—
2025/3/26 8:40	—	—	—	—	0	—	—	—	—	—
2025/3/26 8:50	—	—	—	—	0	—	—	—	—	—
2025/3/26 9:00	0	0	0	0	0	113	119	160	87	133
2025/3/26 9:10	—	—	—	—	0	—	—	—	—	—
2025/3/26 9:20	—	—	—	—	0	—	—	—	—	—
2025/3/26 9:30	—	—	—	—	0	—	—	—	—	—
2025/3/26 9:40	—	—	—	—	0	—	—	—	—	—
2025/3/26 9:50	—	—	—	—	0	—	—	—	—	—
2025/3/26 10:00	0	0	0	0	0	93	133	160	192	126
2025/3/26 10:10	—	—	—	—	0	—	—	—	—	—
2025/3/26 10:20	—	—	—	—	0	—	—	—	—	—
2025/3/26 10:30	—	—	—	—	0	—	—	—	—	—
2025/3/26 10:40	—	—	—	—	0	—	—	—	—	—
2025/3/26 10:50	—	—	—	—	0	—	—	—	—	—
2025/3/26 11:00	0	0	0	0	0.1	141	127	153	126	113
2025/3/26 11:10	—	—	—	—	0.1	—	—	—	—	—
2025/3/26 11:20	—	—	—	—	0.1	—	—	—	—	—
2025/3/26 11:30	—	—	—	—	0.1	—	—	—	—	—
2025/3/26 11:40	—	—	—	—	0.1	—	—	—	—	—
2025/3/26 11:50	—	—	—	—	0.1	—	—	—	—	—
2025/3/26 12:00	0	0	0	0	0.1	113	126	114	126	88
2025/3/26 12:10	—	—	—	—	0.1	—	—	—	—	—
2025/3/26 12:20	—	—	—	—	0.1	—	—	—	—	—
2025/3/26 12:30	—	—	—	—	0.1	—	—	—	—	—
2025/3/26 12:40	—	—	—	—	0.1	—	—	—	—	—
2025/3/26 12:50	—	—	—	—	0.1	—	—	—	—	—
2025/3/26 13:00	0	0	0	0	0.1	139	95	135	93	107
2025/3/26 13:10	—	—	—	—	0.1	—	—	—	—	—
2025/3/26 13:20	—	—	—	—	0.1	—	—	—	—	—
2025/3/26 13:30	—	—	—	—	0.1	—	—	—	—	—
2025/3/26 13:40	—	—	—	—	0.1	—	—	—	—	—
2025/3/26 13:50	—	—	—	—	0.1	—	—	—	—	—
2025/3/26 14:00	0	0	0	0	0.1	87	87	159	166	93
2025/3/26 14:10	—	—	—	—	0.1	—	—	—	—	—
2025/3/26 14:20	—	—	—	—	0.1	—	—	—	—	—
2025/3/26 14:30	—	—	—	—	0.1	—	—	—	—	—
2025/3/26 14:40	—	—	—	—	0.1	—	—	—	—	—
2025/3/26 14:50	—	—	—	—	0	—	—	—	—	—
2025/3/26 15:00	0	0	0	0	0	127	120	166	186	120
2025/3/26 15:10	—	—	—	—	0	—	—	—	—	—
2025/3/26 15:20	—	—	—	—	0	—	—	—	—	—
2025/3/26 15:30	—	—	—	—	0	—	—	—	—	—
2025/3/26 15:40	—	—	—	—	0	—	—	—	—	—
2025/3/26 15:50	—	—	—	—	0	—	—	—	—	—
2025/3/26 16:00	0	0	0	0	0	93	93	155	155	94
2025/3/26 16:10	—	—	—	—	0	—	—	—	—	—
2025/3/26 16:20	—	—	—	—	0	—	—	—	—	—
2025/3/26 16:30	—	—	—	—	0	—	—	—	—	—
2025/3/26 16:40	—	—	—	—	0	—	—	—	—	—
2025/3/26 16:50	—	—	—	—	0	—	—	—	—	—
2025/3/26 17:00	0	0	0	0	0	73	66	187	253	67
2025/3/26 17:10	—	—	—	—	0	—	—	—	—	—
2025/3/26 17:20	—	—	—	—	0	—	—	—	—	—
2025/3/26 17:30	—	—	—	—	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/3/26 17:40	—	—	—	—	0	—	—	—	—	—
2025/3/26 17:50	—	—	—	—	0	—	—	—	—	—
2025/3/26 18:00	0	0	0	0	0	93	186	187	258	87
2025/3/26 18:10	—	—	—	—	0	—	—	—	—	—
2025/3/26 18:20	—	—	—	—	0	—	—	—	—	—
2025/3/26 18:30	—	—	—	—	0	—	—	—	—	—
2025/3/26 18:40	—	—	—	—	0	—	—	—	—	—
2025/3/26 18:50	—	—	—	—	0	—	—	—	—	—
2025/3/26 19:00	0	0	0	0	0	166	139	225	179	172
2025/3/26 19:10	—	—	—	—	0	—	—	—	—	—
2025/3/26 19:20	—	—	—	—	0	—	—	—	—	—
2025/3/26 19:30	—	—	—	—	0	—	—	—	—	—
2025/3/26 19:40	—	—	—	—	0	—	—	—	—	—
2025/3/26 19:50	—	—	—	—	0	—	—	—	—	—
2025/3/26 20:00	0	0	0	0	0	126	133	330	75	220
2025/3/26 20:10	—	—	—	—	0	—	—	—	—	—
2025/3/26 20:20	—	—	—	—	0	—	—	—	—	—
2025/3/26 20:30	—	—	—	—	0	—	—	—	—	—
2025/3/26 20:40	—	—	—	—	0	—	—	—	—	—
2025/3/26 20:50	—	—	—	—	0	—	—	—	—	—
2025/3/26 21:00	0	0	0	0	0	199	127	149	90	200
2025/3/26 21:10	—	—	—	—	0	—	—	—	—	—
2025/3/26 21:20	—	—	—	—	0	—	—	—	—	—
2025/3/26 21:30	—	—	—	—	0	—	—	—	—	—
2025/3/26 21:40	—	—	—	—	0	—	—	—	—	—
2025/3/26 21:50	—	—	—	—	0	—	—	—	—	—
2025/3/26 22:00	0	0	0	0	0	181	107	61	54	146
2025/3/26 22:10	—	—	—	—	0	—	—	—	—	—
2025/3/26 22:20	—	—	—	—	0	—	—	—	—	—
2025/3/26 22:30	—	—	—	—	0	—	—	—	—	—
2025/3/26 22:40	—	—	—	—	0	—	—	—	—	—
2025/3/26 22:50	—	—	—	—	0	—	—	—	—	—
2025/3/26 23:00	0	0	0	0	0	86	108	172	47	155
2025/3/26 23:10	—	—	—	—	0	—	—	—	—	—
2025/3/26 23:20	—	—	—	—	0	—	—	—	—	—
2025/3/26 23:30	—	—	—	—	0	—	—	—	—	—
2025/3/26 23:40	—	—	—	—	0	—	—	—	—	—
2025/3/26 23:50	—	—	—	—	0	—	—	—	—	—
2025/3/27 0:00	0	0	0	0	0	80	87	186	42	173
2025/3/27 0:10	—	—	—	—	0	—	—	—	—	—
2025/3/27 0:20	—	—	—	—	0	—	—	—	—	—
2025/3/27 0:30	—	—	—	—	0	—	—	—	—	—
2025/3/27 0:40	—	—	—	—	0	—	—	—	—	—
2025/3/27 0:50	—	—	—	—	0	—	—	—	—	—
2025/3/27 1:00	0	0	0.3	0	0	53	67	493	29	119
2025/3/27 1:10	—	—	—	—	0	—	—	—	—	—
2025/3/27 1:20	—	—	—	—	0	—	—	—	—	—
2025/3/27 1:30	—	—	—	—	0	—	—	—	—	—
2025/3/27 1:40	—	—	—	—	0	—	—	—	—	—
2025/3/27 1:50	—	—	—	—	0	—	—	—	—	—
2025/3/27 2:00	0	0	0	0	0	167	86	53	42	225
2025/3/27 2:10	—	—	—	—	0	—	—	—	—	—
2025/3/27 2:20	—	—	—	—	0	—	—	—	—	—
2025/3/27 2:30	—	—	—	—	0	—	—	—	—	—
2025/3/27 2:40	—	—	—	—	0	—	—	—	—	—
2025/3/27 2:50	—	—	—	—	0	—	—	—	—	—
2025/3/27 3:00	0	0	0	0	0	93	77	128	35	183
2025/3/27 3:10	—	—	—	—	0	—	—	—	—	—
2025/3/27 3:20	—	—	—	—	0	—	—	—	—	—
2025/3/27 3:30	—	—	—	—	0	—	—	—	—	—
2025/3/27 3:40	—	—	—	—	0	—	—	—	—	—
2025/3/27 3:50	—	—	—	—	0	—	—	—	—	—
2025/3/27 4:00	0	0	0	0	0	60	68	113	75	87
2025/3/27 4:10	—	—	—	—	0	—	—	—	—	—
2025/3/27 4:20	—	—	—	—	0	—	—	—	—	—
2025/3/27 4:30	—	—	—	—	0	—	—	—	—	—
2025/3/27 4:40	—	—	—	—	0	—	—	—	—	—
2025/3/27 4:50	—	—	—	—	0	—	—	—	—	—
2025/3/27 5:00	0	0	0	0	0	71	65	124	40	111
2025/3/27 5:10	—	—	—	—	0	—	—	—	—	—
2025/3/27 5:20	—	—	—	—	0	—	—	—	—	—
2025/3/27 5:30	—	—	—	—	0	—	—	—	—	—
2025/3/27 5:40	—	—	—	—	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/3/27 5:50	—	—	—	—	0	—	—	—	—	—
2025/3/27 6:00	0	0	0	0	0	53	55	120	74	86
2025/3/27 6:10	—	—	—	—	0	—	—	—	—	—
2025/3/27 6:20	—	—	—	—	0	—	—	—	—	—
2025/3/27 6:30	—	—	—	—	0	—	—	—	—	—
2025/3/27 6:40	—	—	—	—	0	—	—	—	—	—
2025/3/27 6:50	—	—	—	—	0	—	—	—	—	—
2025/3/27 7:00	0	0	0	0	0	48	60	66	55	93
2025/3/27 7:10	—	—	—	—	0	—	—	—	—	—
2025/3/27 7:20	—	—	—	—	0	—	—	—	—	—
2025/3/27 7:30	—	—	—	—	0	—	—	—	—	—
2025/3/27 7:40	—	—	—	—	0	—	—	—	—	—
2025/3/27 7:50	—	—	—	—	0	—	—	—	—	—
2025/3/27 8:00	0	0	0	0	0	40	47	311	53	46
2025/3/27 8:10	—	—	—	—	0	—	—	—	—	—
2025/3/27 8:20	—	—	—	—	0	—	—	—	—	—
2025/3/27 8:30	—	—	—	—	0	—	—	—	—	—
2025/3/27 8:40	—	—	—	—	0	—	—	—	—	—
2025/3/27 8:50	—	—	—	—	0	—	—	—	—	—
2025/3/27 9:00	0	0	0	0	0	46	61	192	258	47
2025/3/27 9:10	—	—	—	—	0	—	—	—	—	—
2025/3/27 9:20	—	—	—	—	0	—	—	—	—	—
2025/3/27 9:30	—	—	—	—	0	—	—	—	—	—
2025/3/27 9:40	—	—	—	—	0	—	—	—	—	—
2025/3/27 9:50	—	—	—	—	0	—	—	—	—	—
2025/3/27 10:00	0	0	0	0	0	80	73	134	106	67
2025/3/27 10:10	—	—	—	—	0	—	—	—	—	—
2025/3/27 10:20	—	—	—	—	0	—	—	—	—	—
2025/3/27 10:30	—	—	—	—	0	—	—	—	—	—
2025/3/27 10:40	—	—	—	—	0	—	—	—	—	—
2025/3/27 10:50	—	—	—	—	0	—	—	—	—	—
2025/3/27 11:00	0	0	0	0	0	107	100	106	61	126
2025/3/27 11:10	—	—	—	—	0	—	—	—	—	—
2025/3/27 11:20	—	—	—	—	0	—	—	—	—	—
2025/3/27 11:30	—	—	—	—	0	—	—	—	—	—
2025/3/27 11:40	—	—	—	—	0	—	—	—	—	—
2025/3/27 11:50	—	—	—	—	0	—	—	—	—	—
2025/3/27 12:00	0	0	0	0	0	147	121	74	80	75
2025/3/27 12:10	—	—	—	—	0.1	—	—	—	—	—
2025/3/27 12:20	—	—	—	—	0.1	—	—	—	—	—
2025/3/27 12:30	—	—	—	—	0.1	—	—	—	—	—
2025/3/27 12:40	—	—	—	—	0.1	—	—	—	—	—
2025/3/27 12:50	—	—	—	—	0.1	—	—	—	—	—
2025/3/27 13:00	0	0	0	0	0.1	101	94	81	61	186
2025/3/27 13:10	—	—	—	—	0.1	—	—	—	—	—
2025/3/27 13:20	—	—	—	—	0.1	—	—	—	—	—
2025/3/27 13:30	—	—	—	—	0.1	—	—	—	—	—
2025/3/27 13:40	—	—	—	—	0.1	—	—	—	—	—
2025/3/27 13:50	—	—	—	—	0.1	—	—	—	—	—
2025/3/27 14:00	0	0	0	0	0.1	100	107	87	54	120
2025/3/27 14:10	—	—	—	—	0.1	—	—	—	—	—
2025/3/27 14:20	—	—	—	—	0.1	—	—	—	—	—
2025/3/27 14:30	—	—	—	—	0	—	—	—	—	—
2025/3/27 14:40	—	—	—	—	0	—	—	—	—	—
2025/3/27 14:50	—	—	—	—	0	—	—	—	—	—
2025/3/27 15:00	0	0	0	0	0	101	198	260	113	126
2025/3/27 15:10	—	—	—	—	0	—	—	—	—	—
2025/3/27 15:20	—	—	—	—	0	—	—	—	—	—
2025/3/27 15:30	—	—	—	—	0	—	—	—	—	—
2025/3/27 15:40	—	—	—	—	0	—	—	—	—	—
2025/3/27 15:50	—	—	—	—	0	—	—	—	—	—
2025/3/27 16:00	0	0	0	0	0	94	120	120	81	160
2025/3/27 16:10	—	—	—	—	0	—	—	—	—	—
2025/3/27 16:20	—	—	—	—	0	—	—	—	—	—
2025/3/27 16:30	—	—	—	—	0	—	—	—	—	—
2025/3/27 16:40	—	—	—	—	0	—	—	—	—	—
2025/3/27 16:50	—	—	—	—	0	—	—	—	—	—
2025/3/27 17:00	0	0	0	0	0	107	231	134	120	127
2025/3/27 17:10	—	—	—	—	0	—	—	—	—	—
2025/3/27 17:20	—	—	—	—	0	—	—	—	—	—
2025/3/27 17:30	—	—	—	—	0	—	—	—	—	—
2025/3/27 17:40	—	—	—	—	0	—	—	—	—	—
2025/3/27 17:50	—	—	—	—	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/3/27 18:00	0	0	0	0	0	81	107	120	81	74
2025/3/27 18:10	—	—	—	—	0	—	—	—	—	—
2025/3/27 18:20	—	—	—	—	0	—	—	—	—	—
2025/3/27 18:30	—	—	—	—	0	—	—	—	—	—
2025/3/27 18:40	—	—	—	—	0	—	—	—	—	—
2025/3/27 18:50	—	—	—	—	0	—	—	—	—	—
2025/3/27 19:00	0	0	0	0	0	94	94	94	81	107
2025/3/27 19:10	—	—	—	—	0	—	—	—	—	—
2025/3/27 19:20	—	—	—	—	0	—	—	—	—	—
2025/3/27 19:30	—	—	—	—	0	—	—	—	—	—
2025/3/27 19:40	—	—	—	—	0	—	—	—	—	—
2025/3/27 19:50	—	—	—	—	0	—	—	—	—	—
2025/3/27 20:00	0	0	0	0	0	121	74	147	66	140
2025/3/27 20:10	—	—	—	—	0	—	—	—	—	—
2025/3/27 20:20	—	—	—	—	0	—	—	—	—	—
2025/3/27 20:30	—	—	—	—	0	—	—	—	—	—
2025/3/27 20:40	—	—	—	—	0	—	—	—	—	—
2025/3/27 20:50	—	—	—	—	0	—	—	—	—	—
2025/3/27 21:00	0	0	0	0	0	68	75	273	62	75
2025/3/27 21:10	—	—	—	—	0	—	—	—	—	—
2025/3/27 21:20	—	—	—	—	0	—	—	—	—	—
2025/3/27 21:30	—	—	—	—	0	—	—	—	—	—
2025/3/27 21:40	—	—	—	—	0	—	—	—	—	—
2025/3/27 21:50	—	—	—	—	0	—	—	—	—	—
2025/3/27 22:00	0	0	0	0	0	68	62	135	48	108
2025/3/27 22:10	—	—	—	—	0	—	—	—	—	—
2025/3/27 22:20	—	—	—	—	0	—	—	—	—	—
2025/3/27 22:30	—	—	—	—	0	—	—	—	—	—
2025/3/27 22:40	—	—	—	—	0	—	—	—	—	—
2025/3/27 22:50	—	—	—	—	0	—	—	—	—	—
2025/3/27 23:00	0	0	0	0	0	102	60	292	42	212
2025/3/27 23:10	—	—	—	—	0	—	—	—	—	—
2025/3/27 23:20	—	—	—	—	0	—	—	—	—	—
2025/3/27 23:30	—	—	—	—	0	—	—	—	—	—
2025/3/27 23:40	—	—	—	—	0	—	—	—	—	—
2025/3/27 23:50	—	—	—	—	0	—	—	—	—	—
2025/3/28 0:00	0	0	0	0	0	138	88	82	55	106
2025/3/28 0:10	—	—	—	—	0	—	—	—	—	—
2025/3/28 0:20	—	—	—	—	0	—	—	—	—	—
2025/3/28 0:30	—	—	—	—	0	—	—	—	—	—
2025/3/28 0:40	—	—	—	—	0	—	—	—	—	—
2025/3/28 0:50	—	—	—	—	0	—	—	—	—	—
2025/3/28 1:00	0	0	0	0	0	48	62	140	42	93
2025/3/28 1:10	—	—	—	—	0	—	—	—	—	—
2025/3/28 1:20	—	—	—	—	0	—	—	—	—	—
2025/3/28 1:30	—	—	—	—	0	—	—	—	—	—
2025/3/28 1:40	—	—	—	—	0	—	—	—	—	—
2025/3/28 1:50	—	—	—	—	0	—	—	—	—	—
2025/3/28 2:00	0	0	0	0	0	82	75	88	47	48
2025/3/28 2:10	—	—	—	—	0	—	—	—	—	—
2025/3/28 2:20	—	—	—	—	0	—	—	—	—	—
2025/3/28 2:30	—	—	—	—	0	—	—	—	—	—
2025/3/28 2:40	—	—	—	—	0	—	—	—	—	—
2025/3/28 2:50	—	—	—	—	0	—	—	—	—	—
2025/3/28 3:00	0	0	0	0	0	82	74	115	54	192
2025/3/28 3:10	—	—	—	—	0	—	—	—	—	—
2025/3/28 3:20	—	—	—	—	0	—	—	—	—	—
2025/3/28 3:30	—	—	—	—	0	—	—	—	—	—
2025/3/28 3:40	—	—	—	—	0	—	—	—	—	—
2025/3/28 3:50	—	—	—	—	0	—	—	—	—	—
2025/3/28 4:00	0	0	0	0	0	80	60	406	42	155
2025/3/28 4:10	—	—	—	—	0	—	—	—	—	—
2025/3/28 4:20	—	—	—	—	0	—	—	—	—	—
2025/3/28 4:30	—	—	—	—	0	—	—	—	—	—
2025/3/28 4:40	—	—	—	—	0	—	—	—	—	—
2025/3/28 4:50	—	—	—	—	0	—	—	—	—	—
2025/3/28 5:00	0	0	0	0	0	54	47	180	40	88
2025/3/28 5:10	—	—	—	—	0	—	—	—	—	—
2025/3/28 5:20	—	—	—	—	0	—	—	—	—	—
2025/3/28 5:30	—	—	—	—	0	—	—	—	—	—
2025/3/28 5:40	—	—	—	—	0	—	—	—	—	—
2025/3/28 5:50	—	—	—	—	0	—	—	—	—	—
2025/3/28 6:00	0	0	0	0	0	61	48	102	35	67

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/3/28 6:10	—	—	—	—	0	—	—	—	—	—
2025/3/28 6:20	—	—	—	—	0	—	—	—	—	—
2025/3/28 6:30	—	—	—	—	0	—	—	—	—	—
2025/3/28 6:40	—	—	—	—	0	—	—	—	—	—
2025/3/28 6:50	—	—	—	—	0	—	—	—	—	—
2025/3/28 7:00	0	0	0	0	0	68	75	146	46	108
2025/3/28 7:10	—	—	—	—	0	—	—	—	—	—
2025/3/28 7:20	—	—	—	—	0	—	—	—	—	—
2025/3/28 7:30	—	—	—	—	0	—	—	—	—	—
2025/3/28 7:40	—	—	—	—	0	—	—	—	—	—
2025/3/28 7:50	—	—	—	—	0	—	—	—	—	—
2025/3/28 8:00	0	0	0	0	0	61	66	181	68	100
2025/3/28 8:10	—	—	—	—	0	—	—	—	—	—
2025/3/28 8:20	—	—	—	—	0	—	—	—	—	—
2025/3/28 8:30	—	—	—	—	0	—	—	—	—	—
2025/3/28 8:40	—	—	—	—	0	—	—	—	—	—
2025/3/28 8:50	—	—	—	—	0	—	—	—	—	—
2025/3/28 9:00	0	0	0	0	0	82	95	200	68	115
2025/3/28 9:10	—	—	—	—	0	—	—	—	—	—
2025/3/28 9:20	—	—	—	—	0	—	—	—	—	—
2025/3/28 9:30	—	—	—	—	0	—	—	—	—	—
2025/3/28 9:40	—	—	—	—	0	—	—	—	—	—
2025/3/28 9:48	—	—	—	—	—	—	—	—	—	—
2025/3/28 9:49	—	—	—	—	—	—	—	—	—	—
2025/3/28 9:50	—	—	—	—	0	—	—	—	—	—
2025/3/28 10:00	0	0	0	0	0	101	87	141	68	62
2025/3/28 10:02	—	—	—	—	—	—	—	—	—	—
2025/3/28 10:03	—	—	—	—	—	—	—	—	—	—
2025/3/28 10:04	—	—	—	—	—	—	—	—	—	—
2025/3/28 10:05	—	—	—	—	—	—	—	—	—	—
2025/3/28 10:06	—	—	—	—	—	—	—	—	—	—
2025/3/28 10:07	—	—	—	—	—	—	—	—	—	—
2025/3/28 10:08	—	—	—	—	—	—	—	—	—	—
2025/3/28 10:09	—	—	—	—	—	—	—	—	—	—
2025/3/28 10:10	—	—	—	—	0	—	—	—	—	—
2025/3/28 10:11	—	—	—	—	—	—	—	—	—	—
2025/3/28 10:12	—	—	—	—	—	—	—	—	—	—
2025/3/28 10:20	—	—	—	—	0	—	—	—	—	—
2025/3/28 10:23	—	—	—	—	—	—	—	—	—	—
2025/3/28 10:24	—	—	—	—	—	—	—	—	—	—
2025/3/28 10:25	—	—	—	—	—	—	—	—	—	—
2025/3/28 10:26	—	—	—	—	—	—	—	—	—	—
2025/3/28 10:27	—	—	—	—	—	—	—	—	—	—
2025/3/28 10:28	—	—	—	—	—	—	—	—	—	—
2025/3/28 10:30	—	—	—	—	0	—	—	—	—	—
2025/3/28 10:40	—	—	—	—	0	—	—	—	—	—
2025/3/28 10:50	—	—	—	—	0	—	—	—	—	—
2025/3/28 11:00	0	0	0	0	0	227	153	140	115	187
2025/3/28 11:10	—	—	—	—	0	—	—	—	—	—
2025/3/28 11:20	—	—	—	—	0	—	—	—	—	—
2025/3/28 11:30	—	—	—	—	0	—	—	—	—	—
2025/3/28 11:40	—	—	—	—	0	—	—	—	—	—
2025/3/28 11:48	—	—	—	—	—	—	—	—	—	—
2025/3/28 11:49	—	—	—	—	—	—	—	—	—	—
2025/3/28 11:50	—	—	—	—	0	—	—	—	—	—
2025/3/28 11:51	—	—	—	—	—	—	—	—	—	—
2025/3/28 11:52	—	—	—	—	—	—	—	—	—	—
2025/3/28 11:53	—	—	—	—	—	—	—	—	—	—
2025/3/28 11:54	—	—	—	—	—	—	—	—	—	—
2025/3/28 11:55	—	—	—	—	—	—	—	—	—	—
2025/3/28 11:56	—	—	—	—	—	—	—	—	—	—
2025/3/28 11:57	—	—	—	—	—	—	—	—	—	—
2025/3/28 11:58	—	—	—	—	—	—	—	—	—	—
2025/3/28 11:59	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:00	0	0	0	0	0.1	101	186	195	104	121
2025/3/28 12:01	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:02	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:03	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:04	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:05	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:06	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:07	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:08	—	—	—	—	—	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/3/28 12:09	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:10	—	—	—	—	0.1	—	—	—	—	—
2025/3/28 12:11	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:12	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:13	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:14	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:15	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:16	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:17	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:18	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:19	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:20	—	—	—	—	0	—	—	—	—	—
2025/3/28 12:21	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:22	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:23	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:24	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:25	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:26	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:27	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:28	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:29	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:30	—	—	—	—	0	—	—	—	—	—
2025/3/28 12:31	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:32	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:33	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:34	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:35	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:36	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:37	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:38	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:39	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:40	—	—	—	—	0	—	—	—	—	—
2025/3/28 12:41	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:42	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:43	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:44	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:45	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:46	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:47	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:48	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:49	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:50	—	—	—	—	0	—	—	—	—	—
2025/3/28 12:51	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:52	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:53	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:54	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:55	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:56	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:57	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:58	—	—	—	—	—	—	—	—	—	—
2025/3/28 12:59	—	—	—	—	—	—	—	—	—	—
2025/3/28 13:00	0	0	0	0	0	225	88	140	108	80
2025/3/28 13:01	—	—	—	—	—	—	—	—	—	—
2025/3/28 13:02	—	—	—	—	—	—	—	—	—	—
2025/3/28 13:03	—	—	—	—	—	—	—	—	—	—
2025/3/28 13:10	—	—	—	—	0	—	—	—	—	—
2025/3/28 13:20	—	—	—	—	0	—	—	—	—	—
2025/3/28 13:30	—	—	—	—	0	—	—	—	—	—
2025/3/28 13:40	—	—	—	—	0	—	—	—	—	—
2025/3/28 13:50	—	—	—	—	0	—	—	—	—	—
2025/3/28 14:00	0	0	0	0	0	102	120	464	87	74
2025/3/28 14:10	—	—	—	—	0	—	—	—	—	—
2025/3/28 14:20	—	—	—	—	0	—	—	—	—	—
2025/3/28 14:30	—	—	—	—	0	—	—	—	—	—
2025/3/28 14:40	—	—	—	—	0	—	—	—	—	—
2025/3/28 14:50	—	—	—	—	0	—	—	—	—	—
2025/3/28 15:00	0	0	0	0	0	167	141	284	87	155
2025/3/28 15:10	—	—	—	—	0	—	—	—	—	—
2025/3/28 15:18	—	—	—	—	—	—	—	—	—	—
2025/3/28 15:19	—	—	—	—	—	—	—	—	—	—
2025/3/28 15:20	—	—	—	—	0	—	—	—	—	—
2025/3/28 15:21	—	—	—	—	—	—	—	—	—	—
2025/3/28 15:22	—	—	—	—	—	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/3/28 15:23	—	—	—	—	—	—	—	—	—	—
2025/3/28 15:24	—	—	—	—	—	—	—	—	—	—
2025/3/28 15:25	—	—	—	—	—	—	—	—	—	—
2025/3/28 15:26	—	—	—	—	—	—	—	—	—	—
2025/3/28 15:27	—	—	—	—	—	—	—	—	—	—
2025/3/28 15:28	—	—	—	—	—	—	—	—	—	—
2025/3/28 15:29	—	—	—	—	—	—	—	—	—	—
2025/3/28 15:30	—	—	—	—	0	—	—	—	—	—
2025/3/28 15:31	—	—	—	—	—	—	—	—	—	—
2025/3/28 15:32	—	—	—	—	—	—	—	—	—	—
2025/3/28 15:33	—	—	—	—	—	—	—	—	—	—
2025/3/28 15:34	—	—	—	—	—	—	—	—	—	—
2025/3/28 15:35	—	—	—	—	—	—	—	—	—	—
2025/3/28 15:36	—	—	—	—	—	—	—	—	—	—
2025/3/28 15:37	—	—	—	—	—	—	—	—	—	—
2025/3/28 15:38	—	—	—	—	—	—	—	—	—	—
2025/3/28 15:39	—	—	—	—	—	—	—	—	—	—
2025/3/28 15:40	—	—	—	—	0	—	—	—	—	—
2025/3/28 15:50	—	—	—	—	0	—	—	—	—	—
2025/3/28 16:00	0	0	0	0	0	141	140	503	148	218
2025/3/28 16:10	—	—	—	—	0	—	—	—	—	—
2025/3/28 16:20	—	—	—	—	0	—	—	—	—	—
2025/3/28 16:30	—	—	—	—	0	—	—	—	—	—
2025/3/28 16:40	—	—	—	—	0	—	—	—	—	—
2025/3/28 16:50	—	—	—	—	0	—	—	—	—	—
2025/3/28 16:55	—	—	—	—	—	—	—	—	—	—
2025/3/28 16:56	—	—	—	—	—	—	—	—	—	—
2025/3/28 16:57	—	—	—	—	—	—	—	—	—	—
2025/3/28 16:58	—	—	—	—	—	—	—	—	—	—
2025/3/28 16:59	—	—	—	—	—	—	—	—	—	—
2025/3/28 17:00	0	0	0	0	0	194	172	226	106	226
2025/3/28 17:01	—	—	—	—	—	—	—	—	—	—
2025/3/28 17:02	—	—	—	—	—	—	—	—	—	—
2025/3/28 17:03	—	—	—	—	—	—	—	—	—	—
2025/3/28 17:04	—	—	—	—	—	—	—	—	—	—
2025/3/28 17:05	—	—	—	—	—	—	—	—	—	—
2025/3/28 17:06	—	—	—	—	—	—	—	—	—	—
2025/3/28 17:07	—	—	—	—	—	—	—	—	—	—
2025/3/28 17:08	—	—	—	—	—	—	—	—	—	—
2025/3/28 17:10	—	—	—	—	0	—	—	—	—	—
2025/3/28 17:20	—	—	—	—	0	—	—	—	—	—
2025/3/28 17:30	—	—	—	—	0	—	—	—	—	—
2025/3/28 17:40	—	—	—	—	0	—	—	—	—	—
2025/3/28 17:50	—	—	—	—	0	—	—	—	—	—
2025/3/28 18:00	0	0	0	0	0	94	114	211	106	94
2025/3/28 18:10	—	—	—	—	0	—	—	—	—	—
2025/3/28 18:20	—	—	—	—	0	—	—	—	—	—
2025/3/28 18:30	—	—	—	—	0	—	—	—	—	—
2025/3/28 18:40	—	—	—	—	0	—	—	—	—	—
2025/3/28 18:50	—	—	—	—	0	—	—	—	—	—
2025/3/28 19:00	0	0	0	0	0	68	62	160	135	60
2025/3/28 19:10	—	—	—	—	0	—	—	—	—	—
2025/3/28 19:20	—	—	—	—	0	—	—	—	—	—
2025/3/28 19:30	—	—	—	—	0	—	—	—	—	—
2025/3/28 19:40	—	—	—	—	0	—	—	—	—	—
2025/3/28 19:50	—	—	—	—	0	—	—	—	—	—
2025/3/28 20:00	0	0	0	0	0	60	61	141	55	82
2025/3/28 20:10	—	—	—	—	0	—	—	—	—	—
2025/3/28 20:20	—	—	—	—	0	—	—	—	—	—
2025/3/28 20:30	—	—	—	—	0	—	—	—	—	—
2025/3/28 20:40	—	—	—	—	0	—	—	—	—	—
2025/3/28 20:50	—	—	—	—	0	—	—	—	—	—
2025/3/28 21:00	0	0	0	0	0	82	82	167	75	53
2025/3/28 21:10	—	—	—	—	0	—	—	—	—	—
2025/3/28 21:20	—	—	—	—	0	—	—	—	—	—
2025/3/28 21:30	—	—	—	—	0	—	—	—	—	—
2025/3/28 21:40	—	—	—	—	0	—	—	—	—	—
2025/3/28 21:50	—	—	—	—	0	—	—	—	—	—
2025/3/28 22:00	0	0	0	0	0	81	54	180	73	35
2025/3/28 22:10	—	—	—	—	0	—	—	—	—	—
2025/3/28 22:20	—	—	—	—	0	—	—	—	—	—
2025/3/28 22:30	—	—	—	—	0	—	—	—	—	—
2025/3/28 22:40	—	—	—	—	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/3/28 22:50	—	—	—	—	0	—	—	—	—	—
2025/3/28 23:00	0	0	0	0	0	34	42	62	35	28
2025/3/28 23:10	—	—	—	—	0	—	—	—	—	—
2025/3/28 23:20	—	—	—	—	0	—	—	—	—	—
2025/3/28 23:30	—	—	—	—	0	—	—	—	—	—
2025/3/28 23:40	—	—	—	—	0	—	—	—	—	—
2025/3/28 23:50	—	—	—	—	0	—	—	—	—	—
2025/3/29 0:00	0	0	0	0	0	47	46	218	48	55
2025/3/29 0:10	—	—	—	—	0	—	—	—	—	—
2025/3/29 0:20	—	—	—	—	0	—	—	—	—	—
2025/3/29 0:30	—	—	—	—	0	—	—	—	—	—
2025/3/29 0:40	—	—	—	—	0	—	—	—	—	—
2025/3/29 0:50	—	—	—	—	0	—	—	—	—	—
2025/3/29 1:00	0	0	0	0	0	33	42	255	41	47
2025/3/29 1:10	—	—	—	—	0	—	—	—	—	—
2025/3/29 1:20	—	—	—	—	0	—	—	—	—	—
2025/3/29 1:30	—	—	—	—	0	—	—	—	—	—
2025/3/29 1:40	—	—	—	—	0	—	—	—	—	—
2025/3/29 1:50	—	—	—	—	0	—	—	—	—	—
2025/3/29 2:00	0	0	0	0	0	42	48	160	34	102
2025/3/29 2:10	—	—	—	—	0	—	—	—	—	—
2025/3/29 2:20	—	—	—	—	0	—	—	—	—	—
2025/3/29 2:30	—	—	—	—	0	—	—	—	—	—
2025/3/29 2:40	—	—	—	—	0	—	—	—	—	—
2025/3/29 2:50	—	—	—	—	0	—	—	—	—	—
2025/3/29 3:00	0	0	0	0	0	33	53	305	47	34
2025/3/29 3:10	—	—	—	—	0	—	—	—	—	—
2025/3/29 3:20	—	—	—	—	0	—	—	—	—	—
2025/3/29 3:30	—	—	—	—	0	—	—	—	—	—
2025/3/29 3:40	—	—	—	—	0	—	—	—	—	—
2025/3/29 3:50	—	—	—	—	0	—	—	—	—	—
2025/3/29 4:00	0	0	0	0	0	34	46	87	21	41
2025/3/29 4:10	—	—	—	—	0	—	—	—	—	—
2025/3/29 4:20	—	—	—	—	0	—	—	—	—	—
2025/3/29 4:30	—	—	—	—	0	—	—	—	—	—
2025/3/29 4:40	—	—	—	—	0	—	—	—	—	—
2025/3/29 4:50	—	—	—	—	0	—	—	—	—	—
2025/3/29 5:00	0	0	0	0	0	27	42	166	46	40
2025/3/29 5:10	—	—	—	—	0	—	—	—	—	—
2025/3/29 5:20	—	—	—	—	0	—	—	—	—	—
2025/3/29 5:30	—	—	—	—	0	—	—	—	—	—
2025/3/29 5:40	—	—	—	—	0	—	—	—	—	—
2025/3/29 5:50	—	—	—	—	0	—	—	—	—	—
2025/3/29 6:00	0	0	0	0	0	22	27	82	42	34
2025/3/29 6:10	—	—	—	—	0	—	—	—	—	—
2025/3/29 6:20	—	—	—	—	0	—	—	—	—	—
2025/3/29 6:30	—	—	—	—	0	—	—	—	—	—
2025/3/29 6:40	—	—	—	—	0	—	—	—	—	—
2025/3/29 6:50	—	—	—	—	0	—	—	—	—	—
2025/3/29 7:00	0	0	0	0	0	28	42	199	54	68
2025/3/29 7:10	—	—	—	—	0	—	—	—	—	—
2025/3/29 7:20	—	—	—	—	0	—	—	—	—	—
2025/3/29 7:30	—	—	—	—	0	—	—	—	—	—
2025/3/29 7:40	—	—	—	—	0	—	—	—	—	—
2025/3/29 7:50	—	—	—	—	0	—	—	—	—	—
2025/3/29 8:00	0	0	0	0	0	81	93	107	66	54
2025/3/29 8:10	—	—	—	—	0	—	—	—	—	—
2025/3/29 8:20	—	—	—	—	0	—	—	—	—	—
2025/3/29 8:30	—	—	—	—	0	—	—	—	—	—
2025/3/29 8:40	—	—	—	—	0	—	—	—	—	—
2025/3/29 8:50	—	—	—	—	0	—	—	—	—	—
2025/3/29 9:00	0	0	0	0	0	62	54	100	106	61
2025/3/29 9:10	—	—	—	—	0	—	—	—	—	—
2025/3/29 9:20	—	—	—	—	0	—	—	—	—	—
2025/3/29 9:30	—	—	—	—	0	—	—	—	—	—
2025/3/29 9:40	—	—	—	—	0	—	—	—	—	—
2025/3/29 9:50	—	—	—	—	0	—	—	—	—	—
2025/3/29 10:00	0	0	0	0	0	46	55	106	61	22
2025/3/29 10:10	—	—	—	—	0	—	—	—	—	—
2025/3/29 10:20	—	—	—	—	0	—	—	—	—	—
2025/3/29 10:30	—	—	—	—	0	—	—	—	—	—
2025/3/29 10:40	—	—	—	—	0	—	—	—	—	—
2025/3/29 10:50	—	—	—	—	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/3/29 11:00	0	0	0	0	0	67	80	135	80	28
2025/3/29 11:10	—	—	—	—	0	—	—	—	—	—
2025/3/29 11:20	—	—	—	—	0	—	—	—	—	—
2025/3/29 11:30	—	—	—	—	0	—	—	—	—	—
2025/3/29 11:40	—	—	—	—	0	—	—	—	—	—
2025/3/29 11:50	—	—	—	—	0	—	—	—	—	—
2025/3/29 12:00	0	0	0	0	0	41	40	102	88	15
2025/3/29 12:10	—	—	—	—	0	—	—	—	—	—
2025/3/29 12:20	—	—	—	—	0	—	—	—	—	—
2025/3/29 12:30	—	—	—	—	0	—	—	—	—	—
2025/3/29 12:40	—	—	—	—	0	—	—	—	—	—
2025/3/29 12:50	—	—	—	—	0	—	—	—	—	—
2025/3/29 13:00	0	0	0	0	0	35	62	102	107	14
2025/3/29 13:10	—	—	—	—	0	—	—	—	—	—
2025/3/29 13:20	—	—	—	—	0	—	—	—	—	—
2025/3/29 13:30	—	—	—	—	0	—	—	—	—	—
2025/3/29 13:40	—	—	—	—	0	—	—	—	—	—
2025/3/29 13:50	—	—	—	—	0	—	—	—	—	—
2025/3/29 14:00	0	0	0	0	0	46	54	82	81	15
2025/3/29 14:10	—	—	—	—	0	—	—	—	—	—
2025/3/29 14:20	—	—	—	—	0	—	—	—	—	—
2025/3/29 14:30	—	—	—	—	0	—	—	—	—	—
2025/3/29 14:40	—	—	—	—	0	—	—	—	—	—
2025/3/29 14:50	—	—	—	—	0	—	—	—	—	—
2025/3/29 15:00	0	0	0	0	0	68	75	186	126	60
2025/3/29 15:10	—	—	—	—	0	—	—	—	—	—
2025/3/29 15:20	—	—	—	—	0	—	—	—	—	—
2025/3/29 15:30	—	—	—	—	0	—	—	—	—	—
2025/3/29 15:40	—	—	—	—	0	—	—	—	—	—
2025/3/29 15:50	—	—	—	—	0	—	—	—	—	—
2025/3/29 16:00	0	0	0	0	0	28	61	61	60	21
2025/3/29 16:10	—	—	—	—	0	—	—	—	—	—
2025/3/29 16:20	—	—	—	—	0	—	—	—	—	—
2025/3/29 16:30	—	—	—	—	0	—	—	—	—	—
2025/3/29 16:40	—	—	—	—	0	—	—	—	—	—
2025/3/29 16:50	—	—	—	—	0	—	—	—	—	—
2025/3/29 17:00	0	0	0	0	0	34	73	82	33	15
2025/3/29 17:10	—	—	—	—	0	—	—	—	—	—
2025/3/29 17:20	—	—	—	—	0	—	—	—	—	—
2025/3/29 17:30	—	—	—	—	0	—	—	—	—	—
2025/3/29 17:40	—	—	—	—	0	—	—	—	—	—
2025/3/29 17:50	—	—	—	—	0	—	—	—	—	—
2025/3/29 18:00	0	0	0	0	0	33	35	148	60	20
2025/3/29 18:10	—	—	—	—	0	—	—	—	—	—
2025/3/29 18:20	—	—	—	—	0	—	—	—	—	—
2025/3/29 18:30	—	—	—	—	0	—	—	—	—	—
2025/3/29 18:40	—	—	—	—	0	—	—	—	—	—
2025/3/29 18:50	—	—	—	—	0	—	—	—	—	—
2025/3/29 19:00	0	0	0	0	0	27	8	46	15	13
2025/3/29 19:10	—	—	—	—	0	—	—	—	—	—
2025/3/29 19:20	—	—	—	—	0	—	—	—	—	—
2025/3/29 19:30	—	—	—	—	0	—	—	—	—	—
2025/3/29 19:40	—	—	—	—	0	—	—	—	—	—
2025/3/29 19:50	—	—	—	—	0	—	—	—	—	—
2025/3/29 20:00	0	0	0	0	0	47	60	40	60	47
2025/3/29 20:10	—	—	—	—	0	—	—	—	—	—
2025/3/29 20:20	—	—	—	—	0	—	—	—	—	—
2025/3/29 20:30	—	—	—	—	0	—	—	—	—	—
2025/3/29 20:40	—	—	—	—	0	—	—	—	—	—
2025/3/29 20:50	—	—	—	—	0	—	—	—	—	—
2025/3/29 21:00	0	0	0	0	0	15	48	41	42	40
2025/3/29 21:10	—	—	—	—	0	—	—	—	—	—
2025/3/29 21:20	—	—	—	—	0	—	—	—	—	—
2025/3/29 21:30	—	—	—	—	0	—	—	—	—	—
2025/3/29 21:40	—	—	—	—	0	—	—	—	—	—
2025/3/29 21:50	—	—	—	—	0	—	—	—	—	—
2025/3/29 22:00	0	0	0	0	0	40	60	54	60	75
2025/3/29 22:10	—	—	—	—	0	—	—	—	—	—
2025/3/29 22:20	—	—	—	—	0	—	—	—	—	—
2025/3/29 22:30	—	—	—	—	0	—	—	—	—	—
2025/3/29 22:40	—	—	—	—	0	—	—	—	—	—
2025/3/29 22:50	—	—	—	—	0	—	—	—	—	—
2025/3/29 23:00	0	0	0	0	0	20	28	68	140	48

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/3/29 23:10	—	—	—	—	0	—	—	—	—	—
2025/3/29 23:20	—	—	—	—	0	—	—	—	—	—
2025/3/29 23:30	—	—	—	—	0	—	—	—	—	—
2025/3/29 23:40	—	—	—	—	0	—	—	—	—	—
2025/3/29 23:50	—	—	—	—	0	—	—	—	—	—
2025/3/30 0:00	0	0	0	0	0	21	40	60	66	33
2025/3/30 0:10	—	—	—	—	0	—	—	—	—	—
2025/3/30 0:20	—	—	—	—	0	—	—	—	—	—
2025/3/30 0:30	—	—	—	—	0	—	—	—	—	—
2025/3/30 0:40	—	—	—	—	0	—	—	—	—	—
2025/3/30 0:50	—	—	—	—	0	—	—	—	—	—
2025/3/30 1:00	0	0	0	0	0	15	20	40	101	28
2025/3/30 1:10	—	—	—	—	0	—	—	—	—	—
2025/3/30 1:20	—	—	—	—	0	—	—	—	—	—
2025/3/30 1:30	—	—	—	—	0	—	—	—	—	—
2025/3/30 1:40	—	—	—	—	0	—	—	—	—	—
2025/3/30 1:50	—	—	—	—	0	—	—	—	—	—
2025/3/30 2:00	0	0	0	0	0	28	47	60	66	47
2025/3/30 2:10	—	—	—	—	0	—	—	—	—	—
2025/3/30 2:20	—	—	—	—	0	—	—	—	—	—
2025/3/30 2:30	—	—	—	—	0	—	—	—	—	—
2025/3/30 2:40	—	—	—	—	0	—	—	—	—	—
2025/3/30 2:50	—	—	—	—	0	—	—	—	—	—
2025/3/30 3:00	0	0	0	0	0	15	29	7	126	61
2025/3/30 3:10	—	—	—	—	0	—	—	—	—	—
2025/3/30 3:20	—	—	—	—	0	—	—	—	—	—
2025/3/30 3:30	—	—	—	—	0	—	—	—	—	—
2025/3/30 3:40	—	—	—	—	0	—	—	—	—	—
2025/3/30 3:50	—	—	—	—	0	—	—	—	—	—
2025/3/30 4:00	0	0	0	0	0	21	21	141	120	62
2025/3/30 4:10	—	—	—	—	0	—	—	—	—	—
2025/3/30 4:20	—	—	—	—	0	—	—	—	—	—
2025/3/30 4:30	—	—	—	—	0	—	—	—	—	—
2025/3/30 4:40	—	—	—	—	0	—	—	—	—	—
2025/3/30 4:50	—	—	—	—	0	—	—	—	—	—
2025/3/30 5:00	0	0	0	0	0	33	34	0	0	33
2025/3/30 5:10	—	—	—	—	0	—	—	—	—	—
2025/3/30 5:20	—	—	—	—	0	—	—	—	—	—
2025/3/30 5:30	—	—	—	—	0	—	—	—	—	—
2025/3/30 5:40	—	—	—	—	0	—	—	—	—	—
2025/3/30 5:50	—	—	—	—	0	—	—	—	—	—
2025/3/30 6:00	0	0	0	0	0	29	34	48	82	60
2025/3/30 6:10	—	—	—	—	0	—	—	—	—	—
2025/3/30 6:20	—	—	—	—	0	—	—	—	—	—
2025/3/30 6:30	—	—	—	—	0	—	—	—	—	—
2025/3/30 6:40	—	—	—	—	0	—	—	—	—	—
2025/3/30 6:50	—	—	—	—	0	—	—	—	—	—
2025/3/30 7:00	0	0	0	0	0	28	41	34	127	60
2025/3/30 7:10	—	—	—	—	0	—	—	—	—	—
2025/3/30 7:20	—	—	—	—	0	—	—	—	—	—
2025/3/30 7:30	—	—	—	—	0	—	—	—	—	—
2025/3/30 7:40	—	—	—	—	0	—	—	—	—	—
2025/3/30 7:50	—	—	—	—	0	—	—	—	—	—
2025/3/30 8:00	0	0	0	0	0	34	40	102	47	15
2025/3/30 8:10	—	—	—	—	0	—	—	—	—	—
2025/3/30 8:20	—	—	—	—	0	—	—	—	—	—
2025/3/30 8:30	—	—	—	—	0	—	—	—	—	—
2025/3/30 8:40	—	—	—	—	0	—	—	—	—	—
2025/3/30 8:50	—	—	—	—	0	—	—	—	—	—
2025/3/30 9:00	0	0	0	0	0	28	20	70	27	28
2025/3/30 9:10	—	—	—	—	0	—	—	—	—	—
2025/3/30 9:20	—	—	—	—	0	—	—	—	—	—
2025/3/30 9:30	—	—	—	—	0	—	—	—	—	—
2025/3/30 9:40	—	—	—	—	0	—	—	—	—	—
2025/3/30 9:50	—	—	—	—	0	—	—	—	—	—
2025/3/30 10:00	0	0	0	0	0	33	40	35	80	36
2025/3/30 10:10	—	—	—	—	0	—	—	—	—	—
2025/3/30 10:20	—	—	—	—	0	—	—	—	—	—
2025/3/30 10:30	—	—	—	—	0	—	—	—	—	—
2025/3/30 10:40	—	—	—	—	0	—	—	—	—	—
2025/3/30 10:50	—	—	—	—	0	—	—	—	—	—
2025/3/30 11:00	0	0	0	0	0	30	44	44	55	33
2025/3/30 11:10	—	—	—	—	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/3/30 11:20	—	—	—	—	0	—	—	—	—	—
2025/3/30 11:30	—	—	—	—	0	—	—	—	—	—
2025/3/30 11:40	—	—	—	—	0	—	—	—	—	—
2025/3/30 11:50	—	—	—	—	0	—	—	—	—	—
2025/3/30 12:00	0	0	0	0	0	40	61	61	82	30
2025/3/30 12:10	—	—	—	—	0	—	—	—	—	—
2025/3/30 12:20	—	—	—	—	0	—	—	—	—	—
2025/3/30 12:30	—	—	—	—	0	—	—	—	—	—
2025/3/30 12:40	—	—	—	—	0	—	—	—	—	—
2025/3/30 12:50	—	—	—	—	0	—	—	—	—	—
2025/3/30 13:00	0	0	0	0	0.1	47	41	190	50	70
2025/3/30 13:10	—	—	—	—	0.1	—	—	—	—	—
2025/3/30 13:20	—	—	—	—	0.1	—	—	—	—	—
2025/3/30 13:30	—	—	—	—	0.1	—	—	—	—	—
2025/3/30 13:40	—	—	—	—	0.1	—	—	—	—	—
2025/3/30 13:50	—	—	—	—	0.1	—	—	—	—	—
2025/3/30 14:00	0	0	0	0	0.1	60	30	48	22	150
2025/3/30 14:10	—	—	—	—	0.1	—	—	—	—	—
2025/3/30 14:20	—	—	—	—	0.1	—	—	—	—	—
2025/3/30 14:30	—	—	—	—	0.1	—	—	—	—	—
2025/3/30 14:40	—	—	—	—	0.1	—	—	—	—	—
2025/3/30 14:50	—	—	—	—	0.1	—	—	—	—	—
2025/3/30 15:00	0	0	0	0	0	62	33	45	35	25
2025/3/30 15:10	—	—	—	—	0	—	—	—	—	—
2025/3/30 15:20	—	—	—	—	0	—	—	—	—	—
2025/3/30 15:30	—	—	—	—	0	—	—	—	—	—
2025/3/30 15:40	—	—	—	—	0	—	—	—	—	—
2025/3/30 15:50	—	—	—	—	0	—	—	—	—	—
2025/3/30 16:00	0	0	0	0	0	41	27	40	28	21
2025/3/30 16:10	—	—	—	—	0	—	—	—	—	—
2025/3/30 16:20	—	—	—	—	0	—	—	—	—	—
2025/3/30 16:30	—	—	—	—	0	—	—	—	—	—
2025/3/30 16:40	—	—	—	—	0	—	—	—	—	—
2025/3/30 16:50	—	—	—	—	0	—	—	—	—	—
2025/3/30 17:00	0	0	0	0	0	29	22	121	180	41
2025/3/30 17:10	—	—	—	—	0	—	—	—	—	—
2025/3/30 17:20	—	—	—	—	0	—	—	—	—	—
2025/3/30 17:30	—	—	—	—	0	—	—	—	—	—
2025/3/30 17:40	—	—	—	—	0	—	—	—	—	—
2025/3/30 17:50	—	—	—	—	0	—	—	—	—	—
2025/3/30 18:00	0	0	0	0	0	44	22	70	40	34
2025/3/30 18:10	—	—	—	—	0	—	—	—	—	—
2025/3/30 18:20	—	—	—	—	0	—	—	—	—	—
2025/3/30 18:30	—	—	—	—	0	—	—	—	—	—
2025/3/30 18:40	—	—	—	—	0	—	—	—	—	—
2025/3/30 18:50	—	—	—	—	0	—	—	—	—	—
2025/3/30 19:00	0	0	0	0	0	67	33	101	32	60
2025/3/30 19:10	—	—	—	—	0	—	—	—	—	—
2025/3/30 19:20	—	—	—	—	0	—	—	—	—	—
2025/3/30 19:30	—	—	—	—	0	—	—	—	—	—
2025/3/30 19:40	—	—	—	—	0	—	—	—	—	—
2025/3/30 19:50	—	—	—	—	0	—	—	—	—	—
2025/3/30 20:00	0	0	0	0	0	53	34	160	33	61
2025/3/30 20:10	—	—	—	—	0	—	—	—	—	—
2025/3/30 20:20	—	—	—	—	0	—	—	—	—	—
2025/3/30 20:30	—	—	—	—	0	—	—	—	—	—
2025/3/30 20:40	—	—	—	—	0	—	—	—	—	—
2025/3/30 20:50	—	—	—	—	0	—	—	—	—	—
2025/3/30 21:00	0	0	0	0	0	42	35	74	22	20
2025/3/30 21:10	—	—	—	—	0	—	—	—	—	—
2025/3/30 21:20	—	—	—	—	0	—	—	—	—	—
2025/3/30 21:30	—	—	—	—	0	—	—	—	—	—
2025/3/30 21:40	—	—	—	—	0	—	—	—	—	—
2025/3/30 21:50	—	—	—	—	0	—	—	—	—	—
2025/3/30 22:00	0	0	0	0	0	33	20	180	27	67
2025/3/30 22:10	—	—	—	—	0	—	—	—	—	—
2025/3/30 22:20	—	—	—	—	0	—	—	—	—	—
2025/3/30 22:30	—	—	—	—	0	—	—	—	—	—
2025/3/30 22:40	—	—	—	—	0	—	—	—	—	—
2025/3/30 22:50	—	—	—	—	0	—	—	—	—	—
2025/3/30 23:00	0	0	0	0	0	34	47	207	34	90
2025/3/30 23:10	—	—	—	—	0	—	—	—	—	—
2025/3/30 23:20	—	—	—	—	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/3/30 23:30	—	—	—	—	0	—	—	—	—	—
2025/3/30 23:40	—	—	—	—	0	—	—	—	—	—
2025/3/30 23:50	—	—	—	—	0	—	—	—	—	—
2025/3/31 0:00	0	0	0	0	0	20	22	211	21	280
2025/3/31 0:10	—	—	—	—	0	—	—	—	—	—
2025/3/31 0:20	—	—	—	—	0	—	—	—	—	—
2025/3/31 0:30	—	—	—	—	0	—	—	—	—	—
2025/3/31 0:40	—	—	—	—	0	—	—	—	—	—
2025/3/31 0:50	—	—	—	—	0	—	—	—	—	—
2025/3/31 1:00	0	0	0	0	0	34	22	198	8	35
2025/3/31 1:10	—	—	—	—	0	—	—	—	—	—
2025/3/31 1:20	—	—	—	—	0	—	—	—	—	—
2025/3/31 1:30	—	—	—	—	0	—	—	—	—	—
2025/3/31 1:40	—	—	—	—	0	—	—	—	—	—
2025/3/31 1:50	—	—	—	—	0	—	—	—	—	—
2025/3/31 2:00	0	0	0	0	0	35	21	404	14	73
2025/3/31 2:10	—	—	—	—	0	—	—	—	—	—
2025/3/31 2:20	—	—	—	—	0	—	—	—	—	—
2025/3/31 2:30	—	—	—	—	0	—	—	—	—	—
2025/3/31 2:40	—	—	—	—	0	—	—	—	—	—
2025/3/31 2:50	—	—	—	—	0	—	—	—	—	—
2025/3/31 3:00	0	0	0	0	0	22	34	220	29	86
2025/3/31 3:10	—	—	—	—	0	—	—	—	—	—
2025/3/31 3:20	—	—	—	—	0	—	—	—	—	—
2025/3/31 3:30	—	—	—	—	0	—	—	—	—	—
2025/3/31 3:40	—	—	—	—	0	—	—	—	—	—
2025/3/31 3:50	—	—	—	—	0	—	—	—	—	—
2025/3/31 4:00	0	0	0	0	0	20	46	384	13	40
2025/3/31 4:10	—	—	—	—	0	—	—	—	—	—
2025/3/31 4:20	—	—	—	—	0	—	—	—	—	—
2025/3/31 4:30	—	—	—	—	0	—	—	—	—	—
2025/3/31 4:40	—	—	—	—	0	—	—	—	—	—
2025/3/31 4:50	—	—	—	—	0	—	—	—	—	—
2025/3/31 5:00	0	0	0	0	0	22	21	273	8	68
2025/3/31 5:10	—	—	—	—	0	—	—	—	—	—
2025/3/31 5:20	—	—	—	—	0	—	—	—	—	—
2025/3/31 5:30	—	—	—	—	0	—	—	—	—	—
2025/3/31 5:40	—	—	—	—	0	—	—	—	—	—
2025/3/31 5:50	—	—	—	—	0	—	—	—	—	—
2025/3/31 6:00	0	0	0	0	0	13	27	106	20	29
2025/3/31 6:10	—	—	—	—	0	—	—	—	—	—
2025/3/31 6:20	—	—	—	—	0	—	—	—	—	—
2025/3/31 6:30	—	—	—	—	0	—	—	—	—	—
2025/3/31 6:40	—	—	—	—	0	—	—	—	—	—
2025/3/31 6:50	—	—	—	—	0	—	—	—	—	—
2025/3/31 7:00	0	0	0	0	0	22	27	114	28	42
2025/3/31 7:10	—	—	—	—	0	—	—	—	—	—
2025/3/31 7:20	—	—	—	—	0	—	—	—	—	—
2025/3/31 7:30	—	—	—	—	0	—	—	—	—	—
2025/3/31 7:40	—	—	—	—	0	—	—	—	—	—
2025/3/31 7:50	—	—	—	—	0	—	—	—	—	—
2025/3/31 8:00	0	0	0	0	0	20	21	114	74	100
2025/3/31 8:10	—	—	—	—	0	—	—	—	—	—
2025/3/31 8:20	—	—	—	—	0	—	—	—	—	—
2025/3/31 8:30	—	—	—	—	0	—	—	—	—	—
2025/3/31 8:40	—	—	—	—	0	—	—	—	—	—
2025/3/31 8:50	—	—	—	—	0	—	—	—	—	—
2025/3/31 9:00	0	0	0	0	0	35	80	220	140	28
2025/3/31 9:10	—	—	—	—	0	—	—	—	—	—
2025/3/31 9:20	—	—	—	—	0	—	—	—	—	—
2025/3/31 9:30	—	—	—	—	0	—	—	—	—	—
2025/3/31 9:40	—	—	—	—	0	—	—	—	—	—
2025/3/31 9:50	—	—	—	—	0	—	—	—	—	—
2025/3/31 10:00	0	0	0	0	0	54	88	225	100	160
2025/3/31 10:10	—	—	—	—	0	—	—	—	—	—
2025/3/31 10:20	—	—	—	—	0	—	—	—	—	—
2025/3/31 10:30	—	—	—	—	0	—	—	—	—	—
2025/3/31 10:40	—	—	—	—	0	—	—	—	—	—
2025/3/31 10:50	—	—	—	—	0	—	—	—	—	—
2025/3/31 11:00	0	0	0	0	0	81	94	297	153	139
2025/3/31 11:10	—	—	—	—	0	—	—	—	—	—
2025/3/31 11:20	—	—	—	—	0	—	—	—	—	—
2025/3/31 11:30	—	—	—	—	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/3/31 11:40	—	—	—	—	0	—	—	—	—	—
2025/3/31 11:50	—	—	—	—	0	—	—	—	—	—
2025/3/31 12:00	0	0	0	0	0	80	66	285	80	140
2025/3/31 12:10	—	—	—	—	0	—	—	—	—	—
2025/3/31 12:20	—	—	—	—	0	—	—	—	—	—
2025/3/31 12:30	—	—	—	—	0	—	—	—	—	—
2025/3/31 12:40	—	—	—	—	0	—	—	—	—	—
2025/3/31 12:50	—	—	—	—	0	—	—	—	—	—
2025/3/31 13:00	0	0	0	0	0	155	70	168	150	179
2025/3/31 13:10	—	—	—	—	0	—	—	—	—	—
2025/3/31 13:19	—	—	—	—	—	—	—	—	—	—
2025/3/31 13:20	—	—	—	—	0	—	—	—	—	—
2025/3/31 13:21	—	—	—	—	—	—	—	—	—	—
2025/3/31 13:22	—	—	—	—	—	—	—	—	—	—
2025/3/31 13:23	—	—	—	—	—	—	—	—	—	—
2025/3/31 13:24	—	—	—	—	—	—	—	—	—	—
2025/3/31 13:25	—	—	—	—	—	—	—	—	—	—
2025/3/31 13:26	—	—	—	—	—	—	—	—	—	—
2025/3/31 13:27	—	—	—	—	—	—	—	—	—	—
2025/3/31 13:28	—	—	—	—	—	—	—	—	—	—
2025/3/31 13:29	—	—	—	—	—	—	—	—	—	—
2025/3/31 13:30	—	—	—	—	0	—	—	—	—	—
2025/3/31 13:31	—	—	—	—	—	—	—	—	—	—
2025/3/31 13:32	—	—	—	—	—	—	—	—	—	—
2025/3/31 13:33	—	—	—	—	—	—	—	—	—	—
2025/3/31 13:34	—	—	—	—	—	—	—	—	—	—
2025/3/31 13:35	—	—	—	—	—	—	—	—	—	—
2025/3/31 13:36	—	—	—	—	—	—	—	—	—	—
2025/3/31 13:37	—	—	—	—	—	—	—	—	—	—
2025/3/31 13:38	—	—	—	—	—	—	—	—	—	—
2025/3/31 13:39	—	—	—	—	—	—	—	—	—	—
2025/3/31 13:40	—	—	—	—	0	—	—	—	—	—
2025/3/31 13:41	—	—	—	—	—	—	—	—	—	—
2025/3/31 13:50	—	—	—	—	0	—	—	—	—	—
2025/3/31 14:00	0	0	0	0	0	280	430	330	110	240
2025/3/31 14:10	—	—	—	—	0	—	—	—	—	—
2025/3/31 14:20	—	—	—	—	0	—	—	—	—	—
2025/3/31 14:30	—	—	—	—	0	—	—	—	—	—
2025/3/31 14:40	—	—	—	—	0	—	—	—	—	—
2025/3/31 14:50	—	—	—	—	0	—	—	—	—	—
2025/3/31 15:00	0	0	0	0	0	190	198	140	125	170
2025/3/31 15:10	—	—	—	—	0	—	—	—	—	—
2025/3/31 15:20	—	—	—	—	0	—	—	—	—	—
2025/3/31 15:30	—	—	—	—	0	—	—	—	—	—
2025/3/31 15:40	—	—	—	—	0	—	—	—	—	—
2025/3/31 15:50	—	—	—	—	0	—	—	—	—	—
2025/3/31 16:00	0	0	0	0	0	92	105	292	102	100
2025/3/31 16:10	—	—	—	—	0	—	—	—	—	—
2025/3/31 16:20	—	—	—	—	0	—	—	—	—	—
2025/3/31 16:30	—	—	—	—	0	—	—	—	—	—
2025/3/31 16:40	—	—	—	—	0	—	—	—	—	—
2025/3/31 16:50	—	—	—	—	0	—	—	—	—	—
2025/3/31 17:00	0	0	0	0	0	74	80	140	101	100
2025/3/31 17:10	—	—	—	—	0	—	—	—	—	—
2025/3/31 17:20	—	—	—	—	0	—	—	—	—	—
2025/3/31 17:30	—	—	—	—	0	—	—	—	—	—
2025/3/31 17:40	—	—	—	—	0	—	—	—	—	—
2025/3/31 17:50	—	—	—	—	0	—	—	—	—	—
2025/3/31 18:00	0	0	0	0	0	73	86	199	100	67
2025/3/31 18:10	—	—	—	—	0	—	—	—	—	—
2025/3/31 18:20	—	—	—	—	0	—	—	—	—	—
2025/3/31 18:30	—	—	—	—	0	—	—	—	—	—
2025/3/31 18:40	—	—	—	—	0	—	—	—	—	—
2025/3/31 18:50	—	—	—	—	0	—	—	—	—	—
2025/3/31 19:00	0	0	0	0	0	40	41	126	74	33
2025/3/31 19:10	—	—	—	—	0	—	—	—	—	—
2025/3/31 19:20	—	—	—	—	0	—	—	—	—	—
2025/3/31 19:30	—	—	—	—	0	—	—	—	—	—
2025/3/31 19:40	—	—	—	—	0	—	—	—	—	—
2025/3/31 19:50	—	—	—	—	0	—	—	—	—	—
2025/3/31 20:00	0	0	0	0	0	68	61	155	106	21
2025/3/31 20:10	—	—	—	—	0	—	—	—	—	—
2025/3/31 20:20	—	—	—	—	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/3/31 20:30	—	—	—	—	0	—	—	—	—	—
2025/3/31 20:40	—	—	—	—	0	—	—	—	—	—
2025/3/31 20:50	—	—	—	—	0	—	—	—	—	—
2025/3/31 21:00	0	0	0	0	0	82	73	41	81	22
2025/3/31 21:10	—	—	—	—	0	—	—	—	—	—
2025/3/31 21:20	—	—	—	—	0	—	—	—	—	—
2025/3/31 21:30	—	—	—	—	0	—	—	—	—	—
2025/3/31 21:40	—	—	—	—	0	—	—	—	—	—
2025/3/31 21:50	—	—	—	—	0	—	—	—	—	—
2025/3/31 22:00	0	0	0	0	0	53	61	28	135	29
2025/3/31 22:10	—	—	—	—	0	—	—	—	—	—
2025/3/31 22:20	—	—	—	—	0	—	—	—	—	—
2025/3/31 22:30	—	—	—	—	0	—	—	—	—	—
2025/3/31 22:40	—	—	—	—	0	—	—	—	—	—
2025/3/31 22:50	—	—	—	—	0	—	—	—	—	—
2025/3/31 23:00	0	0	0	0	0	35	48	20	94	29
2025/3/31 23:10	—	—	—	—	0	—	—	—	—	—
2025/3/31 23:20	—	—	—	—	0	—	—	—	—	—
2025/3/31 23:30	—	—	—	—	0	—	—	—	—	—
2025/3/31 23:40	—	—	—	—	0	—	—	—	—	—
2025/3/31 23:50	—	—	—	—	0	—	—	—	—	—
2025/4/1 0:00	0	0	0	0	0	48	42	14	199	15
2025/4/1 0:10	—	—	—	—	0	—	—	—	—	—
2025/4/1 0:20	—	—	—	—	0	—	—	—	—	—
2025/4/1 0:30	—	—	—	—	0	—	—	—	—	—
2025/4/1 0:40	—	—	—	—	0	—	—	—	—	—
2025/4/1 0:50	—	—	—	—	0	—	—	—	—	—
2025/4/1 1:00	0	0	0	0	0	62	66	57	126	59
2025/4/1 1:10	—	—	—	—	0	—	—	—	—	—
2025/4/1 1:20	—	—	—	—	0	—	—	—	—	—
2025/4/1 1:30	—	—	—	—	0	—	—	—	—	—
2025/4/1 1:40	—	—	—	—	0	—	—	—	—	—
2025/4/1 1:50	—	—	—	—	0	—	—	—	—	—
2025/4/1 2:00	0	0	0	0	0	31	45	22	167	13
2025/4/1 2:10	—	—	—	—	0	—	—	—	—	—
2025/4/1 2:20	—	—	—	—	0	—	—	—	—	—
2025/4/1 2:30	—	—	—	—	0	—	—	—	—	—
2025/4/1 2:40	—	—	—	—	0	—	—	—	—	—
2025/4/1 2:50	—	—	—	—	0	—	—	—	—	—
2025/4/1 3:00	0	0	0	0	0	49	25	74	56	13
2025/4/1 3:10	—	—	—	—	0	—	—	—	—	—
2025/4/1 3:20	—	—	—	—	0	—	—	—	—	—
2025/4/1 3:30	—	—	—	—	0	—	—	—	—	—
2025/4/1 3:40	—	—	—	—	0	—	—	—	—	—
2025/4/1 3:50	—	—	—	—	0	—	—	—	—	—
2025/4/1 4:00	0	0	0	0	0	18	22	48	25	24
2025/4/1 4:10	—	—	—	—	0	—	—	—	—	—
2025/4/1 4:20	—	—	—	—	0	—	—	—	—	—
2025/4/1 4:30	—	—	—	—	0	—	—	—	—	—
2025/4/1 4:40	—	—	—	—	0	—	—	—	—	—
2025/4/1 4:50	—	—	—	—	0	—	—	—	—	—
2025/4/1 5:00	0	0	0	0	0	8	31	65	31	33
2025/4/1 5:10	—	—	—	—	0	—	—	—	—	—
2025/4/1 5:20	—	—	—	—	0	—	—	—	—	—
2025/4/1 5:30	—	—	—	—	0	—	—	—	—	—
2025/4/1 5:40	—	—	—	—	0	—	—	—	—	—
2025/4/1 5:50	—	—	—	—	0	—	—	—	—	—
2025/4/1 6:00	0	0	0	0	0	32	37	21	78	21
2025/4/1 6:10	—	—	—	—	0	—	—	—	—	—
2025/4/1 6:20	—	—	—	—	0	—	—	—	—	—
2025/4/1 6:30	—	—	—	—	0	—	—	—	—	—
2025/4/1 6:40	—	—	—	—	0	—	—	—	—	—
2025/4/1 6:50	—	—	—	—	0	—	—	—	—	—
2025/4/1 7:00	0	0	0	0	0	29	26	11	42	6
2025/4/1 7:10	—	—	—	—	0	—	—	—	—	—
2025/4/1 7:20	—	—	—	—	0	—	—	—	—	—
2025/4/1 7:30	—	—	—	—	0	—	—	—	—	—
2025/4/1 7:40	—	—	—	—	0	—	—	—	—	—
2025/4/1 7:50	—	—	—	—	0	—	—	—	—	—
2025/4/1 8:00	0	0	0	0	0	25	35	34	36	19
2025/4/1 8:10	—	—	—	—	0	—	—	—	—	—
2025/4/1 8:20	—	—	—	—	0	—	—	—	—	—
2025/4/1 8:30	—	—	—	—	0	—	—	—	—	—

※「—」は、測定開始前、測定対象外の時間帯、欠測又は測定器のデータ保存期間経過後のため記録が残っていないものです。

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/1 8:40	—	—	—	—	0	—	—	—	—	—
2025/4/1 8:50	—	—	—	—	0	—	—	—	—	—
2025/4/1 9:00	0	0	0	0	0	—	—	—	—	—
2025/4/1 9:10	—	—	—	—	0	—	—	—	—	—
2025/4/1 9:20	—	—	—	—	0	—	—	—	—	—
2025/4/1 9:30	—	—	—	—	0	—	—	—	—	—
2025/4/1 9:40	—	—	—	—	0	—	—	—	—	—
2025/4/1 9:41	—	—	—	—	—	—	—	—	—	—
2025/4/1 9:42	—	—	—	—	—	—	—	—	—	—
2025/4/1 9:43	—	—	—	—	—	—	—	—	—	—
2025/4/1 9:44	—	—	—	—	—	—	—	—	—	—
2025/4/1 9:45	—	—	—	—	—	—	—	—	—	—
2025/4/1 9:46	—	—	—	—	—	—	—	—	—	—
2025/4/1 9:47	—	—	—	—	—	—	—	—	—	—
2025/4/1 9:48	—	—	—	—	—	—	—	—	—	—
2025/4/1 9:49	—	—	—	—	—	—	—	—	—	—
2025/4/1 9:50	—	—	—	—	0	—	—	—	—	—
2025/4/1 9:51	—	—	—	—	—	—	—	—	—	—
2025/4/1 9:52	—	—	—	—	—	—	—	—	—	—
2025/4/1 9:53	—	—	—	—	—	—	—	—	—	—
2025/4/1 9:54	—	—	—	—	—	—	—	—	—	—
2025/4/1 9:55	—	—	—	—	—	—	—	—	—	—
2025/4/1 9:56	—	—	—	—	—	—	—	—	—	—
2025/4/1 9:57	—	—	—	—	—	—	—	—	—	—
2025/4/1 9:58	—	—	—	—	—	—	—	—	—	—
2025/4/1 9:59	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:00	0	0	0	0	0	—	—	—	—	—
2025/4/1 10:01	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:02	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:03	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:04	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:05	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:06	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:07	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:08	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:09	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:10	—	—	—	—	0	—	—	—	—	—
2025/4/1 10:11	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:12	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:13	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:14	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:15	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:16	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:17	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:18	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:19	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:20	—	—	—	—	0	—	—	—	—	—
2025/4/1 10:21	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:22	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:23	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:24	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:25	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:26	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:27	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:28	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:29	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:30	—	—	—	—	0	—	—	—	—	—
2025/4/1 10:31	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:32	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:33	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:34	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:35	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:36	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:37	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:38	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:39	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:40	—	—	—	—	0	—	—	—	—	—
2025/4/1 10:41	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:42	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:43	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:44	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:45	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:46	—	—	—	—	—	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/1 10:47	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:48	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:49	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:50	—	—	—	—	0	—	—	—	—	—
2025/4/1 10:51	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:52	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:53	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:54	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:55	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:56	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:57	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:58	—	—	—	—	—	—	—	—	—	—
2025/4/1 10:59	—	—	—	—	—	—	—	—	—	—
2025/4/1 11:00	0	0	0	0	0	—	—	—	—	—
2025/4/1 11:01	—	—	—	—	—	—	—	—	—	—
2025/4/1 11:02	—	—	—	—	—	—	—	—	—	—
2025/4/1 11:03	—	—	—	—	—	—	—	—	—	—
2025/4/1 11:04	—	—	—	—	—	—	—	—	—	—
2025/4/1 11:05	—	—	—	—	—	—	—	—	—	—
2025/4/1 11:06	—	—	—	—	—	—	—	—	—	—
2025/4/1 11:10	—	—	—	—	0	—	—	—	—	—
2025/4/1 11:20	—	—	—	—	0	—	—	—	—	—
2025/4/1 11:30	—	—	—	—	0	—	—	—	—	—
2025/4/1 11:40	—	—	—	—	0	—	—	—	—	—
2025/4/1 11:50	—	—	—	—	0	—	—	—	—	—
2025/4/1 11:55	—	—	—	—	—	—	—	—	—	—
2025/4/1 11:56	—	—	—	—	—	—	—	—	—	—
2025/4/1 11:57	—	—	—	—	—	—	—	—	—	—
2025/4/1 11:58	—	—	—	—	—	—	—	—	—	—
2025/4/1 11:59	—	—	—	—	—	—	—	—	—	—
2025/4/1 12:00	0	0	0	0	0	42	40	62	42	35
2025/4/1 12:01	—	—	—	—	—	—	—	—	—	—
2025/4/1 12:10	—	—	—	—	0	—	—	—	—	—
2025/4/1 12:20	—	—	—	—	0	—	—	—	—	—
2025/4/1 12:30	—	—	—	—	0	—	—	—	—	—
2025/4/1 12:40	—	—	—	—	0	—	—	—	—	—
2025/4/1 12:50	—	—	—	—	0	—	—	—	—	—
2025/4/1 13:00	0	0	0	0	0	21	22	80	35	75
2025/4/1 13:10	—	—	—	—	0	—	—	—	—	—
2025/4/1 13:20	—	—	—	—	0	—	—	—	—	—
2025/4/1 13:30	—	—	—	—	0	—	—	—	—	—
2025/4/1 13:40	—	—	—	—	0	—	—	—	—	—
2025/4/1 13:50	—	—	—	—	0	—	—	—	—	—
2025/4/1 14:00	0	0	0	0	0	75	82	62	88	55
2025/4/1 14:10	—	—	—	—	0	—	—	—	—	—
2025/4/1 14:20	—	—	—	—	0	—	—	—	—	—
2025/4/1 14:30	—	—	—	—	0	—	—	—	—	—
2025/4/1 14:40	—	—	—	—	0	—	—	—	—	—
2025/4/1 14:50	—	—	—	—	0	—	—	—	—	—
2025/4/1 15:00	0	0	0	0	0	93	88	88	94	82
2025/4/1 15:10	—	—	—	—	0	—	—	—	—	—
2025/4/1 15:20	—	—	—	—	0	—	—	—	—	—
2025/4/1 15:30	—	—	—	—	0	—	—	—	—	—
2025/4/1 15:40	—	—	—	—	0	—	—	—	—	—
2025/4/1 15:50	—	—	—	—	0	—	—	—	—	—
2025/4/1 16:00	0	0	0	0	0	73	75	87	85	93
2025/4/1 16:10	—	—	—	—	0	—	—	—	—	—
2025/4/1 16:20	—	—	—	—	0	—	—	—	—	—
2025/4/1 16:30	—	—	—	—	0	—	—	—	—	—
2025/4/1 16:40	—	—	—	—	0	—	—	—	—	—
2025/4/1 16:50	—	—	—	—	0	—	—	—	—	—
2025/4/1 17:00	0	0	0	0	0	80	86	85	86	82
2025/4/1 17:10	—	—	—	—	0	—	—	—	—	—
2025/4/1 17:20	—	—	—	—	0	—	—	—	—	—
2025/4/1 17:30	—	—	—	—	0	—	—	—	—	—
2025/4/1 17:40	—	—	—	—	0	—	—	—	—	—
2025/4/1 17:50	—	—	—	—	0	—	—	—	—	—
2025/4/1 18:00	0	0	0	0	0	85	77	88	82	60
2025/4/1 18:10	—	—	—	—	0	—	—	—	—	—
2025/4/1 18:20	—	—	—	—	0	—	—	—	—	—
2025/4/1 18:30	—	—	—	—	0	—	—	—	—	—
2025/4/1 18:40	—	—	—	—	0	—	—	—	—	—
2025/4/1 18:50	—	—	—	—	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/1 19:00	0	0	0	0	0	—	—	—	—	—
2025/4/1 19:10	—	—	—	—	0	—	—	—	—	—
2025/4/1 19:20	—	—	—	—	0	—	—	—	—	—
2025/4/1 19:30	—	—	—	—	0	—	—	—	—	—
2025/4/1 19:40	—	—	—	—	0	—	—	—	—	—
2025/4/1 19:50	—	—	—	—	0	—	—	—	—	—
2025/4/1 20:00	0	0	0	0	0	—	—	—	—	—
2025/4/1 20:10	—	—	—	—	0	—	—	—	—	—
2025/4/1 20:20	—	—	—	—	0	—	—	—	—	—
2025/4/1 20:30	—	—	—	—	0	—	—	—	—	—
2025/4/1 20:40	—	—	—	—	0	—	—	—	—	—
2025/4/1 20:50	—	—	—	—	0	—	—	—	—	—
2025/4/1 21:00	0	0	0	0	0	—	—	—	—	—
2025/4/1 21:10	—	—	—	—	0	—	—	—	—	—
2025/4/1 21:20	—	—	—	—	0	—	—	—	—	—
2025/4/1 21:30	—	—	—	—	0	—	—	—	—	—
2025/4/1 21:40	—	—	—	—	0	—	—	—	—	—
2025/4/1 21:50	—	—	—	—	0	—	—	—	—	—
2025/4/1 22:00	0	0	0	0	0	—	—	—	—	—
2025/4/1 22:10	—	—	—	—	0	—	—	—	—	—
2025/4/1 22:20	—	—	—	—	0	—	—	—	—	—
2025/4/1 22:30	—	—	—	—	0	—	—	—	—	—
2025/4/1 22:40	—	—	—	—	0	—	—	—	—	—
2025/4/1 22:50	—	—	—	—	0	—	—	—	—	—
2025/4/1 23:00	0	0	0	0	0	—	—	—	—	—
2025/4/1 23:10	—	—	—	—	0	—	—	—	—	—
2025/4/1 23:20	—	—	—	—	0	—	—	—	—	—
2025/4/1 23:30	—	—	—	—	0	—	—	—	—	—
2025/4/1 23:40	—	—	—	—	0	—	—	—	—	—
2025/4/1 23:50	—	—	—	—	0	—	—	—	—	—
2025/4/2 0:00	0	0	0	0	0	—	—	—	—	—
2025/4/2 0:10	—	—	—	—	0	—	—	—	—	—
2025/4/2 0:20	—	—	—	—	0	—	—	—	—	—
2025/4/2 0:30	—	—	—	—	0	—	—	—	—	—
2025/4/2 0:40	—	—	—	—	0	—	—	—	—	—
2025/4/2 0:50	—	—	—	—	0	—	—	—	—	—
2025/4/2 1:00	0	0	0	0	0	—	—	—	—	—
2025/4/2 1:10	—	—	—	—	0	—	—	—	—	—
2025/4/2 1:20	—	—	—	—	0	—	—	—	—	—
2025/4/2 1:30	—	—	—	—	0	—	—	—	—	—
2025/4/2 1:40	—	—	—	—	0	—	—	—	—	—
2025/4/2 1:50	—	—	—	—	0	—	—	—	—	—
2025/4/2 2:00	0	0	0	0	0	—	—	—	—	—
2025/4/2 2:10	—	—	—	—	0	—	—	—	—	—
2025/4/2 2:20	—	—	—	—	0	—	—	—	—	—
2025/4/2 2:30	—	—	—	—	0	—	—	—	—	—
2025/4/2 2:40	—	—	—	—	0	—	—	—	—	—
2025/4/2 2:50	—	—	—	—	0	—	—	—	—	—
2025/4/2 3:00	0	0	0	0	0	—	—	—	—	—
2025/4/2 3:10	—	—	—	—	0	—	—	—	—	—
2025/4/2 3:20	—	—	—	—	0	—	—	—	—	—
2025/4/2 3:30	—	—	—	—	0	—	—	—	—	—
2025/4/2 3:40	—	—	—	—	0	—	—	—	—	—
2025/4/2 3:50	—	—	—	—	0	—	—	—	—	—
2025/4/2 4:00	0	0	0	0	0	—	—	—	—	—
2025/4/2 4:10	—	—	—	—	0	—	—	—	—	—
2025/4/2 4:20	—	—	—	—	0	—	—	—	—	—
2025/4/2 4:30	—	—	—	—	0	—	—	—	—	—
2025/4/2 4:40	—	—	—	—	0	—	—	—	—	—
2025/4/2 4:50	—	—	—	—	0	—	—	—	—	—
2025/4/2 5:00	0	0	0	0	0	—	—	—	—	—
2025/4/2 5:10	—	—	—	—	0	—	—	—	—	—
2025/4/2 5:20	—	—	—	—	0	—	—	—	—	—
2025/4/2 5:30	—	—	—	—	0	—	—	—	—	—
2025/4/2 5:40	—	—	—	—	0	—	—	—	—	—
2025/4/2 5:50	—	—	—	—	0	—	—	—	—	—
2025/4/2 6:00	0	0	0	0	0	—	—	—	—	—
2025/4/2 6:10	—	—	—	—	0	—	—	—	—	—
2025/4/2 6:20	—	—	—	—	0	—	—	—	—	—
2025/4/2 6:30	—	—	—	—	0	—	—	—	—	—
2025/4/2 6:40	—	—	—	—	0	—	—	—	—	—
2025/4/2 6:50	—	—	—	—	0	—	—	—	—	—
2025/4/2 7:00	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/2 7:10	—	—	—	—	0	—	—	—	—	—
2025/4/2 7:20	—	—	—	—	0	—	—	—	—	—
2025/4/2 7:30	—	—	—	—	0	—	—	—	—	—
2025/4/2 7:40	—	—	—	—	0	—	—	—	—	—
2025/4/2 7:50	—	—	—	—	0	—	—	—	—	—
2025/4/2 8:00	0	0	0	0	0	—	—	—	—	—
2025/4/2 8:10	—	—	—	—	0	—	—	—	—	—
2025/4/2 8:20	—	—	—	—	0	—	—	—	—	—
2025/4/2 8:30	—	—	—	—	0	—	—	—	—	—
2025/4/2 8:40	—	—	—	—	0	—	—	—	—	—
2025/4/2 8:50	—	—	—	—	0	—	—	—	—	—
2025/4/2 9:00	0	0	0	0	0	—	—	—	—	—
2025/4/2 9:10	—	—	—	—	0	—	—	—	—	—
2025/4/2 9:20	—	—	—	—	0	—	—	—	—	—
2025/4/2 9:30	—	—	—	—	0	—	—	—	—	—
2025/4/2 9:40	—	—	—	—	0	—	—	—	—	—
2025/4/2 9:50	—	—	—	—	0	—	—	—	—	—
2025/4/2 10:00	0	0	0	0	0	—	—	—	—	—
2025/4/2 10:10	—	—	—	—	0	—	—	—	—	—
2025/4/2 10:20	—	—	—	—	0	—	—	—	—	—
2025/4/2 10:30	—	—	—	—	0	—	—	—	—	—
2025/4/2 10:40	—	—	—	—	0	—	—	—	—	—
2025/4/2 10:50	—	—	—	—	0	—	—	—	—	—
2025/4/2 11:00	0	0	0	0	0	—	—	—	—	—
2025/4/2 11:10	—	—	—	—	0	—	—	—	—	—
2025/4/2 11:20	—	—	—	—	0	—	—	—	—	—
2025/4/2 11:30	—	—	—	—	0	—	—	—	—	—
2025/4/2 11:40	—	—	—	—	0	—	—	—	—	—
2025/4/2 11:50	—	—	—	—	0	—	—	—	—	—
2025/4/2 12:00	0	0	0	0	0	—	—	—	—	—
2025/4/2 12:10	—	—	—	—	0	—	—	—	—	—
2025/4/2 12:20	—	—	—	—	0	—	—	—	—	—
2025/4/2 12:30	—	—	—	—	0	—	—	—	—	—
2025/4/2 12:40	—	—	—	—	0	—	—	—	—	—
2025/4/2 12:50	—	—	—	—	0	—	—	—	—	—
2025/4/2 13:00	0	0	0	0	0	—	—	—	—	—
2025/4/2 13:10	—	—	—	—	0	—	—	—	—	—
2025/4/2 13:20	—	—	—	—	0	—	—	—	—	—
2025/4/2 13:30	—	—	—	—	0	—	—	—	—	—
2025/4/2 13:40	—	—	—	—	0	—	—	—	—	—
2025/4/2 13:50	—	—	—	—	0	—	—	—	—	—
2025/4/2 14:00	0	0	0	0	0	—	—	—	—	—
2025/4/2 14:10	—	—	—	—	0	—	—	—	—	—
2025/4/2 14:20	—	—	—	—	0	—	—	—	—	—
2025/4/2 14:30	—	—	—	—	0	—	—	—	—	—
2025/4/2 14:40	—	—	—	—	0	—	—	—	—	—
2025/4/2 14:50	—	—	—	—	0	—	—	—	—	—
2025/4/2 15:00	0	0	0	0	0	126	134	113	141	139
2025/4/2 15:10	—	—	—	—	0	—	—	—	—	—
2025/4/2 15:20	—	—	—	—	0	—	—	—	—	—
2025/4/2 15:30	—	—	—	—	0	—	—	—	—	—
2025/4/2 15:40	—	—	—	—	0	—	—	—	—	—
2025/4/2 15:50	—	—	—	—	0	—	—	—	—	—
2025/4/2 16:00	0	0	0	0	0	119	106	107	108	93
2025/4/2 16:10	—	—	—	—	0	—	—	—	—	—
2025/4/2 16:20	—	—	—	—	0	—	—	—	—	—
2025/4/2 16:30	—	—	—	—	0	—	—	—	—	—
2025/4/2 16:40	—	—	—	—	0	—	—	—	—	—
2025/4/2 16:50	—	—	—	—	0	—	—	—	—	—
2025/4/2 17:00	0	0	0	0	0	93	101	135	102	102
2025/4/2 17:10	—	—	—	—	0	—	—	—	—	—
2025/4/2 17:20	—	—	—	—	0	—	—	—	—	—
2025/4/2 17:30	—	—	—	—	0	—	—	—	—	—
2025/4/2 17:40	—	—	—	—	0	—	—	—	—	—
2025/4/2 17:50	—	—	—	—	0	—	—	—	—	—
2025/4/2 18:00	0	0	0	0	0	81	101	101	82	74
2025/4/2 18:10	—	—	—	—	0	—	—	—	—	—
2025/4/2 18:20	—	—	—	—	0	—	—	—	—	—
2025/4/2 18:30	—	—	—	—	0	—	—	—	—	—
2025/4/2 18:40	—	—	—	—	0	—	—	—	—	—
2025/4/2 18:50	—	—	—	—	0	—	—	—	—	—
2025/4/2 19:00	0	0	0	0	0	88	73	73	68	88
2025/4/2 19:10	—	—	—	—	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/2 19:20	—	—	—	—	0	—	—	—	—	—
2025/4/2 19:30	—	—	—	—	0	—	—	—	—	—
2025/4/2 19:40	—	—	—	—	0	—	—	—	—	—
2025/4/2 19:50	—	—	—	—	0	—	—	—	—	—
2025/4/2 20:00	0	0	0	0	0	82	81	75	67	82
2025/4/2 20:10	—	—	—	—	0	—	—	—	—	—
2025/4/2 20:20	—	—	—	—	0	—	—	—	—	—
2025/4/2 20:30	—	—	—	—	0	—	—	—	—	—
2025/4/2 20:40	—	—	—	—	0	—	—	—	—	—
2025/4/2 20:50	—	—	—	—	0	—	—	—	—	—
2025/4/2 21:00	0	0	0	0	0	75	0	62	0	62
2025/4/2 21:10	—	—	—	—	0	—	—	—	—	—
2025/4/2 21:20	—	—	—	—	0	—	—	—	—	—
2025/4/2 21:30	—	—	—	—	0	—	—	—	—	—
2025/4/2 21:40	—	—	—	—	0	—	—	—	—	—
2025/4/2 21:50	—	—	—	—	0	—	—	—	—	—
2025/4/2 22:00	0	0	0	0	0	62	62	60	62	61
2025/4/2 22:10	—	—	—	—	0	—	—	—	—	—
2025/4/2 22:20	—	—	—	—	0	—	—	—	—	—
2025/4/2 22:30	—	—	—	—	0	—	—	—	—	—
2025/4/2 22:40	—	—	—	—	0	—	—	—	—	—
2025/4/2 22:50	—	—	—	—	0	—	—	—	—	—
2025/4/2 23:00	0	0	0	0	0	48	0	55	48	55
2025/4/2 23:10	—	—	—	—	0	—	—	—	—	—
2025/4/2 23:20	—	—	—	—	0	—	—	—	—	—
2025/4/2 23:30	—	—	—	—	0	—	—	—	—	—
2025/4/2 23:40	—	—	—	—	0	—	—	—	—	—
2025/4/2 23:50	—	—	—	—	0	—	—	—	—	—
2025/4/3 0:00	0	0	0	0	0	42	62	62	68	48
2025/4/3 0:10	—	—	—	—	0	—	—	—	—	—
2025/4/3 0:20	—	—	—	—	0	—	—	—	—	—
2025/4/3 0:30	—	—	—	—	0	—	—	—	—	—
2025/4/3 0:40	—	—	—	—	0	—	—	—	—	—
2025/4/3 0:50	—	—	—	—	0	—	—	—	—	—
2025/4/3 1:00	0	0	0	0	0	48	53	102	68	48
2025/4/3 1:10	—	—	—	—	0	—	—	—	—	—
2025/4/3 1:20	—	—	—	—	0	—	—	—	—	—
2025/4/3 1:30	—	—	—	—	0	—	—	—	—	—
2025/4/3 1:40	—	—	—	—	0	—	—	—	—	—
2025/4/3 1:50	—	—	—	—	0	—	—	—	—	—
2025/4/3 2:00	0	0	0	0	0	55	55	140	62	48
2025/4/3 2:10	—	—	—	—	0	—	—	—	—	—
2025/4/3 2:20	—	—	—	—	0	—	—	—	—	—
2025/4/3 2:30	—	—	—	—	0	—	—	—	—	—
2025/4/3 2:40	—	—	—	—	0	—	—	—	—	—
2025/4/3 2:50	—	—	—	—	0	—	—	—	—	—
2025/4/3 3:00	0	0	0	0	0	48	48	126	41	47
2025/4/3 3:10	—	—	—	—	0	—	—	—	—	—
2025/4/3 3:20	—	—	—	—	0	—	—	—	—	—
2025/4/3 3:30	—	—	—	—	0	—	—	—	—	—
2025/4/3 3:40	—	—	—	—	0	—	—	—	—	—
2025/4/3 3:50	—	—	—	—	0	—	—	—	—	—
2025/4/3 4:00	0	0	0	0	0	42	47	54	47	47
2025/4/3 4:10	—	—	—	—	0	—	—	—	—	—
2025/4/3 4:20	—	—	—	—	0	—	—	—	—	—
2025/4/3 4:30	—	—	—	—	0	—	—	—	—	—
2025/4/3 4:40	—	—	—	—	0	—	—	—	—	—
2025/4/3 4:50	—	—	—	—	0	—	—	—	—	—
2025/4/3 5:00	0	0	0	0	0	67	62	62	48	62
2025/4/3 5:10	—	—	—	—	0	—	—	—	—	—
2025/4/3 5:20	—	—	—	—	0	—	—	—	—	—
2025/4/3 5:30	—	—	—	—	0	—	—	—	—	—
2025/4/3 5:40	—	—	—	—	0	—	—	—	—	—
2025/4/3 5:50	—	—	—	—	0	—	—	—	—	—
2025/4/3 6:00	0	0	0	0	0	61	68	88	60	62
2025/4/3 6:10	—	—	—	—	0	—	—	—	—	—
2025/4/3 6:20	—	—	—	—	0	—	—	—	—	—
2025/4/3 6:30	—	—	—	—	0	—	—	—	—	—
2025/4/3 6:40	—	—	—	—	0	—	—	—	—	—
2025/4/3 6:50	—	—	—	—	0	—	—	—	—	—
2025/4/3 7:00	0	0	0	0	0	62	55	101	48	60
2025/4/3 7:10	—	—	—	—	0	—	—	—	—	—
2025/4/3 7:20	—	—	—	—	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/3 7:30	—	—	—	—	0	—	—	—	—	—
2025/4/3 7:40	—	—	—	—	0	—	—	—	—	—
2025/4/3 7:50	—	—	—	—	0	—	—	—	—	—
2025/4/3 8:00	0	0	0	0	0	66	60	126	120	73
2025/4/3 8:10	—	—	—	—	0	—	—	—	—	—
2025/4/3 8:20	—	—	—	—	0	—	—	—	—	—
2025/4/3 8:30	—	—	—	—	0	—	—	—	—	—
2025/4/3 8:40	—	—	—	—	0	—	—	—	—	—
2025/4/3 8:50	—	—	—	—	0	—	—	—	—	—
2025/4/3 9:00	0	0	0	0	0	80	61	140	100	66
2025/4/3 9:10	—	—	—	—	0	—	—	—	—	—
2025/4/3 9:20	—	—	—	—	0	—	—	—	—	—
2025/4/3 9:30	—	—	—	—	0	—	—	—	—	—
2025/4/3 9:40	—	—	—	—	0	—	—	—	—	—
2025/4/3 9:50	—	—	—	—	0	—	—	—	—	—
2025/4/3 10:00	0	0	0	0	0	74	81	94	94	73
2025/4/3 10:10	—	—	—	—	0	—	—	—	—	—
2025/4/3 10:20	—	—	—	—	0	—	—	—	—	—
2025/4/3 10:30	—	—	—	—	0	—	—	—	—	—
2025/4/3 10:40	—	—	—	—	0	—	—	—	—	—
2025/4/3 10:50	—	—	—	—	0	—	—	—	—	—
2025/4/3 11:00	0	0	0	0	0	61	87	127	200	61
2025/4/3 11:10	—	—	—	—	0	—	—	—	—	—
2025/4/3 11:20	—	—	—	—	0	—	—	—	—	—
2025/4/3 11:30	—	—	—	—	0	—	—	—	—	—
2025/4/3 11:40	—	—	—	—	0	—	—	—	—	—
2025/4/3 11:50	—	—	—	—	0	—	—	—	—	—
2025/4/3 12:00	0	0	0	0	0	74	61	93	81	81
2025/4/3 12:10	—	—	—	—	0	—	—	—	—	—
2025/4/3 12:20	—	—	—	—	0	—	—	—	—	—
2025/4/3 12:30	—	—	—	—	0	—	—	—	—	—
2025/4/3 12:40	—	—	—	—	0	—	—	—	—	—
2025/4/3 12:50	—	—	—	—	0	—	—	—	—	—
2025/4/3 13:00	0	0	0	0	0	67	67	81	101	67
2025/4/3 13:10	—	—	—	—	0	—	—	—	—	—
2025/4/3 13:20	—	—	—	—	0	—	—	—	—	—
2025/4/3 13:30	—	—	—	—	0	—	—	—	—	—
2025/4/3 13:40	—	—	—	—	0	—	—	—	—	—
2025/4/3 13:50	—	—	—	—	0	—	—	—	—	—
2025/4/3 14:00	0	0	0	0	0	68	61	61	60	61
2025/4/3 14:10	—	—	—	—	0	—	—	—	—	—
2025/4/3 14:20	—	—	—	—	0	—	—	—	—	—
2025/4/3 14:30	—	—	—	—	0	—	—	—	—	—
2025/4/3 14:40	—	—	—	—	0	—	—	—	—	—
2025/4/3 14:50	—	—	—	—	0	—	—	—	—	—
2025/4/3 15:00	0	0	0	0	0	74	81	114	193	74
2025/4/3 15:10	—	—	—	—	0	—	—	—	—	—
2025/4/3 15:20	—	—	—	—	0	—	—	—	—	—
2025/4/3 15:30	—	—	—	—	0	—	—	—	—	—
2025/4/3 15:40	—	—	—	—	0	—	—	—	—	—
2025/4/3 15:50	—	—	—	—	0	—	—	—	—	—
2025/4/3 16:00	0	0	0	0	0	81	74	94	106	81
2025/4/3 16:10	—	—	—	—	0	—	—	—	—	—
2025/4/3 16:20	—	—	—	—	0	—	—	—	—	—
2025/4/3 16:30	—	—	—	—	0	—	—	—	—	—
2025/4/3 16:40	—	—	—	—	0	—	—	—	—	—
2025/4/3 16:50	—	—	—	—	0	—	—	—	—	—
2025/4/3 17:00	0	0	0	0	0	81	67	61	66	74
2025/4/3 17:10	—	—	—	—	0	—	—	—	—	—
2025/4/3 17:20	—	—	—	—	0	—	—	—	—	—
2025/4/3 17:30	—	—	—	—	0	—	—	—	—	—
2025/4/3 17:40	—	—	—	—	0	—	—	—	—	—
2025/4/3 17:50	—	—	—	—	0	—	—	—	—	—
2025/4/3 18:00	0	0	0	0	0	67	73	87	81	74
2025/4/3 18:10	—	—	—	—	0	—	—	—	—	—
2025/4/3 18:20	—	—	—	—	0	—	—	—	—	—
2025/4/3 18:30	—	—	—	—	0	—	—	—	—	—
2025/4/3 18:40	—	—	—	—	0	—	—	—	—	—
2025/4/3 18:50	—	—	—	—	0	—	—	—	—	—
2025/4/3 19:00	0	0	0	0	0	81	94	127	87	94
2025/4/3 19:10	—	—	—	—	0	—	—	—	—	—
2025/4/3 19:20	—	—	—	—	0	—	—	—	—	—
2025/4/3 19:30	—	—	—	—	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/3 19:40	—	—	—	—	0	—	—	—	—	—
2025/4/3 19:50	—	—	—	—	0	—	—	—	—	—
2025/4/3 20:00	0	0	0	0	0	86	82	73	75	87
2025/4/3 20:10	—	—	—	—	0	—	—	—	—	—
2025/4/3 20:20	—	—	—	—	0	—	—	—	—	—
2025/4/3 20:30	—	—	—	—	0	—	—	—	—	—
2025/4/3 20:40	—	—	—	—	0	—	—	—	—	—
2025/4/3 20:50	—	—	—	—	0	—	—	—	—	—
2025/4/3 21:00	0	0	0	0	0	95	82	88	100	93
2025/4/3 21:10	—	—	—	—	0	—	—	—	—	—
2025/4/3 21:20	—	—	—	—	0	—	—	—	—	—
2025/4/3 21:30	—	—	—	—	0	—	—	—	—	—
2025/4/3 21:40	—	—	—	—	0	—	—	—	—	—
2025/4/3 21:50	—	—	—	—	0	—	—	—	—	—
2025/4/3 22:00	0	0	0	0	0	101	74	88	87	93
2025/4/3 22:10	—	—	—	—	0	—	—	—	—	—
2025/4/3 22:20	—	—	—	—	0	—	—	—	—	—
2025/4/3 22:30	—	—	—	—	0	—	—	—	—	—
2025/4/3 22:40	—	—	—	—	0	—	—	—	—	—
2025/4/3 22:50	—	—	—	—	0	—	—	—	—	—
2025/4/3 23:00	0	0	0	0	0	95	115	93	94	106
2025/4/3 23:10	—	—	—	—	0	—	—	—	—	—
2025/4/3 23:20	—	—	—	—	0	—	—	—	—	—
2025/4/3 23:30	—	—	—	—	0	—	—	—	—	—
2025/4/3 23:40	—	—	—	—	0	—	—	—	—	—
2025/4/3 23:50	—	—	—	—	0	—	—	—	—	—
2025/4/4 0:00	0	0	0	0	0	93	115	101	106	101
2025/4/4 0:10	0	—	0	—	0	—	—	—	—	—
2025/4/4 0:20	0	—	0	—	0	—	—	—	—	—
2025/4/4 0:30	0	—	0	—	0	—	—	—	—	—
2025/4/4 0:40	0	—	0	—	0	—	—	—	—	—
2025/4/4 0:50	0	—	0	—	0	—	—	—	—	—
2025/4/4 1:00	0	0	0	0	0	100	106	106	114	102
2025/4/4 1:10	0	—	0	—	0	—	—	—	—	—
2025/4/4 1:20	0	—	0	—	0	—	—	—	—	—
2025/4/4 1:30	0	—	0	—	0	—	—	—	—	—
2025/4/4 1:40	0	—	0	—	0	—	—	—	—	—
2025/4/4 1:50	0	—	0	—	0	—	—	—	—	—
2025/4/4 2:00	0	0	0	0	0	100	134	160	146	133
2025/4/4 2:10	0	—	0	—	0	—	—	—	—	—
2025/4/4 2:20	0	—	0	—	0	—	—	—	—	—
2025/4/4 2:30	0	—	0	—	0	—	—	—	—	—
2025/4/4 2:40	0	—	0	—	0	—	—	—	—	—
2025/4/4 2:50	0	—	0	—	0	—	—	—	—	—
2025/4/4 3:00	0	0	0	0	0	114	115	139	231	153
2025/4/4 3:10	0	—	0	—	0	—	—	—	—	—
2025/4/4 3:20	0	—	0	—	0	—	—	—	—	—
2025/4/4 3:30	0	—	0	—	0	—	—	—	—	—
2025/4/4 3:40	0	—	0	—	0	—	—	—	—	—
2025/4/4 3:50	0	—	0	—	0	—	—	—	—	—
2025/4/4 4:00	0	0	0	0	0	113	135	133	172	134
2025/4/4 4:10	0	—	0	—	0	—	—	—	—	—
2025/4/4 4:20	0	—	0	—	0	—	—	—	—	—
2025/4/4 4:30	0	—	0	—	0	—	—	—	—	—
2025/4/4 4:40	0	—	0	—	0	—	—	—	—	—
2025/4/4 4:50	0	—	0	—	0	—	—	—	—	—
2025/4/4 5:00	0	0	0	0	0	146	180	147	188	146
2025/4/4 5:10	0	—	0	—	0	—	—	—	—	—
2025/4/4 5:20	0	—	0	—	0	—	—	—	—	—
2025/4/4 5:30	0	—	0	—	0	—	—	—	—	—
2025/4/4 5:40	0	—	0	—	0	—	—	—	—	—
2025/4/4 5:50	0	—	0	—	0	—	—	—	—	—
2025/4/4 6:00	0	0	0	0	0	113	115	113	147	153
2025/4/4 6:10	0	—	0	—	0	—	—	—	—	—
2025/4/4 6:20	0	—	0	—	0	—	—	—	—	—
2025/4/4 6:30	0	—	0	—	0	—	—	—	—	—
2025/4/4 6:40	0	—	0	—	0	—	—	—	—	—
2025/4/4 6:50	0	—	0	—	0	—	—	—	—	—
2025/4/4 7:00	0	0	0	0	0	101	102	114	113	120
2025/4/4 7:10	0	—	0	—	0	—	—	—	—	—
2025/4/4 7:20	0	—	0	—	0	—	—	—	—	—
2025/4/4 7:30	0	—	0	—	0	—	—	—	—	—
2025/4/4 7:40	0	—	0	—	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/4 7:50	0	—	0	—	0	—	—	—	—	—
2025/4/4 8:00	0	0	0	0	0	95	88	101	80	101
2025/4/4 8:10	0	—	0	—	0	—	—	—	—	—
2025/4/4 8:20	0	—	0	—	0	—	—	—	—	—
2025/4/4 8:30	0	—	0	—	0	—	—	—	—	—
2025/4/4 8:40	0	—	0	—	0	—	—	—	—	—
2025/4/4 8:50	0	—	0.1	—	0	—	—	—	—	—
2025/4/4 9:00	0	0	0.1	0	0	101	88	114	87	88
2025/4/4 9:10	0	—	0.1	—	0	—	—	—	—	—
2025/4/4 9:20	0	—	0.1	—	0	—	—	—	—	—
2025/4/4 9:30	0	—	0.1	—	0	—	—	—	—	—
2025/4/4 9:40	0	—	0.1	—	0	—	—	—	—	—
2025/4/4 9:50	0	—	0.1	—	0	—	—	—	—	—
2025/4/4 10:00	0	0	0.1	0	0	87	102	95	128	88
2025/4/4 10:01	—	—	—	—	—	—	—	—	—	—
2025/4/4 10:10	0	—	0.1	—	0	—	—	—	—	—
2025/4/4 10:20	0	—	0.1	—	0	—	—	—	—	—
2025/4/4 10:30	0	—	0.1	—	0	—	—	—	—	—
2025/4/4 10:40	0	—	0.1	—	0	—	—	—	—	—
2025/4/4 10:50	0	—	0.1	—	0	—	—	—	—	—
2025/4/4 11:00	0	0	0.1	0	0	102	127	141	121	93
2025/4/4 11:10	0	—	0.1	—	0	—	—	—	—	—
2025/4/4 11:14	—	—	—	0	—	—	—	—	—	—
2025/4/4 11:15	—	—	—	0	—	—	—	—	—	—
2025/4/4 11:16	—	—	—	0	—	—	—	—	—	—
2025/4/4 11:20	0	—	0.1	0	0	—	—	—	—	—
2025/4/4 11:30	0	—	0.1	0	0	—	—	—	—	—
2025/4/4 11:40	0.1	—	0.1	0	0	—	—	—	—	—
2025/4/4 11:50	0.1	—	0.1	0	0	—	—	—	—	—
2025/4/4 12:00	0.1	0	0.1	0	0	101	95	128	121	95
2025/4/4 12:10	0.1	—	0.1	0	0	—	—	—	—	—
2025/4/4 12:20	0.1	—	0.1	0	0	—	—	—	—	—
2025/4/4 12:30	0.1	—	0.1	0	0	—	—	—	—	—
2025/4/4 12:40	0.1	—	0.1	0	0	—	—	—	—	—
2025/4/4 12:50	0.1	—	0.1	0	0	—	—	—	—	—
2025/4/4 13:00	0.1	0	0	0	0	95	95	95	135	102
2025/4/4 13:10	0.1	—	0	0	0	—	—	—	—	—
2025/4/4 13:20	0.1	—	0	0	0.1	—	—	—	—	—
2025/4/4 13:30	0.1	—	0	0	0.1	—	—	—	—	—
2025/4/4 13:40	0.1	—	0	0	0.1	—	—	—	—	—
2025/4/4 13:50	0.2	—	0	0	0.1	—	—	—	—	—
2025/4/4 14:00	0.2	0	0	0	0.1	95	95	107	114	108
2025/4/4 14:10	0.2	—	0	0	0.1	—	—	—	—	—
2025/4/4 14:20	0.2	—	0	0	0.1	—	—	—	—	—
2025/4/4 14:30	0.2	—	0	0	0.1	—	—	—	—	—
2025/4/4 14:40	0.2	—	0	0	0.1	—	—	—	—	—
2025/4/4 14:50	0.2	—	0	0	0	—	—	—	—	—
2025/4/4 15:00	0.2	0	0	0	0	93	88	108	108	94
2025/4/4 15:10	0.2	—	0	0	0	—	—	—	—	—
2025/4/4 15:20	0.1	—	0	0	0	—	—	—	—	—
2025/4/4 15:30	0.1	—	0	0	0	—	—	—	—	—
2025/4/4 15:40	0.1	—	0	0	0	—	—	—	—	—
2025/4/4 15:50	0	—	0	0	0	—	—	—	—	—
2025/4/4 16:00	0	0	0	0	0	88	80	87	82	93
2025/4/4 16:10	0	—	0	0	0	—	—	—	—	—
2025/4/4 16:20	0	—	0	0	0	—	—	—	—	—
2025/4/4 16:30	0	—	0	0	0	—	—	—	—	—
2025/4/4 16:40	0	—	0	0	0	—	—	—	—	—
2025/4/4 16:50	0	—	0	0	0	—	—	—	—	—
2025/4/4 17:00	0	0	0	0	0	67	75	127	101	74
2025/4/4 17:10	0	0	0	0	0	—	—	—	—	—
2025/4/4 17:20	0	0	0	0	0	—	—	—	—	—
2025/4/4 17:30	0	0	0	0	0	—	—	—	—	—
2025/4/4 17:40	0	0	0	0	0	—	—	—	—	—
2025/4/4 17:50	0	0	0	0	0	—	—	—	—	—
2025/4/4 18:00	0	0	0	0	0	62	68	88	120	55
2025/4/4 18:10	0	0	0	0	0	—	—	—	—	—
2025/4/4 18:20	0	0	0	0	0	—	—	—	—	—
2025/4/4 18:30	0	0	0	0	0	—	—	—	—	—
2025/4/4 18:40	0	0	0	0	0	—	—	—	—	—
2025/4/4 18:50	0	0	0	0	0	—	—	—	—	—
2025/4/4 19:00	0	0	0	0	0	82	82	114	128	87
2025/4/4 19:10	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/4 19:20	0	0	0	0	0	—	—	—	—	—
2025/4/4 19:30	0	0	0	0	0	—	—	—	—	—
2025/4/4 19:40	0	0	0	0	0	—	—	—	—	—
2025/4/4 19:50	0	0	0	0	0	—	—	—	—	—
2025/4/4 20:00	0	0	0	0	0	75	67	119	66	68
2025/4/4 20:10	0	0	0	0	0	—	—	—	—	—
2025/4/4 20:20	0	0	0	0	0	—	—	—	—	—
2025/4/4 20:30	0	0	0	0	0	—	—	—	—	—
2025/4/4 20:40	0	0	0	0	0	—	—	—	—	—
2025/4/4 20:50	0	0	0	0	0	—	—	—	—	—
2025/4/4 21:00	0	0	0	0	0	80	82	147	82	62
2025/4/4 21:10	0	0	0	0	0	—	—	—	—	—
2025/4/4 21:20	0	0	0	0	0	—	—	—	—	—
2025/4/4 21:30	0	0	0	0	0	—	—	—	—	—
2025/4/4 21:40	0	0	0	0	0	—	—	—	—	—
2025/4/4 21:50	0	0	0	0	0	—	—	—	—	—
2025/4/4 22:00	0	0	0	0	0	48	75	55	148	54
2025/4/4 22:10	0	0	0	0	0	—	—	—	—	—
2025/4/4 22:20	0	0	0	0	0	—	—	—	—	—
2025/4/4 22:30	0	0	0	0	0	—	—	—	—	—
2025/4/4 22:40	0	0	0	0	0	—	—	—	—	—
2025/4/4 22:50	0	0	0	0	0	—	—	—	—	—
2025/4/4 23:00	0	0	0	0	0	62	62	240	88	86
2025/4/4 23:10	0	0	0	0	0	—	—	—	—	—
2025/4/4 23:20	0	0	0	0	0	—	—	—	—	—
2025/4/4 23:30	0	0	0	0	0	—	—	—	—	—
2025/4/4 23:40	0	0	0	0	0	—	—	—	—	—
2025/4/4 23:50	0	0	0	0	0	—	—	—	—	—
2025/4/5 0:00	0	0	0	0	0	66	73	240	438	87
2025/4/5 0:10	0	0	0	0	0	—	—	—	—	—
2025/4/5 0:20	0	0	0	0	0	—	—	—	—	—
2025/4/5 0:30	0	0	0	0	0	—	—	—	—	—
2025/4/5 0:40	0	0	0	0	0	—	—	—	—	—
2025/4/5 0:50	0	0	0	0	0	—	—	—	—	—
2025/4/5 1:00	0	0	0	0	0	68	75	253	439	88
2025/4/5 1:10	0	0	0	0	0	—	—	—	—	—
2025/4/5 1:20	0	0	0	0	0	—	—	—	—	—
2025/4/5 1:30	0	0	0	0	0	—	—	—	—	—
2025/4/5 1:40	0	0	0	0	0	—	—	—	—	—
2025/4/5 1:50	0	0	0	0	0	—	—	—	—	—
2025/4/5 2:00	0	0	0	0	0	54	62	565	181	82
2025/4/5 2:10	0	0	0	0	0	—	—	—	—	—
2025/4/5 2:20	0	0	0	0	0	—	—	—	—	—
2025/4/5 2:30	0	0	0	0	0	—	—	—	—	—
2025/4/5 2:40	0	0	0	0	0	—	—	—	—	—
2025/4/5 2:50	0	0	0	0	0	—	—	—	—	—
2025/4/5 3:00	0	0	0	0	0	73	66	140	68	86
2025/4/5 3:10	0	0	0	0	0	—	—	—	—	—
2025/4/5 3:20	0	0	0	0	0	—	—	—	—	—
2025/4/5 3:30	0	0	0	0	0	—	—	—	—	—
2025/4/5 3:40	0	0	0	0	0	—	—	—	—	—
2025/4/5 3:50	0	0	0	0	0	—	—	—	—	—
2025/4/5 4:00	0	0	0	0	0	74	68	147	75	88
2025/4/5 4:10	0	0	0	0	0	—	—	—	—	—
2025/4/5 4:20	0	0	0	0	0	—	—	—	—	—
2025/4/5 4:30	0	0	0	0	0	—	—	—	—	—
2025/4/5 4:40	0	0	0	0	0	—	—	—	—	—
2025/4/5 4:50	0	0	0	0	0	—	—	—	—	—
2025/4/5 5:00	0	0	0	0	0	95	85	121	82	87
2025/4/5 5:10	0	0	0	0	0	—	—	—	—	—
2025/4/5 5:20	0	0	0	0	0	—	—	—	—	—
2025/4/5 5:30	0	0	0	0	0	—	—	—	—	—
2025/4/5 5:40	0	0	0	0	0	—	—	—	—	—
2025/4/5 5:50	0	0	0	0	0	—	—	—	—	—
2025/4/5 6:00	0	0	0	0	0	98	88	129	87	88
2025/4/5 6:10	0	0	0	0	0	—	—	—	—	—
2025/4/5 6:20	0	0	0	0	0	—	—	—	—	—
2025/4/5 6:30	0	0	0	0	0	—	—	—	—	—
2025/4/5 6:40	0	0	0	0	0	—	—	—	—	—
2025/4/5 6:50	0	0	0	0	0	—	—	—	—	—
2025/4/5 7:00	0	0	0	0	0	75	48	225	62	68
2025/4/5 7:10	0	0	0	0	0	—	—	—	—	—
2025/4/5 7:20	0	0	0	0.1	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/5 7:30	0	0	0	0.1	0	—	—	—	—	—
2025/4/5 7:40	0	0	0	0.1	0	—	—	—	—	—
2025/4/5 7:50	0	0	0	0.1	0	—	—	—	—	—
2025/4/5 8:00	0	0	0	0.1	0	48	54	35	42	213
2025/4/5 8:10	0	0	0	0.1	0	—	—	—	—	—
2025/4/5 8:20	0	0	0	0.1	0	—	—	—	—	—
2025/4/5 8:30	0	0	0	0.1	0	—	—	—	—	—
2025/4/5 8:40	0	0	0	0.1	0	—	—	—	—	—
2025/4/5 8:50	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/5 9:00	0	0	0.1	0.1	0	95	55	285	80	48
2025/4/5 9:10	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/5 9:20	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/5 9:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/5 9:40	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/5 9:50	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/5 10:00	0	0	0.1	0.1	0	108	102	88	101	68
2025/4/5 10:10	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/5 10:20	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/5 10:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/5 10:40	0	0	0.1	0	0	—	—	—	—	—
2025/4/5 10:50	0	0	0.1	0	0	—	—	—	—	—
2025/4/5 11:00	0	0	0.1	0	0	105	102	198	82	82
2025/4/5 11:10	0	0	0.1	0	0	—	—	—	—	—
2025/4/5 11:20	0	0	0.1	0	0	—	—	—	—	—
2025/4/5 11:30	0	0	0.1	0	0	—	—	—	—	—
2025/4/5 11:40	0	0	0.1	0	0	—	—	—	—	—
2025/4/5 11:50	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/5 12:00	0.1	0	0	0	0	102	108	100	68	68
2025/4/5 12:10	0.1	0	0	0	0	—	—	—	—	—
2025/4/5 12:20	0.1	0	0	0	0	—	—	—	—	—
2025/4/5 12:30	0.1	0	0	0	0	—	—	—	—	—
2025/4/5 12:40	0.1	0	0	0	0	—	—	—	—	—
2025/4/5 12:50	0.1	0	0	0	0	—	—	—	—	—
2025/4/5 13:00	0.1	0	0	0	0	112	35	108	107	133
2025/4/5 13:10	0.1	0	0	0	0	—	—	—	—	—
2025/4/5 13:20	0.1	0	0	0	0	—	—	—	—	—
2025/4/5 13:30	0.1	0	0	0	0	—	—	—	—	—
2025/4/5 13:40	0.1	0	0	0	0	—	—	—	—	—
2025/4/5 13:50	0.1	0	0	0	0	—	—	—	—	—
2025/4/5 14:00	0.1	0	0	0	0	133	106	107	48	231
2025/4/5 14:10	0.1	0	0	0	0	—	—	—	—	—
2025/4/5 14:20	0.1	0	0	0	0	—	—	—	—	—
2025/4/5 14:30	0.1	0	0	0	0	—	—	—	—	—
2025/4/5 14:40	0.1	0	0	0	0	—	—	—	—	—
2025/4/5 14:50	0.1	0	0	0	0	—	—	—	—	—
2025/4/5 15:00	0.1	0	0	0	0	102	108	168	108	141
2025/4/5 15:10	0.1	0	0	0	0	—	—	—	—	—
2025/4/5 15:20	0.1	0	0	0	0	—	—	—	—	—
2025/4/5 15:30	0.1	0	0	0	0	—	—	—	—	—
2025/4/5 15:40	0.1	0	0	0	0	—	—	—	—	—
2025/4/5 15:50	0	0	0	0	0	—	—	—	—	—
2025/4/5 16:00	0	0	0	0	0	200	377	280	127	227
2025/4/5 16:10	0	0	0	0	0	—	—	—	—	—
2025/4/5 16:20	0	0.1	0	0	0	—	—	—	—	—
2025/4/5 16:30	0	0.1	0	0	0	—	—	—	—	—
2025/4/5 16:40	0	0.1	0	0	0	—	—	—	—	—
2025/4/5 16:50	0	0	0	0	0	—	—	—	—	—
2025/4/5 17:00	0	0	0	0	0	293	121	246	82	293
2025/4/5 17:10	0	0	0	0	0	—	—	—	—	—
2025/4/5 17:20	0	0	0	0	0	—	—	—	—	—
2025/4/5 17:30	0	0	0	0	0	—	—	—	—	—
2025/4/5 17:40	0	0	0	0	0	—	—	—	—	—
2025/4/5 17:50	0	0	0	0	0	—	—	—	—	—
2025/4/5 18:00	0	0	0	0	0	464	114	444	75	536
2025/4/5 18:10	0	0	0	0	0	—	—	—	—	—
2025/4/5 18:20	0	0	0	0	0	—	—	—	—	—
2025/4/5 18:30	0	0	0	0	0	—	—	—	—	—
2025/4/5 18:40	0	0	0	0	0	—	—	—	—	—
2025/4/5 18:50	0	0	0	0	0	—	—	—	—	—
2025/4/5 19:00	0	0	0	0	0	326	168	424	120	353
2025/4/5 19:10	0	0	0	0	0	—	—	—	—	—
2025/4/5 19:20	0	0	0	0	0	—	—	—	—	—
2025/4/5 19:30	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/5 19:40	0	0	0	0	0	—	—	—	—	—
2025/4/5 19:50	0	0	0	0	0	—	—	—	—	—
2025/4/5 20:00	0	0	0	0	0	135	95	273	55	273
2025/4/5 20:10	0	0	0	0	0	—	—	—	—	—
2025/4/5 20:20	0	0	0	0	0	—	—	—	—	—
2025/4/5 20:30	0	0	0	0	0	—	—	—	—	—
2025/4/5 20:40	0	0	0	0	0	—	—	—	—	—
2025/4/5 20:50	0	0	0	0	0	—	—	—	—	—
2025/4/5 21:00	0	0	0	0	0	120	53	159	45	253
2025/4/5 21:10	0	0	0	0	0	—	—	—	—	—
2025/4/5 21:20	0	0	0	0	0	—	—	—	—	—
2025/4/5 21:30	0	0	0	0	0	—	—	—	—	—
2025/4/5 21:40	0	0	0	0	0	—	—	—	—	—
2025/4/5 21:50	0	0	0	0	0	—	—	—	—	—
2025/4/5 22:00	0	0	0	0	0	386	106	75	67	284
2025/4/5 22:10	0	0	0	0	0	—	—	—	—	—
2025/4/5 22:20	0	0	0	0	0	—	—	—	—	—
2025/4/5 22:30	0	0	0	0	0	—	—	—	—	—
2025/4/5 22:40	0	0	0	0	0	—	—	—	—	—
2025/4/5 22:50	0	0	0	0	0	—	—	—	—	—
2025/4/5 23:00	0	0	0	0	0	227	95	127	62	107
2025/4/5 23:10	0	0	0	0	0	—	—	—	—	—
2025/4/5 23:20	0	0	0	0	0	—	—	—	—	—
2025/4/5 23:30	0	0	0	0	0	—	—	—	—	—
2025/4/5 23:40	0	0	0	0	0	—	—	—	—	—
2025/4/5 23:50	0	0	0	0	0	—	—	—	—	—
2025/4/6 0:00	0	0	0	0	0	198	95	113	62	172
2025/4/6 0:10	0	0	0	0	0	—	—	—	—	—
2025/4/6 0:20	0	0	0	0	0	—	—	—	—	—
2025/4/6 0:30	0	0	0	0	0	—	—	—	—	—
2025/4/6 0:40	0	0	0	0	0	—	—	—	—	—
2025/4/6 0:50	0	0	0	0	0	—	—	—	—	—
2025/4/6 1:00	0	0	0	0	0	370	95	94	67	353
2025/4/6 1:10	0	0	0	0	0	—	—	—	—	—
2025/4/6 1:20	0	0	0	0	0	—	—	—	—	—
2025/4/6 1:30	0	0	0	0	0	—	—	—	—	—
2025/4/6 1:40	0	0	0	0	0	—	—	—	—	—
2025/4/6 1:50	0	0	0	0	0	—	—	—	—	—
2025/4/6 2:00	0	0	0	0	0	305	95	93	60	264
2025/4/6 2:10	0	0	0	0	0	—	—	—	—	—
2025/4/6 2:20	0	0	0	0	0	—	—	—	—	—
2025/4/6 2:30	0	0	0	0	0	—	—	—	—	—
2025/4/6 2:40	0	0	0	0	0	—	—	—	—	—
2025/4/6 2:50	0	0	0	0	0	—	—	—	—	—
2025/4/6 3:00	0	0	0	0	0	318	107	54	54	80
2025/4/6 3:10	0	0	0	0	0	—	—	—	—	—
2025/4/6 3:20	0	0	0	0	0	—	—	—	—	—
2025/4/6 3:30	0	0	0	0	0	—	—	—	—	—
2025/4/6 3:40	0	0	0	0	0	—	—	—	—	—
2025/4/6 3:50	0	0	0	0	0	—	—	—	—	—
2025/4/6 4:00	0	0	0	0	0	199	67	42	75	265
2025/4/6 4:10	0	0	0	0	0	—	—	—	—	—
2025/4/6 4:20	0	0	0	0	0	—	—	—	—	—
2025/4/6 4:30	0	0	0	0	0	—	—	—	—	—
2025/4/6 4:40	0	0	0	0	0	—	—	—	—	—
2025/4/6 4:50	0	0	0	0	0	—	—	—	—	—
2025/4/6 5:00	0	0	0	0	0	55	140	54	87	54
2025/4/6 5:10	0	0	0	0	0	—	—	—	—	—
2025/4/6 5:20	0	0	0	0	0	—	—	—	—	—
2025/4/6 5:30	0	0	0	0	0	—	—	—	—	—
2025/4/6 5:40	0	0	0	0	0	—	—	—	—	—
2025/4/6 5:50	0	0	0	0	0	—	—	—	—	—
2025/4/6 6:00	0	0	0	0	0	155	81	67	73	107
2025/4/6 6:10	0	0	0	0	0	—	—	—	—	—
2025/4/6 6:20	0	0	0	0	0	—	—	—	—	—
2025/4/6 6:30	0	0	0	0	0	—	—	—	—	—
2025/4/6 6:40	0	0	0	0	0	—	—	—	—	—
2025/4/6 6:50	0	0	0	0	0	—	—	—	—	—
2025/4/6 7:00	0	0	0	0	0	67	74	121	68	75
2025/4/6 7:10	0	0	0	0.1	0	—	—	—	—	—
2025/4/6 7:20	0	0	0	0.1	0	—	—	—	—	—
2025/4/6 7:30	0	0	0	0.1	0	—	—	—	—	—
2025/4/6 7:40	0	0	0	0.1	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/6 7:50	0	0	0	0.1	0	—	—	—	—	—
2025/4/6 8:00	0	0	0	0.1	0	126	93	100	60	62
2025/4/6 8:10	0	0	0	0.1	0	—	—	—	—	—
2025/4/6 8:20	0	0	0	0.1	0	—	—	—	—	—
2025/4/6 8:30	0	0	0	0.1	0	—	—	—	—	—
2025/4/6 8:40	0	0	0	0.1	0	—	—	—	—	—
2025/4/6 8:50	0	0	0	0.1	0	—	—	—	—	—
2025/4/6 9:00	0	0	0	0.1	0	80	74	180	53	113
2025/4/6 9:10	0	0	0	0.1	0	—	—	—	—	—
2025/4/6 9:20	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/6 9:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/6 9:40	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/6 9:50	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/6 10:00	0	0	0.1	0.1	0	73	61	81	46	80
2025/4/6 10:10	0	0	0	0.1	0	—	—	—	—	—
2025/4/6 10:20	0	0	0	0	0	—	—	—	—	—
2025/4/6 10:30	0	0	0	0	0	—	—	—	—	—
2025/4/6 10:40	0	0	0	0	0	—	—	—	—	—
2025/4/6 10:50	0	0	0	0	0	—	—	—	—	—
2025/4/6 11:00	0	0	0	0	0	80	62	127	40	113
2025/4/6 11:10	0	0	0	0	0	—	—	—	—	—
2025/4/6 11:20	0	0	0	0	0	—	—	—	—	—
2025/4/6 11:30	0	0	0	0	0	—	—	—	—	—
2025/4/6 11:40	0	0	0	0	0	—	—	—	—	—
2025/4/6 11:50	0	0	0	0	0	—	—	—	—	—
2025/4/6 12:00	0	0	0	0	0	82	68	62	53	48
2025/4/6 12:10	0	0	0	0	0	—	—	—	—	—
2025/4/6 12:20	0	0	0	0	0	—	—	—	—	—
2025/4/6 12:30	0	0	0	0	0	—	—	—	—	—
2025/4/6 12:40	0	0	0	0	0	—	—	—	—	—
2025/4/6 12:50	0	0	0	0	0	—	—	—	—	—
2025/4/6 13:00	0	0	0	0	0	54	67	115	35	46
2025/4/6 13:10	0	0	0	0	0	—	—	—	—	—
2025/4/6 13:20	0	0	0	0	0	—	—	—	—	—
2025/4/6 13:30	0	0	0	0	0	—	—	—	—	—
2025/4/6 13:40	0	0	0	0	0	—	—	—	—	—
2025/4/6 13:50	0	0	0	0	0	—	—	—	—	—
2025/4/6 14:00	0	0	0	0	0	80	81	146	74	113
2025/4/6 14:10	0	0	0	0	0	—	—	—	—	—
2025/4/6 14:20	0	0	0	0	0	—	—	—	—	—
2025/4/6 14:30	0	0	0	0	0	—	—	—	—	—
2025/4/6 14:40	0	0	0	0	0	—	—	—	—	—
2025/4/6 14:50	0.1	0	0	0	0	—	—	—	—	—
2025/4/6 15:00	0.1	0	0	0	0	120	106	108	87	120
2025/4/6 15:10	0.1	0	0	0	0	—	—	—	—	—
2025/4/6 15:20	0.1	0	0	0	0	—	—	—	—	—
2025/4/6 15:30	0.1	0	0	0	0	—	—	—	—	—
2025/4/6 15:40	0	0	0	0	0	—	—	—	—	—
2025/4/6 15:50	0	0.1	0	0	0	—	—	—	—	—
2025/4/6 16:00	0	0.1	0	0	0	168	120	160	100	140
2025/4/6 16:10	0	0.1	0	0	0	—	—	—	—	—
2025/4/6 16:20	0	0.1	0	0	0	—	—	—	—	—
2025/4/6 16:30	0	0.1	0	0	0	—	—	—	—	—
2025/4/6 16:40	0	0.1	0	0	0	—	—	—	—	—
2025/4/6 16:50	0	0.1	0	0	0	—	—	—	—	—
2025/4/6 17:00	0	0.1	0	0	0	127	94	140	88	107
2025/4/6 17:10	0	0.1	0	0	0	—	—	—	—	—
2025/4/6 17:20	0	0.1	0	0	0	—	—	—	—	—
2025/4/6 17:30	0	0	0	0	0	—	—	—	—	—
2025/4/6 17:40	0	0	0	0	0	—	—	—	—	—
2025/4/6 17:50	0	0	0	0	0	—	—	—	—	—
2025/4/6 18:00	0	0	0	0	0	154	108	148	88	270
2025/4/6 18:10	0	0	0	0	0	—	—	—	—	—
2025/4/6 18:20	0	0	0	0	0	—	—	—	—	—
2025/4/6 18:30	0	0	0	0	0	—	—	—	—	—
2025/4/6 18:40	0	0	0	0	0	—	—	—	—	—
2025/4/6 18:50	0	0	0	0	0	—	—	—	—	—
2025/4/6 19:00	0	0	0	0	0	107	95	115	86	95
2025/4/6 19:10	0	0	0	0	0	—	—	—	—	—
2025/4/6 19:20	0	0	0	0	0	—	—	—	—	—
2025/4/6 19:30	0	0	0	0	0	—	—	—	—	—
2025/4/6 19:40	0	0	0	0	0	—	—	—	—	—
2025/4/6 19:50	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/6 20:00	0	0	0	0	0	135	101	173	100	140
2025/4/6 20:10	0	0	0	0	0	—	—	—	—	—
2025/4/6 20:20	0	0	0	0	0	—	—	—	—	—
2025/4/6 20:30	0	0	0	0	0	—	—	—	—	—
2025/4/6 20:40	0	0	0	0	0	—	—	—	—	—
2025/4/6 20:50	0	0	0	0	0	—	—	—	—	—
2025/4/6 21:00	0	0	0	0	0	180	106	179	88	133
2025/4/6 21:10	0	0	0	0	0	—	—	—	—	—
2025/4/6 21:20	0	0	0	0	0	—	—	—	—	—
2025/4/6 21:30	0	0	0	0	0	—	—	—	—	—
2025/4/6 21:40	0	0	0	0	0	—	—	—	—	—
2025/4/6 21:50	0	0	0	0	0	—	—	—	—	—
2025/4/6 22:00	0	0	0	0	0	264	126	200	106	198
2025/4/6 22:10	0	0	0	0	0	—	—	—	—	—
2025/4/6 22:20	0	0	0	0	0	—	—	—	—	—
2025/4/6 22:30	0	0	0	0	0	—	—	—	—	—
2025/4/6 22:40	0	0	0	0	0	—	—	—	—	—
2025/4/6 22:50	0	0	0	0	0	—	—	—	—	—
2025/4/6 23:00	0	0	0	0	0	353	133	93	100	192
2025/4/6 23:10	0	0	0	0	0	—	—	—	—	—
2025/4/6 23:20	0	0	0	0	0	—	—	—	—	—
2025/4/6 23:30	0	0	0	0	0	—	—	—	—	—
2025/4/6 23:40	0	0	0	0	0	—	—	—	—	—
2025/4/6 23:50	0	0	0	0	0	—	—	—	—	—
2025/4/7 0:00	0	0	0	0	0	86	166	68	120	73
2025/4/7 0:10	0	0	0	0	0	—	—	—	—	—
2025/4/7 0:20	0	0	0	0	0	—	—	—	—	—
2025/4/7 0:30	0	0	0	0	0	—	—	—	—	—
2025/4/7 0:40	0	0	0	0	0	—	—	—	—	—
2025/4/7 0:50	0	0	0	0	0	—	—	—	—	—
2025/4/7 1:00	0	0	0	0	0	55	60	88	161	54
2025/4/7 1:10	0	0	0	0	0	—	—	—	—	—
2025/4/7 1:20	0	0	0	0	0	—	—	—	—	—
2025/4/7 1:30	0	0	0	0	0	—	—	—	—	—
2025/4/7 1:40	0	0	0	0	0	—	—	—	—	—
2025/4/7 1:50	0	0	0	0	0	—	—	—	—	—
2025/4/7 2:00	0	0	0	0	0	66	88	120	106	66
2025/4/7 2:10	0	0	0	0	0	—	—	—	—	—
2025/4/7 2:20	0	0	0	0	0	—	—	—	—	—
2025/4/7 2:30	0	0	0	0	0	—	—	—	—	—
2025/4/7 2:40	0	0	0	0	0	—	—	—	—	—
2025/4/7 2:50	0	0	0	0	0	—	—	—	—	—
2025/4/7 3:00	0	0	0	0	0	86	101	101	186	88
2025/4/7 3:10	0	0	0	0	0	—	—	—	—	—
2025/4/7 3:20	0	0	0	0	0	—	—	—	—	—
2025/4/7 3:30	0	0	0	0	0	—	—	—	—	—
2025/4/7 3:40	0	0	0	0	0	—	—	—	—	—
2025/4/7 3:50	0	0	0	0	0	—	—	—	—	—
2025/4/7 4:00	0	0	0	0	0	80	80	100	199	67
2025/4/7 4:10	0	0	0	0	0	—	—	—	—	—
2025/4/7 4:20	0	0	0	0	0	—	—	—	—	—
2025/4/7 4:30	0	0	0	0	0	—	—	—	—	—
2025/4/7 4:40	0	0	0	0	0	—	—	—	—	—
2025/4/7 4:50	0	0	0	0	0	—	—	—	—	—
2025/4/7 5:00	0	0	0	0	0	81	73	140	200	87
2025/4/7 5:10	0	0	0	0	0	—	—	—	—	—
2025/4/7 5:20	0	0	0	0	0	—	—	—	—	—
2025/4/7 5:30	0	0	0	0	0	—	—	—	—	—
2025/4/7 5:40	0	0	0	0	0	—	—	—	—	—
2025/4/7 5:50	0	0	0	0	0	—	—	—	—	—
2025/4/7 6:00	0	0	0	0	0	113	127	95	258	95
2025/4/7 6:10	0	0	0	0	0	—	—	—	—	—
2025/4/7 6:20	0	0	0	0	0	—	—	—	—	—
2025/4/7 6:30	0	0	0	0	0	—	—	—	—	—
2025/4/7 6:40	0	0	0	0	0	—	—	—	—	—
2025/4/7 6:50	0	0	0	0	0	—	—	—	—	—
2025/4/7 7:00	0	0	0	0	0	73	73	80	74	73
2025/4/7 7:10	0	0	0	0	0	—	—	—	—	—
2025/4/7 7:20	0	0	0	0	0	—	—	—	—	—
2025/4/7 7:30	0	0	0	0	0	—	—	—	—	—
2025/4/7 7:40	0	0	0	0	0	—	—	—	—	—
2025/4/7 7:50	0	0	0	0	0	—	—	—	—	—
2025/4/7 8:00	0	0	0	0	0	75	75	120	200	80

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/7 8:10	0	0	0	0	0	—	—	—	—	—
2025/4/7 8:20	0	0	0	0	0	—	—	—	—	—
2025/4/7 8:30	0	0	0	0	0	—	—	—	—	—
2025/4/7 8:40	0	0	0	0	0	—	—	—	—	—
2025/4/7 8:50	0	0	0	0	0	—	—	—	—	—
2025/4/7 9:00	0	0	0	0	0	60	48	62	75	60
2025/4/7 9:10	0	0	0	0	0	—	—	—	—	—
2025/4/7 9:20	0	0	0	0	0	—	—	—	—	—
2025/4/7 9:30	0	0	0	0	0	—	—	—	—	—
2025/4/7 9:40	0	0	0	0	0	—	—	—	—	—
2025/4/7 9:50	0	0	0	0	0	—	—	—	—	—
2025/4/7 10:00	0	0	0	0	0	87	95	100	115	81
2025/4/7 10:10	0	0	0	0	0	—	—	—	—	—
2025/4/7 10:20	0	0	0.1	0	0	—	—	—	—	—
2025/4/7 10:30	0	0	0.1	0	0	—	—	—	—	—
2025/4/7 10:40	0	0	0.1	0	0	—	—	—	—	—
2025/4/7 10:50	0	0	0.1	0	0	—	—	—	—	—
2025/4/7 11:00	0	0	0.1	0	0	88	86	102	75	88
2025/4/7 11:10	0	0	0.1	0	0	—	—	—	—	—
2025/4/7 11:20	0	0	0.1	0	0	—	—	—	—	—
2025/4/7 11:30	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/7 11:40	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/7 11:50	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/7 12:00	0.1	0	0.1	0	0	40	54	66	42	35
2025/4/7 12:10	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/7 12:20	0.1	0	0.1	0	0.1	—	—	—	—	—
2025/4/7 12:30	0.1	0	0.1	0	0.1	—	—	—	—	—
2025/4/7 12:40	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/7 12:50	0.1	0	0	0	0	—	—	—	—	—
2025/4/7 13:00	0.1	0	0	0	0	135	140	127	135	154
2025/4/7 13:10	0	0	0	0	0	—	—	—	—	—
2025/4/7 13:20	0	0	0	0	0	—	—	—	—	—
2025/4/7 13:30	0	0	0	0	0	—	—	—	—	—
2025/4/7 13:40	0	0	0	0	0	—	—	—	—	—
2025/4/7 13:50	0.1	0	0	0	0	—	—	—	—	—
2025/4/7 14:00	0.1	0	0	0	0	120	114	120	126	135
2025/4/7 14:10	0	0	0	0	0	—	—	—	—	—
2025/4/7 14:20	0.1	0	0	0	0	—	—	—	—	—
2025/4/7 14:30	0	0	0	0	0	—	—	—	—	—
2025/4/7 14:40	0	0	0	0	0	—	—	—	—	—
2025/4/7 14:50	0	0	0	0	0	—	—	—	—	—
2025/4/7 15:00	0	0	0	0	0	88	87	75	87	95
2025/4/7 15:10	0	0	0	0	0	—	—	—	—	—
2025/4/7 15:20	0	0	0	0	0	—	—	—	—	—
2025/4/7 15:30	0	0	0	0	0	—	—	—	—	—
2025/4/7 15:40	0	0	0	0	0	—	—	—	—	—
2025/4/7 15:50	0	0	0	0	0	—	—	—	—	—
2025/4/7 16:00	0	0	0	0	0	120	115	128	135	135
2025/4/7 16:10	0	0	0	0	0	—	—	—	—	—
2025/4/7 16:20	0	0	0	0	0	—	—	—	—	—
2025/4/7 16:30	0	0	0	0	0	—	—	—	—	—
2025/4/7 16:40	0	0	0	0	0	—	—	—	—	—
2025/4/7 16:50	0	0	0	0	0	—	—	—	—	—
2025/4/7 17:00	0	0	0	0	0	95	87	81	75	108
2025/4/7 17:10	0	0	0	0	0	—	—	—	—	—
2025/4/7 17:20	0	0	0	0	0	—	—	—	—	—
2025/4/7 17:30	0	0	0	0	0	—	—	—	—	—
2025/4/7 17:40	0	0	0	0	0	—	—	—	—	—
2025/4/7 17:50	0	0	0	0	0	—	—	—	—	—
2025/4/7 18:00	0	0	0	0	0	115	94	173	153	128
2025/4/7 18:10	0	0	0	0	0	—	—	—	—	—
2025/4/7 18:20	0	0	0	0	0	—	—	—	—	—
2025/4/7 18:30	0	0	0	0	0	—	—	—	—	—
2025/4/7 18:40	0	0	0	0	0	—	—	—	—	—
2025/4/7 18:50	0	0	0	0	0	—	—	—	—	—
2025/4/7 19:00	0	0	0	0	0	108	101	180	100	120
2025/4/7 19:10	0	0	0	0	0	—	—	—	—	—
2025/4/7 19:20	0	0	0	0	0	—	—	—	—	—
2025/4/7 19:30	0	0	0	0	0	—	—	—	—	—
2025/4/7 19:40	0	0	0	0	0	—	—	—	—	—
2025/4/7 19:50	0	0	0	0	0	—	—	—	—	—
2025/4/7 20:00	0	0	0	0	0	121	128	127	186	120
2025/4/7 20:10	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/7 20:20	0	0	0	0	0	—	—	—	—	—
2025/4/7 20:30	0	0	0	0	0	—	—	—	—	—
2025/4/7 20:40	0	0	0	0	0	—	—	—	—	—
2025/4/7 20:50	0	0	0	0	0	—	—	—	—	—
2025/4/7 21:00	0	0	0	0	0	88	86	198	106	95
2025/4/7 21:10	0	0	0	0	0	—	—	—	—	—
2025/4/7 21:20	0	0	0	0	0	—	—	—	—	—
2025/4/7 21:30	0	0	0	0	0	—	—	—	—	—
2025/4/7 21:40	0	0	0	0	0	—	—	—	—	—
2025/4/7 21:50	0	0	0	0	0	—	—	—	—	—
2025/4/7 22:00	0	0	0	0	0	74	67	120	100	88
2025/4/7 22:10	0	0	0	0	0	—	—	—	—	—
2025/4/7 22:20	0	0	0	0	0	—	—	—	—	—
2025/4/7 22:30	0	0	0	0	0	—	—	—	—	—
2025/4/7 22:40	0	0	0	0	0	—	—	—	—	—
2025/4/7 22:50	0	0	0	0	0	—	—	—	—	—
2025/4/7 23:00	0	0	0	0	0	180	120	198	120	280
2025/4/7 23:10	0	0	0	0	0	—	—	—	—	—
2025/4/7 23:20	0	0	0	0	0	—	—	—	—	—
2025/4/7 23:30	0	0	0	0	0	—	—	—	—	—
2025/4/7 23:40	0	0	0	0	0	—	—	—	—	—
2025/4/7 23:50	0	0	0	0	0	—	—	—	—	—
2025/4/8 0:00	0	0	0	0	0	55	260	93	107	60
2025/4/8 0:10	0	0	0	0	0	—	—	—	—	—
2025/4/8 0:20	0	0	0	0	0	—	—	—	—	—
2025/4/8 0:30	0	0	0	0	0	—	—	—	—	—
2025/4/8 0:40	0	0	0	0	0	—	—	—	—	—
2025/4/8 0:50	0	0	0	0	0	—	—	—	—	—
2025/4/8 1:00	0	0	0	0	0	74	107	60	73	88
2025/4/8 1:10	0	0	0	0	0	—	—	—	—	—
2025/4/8 1:20	0	0	0	0	0	—	—	—	—	—
2025/4/8 1:30	0	0	0	0	0	—	—	—	—	—
2025/4/8 1:40	0	0	0	0	0	—	—	—	—	—
2025/4/8 1:50	0	0	0	0	0	—	—	—	—	—
2025/4/8 2:00	0	0	0	0	0	66	61	113	260	75
2025/4/8 2:10	0	0	0	0	0	—	—	—	—	—
2025/4/8 2:20	0	0	0	0	0	—	—	—	—	—
2025/4/8 2:30	0	0	0	0	0	—	—	—	—	—
2025/4/8 2:40	0	0	0	0	0	—	—	—	—	—
2025/4/8 2:50	0	0	0	0	0	—	—	—	—	—
2025/4/8 3:00	0	0	0	0	0	68	102	68	82	74
2025/4/8 3:10	0	0	0	0	0	—	—	—	—	—
2025/4/8 3:20	0	0	0	0	0	—	—	—	—	—
2025/4/8 3:30	0	0	0	0	0	—	—	—	—	—
2025/4/8 3:40	0	0	0	0	0	—	—	—	—	—
2025/4/8 3:50	0	0	0	0	0	—	—	—	—	—
2025/4/8 4:00	0	0	0	0	0	73	80	120	200	80
2025/4/8 4:10	0	0	0	0	0	—	—	—	—	—
2025/4/8 4:20	0	0	0	0	0	—	—	—	—	—
2025/4/8 4:30	0	0	0	0	0	—	—	—	—	—
2025/4/8 4:40	0	0	0	0	0	—	—	—	—	—
2025/4/8 4:50	0	0	0	0	0	—	—	—	—	—
2025/4/8 5:00	0	0	0	0	0	200	180	140	146	101
2025/4/8 5:10	0	0	0	0	0	—	—	—	—	—
2025/4/8 5:20	0	0	0	0	0	—	—	—	—	—
2025/4/8 5:30	0	0	0	0	0	—	—	—	—	—
2025/4/8 5:40	0	0	0	0	0	—	—	—	—	—
2025/4/8 5:50	0	0	0	0	0	—	—	—	—	—
2025/4/8 6:00	0	0	0	0	0	115	120	160	115	135
2025/4/8 6:10	0	0	0	0	0	—	—	—	—	—
2025/4/8 6:20	0	0	0	0	0	—	—	—	—	—
2025/4/8 6:30	0	0	0	0	0	—	—	—	—	—
2025/4/8 6:40	0	0	0	0	0	—	—	—	—	—
2025/4/8 6:50	0	0	0	0	0	—	—	—	—	—
2025/4/8 7:00	0	0	0	0	0	143	128	200	126	180
2025/4/8 7:10	0	0	0	0	0	—	—	—	—	—
2025/4/8 7:20	0	0	0	0	0	—	—	—	—	—
2025/4/8 7:30	0	0	0	0	0	—	—	—	—	—
2025/4/8 7:40	0	0	0	0.1	0	—	—	—	—	—
2025/4/8 7:50	0	0	0	0.1	0	—	—	—	—	—
2025/4/8 8:00	0	0	0	0.1	0	120	115	148	128	148
2025/4/8 8:10	0	0	0	0.1	0	—	—	—	—	—
2025/4/8 8:20	0	0	0	0.1	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/8 8:30	0	0	0	0.1	0	—	—	—	—	—
2025/4/8 8:40	0	0	0	0.1	0	—	—	—	—	—
2025/4/8 8:50	0	0	0	0.1	0	—	—	—	—	—
2025/4/8 9:00	0	0	0.1	0.1	0	135	113	206	107	134
2025/4/8 9:10	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/8 9:20	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/8 9:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/8 9:40	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/8 9:50	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/8 10:00	0	0	0.1	0.1	0	128	120	141	108	220
2025/4/8 10:10	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/8 10:20	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/8 10:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/8 10:40	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/8 10:50	0	0	0.1	0	0	—	—	—	—	—
2025/4/8 11:00	0.1	0	0.1	0	0	168	135	273	102	244
2025/4/8 11:10	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/8 11:20	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/8 11:30	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/8 11:40	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/8 11:50	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/8 12:00	0.1	0	0.1	0	0	174	160	218	173	181
2025/4/8 12:10	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/8 12:20	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/8 12:30	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/8 12:40	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/8 12:50	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/8 13:00	0.1	0	0.1	0	0	187	233	299	168	186
2025/4/8 13:10	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/8 13:20	0.1	0	0	0	0	—	—	—	—	—
2025/4/8 13:30	0.1	0	0	0	0	—	—	—	—	—
2025/4/8 13:40	0.1	0	0	0	0	—	—	—	—	—
2025/4/8 13:50	0.1	0	0	0	0	—	—	—	—	—
2025/4/8 14:00	0.1	0	0	0	0	148	166	172	134	174
2025/4/8 14:10	0.1	0	0	0	0	—	—	—	—	—
2025/4/8 14:20	0.1	0	0	0	0	—	—	—	—	—
2025/4/8 14:30	0.1	0	0	0	0	—	—	—	—	—
2025/4/8 14:40	0.1	0	0	0	0	—	—	—	—	—
2025/4/8 14:50	0.1	0	0	0	0	—	—	—	—	—
2025/4/8 15:00	0.1	0	0	0	0	155	128	181	115	200
2025/4/8 15:10	0.1	0	0	0	0	—	—	—	—	—
2025/4/8 15:20	0	0	0	0	0	—	—	—	—	—
2025/4/8 15:30	0	0	0	0	0	—	—	—	—	—
2025/4/8 15:40	0	0	0	0	0	—	—	—	—	—
2025/4/8 15:50	0	0	0	0	0	—	—	—	—	—
2025/4/8 16:00	0	0	0	0	0	161	121	324	101	127
2025/4/8 16:10	0	0	0	0	0	—	—	—	—	—
2025/4/8 16:20	0	0	0	0	0	—	—	—	—	—
2025/4/8 16:30	0	0	0	0	0	—	—	—	—	—
2025/4/8 16:40	0	0	0	0	0	—	—	—	—	—
2025/4/8 16:50	0	0	0	0	0	—	—	—	—	—
2025/4/8 17:00	0	0	0	0	0	141	128	304	87	121
2025/4/8 17:10	0	0	0	0	0	—	—	—	—	—
2025/4/8 17:20	0	0	0	0	0	—	—	—	—	—
2025/4/8 17:30	0	0	0	0	0	—	—	—	—	—
2025/4/8 17:40	0	0	0	0	0	—	—	—	—	—
2025/4/8 17:50	0	0	0	0	0	—	—	—	—	—
2025/4/8 18:00	0	0	0	0	0	106	155	298	87	100
2025/4/8 18:10	0	0	0	0	0	—	—	—	—	—
2025/4/8 18:20	0	0	0	0	0	—	—	—	—	—
2025/4/8 18:30	0	0	0	0	0	—	—	—	—	—
2025/4/8 18:40	0	0	0	0	0	—	—	—	—	—
2025/4/8 18:50	0	0	0	0	0	—	—	—	—	—
2025/4/8 19:00	0	0	0	0	0	114	126	266	75	87
2025/4/8 19:10	0	0	0	0	0	—	—	—	—	—
2025/4/8 19:20	0	0	0	0	0	—	—	—	—	—
2025/4/8 19:30	0	0	0	0	0	—	—	—	—	—
2025/4/8 19:40	0	0	0	0	0	—	—	—	—	—
2025/4/8 19:50	0	0	0	0	0	—	—	—	—	—
2025/4/8 20:00	0	0	0	0	0	87	239	94	106	93
2025/4/8 20:10	0	0	0	0	0	—	—	—	—	—
2025/4/8 20:20	0	0	0	0	0	—	—	—	—	—
2025/4/8 20:30	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/8 20:40	0	0	0	0	0	—	—	—	—	—
2025/4/8 20:50	0	0	0	0	0	—	—	—	—	—
2025/4/8 21:00	0	0	0	0	0	80	127	88	101	82
2025/4/8 21:10	0	0	0	0	0	—	—	—	—	—
2025/4/8 21:20	0	0	0	0	0	—	—	—	—	—
2025/4/8 21:30	0	0	0	0	0	—	—	—	—	—
2025/4/8 21:40	0	0	0	0	0	—	—	—	—	—
2025/4/8 21:50	0	0	0	0	0	—	—	—	—	—
2025/4/8 22:00	0	0	0	0	0	140	268	155	128	115
2025/4/8 22:10	0	0	0	0	0	—	—	—	—	—
2025/4/8 22:20	0	0	0	0	0	—	—	—	—	—
2025/4/8 22:30	0	0	0	0	0	—	—	—	—	—
2025/4/8 22:40	0	0	0	0	0	—	—	—	—	—
2025/4/8 22:50	0	0	0	0	0	—	—	—	—	—
2025/4/8 23:00	0	0	0	0	0	108	206	128	140	121
2025/4/8 23:10	0	0	0	0	0	—	—	—	—	—
2025/4/8 23:20	0	0	0	0	0	—	—	—	—	—
2025/4/8 23:30	0	0	0	0	0	—	—	—	—	—
2025/4/8 23:40	0	0	0	0	0	—	—	—	—	—
2025/4/8 23:50	0	0	0	0	0	—	—	—	—	—
2025/4/9 0:00	0	0	0	0	0	93	88	154	88	90
2025/4/9 0:10	0	0	0	0	0	—	—	—	—	—
2025/4/9 0:20	0	0	0	0	0	—	—	—	—	—
2025/4/9 0:30	0	0	0	0	0	—	—	—	—	—
2025/4/9 0:40	0	0	0	0	0	—	—	—	—	—
2025/4/9 0:50	0	0	0	0	0	—	—	—	—	—
2025/4/9 1:00	0	0	0	0	0	102	95	168	108	100
2025/4/9 1:10	0	0	0	0	0	—	—	—	—	—
2025/4/9 1:20	0	0	0	0	0	—	—	—	—	—
2025/4/9 1:30	0	0	0	0	0	—	—	—	—	—
2025/4/9 1:40	0	0	0	0	0	—	—	—	—	—
2025/4/9 1:50	0	0	0	0	0	—	—	—	—	—
2025/4/9 2:00	0	0	0	0	0	160	166	174	186	148
2025/4/9 2:10	0	0	0	0	0	—	—	—	—	—
2025/4/9 2:20	0	0	0	0	0	—	—	—	—	—
2025/4/9 2:30	0	0	0	0	0	—	—	—	—	—
2025/4/9 2:40	0	0	0	0	0	—	—	—	—	—
2025/4/9 2:50	0	0	0	0	0	—	—	—	—	—
2025/4/9 3:00	0	0	0	0	0	199	205	188	226	128
2025/4/9 3:10	0	0	0	0	0	—	—	—	—	—
2025/4/9 3:20	0	0	0	0	0	—	—	—	—	—
2025/4/9 3:30	0	0	0	0	0	—	—	—	—	—
2025/4/9 3:40	0	0	0	0	0	—	—	—	—	—
2025/4/9 3:50	0	0	0	0	0	—	—	—	—	—
2025/4/9 4:00	0	0	0	0	0	260	168	147	161	213
2025/4/9 4:10	0	0	0	0	0	—	—	—	—	—
2025/4/9 4:20	0	0	0	0	0	—	—	—	—	—
2025/4/9 4:30	0	0	0	0	0	—	—	—	—	—
2025/4/9 4:40	0	0	0	0	0	—	—	—	—	—
2025/4/9 4:50	0	0	0	0	0	—	—	—	—	—
2025/4/9 5:00	0	0	0	0	0	95	101	291	114	88
2025/4/9 5:10	0	0	0	0	0	—	—	—	—	—
2025/4/9 5:20	0	0	0	0	0	—	—	—	—	—
2025/4/9 5:30	0	0	0	0	0	—	—	—	—	—
2025/4/9 5:40	0	0	0	0	0	—	—	—	—	—
2025/4/9 5:50	0	0	0	0	0	—	—	—	—	—
2025/4/9 6:00	0	0	0	0	0	108	135	120	115	95
2025/4/9 6:10	0	0	0	0	0	—	—	—	—	—
2025/4/9 6:20	0	0	0	0	0	—	—	—	—	—
2025/4/9 6:30	0	0	0	0	0	—	—	—	—	—
2025/4/9 6:40	0	0	0	0.1	0	—	—	—	—	—
2025/4/9 6:50	0	0	0	0.1	0	—	—	—	—	—
2025/4/9 7:00	0	0	0	0.1	0	140	128	108	154	108
2025/4/9 7:10	0	0	0	0.1	0	—	—	—	—	—
2025/4/9 7:20	0	0	0	0.1	0	—	—	—	—	—
2025/4/9 7:30	0	0	0	0.1	0	—	—	—	—	—
2025/4/9 7:40	0	0	0	0.1	0	—	—	—	—	—
2025/4/9 7:50	0	0	0	0.1	0	—	—	—	—	—
2025/4/9 8:00	0	0	0	0.1	0	114	141	107	253	106
2025/4/9 8:10	0	0	0	0.1	0	—	—	—	—	—
2025/4/9 8:20	0	0	0	0.1	0	—	—	—	—	—
2025/4/9 8:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/9 8:40	0	0	0.1	0.1	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/9 8:50	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/9 9:00	0	0	0.1	0.1	0	107	114	54	101	47
2025/4/9 9:10	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/9 9:20	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/9 9:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/9 9:40	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/9 9:50	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/9 10:00	0	0	0.1	0.1	0	119	121	108	161	101
2025/4/9 10:10	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/9 10:20	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/9 10:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/9 10:40	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/9 10:50	0	0	0.1	0	0	—	—	—	—	—
2025/4/9 11:00	0	0	0.1	0	0	147	134	127	198	120
2025/4/9 11:10	0	0	0.1	0	0	—	—	—	—	—
2025/4/9 11:20	0	0	0.1	0	0	—	—	—	—	—
2025/4/9 11:30	0	0	0.1	0	0	—	—	—	—	—
2025/4/9 11:40	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/9 11:50	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/9 12:00	0.1	0	0.1	0	0.1	153	187	155	218	160
2025/4/9 12:10	0.1	0	0.1	0	0.1	—	—	—	—	—
2025/4/9 12:20	0.1	0	0.1	0	0.1	—	—	—	—	—
2025/4/9 12:30	0.1	0	0.1	0	0.1	—	—	—	—	—
2025/4/9 12:40	0.1	0	0.1	0	0.1	—	—	—	—	—
2025/4/9 12:50	0.1	0	0.1	0	0.1	—	—	—	—	—
2025/4/9 13:00	0.1	0	0.1	0	0.1	114	133	148	245	153
2025/4/9 13:10	0.1	0	0	0	0.1	—	—	—	—	—
2025/4/9 13:20	0.1	0	0	0	0.1	—	—	—	—	—
2025/4/9 13:30	0.1	0	0	0	0.1	—	—	—	—	—
2025/4/9 13:40	0.2	0	0	0	0.1	—	—	—	—	—
2025/4/9 13:50	0.2	0	0	0	0.1	—	—	—	—	—
2025/4/9 14:00	0.2	0	0	0	0.1	134	147	121	19	126
2025/4/9 14:10	0.2	0	0	0	0.1	—	—	—	—	—
2025/4/9 14:20	0.2	0	0	0	0.1	—	—	—	—	—
2025/4/9 14:30	0.2	0	0	0	0.1	—	—	—	—	—
2025/4/9 14:40	0.2	0	0	0	0.1	—	—	—	—	—
2025/4/9 14:50	0.2	0	0	0	0	—	—	—	—	—
2025/4/9 15:00	0.2	0	0	0	0	126	139	147	188	133
2025/4/9 15:10	0.2	0	0	0	0	—	—	—	—	—
2025/4/9 15:20	0.2	0.1	0	0	0	—	—	—	—	—
2025/4/9 15:30	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/9 15:40	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/9 15:50	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/9 16:00	0.1	0.1	0	0	0	141	134	205	141	127
2025/4/9 16:10	0	0.1	0	0	0	—	—	—	—	—
2025/4/9 16:20	0	0.1	0	0	0	—	—	—	—	—
2025/4/9 16:30	0	0.1	0	0	0	—	—	—	—	—
2025/4/9 16:40	0	0.1	0	0	0	—	—	—	—	—
2025/4/9 16:50	0	0.1	0	0	0	—	—	—	—	—
2025/4/9 17:00	0	0.1	0	0	0	141	127	198	114	207
2025/4/9 17:10	0	0.1	0	0	0	—	—	—	—	—
2025/4/9 17:20	0	0	0	0	0	—	—	—	—	—
2025/4/9 17:30	0	0	0	0	0	—	—	—	—	—
2025/4/9 17:40	0	0	0	0	0	—	—	—	—	—
2025/4/9 17:50	0	0	0	0	0	—	—	—	—	—
2025/4/9 18:00	0	0	0	0	0	121	134	238	106	187
2025/4/9 18:10	0	0	0	0	0	—	—	—	—	—
2025/4/9 18:20	0	0	0	0	0	—	—	—	—	—
2025/4/9 18:30	0	0	0	0	0	—	—	—	—	—
2025/4/9 18:40	0	0	0	0	0	—	—	—	—	—
2025/4/9 18:50	0	0	0	0	0	—	—	—	—	—
2025/4/9 19:00	0	0	0	0	0	115	120	227	127	213
2025/4/9 19:10	0	0	0	0	0	—	—	—	—	—
2025/4/9 19:20	0	0	0	0	0	—	—	—	—	—
2025/4/9 19:30	0	0	0	0	0	—	—	—	—	—
2025/4/9 19:40	0	0	0	0	0	—	—	—	—	—
2025/4/9 19:50	0	0	0	0	0	—	—	—	—	—
2025/4/9 20:00	0	0	0	0	0	207	200	250	108	212
2025/4/9 20:10	0	0	0	0	0	—	—	—	—	—
2025/4/9 20:20	0	0	0	0	0	—	—	—	—	—
2025/4/9 20:30	0	0	0	0	0	—	—	—	—	—
2025/4/9 20:40	0	0	0	0	0	—	—	—	—	—
2025/4/9 20:50	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/9 21:00	0	0	0	0	0	126	102	180	115	200
2025/4/9 21:10	0	0	0	0	0	—	—	—	—	—
2025/4/9 21:20	0	0	0	0	0	—	—	—	—	—
2025/4/9 21:30	0	0	0	0	0	—	—	—	—	—
2025/4/9 21:40	0	0	0	0	0	—	—	—	—	—
2025/4/9 21:50	0	0	0	0	0	—	—	—	—	—
2025/4/9 22:00	0	0	0	0	0	95	82	148	95	194
2025/4/9 22:10	0	0	0	0	0	—	—	—	—	—
2025/4/9 22:20	0	0	0	0	0	—	—	—	—	—
2025/4/9 22:30	0	0	0	0	0	—	—	—	—	—
2025/4/9 22:40	0	0	0	0	0	—	—	—	—	—
2025/4/9 22:50	0	0	0	0	0	—	—	—	—	—
2025/4/9 23:00	0	0	0	0	0	101	102	193	134	154
2025/4/9 23:10	0	0	0	0	0	—	—	—	—	—
2025/4/9 23:20	0	0	0	0	0	—	—	—	—	—
2025/4/9 23:30	0	0	0	0	0	—	—	—	—	—
2025/4/9 23:40	0	0	0	0	0	—	—	—	—	—
2025/4/9 23:50	0	0	0	0	0	—	—	—	—	—
2025/4/10 0:00	0	0	0	0	0	135	100	317	114	240
2025/4/10 0:10	0	0	0	0	0	—	—	—	—	—
2025/4/10 0:20	0	0	0	0	0	—	—	—	—	—
2025/4/10 0:30	0	0	0	0	0	—	—	—	—	—
2025/4/10 0:40	0	0	0	0	0	—	—	—	—	—
2025/4/10 0:50	0	0	0	0	0	—	—	—	—	—
2025/4/10 1:00	0	0	0	0	0	106	88	200	106	200
2025/4/10 1:10	0	0	0	0	0	—	—	—	—	—
2025/4/10 1:20	0	0	0	0	0	—	—	—	—	—
2025/4/10 1:30	0	0	0	0	0	—	—	—	—	—
2025/4/10 1:40	0	0	0	0	0	—	—	—	—	—
2025/4/10 1:50	0	0	0	0	0	—	—	—	—	—
2025/4/10 2:00	0	0	0	0	0	173	75	199	102	146
2025/4/10 2:10	0	0	0	0	0	—	—	—	—	—
2025/4/10 2:20	0	0	0	0	0	—	—	—	—	—
2025/4/10 2:30	0	0	0	0	0	—	—	—	—	—
2025/4/10 2:40	0	0	0	0	0	—	—	—	—	—
2025/4/10 2:50	0	0	0	0	0	—	—	—	—	—
2025/4/10 3:00	0	0	0	0	0	87	102	115	94	87
2025/4/10 3:10	0	0	0	0	0	—	—	—	—	—
2025/4/10 3:20	0	0	0	0	0	—	—	—	—	—
2025/4/10 3:30	0	0	0	0	0	—	—	—	—	—
2025/4/10 3:40	0	0	0	0	0	—	—	—	—	—
2025/4/10 3:50	0	0	0	0	0	—	—	—	—	—
2025/4/10 4:00	0	0	0	0	0	86	102	86	113	88
2025/4/10 4:10	0	0	0	0	0	—	—	—	—	—
2025/4/10 4:20	0	0	0	0	0	—	—	—	—	—
2025/4/10 4:30	0	0	0	0	0	—	—	—	—	—
2025/4/10 4:40	0	0	0	0	0	—	—	—	—	—
2025/4/10 4:50	0	0	0	0	0	—	—	—	—	—
2025/4/10 5:00	0	0	0	0	0	86	82	86	87	88
2025/4/10 5:10	0	0	0	0	0	—	—	—	—	—
2025/4/10 5:20	0	0	0	0	0	—	—	—	—	—
2025/4/10 5:30	0	0	0	0	0	—	—	—	—	—
2025/4/10 5:40	0	0	0	0	0	—	—	—	—	—
2025/4/10 5:50	0	0	0	0	0	—	—	—	—	—
2025/4/10 6:00	0	0	0	0	0	93	66	88	140	102
2025/4/10 6:10	0	0	0	0	0	—	—	—	—	—
2025/4/10 6:20	0	0	0	0	0	—	—	—	—	—
2025/4/10 6:30	0	0	0	0	0	—	—	—	—	—
2025/4/10 6:40	0	0	0	0	0	—	—	—	—	—
2025/4/10 6:50	0	0	0	0	0	—	—	—	—	—
2025/4/10 7:00	0	0	0	0	0	82	87	82	120	82
2025/4/10 7:10	0	0	0	0	0	—	—	—	—	—
2025/4/10 7:20	0	0	0	0	0	—	—	—	—	—
2025/4/10 7:30	0	0	0	0	0	—	—	—	—	—
2025/4/10 7:40	0	0	0	0	0	—	—	—	—	—
2025/4/10 7:50	0	0	0	0	0	—	—	—	—	—
2025/4/10 8:00	0	0	0	0	0	94	94	73	134	101
2025/4/10 8:10	0	0	0	0	0	—	—	—	—	—
2025/4/10 8:20	0	0	0	0	0	—	—	—	—	—
2025/4/10 8:30	0	0	0	0	0	—	—	—	—	—
2025/4/10 8:40	0	0	0	0	0	—	—	—	—	—
2025/4/10 8:50	0	0	0	0	0	—	—	—	—	—
2025/4/10 9:00	0	0	0	0	0	134	103	93	86	115

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/10 9:10	0	0	0	0	0	—	—	—	—	—
2025/4/10 9:20	0	0	0	0	0	—	—	—	—	—
2025/4/10 9:30	0	0	0	0	0	—	—	—	—	—
2025/4/10 9:40	0	0	0	0	0	—	—	—	—	—
2025/4/10 9:50	0	0	0	0	0	—	—	—	—	—
2025/4/10 10:00	0	0	0	0	0	148	146	207	146	154
2025/4/10 10:10	0	0	0	0	0	—	—	—	—	—
2025/4/10 10:20	0	0	0	0	0	—	—	—	—	—
2025/4/10 10:30	0	0	0	0	0	—	—	—	—	—
2025/4/10 10:40	0	0	0	0	0	—	—	—	—	—
2025/4/10 10:50	0	0	0	0	0	—	—	—	—	—
2025/4/10 11:00	0	0	0	0	0	133	114	113	107	126
2025/4/10 11:10	0	0	0	0	0	—	—	—	—	—
2025/4/10 11:20	0	0	0	0	0	—	—	—	—	—
2025/4/10 11:30	0	0	0	0	0	—	—	—	—	—
2025/4/10 11:40	0.1	0	0	0	0	—	—	—	—	—
2025/4/10 11:50	0.1	0	0	0	0	—	—	—	—	—
2025/4/10 12:00	0.1	0	0	0	0	172	198	126	127	141
2025/4/10 12:10	0.1	0	0	0	0	—	—	—	—	—
2025/4/10 12:20	0.1	0	0	0	0	—	—	—	—	—
2025/4/10 12:30	0.1	0	0	0	0	—	—	—	—	—
2025/4/10 12:40	0.1	0	0	0	0	—	—	—	—	—
2025/4/10 12:50	0.1	0	0	0	0	—	—	—	—	—
2025/4/10 13:00	0.1	0	0	0	0	168	126	133	140	154
2025/4/10 13:10	0.1	0	0	0	0	—	—	—	—	—
2025/4/10 13:20	0.1	0	0	0	0	—	—	—	—	—
2025/4/10 13:30	0.1	0	0	0	0	—	—	—	—	—
2025/4/10 13:40	0.1	0	0	0	0	—	—	—	—	—
2025/4/10 13:50	0.1	0	0	0	0	—	—	—	—	—
2025/4/10 14:00	0.1	0	0	0	0	120	126	139	115	161
2025/4/10 14:10	0.1	0	0	0	0	—	—	—	—	—
2025/4/10 14:20	0.1	0	0	0	0	—	—	—	—	—
2025/4/10 14:30	0	0	0	0	0	—	—	—	—	—
2025/4/10 14:40	0	0	0	0	0	—	—	—	—	—
2025/4/10 14:50	0	0	0	0	0	—	—	—	—	—
2025/4/10 15:00	0	0	0	0	0	140	100	115	167	163
2025/4/10 15:10	0	0	0	0	0	—	—	—	—	—
2025/4/10 15:20	0	0	0	0	0	—	—	—	—	—
2025/4/10 15:30	0	0	0	0	0	—	—	—	—	—
2025/4/10 15:40	0	0	0	0	0	—	—	—	—	—
2025/4/10 15:50	0	0	0	0	0	—	—	—	—	—
2025/4/10 16:00	0	0	0	0	0	119	126	87	95	101
2025/4/10 16:10	0	0	0	0	0	—	—	—	—	—
2025/4/10 16:20	0	0	0	0	0	—	—	—	—	—
2025/4/10 16:30	0	0	0	0	0	—	—	—	—	—
2025/4/10 16:40	0	0	0	0	0	—	—	—	—	—
2025/4/10 16:50	0	0	0	0	0	—	—	—	—	—
2025/4/10 17:00	0	0	0	0	0	93	73	85	73	127
2025/4/10 17:10	0	0	0	0	0	—	—	—	—	—
2025/4/10 17:20	0	0	0	0	0	—	—	—	—	—
2025/4/10 17:30	0	0	0	0	0	—	—	—	—	—
2025/4/10 17:40	0	0	0	0	0	—	—	—	—	—
2025/4/10 17:50	0	0	0	0	0	—	—	—	—	—
2025/4/10 18:00	0	0	0	0	0	121	62	47	82	82
2025/4/10 18:10	0	0	0	0	0	—	—	—	—	—
2025/4/10 18:20	0	0	0	0	0	—	—	—	—	—
2025/4/10 18:30	0	0	0	0	0	—	—	—	—	—
2025/4/10 18:40	0	0	0	0	0	—	—	—	—	—
2025/4/10 18:50	0	0	0	0	0	—	—	—	—	—
2025/4/10 19:00	0	0	0	0	0	94	198	101	115	134
2025/4/10 19:10	0	0	0	0	0	—	—	—	—	—
2025/4/10 19:20	0	0	0	0	0	—	—	—	—	—
2025/4/10 19:30	0	0	0	0	0	—	—	—	—	—
2025/4/10 19:40	0	0	0	0	0	—	—	—	—	—
2025/4/10 19:50	0	0	0	0	0	—	—	—	—	—
2025/4/10 20:00	0	0	0	0	0	82	74	213	100	100
2025/4/10 20:10	0	0	0	0	0	—	—	—	—	—
2025/4/10 20:20	0	0	0	0	0	—	—	—	—	—
2025/4/10 20:30	0	0	0	0	0	—	—	—	—	—
2025/4/10 20:40	0	0	0	0	0	—	—	—	—	—
2025/4/10 20:50	0	0	0	0	0	—	—	—	—	—
2025/4/10 21:00	0	0	0	0	0	90	61	120	73	127
2025/4/10 21:10	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/10 21:20	0	0	0	0	0	—	—	—	—	—
2025/4/10 21:30	0	0	0	0	0	—	—	—	—	—
2025/4/10 21:40	0	0	0	0	0	—	—	—	—	—
2025/4/10 21:50	0	0	0	0	0	—	—	—	—	—
2025/4/10 22:00	0	0	0	0	0	53	55	41	140	40
2025/4/10 22:10	0	0	0	0	0	—	—	—	—	—
2025/4/10 22:20	0	0	0	0	0	—	—	—	—	—
2025/4/10 22:30	0	0	0	0	0	—	—	—	—	—
2025/4/10 22:40	0	0	0	0	0	—	—	—	—	—
2025/4/10 22:50	0	0	0	0	0	—	—	—	—	—
2025/4/10 23:00	0	0	0	0	0	120	61	33	47	41
2025/4/10 23:10	0	0	0	0	0	—	—	—	—	—
2025/4/10 23:20	0	0	0	0	0	—	—	—	—	—
2025/4/10 23:30	0	0	0	0	0	—	—	—	—	—
2025/4/10 23:40	0	0	0	0	0	—	—	—	—	—
2025/4/10 23:50	0	0	0	0	0	—	—	—	—	—
2025/4/11 0:00	0	0	0	0	0	34	71	34	220	33
2025/4/11 0:10	0	0	0	0	0	—	—	—	—	—
2025/4/11 0:20	0	0	0	0	0	—	—	—	—	—
2025/4/11 0:30	0	0	0	0	0	—	—	—	—	—
2025/4/11 0:40	0	0	0	0	0	—	—	—	—	—
2025/4/11 0:50	0	0	0	0	0	—	—	—	—	—
2025/4/11 1:00	0	0	0	0	0	33	70	36	132	34
2025/4/11 1:10	0	0	0	0	0	—	—	—	—	—
2025/4/11 1:20	0	0	0	0	0	—	—	—	—	—
2025/4/11 1:30	0	0	0	0	0	—	—	—	—	—
2025/4/11 1:40	0	0	0	0	0	—	—	—	—	—
2025/4/11 1:50	0	0	0	0	0	—	—	—	—	—
2025/4/11 2:00	0	0	0	0	0	33	73	33	147	33
2025/4/11 2:10	0	0	0	0	0	—	—	—	—	—
2025/4/11 2:20	0	0	0	0	0	—	—	—	—	—
2025/4/11 2:30	0	0	0	0	0	—	—	—	—	—
2025/4/11 2:40	0	0	0	0	0	—	—	—	—	—
2025/4/11 2:50	0	0	0	0	0	—	—	—	—	—
2025/4/11 3:00	0	0	0	0	0	46	66	41	131	35
2025/4/11 3:10	0	0	0	0	0	—	—	—	—	—
2025/4/11 3:20	0	0	0	0	0	—	—	—	—	—
2025/4/11 3:30	0	0	0	0	0	—	—	—	—	—
2025/4/11 3:40	0	0	0	0	0	—	—	—	—	—
2025/4/11 3:50	0	0	0	0	0	—	—	—	—	—
2025/4/11 4:00	0	0	0	0	0	198	76	61	74	226
2025/4/11 4:10	0	0	0	0	0	—	—	—	—	—
2025/4/11 4:20	0	0	0	0	0	—	—	—	—	—
2025/4/11 4:30	0	0	0	0	0	—	—	—	—	—
2025/4/11 4:40	0	0	0	0	0	—	—	—	—	—
2025/4/11 4:50	0	0	0	0	0	—	—	—	—	—
2025/4/11 5:00	0	0	0	0	0	64	63	52	216	54
2025/4/11 5:10	0	0	0	0	0	—	—	—	—	—
2025/4/11 5:20	0	0	0	0	0	—	—	—	—	—
2025/4/11 5:30	0	0	0	0	0	—	—	—	—	—
2025/4/11 5:40	0	0	0	0	0	—	—	—	—	—
2025/4/11 5:50	0	0	0	0	0	—	—	—	—	—
2025/4/11 6:00	0	0	0	0	0	45	74	53	81	56
2025/4/11 6:10	0	0	0	0	0	—	—	—	—	—
2025/4/11 6:20	0	0	0	0	0	—	—	—	—	—
2025/4/11 6:30	0	0	0	0	0	—	—	—	—	—
2025/4/11 6:40	0	0	0	0	0	—	—	—	—	—
2025/4/11 6:50	0	0	0	0	0	—	—	—	—	—
2025/4/11 7:00	0	0	0	0	0	56	82	48	93	50
2025/4/11 7:10	0	0	0	0	0	—	—	—	—	—
2025/4/11 7:20	0	0	0	0	0	—	—	—	—	—
2025/4/11 7:30	0	0	0	0	0	—	—	—	—	—
2025/4/11 7:40	0	0	0	0	0	—	—	—	—	—
2025/4/11 7:50	0	0	0	0	0	—	—	—	—	—
2025/4/11 8:00	0	0	0	0	0	93	67	73	88	68
2025/4/11 8:10	0	0	0	0	0	—	—	—	—	—
2025/4/11 8:20	0	0	0	0	0	—	—	—	—	—
2025/4/11 8:30	0	0	0	0	0	—	—	—	—	—
2025/4/11 8:40	0	0	0	0	0	—	—	—	—	—
2025/4/11 8:50	0	0	0	0	0	—	—	—	—	—
2025/4/11 9:00	0	0	0	0	0	67	67	86	82	54
2025/4/11 9:10	0	0	0	0	0	—	—	—	—	—
2025/4/11 9:20	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/11 9:30	0	0	0	0	0	—	—	—	—	—
2025/4/11 9:40	0	0	0	0	0	—	—	—	—	—
2025/4/11 9:50	0	0	0	0	0	—	—	—	—	—
2025/4/11 10:00	0	0	0	0	0	82	175	240	120	140
2025/4/11 10:10	0	0	0	0	0	—	—	—	—	—
2025/4/11 10:20	0	0	0	0	0	—	—	—	—	—
2025/4/11 10:30	0	0	0	0	0	—	—	—	—	—
2025/4/11 10:40	0	0	0	0	0	—	—	—	—	—
2025/4/11 10:50	0	0	0	0	0	—	—	—	—	—
2025/4/11 11:00	0	0	0	0	0	120	250	230	250	175
2025/4/11 11:10	0	0	0	0	0	—	—	—	—	—
2025/4/11 11:20	0	0	0	0	0	—	—	—	—	—
2025/4/11 11:30	0	0	0	0	0	—	—	—	—	—
2025/4/11 11:40	0	0	0	0	0	—	—	—	—	—
2025/4/11 11:50	0	0	0	0	0	—	—	—	—	—
2025/4/11 12:00	0	0	0	0	0	80	126	95	120	60
2025/4/11 12:10	0	0	0	0	0	—	—	—	—	—
2025/4/11 12:20	0	0	0	0	0	—	—	—	—	—
2025/4/11 12:30	0	0	0	0	0	—	—	—	—	—
2025/4/11 12:40	0	0	0	0	0	—	—	—	—	—
2025/4/11 12:50	0	0	0	0	0	—	—	—	—	—
2025/4/11 13:00	0	0	0	0	0	86	88	226	94	140
2025/4/11 13:10	0	0	0	0	0	—	—	—	—	—
2025/4/11 13:20	0	0	0	0	0	—	—	—	—	—
2025/4/11 13:30	0	0	0	0	0	—	—	—	—	—
2025/4/11 13:40	0	0	0	0	0	—	—	—	—	—
2025/4/11 13:50	0	0	0	0	0	—	—	—	—	—
2025/4/11 14:00	0	0	0	0	0	135	193	172	127	180
2025/4/11 14:10	0	0	0	0	0	—	—	—	—	—
2025/4/11 14:20	0.1	0	0	0	0	—	—	—	—	—
2025/4/11 14:30	0.1	0	0	0	0	—	—	—	—	—
2025/4/11 14:40	0.1	0	0	0	0	—	—	—	—	—
2025/4/11 14:50	0.1	0	0	0	0	—	—	—	—	—
2025/4/11 15:00	0.1	0	0	0	0	94	199	251	108	161
2025/4/11 15:10	0.1	0	0	0	0	—	—	—	—	—
2025/4/11 15:20	0.1	0	0	0	0	—	—	—	—	—
2025/4/11 15:30	0.1	0	0	0	0	—	—	—	—	—
2025/4/11 15:40	0	0	0	0	0	—	—	—	—	—
2025/4/11 15:50	0	0	0	0	0	—	—	—	—	—
2025/4/11 16:00	0	0	0	0	0	119	193	260	88	115
2025/4/11 16:10	0	0	0	0	0	—	—	—	—	—
2025/4/11 16:20	0	0	0	0	0	—	—	—	—	—
2025/4/11 16:30	0	0	0	0	0	—	—	—	—	—
2025/4/11 16:40	0	0	0	0	0	—	—	—	—	—
2025/4/11 16:50	0	0	0	0	0	—	—	—	—	—
2025/4/11 17:00	0	0	0	0	0	75	60	126	68	82
2025/4/11 17:10	0	0	0	0	0	—	—	—	—	—
2025/4/11 17:20	0	0	0	0	0	—	—	—	—	—
2025/4/11 17:30	0	0	0	0	0	—	—	—	—	—
2025/4/11 17:40	0	0	0	0	0	—	—	—	—	—
2025/4/11 17:50	0	0	0	0	0	—	—	—	—	—
2025/4/11 18:00	0	0	0	0	0	53	62	200	62	135
2025/4/11 18:10	0	0	0	0	0	—	—	—	—	—
2025/4/11 18:20	0	0	0	0	0	—	—	—	—	—
2025/4/11 18:30	0	0	0	0	0	—	—	—	—	—
2025/4/11 18:40	0	0	0	0	0	—	—	—	—	—
2025/4/11 18:50	0	0	0	0	0	—	—	—	—	—
2025/4/11 19:00	0	0	0	0	0	48	55	140	55	68
2025/4/11 19:10	0	0	0	0	0	—	—	—	—	—
2025/4/11 19:20	0	0	0	0	0	—	—	—	—	—
2025/4/11 19:30	0	0	0	0	0	—	—	—	—	—
2025/4/11 19:40	0	0	0	0	0	—	—	—	—	—
2025/4/11 19:50	0	0	0	0	0	—	—	—	—	—
2025/4/11 20:00	0	0	0	0	0	47	93	46	174	54
2025/4/11 20:10	0	0	0	0	0	—	—	—	—	—
2025/4/11 20:20	0	0	0	0	0	—	—	—	—	—
2025/4/11 20:30	0	0	0	0	0	—	—	—	—	—
2025/4/11 20:40	0	0	0	0	0	—	—	—	—	—
2025/4/11 20:50	0	0	0	0	0	—	—	—	—	—
2025/4/11 21:00	0	0	0	0	0	42	47	95	87	68
2025/4/11 21:10	0	0	0	0	0	—	—	—	—	—
2025/4/11 21:20	0	0	0	0	0	—	—	—	—	—
2025/4/11 21:30	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/11 21:40	0	0	0	0	0	—	—	—	—	—
2025/4/11 21:50	0	0	0	0	0	—	—	—	—	—
2025/4/11 22:00	0	0	0	0	0	60	54	106	66	67
2025/4/11 22:10	0	0	0	0	0	—	—	—	—	—
2025/4/11 22:20	0	0	0	0	0	—	—	—	—	—
2025/4/11 22:30	0	0	0	0	0	—	—	—	—	—
2025/4/11 22:40	0	0	0	0	0	—	—	—	—	—
2025/4/11 22:50	0	0	0	0	0	—	—	—	—	—
2025/4/11 23:00	0	0	0	0	0	53	87	108	115	88
2025/4/11 23:10	0	0	0	0	0	—	—	—	—	—
2025/4/11 23:20	0	0	0	0	0	—	—	—	—	—
2025/4/11 23:30	0	0	0	0	0	—	—	—	—	—
2025/4/11 23:40	0	0	0	0	0	—	—	—	—	—
2025/4/11 23:50	0	0	0	0	0	—	—	—	—	—
2025/4/12 0:00	0	0	0	0	0	55	86	108	107	86
2025/4/12 0:10	0	0	0	0	0	—	—	—	—	—
2025/4/12 0:20	0	0	0	0	0	—	—	—	—	—
2025/4/12 0:30	0	0	0	0	0	—	—	—	—	—
2025/4/12 0:40	0	0	0	0	0	—	—	—	—	—
2025/4/12 0:50	0	0	0	0	0	—	—	—	—	—
2025/4/12 1:00	0	0	0	0	0	68	66	107	75	87
2025/4/12 1:10	0	0	0	0	0	—	—	—	—	—
2025/4/12 1:20	0	0	0	0	0	—	—	—	—	—
2025/4/12 1:30	0	0	0	0	0	—	—	—	—	—
2025/4/12 1:40	0	0	0	0	0	—	—	—	—	—
2025/4/12 1:50	0	0	0	0	0	—	—	—	—	—
2025/4/12 2:00	0	0	0	0	0	56	47	102	74	75
2025/4/12 2:10	0	0	0	0	0	—	—	—	—	—
2025/4/12 2:20	0	0	0	0	0	—	—	—	—	—
2025/4/12 2:30	0	0	0	0	0	—	—	—	—	—
2025/4/12 2:40	0	0	0	0	0	—	—	—	—	—
2025/4/12 2:50	0	0	0	0	0	—	—	—	—	—
2025/4/12 3:00	0	0	0	0	0	66	74	172	101	108
2025/4/12 3:10	0	0	0	0	0	—	—	—	—	—
2025/4/12 3:20	0	0	0	0	0	—	—	—	—	—
2025/4/12 3:30	0	0	0	0	0	—	—	—	—	—
2025/4/12 3:40	0	0	0	0	0	—	—	—	—	—
2025/4/12 3:50	0	0	0	0	0	—	—	—	—	—
2025/4/12 4:00	0	0	0	0	0	74	65	112	89	80
2025/4/12 4:10	0	0	0	0	0	—	—	—	—	—
2025/4/12 4:20	0	0	0	0	0	—	—	—	—	—
2025/4/12 4:30	0	0	0	0	0	—	—	—	—	—
2025/4/12 4:40	0	0	0	0	0	—	—	—	—	—
2025/4/12 4:50	0	0	0	0	0	—	—	—	—	—
2025/4/12 5:00	0	0	0	0	0	66	75	127	81	95
2025/4/12 5:10	0	0	0	0	0	—	—	—	—	—
2025/4/12 5:20	0	0	0	0	0	—	—	—	—	—
2025/4/12 5:30	0	0	0	0	0	—	—	—	—	—
2025/4/12 5:40	0	0	0	0	0	—	—	—	—	—
2025/4/12 5:50	0	0	0	0	0	—	—	—	—	—
2025/4/12 6:00	0	0	0	0	0	48	54	121	60	82
2025/4/12 6:10	0	0	0	0	0	—	—	—	—	—
2025/4/12 6:20	0	0	0	0	0	—	—	—	—	—
2025/4/12 6:30	0	0	0	0	0	—	—	—	—	—
2025/4/12 6:40	0	0	0	0	0	—	—	—	—	—
2025/4/12 6:50	0	0	0	0	0	—	—	—	—	—
2025/4/12 7:00	0	0	0	0	0	54	48	107	62	68
2025/4/12 7:10	0	0	0	0	0	—	—	—	—	—
2025/4/12 7:20	0	0	0	0	0	—	—	—	—	—
2025/4/12 7:30	0	0	0	0	0	—	—	—	—	—
2025/4/12 7:40	0	0	0	0.1	0	—	—	—	—	—
2025/4/12 7:50	0	0	0	0.1	0	—	—	—	—	—
2025/4/12 8:00	0	0	0	0.1	0	48	35	94	48	67
2025/4/12 8:10	0	0	0	0.1	0	—	—	—	—	—
2025/4/12 8:20	0	0	0	0.1	0	—	—	—	—	—
2025/4/12 8:30	0	0	0	0.1	0	—	—	—	—	—
2025/4/12 8:40	0	0	0	0.1	0	—	—	—	—	—
2025/4/12 8:50	0	0	0	0.1	0	—	—	—	—	—
2025/4/12 9:00	0	0	0.1	0.1	0	54	48	231	68	120
2025/4/12 9:10	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/12 9:20	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/12 9:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/12 9:40	0	0	0.1	0.1	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/12 9:50	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/12 10:00	0	0	0.1	0.1	0	82	75	148	80	127
2025/4/12 10:10	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/12 10:20	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/12 10:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/12 10:40	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/12 10:50	0	0	0	0	0	—	—	—	—	—
2025/4/12 11:00	0	0	0.1	0	0	88	107	198	88	168
2025/4/12 11:10	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/12 11:20	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/12 11:30	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/12 11:40	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/12 11:50	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/12 12:00	0.1	0	0	0	0	127	119	106	126	113
2025/4/12 12:10	0.1	0	0	0	0	—	—	—	—	—
2025/4/12 12:20	0.1	0	0	0	0	—	—	—	—	—
2025/4/12 12:30	0.1	0	0	0	0	—	—	—	—	—
2025/4/12 12:40	0.1	0	0	0	0	—	—	—	—	—
2025/4/12 12:50	0.1	0	0	0	0	—	—	—	—	—
2025/4/12 13:00	0.1	0	0	0	0	68	173	120	82	88
2025/4/12 13:10	0.1	0	0	0	0	—	—	—	—	—
2025/4/12 13:20	0.1	0	0	0	0	—	—	—	—	—
2025/4/12 13:30	0.1	0	0	0	0	—	—	—	—	—
2025/4/12 13:40	0.1	0	0	0	0	—	—	—	—	—
2025/4/12 13:50	0.1	0	0	0	0	—	—	—	—	—
2025/4/12 14:00	0.2	0	0	0	0	55	188	188	68	107
2025/4/12 14:10	0.2	0	0	0	0	—	—	—	—	—
2025/4/12 14:20	0.2	0	0	0	0	—	—	—	—	—
2025/4/12 14:30	0.2	0	0	0	0	—	—	—	—	—
2025/4/12 14:40	0.2	0	0	0	0	—	—	—	—	—
2025/4/12 14:50	0.2	0	0	0	0	—	—	—	—	—
2025/4/12 15:00	0.2	0.1	0	0	0	74	397	146	95	153
2025/4/12 15:10	0.2	0.1	0	0	0	—	—	—	—	—
2025/4/12 15:20	0.2	0.1	0	0	0	—	—	—	—	—
2025/4/12 15:30	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/12 15:40	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/12 15:50	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/12 16:00	0.1	0.1	0	0	0	62	80	95	48	140
2025/4/12 16:10	0	0.1	0	0	0	—	—	—	—	—
2025/4/12 16:20	0	0.1	0	0	0	—	—	—	—	—
2025/4/12 16:30	0	0.1	0	0	0	—	—	—	—	—
2025/4/12 16:40	0	0.1	0	0	0	—	—	—	—	—
2025/4/12 16:50	0	0.1	0	0	0	—	—	—	—	—
2025/4/12 17:00	0	0.1	0	0	0	75	101	62	48	135
2025/4/12 17:10	0	0.1	0	0	0	—	—	—	—	—
2025/4/12 17:20	0	0	0	0	0	—	—	—	—	—
2025/4/12 17:30	0	0	0	0	0	—	—	—	—	—
2025/4/12 17:40	0	0	0	0	0	—	—	—	—	—
2025/4/12 17:50	0	0	0	0	0	—	—	—	—	—
2025/4/12 18:00	0	0	0	0	0	48	48	141	21	94
2025/4/12 18:10	0	0	0	0	0	—	—	—	—	—
2025/4/12 18:20	0	0	0	0	0	—	—	—	—	—
2025/4/12 18:30	0	0	0	0	0	—	—	—	—	—
2025/4/12 18:40	0	0	0	0	0	—	—	—	—	—
2025/4/12 18:50	0	0	0	0	0	—	—	—	—	—
2025/4/12 19:00	0	0	0	0	0	34	48	372	22	121
2025/4/12 19:10	0	0	0	0	0	—	—	—	—	—
2025/4/12 19:20	0	0	0	0	0	—	—	—	—	—
2025/4/12 19:30	0	0	0	0	0	—	—	—	—	—
2025/4/12 19:40	0	0	0	0	0	—	—	—	—	—
2025/4/12 19:50	0	0	0	0	0	—	—	—	—	—
2025/4/12 20:00	0	0	0	0	0	62	47	317	33	180
2025/4/12 20:10	0	0	0	0	0	—	—	—	—	—
2025/4/12 20:20	0	0	0	0	0	—	—	—	—	—
2025/4/12 20:30	0	0	0	0	0	—	—	—	—	—
2025/4/12 20:40	0	0	0	0	0	—	—	—	—	—
2025/4/12 20:50	0	0	0	0	0	—	—	—	—	—
2025/4/12 21:00	0	0	0	0	0	33	29	292	15	251
2025/4/12 21:10	0	0	0	0	0	—	—	—	—	—
2025/4/12 21:20	0	0	0	0	0	—	—	—	—	—
2025/4/12 21:30	0	0	0	0	0	—	—	—	—	—
2025/4/12 21:40	0	0	0	0	0	—	—	—	—	—
2025/4/12 21:50	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/12 22:00	0	0	0	0	0	66	41	194	20	73
2025/4/12 22:10	0	0	0	0	0	—	—	—	—	—
2025/4/12 22:20	0	0	0	0	0	—	—	—	—	—
2025/4/12 22:30	0	0	0	0	0	—	—	—	—	—
2025/4/12 22:40	0	0	0	0	0	—	—	—	—	—
2025/4/12 22:50	0	0	0	0	0	—	—	—	—	—
2025/4/12 23:00	0	0	0	0	0	33	35	35	14	159
2025/4/12 23:10	0	0	0	0	0	—	—	—	—	—
2025/4/12 23:20	0	0	0	0	0	—	—	—	—	—
2025/4/12 23:30	0	0	0	0	0	—	—	—	—	—
2025/4/12 23:40	0	0	0	0	0	—	—	—	—	—
2025/4/12 23:50	0	0	0	0	0	—	—	—	—	—
2025/4/13 0:00	0	0	0	0	0	22	27	378	41	93
2025/4/13 0:10	0	0	0	0	0	—	—	—	—	—
2025/4/13 0:20	0	0	0	0	0	—	—	—	—	—
2025/4/13 0:30	0	0	0	0	0	—	—	—	—	—
2025/4/13 0:40	0	0	0	0	0	—	—	—	—	—
2025/4/13 0:50	0	0	0	0	0	—	—	—	—	—
2025/4/13 1:00	0	0	0	0	0	35	29	192	13	68
2025/4/13 1:10	0	0	0	0	0	—	—	—	—	—
2025/4/13 1:20	0	0	0	0	0	—	—	—	—	—
2025/4/13 1:30	0	0	0	0	0	—	—	—	—	—
2025/4/13 1:40	0	0	0	0	0	—	—	—	—	—
2025/4/13 1:50	0	0	0	0	0	—	—	—	—	—
2025/4/13 2:00	0	0	0	0	0	35	40	301	3	102
2025/4/13 2:10	0	0	0	0	0	—	—	—	—	—
2025/4/13 2:20	0	0	0	0	0	—	—	—	—	—
2025/4/13 2:30	0	0	0	0	0	—	—	—	—	—
2025/4/13 2:40	0	0	0	0	0	—	—	—	—	—
2025/4/13 2:50	0	0	0	0	0	—	—	—	—	—
2025/4/13 3:00	0	0	0	0	0	33	28	172	8	82
2025/4/13 3:10	0	0	0	0	0	—	—	—	—	—
2025/4/13 3:20	0	0	0	0	0	—	—	—	—	—
2025/4/13 3:30	0	0	0	0	0	—	—	—	—	—
2025/4/13 3:40	0	0	0	0	0	—	—	—	—	—
2025/4/13 3:50	0	0	0	0	0	—	—	—	—	—
2025/4/13 4:00	0	0	0	0	0	21	35	273	20	113
2025/4/13 4:10	0	0	0	0	0	—	—	—	—	—
2025/4/13 4:20	0	0	0	0	0	—	—	—	—	—
2025/4/13 4:30	0	0	0	0	0	—	—	—	—	—
2025/4/13 4:40	0	0	0	0	0	—	—	—	—	—
2025/4/13 4:50	0	0	0	0	0	—	—	—	—	—
2025/4/13 5:00	0	0	0	0	0	54	27	55	9	61
2025/4/13 5:10	0	0	0	0	0	—	—	—	—	—
2025/4/13 5:20	0	0	0	0	0	—	—	—	—	—
2025/4/13 5:30	0	0	0	0	0	—	—	—	—	—
2025/4/13 5:40	0	0	0	0	0	—	—	—	—	—
2025/4/13 5:50	0	0	0	0	0	—	—	—	—	—
2025/4/13 6:00	0	0	0	0	0	28	22	218	15	101
2025/4/13 6:10	0	0	0	0	0	—	—	—	—	—
2025/4/13 6:20	0	0	0	0	0	—	—	—	—	—
2025/4/13 6:30	0	0	0	0	0	—	—	—	—	—
2025/4/13 6:40	0	0	0	0	0	—	—	—	—	—
2025/4/13 6:50	0	0	0	0	0	—	—	—	—	—
2025/4/13 7:00	0	0	0	0	0	41	14	87	14	120
2025/4/13 7:10	0	0	0	0	0	—	—	—	—	—
2025/4/13 7:20	0	0	0	0	0	—	—	—	—	—
2025/4/13 7:30	0	0	0	0	0	—	—	—	—	—
2025/4/13 7:40	0	0	0	0	0	—	—	—	—	—
2025/4/13 7:50	0	0	0	0	0	—	—	—	—	—
2025/4/13 8:00	0	0	0	0	0	28	54	260	60	40
2025/4/13 8:10	0	0	0	0	0	—	—	—	—	—
2025/4/13 8:20	0	0	0	0	0	—	—	—	—	—
2025/4/13 8:30	0	0	0	0	0	—	—	—	—	—
2025/4/13 8:40	0	0	0	0	0	—	—	—	—	—
2025/4/13 8:50	0	0	0	0	0	—	—	—	—	—
2025/4/13 9:00	0	0	0	0	0	22	48	220	20	48
2025/4/13 9:10	0	0	0	0	0	—	—	—	—	—
2025/4/13 9:20	0	0	0	0	0	—	—	—	—	—
2025/4/13 9:30	0	0	0	0	0	—	—	—	—	—
2025/4/13 9:40	0	0	0	0	0	—	—	—	—	—
2025/4/13 9:50	0	0	0	0	0	—	—	—	—	—
2025/4/13 10:00	0	0	0	0	0	35	40	134	42	33

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/13 10:10	0	0	0	0	0	—	—	—	—	—
2025/4/13 10:20	0	0	0	0	0	—	—	—	—	—
2025/4/13 10:30	0	0	0	0	0	—	—	—	—	—
2025/4/13 10:40	0	0	0	0	0	—	—	—	—	—
2025/4/13 10:50	0	0	0	0	0	—	—	—	—	—
2025/4/13 11:00	0	0	0	0	0	14	21	74	20	22
2025/4/13 11:10	0	0	0	0	0	—	—	—	—	—
2025/4/13 11:20	0	0	0	0	0	—	—	—	—	—
2025/4/13 11:30	0	0	0	0	0	—	—	—	—	—
2025/4/13 11:40	0	0	0	0	0	—	—	—	—	—
2025/4/13 11:50	0	0	0	0	0	—	—	—	—	—
2025/4/13 12:00	0	0	0	0	0	40	48	70	35	146
2025/4/13 12:10	0	0	0	0	0	—	—	—	—	—
2025/4/13 12:20	0	0	0	0	0	—	—	—	—	—
2025/4/13 12:30	0	0	0	0	0	—	—	—	—	—
2025/4/13 12:40	0	0	0	0	0	—	—	—	—	—
2025/4/13 12:50	0	0	0	0	0	—	—	—	—	—
2025/4/13 13:00	0	0	0	0	0	35	46	114	54	28
2025/4/13 13:10	0	0	0	0	0	—	—	—	—	—
2025/4/13 13:20	0	0	0	0	0	—	—	—	—	—
2025/4/13 13:30	0	0	0	0	0	—	—	—	—	—
2025/4/13 13:40	0	0	0	0	0	—	—	—	—	—
2025/4/13 13:50	0	0	0	0	0	—	—	—	—	—
2025/4/13 14:00	0	0	0	0	0	33	55	205	53	67
2025/4/13 14:10	0	0	0	0	0	—	—	—	—	—
2025/4/13 14:20	0	0	0	0	0	—	—	—	—	—
2025/4/13 14:30	0	0	0	0	0	—	—	—	—	—
2025/4/13 14:40	0	0	0	0	0	—	—	—	—	—
2025/4/13 14:50	0	0	0	0	0	—	—	—	—	—
2025/4/13 15:00	0	0	0	0	0	46	33	172	47	81
2025/4/13 15:10	0	0	0	0	0	—	—	—	—	—
2025/4/13 15:20	0	0	0	0	0	—	—	—	—	—
2025/4/13 15:30	0	0	0	0	0	—	—	—	—	—
2025/4/13 15:40	0	0	0	0	0	—	—	—	—	—
2025/4/13 15:50	0	0	0	0	0	—	—	—	—	—
2025/4/13 16:00	0	0	0	0	0	40	42	62	101	120
2025/4/13 16:10	0	0	0	0	0	—	—	—	—	—
2025/4/13 16:20	0	0	0	0	0	—	—	—	—	—
2025/4/13 16:30	0	0	0	0	0	—	—	—	—	—
2025/4/13 16:40	0	0	0	0	0	—	—	—	—	—
2025/4/13 16:50	0	0	0	0	0	—	—	—	—	—
2025/4/13 17:00	0	0	0	0	0	60	41	330	86	35
2025/4/13 17:10	0	0	0	0	0	—	—	—	—	—
2025/4/13 17:20	0	0	0	0	0	—	—	—	—	—
2025/4/13 17:30	0	0	0	0	0	—	—	—	—	—
2025/4/13 17:40	0	0	0	0	0	—	—	—	—	—
2025/4/13 17:50	0	0	0	0	0	—	—	—	—	—
2025/4/13 18:00	0	0	0	0	0	40	35	81	42	54
2025/4/13 18:10	0	0	0	0	0	—	—	—	—	—
2025/4/13 18:20	0	0	0	0	0	—	—	—	—	—
2025/4/13 18:30	0	0	0	0	0	—	—	—	—	—
2025/4/13 18:40	0	0	0	0	0	—	—	—	—	—
2025/4/13 18:50	0	0	0	0	0	—	—	—	—	—
2025/4/13 19:00	0	0	0	0	0	20	21	113	28	147
2025/4/13 19:10	0	0	0	0	0	—	—	—	—	—
2025/4/13 19:20	0	0	0	0	0	—	—	—	—	—
2025/4/13 19:30	0	0	0	0	0	—	—	—	—	—
2025/4/13 19:40	0	0	0	0	0	—	—	—	—	—
2025/4/13 19:50	0	0	0	0	0	—	—	—	—	—
2025/4/13 20:00	0	0	0	0	0	21	35	231	48	29
2025/4/13 20:10	0	0	0	0	0	—	—	—	—	—
2025/4/13 20:20	0	0	0	0	0	—	—	—	—	—
2025/4/13 20:30	0	0	0	0	0	—	—	—	—	—
2025/4/13 20:40	0	0	0	0	0	—	—	—	—	—
2025/4/13 20:50	0	0	0	0	0	—	—	—	—	—
2025/4/13 21:00	0	0	0	0	0	17	22	60	29	66
2025/4/13 21:10	0	0	0	0	0	—	—	—	—	—
2025/4/13 21:20	0	0	0	0	0	—	—	—	—	—
2025/4/13 21:30	0	0	0	0	0	—	—	—	—	—
2025/4/13 21:40	0	0	0	0	0	—	—	—	—	—
2025/4/13 21:50	0	0	0	0	0	—	—	—	—	—
2025/4/13 22:00	0	0	0	0	0	28	42	253	53	101
2025/4/13 22:10	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/13 22:20	0	0	0	0	0	—	—	—	—	—
2025/4/13 22:30	0	0	0	0	0	—	—	—	—	—
2025/4/13 22:40	0	0	0	0	0	—	—	—	—	—
2025/4/13 22:50	0	0	0	0	0	—	—	—	—	—
2025/4/13 23:00	0	0	0	0	0	47	29	268	62	128
2025/4/13 23:10	0	0	0	0	0	—	—	—	—	—
2025/4/13 23:20	0	0	0	0	0	—	—	—	—	—
2025/4/13 23:30	0	0	0	0	0	—	—	—	—	—
2025/4/13 23:40	0	0	0	0	0	—	—	—	—	—
2025/4/13 23:50	0	0	0	0	0	—	—	—	—	—
2025/4/14 0:00	0	0	0	0	0	48	60	239	68	48
2025/4/14 0:10	0	0	0	0	0	—	—	—	—	—
2025/4/14 0:20	0	0	0	0	0	—	—	—	—	—
2025/4/14 0:30	0	0	0	0	0	—	—	—	—	—
2025/4/14 0:40	0	0	0	0	0	—	—	—	—	—
2025/4/14 0:50	0	0	0	0	0	—	—	—	—	—
2025/4/14 1:00	0	0	0	0	0	52	46	94	68	46
2025/4/14 1:10	0	0	0	0	0	—	—	—	—	—
2025/4/14 1:20	0	0	0	0	0	—	—	—	—	—
2025/4/14 1:30	0	0	0	0	0	—	—	—	—	—
2025/4/14 1:40	0	0	0	0	0	—	—	—	—	—
2025/4/14 1:50	0	0	0	0	0	—	—	—	—	—
2025/4/14 2:00	0	0	0	0	0	51	62	280	61	55
2025/4/14 2:10	0	0	0	0	0	—	—	—	—	—
2025/4/14 2:20	0	0	0	0	0	—	—	—	—	—
2025/4/14 2:30	0	0	0	0	0	—	—	—	—	—
2025/4/14 2:40	0	0	0	0	0	—	—	—	—	—
2025/4/14 2:50	0	0	0	0	0	—	—	—	—	—
2025/4/14 3:00	0	0	0	0	0	42	55	127	80	101
2025/4/14 3:10	0	0	0	0	0	—	—	—	—	—
2025/4/14 3:20	0	0	0	0	0	—	—	—	—	—
2025/4/14 3:30	0	0	0	0	0	—	—	—	—	—
2025/4/14 3:40	0	0	0	0	0	—	—	—	—	—
2025/4/14 3:50	0	0	0	0	0	—	—	—	—	—
2025/4/14 4:00	0	0	0	0	0	74	108	53	53	100
2025/4/14 4:10	0	0	0	0	0	—	—	—	—	—
2025/4/14 4:20	0	0	0	0	0	—	—	—	—	—
2025/4/14 4:30	0	0	0	0	0	—	—	—	—	—
2025/4/14 4:40	0	0	0	0	0	—	—	—	—	—
2025/4/14 4:50	0	0	0	0	0	—	—	—	—	—
2025/4/14 5:00	0	0	0	0	0	119	60	42	46	47
2025/4/14 5:10	0	0	0	0	0	—	—	—	—	—
2025/4/14 5:20	0	0	0	0	0	—	—	—	—	—
2025/4/14 5:30	0	0	0	0	0	—	—	—	—	—
2025/4/14 5:40	0	0	0	0	0	—	—	—	—	—
2025/4/14 5:50	0	0	0	0	0	—	—	—	—	—
2025/4/14 6:00	0	0	0	0	0	193	48	54	55	46
2025/4/14 6:10	0	0	0	0	0	—	—	—	—	—
2025/4/14 6:20	0	0	0	0	0	—	—	—	—	—
2025/4/14 6:30	0	0	0	0	0	—	—	—	—	—
2025/4/14 6:40	0	0	0	0	0	—	—	—	—	—
2025/4/14 6:50	0	0	0	0	0	—	—	—	—	—
2025/4/14 7:00	0	0	0	0	0	88	94	66	95	102
2025/4/14 7:10	0	0	0	0	0	—	—	—	—	—
2025/4/14 7:20	0	0	0	0	0	—	—	—	—	—
2025/4/14 7:30	0	0	0	0.1	0	—	—	—	—	—
2025/4/14 7:40	0	0	0	0.1	0	—	—	—	—	—
2025/4/14 7:50	0	0	0	0.1	0	—	—	—	—	—
2025/4/14 8:00	0	0	0	0.1	0	135	95	54	120	75
2025/4/14 8:10	0	0	0	0	0	—	—	—	—	—
2025/4/14 8:20	0	0	0	0	0	—	—	—	—	—
2025/4/14 8:30	0	0	0	0	0	—	—	—	—	—
2025/4/14 8:40	0	0	0	0	0	—	—	—	—	—
2025/4/14 8:50	0	0	0	0.1	0	—	—	—	—	—
2025/4/14 9:00	0	0	0	0	0	139	107	200	67	170
2025/4/14 9:10	0	0	0	0	0	—	—	—	—	—
2025/4/14 9:20	0	0	0	0	0	—	—	—	—	—
2025/4/14 9:30	0	0	0	0	0	—	—	—	—	—
2025/4/14 9:40	0	0	0	0	0	—	—	—	—	—
2025/4/14 9:50	0	0	0	0	0	—	—	—	—	—
2025/4/14 10:00	0	0	0	0	0	147	170	160	140	159
2025/4/14 10:10	0	0	0	0	0	—	—	—	—	—
2025/4/14 10:20	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/14 10:30	0	0	0	0	0	—	—	—	—	—
2025/4/14 10:40	0	0	0	0	0	—	—	—	—	—
2025/4/14 10:50	0	0	0	0	0	—	—	—	—	—
2025/4/14 11:00	0	0	0	0	0	134	198	119	121	146
2025/4/14 11:10	0	0	0	0	0	—	—	—	—	—
2025/4/14 11:20	0	0	0	0	0	—	—	—	—	—
2025/4/14 11:30	0	0	0	0	0	—	—	—	—	—
2025/4/14 11:40	0	0	0	0	0	—	—	—	—	—
2025/4/14 11:50	0.1	0	0	0	0	—	—	—	—	—
2025/4/14 12:00	0.1	0	0	0	0	172	238	219	135	140
2025/4/14 12:10	0.1	0	0	0	0	—	—	—	—	—
2025/4/14 12:20	0.1	0	0	0	0	—	—	—	—	—
2025/4/14 12:30	0.1	0	0	0	0	—	—	—	—	—
2025/4/14 12:40	0.1	0	0	0	0	—	—	—	—	—
2025/4/14 12:50	0.1	0	0	0	0	—	—	—	—	—
2025/4/14 13:00	0.1	0	0	0	0	135	172	147	148	134
2025/4/14 13:10	0.1	0	0	0	0	—	—	—	—	—
2025/4/14 13:20	0.1	0	0	0	0.1	—	—	—	—	—
2025/4/14 13:30	0.1	0	0	0	0.1	—	—	—	—	—
2025/4/14 13:40	0.1	0	0	0	0.1	—	—	—	—	—
2025/4/14 13:50	0.1	0	0	0	0.1	—	—	—	—	—
2025/4/14 14:00	0.1	0.1	0	0	0.1	147	199	259	188	174
2025/4/14 14:10	0.2	0.1	0	0	0.1	—	—	—	—	—
2025/4/14 14:20	0.2	0.1	0	0	0.1	—	—	—	—	—
2025/4/14 14:30	0.2	0.1	0	0	0	—	—	—	—	—
2025/4/14 14:40	0.2	0.1	0	0	0	—	—	—	—	—
2025/4/14 14:50	0.2	0.1	0	0	0	—	—	—	—	—
2025/4/14 15:00	0.2	0.1	0	0	0	148	161	113	101	160
2025/4/14 15:10	0.2	0.1	0	0	0	—	—	—	—	—
2025/4/14 15:20	0.2	0.1	0	0	0	—	—	—	—	—
2025/4/14 15:30	0.2	0.1	0	0	0	—	—	—	—	—
2025/4/14 15:40	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/14 15:50	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/14 16:00	0.1	0.1	0	0	0	198	207	107	166	141
2025/4/14 16:10	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/14 16:20	0	0.1	0	0	0	—	—	—	—	—
2025/4/14 16:30	0	0.1	0	0	0	—	—	—	—	—
2025/4/14 16:40	0	0.1	0	0	0	—	—	—	—	—
2025/4/14 16:50	0	0.1	0	0	0	—	—	—	—	—
2025/4/14 17:00	0	0.1	0	0	0	168	161	251	166	218
2025/4/14 17:10	0	0.1	0	0	0	—	—	—	—	—
2025/4/14 17:20	0	0.1	0	0	0	—	—	—	—	—
2025/4/14 17:30	0	0.1	0	0	0	—	—	—	—	—
2025/4/14 17:40	0	0.1	0	0	0	—	—	—	—	—
2025/4/14 17:50	0	0	0	0	0	—	—	—	—	—
2025/4/14 18:00	0	0	0	0	0	139	154	231	115	297
2025/4/14 18:10	0	0	0	0	0	—	—	—	—	—
2025/4/14 18:20	0	0	0	0	0	—	—	—	—	—
2025/4/14 18:30	0	0	0	0	0	—	—	—	—	—
2025/4/14 18:40	0	0	0	0	0	—	—	—	—	—
2025/4/14 18:50	0	0	0	0	0	—	—	—	—	—
2025/4/14 19:00	0	0	0	0	0	154	253	200	154	227
2025/4/14 19:10	0	0	0	0	0	—	—	—	—	—
2025/4/14 19:20	0	0	0	0	0	—	—	—	—	—
2025/4/14 19:30	0	0	0	0	0	—	—	—	—	—
2025/4/14 19:40	0	0	0	0	0	—	—	—	—	—
2025/4/14 19:50	0	0	0	0	0	—	—	—	—	—
2025/4/14 20:00	0	0	0	0	0	220	95	115	54	88
2025/4/14 20:10	0	0	0	0	0	—	—	—	—	—
2025/4/14 20:20	0	0	0	0	0	—	—	—	—	—
2025/4/14 20:30	0	0	0	0	0	—	—	—	—	—
2025/4/14 20:40	0	0	0	0	0	—	—	—	—	—
2025/4/14 20:50	0	0	0	0	0	—	—	—	—	—
2025/4/14 21:00	0	0	0	0	0	133	128	173	115	273
2025/4/14 21:10	0	0	0	0	0	—	—	—	—	—
2025/4/14 21:20	0	0	0	0	0	—	—	—	—	—
2025/4/14 21:30	0	0	0	0	0	—	—	—	—	—
2025/4/14 21:40	0	0	0	0	0	—	—	—	—	—
2025/4/14 21:50	0	0	0	0	0	—	—	—	—	—
2025/4/14 22:00	0	0	0	0	0	160	88	62	67	75
2025/4/14 22:10	0	0	0	0	0	—	—	—	—	—
2025/4/14 22:20	0	0	0	0	0	—	—	—	—	—
2025/4/14 22:30	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/14 22:40	0	0	0	0	0	—	—	—	—	—
2025/4/14 22:50	0	0	0	0	0	—	—	—	—	—
2025/4/14 23:00	0	0	0	0	0	120	153	66	75	82
2025/4/14 23:10	0	0	0	0	0	—	—	—	—	—
2025/4/14 23:20	0	0	0	0	0	—	—	—	—	—
2025/4/14 23:30	0	0	0	0	0	—	—	—	—	—
2025/4/14 23:40	0	0	0	0	0	—	—	—	—	—
2025/4/14 23:50	0	0	0	0	0	—	—	—	—	—
2025/4/15 0:00	0	0	0	0	0	0	0	0	0	0
2025/4/15 0:10	0	0	0	0	0	—	—	—	—	—
2025/4/15 0:20	0	0	0	0	0	—	—	—	—	—
2025/4/15 0:30	0	0	0	0	0	—	—	—	—	—
2025/4/15 0:40	0	0	0	0	0	—	—	—	—	—
2025/4/15 0:50	0	0	0	0	0	—	—	—	—	—
2025/4/15 1:00	0	0	0	0	0	102	55	54	101	106
2025/4/15 1:10	0	0	0	0	0	—	—	—	—	—
2025/4/15 1:20	0	0	0	0	0	—	—	—	—	—
2025/4/15 1:30	0	0	0	0	0	—	—	—	—	—
2025/4/15 1:40	0	0	0	0	0	—	—	—	—	—
2025/4/15 1:50	0	0	0	0	0	—	—	—	—	—
2025/4/15 2:00	0	0	0	0	0	231	134	74	80	102
2025/4/15 2:10	0	0	0	0	0	—	—	—	—	—
2025/4/15 2:20	0	0	0	0	0	—	—	—	—	—
2025/4/15 2:30	0	0	0	0	0	—	—	—	—	—
2025/4/15 2:40	0	0	0	0	0	—	—	—	—	—
2025/4/15 2:50	0	0	0	0	0	—	—	—	—	—
2025/4/15 3:00	0	0	0	0	0	325	54	42	82	53
2025/4/15 3:10	0	0	0	0	0	—	—	—	—	—
2025/4/15 3:20	0	0	0	0	0	—	—	—	—	—
2025/4/15 3:30	0	0	0	0	0	—	—	—	—	—
2025/4/15 3:40	0	0	0	0	0	—	—	—	—	—
2025/4/15 3:50	0	0	0	0	0	—	—	—	—	—
2025/4/15 4:00	0	0	0	0	0	107	88	200	121	198
2025/4/15 4:10	0	0	0	0	0	—	—	—	—	—
2025/4/15 4:20	0	0	0	0	0	—	—	—	—	—
2025/4/15 4:30	0	0	0	0	0	—	—	—	—	—
2025/4/15 4:40	0	0	0	0	0	—	—	—	—	—
2025/4/15 4:50	0	0	0	0	0	—	—	—	—	—
2025/4/15 5:00	0	0	0	0	0	53	47	54	53	61
2025/4/15 5:10	0	0	0	0	0	—	—	—	—	—
2025/4/15 5:20	0	0	0	0	0	—	—	—	—	—
2025/4/15 5:30	0	0	0	0	0	—	—	—	—	—
2025/4/15 5:40	0	0	0	0	0	—	—	—	—	—
2025/4/15 5:50	0	0	0	0	0	—	—	—	—	—
2025/4/15 6:00	0	0	0	0	0	109	48	47	68	75
2025/4/15 6:10	0	0	0	0	0	—	—	—	—	—
2025/4/15 6:20	0	0	0	0	0	—	—	—	—	—
2025/4/15 6:30	0	0	0	0	0	—	—	—	—	—
2025/4/15 6:40	0	0	0	0	0	—	—	—	—	—
2025/4/15 6:50	0	0	0	0.1	0	—	—	—	—	—
2025/4/15 7:00	0	0	0	0.1	0	66	55	240	66	173
2025/4/15 7:10	0	0	0	0.1	0	—	—	—	—	—
2025/4/15 7:20	0	0	0	0.1	0	—	—	—	—	—
2025/4/15 7:30	0	0	0	0	0	—	—	—	—	—
2025/4/15 7:40	0	0	0	0	0	—	—	—	—	—
2025/4/15 7:50	0	0	0	0	0	—	—	—	—	—
2025/4/15 8:00	0	0	0	0.1	0	82	68	180	75	160
2025/4/15 8:10	0	0	0	0	0	—	—	—	—	—
2025/4/15 8:20	0	0	0	0	0	—	—	—	—	—
2025/4/15 8:30	0	0	0	0	0	—	—	—	—	—
2025/4/15 8:40	0	0	0	0	0	—	—	—	—	—
2025/4/15 8:50	0	0	0	0.1	0	—	—	—	—	—
2025/4/15 9:00	0	0	0	0.1	0	135	114	139	113	115
2025/4/15 9:10	0	0	0	0.1	0	—	—	—	—	—
2025/4/15 9:20	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/15 9:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/15 9:40	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/15 9:50	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/15 10:00	0	0	0.1	0.1	0	82	93	80	94	133
2025/4/15 10:10	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/15 10:20	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/15 10:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/15 10:40	0	0	0.1	0.1	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/15 10:50	0	0	0.1	0	0	—	—	—	—	—
2025/4/15 11:00	0	0	0.1	0	0	46	93	113	66	60
2025/4/15 11:10	0	0	0.1	0	0	—	—	—	—	—
2025/4/15 11:20	0	0	0.1	0	0	—	—	—	—	—
2025/4/15 11:30	0	0	0.1	0	0	—	—	—	—	—
2025/4/15 11:40	0	0	0.1	0	0	—	—	—	—	—
2025/4/15 11:50	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/15 12:00	0.1	0	0.1	0	0	155	167	67	93	73
2025/4/15 12:10	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/15 12:20	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/15 12:30	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/15 12:40	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/15 12:50	0.1	0	0	0	0	—	—	—	—	—
2025/4/15 13:00	0.1	0	0	0	0	114	108	188	121	140
2025/4/15 13:10	0.1	0	0	0	0	—	—	—	—	—
2025/4/15 13:20	0.1	0	0	0	0	—	—	—	—	—
2025/4/15 13:30	0.1	0	0	0	0	—	—	—	—	—
2025/4/15 13:40	0.1	0	0	0	0	—	—	—	—	—
2025/4/15 13:50	0.1	0	0	0	0	—	—	—	—	—
2025/4/15 14:00	0.1	0	0	0	0	134	135	101	166	100
2025/4/15 14:10	0.2	0	0	0	0	—	—	—	—	—
2025/4/15 14:20	0.2	0	0	0	0	—	—	—	—	—
2025/4/15 14:30	0.2	0	0	0	0	—	—	—	—	—
2025/4/15 14:40	0.2	0	0	0	0	—	—	—	—	—
2025/4/15 14:50	0.2	0.1	0	0	0	—	—	—	—	—
2025/4/15 15:00	0.2	0.1	0	0	0	166	146	95	168	114
2025/4/15 15:10	0.2	0.1	0	0	0	—	—	—	—	—
2025/4/15 15:20	0.2	0.1	0	0	0	—	—	—	—	—
2025/4/15 15:30	0.2	0.1	0	0	0	—	—	—	—	—
2025/4/15 15:40	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/15 15:50	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/15 16:00	0.1	0.1	0	0	0	119	139	173	101	106
2025/4/15 16:10	0	0.1	0	0	0	—	—	—	—	—
2025/4/15 16:20	0	0.1	0	0	0	—	—	—	—	—
2025/4/15 16:30	0	0.1	0	0	0	—	—	—	—	—
2025/4/15 16:40	0	0.1	0	0	0	—	—	—	—	—
2025/4/15 16:50	0	0	0	0	0	—	—	—	—	—
2025/4/15 17:00	0	0	0	0	0	135	240	93	180	115
2025/4/15 17:10	0	0	0	0	0	—	—	—	—	—
2025/4/15 17:20	0	0	0	0	0	—	—	—	—	—
2025/4/15 17:30	0	0	0	0	0	—	—	—	—	—
2025/4/15 17:40	0	0	0	0	0	—	—	—	—	—
2025/4/15 17:50	0	0	0	0	0	—	—	—	—	—
2025/4/15 18:00	0	0	0	0	0	141	266	88	140	88
2025/4/15 18:10	0	0	0	0	0	—	—	—	—	—
2025/4/15 18:20	0	0	0	0	0	—	—	—	—	—
2025/4/15 18:30	0	0	0	0	0	—	—	—	—	—
2025/4/15 18:40	0	0	0	0	0	—	—	—	—	—
2025/4/15 18:50	0	0	0	0	0	—	—	—	—	—
2025/4/15 19:00	0	0	0	0	0	81	73	159	126	102
2025/4/15 19:10	0	0	0	0	0	—	—	—	—	—
2025/4/15 19:20	0	0	0	0	0	—	—	—	—	—
2025/4/15 19:30	0	0	0	0	0	—	—	—	—	—
2025/4/15 19:40	0	0	0	0	0	—	—	—	—	—
2025/4/15 19:50	0	0	0	0	0	—	—	—	—	—
2025/4/15 20:00	0	0	0	0	0	82	62	120	115	67
2025/4/15 20:10	0	0	0	0	0	—	—	—	—	—
2025/4/15 20:20	0	0	0	0	0	—	—	—	—	—
2025/4/15 20:30	0	0	0	0	0	—	—	—	—	—
2025/4/15 20:40	0	0	0	0	0	—	—	—	—	—
2025/4/15 20:50	0	0	0	0	0	—	—	—	—	—
2025/4/15 21:00	0	0	0	0	0	48	62	101	81	61
2025/4/15 21:10	0	0	0	0	0	—	—	—	—	—
2025/4/15 21:20	0	0	0	0	0	—	—	—	—	—
2025/4/15 21:30	0	0	0	0	0	—	—	—	—	—
2025/4/15 21:40	0	0	0	0	0	—	—	—	—	—
2025/4/15 21:50	0	0	0	0	0	—	—	—	—	—
2025/4/15 22:00	0	0	0	0	0	82	82	173	87	86
2025/4/15 22:10	0	0	0	0	0	—	—	—	—	—
2025/4/15 22:20	0	0	0	0	0	—	—	—	—	—
2025/4/15 22:30	0	0	0	0	0	—	—	—	—	—
2025/4/15 22:40	0	0	0	0	0	—	—	—	—	—
2025/4/15 22:50	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/15 23:00	0	0	0	0	0	88	74	147	121	86
2025/4/15 23:10	0	0	0	0	0	—	—	—	—	—
2025/4/15 23:20	0	0	0	0	0	—	—	—	—	—
2025/4/15 23:30	0	0	0	0	0	—	—	—	—	—
2025/4/15 23:40	0	0	0	0	0	—	—	—	—	—
2025/4/15 23:50	0	0	0	0	0	—	—	—	—	—
2025/4/16 0:00	0	0	0	0	0	87	62	596	88	121
2025/4/16 0:10	0	0	0	0	0	—	—	—	—	—
2025/4/16 0:20	0	0	0	0	0	—	—	—	—	—
2025/4/16 0:30	0	0	0	0	0	—	—	—	—	—
2025/4/16 0:40	0	0	0	0	0	—	—	—	—	—
2025/4/16 0:50	0	0	0	0	0	—	—	—	—	—
2025/4/16 1:00	0	0	0	0	0	81	75	351	240	107
2025/4/16 1:10	0	0	0	0	0	—	—	—	—	—
2025/4/16 1:20	0	0	0	0	0	—	—	—	—	—
2025/4/16 1:30	0	0	0	0	0	—	—	—	—	—
2025/4/16 1:40	0	0	0	0	0	—	—	—	—	—
2025/4/16 1:50	0	0	0	0	0	—	—	—	—	—
2025/4/16 2:00	0	0	0	0	0	75	55	258	120	101
2025/4/16 2:10	0	0	0	0	0	—	—	—	—	—
2025/4/16 2:20	0	0	0	0	0	—	—	—	—	—
2025/4/16 2:30	0	0	0	0	0	—	—	—	—	—
2025/4/16 2:40	0	0	0	0	0	—	—	—	—	—
2025/4/16 2:50	0	0	0	0	0	—	—	—	—	—
2025/4/16 3:00	0	0	0	0	0	81	60	188	67	86
2025/4/16 3:10	0	0	0	0	0	—	—	—	—	—
2025/4/16 3:20	0	0	0	0	0	—	—	—	—	—
2025/4/16 3:30	0	0	0	0	0	—	—	—	—	—
2025/4/16 3:40	0	0	0	0	0	—	—	—	—	—
2025/4/16 3:50	0	0	0	0	0	—	—	—	—	—
2025/4/16 4:00	0	0	0	0	0	68	73	93	154	66
2025/4/16 4:10	0	0	0	0	0	—	—	—	—	—
2025/4/16 4:20	0	0	0	0	0	—	—	—	—	—
2025/4/16 4:30	0	0	0	0	0	—	—	—	—	—
2025/4/16 4:40	0	0	0	0	0	—	—	—	—	—
2025/4/16 4:50	0	0	0	0	0	—	—	—	—	—
2025/4/16 5:00	0	0	0	0	0	95	173	107	319	80
2025/4/16 5:10	0	0	0	0	0	—	—	—	—	—
2025/4/16 5:20	0	0	0	0	0	—	—	—	—	—
2025/4/16 5:30	0	0	0	0	0	—	—	—	—	—
2025/4/16 5:40	0	0	0	0	0	—	—	—	—	—
2025/4/16 5:50	0	0	0	0	0	—	—	—	—	—
2025/4/16 6:00	0	0	0	0	0	106	102	180	102	260
2025/4/16 6:10	0	0	0	0	0	—	—	—	—	—
2025/4/16 6:20	0	0	0	0	0	—	—	—	—	—
2025/4/16 6:30	0	0	0	0	0	—	—	—	—	—
2025/4/16 6:40	0	0	0	0.1	0	—	—	—	—	—
2025/4/16 6:50	0	0	0	0.1	0	—	—	—	—	—
2025/4/16 7:00	0	0	0	0.1	0	87	75	180	106	115
2025/4/16 7:10	0	0	0	0.1	0	—	—	—	—	—
2025/4/16 7:20	0	0	0	0.1	0	—	—	—	—	—
2025/4/16 7:30	0	0	0	0.1	0	—	—	—	—	—
2025/4/16 7:40	0	0	0	0.1	0	—	—	—	—	—
2025/4/16 7:50	0	0	0	0.1	0	—	—	—	—	—
2025/4/16 8:00	0	0	0	0.1	0	87	102	94	87	68
2025/4/16 8:10	0	0	0	0.1	0	—	—	—	—	—
2025/4/16 8:20	0	0	0	0.1	0	—	—	—	—	—
2025/4/16 8:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/16 8:40	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/16 8:50	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/16 9:00	0	0	0.1	0.1	0	80	147	119	68	106
2025/4/16 9:10	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/16 9:20	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/16 9:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/16 9:40	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/16 9:50	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/16 10:00	0	0	0.1	0.1	0	80	179	193	187	147
2025/4/16 10:10	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/16 10:20	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/16 10:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/16 10:40	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/16 10:50	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/16 11:00	0	0	0.1	0	0	167	186	166	213	199

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/16 11:10	0	0	0.1	0	0	—	—	—	—	—
2025/4/16 11:20	0	0	0.1	0	0	—	—	—	—	—
2025/4/16 11:30	0	0	0.1	0	0	—	—	—	—	—
2025/4/16 11:40	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/16 11:50	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/16 12:00	0.1	0	0.1	0	0	198	352	218	212	205
2025/4/16 12:10	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/16 12:20	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/16 12:30	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/16 12:40	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/16 12:50	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/16 13:00	0.1	0	0	0	0	147	186	146	186	153
2025/4/16 13:10	0.1	0	0	0	0	—	—	—	—	—
2025/4/16 13:20	0.1	0	0	0	0	—	—	—	—	—
2025/4/16 13:30	0.1	0	0	0	0	—	—	—	—	—
2025/4/16 13:40	0.1	0	0	0	0	—	—	—	—	—
2025/4/16 13:50	0.1	0	0	0	0	—	—	—	—	—
2025/4/16 14:00	0.1	0	0	0	0	172	259	172	231	231
2025/4/16 14:10	0.1	0	0	0	0	—	—	—	—	—
2025/4/16 14:20	0.2	0	0	0	0	—	—	—	—	—
2025/4/16 14:30	0.2	0	0	0	0	—	—	—	—	—
2025/4/16 14:40	0.2	0	0	0	0	—	—	—	—	—
2025/4/16 14:50	0.2	0.1	0	0	0	—	—	—	—	—
2025/4/16 15:00	0.2	0.1	0	0	0	198	244	244	206	205
2025/4/16 15:10	0.2	0.1	0	0	0	—	—	—	—	—
2025/4/16 15:20	0.2	0.1	0	0	0	—	—	—	—	—
2025/4/16 15:30	0.2	0.1	0	0	0	—	—	—	—	—
2025/4/16 15:40	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/16 15:50	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/16 16:00	0.1	0.1	0	0	0	157	186	144	114	101
2025/4/16 16:10	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/16 16:20	0	0.1	0	0	0	—	—	—	—	—
2025/4/16 16:30	0	0.1	0	0	0	—	—	—	—	—
2025/4/16 16:40	0	0.1	0	0	0	—	—	—	—	—
2025/4/16 16:50	0	0	0	0	0	—	—	—	—	—
2025/4/16 17:00	0	0.1	0	0	0	101	159	115	100	71
2025/4/16 17:10	0	0.1	0	0	0	—	—	—	—	—
2025/4/16 17:20	0	0.1	0	0	0	—	—	—	—	—
2025/4/16 17:30	0	0.1	0	0	0	—	—	—	—	—
2025/4/16 17:40	0	0.1	0	0	0	—	—	—	—	—
2025/4/16 17:50	0	0	0	0	0	—	—	—	—	—
2025/4/16 18:00	0	0	0	0	0	133	101	119	134	86
2025/4/16 18:10	0	0	0	0	0	—	—	—	—	—
2025/4/16 18:20	0	0	0	0	0	—	—	—	—	—
2025/4/16 18:30	0	0	0	0	0	—	—	—	—	—
2025/4/16 18:40	0	0	0	0	0	—	—	—	—	—
2025/4/16 18:50	0	0	0	0	0	—	—	—	—	—
2025/4/16 19:00	0	0	0	0	0	133	106	106	93	73
2025/4/16 19:10	0	0	0	0	0	—	—	—	—	—
2025/4/16 19:20	0	0	0	0	0	—	—	—	—	—
2025/4/16 19:30	0	0	0	0	0	—	—	—	—	—
2025/4/16 19:40	0	0	0	0	0	—	—	—	—	—
2025/4/16 19:50	0	0	0	0	0	—	—	—	—	—
2025/4/16 20:00	0	0	0	0	0	89	101	102	101	78
2025/4/16 20:10	0	0	0	0	0	—	—	—	—	—
2025/4/16 20:20	0	0	0	0	0	—	—	—	—	—
2025/4/16 20:30	0	0	0	0	0	—	—	—	—	—
2025/4/16 20:40	0	0	0	0	0	—	—	—	—	—
2025/4/16 20:50	0	0	0	0	0	—	—	—	—	—
2025/4/16 21:00	0	0	0	0	0	110	119	120	140	140
2025/4/16 21:10	0	0	0	0	0	—	—	—	—	—
2025/4/16 21:20	0	0	0	0	0	—	—	—	—	—
2025/4/16 21:30	0	0	0	0	0	—	—	—	—	—
2025/4/16 21:40	0	0	0	0	0	—	—	—	—	—
2025/4/16 21:50	0	0	0	0	0	—	—	—	—	—
2025/4/16 22:00	0	0	0	0	0	380	77	330	265	258
2025/4/16 22:10	0	0	0	0	0	—	—	—	—	—
2025/4/16 22:20	0	0	0	0	0	—	—	—	—	—
2025/4/16 22:30	0	0	0	0	0	—	—	—	—	—
2025/4/16 22:40	0	0	0	0	0	—	—	—	—	—
2025/4/16 22:50	0	0	0	0	0	—	—	—	—	—
2025/4/16 23:00	0	0	0	0	0	210	235	165	215	291
2025/4/16 23:10	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/16 23:20	0	0	0	0	0	—	—	—	—	—
2025/4/16 23:30	0	0	0	0	0	—	—	—	—	—
2025/4/16 23:40	0	0	0	0	0	—	—	—	—	—
2025/4/16 23:50	0	0	0	0	0	—	—	—	—	—
2025/4/17 0:00	0	0	0	0	0	271	151	212	198	360
2025/4/17 0:10	0	0	0	0	0	—	—	—	—	—
2025/4/17 0:20	0	0	0	0	0	—	—	—	—	—
2025/4/17 0:30	0	0	0	0	0	—	—	—	—	—
2025/4/17 0:40	0	0	0	0	0	—	—	—	—	—
2025/4/17 0:50	0	0	0	0	0	—	—	—	—	—
2025/4/17 1:00	0	0	0	0	0	211	219	239	444	218
2025/4/17 1:10	0	0	0	0	0	—	—	—	—	—
2025/4/17 1:20	0	0	0	0	0	—	—	—	—	—
2025/4/17 1:30	0	0	0	0	0	—	—	—	—	—
2025/4/17 1:40	0	0	0	0	0	—	—	—	—	—
2025/4/17 1:50	0	0	0	0	0	—	—	—	—	—
2025/4/17 2:00	0	0	0	0	0	218	251	264	331	226
2025/4/17 2:10	0	0	0	0	0	—	—	—	—	—
2025/4/17 2:20	0	0	0	0	0	—	—	—	—	—
2025/4/17 2:30	0	0	0	0	0	—	—	—	—	—
2025/4/17 2:40	0	0	0	0	0	—	—	—	—	—
2025/4/17 2:50	0	0	0	0	0	—	—	—	—	—
2025/4/17 3:00	0	0	0	0	0	358	415	267	304	437
2025/4/17 3:10	0	0	0	0	0	—	—	—	—	—
2025/4/17 3:20	0	0	0	0	0	—	—	—	—	—
2025/4/17 3:30	0	0	0	0	0	—	—	—	—	—
2025/4/17 3:40	0	0	0	0	0	—	—	—	—	—
2025/4/17 3:50	0	0	0	0	0	—	—	—	—	—
2025/4/17 4:00	0	0	0	0	0	193	195	206	373	206
2025/4/17 4:10	0	0	0	0	0	—	—	—	—	—
2025/4/17 4:20	0	0	0	0	0	—	—	—	—	—
2025/4/17 4:30	0	0	0	0	0	—	—	—	—	—
2025/4/17 4:40	0	0	0	0	0	—	—	—	—	—
2025/4/17 4:50	0	0	0	0	0	—	—	—	—	—
2025/4/17 5:00	0	0	0	0	0	258	284	226	317	231
2025/4/17 5:10	0	0	0	0	0	—	—	—	—	—
2025/4/17 5:20	0	0	0	0	0	—	—	—	—	—
2025/4/17 5:30	0	0	0	0	0	—	—	—	—	—
2025/4/17 5:40	0	0	0	0	0	—	—	—	—	—
2025/4/17 5:50	0	0	0	0	0	—	—	—	—	—
2025/4/17 6:00	0	0	0	0	0	147	147	167	319	151
2025/4/17 6:10	0	0	0	0	0	—	—	—	—	—
2025/4/17 6:20	0	0	0	0	0	—	—	—	—	—
2025/4/17 6:30	0	0	0	0	0	—	—	—	—	—
2025/4/17 6:40	0	0	0	0	0	—	—	—	—	—
2025/4/17 6:50	0	0	0	0	0	—	—	—	—	—
2025/4/17 7:00	0	0	0	0	0	139	159	172	147	153
2025/4/17 7:10	0	0	0	0	0	—	—	—	—	—
2025/4/17 7:20	0	0	0	0	0	—	—	—	—	—
2025/4/17 7:30	0	0	0	0	0	—	—	—	—	—
2025/4/17 7:40	0	0	0	0	0	—	—	—	—	—
2025/4/17 7:50	0	0	0	0.1	0	—	—	—	—	—
2025/4/17 8:00	0	0	0	0	0	165	160	292	160	200
2025/4/17 8:10	0	0	0	0	0	—	—	—	—	—
2025/4/17 8:20	0	0	0	0	0	—	—	—	—	—
2025/4/17 8:30	0	0	0	0	0	—	—	—	—	—
2025/4/17 8:40	0	0	0	0	0	—	—	—	—	—
2025/4/17 8:50	0	0	0	0	0	—	—	—	—	—
2025/4/17 9:00	0	0	0	0.1	0	200	176	190	159	180
2025/4/17 9:10	0	0	0.2	0.1	0	—	—	—	—	—
2025/4/17 9:20	0	0	0	0.1	0	—	—	—	—	—
2025/4/17 9:30	0	0	0.3	0.1	0	—	—	—	—	—
2025/4/17 9:40	0	0	0	0.1	0	—	—	—	—	—
2025/4/17 9:50	0	0	0.8	0.1	0	—	—	—	—	—
2025/4/17 10:00	0	0	0	0.1	0	187	198	260	168	250
2025/4/17 10:10	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/17 10:20	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/17 10:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/17 10:40	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/17 10:50	0	0	0.1	0	0	—	—	—	—	—
2025/4/17 11:00	0	0	0.1	0	0	220	180	263	166	225
2025/4/17 11:10	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/17 11:20	0.1	0	0.1	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/17 11:30	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/17 11:40	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/17 11:50	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/17 12:00	0.1	0	0.1	0	0	246	219	320	172	352
2025/4/17 12:10	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/17 12:20	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/17 12:30	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/17 12:40	0.1	0	0.1	0	0.1	—	—	—	—	—
2025/4/17 12:50	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/17 13:00	0.1	0	0.1	0	0	274	238	258	187	207
2025/4/17 13:10	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/17 13:20	0.1	0	0	0	0	—	—	—	—	—
2025/4/17 13:30	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/17 13:40	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/17 13:50	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/17 14:00	0.1	0	0	0	0	180	230	230	147	200
2025/4/17 14:10	0.1	0	0	0	0	—	—	—	—	—
2025/4/17 14:20	0.1	0	0	0	0	—	—	—	—	—
2025/4/17 14:30	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/17 14:40	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/17 14:50	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/17 15:00	0.1	0.1	0	0	0	199	265	432	168	437
2025/4/17 15:10	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/17 15:20	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/17 15:30	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/17 15:40	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/17 15:50	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/17 16:00	0.1	0.1	0	0	0	181	220	194	159	264
2025/4/17 16:10	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/17 16:20	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/17 16:30	0	0.1	0	0	0	—	—	—	—	—
2025/4/17 16:40	0	0.1	0	0	0	—	—	—	—	—
2025/4/17 16:50	0	0.1	0	0	0	—	—	—	—	—
2025/4/17 17:00	0	0.1	0	0	0	153	127	126	90	225
2025/4/17 17:10	0	0.1	0	0	0	—	—	—	—	—
2025/4/17 17:20	0	0.1	0	0	0	—	—	—	—	—
2025/4/17 17:30	0	0.1	0	0	0	—	—	—	—	—
2025/4/17 17:40	0	0	0	0	0	—	—	—	—	—
2025/4/17 17:50	0	0	0	0	0	—	—	—	—	—
2025/4/17 18:00	0	0	0	0	0	148	154	114	94	106
2025/4/17 18:10	0	0	0	0	0	—	—	—	—	—
2025/4/17 18:20	0	0	0	0	0	—	—	—	—	—
2025/4/17 18:30	0	0	0	0	0	—	—	—	—	—
2025/4/17 18:40	0	0	0	0	0	—	—	—	—	—
2025/4/17 18:50	0	0	0	0	0	—	—	—	—	—
2025/4/17 19:00	0	0	0	0	0	207	298	120	95	81
2025/4/17 19:10	0	0	0	0	0	—	—	—	—	—
2025/4/17 19:20	0	0	0	0	0	—	—	—	—	—
2025/4/17 19:30	0	0	0	0	0	—	—	—	—	—
2025/4/17 19:40	0	0	0	0	0	—	—	—	—	—
2025/4/17 19:50	0	0	0	0	0	—	—	—	—	—
2025/4/17 20:00	0	0	0	0	0	106	260	114	115	81
2025/4/17 20:10	0	0	0	0	0	—	—	—	—	—
2025/4/17 20:20	0	0	0	0	0	—	—	—	—	—
2025/4/17 20:30	0	0	0	0	0	—	—	—	—	—
2025/4/17 20:40	0	0	0	0	0	—	—	—	—	—
2025/4/17 20:50	0	0	0	0	0	—	—	—	—	—
2025/4/17 21:00	0	0	0	0	0	120	450	101	86	82
2025/4/17 21:10	0	0	0	0	0	—	—	—	—	—
2025/4/17 21:20	0	0	0	0	0	—	—	—	—	—
2025/4/17 21:30	0	0	0	0	0	—	—	—	—	—
2025/4/17 21:40	0	0	0	0	0	—	—	—	—	—
2025/4/17 21:50	0	0	0	0	0	—	—	—	—	—
2025/4/17 22:00	0	0	0	0	0	82	821	127	153	93
2025/4/17 22:10	0	0	0	0	0	—	—	—	—	—
2025/4/17 22:20	0	0	0	0	0	—	—	—	—	—
2025/4/17 22:30	0	0	0	0	0	—	—	—	—	—
2025/4/17 22:40	0	0	0	0	0	—	—	—	—	—
2025/4/17 22:50	0	0	0	0	0	—	—	—	—	—
2025/4/17 23:00	0	0	0	0	0	198	273	95	113	139
2025/4/17 23:10	0	0	0	0	0	—	—	—	—	—
2025/4/17 23:20	0	0	0	0	0	—	—	—	—	—
2025/4/17 23:30	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/17 23:40	0	0	0	0	0	—	—	—	—	—
2025/4/17 23:50	0	0	0	0	0	—	—	—	—	—
2025/4/18 0:00	0	0	0	0	0	107	213	102	88	94
2025/4/18 0:10	0	0	0	0	0	—	—	—	—	—
2025/4/18 0:20	0	0	0	0	0	—	—	—	—	—
2025/4/18 0:30	0	0	0	0	0	—	—	—	—	—
2025/4/18 0:40	0	0	0	0	0	—	—	—	—	—
2025/4/18 0:50	0	0	0	0	0	—	—	—	—	—
2025/4/18 1:00	0	0	0	0	0	139	324	128	154	101
2025/4/18 1:10	0	0	0	0	0	—	—	—	—	—
2025/4/18 1:20	0	0	0	0	0	—	—	—	—	—
2025/4/18 1:30	0	0	0	0	0	—	—	—	—	—
2025/4/18 1:40	0	0	0	0	0	—	—	—	—	—
2025/4/18 1:50	0	0	0	0	0	—	—	—	—	—
2025/4/18 2:00	0	0	0	0	0	126	113	148	244	128
2025/4/18 2:10	0	0	0	0	0	—	—	—	—	—
2025/4/18 2:20	0	0	0	0	0	—	—	—	—	—
2025/4/18 2:30	0	0	0	0	0	—	—	—	—	—
2025/4/18 2:40	0	0	0	0	0	—	—	—	—	—
2025/4/18 2:50	0	0	0	0	0	—	—	—	—	—
2025/4/18 3:00	0	0	0	0	0	140	265	172	194	148
2025/4/18 3:10	0	0	0	0	0	—	—	—	—	—
2025/4/18 3:20	0	0	0	0	0	—	—	—	—	—
2025/4/18 3:30	0	0	0	0	0	—	—	—	—	—
2025/4/18 3:40	0	0	0	0	0	—	—	—	—	—
2025/4/18 3:50	0	0	0	0	0	—	—	—	—	—
2025/4/18 4:00	0	0	0	0	0	115	127	133	206	126
2025/4/18 4:10	0	0	0	0	0	—	—	—	—	—
2025/4/18 4:20	0	0	0	0	0	—	—	—	—	—
2025/4/18 4:30	0	0	0	0	0	—	—	—	—	—
2025/4/18 4:40	0	0	0	0	0	—	—	—	—	—
2025/4/18 4:50	0	0	0	0	0	—	—	—	—	—
2025/4/18 5:00	0	0	0	0	0	106	120	140	139	126
2025/4/18 5:10	0	0	0	0	0	—	—	—	—	—
2025/4/18 5:20	0	0	0	0	0	—	—	—	—	—
2025/4/18 5:30	0	0	0	0	0	—	—	—	—	—
2025/4/18 5:40	0	0	0	0	0	—	—	—	—	—
2025/4/18 5:50	0	0	0	0	0	—	—	—	—	—
2025/4/18 6:00	0	0	0	0	0	126	266	128	161	128
2025/4/18 6:10	0	0	0	0	0	—	—	—	—	—
2025/4/18 6:20	0	0	0	0	0	—	—	—	—	—
2025/4/18 6:30	0	0	0	0	0	—	—	—	—	—
2025/4/18 6:40	0	0	0	0	0	—	—	—	—	—
2025/4/18 6:50	0	0	0	0	0	—	—	—	—	—
2025/4/18 7:00	0	0	0	0	0	107	86	115	141	102
2025/4/18 7:10	0	0	0	0	0	—	—	—	—	—
2025/4/18 7:20	0	0	0	0	0	—	—	—	—	—
2025/4/18 7:30	0	0	0	0	0	—	—	—	—	—
2025/4/18 7:40	0	0	0	0	0	—	—	—	—	—
2025/4/18 7:50	0	0	0	0	0	—	—	—	—	—
2025/4/18 8:00	0	0	0	0	0	102	115	133	198	105
2025/4/18 8:10	0	0	0	0	0	—	—	—	—	—
2025/4/18 8:20	0	0	0	0	0	—	—	—	—	—
2025/4/18 8:30	0	0	0	0	0	—	—	—	—	—
2025/4/18 8:40	0	0	0	0	0	—	—	—	—	—
2025/4/18 8:50	0	0	0	0	0	—	—	—	—	—
2025/4/18 9:00	0	0	0	0	0	113	108	113	140	134
2025/4/18 9:10	0	0	0	0	0	—	—	—	—	—
2025/4/18 9:20	0	0	0	0	0	—	—	—	—	—
2025/4/18 9:30	0	0	0	0	0	—	—	—	—	—
2025/4/18 9:40	0	0	0	0	0	—	—	—	—	—
2025/4/18 9:50	0	0	0	0	0	—	—	—	—	—
2025/4/18 10:00	0	0	0	0	0	95	102	119	138	114
2025/4/18 10:10	0	0	0	0	0	—	—	—	—	—
2025/4/18 10:20	0	0	0	0	0	—	—	—	—	—
2025/4/18 10:30	0	0	0	0	0	—	—	—	—	—
2025/4/18 10:40	0.1	0	0	0	0	—	—	—	—	—
2025/4/18 10:50	0.1	0	—	0	0	—	—	—	—	—
2025/4/18 11:00	0.1	0	—	0	0	134	239	166	192	168
2025/4/18 11:10	0.1	0	—	0.1	0	—	—	—	—	—
2025/4/18 11:20	0.1	0	—	0.1	0	—	—	—	—	—
2025/4/18 11:30	0.1	0	—	0.1	0	—	—	—	—	—
2025/4/18 11:40	0.1	0	—	0.1	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/18 11:50	0.1	0	—	0.1	0	—	—	—	—	—
2025/4/18 12:00	0.1	0	0.1	0.1	0	153	220	161	173	231
2025/4/18 12:10	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/4/18 12:20	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/18 12:30	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/18 12:40	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/18 12:50	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/18 13:00	0.1	—	0.1	0	0	198	173	272	168	188
2025/4/18 13:10	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/18 13:20	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/18 13:30	0.1	0	0.1	0	0.1	—	—	—	—	—
2025/4/18 13:40	0.1	0	0.1	0	0.1	—	—	—	—	—
2025/4/18 13:50	0.1	0	0.1	0	0.1	—	—	—	—	—
2025/4/18 14:00	0.1	0	0.1	0	0	206	213	200	198	207
2025/4/18 14:10	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/18 14:20	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/18 14:30	0.1	0	0	0	0	—	—	—	—	—
2025/4/18 14:40	0.1	0	0	0	0	—	—	—	—	—
2025/4/18 14:50	0.1	0	0	0	0	—	—	—	—	—
2025/4/18 15:00	0.1	0	0	0	0	187	206	212	211	192
2025/4/18 15:10	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/18 15:20	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/18 15:30	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/18 15:40	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/18 15:50	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/18 16:00	0.1	0.1	0	0	0	179	167	206	187	260
2025/4/18 16:10	0.1	0	0	0	0	—	—	—	—	—
2025/4/18 16:20	0.1	0	0	0	0	—	—	—	—	—
2025/4/18 16:30	0	0	0	0	0	—	—	—	—	—
2025/4/18 16:40	0	0	0	0	0	—	—	—	—	—
2025/4/18 16:50	0	0	0	0	0	—	—	—	—	—
2025/4/18 17:00	0	0	0	0	0	153	174	231	172	186
2025/4/18 17:10	0	0	0	0	0	—	—	—	—	—
2025/4/18 17:20	0	0	0	0	0	—	—	—	—	—
2025/4/18 17:30	0	0	0	0	0	—	—	—	—	—
2025/4/18 17:40	0	—	0	0	0	—	—	—	—	—
2025/4/18 17:50	0	—	0	0	0	—	—	—	—	—
2025/4/18 18:00	0	—	0	0	0	166	161	200	153	140
2025/4/18 18:10	0	—	0	0	0	—	—	—	—	—
2025/4/18 18:20	0	—	0	0	0	—	—	—	—	—
2025/4/18 18:30	0	—	0	0	0	—	—	—	—	—
2025/4/18 18:40	0	—	0	0	0	—	—	—	—	—
2025/4/18 18:50	0	—	0	0	0	—	—	—	—	—
2025/4/18 19:00	0	—	0	0	0	186	154	244	155	219
2025/4/18 19:10	0	—	0	0	0	—	—	—	—	—
2025/4/18 19:20	0	—	0	0	0	—	—	—	—	—
2025/4/18 19:30	0	—	0	0	0	—	—	—	—	—
2025/4/18 19:40	0	—	0	0	0	—	—	—	—	—
2025/4/18 19:50	0	—	0	0	0	—	—	—	—	—
2025/4/18 20:00	0	—	0	0	0	188	155	265	113	290
2025/4/18 20:10	0	—	0	0	0	—	—	—	—	—
2025/4/18 20:20	0	—	0	0	0	—	—	—	—	—
2025/4/18 20:30	0	—	0	0	0	—	—	—	—	—
2025/4/18 20:40	0	—	0	0	0	—	—	—	—	—
2025/4/18 20:50	0	—	0	0	0	—	—	—	—	—
2025/4/18 21:00	0	—	0	0	0	88	167	272	80	100
2025/4/18 21:10	0	—	0	0	0	—	—	—	—	—
2025/4/18 21:20	0	—	0	0	0	—	—	—	—	—
2025/4/18 21:30	0	—	0	0	0	—	—	—	—	—
2025/4/18 21:40	0	—	0	0	0	—	—	—	—	—
2025/4/18 21:50	0	—	0	0	0	—	—	—	—	—
2025/4/18 22:00	0	—	0	0	0	106	166	240	86	101
2025/4/18 22:10	0	—	0	0	0	—	—	—	—	—
2025/4/18 22:20	0	—	0	0	0	—	—	—	—	—
2025/4/18 22:30	0	—	0	0	0	—	—	—	—	—
2025/4/18 22:40	0	—	0	0	0	—	—	—	—	—
2025/4/18 22:50	0	—	0	0	0	—	—	—	—	—
2025/4/18 23:00	0	—	0	0	0	160	270	161	160	146
2025/4/18 23:10	0	—	0	0	0	—	—	—	—	—
2025/4/18 23:20	0	—	0	0	0	—	—	—	—	—
2025/4/18 23:30	0	—	0	0	0	—	—	—	—	—
2025/4/18 23:40	0	—	0	0	0	—	—	—	—	—
2025/4/18 23:50	0	—	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/19 0:00	0	—	0	0	0	246	181	128	120	240
2025/4/19 0:10	0	—	0	0	0	—	—	—	—	—
2025/4/19 0:20	0	—	0	0	0	—	—	—	—	—
2025/4/19 0:30	0	—	0	0	0	—	—	—	—	—
2025/4/19 0:40	0	—	0	0	0	—	—	—	—	—
2025/4/19 0:50	0	—	0	0	0	—	—	—	—	—
2025/4/19 1:00	0	—	0	0	0	437	192	139	155	378
2025/4/19 1:10	0	—	0	0	0	—	—	—	—	—
2025/4/19 1:20	0	—	0	0	0	—	—	—	—	—
2025/4/19 1:30	0	—	0	0	0	—	—	—	—	—
2025/4/19 1:40	0	—	0	0	0	—	—	—	—	—
2025/4/19 1:50	0	—	0	0	0	—	—	—	—	—
2025/4/19 2:00	0	—	0	0	0	280	166	140	147	155
2025/4/19 2:10	0	—	0	0	0	—	—	—	—	—
2025/4/19 2:20	0	—	0	0	0	—	—	—	—	—
2025/4/19 2:30	0	—	0	0	0	—	—	—	—	—
2025/4/19 2:40	0	—	0	0	0	—	—	—	—	—
2025/4/19 2:50	0	—	0	0	0	—	—	—	—	—
2025/4/19 3:00	0	—	0	0	0	205	146	121	146	173
2025/4/19 3:10	0	—	0	0	0	—	—	—	—	—
2025/4/19 3:20	0	—	0	0	0	—	—	—	—	—
2025/4/19 3:30	0	—	0	0	0	—	—	—	—	—
2025/4/19 3:40	0	—	0	0	0	—	—	—	—	—
2025/4/19 3:50	0	—	0	0	0	—	—	—	—	—
2025/4/19 4:00	0	—	0	0	0	133	153	211	297	120
2025/4/19 4:10	0	—	0	0	0	—	—	—	—	—
2025/4/19 4:20	0	—	0	0	0	—	—	—	—	—
2025/4/19 4:30	0	—	0	0	0	—	—	—	—	—
2025/4/19 4:40	0	—	0	0	0	—	—	—	—	—
2025/4/19 4:50	0	—	0	0	0	—	—	—	—	—
2025/4/19 5:00	0	—	0	0	0	134	140	174	160	127
2025/4/19 5:10	0	—	0	0	0	—	—	—	—	—
2025/4/19 5:20	0	—	0	0	0	—	—	—	—	—
2025/4/19 5:30	0	—	0	0	0	—	—	—	—	—
2025/4/19 5:40	0	—	0	0	0	—	—	—	—	—
2025/4/19 5:50	0	—	0	0	0	—	—	—	—	—
2025/4/19 6:00	0	—	0	0	0	114	128	192	141	120
2025/4/19 6:10	0	—	0	0	0	—	—	—	—	—
2025/4/19 6:20	0	—	0	0	0	—	—	—	—	—
2025/4/19 6:30	0	—	0	0	0	—	—	—	—	—
2025/4/19 6:40	0	—	0	0	0	—	—	—	—	—
2025/4/19 6:50	0	—	0	0	0	—	—	—	—	—
2025/4/19 7:00	0	—	0	0	0	94	106	218	108	114
2025/4/19 7:10	0	—	0	0	0	—	—	—	—	—
2025/4/19 7:20	0	—	0	0	0	—	—	—	—	—
2025/4/19 7:30	0	—	0	0	0	—	—	—	—	—
2025/4/19 7:40	0	—	0	0.1	0	—	—	—	—	—
2025/4/19 7:50	0	—	0	0.1	0	—	—	—	—	—
2025/4/19 8:00	0	—	0	0.1	0	94	100	128	135	94
2025/4/19 8:10	0	—	0	0.1	0	—	—	—	—	—
2025/4/19 8:20	0	—	0	0.1	0	—	—	—	—	—
2025/4/19 8:30	0	—	0	0.1	0	—	—	—	—	—
2025/4/19 8:40	0	—	0.1	0.1	0	—	—	—	—	—
2025/4/19 8:50	0	—	0.1	0.1	0	—	—	—	—	—
2025/4/19 9:00	0	—	0.1	0.1	0	166	555	364	198	231
2025/4/19 9:10	0	—	0.1	0.1	0	—	—	—	—	—
2025/4/19 9:20	0	—	0.1	0.1	0	—	—	—	—	—
2025/4/19 9:30	0	—	0.1	0.1	0	—	—	—	—	—
2025/4/19 9:40	0	—	0.1	0.1	0	—	—	—	—	—
2025/4/19 9:50	0.1	—	0.1	0.1	0	—	—	—	—	—
2025/4/19 10:00	0.1	—	0.1	0.1	0	180	211	225	172	173
2025/4/19 10:10	0.1	—	0.1	0.1	0	—	—	—	—	—
2025/4/19 10:20	0.1	—	0.1	0.1	0	—	—	—	—	—
2025/4/19 10:30	0.1	—	0.1	0.1	0	—	—	—	—	—
2025/4/19 10:40	0.1	—	0.1	0.1	0	—	—	—	—	—
2025/4/19 10:50	0.1	—	0.1	0.1	0	—	—	—	—	—
2025/4/19 11:00	0.1	—	0.1	0.1	0	200	271	244	180	213
2025/4/19 11:10	0.1	—	0.1	0.1	0	—	—	—	—	—
2025/4/19 11:20	0.1	—	0.1	0.1	0	—	—	—	—	—
2025/4/19 11:30	0.1	—	0.1	0.1	0	—	—	—	—	—
2025/4/19 11:40	0.1	—	0.1	0.1	0	—	—	—	—	—
2025/4/19 11:50	0.1	—	0.1	0.1	0	—	—	—	—	—
2025/4/19 12:00	0.1	—	0.1	0.1	0.1	193	198	192	167	240

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/19 12:10	0.1	—	0.1	0.1	0.1	—	—	—	—	—
2025/4/19 12:20	0.1	—	0.1	0.1	0.1	—	—	—	—	—
2025/4/19 12:30	0.1	—	0.1	0.1	0.1	—	—	—	—	—
2025/4/19 12:40	0.1	—	0.1	0.1	0.1	—	—	—	—	—
2025/4/19 12:50	0.1	—	0.1	0.1	0.1	—	—	—	—	—
2025/4/19 13:00	0.1	—	0.1	0.1	0.1	198	200	457	172	245
2025/4/19 13:10	0.1	—	0.1	0.1	0	—	—	—	—	—
2025/4/19 13:20	0.1	—	0.1	0.1	0.1	—	—	—	—	—
2025/4/19 13:30	0.2	—	0.1	0.1	0.1	—	—	—	—	—
2025/4/19 13:40	0.2	—	0.1	0.1	0.1	—	—	—	—	—
2025/4/19 13:50	0.2	—	0.1	0.1	0.1	—	—	—	—	—
2025/4/19 14:00	0.2	—	0.1	0.1	0.1	172	199	172	173	188
2025/4/19 14:10	0.2	—	0.1	0.1	0.1	—	—	—	—	—
2025/4/19 14:20	0.2	—	0.1	0.1	0.1	—	—	—	—	—
2025/4/19 14:30	0.2	—	0.1	0.1	0	—	—	—	—	—
2025/4/19 14:40	0.2	—	0.1	0.1	0	—	—	—	—	—
2025/4/19 14:50	0.2	—	0.1	0.1	0	—	—	—	—	—
2025/4/19 15:00	0.2	—	0.1	0.1	0.1	173	258	326	161	227
2025/4/19 15:10	0.2	—	0	0.1	0	—	—	—	—	—
2025/4/19 15:20	0.2	—	0.1	0	0	—	—	—	—	—
2025/4/19 15:30	0.1	—	0	0	0	—	—	—	—	—
2025/4/19 15:40	0.1	—	0	0	0	—	—	—	—	—
2025/4/19 15:50	0.1	—	0	0	0	—	—	—	—	—
2025/4/19 16:00	0.1	—	0	0	0	181	233	377	153	251
2025/4/19 16:10	0.1	—	0	0	0	—	—	—	—	—
2025/4/19 16:20	0.1	—	0	0	0	—	—	—	—	—
2025/4/19 16:30	0.1	—	0	0	0	—	—	—	—	—
2025/4/19 16:40	0.1	—	0	0	0	—	—	—	—	—
2025/4/19 16:50	0.1	—	0	0	0	—	—	—	—	—
2025/4/19 17:00	0	—	0	0	0	180	331	213	272	226
2025/4/19 17:10	0	—	0	0	0	—	—	—	—	—
2025/4/19 17:20	0	—	0	0	0	—	—	—	—	—
2025/4/19 17:30	0	—	0	0	0	—	—	—	—	—
2025/4/19 17:40	0	—	0	0	0	—	—	—	—	—
2025/4/19 17:50	0	—	0	0	0	—	—	—	—	—
2025/4/19 18:00	0	—	0	0	0	160	174	232	153	225
2025/4/19 18:10	0	—	0	0	0	—	—	—	—	—
2025/4/19 18:20	0	—	0	0	0	—	—	—	—	—
2025/4/19 18:30	0	—	0	0	0	—	—	—	—	—
2025/4/19 18:40	0	—	0	0	0	—	—	—	—	—
2025/4/19 18:50	0	—	0	0	0	—	—	—	—	—
2025/4/19 19:00	0	—	0	0	0	155	140	324	108	198
2025/4/19 19:10	0	—	0	0	0	—	—	—	—	—
2025/4/19 19:20	0	—	0	0	0	—	—	—	—	—
2025/4/19 19:30	0	—	0	0	0	—	—	—	—	—
2025/4/19 19:40	0	—	0	0	0	—	—	—	—	—
2025/4/19 19:50	0	—	0	0	0	—	—	—	—	—
2025/4/19 20:00	0	—	0	0	0	200	146	246	153	231
2025/4/19 20:10	0	—	0	0	0	—	—	—	—	—
2025/4/19 20:20	0	—	0	0	0	—	—	—	—	—
2025/4/19 20:30	0	—	0	0	0	—	—	—	—	—
2025/4/19 20:40	0	—	0	0	0	—	—	—	—	—
2025/4/19 20:50	0	—	0	0	0	—	—	—	—	—
2025/4/19 21:00	0	—	0	0	0	231	198	159	134	331
2025/4/19 21:10	0	—	0	0	0	—	—	—	—	—
2025/4/19 21:20	0	—	0	0	0	—	—	—	—	—
2025/4/19 21:30	0	—	0	0	0	—	—	—	—	—
2025/4/19 21:40	0	—	0	0	0	—	—	—	—	—
2025/4/19 21:50	0	—	0	0	0	—	—	—	—	—
2025/4/19 22:00	0	—	0	0	0	139	179	147	126	238
2025/4/19 22:10	0	—	0	0	0	—	—	—	—	—
2025/4/19 22:20	0	—	0	0	0	—	—	—	—	—
2025/4/19 22:30	0	—	0	0	0	—	—	—	—	—
2025/4/19 22:40	0	—	0	0	0	—	—	—	—	—
2025/4/19 22:50	0	—	0	0	0	—	—	—	—	—
2025/4/19 23:00	0	—	0	0	0	134	126	266	148	317
2025/4/19 23:10	0	—	0	0	0	—	—	—	—	—
2025/4/19 23:20	0	—	0	0	0	—	—	—	—	—
2025/4/19 23:30	0	—	0	0	0	—	—	—	—	—
2025/4/19 23:40	0	—	0	0	0	—	—	—	—	—
2025/4/19 23:50	0	—	0	0	0	—	—	—	—	—
2025/4/20 0:00	0	—	0	0	0	205	139	194	146	372
2025/4/20 0:10	0	—	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/20 0:20	0	—	0	0	0	—	—	—	—	—
2025/4/20 0:30	0	—	0	0	0	—	—	—	—	—
2025/4/20 0:40	0	—	0	0	0	—	—	—	—	—
2025/4/20 0:50	0	—	0	0	0	—	—	—	—	—
2025/4/20 1:00	0	—	0	0	0	174	160	199	155	355
2025/4/20 1:10	0	—	0	0	0	—	—	—	—	—
2025/4/20 1:20	0	—	0	0	0	—	—	—	—	—
2025/4/20 1:30	0	—	0	0	0	—	—	—	—	—
2025/4/20 1:40	0	—	0	0	0	—	—	—	—	—
2025/4/20 1:50	0	—	0	0	0	—	—	—	—	—
2025/4/20 2:00	0	—	0	0	0	188	133	146	120	211
2025/4/20 2:10	0	—	0	0	0	—	—	—	—	—
2025/4/20 2:20	0	—	0	0	0	—	—	—	—	—
2025/4/20 2:30	0	—	0	0	0	—	—	—	—	—
2025/4/20 2:40	0	—	0	0	0	—	—	—	—	—
2025/4/20 2:50	0	—	0	0	0	—	—	—	—	—
2025/4/20 3:00	0	—	0	0	0	159	139	160	120	251
2025/4/20 3:10	0	—	0	0	0	—	—	—	—	—
2025/4/20 3:20	0	—	0	0	0	—	—	—	—	—
2025/4/20 3:30	0	—	0	0	0	—	—	—	—	—
2025/4/20 3:40	0	—	0	0	0	—	—	—	—	—
2025/4/20 3:50	0	—	0	0	0	—	—	—	—	—
2025/4/20 4:00	0	—	0	0	0	139	166	160	126	126
2025/4/20 4:10	0	—	0	0	0	—	—	—	—	—
2025/4/20 4:20	0	—	0	0	0	—	—	—	—	—
2025/4/20 4:30	0	—	0	0	0	—	—	—	—	—
2025/4/20 4:40	0	—	0	0	0	—	—	—	—	—
2025/4/20 4:50	0	—	0	0	0	—	—	—	—	—
2025/4/20 5:00	0	—	0	0	0	160	200	102	108	106
2025/4/20 5:10	0	—	0	0	0	—	—	—	—	—
2025/4/20 5:20	0	—	0	0	0	—	—	—	—	—
2025/4/20 5:30	0	—	0	0	0	—	—	—	—	—
2025/4/20 5:40	0	—	0	0	0	—	—	—	—	—
2025/4/20 5:50	0	—	0	0	0	—	—	—	—	—
2025/4/20 6:00	0	—	0	0	0	213	134	128	126	133
2025/4/20 6:10	0	—	0	0	0	—	—	—	—	—
2025/4/20 6:20	0	—	0	0	0	—	—	—	—	—
2025/4/20 6:30	0	—	0	0	0	—	—	—	—	—
2025/4/20 6:40	0	—	0	0	0	—	—	—	—	—
2025/4/20 6:50	0	—	0	0	0	—	—	—	—	—
2025/4/20 7:00	0	—	0	0	0	119	154	603	140	397
2025/4/20 7:10	0	—	0	0	0	—	—	—	—	—
2025/4/20 7:20	0	—	0	0	0	—	—	—	—	—
2025/4/20 7:30	0	—	0	0	0	—	—	—	—	—
2025/4/20 7:40	0	—	0	0	0	—	—	—	—	—
2025/4/20 7:50	0	—	0	0	0	—	—	—	—	—
2025/4/20 8:00	0	—	0	0	0	180	168	120	141	160
2025/4/20 8:10	0	—	0	0	0	—	—	—	—	—
2025/4/20 8:20	0	—	0	0	0	—	—	—	—	—
2025/4/20 8:30	0	—	0	0	0	—	—	—	—	—
2025/4/20 8:40	0	—	0	0	0	—	—	—	—	—
2025/4/20 8:50	0	—	0	0	0	—	—	—	—	—
2025/4/20 9:00	0	—	0	0	0	113	213	188	95	115
2025/4/20 9:10	0	—	0	0	0	—	—	—	—	—
2025/4/20 9:20	0	—	0	0	0	—	—	—	—	—
2025/4/20 9:30	0	—	0	0	0	—	—	—	—	—
2025/4/20 9:40	0	—	0	0	0	—	—	—	—	—
2025/4/20 9:50	0	—	0	0	0	—	—	—	—	—
2025/4/20 10:00	0	—	0	0	0	198	200	174	108	114
2025/4/20 10:10	0	—	0	0	0	—	—	—	—	—
2025/4/20 10:20	0	—	0	0	0	—	—	—	—	—
2025/4/20 10:30	0	—	0	0	0	—	—	—	—	—
2025/4/20 10:40	0	—	0	0	0	—	—	—	—	—
2025/4/20 10:50	0	—	0	0	0	—	—	—	—	—
2025/4/20 11:00	0	—	0	0	0	107	133	115	88	127
2025/4/20 11:10	0	—	0	0	0	—	—	—	—	—
2025/4/20 11:20	0	—	0	0	0	—	—	—	—	—
2025/4/20 11:30	0	—	0	0	0	—	—	—	—	—
2025/4/20 11:40	0	—	0	0	0	—	—	—	—	—
2025/4/20 11:50	0	—	0	0	0	—	—	—	—	—
2025/4/20 12:00	0	—	0	0	0	148	198	187	107	113
2025/4/20 12:10	0.1	—	0	0	0	—	—	—	—	—
2025/4/20 12:20	0.1	—	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/20 12:30	0.1	—	0	0	0	—	—	—	—	—
2025/4/20 12:40	0.1	—	0	0	0	—	—	—	—	—
2025/4/20 12:50	0.1	—	0	0	0	—	—	—	—	—
2025/4/20 13:00	0.1	—	0	0	0	133	200	172	113	153
2025/4/20 13:10	0.1	—	0	0	0	—	—	—	—	—
2025/4/20 13:20	0.1	—	0	0	0	—	—	—	—	—
2025/4/20 13:30	0.1	—	0	0	0	—	—	—	—	—
2025/4/20 13:40	0.1	—	0	0	0	—	—	—	—	—
2025/4/20 13:50	0.1	—	0	0	0	—	—	—	—	—
2025/4/20 14:00	0.1	—	0	0	0	106	146	147	106	108
2025/4/20 14:10	0.1	—	0	0	0	—	—	—	—	—
2025/4/20 14:20	0.1	—	0	0	0	—	—	—	—	—
2025/4/20 14:30	0.1	—	0	0	0	—	—	—	—	—
2025/4/20 14:40	0.1	—	0	0	0	—	—	—	—	—
2025/4/20 14:50	0.1	—	0	0	0	—	—	—	—	—
2025/4/20 15:00	0.1	—	0	0	0	147	159	160	102	119
2025/4/20 15:10	0.1	—	0	0	0	—	—	—	—	—
2025/4/20 15:20	0.1	—	0	0	0	—	—	—	—	—
2025/4/20 15:30	0.1	—	0	0	0	—	—	—	—	—
2025/4/20 15:40	0.1	—	0	0	0	—	—	—	—	—
2025/4/20 15:50	0	—	0	0	0	—	—	—	—	—
2025/4/20 16:00	0	—	0	0	0	128	126	192	114	166
2025/4/20 16:10	0	—	0	0	0	—	—	—	—	—
2025/4/20 16:20	0	—	0	0	0	—	—	—	—	—
2025/4/20 16:30	0	—	0	0	0	—	—	—	—	—
2025/4/20 16:40	0	—	0	0	0	—	—	—	—	—
2025/4/20 16:50	0	—	0	0	0	—	—	—	—	—
2025/4/20 17:00	0	—	0	0	0	206	172	172	134	311
2025/4/20 17:10	0	—	0	0	0	—	—	—	—	—
2025/4/20 17:20	0	—	0	0	0	—	—	—	—	—
2025/4/20 17:30	0	—	0	0	0	—	—	—	—	—
2025/4/20 17:40	0	—	0	0	0	—	—	—	—	—
2025/4/20 17:50	0	—	0	0	0	—	—	—	—	—
2025/4/20 18:00	0	—	0	0	0	159	147	206	128	333
2025/4/20 18:10	0	—	0	0	0	—	—	—	—	—
2025/4/20 18:20	0	—	0	0	0	—	—	—	—	—
2025/4/20 18:30	0	—	0	0	0	—	—	—	—	—
2025/4/20 18:40	0	—	0	0	0	—	—	—	—	—
2025/4/20 18:50	0	—	0	0	0	—	—	—	—	—
2025/4/20 19:00	0	—	0	0	0	226	153	391	120	268
2025/4/20 19:10	0	—	0	0	0	—	—	—	—	—
2025/4/20 19:20	0	—	0	0	0	—	—	—	—	—
2025/4/20 19:30	0	—	0	0	0	—	—	—	—	—
2025/4/20 19:40	0	—	0	0	0	—	—	—	—	—
2025/4/20 19:50	0	—	0	0	0	—	—	—	—	—
2025/4/20 20:00	0	—	0	0	0	94	107	624	179	115
2025/4/20 20:10	0	—	0	0	0	—	—	—	—	—
2025/4/20 20:20	0	—	0	0	0	—	—	—	—	—
2025/4/20 20:30	0	—	0	0	0	—	—	—	—	—
2025/4/20 20:40	0	—	0	0	0	—	—	—	—	—
2025/4/20 20:50	0	—	0	0	0	—	—	—	—	—
2025/4/20 21:00	0	—	0	0	0	93	114	135	119	101
2025/4/20 21:10	0	—	0	0	0	—	—	—	—	—
2025/4/20 21:20	0	—	0	0	0	—	—	—	—	—
2025/4/20 21:30	0	—	0	0	0	—	—	—	—	—
2025/4/20 21:40	0	—	0	0	0	—	—	—	—	—
2025/4/20 21:50	0	—	0	0	0	—	—	—	—	—
2025/4/20 22:00	0	—	0	0	0	108	115	128	115	113
2025/4/20 22:10	0	—	0	0	0	—	—	—	—	—
2025/4/20 22:20	0	—	0	0	0	—	—	—	—	—
2025/4/20 22:30	0	—	0	0	0	—	—	—	—	—
2025/4/20 22:40	0	—	0	0	0	—	—	—	—	—
2025/4/20 22:50	0	—	0	0	0	—	—	—	—	—
2025/4/20 23:00	0	—	0	0	0	134	108	120	113	94
2025/4/20 23:10	0	—	0	0	0	—	—	—	—	—
2025/4/20 23:20	0	—	0	0	0	—	—	—	—	—
2025/4/20 23:30	0	—	0	0	0	—	—	—	—	—
2025/4/20 23:40	0	—	0	0	0	—	—	—	—	—
2025/4/20 23:50	0	—	0	0	0	—	—	—	—	—
2025/4/21 0:00	0	—	0	0	0	93	102	139	238	101
2025/4/21 0:10	0	—	0	0	0	—	—	—	—	—
2025/4/21 0:20	0	—	0	0	0	—	—	—	—	—
2025/4/21 0:30	0	—	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/21 0:40	0	—	0	0	0	—	—	—	—	—
2025/4/21 0:50	0	—	0	0	0	—	—	—	—	—
2025/4/21 1:00	0	—	0	0	0	101	94	126	278	94
2025/4/21 1:10	0	—	0	0	0	—	—	—	—	—
2025/4/21 1:20	0	—	0	0	0	—	—	—	—	—
2025/4/21 1:30	0	—	0	0	0	—	—	—	—	—
2025/4/21 1:40	0	—	0	0	0	—	—	—	—	—
2025/4/21 1:50	0	—	0	0	0	—	—	—	—	—
2025/4/21 2:00	0	—	0	0	0	81	73	108	106	73
2025/4/21 2:10	0	—	0	0	0	—	—	—	—	—
2025/4/21 2:20	0	—	0	0	0	—	—	—	—	—
2025/4/21 2:30	0	—	0	0	0	—	—	—	—	—
2025/4/21 2:40	0	—	0	0	0	—	—	—	—	—
2025/4/21 2:50	0	—	0	0	0	—	—	—	—	—
2025/4/21 3:00	0	—	0	0	0	75	82	114	94	67
2025/4/21 3:10	0	—	0	0	0	—	—	—	—	—
2025/4/21 3:20	0	—	0	0	0	—	—	—	—	—
2025/4/21 3:30	0	—	0	0	0	—	—	—	—	—
2025/4/21 3:40	0	—	0	0	0	—	—	—	—	—
2025/4/21 3:50	0	—	0	0	0	—	—	—	—	—
2025/4/21 4:00	0	—	0	0	0	67	82	161	87	73
2025/4/21 4:10	0	—	0	0	0	—	—	—	—	—
2025/4/21 4:20	0	—	0	0	0	—	—	—	—	—
2025/4/21 4:30	0	—	0	0	0	—	—	—	—	—
2025/4/21 4:40	0	—	0	0	0	—	—	—	—	—
2025/4/21 4:50	0	—	0	0	0	—	—	—	—	—
2025/4/21 5:00	0	—	0	0	0	75	74	141	95	74
2025/4/21 5:10	0	—	0	0	0	—	—	—	—	—
2025/4/21 5:20	0	—	0	0	0	—	—	—	—	—
2025/4/21 5:30	0	—	0	0	0	—	—	—	—	—
2025/4/21 5:40	0	—	0	0	0	—	—	—	—	—
2025/4/21 5:50	0	—	0	0	0	—	—	—	—	—
2025/4/21 6:00	0	—	0	0	0	68	68	115	82	81
2025/4/21 6:10	0	—	0	0	0	—	—	—	—	—
2025/4/21 6:20	0	—	0	0	0	—	—	—	—	—
2025/4/21 6:30	0	—	0	0	0	—	—	—	—	—
2025/4/21 6:40	0	—	0	0	0	—	—	—	—	—
2025/4/21 6:50	0	—	0	0	0	—	—	—	—	—
2025/4/21 7:00	0	—	0	0	0	54	82	193	74	121
2025/4/21 7:10	0	—	0	0	0	—	—	—	—	—
2025/4/21 7:20	0	—	0	0	0	—	—	—	—	—
2025/4/21 7:30	0	—	0	0	0	—	—	—	—	—
2025/4/21 7:40	0	—	0	0.1	0	—	—	—	—	—
2025/4/21 7:50	0	—	0	0.1	0	—	—	—	—	—
2025/4/21 8:00	0	—	0	0.1	0	61	80	211	114	81
2025/4/21 8:10	0	—	0	0.1	0	—	—	—	—	—
2025/4/21 8:20	0	—	0	0.1	0	—	—	—	—	—
2025/4/21 8:30	0	—	0.1	0.1	0	—	—	—	—	—
2025/4/21 8:40	0	—	0.1	0.1	0	—	—	—	—	—
2025/4/21 8:50	0	—	0.1	0.1	0	—	—	—	—	—
2025/4/21 9:00	0	—	0.1	0.1	0	114	166	198	233	93
2025/4/21 9:10	0	—	0.1	0.1	0	—	—	—	—	—
2025/4/21 9:20	0	—	0.1	0.1	0	—	—	—	—	—
2025/4/21 9:30	0	—	0.1	0.1	0	—	—	—	—	—
2025/4/21 9:40	0	—	0.1	0.1	0	—	—	—	—	—
2025/4/21 9:50	0	—	0.1	0.1	0	—	—	—	—	—
2025/4/21 10:00	0	—	0.1	0.1	0	115	134	160	180	126
2025/4/21 10:10	0	—	0.1	0.1	0	—	—	—	—	—
2025/4/21 10:20	0	—	0.1	0.1	0	—	—	—	—	—
2025/4/21 10:30	0.1	—	0.1	0.1	0	—	—	—	—	—
2025/4/21 10:40	0.1	—	0.1	0.1	0	—	—	—	—	—
2025/4/21 10:50	0.1	—	0.1	0.1	0	—	—	—	—	—
2025/4/21 11:00	0.1	—	0.1	0.1	0	140	154	180	259	114
2025/4/21 11:10	0.1	—	0.1	0.1	0	—	—	—	—	—
2025/4/21 11:20	0.1	—	0.1	0	0	—	—	—	—	—
2025/4/21 11:30	0.1	—	0.1	0	0	—	—	—	—	—
2025/4/21 11:40	0.1	—	0.1	0	0	—	—	—	—	—
2025/4/21 11:50	0.1	—	0.1	0	0	—	—	—	—	—
2025/4/21 12:00	0.1	—	0.1	0	0	154	134	154	160	167
2025/4/21 12:10	0.1	—	0.1	0	0	—	—	—	—	—
2025/4/21 12:20	0.1	—	0.1	0	0	—	—	—	—	—
2025/4/21 12:30	0.1	—	0.1	0	0	—	—	—	—	—
2025/4/21 12:40	0.1	—	0.1	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/21 12:50	0.1	—	0.1	0	0.1	—	—	—	—	—
2025/4/21 13:00	0.1	—	0.1	0	0.1	140	213	212	285	154
2025/4/21 13:10	0.1	—	0.1	0	0.1	—	—	—	—	—
2025/4/21 13:20	0.1	—	0	0	0.1	—	—	—	—	—
2025/4/21 13:30	0.1	—	0	0	0.1	—	—	—	—	—
2025/4/21 13:40	0.2	—	0	0	0.1	—	—	—	—	—
2025/4/21 13:50	0.2	—	0	0	0.1	—	—	—	—	—
2025/4/21 14:00	0.2	—	0	0	0.1	167	160	265	226	245
2025/4/21 14:10	0.2	—	0	0	0.1	—	—	—	—	—
2025/4/21 14:20	0.2	—	0	0	0.1	—	—	—	—	—
2025/4/21 14:30	0.2	—	0	0	0	—	—	—	—	—
2025/4/21 14:40	0.2	—	0	0	0	—	—	—	—	—
2025/4/21 14:50	0.2	—	0	0	0	—	—	—	—	—
2025/4/21 15:00	0.2	—	0	0	0	206	291	285	311	180
2025/4/21 15:10	0.2	—	0	0	0	—	—	—	—	—
2025/4/21 15:20	0.2	—	0	0	0	—	—	—	—	—
2025/4/21 15:30	0.2	—	0	0	0	—	—	—	—	—
2025/4/21 15:40	0.2	—	0	0	0	—	—	—	—	—
2025/4/21 15:50	0.1	—	0	0	0	—	—	—	—	—
2025/4/21 16:00	0.1	—	0	0	0	272	312	226	212	218
2025/4/21 16:10	0.1	—	0	0	0	—	—	—	—	—
2025/4/21 16:20	0.1	—	0	0	0	—	—	—	—	—
2025/4/21 16:30	0.1	—	0	0	0	—	—	—	—	—
2025/4/21 16:40	0.1	—	0	0	0	—	—	—	—	—
2025/4/21 16:50	0	—	0	0	0	—	—	—	—	—
2025/4/21 17:00	0	—	0	0	0	358	252	180	193	245
2025/4/21 17:10	0	—	0	0	0	—	—	—	—	—
2025/4/21 17:20	0	—	0	0	0	—	—	—	—	—
2025/4/21 17:30	0	—	0	0	0	—	—	—	—	—
2025/4/21 17:40	0	—	0	0	0	—	—	—	—	—
2025/4/21 17:50	0	—	0	0	0	—	—	—	—	—
2025/4/21 18:00	0	—	0	0	0	198	193	188	212	199
2025/4/21 18:10	0	—	0	0	0	—	—	—	—	—
2025/4/21 18:20	0	—	0	0	0	—	—	—	—	—
2025/4/21 18:30	0	—	0	0	0	—	—	—	—	—
2025/4/21 18:40	0	—	0	0	0	—	—	—	—	—
2025/4/21 18:50	0	—	0	0	0	—	—	—	—	—
2025/4/21 19:00	0	—	0	0	0	285	212	160	160	219
2025/4/21 19:10	0	—	0	0	0	—	—	—	—	—
2025/4/21 19:20	0	—	0	0	0	—	—	—	—	—
2025/4/21 19:30	0	—	0	0	0	—	—	—	—	—
2025/4/21 19:40	0	—	0	0	0	—	—	—	—	—
2025/4/21 19:50	0	—	0	0	0	—	—	—	—	—
2025/4/21 20:00	0	—	0	0	0	345	161	297	141	319
2025/4/21 20:10	0	—	0	0	0	—	—	—	—	—
2025/4/21 20:20	0	—	0	0	0	—	—	—	—	—
2025/4/21 20:30	0	—	0	0	0	—	—	—	—	—
2025/4/21 20:40	0	—	0	0	0	—	—	—	—	—
2025/4/21 20:50	0	—	0	0	0	—	—	—	—	—
2025/4/21 21:00	0	—	0	0	0	324	198	114	119	181
2025/4/21 21:10	0	—	0	0	0	—	—	—	—	—
2025/4/21 21:20	0	—	0	0	0	—	—	—	—	—
2025/4/21 21:30	0	—	0	0	0	—	—	—	—	—
2025/4/21 21:40	0	—	0	0	0	—	—	—	—	—
2025/4/21 21:50	0	—	0	0	0	—	—	—	—	—
2025/4/21 22:00	0	—	0	0	0	147	181	121	115	134
2025/4/21 22:10	0	—	0	0	0	—	—	—	—	—
2025/4/21 22:20	0	—	0	0	0	—	—	—	—	—
2025/4/21 22:30	0	—	0	0	0	—	—	—	—	—
2025/4/21 22:40	0	—	0	0	0	—	—	—	—	—
2025/4/21 22:50	0	—	0	0	0	—	—	—	—	—
2025/4/21 23:00	0	—	0	0	0	95	198	107	108	102
2025/4/21 23:10	0	—	0	0	0	—	—	—	—	—
2025/4/21 23:20	0	—	0	0	0	—	—	—	—	—
2025/4/21 23:30	0	—	0	0	0	—	—	—	—	—
2025/4/21 23:40	0	—	0	0	0	—	—	—	—	—
2025/4/21 23:50	0	—	0	0	0	—	—	—	—	—
2025/4/22 0:00	0	—	0	0	0	238	227	121	135	108
2025/4/22 0:10	0	—	0	0	0	—	—	—	—	—
2025/4/22 0:20	0	—	0	0	0	—	—	—	—	—
2025/4/22 0:30	0	—	0	0	0	—	—	—	—	—
2025/4/22 0:40	0	—	0	0	0	—	—	—	—	—
2025/4/22 0:50	0	—	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/22 1:00	0	—	0	0	0	252	200	115	135	121
2025/4/22 1:10	0	—	0	0	0	—	—	—	—	—
2025/4/22 1:20	0	—	0	0	0	—	—	—	—	—
2025/4/22 1:30	0	—	0	0	0	—	—	—	—	—
2025/4/22 1:40	0	—	0	0	0	—	—	—	—	—
2025/4/22 1:50	0	—	0	0	0	—	—	—	—	—
2025/4/22 2:00	0	—	0	0	0	218	332	161	168	168
2025/4/22 2:10	0	—	0	0	0	—	—	—	—	—
2025/4/22 2:20	0	—	0	0	0	—	—	—	—	—
2025/4/22 2:30	0	—	0	0	0	—	—	—	—	—
2025/4/22 2:40	0	—	0	0	0	—	—	—	—	—
2025/4/22 2:50	0	—	0	0	0	—	—	—	—	—
2025/4/22 3:00	0	—	0	0	0	231	291	168	172	148
2025/4/22 3:10	0	—	0	0	0	—	—	—	—	—
2025/4/22 3:20	0	—	0	0	0	—	—	—	—	—
2025/4/22 3:30	0	—	0	0	0	—	—	—	—	—
2025/4/22 3:40	0	—	0	0	0	—	—	—	—	—
2025/4/22 3:50	0	—	0	0	0	—	—	—	—	—
2025/4/22 4:00	0	—	0	0	0	154	272	147	161	181
2025/4/22 4:10	0	—	0	0	0	—	—	—	—	—
2025/4/22 4:20	0	—	0	0	0	—	—	—	—	—
2025/4/22 4:30	0	—	0	0	0	—	—	—	—	—
2025/4/22 4:40	0	—	0	0	0	—	—	—	—	—
2025/4/22 4:50	0	—	0	0	0	—	—	—	—	—
2025/4/22 5:00	0	—	0	0	0	120	200	141	154	121
2025/4/22 5:10	0	—	0	0	0	—	—	—	—	—
2025/4/22 5:20	0	—	0	0	0	—	—	—	—	—
2025/4/22 5:30	0	—	0	0	0	—	—	—	—	—
2025/4/22 5:40	0	—	0	0	0	—	—	—	—	—
2025/4/22 5:50	0	—	0	0	0	—	—	—	—	—
2025/4/22 6:00	0	—	0	0	0	114	168	194	148	128
2025/4/22 6:10	0	—	0	0	0	—	—	—	—	—
2025/4/22 6:20	0	—	0	0	0	—	—	—	—	—
2025/4/22 6:30	0	—	0	0	0	—	—	—	—	—
2025/4/22 6:40	0	—	0	0	0	—	—	—	—	—
2025/4/22 6:50	0	—	0	0	0	—	—	—	—	—
2025/4/22 7:00	0	—	0	0	0	121	199	200	161	114
2025/4/22 7:10	0	—	0	0	0	—	—	—	—	—
2025/4/22 7:20	0	—	0	0	0	—	—	—	—	—
2025/4/22 7:30	0	—	0	0.1	0	—	—	—	—	—
2025/4/22 7:40	0	—	0	0.1	0	—	—	—	—	—
2025/4/22 7:50	0	—	0	0.1	0	—	—	—	—	—
2025/4/22 8:00	0	—	0	0.1	0	155	212	233	181	200
2025/4/22 8:10	0	—	0	0.1	0	—	—	—	—	—
2025/4/22 8:20	0	—	0	0.1	0	—	—	—	—	—
2025/4/22 8:30	0	—	0	0.1	0	—	—	—	—	—
2025/4/22 8:40	0	—	0	0.1	0	—	—	—	—	—
2025/4/22 8:50	0	—	0	0.1	0	—	—	—	—	—
2025/4/22 9:00	0	—	0	0.1	0	148	298	207	200	233
2025/4/22 9:10	0	—	0	0.1	0	—	—	—	—	—
2025/4/22 9:20	0	—	0	0.1	0	—	—	—	—	—
2025/4/22 9:30	0	—	0	0.1	0	—	—	—	—	—
2025/4/22 9:40	0	—	0	0.1	0	—	—	—	—	—
2025/4/22 9:50	0	—	0.1	0.1	0	—	—	—	—	—
2025/4/22 10:00	0	—	0	0.1	0	140	399	293	266	240
2025/4/22 10:10	0	—	0.1	0.1	0	—	—	—	—	—
2025/4/22 10:20	0	—	0.1	0.1	0	—	—	—	—	—
2025/4/22 10:30	0.1	—	0.1	0.1	0	—	—	—	—	—
2025/4/22 10:40	0.1	—	0.1	0.1	0	—	—	—	—	—
2025/4/22 10:50	0.1	—	0.1	0.1	0	—	—	—	—	—
2025/4/22 11:00	0.1	—	0.1	0.1	0	181	245	180	199	146
2025/4/22 11:10	0.1	—	0.1	0.1	0	—	—	—	—	—
2025/4/22 11:20	0.1	—	0.1	0	0	—	—	—	—	—
2025/4/22 11:30	0.1	—	0.1	0	0	—	—	—	—	—
2025/4/22 11:40	0.1	—	0.1	0	0	—	—	—	—	—
2025/4/22 11:50	0.1	—	0.1	0	0	—	—	—	—	—
2025/4/22 12:00	0.1	—	0.1	0	0	188	227	207	188	161
2025/4/22 12:10	0.1	—	0.1	0	0	—	—	—	—	—
2025/4/22 12:20	0.1	—	0.1	0	0	—	—	—	—	—
2025/4/22 12:30	0.1	—	0.1	0	0	—	—	—	—	—
2025/4/22 12:40	0.1	—	0	0	0	—	—	—	—	—
2025/4/22 12:50	0.1	—	0	0	0	—	—	—	—	—
2025/4/22 13:00	0.1	—	0	0	0	253	266	200	155	207

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/22 13:10	0.1	—	0	0	0	—	—	—	—	—
2025/4/22 13:20	0.1	—	0	0	0	—	—	—	—	—
2025/4/22 13:30	0.1	—	0	0	0	—	—	—	—	—
2025/4/22 13:40	0.1	—	0	0	0	—	—	—	—	—
2025/4/22 13:50	0.1	—	0	0	0	—	—	—	—	—
2025/4/22 14:00	0.1	—	0	0	0	207	279	246	161	207
2025/4/22 14:10	0.1	—	0	0	0	—	—	—	—	—
2025/4/22 14:20	0.1	—	0	0	0	—	—	—	—	—
2025/4/22 14:30	0.1	—	0	0	0	—	—	—	—	—
2025/4/22 14:40	0.1	—	0	0	0	—	—	—	—	—
2025/4/22 14:50	0.1	—	0	0	0	—	—	—	—	—
2025/4/22 15:00	0.1	—	0	0	0	174	298	193	160	181
2025/4/22 15:10	0.1	—	0	0	0	—	—	—	—	—
2025/4/22 15:20	0.1	—	0	0	0	—	—	—	—	—
2025/4/22 15:30	0.1	—	0	0	0	—	—	—	—	—
2025/4/22 15:40	0.1	—	0	0	0	—	—	—	—	—
2025/4/22 15:50	0.1	—	0	0	0	—	—	—	—	—
2025/4/22 16:00	0.1	—	0	0	0	200	200	173	141	194
2025/4/22 16:10	0	—	0	0	0	—	—	—	—	—
2025/4/22 16:20	0	—	0	0	0	—	—	—	—	—
2025/4/22 16:30	0	—	0	0	0	—	—	—	—	—
2025/4/22 16:40	0	—	0	0	0	—	—	—	—	—
2025/4/22 16:50	0	—	0	0	0	—	—	—	—	—
2025/4/22 17:00	0	—	0	0	0	173	206	233	200	194
2025/4/22 17:10	0	—	0	0	0	—	—	—	—	—
2025/4/22 17:20	0	—	0	0	0	—	—	—	—	—
2025/4/22 17:30	0	0	0	0	0	—	—	—	—	—
2025/4/22 17:40	0	0	0	0	0	—	—	—	—	—
2025/4/22 17:50	0	0	0	0	0	—	—	—	—	—
2025/4/22 18:00	0	0	0	0	0	181	199	174	128	160
2025/4/22 18:10	0	0	0	0	0	—	—	—	—	—
2025/4/22 18:20	0	0	0	0	0	—	—	—	—	—
2025/4/22 18:30	0	0	0	0	0	—	—	—	—	—
2025/4/22 18:40	0	0	0	0	0	—	—	—	—	—
2025/4/22 18:50	0	0	0	0	0	—	—	—	—	—
2025/4/22 19:00	0	0	0	0	0	155	154	166	121	148
2025/4/22 19:10	0	0	0	0	0	—	—	—	—	—
2025/4/22 19:20	0	0	0	0	0	—	—	—	—	—
2025/4/22 19:30	0	0	0	0	0	—	—	—	—	—
2025/4/22 19:40	0	0	0	0	0	—	—	—	—	—
2025/4/22 19:50	0	0	0.1	0	0	—	—	—	—	—
2025/4/22 20:00	0	0	0	0	0	134	115	101	102	120
2025/4/22 20:10	0	0	0	0	0	—	—	—	—	—
2025/4/22 20:20	0	0	0	0	0	—	—	—	—	—
2025/4/22 20:30	0	0	0	0	0	—	—	—	—	—
2025/4/22 20:40	0	0	0	0	0	—	—	—	—	—
2025/4/22 20:50	0	0	0	0	0	—	—	—	—	—
2025/4/22 21:00	0	0	0	0	0	141	134	107	108	114
2025/4/22 21:10	0	0	0	0	0	—	—	—	—	—
2025/4/22 21:20	0	0	0	0	0	—	—	—	—	—
2025/4/22 21:30	0	0	0	0	0	—	—	—	—	—
2025/4/22 21:40	0	0	0	0	0	—	—	—	—	—
2025/4/22 21:50	0	0	0	0	0	—	—	—	—	—
2025/4/22 22:00	0	0	0	0	0	140	133	108	102	108
2025/4/22 22:10	0	0	0	0	0	—	—	—	—	—
2025/4/22 22:20	0	0	0	0	0	—	—	—	—	—
2025/4/22 22:30	0	0	0	0	0	—	—	—	—	—
2025/4/22 22:40	0	0	0	0	0	—	—	—	—	—
2025/4/22 22:50	0	0	0	0	0	—	—	—	—	—
2025/4/22 23:00	0	0	0	0	0	128	127	114	107	121
2025/4/22 23:10	0	0	0	0	0	—	—	—	—	—
2025/4/22 23:20	0	0	0	0	0	—	—	—	—	—
2025/4/22 23:30	0	0	0	0	0	—	—	—	—	—
2025/4/22 23:40	0	0	0	0	0	—	—	—	—	—
2025/4/22 23:50	0	0	0	0	0	—	—	—	—	—
2025/4/23 0:00	0	0	0	0	0	121	126	108	100	107
2025/4/23 0:10	0	0	0	0	0	—	—	—	—	—
2025/4/23 0:20	0	0	0	0	0	—	—	—	—	—
2025/4/23 0:30	0	0	0	0	0	—	—	—	—	—
2025/4/23 0:40	0	0	0	0	0	—	—	—	—	—
2025/4/23 0:50	0	0	0	0	0	—	—	—	—	—
2025/4/23 1:00	0	0	0	0	0	121	135	198	102	140
2025/4/23 1:10	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/23 1:20	0	0	0	0	0	—	—	—	—	—
2025/4/23 1:30	0	0	0	0	0	—	—	—	—	—
2025/4/23 1:40	0	0	0	0	0	—	—	—	—	—
2025/4/23 1:50	0	0	0	0	0	—	—	—	—	—
2025/4/23 2:00	0	0	0	0	0	114	121	135	88	147
2025/4/23 2:10	0	0	0	0	0	—	—	—	—	—
2025/4/23 2:20	0	0	0	0	0	—	—	—	—	—
2025/4/23 2:30	0	0	0	0	0	—	—	—	—	—
2025/4/23 2:40	0	0	0	0	0	—	—	—	—	—
2025/4/23 2:50	0	0	0	0	0	—	—	—	—	—
2025/4/23 3:00	0	0	0	0	0	108	120	102	81	101
2025/4/23 3:10	0	0	0	0	0	—	—	—	—	—
2025/4/23 3:20	0	0	0	0	0	—	—	—	—	—
2025/4/23 3:30	0	0	0	0	0	—	—	—	—	—
2025/4/23 3:40	0	0	0	0	0	—	—	—	—	—
2025/4/23 3:50	0	0	0	0	0	—	—	—	—	—
2025/4/23 4:00	0	0	0	0	0	120	133	140	82	115
2025/4/23 4:10	0	0	0	0	0	—	—	—	—	—
2025/4/23 4:20	0	0	0	0	0	—	—	—	—	—
2025/4/23 4:30	0	0	0	0	0	—	—	—	—	—
2025/4/23 4:40	0	0	0	0	0	—	—	—	—	—
2025/4/23 4:50	0	0	0	0	0	—	—	—	—	—
2025/4/23 5:00	0	0	0	0	0	107	140	114	75	94
2025/4/23 5:10	0	0	0	0	0	—	—	—	—	—
2025/4/23 5:20	0	0	0	0	0	—	—	—	—	—
2025/4/23 5:30	0	0	0	0	0	—	—	—	—	—
2025/4/23 5:40	0	0	0	0	0	—	—	—	—	—
2025/4/23 5:50	0	0	0	0	0	—	—	—	—	—
2025/4/23 6:00	0	0	0	0	0	107	95	107	74	82
2025/4/23 6:10	0	0	0	0	0	—	—	—	—	—
2025/4/23 6:20	0	0	0	0	0	—	—	—	—	—
2025/4/23 6:30	0	0	0	0	0	—	—	—	—	—
2025/4/23 6:40	0	0	0	0	0	—	—	—	—	—
2025/4/23 6:50	0	0	0	0	0	—	—	—	—	—
2025/4/23 7:00	0	0	0	0	0	148	128	180	95	199
2025/4/23 7:10	0	0	0	0	0	—	—	—	—	—
2025/4/23 7:20	0	0	0	0	0	—	—	—	—	—
2025/4/23 7:30	0	0	0	0	0	—	—	—	—	—
2025/4/23 7:40	0	0	0	0	0	—	—	—	—	—
2025/4/23 7:50	0	0	0	0	0	—	—	—	—	—
2025/4/23 8:00	0	0	0	0	0	127	101	199	86	265
2025/4/23 8:10	0	0	0	0	0	—	—	—	—	—
2025/4/23 8:20	0	0	0	0	0	—	—	—	—	—
2025/4/23 8:30	0	0	0	0	0	—	—	—	—	—
2025/4/23 8:40	0	0	0	0	0	—	—	—	—	—
2025/4/23 8:50	0	0	0	0	0	—	—	—	—	—
2025/4/23 9:00	0	0	0	0	0	146	140	141	100	181
2025/4/23 9:10	0	0	0	0	0	—	—	—	—	—
2025/4/23 9:20	0	0	0	0	0	—	—	—	—	—
2025/4/23 9:30	0	0	0	0	0	—	—	—	—	—
2025/4/23 9:40	0	0	0	0	0	—	—	—	—	—
2025/4/23 9:50	0	0	0	0	0	—	—	—	—	—
2025/4/23 10:00	0	0	0	0	0	127	134	174	109	205
2025/4/23 10:10	0	0	0	0	0	—	—	—	—	—
2025/4/23 10:20	0	0	0	0	0	—	—	—	—	—
2025/4/23 10:30	0	0	0	0	0	—	—	—	—	—
2025/4/23 10:40	0	0	0	0	0	—	—	—	—	—
2025/4/23 10:50	0	0	0	0	0	—	—	—	—	—
2025/4/23 11:00	0	0	0	0	0	139	160	155	119	168
2025/4/23 11:10	0	0	0	0	0	—	—	—	—	—
2025/4/23 11:20	0	0	0	0	0	—	—	—	—	—
2025/4/23 11:30	0	0	0	0	0	—	—	—	—	—
2025/4/23 11:40	0	0	0	0	0	—	—	—	—	—
2025/4/23 11:50	0	0	0	0	0	—	—	—	—	—
2025/4/23 12:00	0	0	0	0	0	218	429	172	180	179
2025/4/23 12:10	0	0	0	0	0	—	—	—	—	—
2025/4/23 12:20	0	0	0	0	0	—	—	—	—	—
2025/4/23 12:30	0	0	0	0	0	—	—	—	—	—
2025/4/23 12:40	0	0	0	0	0	—	—	—	—	—
2025/4/23 12:50	0	0	0	0	0	—	—	—	—	—
2025/4/23 13:00	0	0	0	0	0	140	154	166	141	219
2025/4/23 13:10	0	0	0	0	0	—	—	—	—	—
2025/4/23 13:20	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/23 13:30	0	0	0	0	0	—	—	—	—	—
2025/4/23 13:40	0	0	0	0	0	—	—	—	—	—
2025/4/23 13:50	0	0	0	0	0	—	—	—	—	—
2025/4/23 14:00	0	0	0	0	0	197	187	159	198	167
2025/4/23 14:10	0	0	0	0	0	—	—	—	—	—
2025/4/23 14:20	0	0	0	0	0	—	—	—	—	—
2025/4/23 14:30	0	0	0	0	0	—	—	—	—	—
2025/4/23 14:40	0	0	0	0	0	—	—	—	—	—
2025/4/23 14:50	0	0	0	0	0	—	—	—	—	—
2025/4/23 15:00	0	0	0	0	0	174	207	187	199	245
2025/4/23 15:10	0	0	0	0	0	—	—	—	—	—
2025/4/23 15:20	0	0	0	0	0	—	—	—	—	—
2025/4/23 15:30	0	0	0	0	0	—	—	—	—	—
2025/4/23 15:40	0	0	0	0	0	—	—	—	—	—
2025/4/23 15:50	0	0	0	0	0	—	—	—	—	—
2025/4/23 16:00	0	0	0	0	0	160	188	180	180	187
2025/4/23 16:10	0	0	0	0	0	—	—	—	—	—
2025/4/23 16:20	0	0	0	0	0	—	—	—	—	—
2025/4/23 16:30	0	0	0	0	0	—	—	—	—	—
2025/4/23 16:40	0	0	0	0	0	—	—	—	—	—
2025/4/23 16:50	0	0	0	0	0	—	—	—	—	—
2025/4/23 17:00	0	0	0	0	0	172	199	167	172	167
2025/4/23 17:10	0	0	0	0	0	—	—	—	—	—
2025/4/23 17:20	0	0	0	0	0	—	—	—	—	—
2025/4/23 17:30	0	0	0	0	0	—	—	—	—	—
2025/4/23 17:40	0	0	0	0	0	—	—	—	—	—
2025/4/23 17:50	0	0	0	0	0	—	—	—	—	—
2025/4/23 18:00	0	0	0	0	0	161	154	168	186	199
2025/4/23 18:10	0	0	0	0	0	—	—	—	—	—
2025/4/23 18:20	0	0	0	0	0	—	—	—	—	—
2025/4/23 18:30	0	0	0	0	0	—	—	—	—	—
2025/4/23 18:40	0	0	0	0	0	—	—	—	—	—
2025/4/23 18:50	0	0	0	0	0	—	—	—	—	—
2025/4/23 19:00	0	0	0	0	0	161	180	166	198	178
2025/4/23 19:10	0	0	0	0	0	—	—	—	—	—
2025/4/23 19:20	0	0	0	0	0	—	—	—	—	—
2025/4/23 19:30	0	0	0	0	0	—	—	—	—	—
2025/4/23 19:40	0	0	0	0	0	—	—	—	—	—
2025/4/23 19:50	0	0	0	0	0	—	—	—	—	—
2025/4/23 20:00	0	0	0	0	0	120	370	192	230	127
2025/4/23 20:10	0	0	0	0	0	—	—	—	—	—
2025/4/23 20:20	0	0	0	0	0	—	—	—	—	—
2025/4/23 20:30	0	0	0	0	0	—	—	—	—	—
2025/4/23 20:40	0	0	0	0	0	—	—	—	—	—
2025/4/23 20:50	0	0	0	0	0	—	—	—	—	—
2025/4/23 21:00	0	0	0	0	0	161	505	198	231	155
2025/4/23 21:10	0	0	0	0	0	—	—	—	—	—
2025/4/23 21:20	0	0	0	0	0	—	—	—	—	—
2025/4/23 21:30	0	0	0	0	0	—	—	—	—	—
2025/4/23 21:40	0	0	0	0	0	—	—	—	—	—
2025/4/23 21:50	0	0	0	0	0	—	—	—	—	—
2025/4/23 22:00	0	0	0	0	0	146	384	193	218	141
2025/4/23 22:10	0	0	0	0	0	—	—	—	—	—
2025/4/23 22:20	0	0	0	0	0	—	—	—	—	—
2025/4/23 22:30	0	0	0	0	0	—	—	—	—	—
2025/4/23 22:40	0	0	0	0	0	—	—	—	—	—
2025/4/23 22:50	0	0	0	0	0	—	—	—	—	—
2025/4/23 23:00	0	0	0	0	0	148	212	198	200	159
2025/4/23 23:10	0	0	0	0	0	—	—	—	—	—
2025/4/23 23:20	0	0	0	0	0	—	—	—	—	—
2025/4/23 23:30	0	0	0	0	0	—	—	—	—	—
2025/4/23 23:40	0	0	0	0	0	—	—	—	—	—
2025/4/23 23:50	0	0	0	0	0	—	—	—	—	—
2025/4/24 0:00	0	0	0	0	0	134	148	161	188	133
2025/4/24 0:10	0	0	0	0	0	—	—	—	—	—
2025/4/24 0:20	0	0	0	0	0	—	—	—	—	—
2025/4/24 0:30	0	0	0	0	0	—	—	—	—	—
2025/4/24 0:40	0	0	0	0	0	—	—	—	—	—
2025/4/24 0:50	0	0	0	0	0	—	—	—	—	—
2025/4/24 1:00	0	0	0	0	0	133	491	199	291	126
2025/4/24 1:10	0	0	0	0	0	—	—	—	—	—
2025/4/24 1:20	0	0	0	0	0	—	—	—	—	—
2025/4/24 1:30	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/24 1:40	0	0	0	0	0	—	—	—	—	—
2025/4/24 1:50	0	0	0	0	0	—	—	—	—	—
2025/4/24 2:00	0	0	0	0	0	140	354	200	186	139
2025/4/24 2:10	0	0	0	0	0	—	—	—	—	—
2025/4/24 2:20	0	0	0	0	0	—	—	—	—	—
2025/4/24 2:30	0	0	0	0	0	—	—	—	—	—
2025/4/24 2:40	0	0	0	0	0	—	—	—	—	—
2025/4/24 2:50	0	0	0	0	0	—	—	—	—	—
2025/4/24 3:00	0	0	0	0	0	155	452	168	198	148
2025/4/24 3:10	0	0	0	0	0	—	—	—	—	—
2025/4/24 3:20	0	0	0	0	0	—	—	—	—	—
2025/4/24 3:30	0	0	0	0	0	—	—	—	—	—
2025/4/24 3:40	0	0	0	0	0	—	—	—	—	—
2025/4/24 3:50	0	0	0	0	0	—	—	—	—	—
2025/4/24 4:00	0	0	0	0	0	141	412	187	193	134
2025/4/24 4:10	0	0	0	0	0	—	—	—	—	—
2025/4/24 4:20	0	0	0	0	0	—	—	—	—	—
2025/4/24 4:30	0	0	0	0	0	—	—	—	—	—
2025/4/24 4:40	0	0	0	0	0	—	—	—	—	—
2025/4/24 4:50	0	0	0	0	0	—	—	—	—	—
2025/4/24 5:00	0	0	0	0	0	141	358	148	161	135
2025/4/24 5:10	0	0	0	0	0	—	—	—	—	—
2025/4/24 5:20	0	0	0	0	0	—	—	—	—	—
2025/4/24 5:30	0	0	0	0	0	—	—	—	—	—
2025/4/24 5:40	0	0	0	0	0	—	—	—	—	—
2025/4/24 5:50	0	0	0	0	0	—	—	—	—	—
2025/4/24 6:00	0	0	0	0	0	114	225	153	148	119
2025/4/24 6:10	0	0	0	0	0	—	—	—	—	—
2025/4/24 6:20	0	0	0	0	0	—	—	—	—	—
2025/4/24 6:30	0	0	0	0	0	—	—	—	—	—
2025/4/24 6:40	0	0	0	0	0	—	—	—	—	—
2025/4/24 6:50	0	0	0	0	0	—	—	—	—	—
2025/4/24 7:00	0	0	0	0	0	126	525	154	212	121
2025/4/24 7:10	0	0	0	0	0	—	—	—	—	—
2025/4/24 7:20	0	0	0	0	0	—	—	—	—	—
2025/4/24 7:30	0	0	0	0	0	—	—	—	—	—
2025/4/24 7:40	0	0	0	0	0	—	—	—	—	—
2025/4/24 7:50	0	0	0	0	0	—	—	—	—	—
2025/4/24 8:00	0	0	0	0	0	141	532	198	205	133
2025/4/24 8:10	0	0	0	0	0	—	—	—	—	—
2025/4/24 8:20	0	0	0	0	0	—	—	—	—	—
2025/4/24 8:30	0	0	0	0	0	—	—	—	—	—
2025/4/24 8:40	0	0	0	0	0	—	—	—	—	—
2025/4/24 8:50	0	0	0	0	0	—	—	—	—	—
2025/4/24 9:00	0	0	0	0	0	160	211	192	153	187
2025/4/24 9:10	0	0	0	0	0	—	—	—	—	—
2025/4/24 9:20	0	0	0	0	0	—	—	—	—	—
2025/4/24 9:30	0	0	0	0	0	—	—	—	—	—
2025/4/24 9:40	0	0	0	0	0	—	—	—	—	—
2025/4/24 9:50	0	0	0	0.1	0	—	—	—	—	—
2025/4/24 10:00	0	0	0.1	0.1	0	155	332	135	133	238
2025/4/24 10:10	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/24 10:20	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/4/24 10:30	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/4/24 10:40	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/4/24 10:50	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/4/24 11:00	0.1	0	0.1	0.1	0	207	337	167	187	220
2025/4/24 11:10	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/4/24 11:20	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/4/24 11:30	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/24 11:40	0.1	0	0	0	0	—	—	—	—	—
2025/4/24 11:50	0.1	0	0	0	0	—	—	—	—	—
2025/4/24 12:00	0.1	0	0	0	0	147	504	213	215	233
2025/4/24 12:10	0.1	0	0	0	0	—	—	—	—	—
2025/4/24 12:20	0.1	0	0	0	0	—	—	—	—	—
2025/4/24 12:30	0.1	0	0	0	0	—	—	—	—	—
2025/4/24 12:40	0.1	0	0	0	0	—	—	—	—	—
2025/4/24 12:50	0.1	0	0	0	0	—	—	—	—	—
2025/4/24 13:00	0.1	0	0	0	0	188	370	260	198	231
2025/4/24 13:10	0.1	0	0	0	0	—	—	—	—	—
2025/4/24 13:20	0.1	0	0	0	0	—	—	—	—	—
2025/4/24 13:30	0.1	0	0	0	0	—	—	—	—	—
2025/4/24 13:40	0.1	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/24 13:50	0.1	0	0	0	0	—	—	—	—	—
2025/4/24 14:00	0.1	0	0	0	0	205	404	205	198	244
2025/4/24 14:10	0.1	0	0	0	0	—	—	—	—	—
2025/4/24 14:20	0.1	0	0	0	0	—	—	—	—	—
2025/4/24 14:30	0.1	0	0	0	0	—	—	—	—	—
2025/4/24 14:40	0.1	0	0	0	0	—	—	—	—	—
2025/4/24 14:50	0.1	0	0	0	0	—	—	—	—	—
2025/4/24 15:00	0.1	0	0	0	0	181	425	291	225	325
2025/4/24 15:10	0.1	0	0	0	0	—	—	—	—	—
2025/4/24 15:20	0.1	0	0	0	0	—	—	—	—	—
2025/4/24 15:30	0.1	0	0	0	0	—	—	—	—	—
2025/4/24 15:40	0.1	0	0	0	0	—	—	—	—	—
2025/4/24 15:50	0.1	0	0	0	0	—	—	—	—	—
2025/4/24 16:00	0.1	0	0	0	0	404	279	303	206	304
2025/4/24 16:10	0.1	0	0	0	0	—	—	—	—	—
2025/4/24 16:20	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/24 16:30	0	0.1	0	0	0	—	—	—	—	—
2025/4/24 16:40	0	0.1	0	0	0	—	—	—	—	—
2025/4/24 16:50	0	0.1	0	0	0	—	—	—	—	—
2025/4/24 17:00	0	0	0	0	0	391	485	238	292	232
2025/4/24 17:10	0	0	0	0	0	—	—	—	—	—
2025/4/24 17:20	0	0	0	0	0	—	—	—	—	—
2025/4/24 17:30	0	0	0	0	0	—	—	—	—	—
2025/4/24 17:40	0	0	0	0	0	—	—	—	—	—
2025/4/24 17:50	0	0	0	0	0	—	—	—	—	—
2025/4/24 18:00	0	0	0	0	0	279	650	313	285	505
2025/4/24 18:10	0	0	0	0	0	—	—	—	—	—
2025/4/24 18:20	0	0	0	0	0	—	—	—	—	—
2025/4/24 18:30	0	0	0	0	0	—	—	—	—	—
2025/4/24 18:40	0	0	0	0	0	—	—	—	—	—
2025/4/24 18:50	0	0	0	0	0	—	—	—	—	—
2025/4/24 19:00	0	0	0	0	0	240	352	280	173	294
2025/4/24 19:10	0	0	0	0	0	—	—	—	—	—
2025/4/24 19:20	0	0	0	0	0	—	—	—	—	—
2025/4/24 19:30	0	0	0	0	0	—	—	—	—	—
2025/4/24 19:40	0	0	0	0	0	—	—	—	—	—
2025/4/24 19:50	0	0	0	0	0	—	—	—	—	—
2025/4/24 20:00	0	0	0	0	0	305	465	238	207	503
2025/4/24 20:10	0	0	0.1	0	0	—	—	—	—	—
2025/4/24 20:20	0	0	0	0	0	—	—	—	—	—
2025/4/24 20:30	0	0	0	0	0	—	—	—	—	—
2025/4/24 20:40	0	0	0	0	0	—	—	—	—	—
2025/4/24 20:50	0	0	0	0	0	—	—	—	—	—
2025/4/24 21:00	0	0	0	0	0	280	312	258	163	365
2025/4/24 21:10	0	0	0	0	0	—	—	—	—	—
2025/4/24 21:20	0	0	0	0	0	—	—	—	—	—
2025/4/24 21:30	0	0	0	0	0	—	—	—	—	—
2025/4/24 21:40	0	0	0	0	0	—	—	—	—	—
2025/4/24 21:50	0	0	0	0	0	—	—	—	—	—
2025/4/24 22:00	0	0	0	0	0	207	475	279	148	346
2025/4/24 22:10	0	0	0	0	0	—	—	—	—	—
2025/4/24 22:20	0	0	0	0	0	—	—	—	—	—
2025/4/24 22:30	0	0	0	0	0	—	—	—	—	—
2025/4/24 22:40	0	0	0	0	0	—	—	—	—	—
2025/4/24 22:50	0	0	0	0	0	—	—	—	—	—
2025/4/24 23:00	0	0	0	0	0	384	465	147	155	311
2025/4/24 23:10	0	0	0	0	0	—	—	—	—	—
2025/4/24 23:20	0	0	0	0	0	—	—	—	—	—
2025/4/24 23:30	0	0	0	0	0	—	—	—	—	—
2025/4/24 23:40	0	0	0	0	0	—	—	—	—	—
2025/4/24 23:50	0	0	0	0	0	—	—	—	—	—
2025/4/25 0:00	0	0	0	0	0	430	496	179	147	263
2025/4/25 0:10	0	0	0	0	0	—	—	—	—	—
2025/4/25 0:20	0	0	0	0	0	—	—	—	—	—
2025/4/25 0:30	0	0	0	0	0	—	—	—	—	—
2025/4/25 0:40	0	0	0	0	0	—	—	—	—	—
2025/4/25 0:50	0	0	0	0	0	—	—	—	—	—
2025/4/25 1:00	0	0	0	0	0	147	372	140	167	546
2025/4/25 1:10	0	0	0	0	0	—	—	—	—	—
2025/4/25 1:20	0	0	0	0	0	—	—	—	—	—
2025/4/25 1:30	0	0	0	0	0	—	—	—	—	—
2025/4/25 1:40	0	0	0	0	0	—	—	—	—	—
2025/4/25 1:50	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/25 2:00	0	0	0	0	0	141	419	154	161	355
2025/4/25 2:10	0	0	0	0	0	—	—	—	—	—
2025/4/25 2:20	0	0	0	0	0	—	—	—	—	—
2025/4/25 2:30	0	0	0	0	0	—	—	—	—	—
2025/4/25 2:40	0	0	0	0	0	—	—	—	—	—
2025/4/25 2:50	0	0	0	0	0	—	—	—	—	—
2025/4/25 3:00	0	0	0	0	0	128	452	206	186	227
2025/4/25 3:10	0	0	0	0	0	—	—	—	—	—
2025/4/25 3:20	0	0	0	0	0	—	—	—	—	—
2025/4/25 3:30	0	0	0	0	0	—	—	—	—	—
2025/4/25 3:40	0	0	0	0	0	—	—	—	—	—
2025/4/25 3:50	0	0	0	0	0	—	—	—	—	—
2025/4/25 4:00	0	0	0	0	0	225	511	181	198	412
2025/4/25 4:10	0	0	0	0	0	—	—	—	—	—
2025/4/25 4:20	0	0	0	0	0	—	—	—	—	—
2025/4/25 4:30	0	0	0	0	0	—	—	—	—	—
2025/4/25 4:40	0	0	0	0	0	—	—	—	—	—
2025/4/25 4:50	0	0	0	0	0	—	—	—	—	—
2025/4/25 5:00	0	0	0	0	0	161	564	198	167	284
2025/4/25 5:10	0	0	0	0	0	—	—	—	—	—
2025/4/25 5:20	0	0	0	0	0	—	—	—	—	—
2025/4/25 5:30	0	0	0	0	0	—	—	—	—	—
2025/4/25 5:40	0	0	0	0	0	—	—	—	—	—
2025/4/25 5:50	0	0	0	0	0	—	—	—	—	—
2025/4/25 6:00	0	0	0	0	0	121	248	126	119	199
2025/4/25 6:10	0	0	0	0	0	—	—	—	—	—
2025/4/25 6:20	0	0	0	0	0	—	—	—	—	—
2025/4/25 6:30	0	0	0	0	0	—	—	—	—	—
2025/4/25 6:40	0	0	0	0	0	—	—	—	—	—
2025/4/25 6:50	0	0	0	0	0	—	—	—	—	—
2025/4/25 7:00	0	0	0	0	0	127	417	146	155	233
2025/4/25 7:10	0	0	0	0	0	—	—	—	—	—
2025/4/25 7:20	0	0	0	0	0	—	—	—	—	—
2025/4/25 7:30	0	0	0	0	0	—	—	—	—	—
2025/4/25 7:40	0	0	0	0	0	—	—	—	—	—
2025/4/25 7:50	0	0	0	0	0	—	—	—	—	—
2025/4/25 8:00	0	0	0	0	0	155	305	134	168	252
2025/4/25 8:10	0	0	0	0	0	—	—	—	—	—
2025/4/25 8:20	0	0	0	0	0	—	—	—	—	—
2025/4/25 8:30	0	0	0	0	0	—	—	—	—	—
2025/4/25 8:40	0	0	0	0	0	—	—	—	—	—
2025/4/25 8:50	0	0	0	0	0	—	—	—	—	—
2025/4/25 9:00	0	0	0	0	0	238	206	139	127	312
2025/4/25 9:10	0	0	0	0	0	—	—	—	—	—
2025/4/25 9:20	0	0	0	0	0	—	—	—	—	—
2025/4/25 9:30	0	0	0	0	0	—	—	—	—	—
2025/4/25 9:40	0	0	0	0	0	—	—	—	—	—
2025/4/25 9:50	0	0	0	0	0	—	—	—	—	—
2025/4/25 10:00	0	0	0	0	0	141	115	160	194	200
2025/4/25 10:10	0	0	0	0	0	—	—	—	—	—
2025/4/25 10:20	0	0	0	0	0	—	—	—	—	—
2025/4/25 10:30	0	0	0	0	0	—	—	—	—	—
2025/4/25 10:40	0	0	0	0	0	—	—	—	—	—
2025/4/25 10:50	0	0	0	0	0	—	—	—	—	—
2025/4/25 11:00	0	0	0	0	0	127	126	147	199	159
2025/4/25 11:10	0	0	0	0	0	—	—	—	—	—
2025/4/25 11:20	0	0	0	0	0	—	—	—	—	—
2025/4/25 11:30	0	0	0	0	0	—	—	—	—	—
2025/4/25 11:40	0	0	0	0	0	—	—	—	—	—
2025/4/25 11:50	0	0	0	0	0	—	—	—	—	—
2025/4/25 12:00	0	0	0	0	0	148	153	212	284	199
2025/4/25 12:10	0	0	0	0	0	—	—	—	—	—
2025/4/25 12:20	0	0	0	0	0	—	—	—	—	—
2025/4/25 12:30	0	0	0	0	0	—	—	—	—	—
2025/4/25 12:40	0	0	0	0	0	—	—	—	—	—
2025/4/25 12:50	0	0	0	0	0	—	—	—	—	—
2025/4/25 13:00	0	0	0	0	0	160	206	173	167	212
2025/4/25 13:10	0	0	0	0	0	—	—	—	—	—
2025/4/25 13:20	0	0	0	0	0	—	—	—	—	—
2025/4/25 13:30	0	0	0	0	0	—	—	—	—	—
2025/4/25 13:40	0.1	0	0	0	0	—	—	—	—	—
2025/4/25 13:50	0.1	0	0	0	0	—	—	—	—	—
2025/4/25 14:00	0.1	0	0	0	0	119	245	167	194	160

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/25 14:10	0.1	0	0	0	0	—	—	—	—	—
2025/4/25 14:20	0	0	0	0	0	—	—	—	—	—
2025/4/25 14:30	0	0	0	0	0	—	—	—	—	—
2025/4/25 14:40	0	0	0	0	0	—	—	—	—	—
2025/4/25 14:50	0	0	0	0	0	—	—	—	—	—
2025/4/25 15:00	0	0	0	0	0	114	101	154	198	199
2025/4/25 15:10	0	0	0	0	0	—	—	—	—	—
2025/4/25 15:20	0	0	0	0	0	—	—	—	—	—
2025/4/25 15:30	0	0	0	0	0	—	—	—	—	—
2025/4/25 15:40	0	0	0	0	0	—	—	—	—	—
2025/4/25 15:50	0	0	0	0	0	—	—	—	—	—
2025/4/25 16:00	0	0	0	0	0	101	107	170	265	291
2025/4/25 16:10	0	0	0	0	0	—	—	—	—	—
2025/4/25 16:20	0	0	0	0	0	—	—	—	—	—
2025/4/25 16:30	0	0	0	0	0	—	—	—	—	—
2025/4/25 16:40	0	0	0	0	0	—	—	—	—	—
2025/4/25 16:50	0	0	0	0	0	—	—	—	—	—
2025/4/25 17:00	0	0	0	0	0	127	81	219	324	317
2025/4/25 17:10	0	0	0	0	0	—	—	—	—	—
2025/4/25 17:20	0	0	0	0	0	—	—	—	—	—
2025/4/25 17:30	0	0	0	0	0	—	—	—	—	—
2025/4/25 17:40	0	0	0	0	0	—	—	—	—	—
2025/4/25 17:50	0	0	0	0	0	—	—	—	—	—
2025/4/25 18:00	0	0	0	0	0	84	60	190	67	120
2025/4/25 18:10	0	0	0	0	0	—	—	—	—	—
2025/4/25 18:20	0	0	0	0	0	—	—	—	—	—
2025/4/25 18:30	0	0	0	0	0	—	—	—	—	—
2025/4/25 18:40	0	0	0	0	0	—	—	—	—	—
2025/4/25 18:50	0	0	0	0	0	—	—	—	—	—
2025/4/25 19:00	0	0	0	0	0	65	81	180	74	148
2025/4/25 19:10	0	0	0	0	0	—	—	—	—	—
2025/4/25 19:20	0	0	0.1	0	0	—	—	—	—	—
2025/4/25 19:30	0	0	0	0	0	—	—	—	—	—
2025/4/25 19:40	0	0	0	0	0	—	—	—	—	—
2025/4/25 19:50	0	0	0	0	0	—	—	—	—	—
2025/4/25 20:00	0	0	0	0	0	42	207	398	106	484
2025/4/25 20:10	0	0	0	0	0	—	—	—	—	—
2025/4/25 20:20	0	0	0	0	0	—	—	—	—	—
2025/4/25 20:30	0	0	0	0	0	—	—	—	—	—
2025/4/25 20:40	0	0	0	0	0	—	—	—	—	—
2025/4/25 20:50	0	0	0	0	0	—	—	—	—	—
2025/4/25 21:00	0	0	0	0	0	62	200	252	73	126
2025/4/25 21:10	0	0	0	0	0	—	—	—	—	—
2025/4/25 21:20	0	0	0	0	0	—	—	—	—	—
2025/4/25 21:30	0	0	0	0	0	—	—	—	—	—
2025/4/25 21:40	0	0	0	0	0	—	—	—	—	—
2025/4/25 21:50	0	0	0	0	0	—	—	—	—	—
2025/4/25 22:00	0	0	0	0	0	33	207	477	53	46
2025/4/25 22:10	0	0	0	0	0	—	—	—	—	—
2025/4/25 22:20	0	0	0	0	0	—	—	—	—	—
2025/4/25 22:30	0	0	0	0	0	—	—	—	—	—
2025/4/25 22:40	0	0	0	0	0	—	—	—	—	—
2025/4/25 22:50	0	0	0	0	0	—	—	—	—	—
2025/4/25 23:00	0	0	0	0	0	42	344	664	88	48
2025/4/25 23:10	0	0	0	0	0	—	—	—	—	—
2025/4/25 23:20	0	0	0	0	0	—	—	—	—	—
2025/4/25 23:30	0	0	0	0	0	—	—	—	—	—
2025/4/25 23:40	0	0	0	0	0	—	—	—	—	—
2025/4/25 23:50	0	0	0	0	0	—	—	—	—	—
2025/4/26 0:00	0	0	0	0	0	80	273	483	95	200
2025/4/26 0:10	0	0	0	0	0	—	—	—	—	—
2025/4/26 0:20	0	0	0	0	0	—	—	—	—	—
2025/4/26 0:30	0	0	0	0	0	—	—	—	—	—
2025/4/26 0:40	0	0	0	0	0	—	—	—	—	—
2025/4/26 0:50	0	0	0	0	0	—	—	—	—	—
2025/4/26 1:00	0	0	0	0	0	48	452	390	74	55
2025/4/26 1:10	0	0	0	0	0	—	—	—	—	—
2025/4/26 1:20	0	0	0	0	0	—	—	—	—	—
2025/4/26 1:30	0	0	0	0	0	—	—	—	—	—
2025/4/26 1:40	0	0	0	0	0	—	—	—	—	—
2025/4/26 1:50	0	0	0	0	0	—	—	—	—	—
2025/4/26 2:00	0	0	0	0	0	48	260	711	60	35
2025/4/26 2:10	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/26 2:20	0	0	0	0	0	—	—	—	—	—
2025/4/26 2:30	0	0	0	0	0	—	—	—	—	—
2025/4/26 2:40	0	0	0	0	0	—	—	—	—	—
2025/4/26 2:50	0	0	0	0	0	—	—	—	—	—
2025/4/26 3:00	0	0	0	0	0	47	419	457	95	87
2025/4/26 3:10	0	0	0	0	0	—	—	—	—	—
2025/4/26 3:20	0	0	0	0	0	—	—	—	—	—
2025/4/26 3:30	0	0	0	0	0	—	—	—	—	—
2025/4/26 3:40	0	0	0	0	0	—	—	—	—	—
2025/4/26 3:50	0	0	0	0	0	—	—	—	—	—
2025/4/26 4:00	0	0	0	0	0	60	304	95	55	87
2025/4/26 4:10	0	0	0	0	0	—	—	—	—	—
2025/4/26 4:20	0	0	0	0	0	—	—	—	—	—
2025/4/26 4:30	0	0	0	0	0	—	—	—	—	—
2025/4/26 4:40	0	0	0	0	0	—	—	—	—	—
2025/4/26 4:50	0	0	0	0	0	—	—	—	—	—
2025/4/26 5:00	0	0	0	0	0	100	423	62	68	207
2025/4/26 5:10	0	0	0	0	0	—	—	—	—	—
2025/4/26 5:20	0	0	0	0	0	—	—	—	—	—
2025/4/26 5:30	0	0	0	0	0	—	—	—	—	—
2025/4/26 5:40	0	0	0	0	0	—	—	—	—	—
2025/4/26 5:50	0	0	0	0	0	—	—	—	—	—
2025/4/26 6:00	0	0	0	0	0	53	128	82	42	392
2025/4/26 6:10	0	0	0	0	0	—	—	—	—	—
2025/4/26 6:20	0	0	0	0	0	—	—	—	—	—
2025/4/26 6:30	0	0	0	0	0	—	—	—	—	—
2025/4/26 6:40	0	0	0	0	0	—	—	—	—	—
2025/4/26 6:50	0	0	0	0	0	—	—	—	—	—
2025/4/26 7:00	0	0	0	0	0	102	530	490	75	397
2025/4/26 7:10	0	0	0	0	0	—	—	—	—	—
2025/4/26 7:20	0	0	0	0	0	—	—	—	—	—
2025/4/26 7:30	0	0	0	0	0	—	—	—	—	—
2025/4/26 7:40	0	0	0	0	0	—	—	—	—	—
2025/4/26 7:50	0	0	0	0	0	—	—	—	—	—
2025/4/26 8:00	0	0	0	0	0	397	414	219	102	147
2025/4/26 8:10	0	0	0	0	0	—	—	—	—	—
2025/4/26 8:20	0	0	0	0	0	—	—	—	—	—
2025/4/26 8:30	0	0	0	0	0	—	—	—	—	—
2025/4/26 8:40	0	0	0	0	0	—	—	—	—	—
2025/4/26 8:50	0	0	0	0	0	—	—	—	—	—
2025/4/26 9:00	0	0	0	0	0	850	679	88	100	114
2025/4/26 9:10	0	0	0	0	0	—	—	—	—	—
2025/4/26 9:20	0	0	0	0	0	—	—	—	—	—
2025/4/26 9:30	0	0	0	0	0	—	—	—	—	—
2025/4/26 9:40	0	0	0	0	0	—	—	—	—	—
2025/4/26 9:50	0	0	0	0	0	—	—	—	—	—
2025/4/26 10:00	0	0	0	0	0	451	622	518	82	258
2025/4/26 10:10	0	0	0	0	0	—	—	—	—	—
2025/4/26 10:20	0	0	0	0	0	—	—	—	—	—
2025/4/26 10:30	0	0	0	0	0	—	—	—	—	—
2025/4/26 10:40	0	0	0	0	0	—	—	—	—	—
2025/4/26 10:50	0	0	0	0	0	—	—	—	—	—
2025/4/26 11:00	0	0	0	0	0	280	113	61	66	459
2025/4/26 11:10	0	0	0	0	0	—	—	—	—	—
2025/4/26 11:20	0	0	0	0	0	—	—	—	—	—
2025/4/26 11:30	0	0	0	0	0	—	—	—	—	—
2025/4/26 11:40	0	0	0	0	0	—	—	—	—	—
2025/4/26 11:50	0	0	0	0	0	—	—	—	—	—
2025/4/26 12:00	0	0	0	0	0	345	715	75	238	62
2025/4/26 12:10	0	0	0	0	0	—	—	—	—	—
2025/4/26 12:20	0	0	0	0	0	—	—	—	—	—
2025/4/26 12:30	0	0	0	0	0	—	—	—	—	—
2025/4/26 12:40	0	0	0	0	0	—	—	—	—	—
2025/4/26 12:50	0	0	0	0	0	—	—	—	—	—
2025/4/26 13:00	0	0	0	0	0	677	459	41	94	60
2025/4/26 13:10	0	0	0	0	0	—	—	—	—	—
2025/4/26 13:20	0	0	0	0	0	—	—	—	—	—
2025/4/26 13:30	0	0	0	0	0	—	—	—	—	—
2025/4/26 13:40	0	0	0	0	0	—	—	—	—	—
2025/4/26 13:50	0	0	0	0	0	—	—	—	—	—
2025/4/26 14:00	0	0	0	0	0	62	1048	88	174	74
2025/4/26 14:10	0	0	0	0	0	—	—	—	—	—
2025/4/26 14:20	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/26 14:30	0	0	0	0	0	—	—	—	—	—
2025/4/26 14:40	0	0	0	0	0	—	—	—	—	—
2025/4/26 14:50	0	0	0	0	0	—	—	—	—	—
2025/4/26 15:00	0	0	0	0	0	450	325	326	121	571
2025/4/26 15:10	0	0	0	0	0	—	—	—	—	—
2025/4/26 15:20	0	0	0	0	0	—	—	—	—	—
2025/4/26 15:30	0	0	0	0	0	—	—	—	—	—
2025/4/26 15:40	0	0	0	0	0	—	—	—	—	—
2025/4/26 15:50	0	0	0	0	0	—	—	—	—	—
2025/4/26 16:00	0	0	0	0	0	95	459	107	108	148
2025/4/26 16:10	0	0	0	0	0	—	—	—	—	—
2025/4/26 16:20	0	0	0	0	0	—	—	—	—	—
2025/4/26 16:30	0	0	0	0	0	—	—	—	—	—
2025/4/26 16:40	0	0	0	0	0	—	—	—	—	—
2025/4/26 16:50	0	0	0	0	0	—	—	—	—	—
2025/4/26 17:00	0	0	0	0	0	128	709	431	101	279
2025/4/26 17:10	0	0	0	0	0	—	—	—	—	—
2025/4/26 17:20	0	0	0	0	0	—	—	—	—	—
2025/4/26 17:30	0	0	0	0	0	—	—	—	—	—
2025/4/26 17:40	0	0	0	0	0	—	—	—	—	—
2025/4/26 17:50	0	0	0	0	0	—	—	—	—	—
2025/4/26 18:00	0	0	0	0	0	298	737	115	134	735
2025/4/26 18:10	0	0	0	0	0	—	—	—	—	—
2025/4/26 18:20	0	0	0	0	0	—	—	—	—	—
2025/4/26 18:30	0	0	0	0	0	—	—	—	—	—
2025/4/26 18:40	0	0	0	0	0	—	—	—	—	—
2025/4/26 18:50	0	0	0	0	0	—	—	—	—	—
2025/4/26 19:00	0	0	0	0	0	199	188	180	291	344
2025/4/26 19:10	0	0	0	0	0	—	—	—	—	—
2025/4/26 19:20	0	0	0	0	0	—	—	—	—	—
2025/4/26 19:30	0	0	0	0	0	—	—	—	—	—
2025/4/26 19:40	0	0	0	0	0	—	—	—	—	—
2025/4/26 19:50	0	0	0	0	0	—	—	—	—	—
2025/4/26 20:00	0	0	0	0	0	458	107	105	102	790
2025/4/26 20:10	0	0	0	0	0	—	—	—	—	—
2025/4/26 20:20	0	0	0	0	0	—	—	—	—	—
2025/4/26 20:30	0	0	0	0	0	—	—	—	—	—
2025/4/26 20:40	0	0	0	0	0	—	—	—	—	—
2025/4/26 20:50	0	0	0	0	0	—	—	—	—	—
2025/4/26 21:00	0	0	0	0	0	246	88	199	101	470
2025/4/26 21:10	0	0	0	0	0	—	—	—	—	—
2025/4/26 21:20	0	0	0	0	0	—	—	—	—	—
2025/4/26 21:30	0	0	0	0	0	—	—	—	—	—
2025/4/26 21:40	0	0	0	0	0	—	—	—	—	—
2025/4/26 21:50	0	0	0	0	0	—	—	—	—	—
2025/4/26 22:00	0	0	0	0	0	153	355	266	218	114
2025/4/26 22:10	0	0	0	0	0	—	—	—	—	—
2025/4/26 22:20	0	0	0	0	0	—	—	—	—	—
2025/4/26 22:30	0	0	0	0	0	—	—	—	—	—
2025/4/26 22:40	0	0	0	0	0	—	—	—	—	—
2025/4/26 22:50	0	0	0	0	0	—	—	—	—	—
2025/4/26 23:00	0	0	0	0	0	141	695	81	220	94
2025/4/26 23:10	0	0	0	0	0	—	—	—	—	—
2025/4/26 23:20	0	0	0	0	0	—	—	—	—	—
2025/4/26 23:30	0	0	0	0	0	—	—	—	—	—
2025/4/26 23:40	0	0	0	0	0	—	—	—	—	—
2025/4/26 23:50	0	0	0	0	0	—	—	—	—	—
2025/4/27 0:00	0	0	0	0	0	284	128	154	101	95
2025/4/27 0:10	0	0	0	0	0	—	—	—	—	—
2025/4/27 0:20	0	0	0	0	0	—	—	—	—	—
2025/4/27 0:30	0	0	0	0	0	—	—	—	—	—
2025/4/27 0:40	0	0	0	0	0	—	—	—	—	—
2025/4/27 0:50	0	0	0	0	0	—	—	—	—	—
2025/4/27 1:00	0	0	0	0	0	153	292	113	128	119
2025/4/27 1:10	0	0	0	0	0	—	—	—	—	—
2025/4/27 1:20	0	0	0	0	0	—	—	—	—	—
2025/4/27 1:30	0	0	0	0	0	—	—	—	—	—
2025/4/27 1:40	0	0	0	0	0	—	—	—	—	—
2025/4/27 1:50	0	0	0	0	0	—	—	—	—	—
2025/4/27 2:00	0	0	0	0	0	198	880	107	108	120
2025/4/27 2:10	0	0	0	0	0	—	—	—	—	—
2025/4/27 2:20	0	0	0	0	0	—	—	—	—	—
2025/4/27 2:30	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/27 2:40	0	0	0	0	0	—	—	—	—	—
2025/4/27 2:50	0	0	0	0	0	—	—	—	—	—
2025/4/27 3:00	0	0	0	0	0	179	929	80	82	95
2025/4/27 3:10	0	0	0	0	0	—	—	—	—	—
2025/4/27 3:20	0	0	0	0	0	—	—	—	—	—
2025/4/27 3:30	0	0	0	0	0	—	—	—	—	—
2025/4/27 3:40	0	0	0	0	0	—	—	—	—	—
2025/4/27 3:50	0	0	0	0	0	—	—	—	—	—
2025/4/27 4:00	0	0	0	0	0	181	470	284	135	173
2025/4/27 4:10	0	0	0	0	0	—	—	—	—	—
2025/4/27 4:20	0	0	0	0	0	—	—	—	—	—
2025/4/27 4:30	0	0	0	0	0	—	—	—	—	—
2025/4/27 4:40	0	0	0	0	0	—	—	—	—	—
2025/4/27 4:50	0	0	0	0	0	—	—	—	—	—
2025/4/27 5:00	0	0	0	0	0	272	160	173	141	337
2025/4/27 5:10	0	0	0	0	0	—	—	—	—	—
2025/4/27 5:20	0	0	0	0	0	—	—	—	—	—
2025/4/27 5:30	0	0	0	0	0	—	—	—	—	—
2025/4/27 5:40	0	0	0	0	0	—	—	—	—	—
2025/4/27 5:50	0	0	0	0	0	—	—	—	—	—
2025/4/27 6:00	0	0	0	0	0	207	841	138	108	140
2025/4/27 6:10	0	0	0	0	0	—	—	—	—	—
2025/4/27 6:20	0	0	0	0	0	—	—	—	—	—
2025/4/27 6:30	0	0	0	0	0	—	—	—	—	—
2025/4/27 6:40	0	0	0	0	0	—	—	—	—	—
2025/4/27 6:50	0	0	0	0	0	—	—	—	—	—
2025/4/27 7:00	0	0	0	0.1	0	291	344	140	115	95
2025/4/27 7:10	0	0	0	0.1	0	—	—	—	—	—
2025/4/27 7:20	0	0	0	0.1	0	—	—	—	—	—
2025/4/27 7:30	0	0	0	0.1	0	—	—	—	—	—
2025/4/27 7:40	0	0	0	0.1	0	—	—	—	—	—
2025/4/27 7:50	0	0	0	0.1	0	—	—	—	—	—
2025/4/27 8:00	0	0	0	0.1	0	128	271	148	121	601
2025/4/27 8:10	0	0	0	0.1	0	—	—	—	—	—
2025/4/27 8:20	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/27 8:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/27 8:40	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/27 8:50	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/27 9:00	0	0	0.1	0.1	0	240	451	66	47	220
2025/4/27 9:10	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/27 9:20	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/27 9:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/27 9:40	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/27 9:50	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/27 10:00	0	0	0.1	0.1	0	168	405	88	62	135
2025/4/27 10:10	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/27 10:20	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/27 10:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/27 10:40	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/27 10:50	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/27 11:00	0	0	0.1	0.1	0	114	358	135	75	134
2025/4/27 11:10	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/27 11:20	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/27 11:30	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/27 11:40	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/27 11:50	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/27 12:00	0.1	0	0.1	0	0	147	418	108	82	207
2025/4/27 12:10	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/27 12:20	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/27 12:30	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/27 12:40	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/27 12:50	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/27 13:00	0.1	0	0	0	0	108	318	259	87	472
2025/4/27 13:10	0.1	0	0	0	0	—	—	—	—	—
2025/4/27 13:20	0.1	0	0	0	0	—	—	—	—	—
2025/4/27 13:30	0.1	0	0	0	0	—	—	—	—	—
2025/4/27 13:40	0.1	0	0	0	0	—	—	—	—	—
2025/4/27 13:50	0.1	0	0	0	0	—	—	—	—	—
2025/4/27 14:00	0.1	0	0	0	0	167	524	172	107	284
2025/4/27 14:10	0.1	0	0	0	0	—	—	—	—	—
2025/4/27 14:20	0.2	0	0	0	0	—	—	—	—	—
2025/4/27 14:30	0.2	0	0	0	0	—	—	—	—	—
2025/4/27 14:40	0.2	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/27 14:50	0.2	0	0	0	0	—	—	—	—	—
2025/4/27 15:00	0.2	0	0	0	0	213	670	207	114	260
2025/4/27 15:10	0.2	0.1	0	0	0	—	—	—	—	—
2025/4/27 15:20	0.2	0.1	0	0	0	—	—	—	—	—
2025/4/27 15:30	0.2	0.1	0	0	0	—	—	—	—	—
2025/4/27 15:40	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/27 15:50	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/27 16:00	0.1	0.1	0	0	0	82	271	272	81	259
2025/4/27 16:10	0.1	0	0	0	0	—	—	—	—	—
2025/4/27 16:20	0.1	0	0	0	0	—	—	—	—	—
2025/4/27 16:30	0	0	0	0	0	—	—	—	—	—
2025/4/27 16:40	0	0	0	0	0	—	—	—	—	—
2025/4/27 16:50	0	0	0	0	0	—	—	—	—	—
2025/4/27 17:00	0	0	0	0	0	187	451	108	67	239
2025/4/27 17:10	0	0	0	0	0	—	—	—	—	—
2025/4/27 17:20	0	0	0	0	0	—	—	—	—	—
2025/4/27 17:30	0	0	0	0	0	—	—	—	—	—
2025/4/27 17:40	0	0	0	0	0	—	—	—	—	—
2025/4/27 17:50	0	0	0	0	0	—	—	—	—	—
2025/4/27 18:00	0	0	0	0	0	191	260	377	75	464
2025/4/27 18:10	0	0	0	0	0	—	—	—	—	—
2025/4/27 18:20	0	0	0	0	0	—	—	—	—	—
2025/4/27 18:30	0	0	0	0	0	—	—	—	—	—
2025/4/27 18:40	0	0	0	0	0	—	—	—	—	—
2025/4/27 18:50	0	0	0	0	0	—	—	—	—	—
2025/4/27 19:00	0	0	0	0	0	172	976	115	87	68
2025/4/27 19:10	0	0	0	0	0	—	—	—	—	—
2025/4/27 19:20	0	0	0	0	0	—	—	—	—	—
2025/4/27 19:30	0	0	0	0	0	—	—	—	—	—
2025/4/27 19:40	0	0	0	0	0	—	—	—	—	—
2025/4/27 19:50	0	0	0	0	0	—	—	—	—	—
2025/4/27 20:00	0	0	0	0	0	200	1195	200	80	53
2025/4/27 20:10	0	0	0	0	0	—	—	—	—	—
2025/4/27 20:20	0	0	0	0	0	—	—	—	—	—
2025/4/27 20:30	0	0	0	0	0	—	—	—	—	—
2025/4/27 20:40	0	0	0	0	0	—	—	—	—	—
2025/4/27 20:50	0	0	0	0	0	—	—	—	—	—
2025/4/27 21:00	0	0	0	0	0	340	540	95	110	80
2025/4/27 21:10	0	0	0	0	0	—	—	—	—	—
2025/4/27 21:20	0	0	0	0	0	—	—	—	—	—
2025/4/27 21:30	0	0	0	0	0	—	—	—	—	—
2025/4/27 21:40	0	0	0	0	0	—	—	—	—	—
2025/4/27 21:50	0	0	0	0	0	—	—	—	—	—
2025/4/27 22:00	0	0	0	0	0	48	860	180	570	55
2025/4/27 22:10	0	0	0	0	0	—	—	—	—	—
2025/4/27 22:20	0	0	0	0	0	—	—	—	—	—
2025/4/27 22:30	0	0	0	0	0	—	—	—	—	—
2025/4/27 22:40	0	0	0	0	0	—	—	—	—	—
2025/4/27 22:50	0	0	0	0	0	—	—	—	—	—
2025/4/27 23:00	0	0	0	0	0	310	730	180	320	260
2025/4/27 23:10	0	0	0	0	0	—	—	—	—	—
2025/4/27 23:20	0	0	0	0	0	—	—	—	—	—
2025/4/27 23:30	0	0	0	0	0	—	—	—	—	—
2025/4/27 23:40	0	0	0	0	0	—	—	—	—	—
2025/4/27 23:50	0	0	0	0	0	—	—	—	—	—
2025/4/28 0:00	0	0	0	0	0	100	220	130	150	115
2025/4/28 0:10	0	0	0	0	0	—	—	—	—	—
2025/4/28 0:20	0	0	0	0	0	—	—	—	—	—
2025/4/28 0:30	0	0	0	0	0	—	—	—	—	—
2025/4/28 0:40	0	0	0	0	0	—	—	—	—	—
2025/4/28 0:50	0	0	0	0	0	—	—	—	—	—
2025/4/28 1:00	0	0	0	0	0	106	750	133	180	120
2025/4/28 1:10	0	0	0	0	0	—	—	—	—	—
2025/4/28 1:20	0	0	0	0	0	—	—	—	—	—
2025/4/28 1:30	0	0	0	0	0	—	—	—	—	—
2025/4/28 1:40	0	0	0	0	0	—	—	—	—	—
2025/4/28 1:50	0	0	0	0	0	—	—	—	—	—
2025/4/28 2:00	0	0	0	0	0	220	188	127	114	200
2025/4/28 2:10	0	0	0	0	0	—	—	—	—	—
2025/4/28 2:20	0	0	0	0	0	—	—	—	—	—
2025/4/28 2:30	0	0	0	0	0	—	—	—	—	—
2025/4/28 2:40	0	0	0	0	0	—	—	—	—	—
2025/4/28 2:50	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/28 3:00	0	0	0	0	0	170	200	160	140	102
2025/4/28 3:10	0	0	0	0	0	—	—	—	—	—
2025/4/28 3:20	0	0	0	0	0	—	—	—	—	—
2025/4/28 3:30	0	0	0	0	0	—	—	—	—	—
2025/4/28 3:40	0	0	0	0	0	—	—	—	—	—
2025/4/28 3:50	0	0	0	0	0	—	—	—	—	—
2025/4/28 4:00	0	0	0	0	0	133	820	420	190	160
2025/4/28 4:10	0	0	0	0	0	—	—	—	—	—
2025/4/28 4:20	0	0	0	0	0	—	—	—	—	—
2025/4/28 4:30	0	0	0	0	0	—	—	—	—	—
2025/4/28 4:40	0	0	0	0	0	—	—	—	—	—
2025/4/28 4:50	0	0	0	0	0	—	—	—	—	—
2025/4/28 5:00	0	0	0	0	0	150	550	140	155	550
2025/4/28 5:10	0	0	0	0	0	—	—	—	—	—
2025/4/28 5:20	0	0	0	0	0	—	—	—	—	—
2025/4/28 5:30	0	0	0	0	0	—	—	—	—	—
2025/4/28 5:40	0	0	0	0	0	—	—	—	—	—
2025/4/28 5:50	0	0	0	0	0	—	—	—	—	—
2025/4/28 6:00	0	0	0	0	0	810	190	180	80	105
2025/4/28 6:10	0	0	0	0	0	—	—	—	—	—
2025/4/28 6:20	0	0	0	0	0	—	—	—	—	—
2025/4/28 6:30	0	0	0	0	0	—	—	—	—	—
2025/4/28 6:40	0	0	0	0	0	—	—	—	—	—
2025/4/28 6:50	0	0	0	0	0	—	—	—	—	—
2025/4/28 7:00	0	0	0	0	0	60	380	66	81	80
2025/4/28 7:10	0	0	0	0	0	—	—	—	—	—
2025/4/28 7:20	0	0	0	0	0	—	—	—	—	—
2025/4/28 7:30	0	0	0	0	0	—	—	—	—	—
2025/4/28 7:40	0	0	0	0	0	—	—	—	—	—
2025/4/28 7:50	0	0	0	0	0	—	—	—	—	—
2025/4/28 8:00	0	0	0	0	0	47	130	94	48	42
2025/4/28 8:10	0	0	0	0	0	—	—	—	—	—
2025/4/28 8:20	0	0	0	0	0	—	—	—	—	—
2025/4/28 8:30	0	0	0	0	0	—	—	—	—	—
2025/4/28 8:40	0	0	0	0	0	—	—	—	—	—
2025/4/28 8:50	0	0	0	0	0	—	—	—	—	—
2025/4/28 9:00	0	0	0	0	0	121	170	168	161	160
2025/4/28 9:10	0	0	0	0	0	—	—	—	—	—
2025/4/28 9:20	0	0	0	0	0	—	—	—	—	—
2025/4/28 9:30	0	0	0	0	0	—	—	—	—	—
2025/4/28 9:40	0	0	0	0	0	—	—	—	—	—
2025/4/28 9:50	0	0	0	0	0	—	—	—	—	—
2025/4/28 10:00	0	0	0	0	0	352	200	115	95	167
2025/4/28 10:10	0	0	0	0	0	—	—	—	—	—
2025/4/28 10:20	0	0	0	0	0	—	—	—	—	—
2025/4/28 10:30	0	0	0	0	0	—	—	—	—	—
2025/4/28 10:40	0	0	0	0	0	—	—	—	—	—
2025/4/28 10:50	0	0	0	0	0	—	—	—	—	—
2025/4/28 11:00	0	0	0	0	0	500	1407	121	128	75
2025/4/28 11:10	0	0	0	0	0	—	—	—	—	—
2025/4/28 11:20	0.1	0	0	0	0	—	—	—	—	—
2025/4/28 11:30	0.1	0	0	0	0	—	—	—	—	—
2025/4/28 11:40	0.1	0	0	0	0	—	—	—	—	—
2025/4/28 11:50	0.1	0	0	0	0	—	—	—	—	—
2025/4/28 12:00	0.1	0	0	0	0	338	160	213	82	565
2025/4/28 12:10	0.1	0	0	0	0	—	—	—	—	—
2025/4/28 12:20	0.1	0	0	0	0	—	—	—	—	—
2025/4/28 12:30	0.1	0	0	0	0	—	—	—	—	—
2025/4/28 12:40	0.1	0	0	0	0	—	—	—	—	—
2025/4/28 12:50	0.1	0	0	0	0	—	—	—	—	—
2025/4/28 13:00	0	0	0	0	0	102	148	101	75	135
2025/4/28 13:10	0	0	0	0	0	—	—	—	—	—
2025/4/28 13:20	0	0	0	0	0	—	—	—	—	—
2025/4/28 13:30	0	0	0	0	0	—	—	—	—	—
2025/4/28 13:40	0	0	0	0	0	—	—	—	—	—
2025/4/28 13:50	0	0	0	0	0	—	—	—	—	—
2025/4/28 14:00	0	0	0	0	0	651	121	102	75	207
2025/4/28 14:10	0	0	0	0	0	—	—	—	—	—
2025/4/28 14:20	0	0	0	0	0	—	—	—	—	—
2025/4/28 14:30	0	0	0	0	0	—	—	—	—	—
2025/4/28 14:40	0	0	0	0	0	—	—	—	—	—
2025/4/28 14:50	0	0	0	0	0	—	—	—	—	—
2025/4/28 15:00	0	0	0	0	0	478	153	174	75	161

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/28 15:10	0	0	0	0	0	—	—	—	—	—
2025/4/28 15:20	0	0	0	0	0	—	—	—	—	—
2025/4/28 15:30	0	0	0	0	0	—	—	—	—	—
2025/4/28 15:40	0	0	0	0	0	—	—	—	—	—
2025/4/28 15:50	0	0	0	0	0	—	—	—	—	—
2025/4/28 16:00	0	0	0	0	0	604	160	168	55	134
2025/4/28 16:10	0	0	0	0	0	—	—	—	—	—
2025/4/28 16:20	0	0	0	0	0	—	—	—	—	—
2025/4/28 16:30	0	0	0	0	0	—	—	—	—	—
2025/4/28 16:40	0	0	0	0	0	—	—	—	—	—
2025/4/28 16:50	0	0	0	0	0	—	—	—	—	—
2025/4/28 17:00	0	0	0	0	0	273	174	245	95	135
2025/4/28 17:10	0	0	0	0	0	—	—	—	—	—
2025/4/28 17:20	0	0	0	0	0	—	—	—	—	—
2025/4/28 17:30	0	0	0	0	0	—	—	—	—	—
2025/4/28 17:40	0	0	0	0	0	—	—	—	—	—
2025/4/28 17:50	0	0	0	0	0	—	—	—	—	—
2025/4/28 18:00	0	0	0	0	0	62	95	54	62	61
2025/4/28 18:10	0	0	0	0	0	—	—	—	—	—
2025/4/28 18:20	0	0	0	0	0	—	—	—	—	—
2025/4/28 18:30	0	0	0	0	0	—	—	—	—	—
2025/4/28 18:40	0	0	0	0	0	—	—	—	—	—
2025/4/28 18:50	0	0	0	0	0	—	—	—	—	—
2025/4/28 19:00	0	0	0	0	0	194	140	108	82	68
2025/4/28 19:10	0	0	0	0	0	—	—	—	—	—
2025/4/28 19:20	0	0	0	0	0	—	—	—	—	—
2025/4/28 19:30	0	0	0	0	0	—	—	—	—	—
2025/4/28 19:40	0	0	0	0	0	—	—	—	—	—
2025/4/28 19:50	0	0	0	0	0	—	—	—	—	—
2025/4/28 20:00	0	0	0	0	0	273	1467	95	73	88
2025/4/28 20:10	0	0	0	0	0	—	—	—	—	—
2025/4/28 20:20	0	0	0	0	0	—	—	—	—	—
2025/4/28 20:30	0	0	0	0	0	—	—	—	—	—
2025/4/28 20:40	0	0	0	0	0	—	—	—	—	—
2025/4/28 20:50	0	0	0	0	0	—	—	—	—	—
2025/4/28 21:00	0	0	0	0	0	154	704	47	73	42
2025/4/28 21:10	0	0	0	0	0	—	—	—	—	—
2025/4/28 21:20	0	0	0	0	0	—	—	—	—	—
2025/4/28 21:30	0	0	0	0	0	—	—	—	—	—
2025/4/28 21:40	0	0	0	0	0	—	—	—	—	—
2025/4/28 21:50	0	0	0	0	0	—	—	—	—	—
2025/4/28 22:00	0	0	0	0	0	199	1043	199	108	889
2025/4/28 22:10	0	0	0	0	0	—	—	—	—	—
2025/4/28 22:20	0	0	0	0	0	—	—	—	—	—
2025/4/28 22:30	0	0	0	0	0	—	—	—	—	—
2025/4/28 22:40	0	0	0	0	0	—	—	—	—	—
2025/4/28 22:50	0	0	0	0	0	—	—	—	—	—
2025/4/28 23:00	0	0	0	0	0	198	1325	153	102	172
2025/4/28 23:10	0	0	0	0	0	—	—	—	—	—
2025/4/28 23:20	0	0	0	0	0	—	—	—	—	—
2025/4/28 23:30	0	0	0	0	0	—	—	—	—	—
2025/4/28 23:40	0	0	0	0	0	—	—	—	—	—
2025/4/28 23:50	0	0	0	0	0	—	—	—	—	—
2025/4/29 0:00	0	0	0	0	0	259	907	102	135	483
2025/4/29 0:10	0	0	0	0	0	—	—	—	—	—
2025/4/29 0:20	0	0	0	0	0	—	—	—	—	—
2025/4/29 0:30	0	0	0	0	0	—	—	—	—	—
2025/4/29 0:40	0	0	0	0	0	—	—	—	—	—
2025/4/29 0:50	0	0	0	0	0	—	—	—	—	—
2025/4/29 1:00	0	0	0	0	0	134	988	40	67	41
2025/4/29 1:10	0	0	0	0	0	—	—	—	—	—
2025/4/29 1:20	0	0	0	0	0	—	—	—	—	—
2025/4/29 1:30	0	0	0	0	0	—	—	—	—	—
2025/4/29 1:40	0	0	0	0	0	—	—	—	—	—
2025/4/29 1:50	0	0	0	0	0	—	—	—	—	—
2025/4/29 2:00	0	0	0	0	0	115	239	40	663	34
2025/4/29 2:10	0	0	0	0	0	—	—	—	—	—
2025/4/29 2:20	0	0	0	0	0	—	—	—	—	—
2025/4/29 2:30	0	0	0	0	0	—	—	—	—	—
2025/4/29 2:40	0	0	0	0	0	—	—	—	—	—
2025/4/29 2:50	0	0	0	0	0	—	—	—	—	—
2025/4/29 3:00	0	0	0	0	0	173	1076	41	46	46
2025/4/29 3:10	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/29 3:20	0	0	0	0	0	—	—	—	—	—
2025/4/29 3:30	0	0	0	0	0	—	—	—	—	—
2025/4/29 3:40	0	0	0	0	0	—	—	—	—	—
2025/4/29 3:50	0	0	0	0	0	—	—	—	—	—
2025/4/29 4:00	0	0	0	0	0	179	967	46	48	48
2025/4/29 4:10	0	0	0	0	0	—	—	—	—	—
2025/4/29 4:20	0	0	0	0	0	—	—	—	—	—
2025/4/29 4:30	0	0	0	0	0	—	—	—	—	—
2025/4/29 4:40	0	0	0	0	0	—	—	—	—	—
2025/4/29 4:50	0	0	0	0	0	—	—	—	—	—
2025/4/29 5:00	0	0	0	0	0	101	603	40	53	35
2025/4/29 5:10	0	0	0	0	0	—	—	—	—	—
2025/4/29 5:20	0	0	0	0	0	—	—	—	—	—
2025/4/29 5:30	0	0	0	0	0	—	—	—	—	—
2025/4/29 5:40	0	0	0	0	0	—	—	—	—	—
2025/4/29 5:50	0	0	0	0	0	—	—	—	—	—
2025/4/29 6:00	0	0	0	0	0	121	746	41	35	33
2025/4/29 6:10	0	0	0	0	0	—	—	—	—	—
2025/4/29 6:20	0	0	0	0	0	—	—	—	—	—
2025/4/29 6:30	0	0	0	0	0	—	—	—	—	—
2025/4/29 6:40	0	0	0	0.1	0	—	—	—	—	—
2025/4/29 6:50	0	0	0	0.1	0	—	—	—	—	—
2025/4/29 7:00	0	0	0	0.1	0	161	936	46	53	48
2025/4/29 7:10	0	0	0	0.1	0	—	—	—	—	—
2025/4/29 7:20	0	0	0	0.1	0	—	—	—	—	—
2025/4/29 7:30	0	0	0	0.1	0	—	—	—	—	—
2025/4/29 7:40	0	0	0	0.2	0	—	—	—	—	—
2025/4/29 7:50	0	0	0	0.2	0	—	—	—	—	—
2025/4/29 8:00	0	0	0	0.2	0	55	782	92	172	73
2025/4/29 8:10	0	0	0	0.2	0	—	—	—	—	—
2025/4/29 8:20	0	0	0	0.2	0	—	—	—	—	—
2025/4/29 8:30	0	0	0	0.1	0	—	—	—	—	—
2025/4/29 8:40	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/29 8:50	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/29 9:00	0	0	0.1	0.1	0	61	543	135	200	107
2025/4/29 9:10	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/29 9:20	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/29 9:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/29 9:40	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/29 9:50	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/29 10:00	0	0	0.1	0.1	0	68	61	100	198	81
2025/4/29 10:10	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/29 10:20	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/29 10:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/29 10:40	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/29 10:50	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/29 11:00	0	0	0.1	0	0	80	505	130	450	110
2025/4/29 11:10	0	0	0.1	0	0	—	—	—	—	—
2025/4/29 11:20	0	0	0.1	0	0	—	—	—	—	—
2025/4/29 11:30	0	0	0.1	0	0	—	—	—	—	—
2025/4/29 11:40	0	0	0	0	0	—	—	—	—	—
2025/4/29 11:50	0	0	0	0	0	—	—	—	—	—
2025/4/29 12:00	0.1	0	0	0	0	85	430	145	480	101
2025/4/29 12:10	0.1	0	0	0	0	—	—	—	—	—
2025/4/29 12:20	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/29 12:30	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/29 12:40	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/29 12:50	0.1	0	0	0	0.1	—	—	—	—	—
2025/4/29 13:00	0.1	0	0	0	0.1	110	211	292	213	160
2025/4/29 13:10	0.1	0	0	0	0.1	—	—	—	—	—
2025/4/29 13:20	0.1	0	0	0	0	—	—	—	—	—
2025/4/29 13:30	0.1	0	0	0	0	—	—	—	—	—
2025/4/29 13:40	0.1	0	0	0	0	—	—	—	—	—
2025/4/29 13:50	0.1	0	0	0	0	—	—	—	—	—
2025/4/29 14:00	0.1	0	0	0	0	102	192	198	444	139
2025/4/29 14:10	0.1	0	0	0	0	—	—	—	—	—
2025/4/29 14:20	0.2	0	0	0	0	—	—	—	—	—
2025/4/29 14:30	0.2	0	0	0	0	—	—	—	—	—
2025/4/29 14:40	0.2	0	0	0	0	—	—	—	—	—
2025/4/29 14:50	0.2	0.1	0	0	0	—	—	—	—	—
2025/4/29 15:00	0.2	0.1	0	0	0	113	121	187	438	123
2025/4/29 15:10	0.1	0	0	0	0	—	—	—	—	—
2025/4/29 15:20	0.1	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/29 15:30	0.1	0	0	0	0	—	—	—	—	—
2025/4/29 15:40	0.1	0	0	0	0	—	—	—	—	—
2025/4/29 15:50	0.1	0	0	0	0	—	—	—	—	—
2025/4/29 16:00	0.1	0.1	0	0	0	95	115	166	113	120
2025/4/29 16:10	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/29 16:20	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/29 16:30	0.1	0.1	0	0	0	—	—	—	—	—
2025/4/29 16:40	0	0.1	0	0	0	—	—	—	—	—
2025/4/29 16:50	0	0.1	0	0	0	—	—	—	—	—
2025/4/29 17:00	0	0.1	0	0	0	133	139	81	530	108
2025/4/29 17:10	0	0.1	0	0	0	—	—	—	—	—
2025/4/29 17:20	0	0.1	0	0	0	—	—	—	—	—
2025/4/29 17:30	0	0.1	0	0	0	—	—	—	—	—
2025/4/29 17:40	0	0.1	0	0	0	—	—	—	—	—
2025/4/29 17:50	0	0.1	0	0	0	—	—	—	—	—
2025/4/29 18:00	0	0.1	0	0	0	122	962	75	200	88
2025/4/29 18:10	0	0	0	0	0	—	—	—	—	—
2025/4/29 18:20	0	0	0	0	0	—	—	—	—	—
2025/4/29 18:30	0	0	0	0	0	—	—	—	—	—
2025/4/29 18:40	0	0	0	0	0	—	—	—	—	—
2025/4/29 18:50	0	0	0	0	0	—	—	—	—	—
2025/4/29 19:00	0	0	0	0	0	107	720	130	198	87
2025/4/29 19:10	0	0	0	0	0	—	—	—	—	—
2025/4/29 19:20	0	0	0	0	0	—	—	—	—	—
2025/4/29 19:30	0	0	0	0	0	—	—	—	—	—
2025/4/29 19:40	0	0	0	0	0	—	—	—	—	—
2025/4/29 19:50	0	0	0	0	0	—	—	—	—	—
2025/4/29 20:00	0	0	0	0	0	68	543	127	194	88
2025/4/29 20:10	0	0	0	0	0	—	—	—	—	—
2025/4/29 20:20	0	0	0	0	0	—	—	—	—	—
2025/4/29 20:30	0	0	0	0	0	—	—	—	—	—
2025/4/29 20:40	0	0	0	0	0	—	—	—	—	—
2025/4/29 20:50	0	0	0	0	0	—	—	—	—	—
2025/4/29 21:00	0	0	0	0	0	87	472	140	100	120
2025/4/29 21:10	0	0	0	0	0	—	—	—	—	—
2025/4/29 21:20	0	0	0	0	0	—	—	—	—	—
2025/4/29 21:30	0	0	0	0	0	—	—	—	—	—
2025/4/29 21:40	0	0	0	0	0	—	—	—	—	—
2025/4/29 21:50	0	0	0	0	0	—	—	—	—	—
2025/4/29 22:00	0	0	0	0	0	53	1240	160	240	88
2025/4/29 22:10	0	0	0	0	0	—	—	—	—	—
2025/4/29 22:20	0	0	0	0	0	—	—	—	—	—
2025/4/29 22:30	0	0	0	0	0	—	—	—	—	—
2025/4/29 22:40	0	0	0	0	0	—	—	—	—	—
2025/4/29 22:50	0	0	0	0	0	—	—	—	—	—
2025/4/29 23:00	0	0	0	0	0	93	1400	166	264	115
2025/4/29 23:10	0	0	0	0	0	—	—	—	—	—
2025/4/29 23:20	0	0	0	0	0	—	—	—	—	—
2025/4/29 23:30	0	0.1	0	0	0	—	—	—	—	—
2025/4/29 23:40	0	0	0	0	0	—	—	—	—	—
2025/4/29 23:50	0	0	0	0	0	—	—	—	—	—
2025/4/30 0:00	0	0	0	0	0	75	929	160	259	94
2025/4/30 0:10	0	0	0	0	0	—	—	—	—	—
2025/4/30 0:20	0	0	0	0	0	—	—	—	—	—
2025/4/30 0:30	0	0	0	0	0	—	—	—	—	—
2025/4/30 0:40	0	0	0	0	0	—	—	—	—	—
2025/4/30 0:50	0	0	0	0	0	—	—	—	—	—
2025/4/30 1:00	0	0	0	0	0	93	516	146	325	87
2025/4/30 1:10	0	0	0	0	0	—	—	—	—	—
2025/4/30 1:20	0	0	0	0	0	—	—	—	—	—
2025/4/30 1:30	0	0	0	0	0	—	—	—	—	—
2025/4/30 1:40	0	0	0	0	0	—	—	—	—	—
2025/4/30 1:50	0	0	0	0	0	—	—	—	—	—
2025/4/30 2:00	0	0	0	0	0	75	430	140	240	74
2025/4/30 2:10	0	0	0	0	0	—	—	—	—	—
2025/4/30 2:20	0	0	0	0	0	—	—	—	—	—
2025/4/30 2:30	0	0	0	0	0	—	—	—	—	—
2025/4/30 2:40	0	0	0	0	0	—	—	—	—	—
2025/4/30 2:50	0	0	0	0	0	—	—	—	—	—
2025/4/30 3:00	0	0	0	0	0	62	516	148	212	108
2025/4/30 3:10	0	0	0	0	0	—	—	—	—	—
2025/4/30 3:20	0	0	0	0	0	—	—	—	—	—
2025/4/30 3:30	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/30 3:40	0	0	0	0	0	—	—	—	—	—
2025/4/30 3:50	0	0	0	0	0	—	—	—	—	—
2025/4/30 4:00	0	0	0	0	0	68	451	140	233	86
2025/4/30 4:10	0	0	0	0	0	—	—	—	—	—
2025/4/30 4:20	0	0	0	0	0	—	—	—	—	—
2025/4/30 4:30	0	0	0	0	0	—	—	—	—	—
2025/4/30 4:40	0	0	0	0	0	—	—	—	—	—
2025/4/30 4:50	0	0	0	0	0	—	—	—	—	—
2025/4/30 5:00	0	0	0	0	0	73	630	140	120	74
2025/4/30 5:10	0	0	0	0	0	—	—	—	—	—
2025/4/30 5:20	0	0	0	0	0	—	—	—	—	—
2025/4/30 5:30	0	0	0	0	0	—	—	—	—	—
2025/4/30 5:40	0	0	0	0	0	—	—	—	—	—
2025/4/30 5:50	0	0	0	0	0	—	—	—	—	—
2025/4/30 6:00	0	0	0	0	0	74	643	140	233	86
2025/4/30 6:10	0	0	0	0	0	—	—	—	—	—
2025/4/30 6:20	0	0	0	0	0	—	—	—	—	—
2025/4/30 6:30	0	0	0	0	0	—	—	—	—	—
2025/4/30 6:40	0	0	0	0	0	—	—	—	—	—
2025/4/30 6:50	0	0	0	0	0	—	—	—	—	—
2025/4/30 7:00	0	0	0	0	0	60	459	153	232	94
2025/4/30 7:10	0	0	0	0	0	—	—	—	—	—
2025/4/30 7:20	0	0	0	0	0	—	—	—	—	—
2025/4/30 7:30	0	0	0	0.1	0	—	—	—	—	—
2025/4/30 7:40	0	0	0	0.1	0	—	—	—	—	—
2025/4/30 7:50	0	0	0	0.1	0	—	—	—	—	—
2025/4/30 8:00	0	0	0	0.1	0	60	538	200	245	121
2025/4/30 8:10	0	0	0	0.1	0	—	—	—	—	—
2025/4/30 8:20	0	0	0	0.1	0	—	—	—	—	—
2025/4/30 8:30	0	0	0	0.1	0	—	—	—	—	—
2025/4/30 8:40	0	0	0	0.1	0	—	—	—	—	—
2025/4/30 8:50	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/30 9:00	0	0	0.1	0.1	0	82	714	200	337	86
2025/4/30 9:10	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/30 9:20	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/30 9:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/30 9:40	0	0.1	0.1	0.1	0	—	—	—	—	—
2025/4/30 9:50	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/30 10:00	0	0	0.1	0.1	0	180	788	252	333	161
2025/4/30 10:10	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/30 10:20	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/30 10:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/30 10:40	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/30 10:50	0	0	0.1	0.1	0	—	—	—	—	—
2025/4/30 11:00	0	0	0.1	0.1	0	167	889	220	399	167
2025/4/30 11:10	0	0	0.1	0	0	—	—	—	—	—
2025/4/30 11:20	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/30 11:30	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/30 11:40	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/30 11:50	0.1	0.1	0.1	0	0	—	—	—	—	—
2025/4/30 12:00	0.1	0	0.1	0	0	193	2063	174	260	147
2025/4/30 12:10	0.1	0.2	0.1	0	0	—	—	—	—	—
2025/4/30 12:20	0.1	0.3	0.1	0	0	—	—	—	—	—
2025/4/30 12:30	0.1	0.1	0.1	0	0	—	—	—	—	—
2025/4/30 12:40	0.1	0.7	0.1	0	0	—	—	—	—	—
2025/4/30 12:50	0.1	0.3	0.1	0	0	—	—	—	—	—
2025/4/30 13:00	0.1	0	0.1	0	0	94	492	194	232	100
2025/4/30 13:10	0.1	0	0.1	0	0	—	—	—	—	—
2025/4/30 13:20	0.1	0.5	0	0	0.1	—	—	—	—	—
2025/4/30 13:30	0.1	0.5	0	0	0.1	—	—	—	—	—
2025/4/30 13:40	0.1	1	0	0	0.1	—	—	—	—	—
2025/4/30 13:50	0.2	0.4	0	0	0.1	—	—	—	—	—
2025/4/30 14:00	0.2	0.1	0	0	0	372	2600	193	186	193
2025/4/30 14:10	0.2	0.4	0	0	0	—	—	—	—	—
2025/4/30 14:20	0.2	0.5	0	0	0	—	—	—	—	—
2025/4/30 14:30	0.2	0.1	0	0	0	—	—	—	—	—
2025/4/30 14:40	0.2	0.6	0	0	0	—	—	—	—	—
2025/4/30 14:50	0.2	0	0	0	0	—	—	—	—	—
2025/4/30 15:00	0.2	0	0	0	0	147	1838	207	180	153
2025/4/30 15:10	0.2	0	0	0	0	—	—	—	—	—
2025/4/30 15:20	0.2	0	0	0	0	—	—	—	—	—
2025/4/30 15:30	0.2	0.1	0	0	0	—	—	—	—	—
2025/4/30 15:40	0.2	0.2	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/4/30 15:50	0.2	0.9	0	0	0	—	—	—	—	—
2025/4/30 16:00	0.1	0.1	0	0	0	107	1128	140	155	127
2025/4/30 16:10	0.1	0	0	0	0	—	—	—	—	—
2025/4/30 16:20	0.1	0	0	0	0	—	—	—	—	—
2025/4/30 16:30	0.1	0	0	0	0	—	—	—	—	—
2025/4/30 16:40	0	0	0	0	0	—	—	—	—	—
2025/4/30 16:50	0	0	0	0	0	—	—	—	—	—
2025/4/30 17:00	0	0	0	0	0	94	2380	312	173	86
2025/4/30 17:10	0	1.3	0	0	0	—	—	—	—	—
2025/4/30 17:20	0	0	0	0	0	—	—	—	—	—
2025/4/30 17:30	0	0.8	0	0	0	—	—	—	—	—
2025/4/30 17:40	0	0.1	0	0	0	—	—	—	—	—
2025/4/30 17:50	0	0.9	0	0	0	—	—	—	—	—
2025/4/30 18:00	0	0	0	0	0	120	1724	140	166	186
2025/4/30 18:10	0	0	0	0	0	—	—	—	—	—
2025/4/30 18:20	0	0.1	0	0	0	—	—	—	—	—
2025/4/30 18:30	0	0	0	0	0	—	—	—	—	—
2025/4/30 18:40	0	0	0	0	0	—	—	—	—	—
2025/4/30 18:50	0	0	0	0	0	—	—	—	—	—
2025/4/30 19:00	0	0	0	0	0	148	1379	172	134	476
2025/4/30 19:10	0	0	0	0	0	—	—	—	—	—
2025/4/30 19:20	0	0	0	0	0	—	—	—	—	—
2025/4/30 19:30	0	0	0	0	0	—	—	—	—	—
2025/4/30 19:40	0	0.1	0	0	0	—	—	—	—	—
2025/4/30 19:50	0	0	0	0	0	—	—	—	—	—
2025/4/30 20:00	0	0	0	0	0	284	512	370	134	186
2025/4/30 20:10	0	0	0	0	0	—	—	—	—	—
2025/4/30 20:20	0	0	0	0	0	—	—	—	—	—
2025/4/30 20:30	0	0	0	0	0	—	—	—	—	—
2025/4/30 20:40	0	0	0	0	0	—	—	—	—	—
2025/4/30 20:50	0	0	0	0	0	—	—	—	—	—
2025/4/30 21:00	0	0	0	0	0	199	544	279	173	252
2025/4/30 21:10	0	0	0	0	0	—	—	—	—	—
2025/4/30 21:20	0	0	0	0	0	—	—	—	—	—
2025/4/30 21:30	0	0	0	0	0	—	—	—	—	—
2025/4/30 21:40	0	0	0	0	0	—	—	—	—	—
2025/4/30 21:50	0	0	0	0	0	—	—	—	—	—
2025/4/30 22:00	0	0	0	0	0	180	365	371	119	345
2025/4/30 22:10	0	0	0	0	0	—	—	—	—	—
2025/4/30 22:20	0	0	0	0	0	—	—	—	—	—
2025/4/30 22:30	0	0	0	0	0	—	—	—	—	—
2025/4/30 22:40	0	0	0	0	0	—	—	—	—	—
2025/4/30 22:50	0	0	0	0	0	—	—	—	—	—
2025/4/30 23:00	0	0	0	0	0	147	1471	140	154	512
2025/4/30 23:10	0	0	0	0	0	—	—	—	—	—
2025/4/30 23:20	0	0	0	0	0	—	—	—	—	—
2025/4/30 23:30	0	0	0	0	0	—	—	—	—	—
2025/4/30 23:40	0	0	0	0	0	—	—	—	—	—
2025/4/30 23:50	0	0	0	0	0	—	—	—	—	—
2025/5/1 0:00	0	0	0	0	0	160	806	516	173	180
2025/5/1 0:10	0	0	0	0	0	—	—	—	—	—
2025/5/1 0:20	0	0	0	0	0	—	—	—	—	—
2025/5/1 0:30	0	0	0	0	0	—	—	—	—	—
2025/5/1 0:40	0	0	0	0	0	—	—	—	—	—
2025/5/1 0:50	0	0	0	0	0	—	—	—	—	—
2025/5/1 1:00	0	0	0	0	0	127	842	690	180	544
2025/5/1 1:10	0	0	0	0	0	—	—	—	—	—
2025/5/1 1:20	0	0	0	0	0	—	—	—	—	—
2025/5/1 1:30	0	0	0	0	0	—	—	—	—	—
2025/5/1 1:40	0	0	0	0	0	—	—	—	—	—
2025/5/1 1:50	0	0	0	0	0	—	—	—	—	—
2025/5/1 2:00	0	0	0	0	0	87	94	180	331	107
2025/5/1 2:10	0	0	0	0	0	—	—	—	—	—
2025/5/1 2:20	0	0	0	0	0	—	—	—	—	—
2025/5/1 2:30	0	0	0	0	0	—	—	—	—	—
2025/5/1 2:40	0	0	0	0	0	—	—	—	—	—
2025/5/1 2:50	0	0	0	0	0	—	—	—	—	—
2025/5/1 3:00	0	0	0	0	0	74	491	186	524	127
2025/5/1 3:10	0	0	0	0	0	—	—	—	—	—
2025/5/1 3:20	0	0	0	0	0	—	—	—	—	—
2025/5/1 3:30	0	0	0	0	0	—	—	—	—	—
2025/5/1 3:40	0	0	0	0	0	—	—	—	—	—
2025/5/1 3:50	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/1 4:00	0	0	0	0	0	106	206	206	385	94
2025/5/1 4:10	0	0	0	0	0	—	—	—	—	—
2025/5/1 4:20	0	0	0	0	0	—	—	—	—	—
2025/5/1 4:30	0	0	0	0	0	—	—	—	—	—
2025/5/1 4:40	0	0	0	0	0	—	—	—	—	—
2025/5/1 4:50	0	0	0	0	0	—	—	—	—	—
2025/5/1 5:00	0	0	0	0	0	107	231	219	397	101
2025/5/1 5:10	0	0	0	0	0	—	—	—	—	—
2025/5/1 5:20	0	0	0	0	0	—	—	—	—	—
2025/5/1 5:30	0	0	0	0	0	—	—	—	—	—
2025/5/1 5:40	0	0	0	0	0	—	—	—	—	—
2025/5/1 5:50	0	0	0	0	0	—	—	—	—	—
2025/5/1 6:00	0	0	0	0	0	114	194	199	198	154
2025/5/1 6:10	0	0	0	0	0	—	—	—	—	—
2025/5/1 6:20	0	0	0	0	0	—	—	—	—	—
2025/5/1 6:30	0	0	0	0	0	—	—	—	—	—
2025/5/1 6:40	0	0	0	0	0	—	—	—	—	—
2025/5/1 6:50	0	0	0	0	0	—	—	—	—	—
2025/5/1 7:00	0	0	0	0	0	67	173	114	127	92
2025/5/1 7:10	0	0	0	0	0	—	—	—	—	—
2025/5/1 7:20	0	0	0	0	0	—	—	—	—	—
2025/5/1 7:30	0	0	0	0.1	0	—	—	—	—	—
2025/5/1 7:40	0	0	0	0.1	0	—	—	—	—	—
2025/5/1 7:50	0	0	0	0.1	0	—	—	—	—	—
2025/5/1 8:00	0	0	0	0.1	0	172	1026	84	279	93
2025/5/1 8:10	0	0	0	0.1	0	—	—	—	—	—
2025/5/1 8:20	0	0	0	0.1	0	—	—	—	—	—
2025/5/1 8:30	0	0	0	0.1	0	—	—	—	—	—
2025/5/1 8:40	0	0	0	0.1	0	—	—	—	—	—
2025/5/1 8:50	0	0	0	0.1	0	—	—	—	—	—
2025/5/1 9:00	0	0	0.1	0.1	0	331	1732	545	181	115
2025/5/1 9:10	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/1 9:20	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/1 9:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/1 9:40	0	0.2	0.1	0.1	0	—	—	—	—	—
2025/5/1 9:50	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/1 10:00	0	0	0.1	0.1	0	66	19	392	119	285
2025/5/1 10:10	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/1 10:20	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/1 10:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/1 10:40	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/1 10:50	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/1 11:00	0.1	0	0.1	0	0	329	126	141	152	131
2025/5/1 11:10	0.1	0	0.1	0	0	—	—	—	—	—
2025/5/1 11:20	0.1	0	0.1	0	0	—	—	—	—	—
2025/5/1 11:30	0.1	0	0.1	0	0	—	—	—	—	—
2025/5/1 11:40	0.1	0	0.1	0	0	—	—	—	—	—
2025/5/1 11:50	0.1	0	0.1	0	0	—	—	—	—	—
2025/5/1 12:00	0.1	0	0.1	0	0	289	126	171	140	153
2025/5/1 12:10	0.1	0	0.1	0	0	—	—	—	—	—
2025/5/1 12:20	0.1	0	0.1	0	0	—	—	—	—	—
2025/5/1 12:30	0.1	0	0.1	0	0	—	—	—	—	—
2025/5/1 12:40	0.1	0	0.1	0	0	—	—	—	—	—
2025/5/1 12:50	0.1	0	0.1	0	0	—	—	—	—	—
2025/5/1 13:00	0.1	0	0.1	0	0	141	121	134	126	133
2025/5/1 13:10	0.1	0	0	0	0	—	—	—	—	—
2025/5/1 13:20	0.1	0	0	0	0	—	—	—	—	—
2025/5/1 13:30	0.1	0	0	0	0	—	—	—	—	—
2025/5/1 13:40	0.1	0	0	0	0	—	—	—	—	—
2025/5/1 13:50	0.1	0	0	0	0	—	—	—	—	—
2025/5/1 14:00	0.1	0	0	0	0	154	346	148	153	120
2025/5/1 14:10	0.1	0	0	0	0	—	—	—	—	—
2025/5/1 14:20	0.1	0	0	0	0	—	—	—	—	—
2025/5/1 14:30	0.1	0	0	0	0	—	—	—	—	—
2025/5/1 14:40	0.2	0	0	0	0	—	—	—	—	—
2025/5/1 14:50	0.2	0	0	0	0	—	—	—	—	—
2025/5/1 15:00	0.2	0	0	0	0	132	256	137	139	147
2025/5/1 15:10	0.2	0	0	0	0	—	—	—	—	—
2025/5/1 15:20	0.2	0	0	0	0	—	—	—	—	—
2025/5/1 15:30	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/1 15:40	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/1 15:50	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/1 16:00	0.1	0.1	0	0	0	358	114	127	134	146

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/1 16:10	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/1 16:20	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/1 16:30	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/1 16:40	0	0.1	0	0	0	—	—	—	—	—
2025/5/1 16:50	0	0.1	0	0	0	—	—	—	—	—
2025/5/1 17:00	0	0.1	0	0	0	258	139	207	174	206
2025/5/1 17:10	0	0.1	0	0	0	—	—	—	—	—
2025/5/1 17:20	0	0.1	0	0	0	—	—	—	—	—
2025/5/1 17:30	0	0.1	0	0	0	—	—	—	—	—
2025/5/1 17:40	0	0.1	0	0	0	—	—	—	—	—
2025/5/1 17:50	0	0.1	0	0	0	—	—	—	—	—
2025/5/1 18:00	0	0	0	0	0	192	95	261	147	154
2025/5/1 18:10	0	0	0	0	0	—	—	—	—	—
2025/5/1 18:20	0	0	0	0	0	—	—	—	—	—
2025/5/1 18:30	0	0	0	0	0	—	—	—	—	—
2025/5/1 18:40	0	0	0	0	0	—	—	—	—	—
2025/5/1 18:50	0	0	0	0	0	—	—	—	—	—
2025/5/1 19:00	0	0	0	0	0	305	121	271	146	134
2025/5/1 19:10	0	0	0	0	0	—	—	—	—	—
2025/5/1 19:20	0	0	0	0	0	—	—	—	—	—
2025/5/1 19:30	0	0	0	0	0	—	—	—	—	—
2025/5/1 19:40	0	0	0	0	0	—	—	—	—	—
2025/5/1 19:50	0	0	0	0	0	—	—	—	—	—
2025/5/1 20:00	0	0	0	0	0	174	1088	188	147	240
2025/5/1 20:10	0	0	0	0	0	—	—	—	—	—
2025/5/1 20:20	0	0	0	0	0	—	—	—	—	—
2025/5/1 20:30	0	0	0	0	0	—	—	—	—	—
2025/5/1 20:40	0	0	0	0	0	—	—	—	—	—
2025/5/1 20:50	0	0	0	0	0	—	—	—	—	—
2025/5/1 21:00	0	0	0	0	0	161	1118	186	180	213
2025/5/1 21:10	0	0	0	0	0	—	—	—	—	—
2025/5/1 21:20	0	0.1	0	0	0	—	—	—	—	—
2025/5/1 21:30	0	0	0	0	0	—	—	—	—	—
2025/5/1 21:40	0	0	0	0	0	—	—	—	—	—
2025/5/1 21:50	0	0.2	0	0	0	—	—	—	—	—
2025/5/1 22:00	0	0	0	0	0	135	980	228	154	168
2025/5/1 22:10	0	0	0	0	0	—	—	—	—	—
2025/5/1 22:20	0	0.1	0	0	0	—	—	—	—	—
2025/5/1 22:30	0	0	0	0	0	—	—	—	—	—
2025/5/1 22:40	0	0.6	0	0	0	—	—	—	—	—
2025/5/1 22:50	0	0.8	0	0	0	—	—	—	—	—
2025/5/1 23:00	0	1.2	0	0	0	218	1203	252	199	271
2025/5/1 23:10	0	0.6	0	0	0	—	—	—	—	—
2025/5/1 23:20	0	1.4	0	0	0	—	—	—	—	—
2025/5/1 23:30	0	1.3	0	0	0	—	—	—	—	—
2025/5/1 23:40	0	0	0	0	0	—	—	—	—	—
2025/5/1 23:50	0	0	0	0	0	—	—	—	—	—
2025/5/2 0:00	0	0	0	0	0	239	803	419	194	417
2025/5/2 0:10	0	0	0	0	0	—	—	—	—	—
2025/5/2 0:20	0	0.1	0	0	0	—	—	—	—	—
2025/5/2 0:30	0	0	0	0	0	—	—	—	—	—
2025/5/2 0:40	0	0	0	0	0	—	—	—	—	—
2025/5/2 0:50	0	0	0	0	0	—	—	—	—	—
2025/5/2 1:00	0	0	0	0	0	198	1532	358	192	212
2025/5/2 1:10	0	0.5	0	0	0	—	—	—	—	—
2025/5/2 1:20	0	0	0	0	0	—	—	—	—	—
2025/5/2 1:30	0	0	0	0	0	—	—	—	—	—
2025/5/2 1:40	0	0.1	0	0	0	—	—	—	—	—
2025/5/2 1:50	0	0	0	0	0	—	—	—	—	—
2025/5/2 2:00	0	0	0	0	0	371	1128	472	95	227
2025/5/2 2:10	0	0	0	0	0	—	—	—	—	—
2025/5/2 2:20	0	0	0	0	0	—	—	—	—	—
2025/5/2 2:30	0	0	0	0	0	—	—	—	—	—
2025/5/2 2:40	0	0	0	0	0	—	—	—	—	—
2025/5/2 2:50	0	0	0	0	0	—	—	—	—	—
2025/5/2 3:00	0	0	0	0	0	160	921	497	140	146
2025/5/2 3:10	0	0	0	0	0	—	—	—	—	—
2025/5/2 3:20	0	0	0	0	0	—	—	—	—	—
2025/5/2 3:30	0	0	0	0	0	—	—	—	—	—
2025/5/2 3:40	0	0	0	0	0	—	—	—	—	—
2025/5/2 3:50	0	0	0	0	0	—	—	—	—	—
2025/5/2 4:00	0	0	0	0	0	339	784	723	166	313
2025/5/2 4:10	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/2 4:20	0	0	0	0	0	—	—	—	—	—
2025/5/2 4:30	0	0	0	0	0	—	—	—	—	—
2025/5/2 4:40	0	0	0	0	0	—	—	—	—	—
2025/5/2 4:50	0	0	0	0	0	—	—	—	—	—
2025/5/2 5:00	0	0	0	0	0	378	841	669	147	240
2025/5/2 5:10	0	0	0	0	0	—	—	—	—	—
2025/5/2 5:20	0	0	0	0	0	—	—	—	—	—
2025/5/2 5:30	0	0	0	0	0	—	—	—	—	—
2025/5/2 5:40	0	0	0	0	0	—	—	—	—	—
2025/5/2 5:50	0	0	0	0	0	—	—	—	—	—
2025/5/2 6:00	0	0	0	0	0	293	803	160	120	298
2025/5/2 6:10	0	0	0	0	0	—	—	—	—	—
2025/5/2 6:20	0	0	0	0	0	—	—	—	—	—
2025/5/2 6:30	0	0	0	0	0	—	—	—	—	—
2025/5/2 6:40	0	0	0	0	0	—	—	—	—	—
2025/5/2 6:50	0	0	0	0	0	—	—	—	—	—
2025/5/2 7:00	0	0	0	0	0	173	339	141	114	167
2025/5/2 7:10	0	0	0	0	0	—	—	—	—	—
2025/5/2 7:20	0	0	0	0	0	—	—	—	—	—
2025/5/2 7:30	0	0	0	0	0	—	—	—	—	—
2025/5/2 7:40	0	0	0	0	0	—	—	—	—	—
2025/5/2 7:50	0	0	0	0	0	—	—	—	—	—
2025/5/2 8:00	0	0	0	0	0	148	722	530	166	153
2025/5/2 8:10	0	0	0	0	0	—	—	—	—	—
2025/5/2 8:20	0	0	0	0	0	—	—	—	—	—
2025/5/2 8:30	0	0	0	0	0	—	—	—	—	—
2025/5/2 8:40	0	0	0	0	0	—	—	—	—	—
2025/5/2 8:50	0	0.1	0	0	0	—	—	—	—	—
2025/5/2 9:00	0	0	0	0	0	280	1200	285	140	260
2025/5/2 9:10	0	0.2	0	0	0	—	—	—	—	—
2025/5/2 9:20	0	0	0	0	0	—	—	—	—	—
2025/5/2 9:30	0	0.3	0	0	0	—	—	—	—	—
2025/5/2 9:40	0	0	0	0	0	—	—	—	—	—
2025/5/2 9:50	0	0	0	0	0	—	—	—	—	—
2025/5/2 10:00	0	0	0	0	0	219	943	591	172	246
2025/5/2 10:10	0	0	0	0	0	—	—	—	—	—
2025/5/2 10:20	0	0	0	0	0	—	—	—	—	—
2025/5/2 10:30	0	0	0	0	0	—	—	—	—	—
2025/5/2 10:40	0	0.1	0	0	0	—	—	—	—	—
2025/5/2 10:50	0	0	0	0	0	—	—	—	—	—
2025/5/2 11:00	0	0.1	0	0	0	338	732	536	339	436
2025/5/2 11:10	0	0	0	0	0	—	—	—	—	—
2025/5/2 11:20	0	0	0	0	0	—	—	—	—	—
2025/5/2 11:30	0	0	0	0	0	—	—	—	—	—
2025/5/2 11:40	0	0	0	0	0	—	—	—	—	—
2025/5/2 11:50	0	0	0	0	0	—	—	—	—	—
2025/5/2 12:00	0	0	0	0	0	146	1193	424	239	298
2025/5/2 12:10	0	0	0	0	0	—	—	—	—	—
2025/5/2 12:20	0	0	0	0	0	—	—	—	—	—
2025/5/2 12:30	0	0	0	0	0	—	—	—	—	—
2025/5/2 12:40	0	0.2	0	0	0	—	—	—	—	—
2025/5/2 12:50	0	0.1	0	0	0	—	—	—	—	—
2025/5/2 13:00	0	0	0	0	0	218	1293	226	199	291
2025/5/2 13:10	0	0.2	0	0	0	—	—	—	—	—
2025/5/2 13:20	0	0.3	0	0	0	—	—	—	—	—
2025/5/2 13:30	0	0.2	0	0	0	—	—	—	—	—
2025/5/2 13:40	0	0	0	0	0	—	—	—	—	—
2025/5/2 13:50	0	0	0	0	0	—	—	—	—	—
2025/5/2 14:00	0	0	0	0	0	79	298	96	87	89
2025/5/2 14:10	0	0	0	0	0	—	—	—	—	—
2025/5/2 14:20	0	0	0	0	0	—	—	—	—	—
2025/5/2 14:30	0	0	0	0	0	—	—	—	—	—
2025/5/2 14:40	0	0	0	0	0	—	—	—	—	—
2025/5/2 14:50	0	0	0	0	0	—	—	—	—	—
2025/5/2 15:00	0	0	0	0	0	116	182	98	97	115
2025/5/2 15:10	0	0	0	0	0	—	—	—	—	—
2025/5/2 15:20	0	0	0	0	0	—	—	—	—	—
2025/5/2 15:30	0	0	0	0	0	—	—	—	—	—
2025/5/2 15:40	0	0	0	0	0	—	—	—	—	—
2025/5/2 15:50	0	0	0	0	0	—	—	—	—	—
2025/5/2 16:00	0	0	0	0	0	116	138	189	146	205
2025/5/2 16:10	0	0	0	0	0	—	—	—	—	—
2025/5/2 16:20	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/2 16:30	0	0	0	0	0	—	—	—	—	—
2025/5/2 16:40	0	0	0	0	0	—	—	—	—	—
2025/5/2 16:50	0	0	0	0	0	—	—	—	—	—
2025/5/2 17:00	0	0	0	0	0	130	178	298	159	298
2025/5/2 17:10	0	0	0	0	0	—	—	—	—	—
2025/5/2 17:20	0	0	—	0	0	—	—	—	—	—
2025/5/2 17:30	0	0	—	0	0	—	—	—	—	—
2025/5/2 17:40	0	0	—	0	0	—	—	—	—	—
2025/5/2 17:50	0	0	0	0	0	—	—	—	—	—
2025/5/2 18:00	0	0	0	0	0	55	78	174	317	96
2025/5/2 18:10	0	0	0	0	0	—	—	—	—	—
2025/5/2 18:20	0	0	0	0	0	—	—	—	—	—
2025/5/2 18:30	0	0	—	0	0	—	—	—	—	—
2025/5/2 18:40	0	0	—	0	0	—	—	—	—	—
2025/5/2 18:50	0	0	—	0	0	—	—	—	—	—
2025/5/2 19:00	0	0	—	0	0	41	69	—	345	55
2025/5/2 19:10	0	0	—	0	0	—	—	—	—	—
2025/5/2 19:20	0	0	—	0	0	—	—	—	—	—
2025/5/2 19:30	0	0	—	0	0	—	—	—	—	—
2025/5/2 19:40	0	0	—	0	0	—	—	—	—	—
2025/5/2 19:50	0	0	—	0	0	—	—	—	—	—
2025/5/2 20:00	0	0	—	0	0	36	63	—	196	51
2025/5/2 20:10	0	0	—	0	0	—	—	—	—	—
2025/5/2 20:20	0	0	—	0	0	—	—	—	—	—
2025/5/2 20:30	0	0	—	0	0	—	—	—	—	—
2025/5/2 20:40	0	0	—	0	0	—	—	—	—	—
2025/5/2 20:50	0	0	—	0	0	—	—	—	—	—
2025/5/2 21:00	0	0	—	0	0	33	56	54	379	54
2025/5/2 21:10	0	0	—	0	0	—	—	—	—	—
2025/5/2 21:20	0	0	—	0	0	—	—	—	—	—
2025/5/2 21:30	0	0	—	0	0	—	—	—	—	—
2025/5/2 21:40	0	0	—	0	0	—	—	—	—	—
2025/5/2 21:50	0	0	—	0	0	—	—	—	—	—
2025/5/2 22:00	0	0	—	0	0	33	157	48	278	48
2025/5/2 22:10	0	0	—	0	0	—	—	—	—	—
2025/5/2 22:20	0	0	—	0	0	—	—	—	—	—
2025/5/2 22:30	0	0	—	0	0	—	—	—	—	—
2025/5/2 22:40	0	0	—	0	0	—	—	—	—	—
2025/5/2 22:50	0	0	—	0	0	—	—	—	—	—
2025/5/2 23:00	0	0	—	0	0	38	144	55	312	55
2025/5/2 23:10	0	0	—	0	0	—	—	—	—	—
2025/5/2 23:20	0	0	—	0	0	—	—	—	—	—
2025/5/2 23:30	0	0	—	0	0	—	—	—	—	—
2025/5/2 23:40	0	0	—	0	0	—	—	—	—	—
2025/5/2 23:50	0	0	—	0	0	—	—	—	—	—
2025/5/3 0:00	0	0	—	0	0	44	190	349	349	62
2025/5/3 0:10	0	0	—	0	0	—	—	—	—	—
2025/5/3 0:20	0	0	—	0	0	—	—	—	—	—
2025/5/3 0:30	0	0	—	0	0	—	—	—	—	—
2025/5/3 0:40	0	0	—	0	0	—	—	—	—	—
2025/5/3 0:50	0	0	—	0	0	—	—	—	—	—
2025/5/3 1:00	0	0	—	0	0	41	121	—	420	62
2025/5/3 1:10	0	0	—	0	0	—	—	—	—	—
2025/5/3 1:20	0	0	—	0	0	—	—	—	—	—
2025/5/3 1:30	0	0	—	0	0	—	—	—	—	—
2025/5/3 1:40	0	0	—	0	0	—	—	—	—	—
2025/5/3 1:50	0	0	—	0	0	—	—	—	—	—
2025/5/3 2:00	0	0	—	0	0	34	135	—	291	48
2025/5/3 2:10	0	0	—	0	0	—	—	—	—	—
2025/5/3 2:20	0	0	—	0	0	—	—	—	—	—
2025/5/3 2:30	0	0	—	0	0	—	—	—	—	—
2025/5/3 2:40	0	0	—	0	0	—	—	—	—	—
2025/5/3 2:50	0	0	—	0	0	—	—	—	—	—
2025/5/3 3:00	0	0	—	0	0	32	240	—	241	46
2025/5/3 3:10	0	0	—	0	0	—	—	—	—	—
2025/5/3 3:20	0	0	—	0	0	—	—	—	—	—
2025/5/3 3:30	0	0	—	0	0	—	—	—	—	—
2025/5/3 3:40	0	0	—	0	0	—	—	—	—	—
2025/5/3 3:50	0	0	—	0	0	—	—	—	—	—
2025/5/3 4:00	0	0	—	0	0	32	221	—	409	49
2025/5/3 4:10	0	0	—	0	0	—	—	—	—	—
2025/5/3 4:20	0	0	—	0	0	—	—	—	—	—
2025/5/3 4:30	0	0	—	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/3 4:40	0	0	—	0	0	—	—	—	—	—
2025/5/3 4:50	0	0	—	0	0	—	—	—	—	—
2025/5/3 5:00	0	0	—	0	0	33	151	—	372	55
2025/5/3 5:10	0	0	—	0	0	—	—	—	—	—
2025/5/3 5:20	0	0	—	0	0	—	—	—	—	—
2025/5/3 5:30	0	0	—	0	0	—	—	—	—	—
2025/5/3 5:40	0	0	—	0	0	—	—	—	—	—
2025/5/3 5:50	0	0	—	0	0	—	—	—	—	—
2025/5/3 6:00	0	0	—	0	0	29	186	—	307	45
2025/5/3 6:10	0	0	—	0	0	—	—	—	—	—
2025/5/3 6:20	0	0	—	0	0	—	—	—	—	—
2025/5/3 6:30	0	0	—	0	0	—	—	—	—	—
2025/5/3 6:40	0	0	—	0	0	—	—	—	—	—
2025/5/3 6:50	0	0	—	0	0	—	—	—	—	—
2025/5/3 7:00	0	0	—	0	0	17	181	—	338	36
2025/5/3 7:10	0	0	—	0.1	0	—	—	—	—	—
2025/5/3 7:20	0	0	—	0.1	0	—	—	—	—	—
2025/5/3 7:30	0	0	—	0.1	0	—	—	—	—	—
2025/5/3 7:40	0	0	—	0.1	0	—	—	—	—	—
2025/5/3 7:50	0	0	—	0.2	0	—	—	—	—	—
2025/5/3 8:00	0	0	—	0.2	0	13	164	—	298	36
2025/5/3 8:10	0	0	—	0.2	0	—	—	—	—	—
2025/5/3 8:20	0	0	—	0.2	0	—	—	—	—	—
2025/5/3 8:30	0	0	—	0.2	0	—	—	—	—	—
2025/5/3 8:40	0	0	—	0.1	0	—	—	—	—	—
2025/5/3 8:50	0	0	—	0.1	0	—	—	—	—	—
2025/5/3 9:00	0	0	—	0.1	0	10	178	—	187	51
2025/5/3 9:10	0	0	—	0.1	0	—	—	—	—	—
2025/5/3 9:20	0	0	—	0.1	0	—	—	—	—	—
2025/5/3 9:30	0	0	—	0.1	0	—	—	—	—	—
2025/5/3 9:40	0	0	—	0.1	0	—	—	—	—	—
2025/5/3 9:50	0	0	—	0.1	0	—	—	—	—	—
2025/5/3 10:00	0	0	—	0.1	0	18	191	—	328	70
2025/5/3 10:10	0	0	—	0.1	0	—	—	—	—	—
2025/5/3 10:20	0	0	—	0.1	0	—	—	—	—	—
2025/5/3 10:30	0	0	—	0.1	0	—	—	—	—	—
2025/5/3 10:40	0	0	—	0.1	0	—	—	—	—	—
2025/5/3 10:50	0	0	—	0.1	0	—	—	—	—	—
2025/5/3 11:00	0	0	—	0.1	0	27	161	—	269	79
2025/5/3 11:10	0	0	—	0	0	—	—	—	—	—
2025/5/3 11:20	0.1	0	—	0	0	—	—	—	—	—
2025/5/3 11:30	0.1	0	—	0	0	—	—	—	—	—
2025/5/3 11:40	0.1	0	—	0	0	—	—	—	—	—
2025/5/3 11:50	0.1	0	—	0	0	—	—	—	—	—
2025/5/3 12:00	0.1	0	—	0	0	114	619	—	153	79
2025/5/3 12:10	0.1	0	—	0	0	—	—	—	—	—
2025/5/3 12:20	0.1	0	—	0	0	—	—	—	—	—
2025/5/3 12:30	0.1	0	—	0	0	—	—	—	—	—
2025/5/3 12:40	0.1	0	—	0	0	—	—	—	—	—
2025/5/3 12:50	0.1	0	—	0	0	—	—	—	—	—
2025/5/3 13:00	0.1	0	—	0	0	202	471	—	43	307
2025/5/3 13:10	0.1	0	—	0	0	—	—	—	—	—
2025/5/3 13:20	0.1	0	—	0	0	—	—	—	—	—
2025/5/3 13:30	0.1	0	—	0	0	—	—	—	—	—
2025/5/3 13:40	0.1	0	—	0	0	—	—	—	—	—
2025/5/3 13:50	0.1	0	—	0	0	—	—	—	—	—
2025/5/3 14:00	0.2	0	—	0	0	143	384	—	42	158
2025/5/3 14:10	0.2	0	—	0	0	—	—	—	—	—
2025/5/3 14:20	0.2	0	—	0	0	—	—	—	—	—
2025/5/3 14:30	0.2	0.1	—	0	0	—	—	—	—	—
2025/5/3 14:40	0.2	0.1	—	0	0	—	—	—	—	—
2025/5/3 14:50	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/3 15:00	0.2	0.1	0	0	0	142	440	77	63	148
2025/5/3 15:10	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/3 15:20	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/3 15:30	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/3 15:40	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/3 15:50	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/3 16:00	0.1	0.1	0	0	0	117	489	71	55	167
2025/5/3 16:10	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/3 16:20	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/3 16:30	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/3 16:40	0.1	0.1	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/3 16:50	0	0.1	0	0	0	—	—	—	—	—
2025/5/3 17:00	0	0.1	0	0	0	251	289	92	60	244
2025/5/3 17:10	0	0.1	0	0	0	—	—	—	—	—
2025/5/3 17:20	0	0.1	0	0	0	—	—	—	—	—
2025/5/3 17:30	0	0.1	0	0	0	—	—	—	—	—
2025/5/3 17:40	0	0.1	0	0	0	—	—	—	—	—
2025/5/3 17:50	0	0.1	0	0	0	—	—	—	—	—
2025/5/3 18:00	0	0	0	0	0	259	211	79	55	121
2025/5/3 18:10	0	0	0	0	0	—	—	—	—	—
2025/5/3 18:20	0	0	0	0	0	—	—	—	—	—
2025/5/3 18:30	0	0	0	0	0	—	—	—	—	—
2025/5/3 18:40	0	0	0	0	0	—	—	—	—	—
2025/5/3 18:50	0	0	0	0	0	—	—	—	—	—
2025/5/3 19:00	0	0	0	0	0	262	216	80	56	140
2025/5/3 19:10	0	0	0	0	0	—	—	—	—	—
2025/5/3 19:20	0	0	0	0	0	—	—	—	—	—
2025/5/3 19:30	0	0	0	0	0	—	—	—	—	—
2025/5/3 19:40	0	0	0	0	0	—	—	—	—	—
2025/5/3 19:50	0	0	0	0	0	—	—	—	—	—
2025/5/3 20:00	0	0	0	0	0	296	67	85	49	358
2025/5/3 20:10	0	0	0	0	0	—	—	—	—	—
2025/5/3 20:20	0	0	0	0	0	—	—	—	—	—
2025/5/3 20:30	0	0	0	0	0	—	—	—	—	—
2025/5/3 20:40	0	0	0	0	0	—	—	—	—	—
2025/5/3 20:50	0	0	0	0	0	—	—	—	—	—
2025/5/3 21:00	0	0	0	0	0	233	113	100	56	441
2025/5/3 21:10	0	0	0	0	0	—	—	—	—	—
2025/5/3 21:20	0	0	0	0	0	—	—	—	—	—
2025/5/3 21:30	0	0	0	0	0	—	—	—	—	—
2025/5/3 21:40	0	0	0	0	0	—	—	—	—	—
2025/5/3 21:50	0	0	0	0	0	—	—	—	—	—
2025/5/3 22:00	0	0	0	0	0	191	164	277	71	444
2025/5/3 22:10	0	0	0	0	0	—	—	—	—	—
2025/5/3 22:20	0	0	0	0	0	—	—	—	—	—
2025/5/3 22:30	0	0	0	0	0	—	—	—	—	—
2025/5/3 22:40	0	0	0	0	0	—	—	—	—	—
2025/5/3 22:50	0	0	0	0	0	—	—	—	—	—
2025/5/3 23:00	0	0	0	0	0	233	345	390	132	530
2025/5/3 23:10	0	0	0	0	0	—	—	—	—	—
2025/5/3 23:20	0	0	0	0	0	—	—	—	—	—
2025/5/3 23:30	0	0	0	0	0	—	—	—	—	—
2025/5/3 23:40	0	0	0	0	0	—	—	—	—	—
2025/5/3 23:50	0	0	0	0	0	—	—	—	—	—
2025/5/4 0:00	0	0	0	0	0	94	226	203	376	138
2025/5/4 0:10	0	0	0	0	0	—	—	—	—	—
2025/5/4 0:20	0	0	0	0	0	—	—	—	—	—
2025/5/4 0:30	0	0	0	0	0	—	—	—	—	—
2025/5/4 0:40	0	0	0	0	0	—	—	—	—	—
2025/5/4 0:50	0	0	0	0	0	—	—	—	—	—
2025/5/4 1:00	0	0	0	0	0	47	69	89	265	66
2025/5/4 1:10	0	0	0	0	0	—	—	—	—	—
2025/5/4 1:20	0	0	0	0	0	—	—	—	—	—
2025/5/4 1:30	0	0	0	0	0	—	—	—	—	—
2025/5/4 1:40	0	0	0	0	0	—	—	—	—	—
2025/5/4 1:50	0	0	0	0	0	—	—	—	—	—
2025/5/4 2:00	0	0	0	0	0	51	144	89	226	72
2025/5/4 2:10	0	0	0	0	0	—	—	—	—	—
2025/5/4 2:20	0	0	0	0	0	—	—	—	—	—
2025/5/4 2:30	0	0	0	0	0	—	—	—	—	—
2025/5/4 2:40	0	0	0	0	0	—	—	—	—	—
2025/5/4 2:50	0	0	0	0	0	—	—	—	—	—
2025/5/4 3:00	0	0	0	0	0	56	146	84	307	74
2025/5/4 3:10	0	0	0	0	0	—	—	—	—	—
2025/5/4 3:20	0	0	0	0	0	—	—	—	—	—
2025/5/4 3:30	0	0	0	0	0	—	—	—	—	—
2025/5/4 3:40	0	0	0	0	0	—	—	—	—	—
2025/5/4 3:50	0	0	0	0	0	—	—	—	—	—
2025/5/4 4:00	0	0	0	0	0	60	73	147	299	91
2025/5/4 4:10	0	0	0	0	0	—	—	—	—	—
2025/5/4 4:20	0	0	0	0	0	—	—	—	—	—
2025/5/4 4:30	0	0	0	0	0	—	—	—	—	—
2025/5/4 4:40	0	0	0	0	0	—	—	—	—	—
2025/5/4 4:50	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/4 5:00	0	0	0	0	0	74	198	101	222	103
2025/5/4 5:10	0	0	0	0	0	—	—	—	—	—
2025/5/4 5:20	0	0	0	0	0	—	—	—	—	—
2025/5/4 5:30	0	0	0	0	0	—	—	—	—	—
2025/5/4 5:40	0	0	0	0	0	—	—	—	—	—
2025/5/4 5:50	0	0	0	0	0	—	—	—	—	—
2025/5/4 6:00	0	0	0	0	0	48	102	83	394	77
2025/5/4 6:10	0	0	0	0	0	—	—	—	—	—
2025/5/4 6:20	0	0	0	0	0	—	—	—	—	—
2025/5/4 6:30	0	0	0	0	0	—	—	—	—	—
2025/5/4 6:40	0	0	0	0	0	—	—	—	—	—
2025/5/4 6:50	0	0	0	0	0	—	—	—	—	—
2025/5/4 7:00	0	0	0	0	0	39	67	76	364	62
2025/5/4 7:10	0	0	0	0	0	—	—	—	—	—
2025/5/4 7:20	0	0	0	0	0	—	—	—	—	—
2025/5/4 7:30	0	0	0	0	0	—	—	—	—	—
2025/5/4 7:40	0	0	0	0	0	—	—	—	—	—
2025/5/4 7:50	0	0	0	0	0	—	—	—	—	—
2025/5/4 8:00	0	0	0	0	0	44	130	108	301	83
2025/5/4 8:10	0	0	0	0.1	0	—	—	—	—	—
2025/5/4 8:20	0	0	0	0.1	0	—	—	—	—	—
2025/5/4 8:30	0	0	0	0.1	0	—	—	—	—	—
2025/5/4 8:40	0	0	0	0.1	0	—	—	—	—	—
2025/5/4 8:50	0	0	0	0.1	0	—	—	—	—	—
2025/5/4 9:00	0	0	0	0.1	0	45	289	94	380	143
2025/5/4 9:10	0	0	0	0.1	0	—	—	—	—	—
2025/5/4 9:20	0	0	0	0.1	0	—	—	—	—	—
2025/5/4 9:30	0	0	0	0.1	0	—	—	—	—	—
2025/5/4 9:40	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/4 9:50	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/4 10:00	0.1	0	0	0.1	0	285	205	113	63	432
2025/5/4 10:10	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/4 10:20	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/4 10:30	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/4 10:40	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/4 10:50	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/4 11:00	0.1	0	0	0.1	0	112	275	195	229	245
2025/5/4 11:10	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/4 11:20	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/4 11:30	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/4 11:40	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/4 11:50	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/4 12:00	0.1	0	0	0	0	188	144	261	110	386
2025/5/4 12:10	0.1	0	0	0	0	—	—	—	—	—
2025/5/4 12:20	0.1	0	0	0	0	—	—	—	—	—
2025/5/4 12:30	0.1	0	0	0	0	—	—	—	—	—
2025/5/4 12:40	0.1	0	0	0	0	—	—	—	—	—
2025/5/4 12:50	0.1	0	0	0	0	—	—	—	—	—
2025/5/4 13:00	0.1	0	0	0	0	71	146	205	419	167
2025/5/4 13:10	0.1	0	0	0	0	—	—	—	—	—
2025/5/4 13:20	0.1	0	0	0	0	—	—	—	—	—
2025/5/4 13:30	0.1	0	—	0	0	—	—	—	—	—
2025/5/4 13:40	0.1	0	—	0	0	—	—	—	—	—
2025/5/4 13:50	0.1	0	—	0	0	—	—	—	—	—
2025/5/4 14:00	0.1	0	—	0	0	56	104	89	337	109
2025/5/4 14:10	0.1	0	0	0	0	—	—	—	—	—
2025/5/4 14:20	0.1	0	0	0	0	—	—	—	—	—
2025/5/4 14:30	0.1	0	0	0	0	—	—	—	—	—
2025/5/4 14:40	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/4 14:50	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/4 15:00	0.1	0.1	0	0	0	93	108	203	56	330
2025/5/4 15:10	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/4 15:20	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/4 15:30	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/4 15:40	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/4 15:50	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/4 16:00	0.1	0	0	0	0	80	84	192	82	257
2025/5/4 16:10	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/4 16:20	0.1	0	0	0	0	—	—	—	—	—
2025/5/4 16:30	0	0	0	0	0	—	—	—	—	—
2025/5/4 16:40	0	0	0	0	0	—	—	—	—	—
2025/5/4 16:50	0	0	0	0	0	—	—	—	—	—
2025/5/4 17:00	0	0	0	0	0	107	96	180	39	332

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/4 17:10	—	0	0	0	0	—	—	—	—	—
2025/5/4 17:20	—	0	0	0	0	—	—	—	—	—
2025/5/4 17:30	—	0	0	0	0	—	—	—	—	—
2025/5/4 17:40	—	0	0	0	0	—	—	—	—	—
2025/5/4 17:50	—	0	0	0	0	—	—	—	—	—
2025/5/4 18:00	—	0	0	0	0	74	251	203	149	216
2025/5/4 18:10	—	0	0	0	0	—	—	—	—	—
2025/5/4 18:20	—	0	0	0	0	—	—	—	—	—
2025/5/4 18:30	—	0	0	0	0	—	—	—	—	—
2025/5/4 18:40	—	0	0	0	0	—	—	—	—	—
2025/5/4 18:50	—	0	0	0	0	—	—	—	—	—
2025/5/4 19:00	—	0	0	0	0	42	155	87	374	97
2025/5/4 19:10	—	0	0	0	0	—	—	—	—	—
2025/5/4 19:20	—	0	0	0	0	—	—	—	—	—
2025/5/4 19:30	—	0	0	0	0	—	—	—	—	—
2025/5/4 19:40	—	0	0	0	0	—	—	—	—	—
2025/5/4 19:50	—	0	0	0	0	—	—	—	—	—
2025/5/4 20:00	—	0	0	0	0	50	132	100	381	109
2025/5/4 20:10	—	0	0	0	0	—	—	—	—	—
2025/5/4 20:20	—	0	0	0	0	—	—	—	—	—
2025/5/4 20:30	—	0	0	0	0	—	—	—	—	—
2025/5/4 20:40	—	0	0	0	0	—	—	—	—	—
2025/5/4 20:50	—	0	0	0	0	—	—	—	—	—
2025/5/4 21:00	—	0	0	0	0	60	134	92	334	128
2025/5/4 21:10	—	0	0	0	0	—	—	—	—	—
2025/5/4 21:20	—	0	0	0	0	—	—	—	—	—
2025/5/4 21:30	—	0	0	0	0	—	—	—	—	—
2025/5/4 21:40	—	0	0	0	0	—	—	—	—	—
2025/5/4 21:50	—	0	0	0	0	—	—	—	—	—
2025/5/4 22:00	—	0	0	0	0	108	143	137	381	221
2025/5/4 22:10	—	0	0	0	0	—	—	—	—	—
2025/5/4 22:20	—	0	0	0	0	—	—	—	—	—
2025/5/4 22:30	—	0	0	0	0	—	—	—	—	—
2025/5/4 22:40	—	0	0	0	0	—	—	—	—	—
2025/5/4 22:50	—	0	0	0	0	—	—	—	—	—
2025/5/4 23:00	—	0	0	0	0	199	360	116	439	224
2025/5/4 23:10	—	0	0	0	0	—	—	—	—	—
2025/5/4 23:20	—	0	0	0	0	—	—	—	—	—
2025/5/4 23:30	—	0	0	0	0	—	—	—	—	—
2025/5/4 23:40	—	0	0	0	0	—	—	—	—	—
2025/5/4 23:50	—	0	0	0	0	—	—	—	—	—
2025/5/5 0:00	—	0	0	0	0	381	632	185	224	395
2025/5/5 0:10	—	0	0	0	0	—	—	—	—	—
2025/5/5 0:20	—	0	0	0	0	—	—	—	—	—
2025/5/5 0:30	—	0	0	0	0	—	—	—	—	—
2025/5/5 0:40	—	0	0	0	0	—	—	—	—	—
2025/5/5 0:50	—	0	0	0	0	—	—	—	—	—
2025/5/5 1:00	—	0	0	0	0	363	575	174	403	360
2025/5/5 1:10	—	0	0	0	0	—	—	—	—	—
2025/5/5 1:20	—	0	0	0	0	—	—	—	—	—
2025/5/5 1:30	—	0	0	0	0	—	—	—	—	—
2025/5/5 1:40	—	0	0	0	0	—	—	—	—	—
2025/5/5 1:50	—	0	0	0	0	—	—	—	—	—
2025/5/5 2:00	—	0	0	0	0	240	389	250	438	281
2025/5/5 2:10	—	0	0	0	0	—	—	—	—	—
2025/5/5 2:20	—	0	0	0	0	—	—	—	—	—
2025/5/5 2:30	—	0	0	0	0	—	—	—	—	—
2025/5/5 2:40	—	0	0	0	0	—	—	—	—	—
2025/5/5 2:50	—	0	0	0	0	—	—	—	—	—
2025/5/5 3:00	—	0	0	0	0	157	507	126	333	162
2025/5/5 3:10	—	0	0	0	0	—	—	—	—	—
2025/5/5 3:20	—	0	0	0	0	—	—	—	—	—
2025/5/5 3:30	—	0	0	0	0	—	—	—	—	—
2025/5/5 3:40	—	0	0	0	0	—	—	—	—	—
2025/5/5 3:50	—	0	0	0	0	—	—	—	—	—
2025/5/5 4:00	—	0	0	0	0	85	271	112	395	107
2025/5/5 4:10	—	0	0	0	0	—	—	—	—	—
2025/5/5 4:20	—	0	0	0	0	—	—	—	—	—
2025/5/5 4:30	—	0	0	0	0	—	—	—	—	—
2025/5/5 4:40	—	0	0	0	0	—	—	—	—	—
2025/5/5 4:50	—	0	0	0	0	—	—	—	—	—
2025/5/5 5:00	—	0	0	0	0	144	209	159	343	219
2025/5/5 5:10	—	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/5 5:20	—	0	0	0	0	—	—	—	—	—
2025/5/5 5:30	—	0	0	0	0	—	—	—	—	—
2025/5/5 5:40	—	0	0	0	0	—	—	—	—	—
2025/5/5 5:50	—	0	0	0	0	—	—	—	—	—
2025/5/5 6:00	—	0	0	0	0	154	295	134	232	221
2025/5/5 6:10	—	0	0	0	0	—	—	—	—	—
2025/5/5 6:20	—	0	0	0	0	—	—	—	—	—
2025/5/5 6:30	—	0	0	0	0	—	—	—	—	—
2025/5/5 6:40	—	0	0	0	0	—	—	—	—	—
2025/5/5 6:50	—	0	0	0	0	—	—	—	—	—
2025/5/5 7:00	—	0	0	0	0	149	278	82	123	138
2025/5/5 7:10	—	0	0	0	0	—	—	—	—	—
2025/5/5 7:20	—	0	0	0	0	—	—	—	—	—
2025/5/5 7:30	0	0	0	0	0	—	—	—	—	—
2025/5/5 7:40	0	0	0	0.1	0	—	—	—	—	—
2025/5/5 7:50	0	0	0	0.1	0	—	—	—	—	—
2025/5/5 8:00	0	0	0	0.1	0	238	479	118	74	290
2025/5/5 8:10	0	0	—	0.1	0	—	—	—	—	—
2025/5/5 8:20	0	0	—	0.1	0	—	—	—	—	—
2025/5/5 8:30	0	0	—	0.1	0	—	—	—	—	—
2025/5/5 8:40	0	0	0	0.1	0	—	—	—	—	—
2025/5/5 8:50	0	0	0	0.1	0	—	—	—	—	—
2025/5/5 9:00	0	0	0	0.1	0	0	0	0	0	284
2025/5/5 9:10	0	0	0	0.1	0	—	—	—	—	—
2025/5/5 9:20	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/5 9:30	0	0	0	0.1	0	—	—	—	—	—
2025/5/5 9:40	0	0	0	0.1	0	—	—	—	—	—
2025/5/5 9:50	0	0	0	0.1	0	—	—	—	—	—
2025/5/5 10:00	0	0	0	0.1	0	0	0	0	0	0
2025/5/5 10:10	0	0	0	0.1	0	—	—	—	—	—
2025/5/5 10:20	0	0	0	0.1	0	—	—	—	—	—
2025/5/5 10:30	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/5 10:40	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/5 10:50	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/5 11:00	0.1	0	0	0	0	0	0	0	0	0
2025/5/5 11:10	0.1	0	0.1	0	0	—	—	—	—	—
2025/5/5 11:20	0.1	0	0.1	0	0	—	—	—	—	—
2025/5/5 11:30	0.1	0	0	0	0	—	—	—	—	—
2025/5/5 11:40	0.1	0	0	0	0	—	—	—	—	—
2025/5/5 11:50	0.1	0	0	0	0	—	—	—	—	—
2025/5/5 12:00	0.1	0	0	0	0	0	0	0	0	0
2025/5/5 12:10	0.1	0	0	0	0	—	—	—	—	—
2025/5/5 12:20	0.1	0	0	0	0	—	—	—	—	—
2025/5/5 12:30	0.1	0	0	0	0	—	—	—	—	—
2025/5/5 12:40	0.1	0	0	0	0	—	—	—	—	—
2025/5/5 12:50	0.1	0	0	0	0	—	—	—	—	—
2025/5/5 13:00	0.1	0	0	0	0	0	0	0	0	0
2025/5/5 13:10	0.1	0	0	0	0	—	—	—	—	—
2025/5/5 13:20	0.1	0	0	0	0	—	—	—	—	—
2025/5/5 13:30	0.1	0	0	0	0	—	—	—	—	—
2025/5/5 13:40	0.1	0	0	0	0	—	—	—	—	—
2025/5/5 13:50	0.1	0	0	0	0	—	—	—	—	—
2025/5/5 14:00	0.1	0	0	0	0	0	0	0	0	0
2025/5/5 14:10	0.1	0	0	0	0	—	—	—	—	—
2025/5/5 14:20	0.1	0	0	0	0	—	—	—	—	—
2025/5/5 14:30	0.2	0	0	0	0	—	—	—	—	—
2025/5/5 14:40	0.2	0	0	0	0	—	—	—	—	—
2025/5/5 14:50	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/5 15:00	0.2	0.1	0	0	0	0	0	0	0	0
2025/5/5 15:10	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/5 15:20	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/5 15:30	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/5 15:40	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/5 15:50	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/5 16:00	0.1	0.1	0	0	0	0	0	0	0	0
2025/5/5 16:10	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/5 16:20	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/5 16:30	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/5 16:40	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/5 16:50	0	0.1	0	0	0	—	—	—	—	—
2025/5/5 17:00	0	0.1	0	0	0	0	0	0	0	0
2025/5/5 17:10	0	0.1	0	0	0	—	—	—	—	—
2025/5/5 17:20	0	0.1	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/5 17:30	0	0	0	0	0	—	—	—	—	—
2025/5/5 17:40	0	0	0	0	0	—	—	—	—	—
2025/5/5 17:50	0	0	0	0	0	—	—	—	—	—
2025/5/5 18:00	0	0	0	0	0	0	0	0	0	0
2025/5/5 18:10	0	0	0	0	0	—	—	—	—	—
2025/5/5 18:20	0	0	0	0	0	—	—	—	—	—
2025/5/5 18:30	0	0	0	0	0	—	—	—	—	—
2025/5/5 18:40	0	0	0	0	0	—	—	—	—	—
2025/5/5 18:50	0	0	0	0	0	—	—	—	—	—
2025/5/5 19:00	0	0	0	0	0	0	0	0	0	0
2025/5/5 19:10	0	0	0	0	0	—	—	—	—	—
2025/5/5 19:20	0	0	0	0	0	—	—	—	—	—
2025/5/5 19:30	0	0	0	0	0	—	—	—	—	—
2025/5/5 19:40	0	0	0	0	0	—	—	—	—	—
2025/5/5 19:50	0	0	0	0	0	—	—	—	—	—
2025/5/5 20:00	0	0	0	0	0	0	0	0	0	0
2025/5/5 20:10	0	0	0	0	0	—	—	—	—	—
2025/5/5 20:20	0	0	0	0	0	—	—	—	—	—
2025/5/5 20:30	0	0	0	0	0	—	—	—	—	—
2025/5/5 20:40	0	0	0	0	0	—	—	—	—	—
2025/5/5 20:50	0	0	0	0	0	—	—	—	—	—
2025/5/5 21:00	0	0	0	0	0	176	389	57	32	140
2025/5/5 21:10	0	0	0	0	0	—	—	—	—	—
2025/5/5 21:20	0	0	0	0	0	—	—	—	—	—
2025/5/5 21:30	0	0	0	0	0	—	—	—	—	—
2025/5/5 21:40	0	0	0	0	0	—	—	—	—	—
2025/5/5 21:50	0	0	0	0	0	—	—	—	—	—
2025/5/5 22:00	0	0	0	0	0	201	449	59	36	99
2025/5/5 22:10	0	0	0	0	0	—	—	—	—	—
2025/5/5 22:20	0	0	0	0	0	—	—	—	—	—
2025/5/5 22:30	0	0	0	0	0	—	—	—	—	—
2025/5/5 22:40	0	0	0	0	0	—	—	—	—	—
2025/5/5 22:50	0	0	0	0	0	—	—	—	—	—
2025/5/5 23:00	0	0	0	0	0	263	521	69	43	162
2025/5/5 23:10	0	0	0	0	0	—	—	—	—	—
2025/5/5 23:20	0	0	0	0	0	—	—	—	—	—
2025/5/5 23:30	0	0	0	0	0	—	—	—	—	—
2025/5/5 23:40	0	0	0	0	0	—	—	—	—	—
2025/5/5 23:50	0	0	0	0	0	—	—	—	—	—
2025/5/6 0:00	0	0	0	0	0	265	587	59	45	147
2025/5/6 0:10	0	0	0	0	0	—	—	—	—	—
2025/5/6 0:20	0	0	0	0	0	—	—	—	—	—
2025/5/6 0:30	0	0	0	0	0	—	—	—	—	—
2025/5/6 0:40	0	0	0	0	0	—	—	—	—	—
2025/5/6 0:50	0	0	0	0	0	—	—	—	—	—
2025/5/6 1:00	0	0	0	0	0	287	504	60	37	231
2025/5/6 1:10	0	0	0	0	0	—	—	—	—	—
2025/5/6 1:20	0	0	0	0	0	—	—	—	—	—
2025/5/6 1:30	0	0	0	0	0	—	—	—	—	—
2025/5/6 1:40	0	0	0	0	0	—	—	—	—	—
2025/5/6 1:50	0	0	0	0	0	—	—	—	—	—
2025/5/6 2:00	0	0	0	0	0	88	721	59	44	41
2025/5/6 2:10	0	0	0	0	0	—	—	—	—	—
2025/5/6 2:20	0	0	0	0	0	—	—	—	—	—
2025/5/6 2:30	0	0	0	0	0	—	—	—	—	—
2025/5/6 2:40	0	0	0	0	0	—	—	—	—	—
2025/5/6 2:50	0	0	0	0	0	—	—	—	—	—
2025/5/6 3:00	0	0	0	0	0	125	611	60	52	33
2025/5/6 3:10	0	0	0	0	0	—	—	—	—	—
2025/5/6 3:20	0	0	0	0	0	—	—	—	—	—
2025/5/6 3:30	0	0	0	0	0	—	—	—	—	—
2025/5/6 3:40	0	0	0	0	0	—	—	—	—	—
2025/5/6 3:50	0	0	0	0	0	—	—	—	—	—
2025/5/6 4:00	0	0	0	0	0	95	645	66	67	72
2025/5/6 4:10	0	0	0	0	0	—	—	—	—	—
2025/5/6 4:20	0	0	0	0	0	—	—	—	—	—
2025/5/6 4:30	0	0	0	0	0	—	—	—	—	—
2025/5/6 4:40	0	0	0	0	0	—	—	—	—	—
2025/5/6 4:50	0	0	0	0	0	—	—	—	—	—
2025/5/6 5:00	0	0	0	0	0	182	551	79	80	140
2025/5/6 5:10	0	0	0	0	0	—	—	—	—	—
2025/5/6 5:20	0	0	0	0	0	—	—	—	—	—
2025/5/6 5:30	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/6 5:40	0	0	0	0	0	—	—	—	—	—
2025/5/6 5:50	0	0	0	0	0	—	—	—	—	—
2025/5/6 6:00	0	0	0	0	0	111	455	71	59	84
2025/5/6 6:10	0	0	0	0	0	—	—	—	—	—
2025/5/6 6:20	0	0	0	0	0	—	—	—	—	—
2025/5/6 6:30	0	0	0	0	0	—	—	—	—	—
2025/5/6 6:40	0	0	0	0	0	—	—	—	—	—
2025/5/6 6:50	0	0	0	0	0	—	—	—	—	—
2025/5/6 7:00	0	0	0	0	0	169	577	79	70	82
2025/5/6 7:10	0	0	0	0	0	—	—	—	—	—
2025/5/6 7:20	0	0	0	0	0	—	—	—	—	—
2025/5/6 7:30	0	0	0	0	0	—	—	—	—	—
2025/5/6 7:40	0	0	0	0	0	—	—	—	—	—
2025/5/6 7:50	0	0	0	0	0	—	—	—	—	—
2025/5/6 8:00	0	0	0	0	0	292	894	232	929	211
2025/5/6 8:10	0	0	0	0	0	—	—	—	—	—
2025/5/6 8:20	0	0	0	0	0	—	—	—	—	—
2025/5/6 8:30	0	0	0	0	0	—	—	—	—	—
2025/5/6 8:40	0	0	0	0	0	—	—	—	—	—
2025/5/6 8:50	0	0	0	0	0	—	—	—	—	—
2025/5/6 9:00	0	0	0	0	0	161	610	200	260	181
2025/5/6 9:10	0	0	0	0	0	—	—	—	—	—
2025/5/6 9:20	0	0	0	0	0	—	—	—	—	—
2025/5/6 9:30	0	0	0	0	0	—	—	—	—	—
2025/5/6 9:40	0	0	0	0	0	—	—	—	—	—
2025/5/6 9:50	0	0	0	0	0	—	—	—	—	—
2025/5/6 10:00	0	0	0	0	0	121	697	227	775	160
2025/5/6 10:10	0	0	0	0	0	—	—	—	—	—
2025/5/6 10:20	0	0	0	0	0	—	—	—	—	—
2025/5/6 10:30	0	0	0	0	0	—	—	—	—	—
2025/5/6 10:40	0	0	0	0	0	—	—	—	—	—
2025/5/6 10:50	0	0	0	0	0	—	—	—	—	—
2025/5/6 11:00	0	0	0	0	0	75	94	207	412	150
2025/5/6 11:10	0	0	0	0	0	—	—	—	—	—
2025/5/6 11:20	0	0	0	0	0	—	—	—	—	—
2025/5/6 11:30	0	0	0	0	0	—	—	—	—	—
2025/5/6 11:40	0	0	0	0	0	—	—	—	—	—
2025/5/6 11:50	0	0	0	0	0	—	—	—	—	—
2025/5/6 12:00	0	0	0	0	0	76	192	203	517	151
2025/5/6 12:10	0	0	0	0	0	—	—	—	—	—
2025/5/6 12:20	0	0	0	0	0	—	—	—	—	—
2025/5/6 12:30	0	0	0	0	0	—	—	—	—	—
2025/5/6 12:40	0	0	0	0	0	—	—	—	—	—
2025/5/6 12:50	0	0	0	0	0	—	—	—	—	—
2025/5/6 13:00	0	0	0	0	0	56	213	129	638	90
2025/5/6 13:10	0	0	0	0	0	—	—	—	—	—
2025/5/6 13:20	0	0	0	0	0	—	—	—	—	—
2025/5/6 13:30	0	0	0	0	0	—	—	—	—	—
2025/5/6 13:40	0	0	0	0	0	—	—	—	—	—
2025/5/6 13:50	0	0	0	0	0	—	—	—	—	—
2025/5/6 14:00	0	0	0	0	0	65	182	229	534	133
2025/5/6 14:10	0	0	0	0	0	—	—	—	—	—
2025/5/6 14:20	0	0	0	0	0	—	—	—	—	—
2025/5/6 14:30	0	0	0	0	0	—	—	—	—	—
2025/5/6 14:40	0	0	0	0	0	—	—	—	—	—
2025/5/6 14:50	0	0	0	0	0	—	—	—	—	—
2025/5/6 15:00	0	0	0	0	0	32	194	68	641	48
2025/5/6 15:10	0	0	0	0	0	—	—	—	—	—
2025/5/6 15:20	0	0	0	0	0	—	—	—	—	—
2025/5/6 15:30	0	0	0	0	0	—	—	—	—	—
2025/5/6 15:40	0	0	0	0	0	—	—	—	—	—
2025/5/6 15:50	0	0	0	0	0	—	—	—	—	—
2025/5/6 16:00	0	0	0	0	0	32	207	124	774	102
2025/5/6 16:10	0	0	0	0.1	0	—	—	—	—	—
2025/5/6 16:20	0	0	0	0	0	—	—	—	—	—
2025/5/6 16:30	0	0	0	0	0	—	—	—	—	—
2025/5/6 16:40	0	0	0	0	0	—	—	—	—	—
2025/5/6 16:50	0	0	0	0	0	—	—	—	—	—
2025/5/6 17:00	0	0	0	0	0	39	295	78	819	69
2025/5/6 17:10	0	0	0	0	0	—	—	—	—	—
2025/5/6 17:20	0	0	0	0	0	—	—	—	—	—
2025/5/6 17:30	0	0	0	0	0	—	—	—	—	—
2025/5/6 17:40	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/6 17:50	0	0	0	0	0	—	—	—	—	—
2025/5/6 18:00	0	0	0	0	0	46	135	83	586	78
2025/5/6 18:10	0	0	0	0	0	—	—	—	—	—
2025/5/6 18:20	0	0	0	0	0	—	—	—	—	—
2025/5/6 18:30	0	0	0	0	0	—	—	—	—	—
2025/5/6 18:40	0	0	0	0	0	—	—	—	—	—
2025/5/6 18:50	0	0	0	0	0	—	—	—	—	—
2025/5/6 19:00	0	0	0	0	0	39	114	75	286	59
2025/5/6 19:10	0	0	0	0	0	—	—	—	—	—
2025/5/6 19:20	0	0	0	0	0	—	—	—	—	—
2025/5/6 19:30	0	0	0	0	0	—	—	—	—	—
2025/5/6 19:40	0	0	0	0	0	—	—	—	—	—
2025/5/6 19:50	0	0	0	0	0	—	—	—	—	—
2025/5/6 20:00	0	0	0	0	0	52	148	83	123	68
2025/5/6 20:10	0	0	0	0	0	—	—	—	—	—
2025/5/6 20:20	0	0	0	0	0	—	—	—	—	—
2025/5/6 20:30	0	0	0	0	0	—	—	—	—	—
2025/5/6 20:40	0	0	0	0	0	—	—	—	—	—
2025/5/6 20:50	0	0	0	0	0	—	—	—	—	—
2025/5/6 21:00	0	0	0	0	0	41	147	75	173	60
2025/5/6 21:10	0	0	0	0	0	—	—	—	—	—
2025/5/6 21:20	0	0	0	0	0	—	—	—	—	—
2025/5/6 21:30	0	0	0	0	0	—	—	—	—	—
2025/5/6 21:40	0	0	0	0	0	—	—	—	—	—
2025/5/6 21:50	0	0	0	0	0	—	—	—	—	—
2025/5/6 22:00	0	0	0	0	0	45	182	81	120	67
2025/5/6 22:10	0	0	0	0	0	—	—	—	—	—
2025/5/6 22:20	0	0	0	0	0	—	—	—	—	—
2025/5/6 22:30	0	0	0	0	0	—	—	—	—	—
2025/5/6 22:40	0	0	0	0	0	—	—	—	—	—
2025/5/6 22:50	0	0	0	0	0	—	—	—	—	—
2025/5/6 23:00	0	0	0	0	0	49	480	82	150	72
2025/5/6 23:10	0	0	0	0	0	—	—	—	—	—
2025/5/6 23:20	0	0	0	0	0	—	—	—	—	—
2025/5/6 23:30	0	0	0	0	0	—	—	—	—	—
2025/5/6 23:40	0	0	0	0	0	—	—	—	—	—
2025/5/6 23:50	0	0	0	0	0	—	—	—	—	—
2025/5/7 0:00	0	0	0	0	0	46	407	79	163	63
2025/5/7 0:10	0	0	0	0	0	—	—	—	—	—
2025/5/7 0:20	0	0	0	0	0	—	—	—	—	—
2025/5/7 0:30	0	0	0	0	0	—	—	—	—	—
2025/5/7 0:40	0	0	0	0	0	—	—	—	—	—
2025/5/7 0:50	0	0	0	0	0	—	—	—	—	—
2025/5/7 1:00	0	0	0	0	0	52	584	83	141	69
2025/5/7 1:10	0	0	0	0	0	—	—	—	—	—
2025/5/7 1:20	0	0	0	0	0	—	—	—	—	—
2025/5/7 1:30	0	0	0	0	0	—	—	—	—	—
2025/5/7 1:40	0	0	0	0	0	—	—	—	—	—
2025/5/7 1:50	0	0	0	0	0	—	—	—	—	—
2025/5/7 2:00	0	0	0	0	0	57	587	87	179	76
2025/5/7 2:10	0	0	0	0	0	—	—	—	—	—
2025/5/7 2:20	0	0	0	0	0	—	—	—	—	—
2025/5/7 2:30	0	0	0	0	0	—	—	—	—	—
2025/5/7 2:40	0	0	0	0	0	—	—	—	—	—
2025/5/7 2:50	0	0	0	0	0	—	—	—	—	—
2025/5/7 3:00	0	0	0	0	0	48	283	82	259	67
2025/5/7 3:10	0	0	0	0	0	—	—	—	—	—
2025/5/7 3:20	0	0	0	0	0	—	—	—	—	—
2025/5/7 3:30	0	0	0	0	0	—	—	—	—	—
2025/5/7 3:40	0	0	0	0	0	—	—	—	—	—
2025/5/7 3:50	0	0	0	0	0	—	—	—	—	—
2025/5/7 4:00	0	0	0	0	0	269	340	106	143	179
2025/5/7 4:10	0	0	0	0	0	—	—	—	—	—
2025/5/7 4:20	0	0	0	0	0	—	—	—	—	—
2025/5/7 4:30	0	0	0	0	0	—	—	—	—	—
2025/5/7 4:40	0	0	0	0	0	—	—	—	—	—
2025/5/7 4:50	0	0	0	0	0	—	—	—	—	—
2025/5/7 5:00	0	0	0	0	0	49	503	82	134	69
2025/5/7 5:10	0	0	0	0	0	—	—	—	—	—
2025/5/7 5:20	0	0	0	0	0	—	—	—	—	—
2025/5/7 5:30	0	0	0	0	0	—	—	—	—	—
2025/5/7 5:40	0	0	0	0	0	—	—	—	—	—
2025/5/7 5:50	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/7 6:00	0	0	0	0	0	55	416	84	215	75
2025/5/7 6:10	0	0	0	0	0	—	—	—	—	—
2025/5/7 6:20	0	0	0.1	0	0	—	—	—	—	—
2025/5/7 6:30	0	0	0.1	0	0	—	—	—	—	—
2025/5/7 6:40	0	0	0.1	0	0	—	—	—	—	—
2025/5/7 6:50	0	0	0.1	0	0	—	—	—	—	—
2025/5/7 7:00	0	0	0.1	0	0	40	240	70	298	61
2025/5/7 7:10	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/7 7:20	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/7 7:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/7 7:40	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/7 7:50	0	0	0.1	0.2	0	—	—	—	—	—
2025/5/7 8:00	0	0	0.1	0.2	0	20	114	54	317	45
2025/5/7 8:10	0	0	0.1	0.2	0	—	—	—	—	—
2025/5/7 8:20	0	0	0.1	0.2	0	—	—	—	—	—
2025/5/7 8:30	0	0	0.1	0.2	0	—	—	—	—	—
2025/5/7 8:40	0	0	0.1	0.2	0	—	—	—	—	—
2025/5/7 8:50	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/7 9:00	0	0	0.1	0.1	0	16	193	54	314	76
2025/5/7 9:10	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/7 9:20	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/7 9:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/7 9:40	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/7 9:50	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/7 10:00	0	0	0	0.1	0	28	174	76	250	65
2025/5/7 10:10	0	0	0	0.1	0	—	—	—	—	—
2025/5/7 10:20	0	0	0	0.1	0	—	—	—	—	—
2025/5/7 10:30	0	0	0	0.1	0	—	—	—	—	—
2025/5/7 10:40	0	0	0	0.1	0	—	—	—	—	—
2025/5/7 10:50	0	0	0	0.1	0	—	—	—	—	—
2025/5/7 11:00	0	0	0	0	0	34	193	61	252	97
2025/5/7 11:10	0	0	0	0	0	—	—	—	—	—
2025/5/7 11:20	0	0	0	0	0	—	—	—	—	—
2025/5/7 11:30	0	0	0	0	0	—	—	—	—	—
2025/5/7 11:40	0	0	0	0	0	—	—	—	—	—
2025/5/7 11:50	0.1	0	0	0	0	—	—	—	—	—
2025/5/7 12:00	0.1	0	0	0	0	46	211	67	326	84
2025/5/7 12:10	0.1	0	0	0	0	—	—	—	—	—
2025/5/7 12:20	0.1	0	0	0	0	—	—	—	—	—
2025/5/7 12:30	0.1	0	0	0	0	—	—	—	—	—
2025/5/7 12:40	0.1	0	0	0	0	—	—	—	—	—
2025/5/7 12:50	0.1	0	0	0	0	—	—	—	—	—
2025/5/7 13:00	0.1	0	0	0	0	29	172	57	221	85
2025/5/7 13:10	0.1	0	0	0	0	—	—	—	—	—
2025/5/7 13:20	0.1	0	0	0	0	—	—	—	—	—
2025/5/7 13:30	0.1	0	0	0	0	—	—	—	—	—
2025/5/7 13:40	0.1	0	0	0	0	—	—	—	—	—
2025/5/7 13:50	0.1	0	0	0	0	—	—	—	—	—
2025/5/7 14:00	0.1	0	0	0	0	36	206	55	237	98
2025/5/7 14:10	0.1	0	0	0	0	—	—	—	—	—
2025/5/7 14:20	0.1	0	0	0	0	—	—	—	—	—
2025/5/7 14:30	0.1	0	0	0	0	—	—	—	—	—
2025/5/7 14:40	0.1	0	0	0	0	—	—	—	—	—
2025/5/7 14:50	0.1	0	0	0	0	—	—	—	—	—
2025/5/7 15:00	0.1	0	0	0	0	52	44	62	246	100
2025/5/7 15:10	0.2	0	0	0	0	—	—	—	—	—
2025/5/7 15:20	0.2	0	0	0	0	—	—	—	—	—
2025/5/7 15:30	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/7 15:40	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/7 15:50	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/7 16:00	0.1	0.1	0	0	0	32	152	53	271	75
2025/5/7 16:10	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/7 16:20	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/7 16:30	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/7 16:40	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/7 16:50	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/7 17:00	0	0	0	0	0	38	401	65	374	84
2025/5/7 17:10	0	0	0	0	0	—	—	—	—	—
2025/5/7 17:20	0	0	0	0	0	—	—	—	—	—
2025/5/7 17:30	0	0	0	0	0	—	—	—	—	—
2025/5/7 17:40	0	0	0	0	0	—	—	—	—	—
2025/5/7 17:50	0	0	0	0	0	—	—	—	—	—
2025/5/7 18:00	0	0	0	0	0	300	346	192	174	358

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/7 18:10	0	0	0	0	0	—	—	—	—	—
2025/5/7 18:20	0	0	0	0	0	—	—	—	—	—
2025/5/7 18:30	0	0	0	0	0	—	—	—	—	—
2025/5/7 18:40	0	0	0	0	0	—	—	—	—	—
2025/5/7 18:50	0	0	0	0	0	—	—	—	—	—
2025/5/7 19:00	0	0	0	0	0	275	447	78	73	179
2025/5/7 19:10	0	0	0	0	0	—	—	—	—	—
2025/5/7 19:20	0	0	0	0	0	—	—	—	—	—
2025/5/7 19:30	0	0	0	0	0	—	—	—	—	—
2025/5/7 19:40	0	0	0	0	0	—	—	—	—	—
2025/5/7 19:50	0	0	0	0	0	—	—	—	—	—
2025/5/7 20:00	0	0	0	0	0	280	631	84	90	151
2025/5/7 20:10	0	0	0	0	0	—	—	—	—	—
2025/5/7 20:20	0	0	0	0	0	—	—	—	—	—
2025/5/7 20:30	0	0.1	0	0	0	—	—	—	—	—
2025/5/7 20:40	0	0	0	0	0	—	—	—	—	—
2025/5/7 20:50	0	0	0	0	0	—	—	—	—	—
2025/5/7 21:00	0	0.8	0	0	0	179	804	71	59	87
2025/5/7 21:10	0	0	0	0	0	—	—	—	—	—
2025/5/7 21:20	0	0.1	0	0	0	—	—	—	—	—
2025/5/7 21:30	0	0.5	0	0	0	—	—	—	—	—
2025/5/7 21:40	0	1.2	0	0	0	—	—	—	—	—
2025/5/7 21:50	0	2	0	0	0	—	—	—	—	—
2025/5/7 22:00	0	2.6	0	0	0	222	1134	74	64	89
2025/5/7 22:10	0	3.4	0	0	0	—	—	—	—	—
2025/5/7 22:20	0	3.9	0	0	0	—	—	—	—	—
2025/5/7 22:30	0	1.3	0	0	0	—	—	—	—	—
2025/5/7 22:40	0	0	0	0	0	—	—	—	—	—
2025/5/7 22:50	0	0	0	0	0	—	—	—	—	—
2025/5/7 23:00	0	0	0	0	0	296	218	107	60	321
2025/5/7 23:10	0	0	0	0	0	—	—	—	—	—
2025/5/7 23:20	0	0	0	0	0	—	—	—	—	—
2025/5/7 23:30	0	0	0	0	0	—	—	—	—	—
2025/5/7 23:40	0	0	0	0	0	—	—	—	—	—
2025/5/7 23:50	0	0	0	0	0	—	—	—	—	—
2025/5/8 0:00	0	0	0	0	0	265	808	393	80	504
2025/5/8 0:10	0	0	0	0	0	—	—	—	—	—
2025/5/8 0:20	0	0	0	0	0	—	—	—	—	—
2025/5/8 0:30	0	0	0	0	0	—	—	—	—	—
2025/5/8 0:40	0	0	0	0	0	—	—	—	—	—
2025/5/8 0:50	0	0	0	0	0	—	—	—	—	—
2025/5/8 1:00	0	0	0	0	0	335	226	204	56	547
2025/5/8 1:10	0	0	0	0	0	—	—	—	—	—
2025/5/8 1:20	0	0	0	0	0	—	—	—	—	—
2025/5/8 1:30	0	0	0	0	0	—	—	—	—	—
2025/5/8 1:40	0	0	0	0	0	—	—	—	—	—
2025/5/8 1:50	0	0	0	0	0	—	—	—	—	—
2025/5/8 2:00	0	0	0	0	0	284	286	398	111	485
2025/5/8 2:10	0	0	0	0	0	—	—	—	—	—
2025/5/8 2:20	0	0	0	0	0	—	—	—	—	—
2025/5/8 2:30	0	0	0	0	0	—	—	—	—	—
2025/5/8 2:40	0	0	0	0	0	—	—	—	—	—
2025/5/8 2:50	0	0	0	0	0	—	—	—	—	—
2025/5/8 3:00	0	0	0	0	0	183	420	440	128	515
2025/5/8 3:10	0	0	0	0	0	—	—	—	—	—
2025/5/8 3:20	0	0	0	0	0	—	—	—	—	—
2025/5/8 3:30	0	0	0	0	0	—	—	—	—	—
2025/5/8 3:40	0	0	0	0	0	—	—	—	—	—
2025/5/8 3:50	0	0	0	0	0	—	—	—	—	—
2025/5/8 4:00	0	0	0	0	0	66	540	94	104	83
2025/5/8 4:10	0	0	0	0	0	—	—	—	—	—
2025/5/8 4:20	0	0	0	0	0	—	—	—	—	—
2025/5/8 4:30	0	0	0	0	0	—	—	—	—	—
2025/5/8 4:40	0	0	0	0	0	—	—	—	—	—
2025/5/8 4:50	0	0	0	0	0	—	—	—	—	—
2025/5/8 5:00	0	0	0	0	0	92	351	108	203	112
2025/5/8 5:10	0	0	0	0	0	—	—	—	—	—
2025/5/8 5:20	0	0	0	0	0	—	—	—	—	—
2025/5/8 5:30	0	0	0	0	0	—	—	—	—	—
2025/5/8 5:40	0	0	0	0	0	—	—	—	—	—
2025/5/8 5:50	0	0	0	0	0	—	—	—	—	—
2025/5/8 6:00	0	0	0	0	0	81	256	104	239	103
2025/5/8 6:10	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/8 6:20	0	0	0	0	0	—	—	—	—	—
2025/5/8 6:30	0	0	0	0	0	—	—	—	—	—
2025/5/8 6:40	0	0	0	0	0	—	—	—	—	—
2025/5/8 6:50	0	0	0	0	0	—	—	—	—	—
2025/5/8 7:00	0	0	0	0	0	87	314	104	277	112
2025/5/8 7:10	0	0	0	0	0	—	—	—	—	—
2025/5/8 7:20	0	0	0	0	0	—	—	—	—	—
2025/5/8 7:30	0	0	0	0	0	—	—	—	—	—
2025/5/8 7:40	0	0	0	0	0	—	—	—	—	—
2025/5/8 7:50	0	0	0	0	0	—	—	—	—	—
2025/5/8 8:00	0	0	0	0.1	0	82	89	148	332	190
2025/5/8 8:10	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/8 8:20	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/8 8:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/8 8:40	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/8 8:50	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/8 9:00	0	0	0.1	0.1	0	32	146	66	238	101
2025/5/8 9:10	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/8 9:20	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/8 9:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/8 9:40	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/8 9:50	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/8 10:00	0	0	0	0.1	0	44	463	66	119	103
2025/5/8 10:10	0	0	0	0.1	0	—	—	—	—	—
2025/5/8 10:20	0	0	0	0.1	0	—	—	—	—	—
2025/5/8 10:30	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/8 10:40	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/8 10:50	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/8 11:00	0.1	0	0	0	0	300	230	178	84	426
2025/5/8 11:10	0.1	0	0	0	0	—	—	—	—	—
2025/5/8 11:20	0.1	0	0	0	0	—	—	—	—	—
2025/5/8 11:30	0.1	0	0	0	0	—	—	—	—	—
2025/5/8 11:40	0.1	0	0	0	0	—	—	—	—	—
2025/5/8 11:50	0.1	0	0	0	0	—	—	—	—	—
2025/5/8 12:00	0.1	0	0	0	0	214	281	106	61	231
2025/5/8 12:10	0.1	0	0	0	0	—	—	—	—	—
2025/5/8 12:20	0.1	0	0	0	0	—	—	—	—	—
2025/5/8 12:30	0.1	0	0	0	0	—	—	—	—	—
2025/5/8 12:40	0.1	0	0	0	0	—	—	—	—	—
2025/5/8 12:50	0.1	0	0	0	0	—	—	—	—	—
2025/5/8 13:00	0.1	0	0	0	0	183	291	89	62	217
2025/5/8 13:10	0.1	0	0	0	0	—	—	—	—	—
2025/5/8 13:20	0.1	0	0	0	0	—	—	—	—	—
2025/5/8 13:30	0.1	0	0	0	0	—	—	—	—	—
2025/5/8 13:40	0.1	0	0	0	0	—	—	—	—	—
2025/5/8 13:50	0.1	0	0	0	0	—	—	—	—	—
2025/5/8 14:00	0.1	0	0	0	0	236	481	84	128	193
2025/5/8 14:10	0.2	0	0	0	0	—	—	—	—	—
2025/5/8 14:20	0.2	0	0	0	0	—	—	—	—	—
2025/5/8 14:30	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/8 14:40	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/8 14:50	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/8 15:00	0.2	0.1	0	0	0	244	432	63	70	217
2025/5/8 15:10	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/8 15:20	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/8 15:30	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/8 15:40	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/8 15:50	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/8 16:00	0.2	0.1	0	0	0	86	282	55	62	116
2025/5/8 16:10	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/8 16:20	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/8 16:30	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/8 16:40	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/8 16:50	0	0.1	0	0	0	—	—	—	—	—
2025/5/8 17:00	0	0.1	0	0	0	158	368	56	61	118
2025/5/8 17:10	0	0.1	0	0	0	—	—	—	—	—
2025/5/8 17:20	0	0.1	0	0	0	—	—	—	—	—
2025/5/8 17:30	0	0.1	0	0	0	—	—	—	—	—
2025/5/8 17:40	0	0.1	0	0	0	—	—	—	—	—
2025/5/8 17:50	0	0.1	0	0	0	—	—	—	—	—
2025/5/8 18:00	0	0.1	0	0	0	186	333	71	103	106
2025/5/8 18:10	0	0	0	0	0	—	—	—	—	—
2025/5/8 18:20	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/8 18:30	0	0	0	0	0	—	—	—	—	—
2025/5/8 18:40	0	0	0	0	0	—	—	—	—	—
2025/5/8 18:50	0	0	0	0	0	—	—	—	—	—
2025/5/8 19:00	0	0	0	0	0	284	237	78	85	149
2025/5/8 19:10	0	0	0	0	0	—	—	—	—	—
2025/5/8 19:20	0	0	0	0	0	—	—	—	—	—
2025/5/8 19:30	0	0	0	0	0	—	—	—	—	—
2025/5/8 19:40	0	0	0	0	0	—	—	—	—	—
2025/5/8 19:50	0	0	0	0	0	—	—	—	—	—
2025/5/8 20:00	0	0	0	0	0	180	419	72	62	94
2025/5/8 20:10	0	0	0	0	0	—	—	—	—	—
2025/5/8 20:20	0	0	0	0	0	—	—	—	—	—
2025/5/8 20:30	0	0	0	0	0	—	—	—	—	—
2025/5/8 20:40	0	0	0	0	0	—	—	—	—	—
2025/5/8 20:50	0	0	0	0	0	—	—	—	—	—
2025/5/8 21:00	0	0	0	0	0	153	474	68	60	95
2025/5/8 21:10	0	0	0	0	0	—	—	—	—	—
2025/5/8 21:20	0	0	0	0	0	—	—	—	—	—
2025/5/8 21:30	0	0	0	0	0	—	—	—	—	—
2025/5/8 21:40	0	0	0	0	0	—	—	—	—	—
2025/5/8 21:50	0	0	0	0	0	—	—	—	—	—
2025/5/8 22:00	0	0	0	0	0	115	446	74	66	82
2025/5/8 22:10	0	0	0	0	0	—	—	—	—	—
2025/5/8 22:20	0	0	0	0	0	—	—	—	—	—
2025/5/8 22:30	0	0	0	0	0	—	—	—	—	—
2025/5/8 22:40	0	0	0	0	0	—	—	—	—	—
2025/5/8 22:50	0	0	0	0	0	—	—	—	—	—
2025/5/8 23:00	0	0	0	0	0	100	790	84	84	82
2025/5/8 23:10	0	0	0	0	0	—	—	—	—	—
2025/5/8 23:20	0	0	0	0	0	—	—	—	—	—
2025/5/8 23:30	0	0	0	0	0	—	—	—	—	—
2025/5/8 23:40	0	0	0	0	0	—	—	—	—	—
2025/5/8 23:50	0	0	0	0	0	—	—	—	—	—
2025/5/9 0:00	0	0	0	0	0	345	710	73	69	124
2025/5/9 0:10	0	0	0	0	0	—	—	—	—	—
2025/5/9 0:20	0	0	0	0	0	—	—	—	—	—
2025/5/9 0:30	0	0	0	0	0	—	—	—	—	—
2025/5/9 0:40	0	0	0	0	0	—	—	—	—	—
2025/5/9 0:50	0	0	0	0	0	—	—	—	—	—
2025/5/9 1:00	0	0	0	0	0	636	546	81	186	544
2025/5/9 1:10	0	0	0	0	0	—	—	—	—	—
2025/5/9 1:20	0	0	0	0	0	—	—	—	—	—
2025/5/9 1:30	0	0	0	0	0	—	—	—	—	—
2025/5/9 1:40	0	0	0	0	0	—	—	—	—	—
2025/5/9 1:50	0	0.2	0	0	0	—	—	—	—	—
2025/5/9 2:00	0	0	0	0	0	362	478	122	157	188
2025/5/9 2:10	0	0	0	0	0	—	—	—	—	—
2025/5/9 2:20	0	0	0	0	0	—	—	—	—	—
2025/5/9 2:30	0	0	0	0	0	—	—	—	—	—
2025/5/9 2:40	0	0	0	0	0	—	—	—	—	—
2025/5/9 2:50	0	0	0	0	0	—	—	—	—	—
2025/5/9 3:00	0	0	0	0	0	418	289	144	223	258
2025/5/9 3:10	0	0	0	0	0	—	—	—	—	—
2025/5/9 3:20	0	0	0	0	0	—	—	—	—	—
2025/5/9 3:30	0	0	0	0	0	—	—	—	—	—
2025/5/9 3:40	0	0	0	0	0	—	—	—	—	—
2025/5/9 3:50	0	0	0	0	0	—	—	—	—	—
2025/5/9 4:00	0	0	0	0	0	401	639	144	161	246
2025/5/9 4:10	0	0	0	0	0	—	—	—	—	—
2025/5/9 4:20	0	0	0	0	0	—	—	—	—	—
2025/5/9 4:30	0	0	0	0	0	—	—	—	—	—
2025/5/9 4:40	0	0	0	0	0	—	—	—	—	—
2025/5/9 4:50	0	0	0	0	0	—	—	—	—	—
2025/5/9 5:00	0	0	0	0	0	116	120	170	594	151
2025/5/9 5:10	0	0	0	0	0	—	—	—	—	—
2025/5/9 5:20	0	0	0	0	0	—	—	—	—	—
2025/5/9 5:30	0	0	0	0	0	—	—	—	—	—
2025/5/9 5:40	0	0	0	0	0	—	—	—	—	—
2025/5/9 5:50	0	0	0	0	0	—	—	—	—	—
2025/5/9 6:00	0	0	0	0	0	134	116	304	451	307
2025/5/9 6:10	0	0	0	0	0	—	—	—	—	—
2025/5/9 6:20	0	0	0	0	0	—	—	—	—	—
2025/5/9 6:30	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/9 6:40	0	0	0	0	0	—	—	—	—	—
2025/5/9 6:50	0	0	0	0	0	—	—	—	—	—
2025/5/9 7:00	0	0	0	0	0	284	391	126	338	260
2025/5/9 7:10	0	0	0	0	0	—	—	—	—	—
2025/5/9 7:20	0	0	0	0	0	—	—	—	—	—
2025/5/9 7:30	0	0	0	0	0	—	—	—	—	—
2025/5/9 7:40	0	0	0	0	0	—	—	—	—	—
2025/5/9 7:50	0	0	0	0	0	—	—	—	—	—
2025/5/9 8:00	0	0	0	0	0	96	131	120	263	129
2025/5/9 8:10	0	0	0	0	0	—	—	—	—	—
2025/5/9 8:20	0	0	0	0	0	—	—	—	—	—
2025/5/9 8:30	0	0	0	0	0	—	—	—	—	—
2025/5/9 8:40	0	0	0	0	0	—	—	—	—	—
2025/5/9 8:50	0	0	0	0	0	—	—	—	—	—
2025/5/9 9:00	0	0	0	0	0	154	518	81	84	133
2025/5/9 9:10	0	0	0	0	0	—	—	—	—	—
2025/5/9 9:20	0	0	0	0	0	—	—	—	—	—
2025/5/9 9:30	0	0	0	0	0	—	—	—	—	—
2025/5/9 9:40	0	0	0	0	0	—	—	—	—	—
2025/5/9 9:50	0	0	0	0	0	—	—	—	—	—
2025/5/9 10:00	0	0	0	0	0	216	674	87	92	189
2025/5/9 10:10	0	0	0	0	0	—	—	—	—	—
2025/5/9 10:20	0	0	0	0	0	—	—	—	—	—
2025/5/9 10:30	0	0	0	0	0	—	—	—	—	—
2025/5/9 10:40	0	0	0	0	0	—	—	—	—	—
2025/5/9 10:50	0	0	0	0	0	—	—	—	—	—
2025/5/9 11:00	0	0	0	0	0	404	667	87	115	277
2025/5/9 11:10	0	0.1	0	0	0	—	—	—	—	—
2025/5/9 11:20	0	0.1	0	0	0	—	—	—	—	—
2025/5/9 11:30	0	0	0	0	0	—	—	—	—	—
2025/5/9 11:40	0	0	0	0	0	—	—	—	—	—
2025/5/9 11:50	0	0	0	0	0	—	—	—	—	—
2025/5/9 12:00	0.1	0.2	0	0	0	213	743	75	78	169
2025/5/9 12:10	0.1	0.2	0	0	0	—	—	—	—	—
2025/5/9 12:20	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/9 12:30	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/9 12:40	0.1	0	0	0	0	—	—	—	—	—
2025/5/9 12:50	0.1	0	0	0	0	—	—	—	—	—
2025/5/9 13:00	0.1	0	0	0	0	100	431	61	52	97
2025/5/9 13:10	0.1	0	0	0	0	—	—	—	—	—
2025/5/9 13:20	0.1	0	0	0	0	—	—	—	—	—
2025/5/9 13:30	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/9 13:40	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/9 13:50	0.1	0	0	0	0	—	—	—	—	—
2025/5/9 14:00	0.1	0	0	0	0	205	591	67	74	154
2025/5/9 14:10	0.1	0	0	0	0	—	—	—	—	—
2025/5/9 14:20	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/9 14:30	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/9 14:40	0.1	0	0	0	0	—	—	—	—	—
2025/5/9 14:50	0.1	0	0	0	0	—	—	—	—	—
2025/5/9 15:00	0.1	0	0	0	0	176	442	76	84	208
2025/5/9 15:10	0.1	0	0	0	0	—	—	—	—	—
2025/5/9 15:20	0	0	0	0	0	—	—	—	—	—
2025/5/9 15:30	0	0	0	0	0	—	—	—	—	—
2025/5/9 15:40	0	0	0	0	0	—	—	—	—	—
2025/5/9 15:50	0	0	0	0	0	—	—	—	—	—
2025/5/9 16:00	0	0.1	0	0	0	233	716	68	62	187
2025/5/9 16:10	0	0.3	0	0	0	—	—	—	—	—
2025/5/9 16:20	0	1	0	0	0	—	—	—	—	—
2025/5/9 16:30	0	0.7	0	0	0	—	—	—	—	—
2025/5/9 16:40	0	0	0	0	0	—	—	—	—	—
2025/5/9 16:50	0	0	0	0	0	—	—	—	—	—
2025/5/9 17:00	0	0	0	0	0	326	654	81	58	293
2025/5/9 17:10	0	0	0	0	0	—	—	—	—	—
2025/5/9 17:20	0	0	0	0	0	—	—	—	—	—
2025/5/9 17:30	0	0	0	0	0	—	—	—	—	—
2025/5/9 17:40	0	0	0	0	0	—	—	—	—	—
2025/5/9 17:50	0	0	0	0	0	—	—	—	—	—
2025/5/9 18:00	0	0	0	0	0	176	572	71	85	125
2025/5/9 18:10	0	0	0	0	0	—	—	—	—	—
2025/5/9 18:20	0	0	0	0	0	—	—	—	—	—
2025/5/9 18:30	0	0	0	0	0	—	—	—	—	—
2025/5/9 18:40	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/9 18:50	0	0.1	0	0	0	—	—	—	—	—
2025/5/9 19:00	0	0	0	0	0	165	343	73	74	78
2025/5/9 19:10	0	0	0	0	0	—	—	—	—	—
2025/5/9 19:20	0	0	0	0	0	—	—	—	—	—
2025/5/9 19:30	0	0	0	0	0	—	—	—	—	—
2025/5/9 19:40	0	0	0	0	0	—	—	—	—	—
2025/5/9 19:50	0	0	0	0	0	—	—	—	—	—
2025/5/9 20:00	0	0	0	0	0	113	296	71	67	73
2025/5/9 20:10	0	0	0	0	0	—	—	—	—	—
2025/5/9 20:20	0	0	0	0	0	—	—	—	—	—
2025/5/9 20:30	0	0	0	0	0	—	—	—	—	—
2025/5/9 20:40	0	0	0	0	0	—	—	—	—	—
2025/5/9 20:50	0	0	0	0	0	—	—	—	—	—
2025/5/9 21:00	0	0	0	0	0	235	300	74	64	100
2025/5/9 21:10	0	0	0	0	0	—	—	—	—	—
2025/5/9 21:20	0	0	0	0	0	—	—	—	—	—
2025/5/9 21:30	0	0	0	0	0	—	—	—	—	—
2025/5/9 21:40	0	0	0	0	0	—	—	—	—	—
2025/5/9 21:50	0	0	0	0	0	—	—	—	—	—
2025/5/9 22:00	0	0	0	0	0	332	277	76	67	97
2025/5/9 22:10	0	0	0	0	0	—	—	—	—	—
2025/5/9 22:20	0	0	0	0	0	—	—	—	—	—
2025/5/9 22:30	0	0	0	0	0	—	—	—	—	—
2025/5/9 22:40	0	0	0	0	0	—	—	—	—	—
2025/5/9 22:50	0	0	0	0	0	—	—	—	—	—
2025/5/9 23:00	0	0	0	0	0	199	465	70	54	113
2025/5/9 23:10	0	0	0	0	0	—	—	—	—	—
2025/5/9 23:20	0	0	0	0	0	—	—	—	—	—
2025/5/9 23:30	0	0	0	0	0	—	—	—	—	—
2025/5/9 23:40	0	0	0	0	0	—	—	—	—	—
2025/5/9 23:50	0	0	0	0	0	—	—	—	—	—
2025/5/10 0:00	0	0	0	0	0	399	204	76	65	168
2025/5/10 0:10	0	0	0	0	0	—	—	—	—	—
2025/5/10 0:20	0	0	0	0	0	—	—	—	—	—
2025/5/10 0:30	0	0	0	0	0	—	—	—	—	—
2025/5/10 0:40	0	0	0	0	0	—	—	—	—	—
2025/5/10 0:50	0	0	0	0	0	—	—	—	—	—
2025/5/10 1:00	0	0	0	0	0	335	216	85	83	167
2025/5/10 1:10	0	0	0	0	0	—	—	—	—	—
2025/5/10 1:20	0	0	0	0	0	—	—	—	—	—
2025/5/10 1:30	0	0	0	0	0	—	—	—	—	—
2025/5/10 1:40	0	0	0	0	0	—	—	—	—	—
2025/5/10 1:50	0	0	0	0	0	—	—	—	—	—
2025/5/10 2:00	0	0	0	0	0	364	264	85	79	159
2025/5/10 2:10	0	0	0	0	0	—	—	—	—	—
2025/5/10 2:20	0	0	0	0	0	—	—	—	—	—
2025/5/10 2:30	0	0	0	0	0	—	—	—	—	—
2025/5/10 2:40	0	0	0	0	0	—	—	—	—	—
2025/5/10 2:50	0	0	0	0	0	—	—	—	—	—
2025/5/10 3:00	0	0	0	0	0	273	330	85	81	151
2025/5/10 3:10	0	0	0	0	0	—	—	—	—	—
2025/5/10 3:20	0	0	0	0	0	—	—	—	—	—
2025/5/10 3:30	0	0	0	0	0	—	—	—	—	—
2025/5/10 3:40	0	0	0	0	0	—	—	—	—	—
2025/5/10 3:50	0	0	0	0	0	—	—	—	—	—
2025/5/10 4:00	0	0	0	0	0	335	205	85	79	256
2025/5/10 4:10	0	0	0	0	0	—	—	—	—	—
2025/5/10 4:20	0	0	0	0	0	—	—	—	—	—
2025/5/10 4:30	0	0	0	0	0	—	—	—	—	—
2025/5/10 4:40	0	0	0	0	0	—	—	—	—	—
2025/5/10 4:50	0	0	0	0	0	—	—	—	—	—
2025/5/10 5:00	0	0	0	0	0	116	261	79	70	92
2025/5/10 5:10	0	0	0	0	0	—	—	—	—	—
2025/5/10 5:20	0	0	0	0	0	—	—	—	—	—
2025/5/10 5:30	0	0	0	0	0	—	—	—	—	—
2025/5/10 5:40	0	0	0	0	0	—	—	—	—	—
2025/5/10 5:50	0	0	0	0	0	—	—	—	—	—
2025/5/10 6:00	0	0	0	0	0	132	314	85	77	95
2025/5/10 6:10	0	0	0	0	0	—	—	—	—	—
2025/5/10 6:20	0	0	0	0	0	—	—	—	—	—
2025/5/10 6:30	0	0	0	0	0	—	—	—	—	—
2025/5/10 6:40	0	0	0	0	0	—	—	—	—	—
2025/5/10 6:50	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/10 7:00	0	0	0	0	0	209	424	85	78	110
2025/5/10 7:10	0	0	0	0	0	—	—	—	—	—
2025/5/10 7:20	0	0	0	0	0	—	—	—	—	—
2025/5/10 7:30	0	0	0	0	0	—	—	—	—	—
2025/5/10 7:40	0	0	0	0	0	—	—	—	—	—
2025/5/10 7:50	0	0	0	0	0	—	—	—	—	—
2025/5/10 8:00	0	0	0	0	0	152	375	81	71	112
2025/5/10 8:10	0	0	0	0	0	—	—	—	—	—
2025/5/10 8:20	0	0	0	0	0	—	—	—	—	—
2025/5/10 8:30	0	0	0	0	0	—	—	—	—	—
2025/5/10 8:40	0	0	0	0	0	—	—	—	—	—
2025/5/10 8:50	0	0	0	0	0	—	—	—	—	—
2025/5/10 9:00	0	0	0	0	0	482	687	142	90	464
2025/5/10 9:10	0	0	0	0	0	—	—	—	—	—
2025/5/10 9:20	0	0	0	0	0	—	—	—	—	—
2025/5/10 9:30	0	0	0	0	0	—	—	—	—	—
2025/5/10 9:40	0	0	0	0	0	—	—	—	—	—
2025/5/10 9:50	0	0	0	0	0	—	—	—	—	—
2025/5/10 10:00	0	0	0	0	0	134	107	337	413	320
2025/5/10 10:10	0	0	0	0	0	—	—	—	—	—
2025/5/10 10:20	0	0	0	0	0	—	—	—	—	—
2025/5/10 10:30	0	0	0	0	0	—	—	—	—	—
2025/5/10 10:40	0	0	0	0	0	—	—	—	—	—
2025/5/10 10:50	0	0	0	0	0	—	—	—	—	—
2025/5/10 11:00	0	0	0	0	0	150	426	138	509	171
2025/5/10 11:10	0	0	0	0	0	—	—	—	—	—
2025/5/10 11:20	0	0	0	0	0	—	—	—	—	—
2025/5/10 11:30	0	0	0	0	0	—	—	—	—	—
2025/5/10 11:40	0	0	0	0	0	—	—	—	—	—
2025/5/10 11:50	0	0	0	0	0	—	—	—	—	—
2025/5/10 12:00	0	0	0	0	0	72	465	102	516	109
2025/5/10 12:10	0	0	0	0	0	—	—	—	—	—
2025/5/10 12:20	0	0	0	0	0	—	—	—	—	—
2025/5/10 12:30	0	0	0	0	0	—	—	—	—	—
2025/5/10 12:40	0	0	0	0	0	—	—	—	—	—
2025/5/10 12:50	0	0	0	0	0	—	—	—	—	—
2025/5/10 13:00	0	0	0	0	0	77	327	104	379	105
2025/5/10 13:10	0	0	0	0	0	—	—	—	—	—
2025/5/10 13:20	0	0	0	0	0	—	—	—	—	—
2025/5/10 13:30	0	0	0	0	0	—	—	—	—	—
2025/5/10 13:40	0	0	0	0	0	—	—	—	—	—
2025/5/10 13:50	0	0	0	0	0	—	—	—	—	—
2025/5/10 14:00	0	0	0	0	0	69	297	101	618	99
2025/5/10 14:10	0	0	0	0	0	—	—	—	—	—
2025/5/10 14:20	0	0	0	0	0	—	—	—	—	—
2025/5/10 14:30	0	0	0	0	0	—	—	—	—	—
2025/5/10 14:40	0	0	0	0	0	—	—	—	—	—
2025/5/10 14:50	0	0	0	0	0	—	—	—	—	—
2025/5/10 15:00	0	0	0	0	0	134	446	138	653	142
2025/5/10 15:10	0	0	0	0	0	—	—	—	—	—
2025/5/10 15:20	0	0	0	0	0	—	—	—	—	—
2025/5/10 15:30	0	0	0	0	0	—	—	—	—	—
2025/5/10 15:40	0	0	0	0	0	—	—	—	—	—
2025/5/10 15:50	0	0	0	0	0	—	—	—	—	—
2025/5/10 16:00	0	0	0	0	0	195	363	198	803	235
2025/5/10 16:10	0	0	0	0	0	—	—	—	—	—
2025/5/10 16:20	0	0	0	0	0	—	—	—	—	—
2025/5/10 16:30	0	0	0	0	0	—	—	—	—	—
2025/5/10 16:40	0	0	0	0	0	—	—	—	—	—
2025/5/10 16:50	0	0	0	0	0	—	—	—	—	—
2025/5/10 17:00	0	0	0	0	0	90	403	120	131	119
2025/5/10 17:10	0	0	0	0	0	—	—	—	—	—
2025/5/10 17:20	0	0	0	0	0	—	—	—	—	—
2025/5/10 17:30	0	0	0	0	0	—	—	—	—	—
2025/5/10 17:40	0	0	0	0	0	—	—	—	—	—
2025/5/10 17:50	0	0	0	0	0	—	—	—	—	—
2025/5/10 18:00	0	0	0	0	0	121	370	150	199	160
2025/5/10 18:10	0	0	0	0	0	—	—	—	—	—
2025/5/10 18:20	0	0	0	0	0	—	—	—	—	—
2025/5/10 18:30	0	0	0	0	0	—	—	—	—	—
2025/5/10 18:40	0	0	0	0	0	—	—	—	—	—
2025/5/10 18:50	0	0	0	0	0	—	—	—	—	—
2025/5/10 19:00	0	0	0	0	0	121	475	100	127	115

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/10 19:10	0	0	0	0	0	—	—	—	—	—
2025/5/10 19:20	0	0	0	0	0	—	—	—	—	—
2025/5/10 19:30	0	0	0	0	0	—	—	—	—	—
2025/5/10 19:40	0	0	0	0	0	—	—	—	—	—
2025/5/10 19:50	0	0	0	0	0	—	—	—	—	—
2025/5/10 20:00	0	0	0	0	0	128	395	78	99	86
2025/5/10 20:10	0	0	0	0	0	—	—	—	—	—
2025/5/10 20:20	0	0	0	0	0	—	—	—	—	—
2025/5/10 20:30	0	0	0	0	0	—	—	—	—	—
2025/5/10 20:40	0	0	0	0	0	—	—	—	—	—
2025/5/10 20:50	0	0	0	0	0	—	—	—	—	—
2025/5/10 21:00	0	0	0	0	0	193	449	73	80	112
2025/5/10 21:10	0	0	0	0	0	—	—	—	—	—
2025/5/10 21:20	0	0	0	0	0	—	—	—	—	—
2025/5/10 21:30	0	0	0	0	0	—	—	—	—	—
2025/5/10 21:40	0	0	0	0	0	—	—	—	—	—
2025/5/10 21:50	0	0	0	0	0	—	—	—	—	—
2025/5/10 22:00	0	0	0	0	0	210	425	74	75	136
2025/5/10 22:10	0	0	0	0	0	—	—	—	—	—
2025/5/10 22:20	0	0	0	0	0	—	—	—	—	—
2025/5/10 22:30	0	0	0	0	0	—	—	—	—	—
2025/5/10 22:40	0	0	0	0	0	—	—	—	—	—
2025/5/10 22:50	0	0	0	0	0	—	—	—	—	—
2025/5/10 23:00	0	0	0	0	0	81	111	106	112	109
2025/5/10 23:10	0	0	0	0	0	—	—	—	—	—
2025/5/10 23:20	0	0	0	0	0	—	—	—	—	—
2025/5/10 23:30	0	0	0	0	0	—	—	—	—	—
2025/5/10 23:40	0	0	0	0	0	—	—	—	—	—
2025/5/10 23:50	0	0	0	0	0	—	—	—	—	—
2025/5/11 0:00	0	0	0	0	0	90	155	113	624	121
2025/5/11 0:10	0	0	0	0	0	—	—	—	—	—
2025/5/11 0:20	0	0	0	0	0	—	—	—	—	—
2025/5/11 0:30	0	0	0	0	0	—	—	—	—	—
2025/5/11 0:40	0	0	0	0	0	—	—	—	—	—
2025/5/11 0:50	0	0	0	0	0	—	—	—	—	—
2025/5/11 1:00	0	0	0	0	0	311	400	125	148	221
2025/5/11 1:10	0	0	0	0	0	—	—	—	—	—
2025/5/11 1:20	0	0	0	0	0	—	—	—	—	—
2025/5/11 1:30	0	0	0	0	0	—	—	—	—	—
2025/5/11 1:40	0	0	0	0	0	—	—	—	—	—
2025/5/11 1:50	0	0	0	0	0	—	—	—	—	—
2025/5/11 2:00	0	0	0	0	0	138	265	162	332	179
2025/5/11 2:10	0	0	0	0	0	—	—	—	—	—
2025/5/11 2:20	0	0	0	0	0	—	—	—	—	—
2025/5/11 2:30	0	0	0	0	0	—	—	—	—	—
2025/5/11 2:40	0	0	0	0	0	—	—	—	—	—
2025/5/11 2:50	0	0	0	0	0	—	—	—	—	—
2025/5/11 3:00	0	0	0	0	0	202	609	167	495	185
2025/5/11 3:10	0	0	0	0	0	—	—	—	—	—
2025/5/11 3:20	0	0	0	0	0	—	—	—	—	—
2025/5/11 3:30	0	0	0	0	0	—	—	—	—	—
2025/5/11 3:40	0	0	0	0	0	—	—	—	—	—
2025/5/11 3:50	0	0	0	0	0	—	—	—	—	—
2025/5/11 4:00	0	0	0	0	0	175	192	220	587	274
2025/5/11 4:10	0	0	0	0	0	—	—	—	—	—
2025/5/11 4:20	0	0	0	0	0	—	—	—	—	—
2025/5/11 4:30	0	0	0	0	0	—	—	—	—	—
2025/5/11 4:40	0	0	0	0	0	—	—	—	—	—
2025/5/11 4:50	0	0	0	0	0	—	—	—	—	—
2025/5/11 5:00	0	0	0	0	0	137	240	163	193	200
2025/5/11 5:10	0	0	0	0	0	—	—	—	—	—
2025/5/11 5:20	0	0	0	0	0	—	—	—	—	—
2025/5/11 5:30	0	0	0	0	0	—	—	—	—	—
2025/5/11 5:40	0	0	0	0	0	—	—	—	—	—
2025/5/11 5:50	0	0	0	0	0	—	—	—	—	—
2025/5/11 6:00	0	0	0	0	0	86	112	139	267	160
2025/5/11 6:10	0	0	0	0	0	—	—	—	—	—
2025/5/11 6:20	0	0	0	0	0	—	—	—	—	—
2025/5/11 6:30	0	0	0	0	0	—	—	—	—	—
2025/5/11 6:40	0	0	0	0	0	—	—	—	—	—
2025/5/11 6:50	0	0	0	0	0	—	—	—	—	—
2025/5/11 7:00	0	0	0	0	0	54	107	78	344	81
2025/5/11 7:10	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/11 7:20	0	0	0	0	0	—	—	—	—	—
2025/5/11 7:30	0	0	0	0	0	—	—	—	—	—
2025/5/11 7:40	0	0	0	0	0	—	—	—	—	—
2025/5/11 7:50	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/11 8:00	0	0	0.1	0.1	0	42	111	79	562	92
2025/5/11 8:10	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/11 8:20	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/11 8:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/11 8:40	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/11 8:50	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/11 9:00	0	0	0.1	0.2	0	32	140	92	433	87
2025/5/11 9:10	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/11 9:20	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/11 9:30	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/11 9:40	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/11 9:50	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/11 10:00	0.1	0	0.1	0.1	0	25	38	52	320	59
2025/5/11 10:10	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/11 10:20	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/11 10:30	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/11 10:40	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/11 10:50	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/11 11:00	0.1	0	0	0.1	0	30	61	52	407	67
2025/5/11 11:10	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/11 11:20	0.1	0	0	0	0	—	—	—	—	—
2025/5/11 11:30	0.1	0	0	0	0	—	—	—	—	—
2025/5/11 11:40	0.1	0	0	0	0	—	—	—	—	—
2025/5/11 11:50	0.1	0	0	0	0	—	—	—	—	—
2025/5/11 12:00	0.1	0	0	0	0	36	128	56	423	76
2025/5/11 12:10	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/11 12:20	0.1	0	0	0	0	—	—	—	—	—
2025/5/11 12:30	0.1	0	0	0	0.1	—	—	—	—	—
2025/5/11 12:40	0.1	0	0	0	0.1	—	—	—	—	—
2025/5/11 12:50	0.1	0	0	0	0.1	—	—	—	—	—
2025/5/11 13:00	0.1	0	0	0	0.1	48	166	65	545	78
2025/5/11 13:10	0.1	0	0	0	0.1	—	—	—	—	—
2025/5/11 13:20	0.1	0	0	0	0.1	—	—	—	—	—
2025/5/11 13:30	0.1	0	0	0	0	—	—	—	—	—
2025/5/11 13:40	0.1	0	0	0.6	0	—	—	—	—	—
2025/5/11 13:50	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/11 14:00	0.1	0.1	0	0.7	0	74	36	170	802	284
2025/5/11 14:10	0.1	0	0	0.7	0	—	—	—	—	—
2025/5/11 14:20	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/11 14:30	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/11 14:40	0.1	0.1	0	0.2	0	—	—	—	—	—
2025/5/11 14:50	0.1	0.1	0	0.2	0	—	—	—	—	—
2025/5/11 15:00	0.1	0.1	0	0.6	0	50	18	139	772	206
2025/5/11 15:10	0.1	0.1	0	0.2	0	—	—	—	—	—
2025/5/11 15:20	0.1	0.1	0	0.3	0	—	—	—	—	—
2025/5/11 15:30	0.1	0.1	0	0.2	0.5	—	—	—	—	—
2025/5/11 15:40	0.1	0	0	0.2	0.3	—	—	—	—	—
2025/5/11 15:50	0.1	0	0	0.2	1.2	—	—	—	—	—
2025/5/11 16:00	0.1	0	0	0	0	382	360	65	58	294
2025/5/11 16:10	0.1	0	0	0	0	—	—	—	—	—
2025/5/11 16:20	0.1	0	0	0	0	—	—	—	—	—
2025/5/11 16:30	0.1	0	0	0	0	—	—	—	—	—
2025/5/11 16:40	0	0	0	0	0	—	—	—	—	—
2025/5/11 16:50	0	0	0	0	0	—	—	—	—	—
2025/5/11 17:00	0	0	0	0	0	568	438	214	78	441
2025/5/11 17:10	0	0	0	0	0	—	—	—	—	—
2025/5/11 17:20	0	0	0	0	0	—	—	—	—	—
2025/5/11 17:30	0	0	0	0	0	—	—	—	—	—
2025/5/11 17:40	0.2	0	0	0	0	—	—	—	—	—
2025/5/11 17:50	0	0	0	0	0.1	—	—	—	—	—
2025/5/11 18:00	0	0	0	0	0	589	474	72	107	331
2025/5/11 18:10	0	0	0	0	0	—	—	—	—	—
2025/5/11 18:20	0	0	0	0	0	—	—	—	—	—
2025/5/11 18:30	0	0	0	0	0	—	—	—	—	—
2025/5/11 18:40	0	0	0	0	0	—	—	—	—	—
2025/5/11 18:50	0	0.1	0	0	0	—	—	—	—	—
2025/5/11 19:00	0	0	0	0	0	140	366	66	730	62
2025/5/11 19:10	0	0	0	0.7	0	—	—	—	—	—
2025/5/11 19:20	0	0	0	0.2	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/11 19:30	0	0	0	0	0	—	—	—	—	—
2025/5/11 19:40	0	0	0	0.1	0	—	—	—	—	—
2025/5/11 19:50	0	0	0	0.2	0	—	—	—	—	—
2025/5/11 20:00	0	0	0	0	0	38	281	83	357	85
2025/5/11 20:10	0	0	0	0	0	—	—	—	—	—
2025/5/11 20:20	0	0	0	0	0	—	—	—	—	—
2025/5/11 20:30	0	0	0	0	0	—	—	—	—	—
2025/5/11 20:40	0	0	0	0	0	—	—	—	—	—
2025/5/11 20:50	0	0	0	0	0	—	—	—	—	—
2025/5/11 21:00	0	0	0	0	0	37	74	72	516	69
2025/5/11 21:10	0	0	0	0	0	—	—	—	—	—
2025/5/11 21:20	0	0	0	0	0	—	—	—	—	—
2025/5/11 21:30	0	0	0	0	0	—	—	—	—	—
2025/5/11 21:40	0	0	0	0	0	—	—	—	—	—
2025/5/11 21:50	0	0	0	0	0	—	—	—	—	—
2025/5/11 22:00	0	0	0	0	0	64	555	98	137	92
2025/5/11 22:10	0	0	0	0	0	—	—	—	—	—
2025/5/11 22:20	0	0	0	0	0	—	—	—	—	—
2025/5/11 22:30	0	0	0	0	0	—	—	—	—	—
2025/5/11 22:40	0	0	0	0	0	—	—	—	—	—
2025/5/11 22:50	0	0	0	0	0	—	—	—	—	—
2025/5/11 23:00	0	0	0	0	0	75	179	104	201	104
2025/5/11 23:10	0	0	0	0	0	—	—	—	—	—
2025/5/11 23:20	0	0	0	0	0	—	—	—	—	—
2025/5/11 23:30	0	0	0	0	0	—	—	—	—	—
2025/5/11 23:40	0	0	0	0	0	—	—	—	—	—
2025/5/11 23:50	0	0	0	0	0	—	—	—	—	—
2025/5/12 0:00	0	0	0	0	0	79	716	98	104	93
2025/5/12 0:10	0	0	0	0	0	—	—	—	—	—
2025/5/12 0:20	0	0	0	0	0	—	—	—	—	—
2025/5/12 0:30	0	0	0	0	0	—	—	—	—	—
2025/5/12 0:40	0	0	0	0	0	—	—	—	—	—
2025/5/12 0:50	0	0	0	0	0	—	—	—	—	—
2025/5/12 1:00	0	0	0	0	0	98	325	325	132	282
2025/5/12 1:10	0	0	0	0	0	—	—	—	—	—
2025/5/12 1:20	0	0	0	0	0	—	—	—	—	—
2025/5/12 1:30	0	0	0	0	0	—	—	—	—	—
2025/5/12 1:40	0	0	0	0	0	—	—	—	—	—
2025/5/12 1:50	0	0	0	0	0	—	—	—	—	—
2025/5/12 2:00	0	0	0	0	0	331	319	104	110	202
2025/5/12 2:10	0	0	0	0	0	—	—	—	—	—
2025/5/12 2:20	0	0	0	0	0	—	—	—	—	—
2025/5/12 2:30	0	0	0	0	0	—	—	—	—	—
2025/5/12 2:40	0	0	0	0	0	—	—	—	—	—
2025/5/12 2:50	0	0	0	0	0	—	—	—	—	—
2025/5/12 3:00	0	0	0	0	0	606	166	161	114	426
2025/5/12 3:10	0	0	0	0	0	—	—	—	—	—
2025/5/12 3:20	0	0	0	0	0	—	—	—	—	—
2025/5/12 3:30	0	0	0	0	0	—	—	—	—	—
2025/5/12 3:40	0	0	0	0	0	—	—	—	—	—
2025/5/12 3:50	0	0	0	0	0	—	—	—	—	—
2025/5/12 4:00	0	0	0	0	0	360	370	101	98	214
2025/5/12 4:10	0	0	0	0	0	—	—	—	—	—
2025/5/12 4:20	0	0	0	0	0	—	—	—	—	—
2025/5/12 4:30	0	0	0	0	0	—	—	—	—	—
2025/5/12 4:40	0	0	0	0	0	—	—	—	—	—
2025/5/12 4:50	0	0	0	0	0	—	—	—	—	—
2025/5/12 5:00	0	0	0	0	0	242	441	85	68	176
2025/5/12 5:10	0	0	0	0	0	—	—	—	—	—
2025/5/12 5:20	0	0	0	0	0	—	—	—	—	—
2025/5/12 5:30	0	0	0	0	0	—	—	—	—	—
2025/5/12 5:40	0	0	0	0	0	—	—	—	—	—
2025/5/12 5:50	0	0	0	0	0	—	—	—	—	—
2025/5/12 6:00	0	0	0	0	0	97	530	77	76	67
2025/5/12 6:10	0	0	0	0	0	—	—	—	—	—
2025/5/12 6:20	0	0	0	0	0	—	—	—	—	—
2025/5/12 6:30	0	0	0	0	0	—	—	—	—	—
2025/5/12 6:40	0	0	0	0	0	—	—	—	—	—
2025/5/12 6:50	0	0	0	0	0	—	—	—	—	—
2025/5/12 7:00	0	0	0	0	0	66	422	98	150	85
2025/5/12 7:10	0	0	0	0	0	—	—	—	—	—
2025/5/12 7:20	0	0	0	0	0	—	—	—	—	—
2025/5/12 7:30	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/12 7:40	0	0	0	0	0	—	—	—	—	—
2025/5/12 7:50	0	0	0	0	0	—	—	—	—	—
2025/5/12 8:00	0	0	0	0	0	59	384	89	175	78
2025/5/12 8:10	0	0	0	0	0	—	—	—	—	—
2025/5/12 8:20	0	0	0	0	0	—	—	—	—	—
2025/5/12 8:30	0	0	0	0	0	—	—	—	—	—
2025/5/12 8:40	0	0	0	0	0	—	—	—	—	—
2025/5/12 8:50	0	0	0	0	0	—	—	—	—	—
2025/5/12 9:00	0	0	0	0	0	63	362	93	539	88
2025/5/12 9:10	0	0	0	0	0	—	—	—	—	—
2025/5/12 9:20	0	0	0	0	0	—	—	—	—	—
2025/5/12 9:30	0	0	0	0	0	—	—	—	—	—
2025/5/12 9:40	0	0	0	0	0	—	—	—	—	—
2025/5/12 9:50	0	0	0	0	0	—	—	—	—	—
2025/5/12 10:00	0	0	0	0	0	86	278	103	510	109
2025/5/12 10:10	0	0	0	0	0	—	—	—	—	—
2025/5/12 10:20	0	0	0	0	0	—	—	—	—	—
2025/5/12 10:30	0	0	0	0	0	—	—	—	—	—
2025/5/12 10:40	0	0	0	0	0	—	—	—	—	—
2025/5/12 10:50	0	0	0	0	0	—	—	—	—	—
2025/5/12 11:00	0	0	0	0	0	76	157	107	292	113
2025/5/12 11:10	0	0	0	0	0	—	—	—	—	—
2025/5/12 11:20	0	0	0	0	0	—	—	—	—	—
2025/5/12 11:30	0	0	0	0	0	—	—	—	—	—
2025/5/12 11:40	0	0	0	0	0	—	—	—	—	—
2025/5/12 11:50	0	0	0	0	0	—	—	—	—	—
2025/5/12 12:00	0	0	0	0	0	69	101	92	228	99
2025/5/12 12:10	0	0	0	0	0	—	—	—	—	—
2025/5/12 12:20	0	0	0	0	0	—	—	—	—	—
2025/5/12 12:30	0	0	0	0	0	—	—	—	—	—
2025/5/12 12:40	0	0	0	0	0	—	—	—	—	—
2025/5/12 12:50	0	0	0	0	0	—	—	—	—	—
2025/5/12 13:00	0	0	0	0	0	79	105	173	653	160
2025/5/12 13:10	0	0	0	0	0	—	—	—	—	—
2025/5/12 13:20	0	0	0	0	0	—	—	—	—	—
2025/5/12 13:30	0	0	0	0	0	—	—	—	—	—
2025/5/12 13:40	0	0	0	0	0	—	—	—	—	—
2025/5/12 13:50	0	0	0	0	0	—	—	—	—	—
2025/5/12 14:00	0	0	0	0	0	98	114	244	545	223
2025/5/12 14:10	0	0	0	0	0	—	—	—	—	—
2025/5/12 14:20	0	0	0	0	0	—	—	—	—	—
2025/5/12 14:30	0	0	0	0	0	—	—	—	—	—
2025/5/12 14:40	0	0	0	0	0	—	—	—	—	—
2025/5/12 14:50	0	0	0	0	0	—	—	—	—	—
2025/5/12 15:00	0	0	0	0	0	76	145	142	588	109
2025/5/12 15:10	0	0	0	0	0	—	—	—	—	—
2025/5/12 15:20	0	0	0	0	0	—	—	—	—	—
2025/5/12 15:30	0	0	0	0	0	—	—	—	—	—
2025/5/12 15:40	0	0	0	0	0	—	—	—	—	—
2025/5/12 15:50	0	0	0	0	0	—	—	—	—	—
2025/5/12 16:00	0	0	0	0	0	67	88	177	620	108
2025/5/12 16:10	0	0	0	0	0	—	—	—	—	—
2025/5/12 16:20	0	0	0	0	0	—	—	—	—	—
2025/5/12 16:30	0	0	0	0	0	—	—	—	—	—
2025/5/12 16:40	0	0	0	0	0	—	—	—	—	—
2025/5/12 16:50	0	0	0	0	0	—	—	—	—	—
2025/5/12 17:00	0	0	0	0	0	135	280	254	393	279
2025/5/12 17:10	0	0	0	0	0	—	—	—	—	—
2025/5/12 17:20	0	0	0	0	0	—	—	—	—	—
2025/5/12 17:30	0	0	0	0	0	—	—	—	—	—
2025/5/12 17:40	0	0	0	0	0	—	—	—	—	—
2025/5/12 17:50	0	0	0	0	0	—	—	—	—	—
2025/5/12 18:00	0	0	0	0	0	89	192	337	302	294
2025/5/12 18:10	0	0	0	0	0	—	—	—	—	—
2025/5/12 18:20	0	0	0	0	0	—	—	—	—	—
2025/5/12 18:30	0	0	0	0	0	—	—	—	—	—
2025/5/12 18:40	0	0	0	0	0	—	—	—	—	—
2025/5/12 18:50	0	0	0	0	0	—	—	—	—	—
2025/5/12 19:00	0	0	0	0	0	68	99	269	274	234
2025/5/12 19:10	0	0	0	0	0	—	—	—	—	—
2025/5/12 19:20	0	0	0	0	0	—	—	—	—	—
2025/5/12 19:30	0	0	0	0	0	—	—	—	—	—
2025/5/12 19:40	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/12 19:50	0	0	0	0	0	—	—	—	—	—
2025/5/12 20:00	0	0	0	0	0	43	181	116	530	177
2025/5/12 20:10	0	0	0	0	0	—	—	—	—	—
2025/5/12 20:20	0	0	0	0	0	—	—	—	—	—
2025/5/12 20:30	0	0	0	0	0	—	—	—	—	—
2025/5/12 20:40	0	0	0	0	0	—	—	—	—	—
2025/5/12 20:50	0	0	0	0	0	—	—	—	—	—
2025/5/12 21:00	0	0	0	0	0	61	77	296	325	269
2025/5/12 21:10	0	0	0	0	0	—	—	—	—	—
2025/5/12 21:20	0	0	0	0	0	—	—	—	—	—
2025/5/12 21:30	0	0	0	0	0	—	—	—	—	—
2025/5/12 21:40	0	0	0	0	0	—	—	—	—	—
2025/5/12 21:50	0	0	0	0	0	—	—	—	—	—
2025/5/12 22:00	0	0	0	0	0	331	257	183	136	416
2025/5/12 22:10	0	0	0	0	0	—	—	—	—	—
2025/5/12 22:20	0	0	0	0	0	—	—	—	—	—
2025/5/12 22:30	0	0	0	0	0	—	—	—	—	—
2025/5/12 22:40	0	0	0	0	0	—	—	—	—	—
2025/5/12 22:50	0	0	0	0	0	—	—	—	—	—
2025/5/12 23:00	0	0	0	0	0	135	254	173	91	314
2025/5/12 23:10	0	0	0	0	0	—	—	—	—	—
2025/5/12 23:20	0	0	0	0	0	—	—	—	—	—
2025/5/12 23:30	0	0	0	0	0	—	—	—	—	—
2025/5/12 23:40	0	0	0	0	0	—	—	—	—	—
2025/5/12 23:50	0	0	0	0	0	—	—	—	—	—
2025/5/13 0:00	0	0	0	0	0	64	151	80	212	82
2025/5/13 0:10	0	0	0	0	0	—	—	—	—	—
2025/5/13 0:20	0	0	0	0	0	—	—	—	—	—
2025/5/13 0:30	0	0	0	0	0	—	—	—	—	—
2025/5/13 0:40	0	0	0	0	0	—	—	—	—	—
2025/5/13 0:50	0	0	0	0	0	—	—	—	—	—
2025/5/13 1:00	0	0	0	0	0	75	86	93	206	94
2025/5/13 1:10	0	0	0	0	0	—	—	—	—	—
2025/5/13 1:20	0	0	0	0	0	—	—	—	—	—
2025/5/13 1:30	0	0	0	0	0	—	—	—	—	—
2025/5/13 1:40	0	0	0	0	0	—	—	—	—	—
2025/5/13 1:50	0	0	0	0	0	—	—	—	—	—
2025/5/13 2:00	0	0	0	0	0	73	273	93	242	98
2025/5/13 2:10	0	0	0	0	0	—	—	—	—	—
2025/5/13 2:20	0	0	0	0	0	—	—	—	—	—
2025/5/13 2:30	0	0	0	0	0	—	—	—	—	—
2025/5/13 2:40	0	0	0	0	0	—	—	—	—	—
2025/5/13 2:50	0	0	0	0	0	—	—	—	—	—
2025/5/13 3:00	0	0	0	0	0	75	80	128	349	108
2025/5/13 3:10	0	0	0	0	0	—	—	—	—	—
2025/5/13 3:20	0	0	0	0	0	—	—	—	—	—
2025/5/13 3:30	0	0	0	0	0	—	—	—	—	—
2025/5/13 3:40	0	0	0	0	0	—	—	—	—	—
2025/5/13 3:50	0	0	0	0	0	—	—	—	—	—
2025/5/13 4:00	0	0	0	0	0	251	438	120	113	224
2025/5/13 4:10	0	0	0	0	0	—	—	—	—	—
2025/5/13 4:20	0	0	0	0	0	—	—	—	—	—
2025/5/13 4:30	0	0	0	0	0	—	—	—	—	—
2025/5/13 4:40	0	0	0	0	0	—	—	—	—	—
2025/5/13 4:50	0	0	0	0	0	—	—	—	—	—
2025/5/13 5:00	0	0	0	0	0	109	219	133	273	134
2025/5/13 5:10	0	0	0	0	0	—	—	—	—	—
2025/5/13 5:20	0	0	0	0	0	—	—	—	—	—
2025/5/13 5:30	0	0	0	0	0	—	—	—	—	—
2025/5/13 5:40	0	0	0	0	0	—	—	—	—	—
2025/5/13 5:50	0	0	0	0	0	—	—	—	—	—
2025/5/13 6:00	0	0	0	0	0	127	370	145	226	160
2025/5/13 6:10	0	0	0	0	0	—	—	—	—	—
2025/5/13 6:20	0	0	0	0	0	—	—	—	—	—
2025/5/13 6:30	0	0	0	0	0	—	—	—	—	—
2025/5/13 6:40	0	0	0	0	0	—	—	—	—	—
2025/5/13 6:50	0	0	0	0	0	—	—	—	—	—
2025/5/13 7:00	0	0	0	0	0	90	260	94	288	104
2025/5/13 7:10	0	0	0	0	0	—	—	—	—	—
2025/5/13 7:20	0	0	0	0	0	—	—	—	—	—
2025/5/13 7:30	0	0	0	0.1	0	—	—	—	—	—
2025/5/13 7:40	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/13 7:50	0	0	0.1	0.1	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/13 8:00	0	0	0.1	0.1	0	87	508	213	286	270
2025/5/13 8:10	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/13 8:20	0	0.2	0.1	0.1	0	—	—	—	—	—
2025/5/13 8:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/13 8:40	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/13 8:50	0	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/13 9:00	0	0	0.1	0.1	0.1	309	445	68	205	322
2025/5/13 9:10	0	0.2	0.1	0.1	0	—	—	—	—	—
2025/5/13 9:20	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/13 9:30	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/13 9:40	0.1	0.7	0.1	0.1	0	—	—	—	—	—
2025/5/13 9:50	0.1	0.2	0.1	0.1	0	—	—	—	—	—
2025/5/13 10:00	0.1	0.2	0.1	0.1	0.1	188	489	208	427	536
2025/5/13 10:10	0.1	0.6	0.1	0.1	0.2	—	—	—	—	—
2025/5/13 10:20	0.1	0.2	0.1	0.1	0.3	—	—	—	—	—
2025/5/13 10:30	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/13 10:40	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/13 10:50	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/13 11:00	0.1	0	0	0.1	0	219	425	59	176	113
2025/5/13 11:10	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/13 11:20	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/13 11:30	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/13 11:40	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/13 11:50	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/13 12:00	0.1	0	0	0.1	0	220	353	149	100	443
2025/5/13 12:10	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/13 12:20	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/13 12:30	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/13 12:40	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/13 12:50	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/13 13:00	0.1	0.1	0	0	0	201	345	89	70	265
2025/5/13 13:10	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/13 13:20	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/13 13:30	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/13 13:40	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/13 13:50	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/13 14:00	0.1	0.1	0	0	0	135	234	64	122	186
2025/5/13 14:10	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/13 14:20	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/13 14:30	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/13 14:40	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/13 14:50	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/13 15:00	0.2	0.1	0	0	0	186	167	81	120	269
2025/5/13 15:10	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/13 15:20	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/13 15:30	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/13 15:40	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/13 15:50	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/13 16:00	0.2	0.1	0	0	0	129	828	81	132	204
2025/5/13 16:10	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/13 16:20	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/13 16:30	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/13 16:40	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/13 16:50	0.1	0.2	0	0	0	—	—	—	—	—
2025/5/13 17:00	0.1	0.1	0	0	0	301	404	120	89	452
2025/5/13 17:10	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/13 17:20	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/13 17:30	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/13 17:40	0	0.1	0	0	0	—	—	—	—	—
2025/5/13 17:50	0	0.1	0	0	0	—	—	—	—	—
2025/5/13 18:00	0	0.1	0	0	0	218	1586	150	133	446
2025/5/13 18:10	0	0.1	0	0	0	—	—	—	—	—
2025/5/13 18:20	0	0	0	0	0	—	—	—	—	—
2025/5/13 18:30	0	0	0	0	0	—	—	—	—	—
2025/5/13 18:40	0	0	0	0	0	—	—	—	—	—
2025/5/13 18:50	0	0	0	0	0	—	—	—	—	—
2025/5/13 19:00	0	0	0	0	0	305	347	154	69	486
2025/5/13 19:10	0	0	0	0	0	—	—	—	—	—
2025/5/13 19:20	0	0	0	0	0	—	—	—	—	—
2025/5/13 19:30	0	0	0	0	0	—	—	—	—	—
2025/5/13 19:40	0	0	0	0	0	—	—	—	—	—
2025/5/13 19:50	0	0	0	0	0	—	—	—	—	—
2025/5/13 20:00	0	0	0	0	0	290	486	169	83	439

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/13 20:10	0	0	0	0	0	—	—	—	—	—
2025/5/13 20:20	0	0	0	0	0	—	—	—	—	—
2025/5/13 20:30	0	0	0	0	0	—	—	—	—	—
2025/5/13 20:40	0	0	0	0	0	—	—	—	—	—
2025/5/13 20:50	0	0	0	0	0	—	—	—	—	—
2025/5/13 21:00	0	0	0	0	0	335	303	74	70	382
2025/5/13 21:10	0	0	0	0	0	—	—	—	—	—
2025/5/13 21:20	0	0	0	0	0	—	—	—	—	—
2025/5/13 21:30	0	0	0	0	0	—	—	—	—	—
2025/5/13 21:40	0	0	0	0	0	—	—	—	—	—
2025/5/13 21:50	0	0	0	0	0	—	—	—	—	—
2025/5/13 22:00	0	0	0	0	0	382	486	88	85	369
2025/5/13 22:10	0	0	0	0	0	—	—	—	—	—
2025/5/13 22:20	0	0	0	0	0	—	—	—	—	—
2025/5/13 22:30	0	0	0	0	0	—	—	—	—	—
2025/5/13 22:40	0	0	0	0	0	—	—	—	—	—
2025/5/13 22:50	0	0	0	0	0	—	—	—	—	—
2025/5/13 23:00	0	0	0	0	0	373	306	269	87	563
2025/5/13 23:10	0	0	0	0	0	—	—	—	—	—
2025/5/13 23:20	0	0	0	0	0	—	—	—	—	—
2025/5/13 23:30	0	0	0	0	0	—	—	—	—	—
2025/5/13 23:40	0	0	0	0	0	—	—	—	—	—
2025/5/13 23:50	0	0	0	0	0	—	—	—	—	—
2025/5/14 0:00	0	0	0	0	0	343	458	144	113	539
2025/5/14 0:10	0	0	0	0	0	—	—	—	—	—
2025/5/14 0:20	0	0	0	0	0	—	—	—	—	—
2025/5/14 0:30	0	0	0	0	0	—	—	—	—	—
2025/5/14 0:40	0	0	0	0	0	—	—	—	—	—
2025/5/14 0:50	0	0	0	0	0	—	—	—	—	—
2025/5/14 1:00	0	0	0	0	0	430	141	128	171	770
2025/5/14 1:10	0	0	0	0	0	—	—	—	—	—
2025/5/14 1:20	0	0	0	0	0	—	—	—	—	—
2025/5/14 1:30	0	0	0	0	0	—	—	—	—	—
2025/5/14 1:40	0	0	0	0	0	—	—	—	—	—
2025/5/14 1:50	0	0	0	0	0	—	—	—	—	—
2025/5/14 2:00	0	0	0	0	0	207	271	163	236	408
2025/5/14 2:10	0	0	0	0	0	—	—	—	—	—
2025/5/14 2:20	0	0	0	0	0	—	—	—	—	—
2025/5/14 2:30	0	0	0	0	0	—	—	—	—	—
2025/5/14 2:40	0	0	0	0	0	—	—	—	—	—
2025/5/14 2:50	0	0	0	0	0	—	—	—	—	—
2025/5/14 3:00	0	0	0	0	0	256	311	308	493	321
2025/5/14 3:10	0	0	0	0	0	—	—	—	—	—
2025/5/14 3:20	0	0	0	0	0	—	—	—	—	—
2025/5/14 3:30	0	0	0	0	0	—	—	—	—	—
2025/5/14 3:40	0	0	0	0	0	—	—	—	—	—
2025/5/14 3:50	0	0	0	0	0	—	—	—	—	—
2025/5/14 4:00	0	0	0	0	0	233	229	329	236	396
2025/5/14 4:10	0	0	0	0	0	—	—	—	—	—
2025/5/14 4:20	0	0	0	0	0	—	—	—	—	—
2025/5/14 4:30	0	0	0	0	0	—	—	—	—	—
2025/5/14 4:40	0	0	0	0	0	—	—	—	—	—
2025/5/14 4:50	0	0	0	0	0	—	—	—	—	—
2025/5/14 5:00	0	0	0	0	0	116	122	203	345	129
2025/5/14 5:10	0	0	0	0	0	—	—	—	—	—
2025/5/14 5:20	0	0	0	0	0	—	—	—	—	—
2025/5/14 5:30	0	0	0	0	0	—	—	—	—	—
2025/5/14 5:40	0	0	0	0	0	—	—	—	—	—
2025/5/14 5:50	0	0	0	0	0	—	—	—	—	—
2025/5/14 6:00	0	0	0	0	0	176	95	269	204	252
2025/5/14 6:10	0	0	0	0	0	—	—	—	—	—
2025/5/14 6:20	0	0	0	0	0	—	—	—	—	—
2025/5/14 6:30	0	0	0	0	0	—	—	—	—	—
2025/5/14 6:40	0	0	0	0	0	—	—	—	—	—
2025/5/14 6:50	0	0	0	0.1	0	—	—	—	—	—
2025/5/14 7:00	0	0	0.1	0.1	0	97	363	94	117	95
2025/5/14 7:10	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/14 7:20	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/14 7:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/14 7:40	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/14 7:50	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/14 8:00	0	0	0.1	0.1	0	148	343	312	156	578
2025/5/14 8:10	0	0	0.1	0.1	0.1	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/14 8:20	0	0.2	0.1	0.1	0	—	—	—	—	—
2025/5/14 8:30	0	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/14 8:40	0	0.2	0.1	0.1	0	—	—	—	—	—
2025/5/14 8:50	0	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/14 9:00	0	0.5	0	0.1	0	79	319	221	400	216
2025/5/14 9:10	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/14 9:20	0.1	0.2	0.1	0.1	0	—	—	—	—	—
2025/5/14 9:30	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/14 9:40	0.1	0	0.1	0.1	0.1	—	—	—	—	—
2025/5/14 9:50	0.1	0.3	0.1	0.1	0	—	—	—	—	—
2025/5/14 10:00	0.1	0.2	0.1	0.1	0	148	380	133	274	295
2025/5/14 10:10	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/14 10:20	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/14 10:30	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/14 10:40	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/14 10:50	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/14 11:00	0.1	0	0.1	0.1	0	193	382	57	147	103
2025/5/14 11:10	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/14 11:20	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/14 11:30	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/14 11:40	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/14 11:50	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/14 12:00	0.1	0	0.1	0.1	0	219	454	96	93	341
2025/5/14 12:10	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/14 12:20	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/14 12:30	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/14 12:40	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/14 12:50	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/14 13:00	0.1	0.1	0.1	0.1	0	268	331	84	195	268
2025/5/14 13:10	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/14 13:20	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/14 13:30	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/14 13:40	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/14 13:50	0.1	0.2	0	0.1	0	—	—	—	—	—
2025/5/14 14:00	0.1	0.2	0	0.1	0	197	543	134	75	356
2025/5/14 14:10	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/14 14:20	0.2	0.3	0	0.1	0	—	—	—	—	—
2025/5/14 14:30	0.2	0.3	0	0	0	—	—	—	—	—
2025/5/14 14:40	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/14 14:50	0.2	0.2	0	0	0	—	—	—	—	—
2025/5/14 15:00	0.2	0.3	0	0	0	179	595	290	130	439
2025/5/14 15:10	0.1	0.9	0	0	0	—	—	—	—	—
2025/5/14 15:20	0.1	1	0	0	0	—	—	—	—	—
2025/5/14 15:30	0.1	1.1	0	0	0	—	—	—	—	—
2025/5/14 15:40	0.1	0.7	0	0	0	—	—	—	—	—
2025/5/14 15:50	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/14 16:00	0.1	0.3	0	0	0	211	537	55	213	136
2025/5/14 16:10	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/14 16:20	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/14 16:30	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/14 16:40	0.1	0.3	0	0	0	—	—	—	—	—
2025/5/14 16:50	0.1	0.9	0	0	0	—	—	—	—	—
2025/5/14 17:00	0.1	0.1	0	0	0	383	486	76	110	338
2025/5/14 17:10	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/14 17:20	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/14 17:30	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/14 17:40	0	0.1	0	0	0	—	—	—	—	—
2025/5/14 17:50	0	0.1	0	0	0	—	—	—	—	—
2025/5/14 18:00	0	0.1	0	0	0	158	436	95	108	456
2025/5/14 18:10	0	0.1	0	0	0	—	—	—	—	—
2025/5/14 18:20	0	0.1	0	0	0	—	—	—	—	—
2025/5/14 18:30	0	0.1	0	0	0	—	—	—	—	—
2025/5/14 18:40	0	0.1	0	0	0	—	—	—	—	—
2025/5/14 18:50	0	0.1	0	0	0	—	—	—	—	—
2025/5/14 19:00	0	0.9	0	0	0	265	387	106	95	478
2025/5/14 19:10	0	0	0	0	0	—	—	—	—	—
2025/5/14 19:20	0	0.6	0	0	0	—	—	—	—	—
2025/5/14 19:30	0	0.1	0	0	0	—	—	—	—	—
2025/5/14 19:40	0	0	0	0	0	—	—	—	—	—
2025/5/14 19:50	0	0	0	0	0	—	—	—	—	—
2025/5/14 20:00	0	0.2	0	0	0	168	412	159	77	467
2025/5/14 20:10	0	0.2	0	0	0	—	—	—	—	—
2025/5/14 20:20	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/14 20:30	0	0.1	0	0	0	—	—	—	—	—
2025/5/14 20:40	0	0.1	0	0	0	—	—	—	—	—
2025/5/14 20:50	0	0.1	0	0	0	—	—	—	—	—
2025/5/14 21:00	0	0	0	0	0	387	303	79	94	385
2025/5/14 21:10	0	0	0	0	0	—	—	—	—	—
2025/5/14 21:20	0	0	0	0	0	—	—	—	—	—
2025/5/14 21:30	0	0	0	0	0	—	—	—	—	—
2025/5/14 21:40	0	0	0	0	0	—	—	—	—	—
2025/5/14 21:50	0	0	0	0	0	—	—	—	—	—
2025/5/14 22:00	0	0	0	0	0	364	429	67	65	369
2025/5/14 22:10	0	0	0	0	0	—	—	—	—	—
2025/5/14 22:20	0	0	0	0	0	—	—	—	—	—
2025/5/14 22:30	0	0.3	0	0	0.2	—	—	—	—	—
2025/5/14 22:40	0	0.3	0	0	0.2	—	—	—	—	—
2025/5/14 22:50	0	0	0	0	0.1	—	—	—	—	—
2025/5/14 23:00	0	0	0	0	0.4	405	574	186	66	446
2025/5/14 23:10	0	0	0	0	0	—	—	—	—	—
2025/5/14 23:20	0	0	0	0	0	—	—	—	—	—
2025/5/14 23:30	0	0	0	0	0.1	—	—	—	—	—
2025/5/14 23:40	0	0	0	0	0	—	—	—	—	—
2025/5/14 23:50	0	0	0	0	0.1	—	—	—	—	—
2025/5/15 0:00	0	0	0	0	0.5	343	365	199	107	305
2025/5/15 0:10	0	0	0	0	0	—	—	—	—	—
2025/5/15 0:20	0	0	0	0	0.6	—	—	—	—	—
2025/5/15 0:30	0	0	0	0	0.2	—	—	—	—	—
2025/5/15 0:40	0	0	0	0	0.1	—	—	—	—	—
2025/5/15 0:50	0	0	0	0	1.2	—	—	—	—	—
2025/5/15 1:00	0	0	0	0	0.8	247	245	81	186	244
2025/5/15 1:10	0	0	0	0	0.1	—	—	—	—	—
2025/5/15 1:20	0	0	0	0	0.1	—	—	—	—	—
2025/5/15 1:30	0	0	0	0	1.1	—	—	—	—	—
2025/5/15 1:40	0	0	0	0	2.4	—	—	—	—	—
2025/5/15 1:50	0	0	0	0	2	—	—	—	—	—
2025/5/15 2:00	0	0	0	0	0.9	233	188	122	157	188
2025/5/15 2:10	0	0	0	0	0	—	—	—	—	—
2025/5/15 2:20	0	0	0	0	0	—	—	—	—	—
2025/5/15 2:30	0	0	0	0	0	—	—	—	—	—
2025/5/15 2:40	0	0	0	0	0	—	—	—	—	—
2025/5/15 2:50	0	0	0	0	0	—	—	—	—	—
2025/5/15 3:00	0	0	0	0	0	288	289	144	234	285
2025/5/15 3:10	0	0	0	0	0	—	—	—	—	—
2025/5/15 3:20	0	0	0	0	0	—	—	—	—	—
2025/5/15 3:30	0	0	0	0	0	—	—	—	—	—
2025/5/15 3:40	0	0	0	0	0	—	—	—	—	—
2025/5/15 3:50	0	0	0	0	0	—	—	—	—	—
2025/5/15 4:00	0	0	0	0	0	510	198	144	151	246
2025/5/15 4:10	0	0	0	0	0	—	—	—	—	—
2025/5/15 4:20	0	0	0	0	0	—	—	—	—	—
2025/5/15 4:30	0	0	0	0	0	—	—	—	—	—
2025/5/15 4:40	0	0	0	0	0	—	—	—	—	—
2025/5/15 4:50	0	0	0	0	0	—	—	—	—	—
2025/5/15 5:00	0	0	0	0	0	116	120	170	275	151
2025/5/15 5:10	0	0	0	0	0	—	—	—	—	—
2025/5/15 5:20	0	0	0	0	0	—	—	—	—	—
2025/5/15 5:30	0	0	0	0	0	—	—	—	—	—
2025/5/15 5:40	0	0	0	0	0	—	—	—	—	—
2025/5/15 5:50	0	0	0	0	0	—	—	—	—	—
2025/5/15 6:00	0	0	0	0	0	105	116	345	125	307
2025/5/15 6:10	0	0	0	0	0	—	—	—	—	—
2025/5/15 6:20	0	0	0	0.1	0	—	—	—	—	—
2025/5/15 6:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/15 6:40	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/15 6:50	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/15 7:00	0	0	0.1	0.1	0	185	381	126	145	260
2025/5/15 7:10	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/15 7:20	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/15 7:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/15 7:40	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/15 7:50	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/15 8:00	0	0	0.1	0.1	0	387	131	120	133	129
2025/5/15 8:10	0	0.2	0.1	0.1	0.7	—	—	—	—	—
2025/5/15 8:20	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/15 8:30	0	0.1	0.1	0.1	0.2	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/15 8:40	0	0.3	0.1	0.1	0	—	—	—	—	—
2025/5/15 8:50	0	0.2	0.1	0.1	0	—	—	—	—	—
2025/5/15 9:00	0	0	0.1	0.1	0	201	499	55	84	333
2025/5/15 9:10	0.1	0.3	0.1	0.1	0	—	—	—	—	—
2025/5/15 9:20	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/15 9:30	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/15 9:40	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/15 9:50	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/15 10:00	0.1	0	0.1	0.1	0	160	550	205	106	350
2025/5/15 10:10	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/15 10:20	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/15 10:30	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/15 10:40	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/15 10:50	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/15 11:00	0.1	0.1	0	0.1	0	409	394	168	133	439
2025/5/15 11:10	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/15 11:20	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/15 11:30	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/15 11:40	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/15 11:50	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/15 12:00	0.1	0.1	0.1	0.1	0	297	269	306	83	491
2025/5/15 12:10	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/15 12:20	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/15 12:30	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/15 12:40	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/15 12:50	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/15 13:00	0.1	0.1	0	0.1	0	333	259	85	72	330
2025/5/15 13:10	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/15 13:20	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/15 13:30	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/15 13:40	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/15 13:50	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/15 14:00	0.1	0.1	0	0.1	0	328	405	66	92	359
2025/5/15 14:10	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/15 14:20	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/15 14:30	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/15 14:40	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/15 14:50	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/15 15:00	0.1	0.1	0	0.1	0	198	409	52	127	117
2025/5/15 15:10	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/15 15:20	0.2	0.1	0	0.1	0	—	—	—	—	—
2025/5/15 15:30	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/15 15:40	0.2	0.1	0	0	0	—	—	—	—	—
2025/5/15 15:50	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/15 16:00	0.1	0.1	0	0	0	317	687	62	109	448
2025/5/15 16:10	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/15 16:20	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/15 16:30	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/15 16:40	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/15 16:50	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/15 17:00	0.1	0.1	0	0	0	407	898	210	83	583
2025/5/15 17:10	0	0.1	0	0	0	—	—	—	—	—
2025/5/15 17:20	0	0.1	0	0	0	—	—	—	—	—
2025/5/15 17:30	0	0.1	0	0	0	—	—	—	—	—
2025/5/15 17:40	0	0.1	0	0	0	—	—	—	—	—
2025/5/15 17:50	0	0	0	0	0	—	—	—	—	—
2025/5/15 18:00	0	0	0	0	0	361	1042	112	80	528
2025/5/15 18:10	0	0	0	0	0.3	—	—	—	—	—
2025/5/15 18:20	0	0	0	0	0	—	—	—	—	—
2025/5/15 18:30	0	0	0	0	0	—	—	—	—	—
2025/5/15 18:40	0	0	0	0	0	—	—	—	—	—
2025/5/15 18:50	0	0	0	0	0	—	—	—	—	—
2025/5/15 19:00	0	0	0	0	0	368	595	233	113	577
2025/5/15 19:10	0	0	0	0	0	—	—	—	—	—
2025/5/15 19:20	0	0	0	0	0	—	—	—	—	—
2025/5/15 19:30	0	0	0	0	0	—	—	—	—	—
2025/5/15 19:40	0	0	0	0	0	—	—	—	—	—
2025/5/15 19:50	0	0	0	0	0	—	—	—	—	—
2025/5/15 20:00	0	0	0	0	0	474	547	126	83	618
2025/5/15 20:10	0	0	0	0	0.1	—	—	—	—	—
2025/5/15 20:20	0	0	0	0	0	—	—	—	—	—
2025/5/15 20:30	0	0	0	0	0	—	—	—	—	—
2025/5/15 20:40	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/15 20:50	0	0	0	0	0	—	—	—	—	—
2025/5/15 21:00	0	0	0	0	0	352	464	122	74	529
2025/5/15 21:10	0	0	0	0	0	—	—	—	—	—
2025/5/15 21:20	0	0	0	0	0	—	—	—	—	—
2025/5/15 21:30	0	0	0	0	0	—	—	—	—	—
2025/5/15 21:40	0	0	0	0	0	—	—	—	—	—
2025/5/15 21:50	0	0	0	0	0	—	—	—	—	—
2025/5/15 22:00	0	0	0	0	0.1	517	586	195	73	525
2025/5/15 22:10	0	0	0	0	0	—	—	—	—	—
2025/5/15 22:20	0	0	0	0	0	—	—	—	—	—
2025/5/15 22:30	0	0	0	0	0	—	—	—	—	—
2025/5/15 22:40	0	0	0	0	0.1	—	—	—	—	—
2025/5/15 22:50	0	0	0	0	0.4	—	—	—	—	—
2025/5/15 23:00	0	0	0	0	0.5	313	787	346	77	789
2025/5/15 23:10	0	0	0	0	0.2	—	—	—	—	—
2025/5/15 23:20	0	0	0	0	0.3	—	—	—	—	—
2025/5/15 23:30	0	0	0	0	0.2	—	—	—	—	—
2025/5/15 23:40	0	0	0	0	0.2	—	—	—	—	—
2025/5/15 23:50	0	0	0	0	0.1	—	—	—	—	—
2025/5/16 0:00	0	0	0	0	0	399	546	203	67	610
2025/5/16 0:10	0	0	0	0	0	—	—	—	—	—
2025/5/16 0:20	0	0	0	0	0	—	—	—	—	—
2025/5/16 0:30	0	0	0	0	0	—	—	—	—	—
2025/5/16 0:40	0	0	0	0	0	—	—	—	—	—
2025/5/16 0:50	0	0	0	0	0.5	—	—	—	—	—
2025/5/16 1:00	0	0	0	0	0.1	350	715	278	67	740
2025/5/16 1:10	0	0	0	0	0	—	—	—	—	—
2025/5/16 1:20	0	0	0	0	0	—	—	—	—	—
2025/5/16 1:30	0	0	0	0	0	—	—	—	—	—
2025/5/16 1:40	0	0	0	0	0.3	—	—	—	—	—
2025/5/16 1:50	0	0	0	0	0	—	—	—	—	—
2025/5/16 2:00	0.1	0	0	0	0.1	302	700	314	82	754
2025/5/16 2:10	0	0	0	0	0.4	—	—	—	—	—
2025/5/16 2:20	0	0	0	0	0.7	—	—	—	—	—
2025/5/16 2:30	0	0	0	0	0.7	—	—	—	—	—
2025/5/16 2:40	0	0	0	0	0.4	—	—	—	—	—
2025/5/16 2:50	0	0	0	0	0	—	—	—	—	—
2025/5/16 3:00	0	0	0	0	0.5	286	774	319	99	809
2025/5/16 3:10	0	0	0	0	0.3	—	—	—	—	—
2025/5/16 3:20	0	0	0	0	0	—	—	—	—	—
2025/5/16 3:30	0	0	0	0	0	—	—	—	—	—
2025/5/16 3:40	0	0	0	0	0.1	—	—	—	—	—
2025/5/16 3:50	0	0	0	0	0.1	—	—	—	—	—
2025/5/16 4:00	0	0	0	0	0.7	274	743	135	119	552
2025/5/16 4:10	0	0	0	0	0	—	—	—	—	—
2025/5/16 4:20	0	0	0	0	0.1	—	—	—	—	—
2025/5/16 4:30	0	0	0	0	0.3	—	—	—	—	—
2025/5/16 4:40	0	0	0	0	0.1	—	—	—	—	—
2025/5/16 4:50	0	0	0	0	1.4	—	—	—	—	—
2025/5/16 5:00	0	0	0	0	0.6	279	636	83	127	185
2025/5/16 5:10	0	0	0	0	0	—	—	—	—	—
2025/5/16 5:20	0	0	0	0	0	—	—	—	—	—
2025/5/16 5:30	0	0	0	0	0	—	—	—	—	—
2025/5/16 5:40	0	0	0	0	0	—	—	—	—	—
2025/5/16 5:50	0	0	0	0	0	—	—	—	—	—
2025/5/16 6:00	0	0	0	0	0	65	249	101	282	99
2025/5/16 6:10	0	0	0	0	0	—	—	—	—	—
2025/5/16 6:20	0	0	0	0	0	—	—	—	—	—
2025/5/16 6:30	0	0	0	0	0	—	—	—	—	—
2025/5/16 6:40	0	0	0	0	0	—	—	—	—	—
2025/5/16 6:50	0	0	0	0	0	—	—	—	—	—
2025/5/16 7:00	0	0	0	0	0	39	236	83	189	106
2025/5/16 7:10	0	0	0	0	0	—	—	—	—	—
2025/5/16 7:20	0	0	0	0	0	—	—	—	—	—
2025/5/16 7:30	0	0	0	0	0	—	—	—	—	—
2025/5/16 7:40	0	0	0	0	0	—	—	—	—	—
2025/5/16 7:50	0	0	0	0	0	—	—	—	—	—
2025/5/16 8:00	0	0	0	0	0	69	142	216	138	366
2025/5/16 8:10	0	0	0	0	0	—	—	—	—	—
2025/5/16 8:20	0	0	0	0.1	0	—	—	—	—	—
2025/5/16 8:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/16 8:40	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/16 8:50	0	0	0.1	0.1	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/16 9:00	0.1	0	0.1	0.1	0	157	347	211	182	336
2025/5/16 9:10	0.1	0	0.1	0.1	0.1	—	—	—	—	—
2025/5/16 9:20	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/16 9:30	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/16 9:40	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/16 9:50	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/16 10:00	0.1	0	0.1	0.1	0	60	58	79	177	78
2025/5/16 10:10	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/16 10:20	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/16 10:30	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/16 10:40	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/16 10:50	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/16 11:00	0.1	0.1	0.1	0.1	0	60	107	77	233	72
2025/5/16 11:10	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/16 11:20	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/16 11:30	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/16 11:40	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/16 11:50	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/16 12:00	0.1	0.1	0	0	0	49	142	65	364	72
2025/5/16 12:10	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/16 12:20	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/16 12:30	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/16 12:40	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/16 12:50	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/16 13:00	0.1	0.1	0	0	0	196	261	125	263	349
2025/5/16 13:10	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/16 13:20	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/16 13:30	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/16 13:40	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/16 13:50	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/16 14:00	0.1	0.1	0	0	0	240	385	113	91	278
2025/5/16 14:10	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/16 14:20	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/16 14:30	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/16 14:40	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/16 14:50	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/16 15:00	0.1	0.1	0	0	0	286	414	106	100	379
2025/5/16 15:10	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/16 15:20	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/16 15:30	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/16 15:40	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/16 15:50	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/16 16:00	0.1	0.1	0	0	0	262	412	141	125	540
2025/5/16 16:10	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/16 16:20	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/16 16:30	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/16 16:40	0	0.1	0	0	0	—	—	—	—	—
2025/5/16 16:50	0	0.1	0	0	0	—	—	—	—	—
2025/5/16 17:00	0	0.1	0	0	0	240	304	88	90	329
2025/5/16 17:10	0	0	0	0	0	—	—	—	—	—
2025/5/16 17:20	0	0	0	0	0	—	—	—	—	—
2025/5/16 17:30	0	0	0	0	0	—	—	—	—	—
2025/5/16 17:40	0	0	0	0	0	—	—	—	—	—
2025/5/16 17:50	0	0	0	0	0	—	—	—	—	—
2025/5/16 18:00	0	0	0	0	0	357	394	76	93	347
2025/5/16 18:10	0	0	0	0	0	—	—	—	—	—
2025/5/16 18:20	0	0	0	0	0	—	—	—	—	—
2025/5/16 18:30	0	0	0	0	0	—	—	—	—	—
2025/5/16 18:40	0	0	0	0	0	—	—	—	—	—
2025/5/16 18:50	0	0	0	0	0	—	—	—	—	—
2025/5/16 19:00	0	0	0	0	0	364	322	80	96	301
2025/5/16 19:10	0	0	0	0	0	—	—	—	—	—
2025/5/16 19:20	0	0	0	0	0	—	—	—	—	—
2025/5/16 19:30	0	0	0	0	0	—	—	—	—	—
2025/5/16 19:40	0	0	0	0	0	—	—	—	—	—
2025/5/16 19:50	0	0	0	0	0	—	—	—	—	—
2025/5/16 20:00	0	0	0	0	0	281	322	80	70	264
2025/5/16 20:10	0	0	0	0	0	—	—	—	—	—
2025/5/16 20:20	0	0	0	0	0	—	—	—	—	—
2025/5/16 20:30	0	0	0	0	0	—	—	—	—	—
2025/5/16 20:40	0	0	0	0	0	—	—	—	—	—
2025/5/16 20:50	0	0	0	0	0	—	—	—	—	—
2025/5/16 21:00	0	0	0	0	0	300	302	62	51	243

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/16 21:10	0	0	0	0	0	—	—	—	—	—
2025/5/16 21:20	0	0	0	0	0	—	—	—	—	—
2025/5/16 21:30	0	0	0	0	0	—	—	—	—	—
2025/5/16 21:40	0	0	0	0	0	—	—	—	—	—
2025/5/16 21:50	0	0	0	0	0	—	—	—	—	—
2025/5/16 22:00	0	0	0	0	0	290	306	78	66	275
2025/5/16 22:10	0	0	0	0	0	—	—	—	—	—
2025/5/16 22:20	0	0	0	0	0	—	—	—	—	—
2025/5/16 22:30	0	0	0	0	0	—	—	—	—	—
2025/5/16 22:40	0	0	0	0	0	—	—	—	—	—
2025/5/16 22:50	0	0	0	0	0	—	—	—	—	—
2025/5/16 23:00	0	0	0	0	0	273	374	92	86	240
2025/5/16 23:10	0	0	0	0	0	—	—	—	—	—
2025/5/16 23:20	0	0	0	0	0	—	—	—	—	—
2025/5/16 23:30	0	0	0	0	0	—	—	—	—	—
2025/5/16 23:40	0	0	0	0	0	—	—	—	—	—
2025/5/16 23:50	0	0	0	0	0	—	—	—	—	—
2025/5/17 0:00	0	0	0	0	0	262	483	105	92	262
2025/5/17 0:10	0	0	0	0	0	—	—	—	—	—
2025/5/17 0:20	0	0	0	0	0	—	—	—	—	—
2025/5/17 0:30	0	0	0	0	0	—	—	—	—	—
2025/5/17 0:40	0	0	0	0	0	—	—	—	—	—
2025/5/17 0:50	0	0	0	0	0	—	—	—	—	—
2025/5/17 1:00	0	0	0	0	0	346	340	103	71	292
2025/5/17 1:10	0	0	0	0	0	—	—	—	—	—
2025/5/17 1:20	0	0	0	0	0	—	—	—	—	—
2025/5/17 1:30	0	0	0	0	0	—	—	—	—	—
2025/5/17 1:40	0	0	0	0	0	—	—	—	—	—
2025/5/17 1:50	0	0	0	0	0	—	—	—	—	—
2025/5/17 2:00	0	0	0	0	0	320	262	81	73	193
2025/5/17 2:10	0	0	0	0	0	—	—	—	—	—
2025/5/17 2:20	0	0	0	0	0	—	—	—	—	—
2025/5/17 2:30	0	0	0	0	0	—	—	—	—	—
2025/5/17 2:40	0	0	0	0	0	—	—	—	—	—
2025/5/17 2:50	0	0	0	0	0	—	—	—	—	—
2025/5/17 3:00	0	0	0	0	0	298	435	79	79	204
2025/5/17 3:10	0	0	0	0	0	—	—	—	—	—
2025/5/17 3:20	0	0	0	0	0	—	—	—	—	—
2025/5/17 3:30	0	0	0	0	0	—	—	—	—	—
2025/5/17 3:40	0	0	0	0	0	—	—	—	—	—
2025/5/17 3:50	0	0	0	0	0	—	—	—	—	—
2025/5/17 4:00	0	0	0	0	0	343	390	87	73	213
2025/5/17 4:10	0	0	0	0	0	—	—	—	—	—
2025/5/17 4:20	0	0	0	0	0	—	—	—	—	—
2025/5/17 4:30	0	0	0	0	0	—	—	—	—	—
2025/5/17 4:40	0	0	0	0	0	—	—	—	—	—
2025/5/17 4:50	0	0	0	0	0	—	—	—	—	—
2025/5/17 5:00	0	0	0	0	0	254	375	77	75	133
2025/5/17 5:10	0	0	0	0	0	—	—	—	—	—
2025/5/17 5:20	0	0	0	0	0	—	—	—	—	—
2025/5/17 5:30	0	0	0	0	0	—	—	—	—	—
2025/5/17 5:40	0	0	0	0	0	—	—	—	—	—
2025/5/17 5:50	0	0	0	0	0	—	—	—	—	—
2025/5/17 6:00	0	0	0	0	0	344	264	90	100	192
2025/5/17 6:10	0	0	0	0	0	—	—	—	—	—
2025/5/17 6:20	0	0	0	0	0	—	—	—	—	—
2025/5/17 6:30	0	0	0	0	0	—	—	—	—	—
2025/5/17 6:40	0	0	0	0	0	—	—	—	—	—
2025/5/17 6:50	0	0	0	0	0	—	—	—	—	—
2025/5/17 7:00	0	0	0	0	0	199	321	74	70	209
2025/5/17 7:10	0	0	0	0	0	—	—	—	—	—
2025/5/17 7:20	0	0	0	0	0	—	—	—	—	—
2025/5/17 7:30	0	0	0	0	0	—	—	—	—	—
2025/5/17 7:40	0	0	0	0	0	—	—	—	—	—
2025/5/17 7:50	0	0	0	0	0	—	—	—	—	—
2025/5/17 8:00	0	0	0	0	0	280	329	85	95	179
2025/5/17 8:10	0	0	0	0	0	—	—	—	—	—
2025/5/17 8:20	0	0	0	0	0	—	—	—	—	—
2025/5/17 8:30	0	0	0	0	0	—	—	—	—	—
2025/5/17 8:40	0	0	0	0	0	—	—	—	—	—
2025/5/17 8:50	0	0	0	0	0	—	—	—	—	—
2025/5/17 9:00	0	0	0	0	0.3	526	611	267	116	772
2025/5/17 9:10	0	0.1	0	0	0.1	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/17 9:20	0	0	0	0	0.2	—	—	—	—	—
2025/5/17 9:30	0	0.2	0	0	0.3	—	—	—	—	—
2025/5/17 9:40	0	0.1	0	0	0	—	—	—	—	—
2025/5/17 9:50	0	0	0	0	0.1	—	—	—	—	—
2025/5/17 10:00	0	0	0	0	0	537	638	92	96	427
2025/5/17 10:10	0	0.1	0	0	0.1	—	—	—	—	—
2025/5/17 10:20	0	0	0	0	0	—	—	—	—	—
2025/5/17 10:30	0	0	0	0	0	—	—	—	—	—
2025/5/17 10:40	0	0	0	0	0	—	—	—	—	—
2025/5/17 10:50	0	0	0	0	0	—	—	—	—	—
2025/5/17 11:00	0	0	0	0	0	358	440	80	82	180
2025/5/17 11:10	0	0	0	0	0	—	—	—	—	—
2025/5/17 11:20	0	0	0	0	0	—	—	—	—	—
2025/5/17 11:30	0	0	0	0	0	—	—	—	—	—
2025/5/17 11:40	0	0	0	0	0	—	—	—	—	—
2025/5/17 11:50	0	0	0	0	0	—	—	—	—	—
2025/5/17 12:00	0	0	0	0	0	343	404	83	88	137
2025/5/17 12:10	0	0	0	0	0	—	—	—	—	—
2025/5/17 12:20	0	0	0	0	0	—	—	—	—	—
2025/5/17 12:30	0	0	0	0	0	—	—	—	—	—
2025/5/17 12:40	0	0	0	0	0	—	—	—	—	—
2025/5/17 12:50	0	0	0	0	0	—	—	—	—	—
2025/5/17 13:00	0	0	0	0	0	414	405	89	86	459
2025/5/17 13:10	0	0	0	0	0	—	—	—	—	—
2025/5/17 13:20	0	0	0	0	0	—	—	—	—	—
2025/5/17 13:30	0	0	0	0	0	—	—	—	—	—
2025/5/17 13:40	0	0	0	0	0	—	—	—	—	—
2025/5/17 13:50	0	0	0	0	0	—	—	—	—	—
2025/5/17 14:00	0	0	0	0	0	305	293	83	75	375
2025/5/17 14:10	0	0	0	0	0	—	—	—	—	—
2025/5/17 14:20	0	0	0	0	0	—	—	—	—	—
2025/5/17 14:30	0	0	0	0	0	—	—	—	—	—
2025/5/17 14:40	0	0.2	0	0	0	—	—	—	—	—
2025/5/17 14:50	0	0	0	0	0	—	—	—	—	—
2025/5/17 15:00	0	0.2	0	0	0	82	855	83	82	94
2025/5/17 15:10	0	0.1	0	0	0	—	—	—	—	—
2025/5/17 15:20	0	1.4	0	0	0	—	—	—	—	—
2025/5/17 15:30	0	4.2	0	0	0	—	—	—	—	—
2025/5/17 15:40	0	2.4	0	0	0	—	—	—	—	—
2025/5/17 15:50	0	6.8	0	0	0	—	—	—	—	—
2025/5/17 16:00	0	5.7	0	0	0	102	1361	93	98	91
2025/5/17 16:10	0	5.7	0	0	0	—	—	—	—	—
2025/5/17 16:20	0	4	0	0	0	—	—	—	—	—
2025/5/17 16:30	0	2.3	0	0	0	—	—	—	—	—
2025/5/17 16:40	0	1.9	0	0	0	—	—	—	—	—
2025/5/17 16:50	0	3	0	0	0	—	—	—	—	—
2025/5/17 17:00	0	1.1	0	0	0	202	528	86	97	72
2025/5/17 17:10	0	0.1	0	0	0	—	—	—	—	—
2025/5/17 17:20	0	0	0	0	0	—	—	—	—	—
2025/5/17 17:30	0	0	0	0	0	—	—	—	—	—
2025/5/17 17:40	0	0	0	0	0	—	—	—	—	—
2025/5/17 17:50	0	0	0	0	0	—	—	—	—	—
2025/5/17 18:00	0	0.1	0	0	0	377	426	89	92	125
2025/5/17 18:10	0	0	0	0	0	—	—	—	—	—
2025/5/17 18:20	0	0	0	0	0	—	—	—	—	—
2025/5/17 18:30	0	0	0	0	0	—	—	—	—	—
2025/5/17 18:40	0	0	0	0	0	—	—	—	—	—
2025/5/17 18:50	0	0	0	0	0	—	—	—	—	—
2025/5/17 19:00	0	0	0	0	0	67	83	92	620	89
2025/5/17 19:10	0	0	0	0	0	—	—	—	—	—
2025/5/17 19:20	0	0	0	0	0	—	—	—	—	—
2025/5/17 19:30	0	0	0	0.1	0	—	—	—	—	—
2025/5/17 19:40	0	0	0	0	0	—	—	—	—	—
2025/5/17 19:50	0	0	0	0	0	—	—	—	—	—
2025/5/17 20:00	0	0	0	0	0	67	73	106	680	87
2025/5/17 20:10	0	0	0	0	0	—	—	—	—	—
2025/5/17 20:20	0	0	0	0	0	—	—	—	—	—
2025/5/17 20:30	0	0	0	0	0	—	—	—	—	—
2025/5/17 20:40	0	0	0	0	0	—	—	—	—	—
2025/5/17 20:50	0	0	0	0	0	—	—	—	—	—
2025/5/17 21:00	0	0	0	0	0	71	95	100	619	95
2025/5/17 21:10	0	0	0	0	0	—	—	—	—	—
2025/5/17 21:20	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/17 21:30	0	0	0	0	0	—	—	—	—	—
2025/5/17 21:40	0	0	0	0	0	—	—	—	—	—
2025/5/17 21:50	0	0	0	0	0	—	—	—	—	—
2025/5/17 22:00	0	0	0	0	0	291	456	140	130	105
2025/5/17 22:10	0	0	0	0	0	—	—	—	—	—
2025/5/17 22:20	0	0	0	0	0	—	—	—	—	—
2025/5/17 22:30	0	0	0	0	0	—	—	—	—	—
2025/5/17 22:40	0	0	0	0.2	0	—	—	—	—	—
2025/5/17 22:50	0	0	0	0	0	—	—	—	—	—
2025/5/17 23:00	0	0	0	0	0	88	115	120	774	139
2025/5/17 23:10	0	0	0	0	0	—	—	—	—	—
2025/5/17 23:20	0	0	0	0	0	—	—	—	—	—
2025/5/17 23:30	0	0	0	0	0	—	—	—	—	—
2025/5/17 23:40	0	0	0	0	0	—	—	—	—	—
2025/5/17 23:50	0	0	0	0	0	—	—	—	—	—
2025/5/18 0:00	0	0	0	0	0	267	486	87	123	101
2025/5/18 0:10	0	0	0	0	0	—	—	—	—	—
2025/5/18 0:20	0	0	0	0	0	—	—	—	—	—
2025/5/18 0:30	0	0	0	0	0.1	—	—	—	—	—
2025/5/18 0:40	0	0	0	0	0	—	—	—	—	—
2025/5/18 0:50	0	0	0	0	0	—	—	—	—	—
2025/5/18 1:00	0.4	0	0	0	0	496	591	88	414	127
2025/5/18 1:10	0	0	0	0.1	0	—	—	—	—	—
2025/5/18 1:20	0	0	0	0.8	0	—	—	—	—	—
2025/5/18 1:30	0.6	0.8	0	0.5	0.3	—	—	—	—	—
2025/5/18 1:40	0	0.3	0	0.2	0	—	—	—	—	—
2025/5/18 1:50	0	0	0	—	0	—	—	—	—	—
2025/5/18 2:00	0	0	0	—	0	82	105	114	508	114
2025/5/18 2:10	0	0	0	—	0	—	—	—	—	—
2025/5/18 2:20	0	0	0	0	0	—	—	—	—	—
2025/5/18 2:30	0	0	0	0	0	—	—	—	—	—
2025/5/18 2:40	0	0	0	0	0	—	—	—	—	—
2025/5/18 2:50	0	0	0	0	0	—	—	—	—	—
2025/5/18 3:00	0	0	0	0	0	77	145	107	599	127
2025/5/18 3:10	0	0	0	0	0	—	—	—	—	—
2025/5/18 3:20	0	0	0	0	0	—	—	—	—	—
2025/5/18 3:30	0	0	0	0	0	—	—	—	—	—
2025/5/18 3:40	0	0	0	0	0	—	—	—	—	—
2025/5/18 3:50	0	0	0	0	0	—	—	—	—	—
2025/5/18 4:00	0	0	0	0	0	79	226	103	263	103
2025/5/18 4:10	0	0	0	0	0	—	—	—	—	—
2025/5/18 4:20	0	0	0	0	0	—	—	—	—	—
2025/5/18 4:30	0	0	0	0	0	—	—	—	—	—
2025/5/18 4:40	0	0	0	0	0	—	—	—	—	—
2025/5/18 4:50	0	0	0	0	0	—	—	—	—	—
2025/5/18 5:00	0	0	0	0	0	105	134	181	478	163
2025/5/18 5:10	0	0	0	0	0	—	—	—	—	—
2025/5/18 5:20	0	0	0	0	0	—	—	—	—	—
2025/5/18 5:30	0	0	0	0	0	—	—	—	—	—
2025/5/18 5:40	0	0	0	0	0	—	—	—	—	—
2025/5/18 5:50	0	0	0	0	0	—	—	—	—	—
2025/5/18 6:00	0	0	0	0	0	79	82	100	326	99
2025/5/18 6:10	0	0	0	0	0	—	—	—	—	—
2025/5/18 6:20	0	0	0	0	0	—	—	—	—	—
2025/5/18 6:30	0	0	0	0	0	—	—	—	—	—
2025/5/18 6:40	0	0	0	0	0	—	—	—	—	—
2025/5/18 6:50	0	0	0	0	0	—	—	—	—	—
2025/5/18 7:00	0	0	0	0	0	62	90	93	668	88
2025/5/18 7:10	0	0	0	0	0	—	—	—	—	—
2025/5/18 7:20	0	0	0	0	0	—	—	—	—	—
2025/5/18 7:30	0	0	0	0	0	—	—	—	—	—
2025/5/18 7:40	0	0	0	0	0	—	—	—	—	—
2025/5/18 7:50	0	0	0	0	0	—	—	—	—	—
2025/5/18 8:00	0	0	0	0	0	64	94	86	609	88
2025/5/18 8:10	0	0	0	0	0	—	—	—	—	—
2025/5/18 8:20	0	0	0	0	0	—	—	—	—	—
2025/5/18 8:30	0	0	0	0	0	—	—	—	—	—
2025/5/18 8:40	0	0.1	0	0	0	—	—	—	—	—
2025/5/18 8:50	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/18 9:00	0.1	0.1	0.1	0	0	130	228	83	449	82
2025/5/18 9:10	0.1	0.1	0.1	0	0	—	—	—	—	—
2025/5/18 9:20	0.1	0.1	0.1	0	0	—	—	—	—	—
2025/5/18 9:30	0.1	0.1	0.1	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/18 9:40	0.1	0.1	0.1	0	0	—	—	—	—	—
2025/5/18 9:50	0.1	0.1	0.1	0	0	—	—	—	—	—
2025/5/18 10:00	0.1	0.1	0.1	0	0	73	73	90	637	107
2025/5/18 10:10	0.1	0.1	0.1	0	0	—	—	—	—	—
2025/5/18 10:20	0.1	0.1	0.1	0	0	—	—	—	—	—
2025/5/18 10:30	0.1	0.1	0.1	0	0	—	—	—	—	—
2025/5/18 10:40	0.1	0.1	0.1	0	0	—	—	—	—	—
2025/5/18 10:50	0.1	0.1	0.1	0	0	—	—	—	—	—
2025/5/18 11:00	0.1	0.1	0.1	0	0	74	67	90	457	110
2025/5/18 11:10	0.1	0.1	0.1	0	0	—	—	—	—	—
2025/5/18 11:20	0.1	0.1	0.1	0	0	—	—	—	—	—
2025/5/18 11:30	0.1	0.1	0.1	0	0	—	—	—	—	—
2025/5/18 11:40	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/18 11:50	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/18 12:00	0.1	0.1	0	0	0	296	66	267	189	453
2025/5/18 12:10	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/18 12:20	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/18 12:30	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/18 12:40	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/18 12:50	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/18 13:00	0	0.1	0	0	0	61	62	79	629	101
2025/5/18 13:10	0	0.1	0	0	0	—	—	—	—	—
2025/5/18 13:20	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/18 13:30	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/18 13:40	0.1	0.1	0	0	0.1	—	—	—	—	—
2025/5/18 13:50	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/18 14:00	0.1	0.1	0	0	0	130	102	168	326	299
2025/5/18 14:10	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/18 14:20	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/18 14:30	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/18 14:40	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/18 14:50	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/18 15:00	0.1	0.1	0	0	0	402	275	86	80	308
2025/5/18 15:10	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/18 15:20	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/18 15:30	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/18 15:40	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/18 15:50	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/18 16:00	0.1	0.1	0	0	0	360	335	81	77	316
2025/5/18 16:10	0	0.1	0	0	0	—	—	—	—	—
2025/5/18 16:20	0	0.1	0	0	0	—	—	—	—	—
2025/5/18 16:30	0	0.1	0	0	0	—	—	—	—	—
2025/5/18 16:40	0	0	0	0	0	—	—	—	—	—
2025/5/18 16:50	0	0	0	0	0.1	—	—	—	—	—
2025/5/18 17:00	0	0	0	0	0	441	293	122	84	425
2025/5/18 17:10	0	0	0	0	0	—	—	—	—	—
2025/5/18 17:20	0	0	0	0	0	—	—	—	—	—
2025/5/18 17:30	0	0	0	0	0	—	—	—	—	—
2025/5/18 17:40	0	0.1	0	0	0.2	—	—	—	—	—
2025/5/18 17:50	0	0	0	0	0	—	—	—	—	—
2025/5/18 18:00	0	0	0	0	0	610	243	273	180	666
2025/5/18 18:10	0	0	0	0	0	—	—	—	—	—
2025/5/18 18:20	0	0	0	0	0	—	—	—	—	—
2025/5/18 18:30	0	0	0	0	0	—	—	—	—	—
2025/5/18 18:40	0	0	0	0	0	—	—	—	—	—
2025/5/18 18:50	0	0	0	0	0	—	—	—	—	—
2025/5/18 19:00	0	0	0	0	0	532	506	173	92	498
2025/5/18 19:10	0	0	0	0	0	—	—	—	—	—
2025/5/18 19:20	0	0	0	0	0	—	—	—	—	—
2025/5/18 19:30	0	0	0	0	0	—	—	—	—	—
2025/5/18 19:40	0	0	0	0	0	—	—	—	—	—
2025/5/18 19:50	0	0	0	0	0	—	—	—	—	—
2025/5/18 20:00	0	0	0	0	0	504	152	146	88	363
2025/5/18 20:10	0	0	0	0	0	—	—	—	—	—
2025/5/18 20:20	0	0	0	0	0	—	—	—	—	—
2025/5/18 20:30	0	0	0	0	0	—	—	—	—	—
2025/5/18 20:40	0	0	0	0	0	—	—	—	—	—
2025/5/18 20:50	0	0	0	0	0	—	—	—	—	—
2025/5/18 21:00	0	0	0	0	0	498	366	134	102	451
2025/5/18 21:10	0	0	0	0	0	—	—	—	—	—
2025/5/18 21:20	0	0	0	0	0	—	—	—	—	—
2025/5/18 21:30	0	0	0	0	0	—	—	—	—	—
2025/5/18 21:40	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/18 21:50	0	0	0	0	0	—	—	—	—	—
2025/5/18 22:00	0	0	0	0	0	403	508	150	99	259
2025/5/18 22:10	0	0	0	0	0	—	—	—	—	—
2025/5/18 22:20	0	0	0	0	0	—	—	—	—	—
2025/5/18 22:30	0	0	0	0	0	—	—	—	—	—
2025/5/18 22:40	0	0	0	0	0	—	—	—	—	—
2025/5/18 22:50	0	0	0	0	0	—	—	—	—	—
2025/5/18 23:00	0.4	0	0	0	0	992	580	91	149	715
2025/5/18 23:10	2.3	0	0	0	0.9	—	—	—	—	—
2025/5/18 23:20	0	0	0	0	0.6	—	—	—	—	—
2025/5/18 23:30	0	0	0	0	0	—	—	—	—	—
2025/5/18 23:40	0	0	0.3	0	0	—	—	—	—	—
2025/5/18 23:50	0	0	0.6	0	0	—	—	—	—	—
2025/5/19 0:00	0	0	0	0	0	865	900	219	257	1191
2025/5/19 0:10	0	1.4	0	0	0	—	—	—	—	—
2025/5/19 0:20	0	0	0	0	0	—	—	—	—	—
2025/5/19 0:30	0	0	0.2	0	0	—	—	—	—	—
2025/5/19 0:40	0	0	1.6	0	0	—	—	—	—	—
2025/5/19 0:50	0	0	0	0	0	—	—	—	—	—
2025/5/19 1:00	0	0	0	0	0	86	119	416	513	228
2025/5/19 1:10	0	0	0	0	0	—	—	—	—	—
2025/5/19 1:20	0	0	0	0	0	—	—	—	—	—
2025/5/19 1:30	0	0	0	0	0	—	—	—	—	—
2025/5/19 1:40	0	0	0	0	0	—	—	—	—	—
2025/5/19 1:50	0	0	0	0	0	—	—	—	—	—
2025/5/19 2:00	0	0	0	0	0	708	152	108	94	443
2025/5/19 2:10	0	0	0	0	0	—	—	—	—	—
2025/5/19 2:20	0	0	0	0	0	—	—	—	—	—
2025/5/19 2:30	0	0	0	0	0	—	—	—	—	—
2025/5/19 2:40	0	0	0	0	0	—	—	—	—	—
2025/5/19 2:50	0	0	0	0	0	—	—	—	—	—
2025/5/19 3:00	0	0	0	0	0	407	294	120	114	370
2025/5/19 3:10	0	0	0	0	0	—	—	—	—	—
2025/5/19 3:20	0	0	0	0	0	—	—	—	—	—
2025/5/19 3:30	0	0	0	0	0	—	—	—	—	—
2025/5/19 3:40	0	0	0	0	0	—	—	—	—	—
2025/5/19 3:50	0	0	0	0	0	—	—	—	—	—
2025/5/19 4:00	0	0	0	0	0	122	335	331	121	402
2025/5/19 4:10	0	0	0	0	0	—	—	—	—	—
2025/5/19 4:20	0	0	0	0	0	—	—	—	—	—
2025/5/19 4:30	0	0	0	0	0	—	—	—	—	—
2025/5/19 4:40	0	0	0	0	0	—	—	—	—	—
2025/5/19 4:50	0	0	0	0	0	—	—	—	—	—
2025/5/19 5:00	0	0	0	0	0	164	122	366	76	476
2025/5/19 5:10	0	0	0	0	0	—	—	—	—	—
2025/5/19 5:20	0	0	0	0	0	—	—	—	—	—
2025/5/19 5:30	0	0	0	0	0	—	—	—	—	—
2025/5/19 5:40	0	0	0	0	0	—	—	—	—	—
2025/5/19 5:50	0	0	0	0	0	—	—	—	—	—
2025/5/19 6:00	0	0	0	0	0	47	209	234	229	141
2025/5/19 6:10	0	0	0	0	0	—	—	—	—	—
2025/5/19 6:20	0	0	0	0	0	—	—	—	—	—
2025/5/19 6:30	0	0	0	0	0	—	—	—	—	—
2025/5/19 6:40	0	0	0	0	0	—	—	—	—	—
2025/5/19 6:50	0	0	0	0	0	—	—	—	—	—
2025/5/19 7:00	0	0	0	0	0	55	138	279	100	219
2025/5/19 7:10	0	0	0	0	0	—	—	—	—	—
2025/5/19 7:20	0	0	0	0	0	—	—	—	—	—
2025/5/19 7:30	0	0	0	0	0	—	—	—	—	—
2025/5/19 7:40	0	0	0	0	0	—	—	—	—	—
2025/5/19 7:50	0	0	0	0	0	—	—	—	—	—
2025/5/19 8:00	0	0	0	0	0	113	188	265	162	248
2025/5/19 8:10	0	0	0	0	0	—	—	—	—	—
2025/5/19 8:20	0	0	0	0	0	—	—	—	—	—
2025/5/19 8:30	0	0	0	0	0	—	—	—	—	—
2025/5/19 8:40	0	0	0	0	0	—	—	—	—	—
2025/5/19 8:50	0	0	0	0	0	—	—	—	—	—
2025/5/19 9:00	0	0	0	0	0	115	456	271	269	392
2025/5/19 9:10	0	0	0	0	0	—	—	—	—	—
2025/5/19 9:20	0	0	0	0	0	—	—	—	—	—
2025/5/19 9:30	0	0	0	0	0	—	—	—	—	—
2025/5/19 9:40	0	0	0	0	0	—	—	—	—	—
2025/5/19 9:50	0	0	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/19 10:00	0	0.1	0	0	0	170	599	309	199	374
2025/5/19 10:10	0	0.2	0	0	0	—	—	—	—	—
2025/5/19 10:20	0	0.1	0	0	0	—	—	—	—	—
2025/5/19 10:30	0	0.2	0	0	0	—	—	—	—	—
2025/5/19 10:40	0	0	0	0	0	—	—	—	—	—
2025/5/19 10:50	0	0	0	0	0	—	—	—	—	—
2025/5/19 11:00	0	0.1	0	0	0	123	380	259	243	440
2025/5/19 11:10	0	0	0	0	0	—	—	—	—	—
2025/5/19 11:20	0	0.1	0	0	0	—	—	—	—	—
2025/5/19 11:30	0	0	0	0	0	—	—	—	—	—
2025/5/19 11:40	0	0.1	0	0	0	—	—	—	—	—
2025/5/19 11:50	0	0	0	0	0	—	—	—	—	—
2025/5/19 12:00	0	0.2	0	0	0	97	355	320	100	514
2025/5/19 12:10	0	0.1	0	0	0	—	—	—	—	—
2025/5/19 12:20	0	0	0	0	0	—	—	—	—	—
2025/5/19 12:30	0	0	0	0	0	—	—	—	—	—
2025/5/19 12:40	0	0.1	0	0	0.3	—	—	—	—	—
2025/5/19 12:50	0	0.2	0	0	0	—	—	—	—	—
2025/5/19 13:00	—	0	0	0	0.1	90	126	281	68	451
2025/5/19 13:10	0	0	0	0	0.1	—	—	—	—	—
2025/5/19 13:20	0	0	0	0	0	—	—	—	—	—
2025/5/19 13:30	0	0.1	0	0	0	—	—	—	—	—
2025/5/19 13:40	0	0	0	0	0	—	—	—	—	—
2025/5/19 13:50	0	0	0	0	0	—	—	—	—	—
2025/5/19 14:00	0	0	0	0	0	234	294	448	129	442
2025/5/19 14:10	0	0	0	0	0.1	—	—	—	—	—
2025/5/19 14:20	0	0	0	0	0.1	—	—	—	—	—
2025/5/19 14:30	0	0	0	0	0	—	—	—	—	—
2025/5/19 14:40	0	0	0	0	0	—	—	—	—	—
2025/5/19 14:50	0	0	0	0	0	—	—	—	—	—
2025/5/19 15:00	0	0.1	0	0	0	91	306	409	206	377
2025/5/19 15:10	0	0	0	0	0	—	—	—	—	—
2025/5/19 15:20	0	0	0	0	0	—	—	—	—	—
2025/5/19 15:30	0	0.1	0	0	0	—	—	—	—	—
2025/5/19 15:40	0	0	0	0	0	—	—	—	—	—
2025/5/19 15:50	0	0	0	0	0.1	—	—	—	—	—
2025/5/19 16:00	0	0	0	0	0.1	258	376	340	129	692
2025/5/19 16:10	0	0	0	0	0	—	—	—	—	—
2025/5/19 16:20	0	0	0	0	0	—	—	—	—	—
2025/5/19 16:30	0	0	0	0	0	—	—	—	—	—
2025/5/19 16:40	0	0.1	0	0	0.1	—	—	—	—	—
2025/5/19 16:50	0	0.1	0	0	0	—	—	—	—	—
2025/5/19 17:00	0	0	0	0	0.6	74	303	426	119	330
2025/5/19 17:10	0	0	0	0	0	—	—	—	—	—
2025/5/19 17:20	0	0	0	0	0	—	—	—	—	—
2025/5/19 17:30	0	0	0	0	0	—	—	—	—	—
2025/5/19 17:40	0	0	0	0	0	—	—	—	—	—
2025/5/19 17:50	0	0	0	0	0	—	—	—	—	—
2025/5/19 18:00	0	0	0	0	0	68	117	333	113	374
2025/5/19 18:10	0	0	0	0	0	—	—	—	—	—
2025/5/19 18:20	0	0	0	0	0	—	—	—	—	—
2025/5/19 18:30	0	0	0	0	0	—	—	—	—	—
2025/5/19 18:40	0	0	0	0	0	—	—	—	—	—
2025/5/19 18:50	0	0	0	0	0	—	—	—	—	—
2025/5/19 19:00	0	0	0	0	0	228	173	220	87	482
2025/5/19 19:10	0	0	0	0	0	—	—	—	—	—
2025/5/19 19:20	0	0	0	0	0	—	—	—	—	—
2025/5/19 19:30	0	0	0	0	0	—	—	—	—	—
2025/5/19 19:40	0	0	0	0	0	—	—	—	—	—
2025/5/19 19:50	0	0	0	0	0.1	—	—	—	—	—
2025/5/19 20:00	0	0	0	0	0	97	170	411	93	463
2025/5/19 20:10	0	0	0	0	0	—	—	—	—	—
2025/5/19 20:20	0	0	0	0	0.5	—	—	—	—	—
2025/5/19 20:30	0	0	0	0	0	—	—	—	—	—
2025/5/19 20:40	0	0	0	0	0	—	—	—	—	—
2025/5/19 20:50	0	0	0	0	0	—	—	—	—	—
2025/5/19 21:00	0	0	0	0	0	146	147	301	193	304
2025/5/19 21:10	0	0	0	0	0	—	—	—	—	—
2025/5/19 21:20	0	0	0	0	0	—	—	—	—	—
2025/5/19 21:30	0	0	0	0	0	—	—	—	—	—
2025/5/19 21:40	0	0	0	0	0	—	—	—	—	—
2025/5/19 21:50	0	0	0	0.1	0.8	—	—	—	—	—
2025/5/19 22:00	0	0	0	0	0.4	218	148	278	69	598

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/19 22:10	0	0	0	0	0.2	—	—	—	—	—
2025/5/19 22:20	0	0	0	0	0	—	—	—	—	—
2025/5/19 22:30	0	0	0	0	0.2	—	—	—	—	—
2025/5/19 22:40	0	0	0	0	0	—	—	—	—	—
2025/5/19 22:50	0	0	0	0	0	—	—	—	—	—
2025/5/19 23:00	0	0	0	0	0	170	89	459	172	542
2025/5/19 23:10	0	0	0	0	0	—	—	—	—	—
2025/5/19 23:20	0	0	0	0.3	0	—	—	—	—	—
2025/5/19 23:30	0	0	0	0.1	0	—	—	—	—	—
2025/5/19 23:40	0	0	0	0	0	—	—	—	—	—
2025/5/19 23:50	0	0	0	0	0	—	—	—	—	—
2025/5/20 0:00	0	0	0	0.3	0	47	305	64	850	56
2025/5/20 0:10	0	0	0	0.1	0	—	—	—	—	—
2025/5/20 0:20	0	0	0	0	0	—	—	—	—	—
2025/5/20 0:30	0	0	0	0	0	—	—	—	—	—
2025/5/20 0:40	0	0	0	0	0	—	—	—	—	—
2025/5/20 0:50	0	0	0	0	0	—	—	—	—	—
2025/5/20 1:00	0	0	0	0	0	98	273	104	755	118
2025/5/20 1:10	0	0	0	0	0	—	—	—	—	—
2025/5/20 1:20	0	0	0	0	0	—	—	—	—	—
2025/5/20 1:30	0	0	0	0	0	—	—	—	—	—
2025/5/20 1:40	0	0	0	0	0	—	—	—	—	—
2025/5/20 1:50	0	0	0	0	0	—	—	—	—	—
2025/5/20 2:00	0	0	0	0	0	127	145	136	756	136
2025/5/20 2:10	0	0	0	0	0	—	—	—	—	—
2025/5/20 2:20	0	0	0	0	0	—	—	—	—	—
2025/5/20 2:30	0	0	0	0	0	—	—	—	—	—
2025/5/20 2:40	0	0	0	0	0	—	—	—	—	—
2025/5/20 2:50	0	0	0	0	0	—	—	—	—	—
2025/5/20 3:00	0	0	0	0	0	116	124	229	569	341
2025/5/20 3:10	0	0	0	0	0	—	—	—	—	—
2025/5/20 3:20	0	0	0	0	0	—	—	—	—	—
2025/5/20 3:30	0	0	0	0	0	—	—	—	—	—
2025/5/20 3:40	0	0	0	0	0	—	—	—	—	—
2025/5/20 3:50	0	0	0	0	0	—	—	—	—	—
2025/5/20 4:00	0	0	0	0	0	86	277	94	915	89
2025/5/20 4:10	0	0	0	0	0	—	—	—	—	—
2025/5/20 4:20	0	0	0	0	0	—	—	—	—	—
2025/5/20 4:30	0	0	0	0	0	—	—	—	—	—
2025/5/20 4:40	0	0	0	0	0	—	—	—	—	—
2025/5/20 4:50	0	0	0	0	0	—	—	—	—	—
2025/5/20 5:00	0	0	0	0	0	100	272	112	870	104
2025/5/20 5:10	0	0	0	0	0	—	—	—	—	—
2025/5/20 5:20	0	0	0	0	0	—	—	—	—	—
2025/5/20 5:30	0	0	0	0	0	—	—	—	—	—
2025/5/20 5:40	0	0	0	0	0	—	—	—	—	—
2025/5/20 5:50	0	0	0	0	0	—	—	—	—	—
2025/5/20 6:00	0	0	0	0	0	276	305	195	273	373
2025/5/20 6:10	0	0	0	0	0	—	—	—	—	—
2025/5/20 6:20	0	0	0	0	0	—	—	—	—	—
2025/5/20 6:30	0	0	0	0	0	—	—	—	—	—
2025/5/20 6:40	0	0	0	0	0	—	—	—	—	—
2025/5/20 6:50	0	0	0.1	0	0	—	—	—	—	—
2025/5/20 7:00	0	0	0.1	0.1	0	90	256	85	566	140
2025/5/20 7:10	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/20 7:20	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/20 7:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/20 7:40	0	0	0.1	0.2	0	—	—	—	—	—
2025/5/20 7:50	0	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/20 8:00	0	1.1	0.1	0.3	0	87	226	103	416	120
2025/5/20 8:10	0	0	0.1	0.2	0	—	—	—	—	—
2025/5/20 8:20	0	0	0.1	0.2	0	—	—	—	—	—
2025/5/20 8:30	0	0	0.1	0.2	0.1	—	—	—	—	—
2025/5/20 8:40	0	0	0.1	0.2	0	—	—	—	—	—
2025/5/20 8:50	0.1	0	0.1	0.2	0	—	—	—	—	—
2025/5/20 9:00	0.1	0	0.1	0.2	0.1	151	423	61	211	92
2025/5/20 9:10	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/20 9:20	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/20 9:30	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/20 9:40	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/20 9:50	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/20 10:00	0.1	0	0.1	0.1	0	247	313	63	94	76
2025/5/20 10:10	0.1	0	0.1	0.1	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/20 10:20	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/20 10:30	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/20 10:40	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/20 10:50	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/20 11:00	0.1	0.1	0.1	0.1	0	235	395	65	131	97
2025/5/20 11:10	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/20 11:20	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/20 11:30	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/20 11:40	0.1	0.1	0.1	0.1	0.1	—	—	—	—	—
2025/5/20 11:50	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/20 12:00	0.1	0.1	0.1	0.1	0	228	365	70	97	238
2025/5/20 12:10	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/20 12:20	0.1	0.1	0.1	0.1	0.1	—	—	—	—	—
2025/5/20 12:30	0.1	0.1	0.1	0.1	0.1	—	—	—	—	—
2025/5/20 12:40	0.1	0.1	0.1	0.1	0.1	—	—	—	—	—
2025/5/20 12:50	0.1	0.1	0.1	0.1	0.1	—	—	—	—	—
2025/5/20 13:00	0.1	0.1	0.1	0.1	0.1	171	469	271	99	413
2025/5/20 13:10	0.1	0.1	0	0.1	0.1	—	—	—	—	—
2025/5/20 13:20	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/20 13:30	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/20 13:40	0.2	0.1	0	0.1	0	—	—	—	—	—
2025/5/20 13:50	0.2	0.1	0	0.1	0	—	—	—	—	—
2025/5/20 14:00	0.2	0.1	0	0.1	0	235	302	183	112	405
2025/5/20 14:10	0.2	0.1	0	0.1	0	—	—	—	—	—
2025/5/20 14:20	0.2	0.1	0	0.1	0	—	—	—	—	—
2025/5/20 14:30	0.2	0.1	0	0.1	0	—	—	—	—	—
2025/5/20 14:40	0.2	0.1	0	0.1	0	—	—	—	—	—
2025/5/20 14:50	0.2	0.1	0	0.1	0	—	—	—	—	—
2025/5/20 15:00	0.2	0.1	0	0.1	0	164	394	292	110	461
2025/5/20 15:10	0.2	0.1	0	0.1	0	—	—	—	—	—
2025/5/20 15:20	0.2	0.1	0	0.1	0	—	—	—	—	—
2025/5/20 15:30	0.2	0.1	0	0.1	0	—	—	—	—	—
2025/5/20 15:40	0.2	0.2	0	0.1	0	—	—	—	—	—
2025/5/20 15:50	0.2	0.2	0	0.1	0	—	—	—	—	—
2025/5/20 16:00	0.2	0.2	0	0.1	0	358	414	168	104	551
2025/5/20 16:10	0.2	0.2	0	0.1	0	—	—	—	—	—
2025/5/20 16:20	0.2	0.2	0	0.1	0	—	—	—	—	—
2025/5/20 16:30	0.1	0.2	0	0	0	—	—	—	—	—
2025/5/20 16:40	0.1	0.2	0	0	0	—	—	—	—	—
2025/5/20 16:50	0.1	0.2	0	0	0	—	—	—	—	—
2025/5/20 17:00	0.1	0.2	0	0	0	234	509	221	84	596
2025/5/20 17:10	0.1	0.2	0	0	0	—	—	—	—	—
2025/5/20 17:20	0.1	0.2	0	0	0	—	—	—	—	—
2025/5/20 17:30	0.1	0.3	0	0	0	—	—	—	—	—
2025/5/20 17:40	0.1	0.3	0	0	0	—	—	—	—	—
2025/5/20 17:50	0.1	0.4	0	0	0	—	—	—	—	—
2025/5/20 18:00	0.1	0.1	0	0	0	363	556	294	91	640
2025/5/20 18:10	0	0.1	0	0	0	—	—	—	—	—
2025/5/20 18:20	0	0.4	0	0	0	—	—	—	—	—
2025/5/20 18:30	0	1.3	0	0	0	—	—	—	—	—
2025/5/20 18:40	0	1.3	0	0	0	—	—	—	—	—
2025/5/20 18:50	0	0	0	0	0	—	—	—	—	—
2025/5/20 19:00	0	0	0	0	0	481	463	94	80	386
2025/5/20 19:10	0	0.1	0	0	0	—	—	—	—	—
2025/5/20 19:20	0	0.1	0	0	0	—	—	—	—	—
2025/5/20 19:30	0	0	0	0	0	—	—	—	—	—
2025/5/20 19:40	0	0	0	0	0	—	—	—	—	—
2025/5/20 19:50	0	0	0	0	0	—	—	—	—	—
2025/5/20 20:00	0	0	0	0	0	297	342	293	115	536
2025/5/20 20:10	0	0	0	0	0	—	—	—	—	—
2025/5/20 20:20	0	0	0	0	0	—	—	—	—	—
2025/5/20 20:30	0	0	0	0	0	—	—	—	—	—
2025/5/20 20:40	0	0	0	0	0	—	—	—	—	—
2025/5/20 20:50	0	0	0	0	0	—	—	—	—	—
2025/5/20 21:00	0	0	0	0	0	653	297	246	343	699
2025/5/20 21:10	0	0	0	0	0	—	—	—	—	—
2025/5/20 21:20	0	0.8	0.1	0.7	1.1	—	—	—	—	—
2025/5/20 21:30	0	0	0	0	0.9	—	—	—	—	—
2025/5/20 21:40	0	0	0	0	0	—	—	—	—	—
2025/5/20 21:50	0	0	0	0	0.3	—	—	—	—	—
2025/5/20 22:00	0	0	0	0	0	415	579	429	1223	630
2025/5/20 22:10	0	0.1	0	3.8	0.1	—	—	—	—	—
2025/5/20 22:20	0	0	0	3.8	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/20 22:30	0	0	0	2.4	0	—	—	—	—	—
2025/5/20 22:40	0	0	0	2	0	—	—	—	—	—
2025/5/20 22:50	0	0	0	1.1	0	—	—	—	—	—
2025/5/20 23:00	0	0	0	0.4	0	73	572	98	691	80
2025/5/20 23:10	0	0	0	0.1	0	—	—	—	—	—
2025/5/20 23:20	0	0	0	0	0	—	—	—	—	—
2025/5/20 23:30	0	0	0	0	0	—	—	—	—	—
2025/5/20 23:40	0	0	0	0.1	0	—	—	—	—	—
2025/5/20 23:50	0	0	0	0.4	0	—	—	—	—	—
2025/5/21 0:00	0	0	0	0.1	0	87	211	110	799	94
2025/5/21 0:10	0	0	0	0.5	0	—	—	—	—	—
2025/5/21 0:20	0	0	0	2	0	—	—	—	—	—
2025/5/21 0:30	0	0	0	0.5	0	—	—	—	—	—
2025/5/21 0:40	0	0	0	0.3	0	—	—	—	—	—
2025/5/21 0:50	0	0	0	0	0	—	—	—	—	—
2025/5/21 1:00	0	0	0	0.9	0	87	122	105	509	103
2025/5/21 1:10	0	0	0	0	0	—	—	—	—	—
2025/5/21 1:20	0	0	0	0	0	—	—	—	—	—
2025/5/21 1:30	0	0	0	0	0	—	—	—	—	—
2025/5/21 1:40	0	0	0	0	0	—	—	—	—	—
2025/5/21 1:50	0	0	0	0	0	—	—	—	—	—
2025/5/21 2:00	0	0	0	0.1	0	703	561	324	188	619
2025/5/21 2:10	0	0	0	0	0	—	—	—	—	—
2025/5/21 2:20	0	0	0	0	0.3	—	—	—	—	—
2025/5/21 2:30	0	0	0	0	0.7	—	—	—	—	—
2025/5/21 2:40	0	0	0	0	0	—	—	—	—	—
2025/5/21 2:50	0	0	0	0.1	0.2	—	—	—	—	—
2025/5/21 3:00	0	0	0	0.6	0	383	480	350	137	680
2025/5/21 3:10	0	0	0	0	0	—	—	—	—	—
2025/5/21 3:20	0	0	0	0	0.2	—	—	—	—	—
2025/5/21 3:30	0	0	0	0	0	—	—	—	—	—
2025/5/21 3:40	0	0	0	0	0	—	—	—	—	—
2025/5/21 3:50	0	0	0	0	0	—	—	—	—	—
2025/5/21 4:00	0	0	0	0	0	577	215	134	115	540
2025/5/21 4:10	0	0	0	0	0	—	—	—	—	—
2025/5/21 4:20	0	0	0	0	0	—	—	—	—	—
2025/5/21 4:30	0	0	0	0	0	—	—	—	—	—
2025/5/21 4:40	0	0	0	0	0	—	—	—	—	—
2025/5/21 4:50	0	0	0	0	0	—	—	—	—	—
2025/5/21 5:00	0	0	0	0	0	310	274	153	97	443
2025/5/21 5:10	0	0	0	0	0	—	—	—	—	—
2025/5/21 5:20	0	0	0	0	0	—	—	—	—	—
2025/5/21 5:30	0	0	0	0	0	—	—	—	—	—
2025/5/21 5:40	0	0	0	0	0	—	—	—	—	—
2025/5/21 5:50	0	0	0	0	0	—	—	—	—	—
2025/5/21 6:00	0	0	0	0	0	176	193	217	379	278
2025/5/21 6:10	0	0	0	0.2	0	—	—	—	—	—
2025/5/21 6:20	0	0	0	0.1	0	—	—	—	—	—
2025/5/21 6:30	0	0	0	0.1	0	—	—	—	—	—
2025/5/21 6:40	0	0	0	0.1	0	—	—	—	—	—
2025/5/21 6:50	0	0	0	0.1	0.1	—	—	—	—	—
2025/5/21 7:00	0	0	0	0.1	0	167	276	138	391	146
2025/5/21 7:10	0	0	0	0.1	0	—	—	—	—	—
2025/5/21 7:20	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/21 7:30	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/21 7:40	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/21 7:50	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/21 8:00	0	0	0.1	0.2	0	46	226	229	286	339
2025/5/21 8:10	0	0	0.1	0.1	0	—	—	—	—	—
2025/5/21 8:20	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/21 8:30	0.1	0.3	0.1	0.1	0	—	—	—	—	—
2025/5/21 8:40	0.1	0.2	0.1	0.1	0	—	—	—	—	—
2025/5/21 8:50	0.1	0.4	0.1	0.1	0	—	—	—	—	—
2025/5/21 9:00	0.1	0.6	0.1	0.1	0	130	158	281	111	512
2025/5/21 9:10	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/21 9:20	0.1	0.4	0.1	0.1	0	—	—	—	—	—
2025/5/21 9:30	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/21 9:40	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/21 9:50	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/21 10:00	0.1	0	0.1	0.1	0	258	726	162	100	411
2025/5/21 10:10	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/21 10:20	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/21 10:30	0.1	0.1	0.1	0.1	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/21 10:40	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/21 10:50	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/21 11:00	0.1	0	0.1	0.1	0	165	629	130	131	358
2025/5/21 11:10	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/21 11:20	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/21 11:30	0.1	0	0.1	0.1	0.1	—	—	—	—	—
2025/5/21 11:40	0.1	0	0.1	0.1	0.1	—	—	—	—	—
2025/5/21 11:50	0.1	0	0.1	0.1	0.1	—	—	—	—	—
2025/5/21 12:00	0.1	0	0.1	0.1	0.1	323	780	65	80	237
2025/5/21 12:10	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/21 12:20	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/21 12:30	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/21 12:40	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/21 12:50	0.1	0.1	0.1	0.1	0.1	—	—	—	—	—
2025/5/21 13:00	0.1	0.1	0.1	0.1	0	314	428	173	85	519
2025/5/21 13:10	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/21 13:20	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/21 13:30	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/21 13:40	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/21 13:50	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/21 14:00	0.2	0.1	0	0.1	0	266	1935	160	146	434
2025/5/21 14:10	0.2	0.1	0	0.1	0	—	—	—	—	—
2025/5/21 14:20	0.2	0.1	0	0.1	0	—	—	—	—	—
2025/5/21 14:30	0.2	0.1	0	0.1	0	—	—	—	—	—
2025/5/21 14:40	0.2	0.1	0	0.1	0	—	—	—	—	—
2025/5/21 14:50	0.2	0.1	0	0.1	0	—	—	—	—	—
2025/5/21 15:00	0.2	0.1	0	0.1	0	189	657	205	105	501
2025/5/21 15:10	0.2	0.1	0	0.1	0	—	—	—	—	—
2025/5/21 15:20	0.2	0.1	0	0.1	0.1	—	—	—	—	—
2025/5/21 15:30	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/21 15:40	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/21 15:50	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/21 16:00	0.1	0.1	0	0.1	0	285	547	68	79	172
2025/5/21 16:10	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/21 16:20	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/21 16:30	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/21 16:40	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/21 16:50	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/21 17:00	0.1	0.1	0	0.1	0	348	1121	188	99	576
2025/5/21 17:10	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/21 17:20	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/21 17:30	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/21 17:40	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/21 17:50	0	0	0	0.1	0	—	—	—	—	—
2025/5/21 18:00	0	0	0	0.1	0	264	674	97	82	269
2025/5/21 18:10	0	0	0	0.1	0	—	—	—	—	—
2025/5/21 18:20	0	0	0	0.1	0	—	—	—	—	—
2025/5/21 18:30	0	0	0	0.1	0	—	—	—	—	—
2025/5/21 18:40	0	0	0	0.1	0	—	—	—	—	—
2025/5/21 18:50	0	0	0	0.1	0	—	—	—	—	—
2025/5/21 19:00	0	0	0	0.1	0	360	444	65	67	263
2025/5/21 19:10	0	0	0	0.1	0	—	—	—	—	—
2025/5/21 19:20	0	0	0	0.1	0	—	—	—	—	—
2025/5/21 19:30	0	0	0	0.1	0	—	—	—	—	—
2025/5/21 19:40	0	0	0	0.1	0	—	—	—	—	—
2025/5/21 19:50	0	0	0	0.1	0	—	—	—	—	—
2025/5/21 20:00	0	0	0	0.1	0	363	1118	68	65	135
2025/5/21 20:10	0	0	0	0.1	0	—	—	—	—	—
2025/5/21 20:20	0	0	0	0.1	0	—	—	—	—	—
2025/5/21 20:30	0	0	0	0.1	0	—	—	—	—	—
2025/5/21 20:40	0	0	0	0.1	0	—	—	—	—	—
2025/5/21 20:50	0	0	0	0.1	0	—	—	—	—	—
2025/5/21 21:00	0	0	0	0.1	0	438	497	139	77	508
2025/5/21 21:10	0	0	0	0.1	0	—	—	—	—	—
2025/5/21 21:20	0	0	0	0.1	0	—	—	—	—	—
2025/5/21 21:30	0	0	0	0	0	—	—	—	—	—
2025/5/21 21:40	0	0	0	0	0	—	—	—	—	—
2025/5/21 21:50	0	0	0	0	0	—	—	—	—	—
2025/5/21 22:00	0	0	0	0	0.4	621	679	148	77	698
2025/5/21 22:10	0	0	0	0	0.2	—	—	—	—	—
2025/5/21 22:20	0	0	0	0	0.2	—	—	—	—	—
2025/5/21 22:30	0	0	0	0	0.4	—	—	—	—	—
2025/5/21 22:40	0	0	0	0	0.2	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/21 22:50	0	0	0	0	0.5	—	—	—	—	—
2025/5/21 23:00	0	0	0	0	0.6	398	642	296	74	741
2025/5/21 23:10	0	0	0	0	0.3	—	—	—	—	—
2025/5/21 23:20	0	0	0	0	0	—	—	—	—	—
2025/5/21 23:30	0	0	0	0	0	—	—	—	—	—
2025/5/21 23:40	0	0	0	0	0.7	—	—	—	—	—
2025/5/21 23:50	0	0	0	0	0.1	—	—	—	—	—
2025/5/22 0:00	0	0	0	0	0.1	558	542	144	69	511
2025/5/22 0:10	0	0	0	0	0	—	—	—	—	—
2025/5/22 0:20	0	0	0	0	0	—	—	—	—	—
2025/5/22 0:30	0	0	0	0	0.2	—	—	—	—	—
2025/5/22 0:40	0	0	0	0	0	—	—	—	—	—
2025/5/22 0:50	0	0	0	0	0	—	—	—	—	—
2025/5/22 1:00	0	0	0	0	0	600	669	228	76	701
2025/5/22 1:10	0	0	0	0	0.5	—	—	—	—	—
2025/5/22 1:20	0	0	0	0	0.4	—	—	—	—	—
2025/5/22 1:30	0	0	0	0	0	—	—	—	—	—
2025/5/22 1:40	0	0	0	0	0	—	—	—	—	—
2025/5/22 1:50	0	0	0	0	0	—	—	—	—	—
2025/5/22 2:00	0	0	0	0	0	649	617	79	69	380
2025/5/22 2:10	0	0	0	0	0.1	—	—	—	—	—
2025/5/22 2:20	0	0	0	0	0	—	—	—	—	—
2025/5/22 2:30	0	0	0	0	0	—	—	—	—	—
2025/5/22 2:40	0	0	0	0	0	—	—	—	—	—
2025/5/22 2:50	0	0	0	0	0	—	—	—	—	—
2025/5/22 3:00	0	0	0	0	0	264	702	68	67	59
2025/5/22 3:10	0	0	0	0	0	—	—	—	—	—
2025/5/22 3:20	0	0	0	0	0	—	—	—	—	—
2025/5/22 3:30	0	0	0	0	0	—	—	—	—	—
2025/5/22 3:40	0	0	0	0	0	—	—	—	—	—
2025/5/22 3:50	0	0	0	0	0	—	—	—	—	—
2025/5/22 4:00	0	0	0	0	0	396	715	72	75	72
2025/5/22 4:10	0	0	0	0	0	—	—	—	—	—
2025/5/22 4:20	0	0	0	0	0	—	—	—	—	—
2025/5/22 4:30	0	0	0	0	0.5	—	—	—	—	—
2025/5/22 4:40	0	0	0	0	0	—	—	—	—	—
2025/5/22 4:50	0	0	0	0	0.1	—	—	—	—	—
2025/5/22 5:00	0	0	0	0	0	476	635	152	66	707
2025/5/22 5:10	0	0	0	0	0.5	—	—	—	—	—
2025/5/22 5:20	0	0	0	0	0.4	—	—	—	—	—
2025/5/22 5:30	0	0	0	0	0.2	—	—	—	—	—
2025/5/22 5:40	0	0	0	0	0	—	—	—	—	—
2025/5/22 5:50	0	0	0	0	0	—	—	—	—	—
2025/5/22 6:00	0	0	0	0	0.2	219	467	237	95	635
2025/5/22 6:10	0	0	0	0	0	—	—	—	—	—
2025/5/22 6:20	0	0	0	0	0	—	—	—	—	—
2025/5/22 6:30	0	0	0	0	0	—	—	—	—	—
2025/5/22 6:40	0	0	0	0	0.1	—	—	—	—	—
2025/5/22 6:50	0	0	0	0	0.3	—	—	—	—	—
2025/5/22 7:00	0	0	0	0	0.4	686	453	177	87	565
2025/5/22 7:10	0.1	0	0	0	0.8	—	—	—	—	—
2025/5/22 7:20	0	0.4	0	0	1.2	—	—	—	—	—
2025/5/22 7:30	0	0	0	0.1	0.8	—	—	—	—	—
2025/5/22 7:40	0	0	0	0.1	0	—	—	—	—	—
2025/5/22 7:50	0	0	0	0.1	0.3	—	—	—	—	—
2025/5/22 8:00	0	0.2	0	0	0.1	252	673	61	189	84
2025/5/22 8:10	0	0	0	0	0	—	—	—	—	—
2025/5/22 8:20	0	0.1	0	0.1	0	—	—	—	—	—
2025/5/22 8:30	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/22 8:40	0.1	0	0.1	0.1	0.3	—	—	—	—	—
2025/5/22 8:50	0.1	0	0.1	0.1	0.1	—	—	—	—	—
2025/5/22 9:00	0.1	0	0.1	0.1	0	276	913	80	72	235
2025/5/22 9:10	0.1	0	0.1	0.1	0.2	—	—	—	—	—
2025/5/22 9:20	0.1	0	0.1	0.1	0.2	—	—	—	—	—
2025/5/22 9:30	0.1	0	0.1	0.1	0.1	—	—	—	—	—
2025/5/22 9:40	0.1	0	0.1	0.1	0.1	—	—	—	—	—
2025/5/22 9:50	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/22 10:00	0.1	0	0.1	0.1	0.1	415	1809	76	91	455
2025/5/22 10:10	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/22 10:20	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/22 10:30	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/22 10:40	0.1	0	0	0	0	—	—	—	—	—
2025/5/22 10:50	0.1	0	0	0.1	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/22 11:00	0.1	0	0	0.1	0	300	674	84	115	269
2025/5/22 11:10	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/22 11:20	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/22 11:30	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/22 11:40	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/22 11:50	0.1	0	0.1	0.1	0	—	—	—	—	—
2025/5/22 12:00	0.1	0.1	0.1	0.1	0.1	147	632	142	259	294
2025/5/22 12:10	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/22 12:20	0.1	0.6	0.1	0.1	0	—	—	—	—	—
2025/5/22 12:30	0.1	1.7	0.1	0.1	0	—	—	—	—	—
2025/5/22 12:40	0.1	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/22 12:50	0.1	0.1	0.1	0.1	0.1	—	—	—	—	—
2025/5/22 13:00	0.1	0.1	0.1	0.1	0	295	382	97	80	373
2025/5/22 13:10	0	0.1	0.1	0.1	0	—	—	—	—	—
2025/5/22 13:20	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/22 13:30	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/22 13:40	0.1	0	0	0.1	0	—	—	—	—	—
2025/5/22 13:50	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/22 14:00	0.1	0.1	0	0.1	0	253	570	127	77	404
2025/5/22 14:10	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/22 14:20	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/22 14:30	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/22 14:40	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/22 14:50	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/5/22 15:00	0.1	0.1	0	0	0	370	830	113	69	490
2025/5/22 15:10	0.1	0.1	0	0	0	—	—	—	—	—
2025/5/22 15:20	0.1	0	0	0	0	—	—	—	—	—
2025/5/22 15:30	0.1	0	0	0	0	—	—	—	—	—
2025/5/22 15:40	0.1	0	0	0	0	—	—	—	—	—
2025/5/22 15:50	0.1	0	0	0	0	—	—	—	—	—
2025/5/22 16:00	0.1	0	0	0	0	344	831	204	118	721
2025/5/22 16:10	0.1	0	0	0	0.3	—	—	—	—	—
2025/5/22 16:20	0.1	0	0	0	0.1	—	—	—	—	—
2025/5/22 16:30	0.1	0	0	0	0.4	—	—	—	—	—
2025/5/22 16:40	0.1	0	0	0	0.1	—	—	—	—	—
2025/5/22 16:50	0.1	0	0	0	0.3	—	—	—	—	—
2025/5/22 17:00	0.1	0	0	0	0	110	132	288	88	527
2025/5/22 17:10	0.1	0	0	0	0.1	—	—	—	—	—
2025/5/22 17:20	0.1	0	0	0	0	—	—	—	—	—
2025/5/22 17:30	0.1	0	0	0	0	—	—	—	—	—
2025/5/22 17:40	0	0	0	0	0	—	—	—	—	—
2025/5/22 17:50	0	0	0	0	0	—	—	—	—	—
2025/5/22 18:00	0	0	0	0	0	133	90	192	110	388
2025/5/22 18:10	0	0	0	0	0	—	—	—	—	—
2025/5/22 18:20	0	0	0	0	0	—	—	—	—	—
2025/5/22 18:30	0	0	0	0	0	—	—	—	—	—
2025/5/22 18:40	0	0	0	0	0	—	—	—	—	—
2025/5/22 18:50	0	0	0	0	0	—	—	—	—	—
2025/5/22 19:00	0	0	0	0	0	35	143	311	70	251
2025/5/22 19:10	0	0	0	0	0	—	—	—	—	—
2025/5/22 19:20	0	0	0	0	0	—	—	—	—	—
2025/5/22 19:30	0	0	0	0	0	—	—	—	—	—
2025/5/22 19:40	0	0	0	0	0	—	—	—	—	—
2025/5/22 19:50	0	0	0	0	0	—	—	—	—	—
2025/5/22 20:00	0	0	0	0	0	66	159	306	32	400
2025/5/22 20:10	0	0	0	0	0	—	—	—	—	—
2025/5/22 20:20	0	0	0	0	0	—	—	—	—	—
2025/5/22 20:30	0	0	0	0	0	—	—	—	—	—
2025/5/22 20:40	0	0	0	0	0	—	—	—	—	—
2025/5/22 20:50	0	0	0	0	0	—	—	—	—	—
2025/5/22 21:00	0	0	0	0	0	89	164	309	37	431
2025/5/22 21:10	0	0	0	0	0	—	—	—	—	—
2025/5/22 21:20	0	0	0	0	0	—	—	—	—	—
2025/5/22 21:30	0	0	0	0	0	—	—	—	—	—
2025/5/22 21:40	0	0	0	0	0	—	—	—	—	—
2025/5/22 21:50	0	0	0	0	0	—	—	—	—	—
2025/5/22 22:00	0	0	0	0	0	95	203	346	40	499
2025/5/22 22:10	0	0	0	0	0	—	—	—	—	—
2025/5/22 22:20	0	0	0	0	0	—	—	—	—	—
2025/5/22 22:30	0	0	0	0	0	—	—	—	—	—
2025/5/22 22:40	0	0	0	0	0	—	—	—	—	—
2025/5/22 22:50	0	0	0	0	0	—	—	—	—	—
2025/5/22 23:00	0	0	0	0	0	42	103	312	103	318

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/22 23:10	0	0	0	0	0	—	—	—	—	—
2025/5/22 23:20	0	0	0	0	0	—	—	—	—	—
2025/5/22 23:30	0	0	0	0	0	—	—	—	—	—
2025/5/22 23:40	0	0	0	0	0	—	—	—	—	—
2025/5/22 23:50	0	0	0	0	0	—	—	—	—	—
2025/5/23 0:00	0	0	0	0	0	52	201	294	32	466
2025/5/23 0:10	0	0	0	0	0	63	174	289	37	415
2025/5/23 0:20	0	0	0	0	0	58	209	284	81	359
2025/5/23 0:30	0	0	0	0	0	26	181	291	107	399
2025/5/23 0:40	0	0	0	0	0	28	215	281	140	336
2025/5/23 0:50	0	0	0	0	0	52	208	354	72	408
2025/5/23 1:00	0	0	0	0	0	58	180	341	52	446
2025/5/23 1:10	0	0	0	0	0	45	104	349	152	476
2025/5/23 1:20	0	0	0	0	0	50	293	338	178	476
2025/5/23 1:30	0	0	0	0	0	50	206	355	109	464
2025/5/23 1:40	0	0	0	0	0	58	204	396	130	496
2025/5/23 1:50	0	0	0	0	0	64	247	370	86	457
2025/5/23 2:00	0	0	0	0	0	67	204	346	94	522
2025/5/23 2:10	0	0	0	0	0	63	61	335	262	468
2025/5/23 2:20	0	0	0	0	0	59	74	377	243	562
2025/5/23 2:30	0	0	0	0	0.1	73	175	385	240	469
2025/5/23 2:40	0	0	0	0	0	56	240	344	159	426
2025/5/23 2:50	0	0	0	0	0	62	285	387	113	489
2025/5/23 3:00	0	0	0	0	0	30	179	365	198	420
2025/5/23 3:10	0	0	0	0	0	47	179	353	181	455
2025/5/23 3:20	0	0	0	0	0.1	48	174	314	192	393
2025/5/23 3:30	0	0	0	0	0	18	80	217	258	193
2025/5/23 3:40	0	0	0	0	0	8	176	146	253	97
2025/5/23 3:50	0	0	0	0	0	32	103	284	217	348
2025/5/23 4:00	0	0	0	0	0	40	61	321	207	443
2025/5/23 4:10	0	0	0	0	0	79	88	310	189	379
2025/5/23 4:20	0	0	0	0	0	27	100	331	116	373
2025/5/23 4:30	0	0	0	0	0	27	107	293	214	294
2025/5/23 4:40	0	0	0	0	0	36	40	318	269	450
2025/5/23 4:50	0	0	0	0	0	59	30	340	145	476
2025/5/23 5:00	0	0	0	0	0	26	49	275	198	343
2025/5/23 5:10	0	0	0	0	0	39	80	307	96	413
2025/5/23 5:20	0	0	0	0	0	19	59	292	204	336
2025/5/23 5:30	0	0	0	0	0	29	42	338	38	340
2025/5/23 5:40	0	0	0	0	0	96	39	263	32	470
2025/5/23 5:50	0	0	0	0	0	109	69	222	98	461
2025/5/23 6:00	0	0	0	0	0	47	148	364	154	558
2025/5/23 6:10	0	0	0	0	0	47	79	248	199	332
2025/5/23 6:20	0	0	0	0	0	36	104	282	183	353
2025/5/23 6:30	0	0	0	0	0	43	100	313	96	359
2025/5/23 6:40	0	0	0	0	0	43	52	289	92	384
2025/5/23 6:50	0	0	0	0	0	44	75	303	73	415
2025/5/23 7:00	0	0	0	0	0	110	97	252	55	424
2025/5/23 7:10	0	0	0	0	0	56	92	307	72	454
2025/5/23 7:20	0	0	0	0	0	141	73	261	96	487
2025/5/23 7:30	0	0	0	0	0	43	149	252	215	383
2025/5/23 7:40	0	0	0	0	0	85	81	305	106	429
2025/5/23 7:50	0	0	0	0	0	36	80	360	163	356
2025/5/23 8:00	0	0	0	0	0	124	308	187	284	301
2025/5/23 8:10	0	0	0	0	0	61	225	316	325	433
2025/5/23 8:20	0	0	0	0	0	59	255	223	206	409
2025/5/23 8:30	0	0	0	0	0	82	185	335	251	336
2025/5/23 8:40	0	0	0	0	0	115	266	300	165	404
2025/5/23 8:50	0	0	0	0	0	33	200	181	217	124
2025/5/23 9:00	0	0	0	0	0	77	165	306	185	294
2025/5/23 9:10	0	0	0	0	0	77	206	259	196	268
2025/5/23 9:20	0	0	0	0.1	0	158	224	236	211	323
2025/5/23 9:30	0	0	0	0.1	0	48	169	212	363	185
2025/5/23 9:40	0.1	0	0	0.1	0	75	275	261	211	281
2025/5/23 9:50	0.1	0	0.1	0.1	0	67	156	236	178	206
2025/5/23 10:00	0.1	0	0.1	0.1	0	91	231	208	162	242
2025/5/23 10:10	0.1	0	0.1	0.1	0	53	97	162	250	173
2025/5/23 10:20	0.1	0	0.1	0.1	0	57	111	150	195	171
2025/5/23 10:30	0.1	0	0.1	0.1	0	98	217	183	164	202
2025/5/23 10:40	0.1	0	0.1	0.1	0	184	285	234	263	309
2025/5/23 10:50	0.1	0	0.1	0.1	0	136	238	207	291	230
2025/5/23 11:00	0.1	0	0.1	0.1	0	220	352	211	196	319
2025/5/23 11:10	0.1	0	0.1	0.1	0	142	166	185	199	232

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/23 11:20	0.1	0	0.1	0.1	0	179	229	201	134	368
2025/5/23 11:30	0.1	0	0.1	0.1	0	113	158	184	156	259
2025/5/23 11:40	0.1	0	0	0.1	0	106	308	190	165	249
2025/5/23 11:50	0.1	0	0	0	0	76	681	183	152	206
2025/5/23 12:00	0.1	0	0	0	0	89	829	200	96	229
2025/5/23 12:10	0.1	0	0	0	0	80	723	199	114	220
2025/5/23 12:20	0.1	0	0	0	0	83	521	189	131	251
2025/5/23 12:30	0.1	0	0	0	0	85	423	182	70	231
2025/5/23 12:40	0.1	0	0	0	0	98	474	197	54	295
2025/5/23 12:50	0.1	0	0	0	0	90	409	205	96	230
2025/5/23 13:00	0.1	0	0	0	0	70	253	210	165	261
2025/5/23 13:10	0.1	0	0	0	0	67	739	223	177	244
2025/5/23 13:20	0.1	0.1	0	0	0	75	569	173	234	231
2025/5/23 13:30	0.1	0	0	0	0	102	554	266	223	268
2025/5/23 13:40	0.1	0	0	0	0	121	499	284	227	278
2025/5/23 13:50	0.1	0	0	0	0	132	383	226	262	276
2025/5/23 14:00	0.1	0	0	0	0	210	452	236	165	352
2025/5/23 14:10	0.1	0	0	0	0	211	434	211	244	318
2025/5/23 14:20	0.1	0	0	0	0	288	448	255	195	449
2025/5/23 14:30	0.1	0	0	0	0	216	400	223	182	311
2025/5/23 14:40	0.1	0	0	0	0	255	445	184	111	314
2025/5/23 14:50	0.1	0	0	0	0	236	386	238	181	297
2025/5/23 15:00	0.1	0	0	0	0	114	301	289	246	315
2025/5/23 15:10	0.1	0	0	0	0	258	395	261	94	452
2025/5/23 15:20	0.1	0	0	0	0	328	499	199	77	457
2025/5/23 15:30	0.1	0	0	0	0	282	466	260	85	510
2025/5/23 15:40	0	0	0	0	0	158	282	251	158	341
2025/5/23 15:50	0	0	0	0	0	158	244	285	221	330
2025/5/23 16:00	0	0	0	0	0	214	306	250	124	356
2025/5/23 16:10	0	0	0	0	0	159	227	276	155	303
2025/5/23 16:20	0	0	0	0	0	173	208	246	91	314
2025/5/23 16:30	0	0	0	0	0	173	194	232	83	319
2025/5/23 16:40	0	0	0	0	0	153	172	230	69	333
2025/5/23 16:50	0	0	0	0	0	134	264	274	128	279
2025/5/23 17:00	0	0	0	0	0	76	192	210	134	224
2025/5/23 17:10	0	0	0	0	0	107	181	239	98	223
2025/5/23 17:20	0	0	0	0	0	84	134	208	80	224
2025/5/23 17:30	0	0	0	0	0	89	109	214	67	208
2025/5/23 17:40	0	0	0	0	0	67	100	225	73	254
2025/5/23 17:50	0	0	0	0	0	106	154	167	54	276
2025/5/23 18:00	0	0	0	0	0	107	101	201	53	283
2025/5/23 18:10	0	0	0	0	0	69	119	224	105	200
2025/5/23 18:20	0	0	0	0	0	45	208	210	95	225
2025/5/23 18:30	0	0	0	0	0	41	191	215	104	194
2025/5/23 18:40	0	0	0	0	0	52	134	238	65	226
2025/5/23 18:50	0	0	0	0	0	60	227	222	85	239
2025/5/23 19:00	0	0	0	0	0	94	89	176	83	304
2025/5/23 19:10	0	0	0	0	0	90	125	210	67	297
2025/5/23 19:20	0	0	0	0	0	76	100	208	44	291
2025/5/23 19:30	0	0	0	0	0	93	147	214	61	282
2025/5/23 19:40	0	0	0	0	0	60	144	235	74	308
2025/5/23 19:50	0	0	0	0	0	57	172	242	64	283
2025/5/23 20:00	0	0	0	0	0	81	196	261	65	278
2025/5/23 20:10	0	0	0	0	0	73	217	217	82	271
2025/5/23 20:20	0	0	0	0	0	95	150	211	71	315
2025/5/23 20:30	0	0	0	0	0	46	112	207	251	236
2025/5/23 20:40	0	0	0	0	0	40	63	206	206	204
2025/5/23 20:50	0	0	0	0	0	36	111	203	178	156
2025/5/23 21:00	0	0	0	0	0	44	129	202	157	220
2025/5/23 21:10	0	0	0	0	0	83	263	258	134	276
2025/5/23 21:20	0	0	0	0	0	51	171	251	202	235
2025/5/23 21:30	0	0	0	0	0	52	154	257	187	203
2025/5/23 21:40	0	0	0	0	0	64	228	258	73	244
2025/5/23 21:50	0	0	0	0	0	45	160	254	132	221
2025/5/23 22:00	0	0	0	0	0	47	153	242	187	282
2025/5/23 22:10	0	0	0	0	0	53	138	336	126	295
2025/5/23 22:20	0	0	0	0	0	50	145	236	390	148
2025/5/23 22:30	0	0	0	0	0	38	40	280	314	259
2025/5/23 22:40	0	0	0	0	0	32	169	246	228	91
2025/5/23 22:50	0	0	0	0	0	47	177	221	304	119
2025/5/23 23:00	0	0	0	0	0	36	111	259	281	202
2025/5/23 23:10	0	0	0	0	0	30	117	242	228	173
2025/5/23 23:20	0	0	0	0	0	26	113	189	395	76

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/23 23:30	0	0	0	0	0	27	67	128	554	29
2025/5/23 23:40	0	0	0	0	0	26	151	62	458	26
2025/5/23 23:50	0	0	0	0	0	24	164	169	424	57
2025/5/24 0:00	0	0	0	0	0	24	150	56	437	30
2025/5/24 0:10	0	0	0	0	0	25	198	60	348	79
2025/5/24 0:20	0	0	0	0	0	24	133	177	331	48
2025/5/24 0:30	0	0	0	0	0	28	183	68	395	35
2025/5/24 0:40	0	0	0	0	0	31	209	121	542	34
2025/5/24 0:50	0	0	0	0	0	33	137	79	436	69
2025/5/24 1:00	0	0	0	0	0	34	249	52	551	35
2025/5/24 1:10	0	0	0	0	0	39	310	50	534	42
2025/5/24 1:20	0	0	0	0	0	44	303	93	563	53
2025/5/24 1:30	0	0	0	0	0	45	402	90	498	52
2025/5/24 1:40	0	0	0	0	0	36	489	100	429	39
2025/5/24 1:50	0	0	0	0	0	32	295	71	588	33
2025/5/24 2:00	0	0	0	0	0	34	171	98	439	41
2025/5/24 2:10	0	0	0	0	0	31	211	278	320	64
2025/5/24 2:20	0	0	0	0	0	32	219	123	425	34
2025/5/24 2:30	0	0	0	0	0	33	170	58	585	33
2025/5/24 2:40	0	0	0	0	0	31	135	133	360	47
2025/5/24 2:50	0	0	0	0	0	32	335	131	503	60
2025/5/24 3:00	0	0	0	0	0	28	309	38	495	36
2025/5/24 3:10	0	0	0	0	0	28	348	92	596	42
2025/5/24 3:20	0	0	0	0	0	34	359	111	499	76
2025/5/24 3:30	0	0	0	0	0	29	111	124	409	80
2025/5/24 3:40	0	0	0	0	0	33	125	96	440	45
2025/5/24 3:50	0	0	0	0	0	35	59	168	311	73
2025/5/24 4:00	0	0	0	0	0	35	136	198	367	113
2025/5/24 4:10	0	0	0	0	0	30	107	112	416	69
2025/5/24 4:20	0	0	0	0	0	28	190	82	445	27
2025/5/24 4:30	0	0	0	0	0	30	214	78	410	30
2025/5/24 4:40	0	0	0	0	0	32	200	44	471	31
2025/5/24 4:50	0	0	0	0	0	33	120	67	378	33
2025/5/24 5:00	0	0	0	0	0	36	265	60	392	36
2025/5/24 5:10	0	0	0	0	0	36	149	72	372	37
2025/5/24 5:20	0	0	0	0	0	39	197	63	366	40
2025/5/24 5:30	0	0	0	0	0	37	185	49	364	37
2025/5/24 5:40	0	0	0	0	0	40	166	71	360	53
2025/5/24 5:50	0	0	0	0	0	37	153	82	356	39
2025/5/24 6:00	0	0	0	0	0	38	154	55	325	48
2025/5/24 6:10	0	0	0	0	0	40	216	56	320	42
2025/5/24 6:20	0	0	0	0	0	36	151	51	308	40
2025/5/24 6:30	0	0	0	0	0	37	32	56	189	48
2025/5/24 6:40	0	0	0	0	0	37	93	59	308	40
2025/5/24 6:50	0	0	0	0	0	42	233	107	175	136
2025/5/24 7:00	0	0	0	0	0	36	142	45	337	38
2025/5/24 7:10	0	0	0	0	0	38	199	57	312	44
2025/5/24 7:20	0	0	0	0	0	36	194	84	191	57
2025/5/24 7:30	0	0	0	0	0	34	65	60	203	41
2025/5/24 7:40	0	0	0	0	0	34	82	78	263	57
2025/5/24 7:50	0	0	0	0	0	29	210	45	389	40
2025/5/24 8:00	0	0	0	0	0	51	81	96	197	154
2025/5/24 8:10	0	0	0	0	0	44	154	105	218	104
2025/5/24 8:20	0	0	0	0	0	30	265	41	378	40
2025/5/24 8:30	0	0	0	0	0	30	75	106	220	73
2025/5/24 8:40	0	0	0	0	0	31	155	49	267	37
2025/5/24 8:50	0	0	0	0	0	35	101	128	200	189
2025/5/24 9:00	0	0	0	0	0	73	10	189	181	254
2025/5/24 9:10	0	0	0	0	0	38	82	87	137	61
2025/5/24 9:20	0	0	0	0	0	29	64	61	118	56
2025/5/24 9:30	0	0	0	0	0	34	83	116	116	122
2025/5/24 9:40	0	0	0	0	0	38	66	104	91	109
2025/5/24 9:50	0	0	0	0	0	27	126	77	103	54
2025/5/24 10:00	0	0	0	0	0	22	45	53	106	37
2025/5/24 10:10	0	0	0	0	0	19	34	60	90	62
2025/5/24 10:20	0	0	0	0	0	38	69	139	78	139
2025/5/24 10:30	0	0	0	0	0	24	60	73	117	50
2025/5/24 10:40	0	0	0	0	0	18	58	66	85	45
2025/5/24 10:50	0	0	0	0	0	27	124	85	65	74
2025/5/24 11:00	0	0	0	0	0	33	23	86	69	84
2025/5/24 11:10	0	0	0	0	0	25	34	65	112	57
2025/5/24 11:20	0	0	0	0	0	26	74	78	87	90
2025/5/24 11:30	0	0	0	0	0	27	36	75	95	93

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/24 11:40	0	0	0	0	0	22	29	35	100	35
2025/5/24 11:50	0	0	0	0	0	27	67	86	84	81
2025/5/24 12:00	0	0	0	0	0	18	18	75	79	61
2025/5/24 12:10	0	0	0	0	0	20	21	69	57	79
2025/5/24 12:20	0	0	0	0	0	37	36	100	54	149
2025/5/24 12:30	0.1	0	0	0	0	22	36	70	97	63
2025/5/24 12:40	0	0	0	0	0	21	25	69	63	71
2025/5/24 12:50	0	0	0	0	0	19	65	46	108	43
2025/5/24 13:00	0	0	0	0	0	29	41	100	61	96
2025/5/24 13:10	0	0	0	0	0	28	57	86	65	77
2025/5/24 13:20	0	0	0	0	0	48	12	141	75	180
2025/5/24 13:30	0	0	0	0	0	51	90	121	50	147
2025/5/24 13:40	0	0	0	0	0	52	168	121	90	140
2025/5/24 13:50	0	0	0	0	0	63	109	153	87	182
2025/5/24 14:00	0	0	0	0	0	52	163	115	72	162
2025/5/24 14:10	0	0	0	0	0	35	66	108	73	123
2025/5/24 14:20	0	0	0	0	0	38	72	123	75	139
2025/5/24 14:30	0	0	0	0	0	58	65	131	65	218
2025/5/24 14:40	0	0	0	0	0	44	19	109	76	163
2025/5/24 14:50	0	0	0	0	0	21	43	94	85	101
2025/5/24 15:00	0	0	0	0	0	25	59	66	85	86
2025/5/24 15:10	0	0	0	0	0	33	59	114	76	132
2025/5/24 15:20	0	0	0	0	0	52	105	141	58	205
2025/5/24 15:30	0	0	0	0	0	40	56	131	67	199
2025/5/24 15:40	0	0	0	0	0	36	81	134	75	160
2025/5/24 15:50	0	0	0	0	0	63	178	138	51	190
2025/5/24 16:00	0	0	0	0	0	64	78	136	65	174
2025/5/24 16:10	0	0	0	0	0	53	177	149	56	169
2025/5/24 16:20	0	0	0	0	0	46	108	138	74	131
2025/5/24 16:30	0	0	0	0	0	24	14	84	74	69
2025/5/24 16:40	0	0	0	0	0	47	138	144	51	190
2025/5/24 16:50	0	0	0	0	0	43	83	120	64	137
2025/5/24 17:00	0	0	0	0	0	74	211	143	45	222
2025/5/24 17:10	0	0	0	0	0	75	276	142	46	184
2025/5/24 17:20	0	0	0	0	0	51	331	146	62	141
2025/5/24 17:30	0	0	0	0	0	35	169	125	65	98
2025/5/24 17:40	0	0	0	0	0	38	98	122	65	118
2025/5/24 17:50	0	0	0	0	0	45	193	126	53	118
2025/5/24 18:00	0	0	0	0	0	39	77	130	73	128
2025/5/24 18:10	0	0	0	0	0	36	82	111	59	105
2025/5/24 18:20	0	0	0	0	0	31	48	94	93	91
2025/5/24 18:30	0	0	0	0	0	37	72	129	59	109
2025/5/24 18:40	0	0	0	0	0	51	128	138	53	148
2025/5/24 18:50	0	0	0	0	0	42	65	150	73	127
2025/5/24 19:00	0	0	0	0	0	38	42	150	94	144
2025/5/24 19:10	0	0	0	0	0	39	57	134	109	103
2025/5/24 19:20	0	0	0	0	0	33	61	110	123	94
2025/5/24 19:30	0	0	0	0	0	38	55	154	79	169
2025/5/24 19:40	0	0	0	0	0	45	124	95	79	87
2025/5/24 19:50	0	0	0	0	0	43	39	126	117	128
2025/5/24 20:00	0	0	0	0	0	40	41	141	96	144
2025/5/24 20:10	0	0	0	0	0	45	51	133	94	126
2025/5/24 20:20	0	0	0	0	0	44	48	145	73	163
2025/5/24 20:30	0	0	0	0	0	37	86	104	147	120
2025/5/24 20:40	0	0	0	0	0	39	36	122	99	105
2025/5/24 20:50	0	0	0	0	0	41	48	125	124	81
2025/5/24 21:00	0	0	0	0	0	35	41	90	128	71
2025/5/24 21:10	0	0	0	0	0	36	63	65	127	40
2025/5/24 21:20	0	0	0	0	0	35	54	87	157	51
2025/5/24 21:30	0	0	0	0	0	30	42	62	168	35
2025/5/24 21:40	0	0	0	0	0	28	52	49	202	32
2025/5/24 21:50	0	0	0	0	0	29	80	47	189	33
2025/5/24 22:00	0	0	0	0	0	29	106	47	172	34
2025/5/24 22:10	0	0	0	0	0	34	132	67	200	43
2025/5/24 22:20	0	0	0	0	0	41	160	62	214	48
2025/5/24 22:30	0	0	0	0	0	41	75	58	256	47
2025/5/24 22:40	0	0	0	0	0	30	46	48	204	35
2025/5/24 22:50	0	0	0	0	0	30	126	50	210	35
2025/5/24 23:00	0	0	0	0	0	41	136	56	212	47
2025/5/24 23:10	0	0	0	0	0	38	161	53	263	45
2025/5/24 23:20	0	0	0	0	0	40	253	55	321	48
2025/5/24 23:30	0	0	0	0	0	42	111	54	280	49
2025/5/24 23:40	0	0	0	0	0	49	154	63	315	61

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/24 23:50	0	0	0	0	0	50	158	63	380	57
2025/5/25 0:00	0	0	0	0	0	41	79	76	239	49
2025/5/25 0:10	0	0	0	0	0	32	38	55	255	38
2025/5/25 0:20	0	0	0	0	0	30	73	106	158	69
2025/5/25 0:30	0	0	0	0	0	31	111	77	172	44
2025/5/25 0:40	0	0	0	0	0	34	73	101	152	72
2025/5/25 0:50	0	0	0	0	0	30	114	93	180	47
2025/5/25 1:00	0	0	0	0	0	29	125	50	267	41
2025/5/25 1:10	0	0	0	0	0	31	49	49	157	36
2025/5/25 1:20	0	0	0	0	0	31	95	74	186	36
2025/5/25 1:30	0	0	0	0	0	32	76	56	194	42
2025/5/25 1:40	0	0	0	0	0	31	95	66	119	47
2025/5/25 1:50	0	0	0	0	0	30	60	50	239	43
2025/5/25 2:00	0	0	0	0	0	30	66	52	232	38
2025/5/25 2:10	0	0	0	0	0	29	92	53	219	38
2025/5/25 2:20	0	0	0	0	0	30	62	55	166	30
2025/5/25 2:30	0	0	0	0	0	28	97	48	224	29
2025/5/25 2:40	0	0	0	0	0	29	56	88	155	37
2025/5/25 2:50	0	0	0	0	0	29	40	60	155	51
2025/5/25 3:00	0	0	0	0	0	37	69	150	145	88
2025/5/25 3:10	0	0	0	0	0	40	43	139	181	96
2025/5/25 3:20	0	0	0	0	0	48	57	224	146	155
2025/5/25 3:30	0	0	0	0	0	55	57	219	101	190
2025/5/25 3:40	0	0	0	0	0	68	57	188	100	179
2025/5/25 3:50	0	0	0	0	0	40	41	81	174	67
2025/5/25 4:00	0	0	0	0	0	35	63	53	172	40
2025/5/25 4:10	0	0	0	0	0	26	87	51	143	27
2025/5/25 4:20	0	0	0	0	0	26	101	46	189	30
2025/5/25 4:30	0	0	0	0	0	30	122	50	241	34
2025/5/25 4:40	0	0	0	0	0	38	95	58	194	50
2025/5/25 4:50	0	0	0	0	0	34	38	64	182	42
2025/5/25 5:00	0	0	0	0	0	30	46	57	183	39
2025/5/25 5:10	0	0	0	0	0	29	57	64	133	52
2025/5/25 5:20	0	0	0	0	0	31	60	54	128	40
2025/5/25 5:30	0	0	0	0	0	34	57	62	151	40
2025/5/25 5:40	0	0	0	0	0	33	45	78	88	44
2025/5/25 5:50	0	0	0	0	0	33	40	108	79	69
2025/5/25 6:00	0	0	0	0	0	35	50	109	110	79
2025/5/25 6:10	0	0	0	0	0	45	51	112	103	102
2025/5/25 6:20	0	0	0	0	0	35	74	60	123	52
2025/5/25 6:30	0	0	0	0	0	34	49	56	124	42
2025/5/25 6:40	0	0	0	0	0	35	76	69	121	45
2025/5/25 6:50	0	0	0	0	0	32	63	52	133	39
2025/5/25 7:00	0	0	0	0	0	31	63	53	125	41
2025/5/25 7:10	0	0	0	0	0	36	54	56	146	43
2025/5/25 7:20	0	0	0	0	0	35	66	58	185	41
2025/5/25 7:30	0	0	0	0	0	35	69	59	143	45
2025/5/25 7:40	0	0	0	0	0	33	75	53	169	40
2025/5/25 7:50	0	0	0	0	0	34	83	54	170	41
2025/5/25 8:00	0	0	0	0	0	41	41	53	161	45
2025/5/25 8:10	0	0	0	0	0	48	53	78	96	58
2025/5/25 8:20	0	0	0	0	0	39	50	58	88	59
2025/5/25 8:30	0	0	0	0	0	35	63	58	95	48
2025/5/25 8:40	0	0	0	0	0	34	46	63	117	85
2025/5/25 8:50	0	0	0	0	0	32	55	111	62	106
2025/5/25 9:00	0	0	0	0	0	42	26	146	62	161
2025/5/25 9:10	0	0	0	0	0	34	58	77	95	156
2025/5/25 9:20	0	0	0	0	0	57	41	132	75	124
2025/5/25 9:30	0	0	0	0	0	25	76	52	96	45
2025/5/25 9:40	0	0	0	0	0	23	72	69	112	57
2025/5/25 9:50	0	0	0	0	0	26	46	52	86	54
2025/5/25 10:00	0	0	0	0	0	27	56	53	109	38
2025/5/25 10:10	0	0	0	0	0	32	91	55	135	47
2025/5/25 10:20	0	0	0	0	0	41	36	140	74	112
2025/5/25 10:30	0	0	0	0	0	43	57	134	103	165
2025/5/25 10:40	0	0	0	0	0	42	72	91	65	134
2025/5/25 10:50	0	0	0	0	0	31	84	53	132	51
2025/5/25 11:00	0	0	0	0	0	27	72	46	106	41
2025/5/25 11:10	0	0	0	0	0	30	58	52	106	40
2025/5/25 11:20	0	0	0	0	0	33	45	51	117	42
2025/5/25 11:30	0	0	0	0	0	47	60	118	75	111
2025/5/25 11:40	0	0	0	0	0	39	91	74	154	58
2025/5/25 11:50	0	0	0	0	0	35	50	54	112	41

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/25 12:00	0	0	0	0	0	36	77	50	185	46
2025/5/25 12:10	0	0	0	0	0	37	46	49	133	57
2025/5/25 12:20	0	0	0	0	0	36	58	91	122	76
2025/5/25 12:30	0	0	0	0	0	35	32	159	111	151
2025/5/25 12:40	0	0	0	0	0	32	80	66	136	52
2025/5/25 12:50	0	0	0	0	0	30	62	71	137	56
2025/5/25 13:00	0	0	0	0	0	36	50	64	113	70
2025/5/25 13:10	0	0	0	0	0	36	53	114	86	101
2025/5/25 13:20	0	0	0	0	0	34	68	106	80	125
2025/5/25 13:30	0	0	0	0	0	31	41	64	83	59
2025/5/25 13:40	0	0	0	0	0	36	46	112	86	129
2025/5/25 13:50	0	0	0	0	0	35	25	81	95	84
2025/5/25 14:00	0	0	0	0	0	35	36	88	101	74
2025/5/25 14:10	0	0	0	0	0	50	42	172	74	179
2025/5/25 14:20	0	0	0	0	0	38	59	110	86	125
2025/5/25 14:30	0	0	0	0	0	78	39	138	70	198
2025/5/25 14:40	0	0	0	0	0	79	76	169	66	204
2025/5/25 14:50	0	0	0	0	0	42	55	97	106	146
2025/5/25 15:00	0	0	0	0	0	42	62	83	85	76
2025/5/25 15:10	0	0	0	0	0	35	84	99	107	69
2025/5/25 15:20	0	0	0	0	0	62	44	110	99	113
2025/5/25 15:30	0	0	0	0	0	44	62	68	117	56
2025/5/25 15:40	0	0	0	0	0	49	29	110	83	93
2025/5/25 15:50	0	0	0	0	0	47	28	162	69	169
2025/5/25 16:00	0	0	0	0	0	56	34	172	78	200
2025/5/25 16:10	0	0	0	0	0	53	35	148	103	208
2025/5/25 16:20	0	0	0	0	0	45	76	125	110	77
2025/5/25 16:30	0	0	0	0	0	61	36	144	99	175
2025/5/25 16:40	0	0	0	0	0	70	57	146	77	178
2025/5/25 16:50	0	0	0	0	0	59	98	124	80	112
2025/5/25 17:00	0	0	0	0	0	58	40	128	73	133
2025/5/25 17:10	0	0	0	0	0	56	42	145	94	120
2025/5/25 17:20	0	0	0	0	0	84	71	153	79	198
2025/5/25 17:30	0	0	0	0	0	61	54	142	87	142
2025/5/25 17:40	0	0	0	0	0	60	67	160	97	143
2025/5/25 17:50	0	0	0	0	0	49	37	113	122	113
2025/5/25 18:00	0	0	0	0	0	44	27	81	149	58
2025/5/25 18:10	0	0	0	0	0	41	36	76	117	75
2025/5/25 18:20	0	0	0	0	0	47	32	118	102	116
2025/5/25 18:30	0	0	0	0	0	64	79	184	93	157
2025/5/25 18:40	0	0	0	0	0	48	43	101	115	76
2025/5/25 18:50	0	0	0	0	0	58	40	199	79	214
2025/5/25 19:00	0	0	0	0	0	42	59	131	90	118
2025/5/25 19:10	0	0	0	0	0	36	31	150	87	106
2025/5/25 19:20	0	0	0	0	0	33	35	138	89	121
2025/5/25 19:30	0	0	0	0	0	41	36	136	89	145
2025/5/25 19:40	0	0	0	0	0	53	36	165	83	153
2025/5/25 19:50	0	0	0	0	0	30	27	116	103	61
2025/5/25 20:00	0	0	0	0	0	56	77	176	83	210
2025/5/25 20:10	0	0	0	0	0	43	51	160	74	161
2025/5/25 20:20	0	0	0	0	0	47	53	149	79	137
2025/5/25 20:30	0	0	0	0	0	94	74	177	73	158
2025/5/25 20:40	0	0	0	0	0	77	66	197	74	163
2025/5/25 20:50	0	0	0	0	0	78	68	70	114	120
2025/5/25 21:00	0	0	0	0	0	99	69	66	122	90
2025/5/25 21:10	0	0	0	0	0	134	165	65	100	107
2025/5/25 21:20	0	0	0	0	0	54	56	152	210	103
2025/5/25 21:30	0	0	0	0	0	71	68	169	79	120
2025/5/25 21:40	0	0	0	0	0	106	77	237	70	211
2025/5/25 21:50	0	0	0	0	0	100	83	194	96	215
2025/5/25 22:00	0	0	0	0	0	121	61	113	119	149
2025/5/25 22:10	0	0	0	0	0	54	40	138	177	79
2025/5/25 22:20	0	0	0	0	0	101	55	199	100	212
2025/5/25 22:30	0	0	0	0	0	95	87	197	65	302
2025/5/25 22:40	0	0	0	0	0	134	107	184	63	253
2025/5/25 22:50	0	0	0	0	0	119	144	103	157	128
2025/5/25 23:00	0	0	0	0	0	172	101	113	128	196
2025/5/25 23:10	0	0	0	0	0	171	110	115	80	195
2025/5/25 23:20	0	0	0	0	0	70	87	199	182	157
2025/5/25 23:30	0	0	0	0	0	99	131	197	89	100
2025/5/25 23:40	0	0	0	0	0	136	167	172	115	156
2025/5/25 23:50	0	0	0	0	0	207	88	136	140	194
2025/5/26 0:00	0	0	0	0	0	118	154	141	133	182

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/26 0:10	0	0	0	0	0	153	189	82	123	101
2025/5/26 0:20	0	0	0	0	0	176	67	209	168	206
2025/5/26 0:30	0	0	0	0	0	98	99	260	81	236
2025/5/26 0:40	0	0	0	0	0	118	81	210	75	220
2025/5/26 0:50	0	0	0	0	0	63	89	221	80	234
2025/5/26 1:00	0	0	0	0	0	113	84	215	75	229
2025/5/26 1:10	0	0	0	0	0	177	70	202	93	288
2025/5/26 1:20	0	0	0	0	0	85	77	192	131	146
2025/5/26 1:30	0	0	0	0	0	57	49	227	122	126
2025/5/26 1:40	0	0	0	0	0	109	57	116	151	133
2025/5/26 1:50	0	0	0	0	0	112	47	185	107	190
2025/5/26 2:00	0	0	0	0	0	59	62	244	81	108
2025/5/26 2:10	0	0	0	0	0	72	75	224	78	185
2025/5/26 2:20	0	0	0	0	0	182	88	166	114	259
2025/5/26 2:30	0	0	0	0	0	258	220	104	69	166
2025/5/26 2:40	0	0	0	0	0	249	108	172	84	217
2025/5/26 2:50	0	0	0	0	0	221	102	191	113	255
2025/5/26 3:00	0	0	0	0	0	195	72	194	140	278
2025/5/26 3:10	0	0	0	0	0	37	42	92	161	72
2025/5/26 3:20	0	0	0	0	0	37	53	56	211	56
2025/5/26 3:30	0	0	0	0	0	37	78	66	157	87
2025/5/26 3:40	0	0	0	0	0	40	42	65	263	63
2025/5/26 3:50	0	0	0	0	0	48	87	76	241	74
2025/5/26 4:00	0	0	0	0	0	306	64	250	365	345
2025/5/26 4:10	0	0	0	0	0	67	49	126	344	186
2025/5/26 4:20	0	0	0	0	0	21	17	49	233	49
2025/5/26 4:30	0	0	0	0	0	22	17	40	258	47
2025/5/26 4:40	0	0	0	0	0	27	26	40	252	52
2025/5/26 4:50	0	0	0	0	0	27	28	41	286	52
2025/5/26 5:00	0	0	0	0	0	24	22	38	245	61
2025/5/26 5:10	0	0	0	0	0	33	25	46	231	58
2025/5/26 5:20	0	0	0	0	0	32	40	59	280	51
2025/5/26 5:30	0	0	0	0	0	28	27	58	244	40
2025/5/26 5:40	0	0	0	0	0	29	26	75	282	41
2025/5/26 5:50	0	0	0	0	0	27	51	52	238	38
2025/5/26 6:00	0	0	0	0	0	31	41	43	236	38
2025/5/26 6:10	0	0	0	0	0	26	38	40	253	43
2025/5/26 6:20	0	0	0	0	0	16	38	32	221	27
2025/5/26 6:30	0	0	0	0	0	14	28	33	207	21
2025/5/26 6:40	0	0	0	0	0	13	11	34	190	22
2025/5/26 6:50	0	0	0	0	0	9	19	29	135	39
2025/5/26 7:00	0	0	0	0	0	11	24	29	211	33
2025/5/26 7:10	0	0	0	0	0	10	20	25	196	18
2025/5/26 7:20	0	0	0	0	0	9	17	27	244	27
2025/5/26 7:30	0	0	0	0	0	10	17	24	211	31
2025/5/26 7:40	0	0	0	0	0	7	17	23	195	34
2025/5/26 7:50	0	0	0	0	0	12	31	41	158	49
2025/5/26 8:00	0	0	0	0	0	13	20	26	211	29
2025/5/26 8:10	0	0	0	0	0	12	47	24	207	23
2025/5/26 8:20	0	0	0	0	0	56	24	27	257	37
2025/5/26 8:30	0	0	0	0	0	21	46	25	205	28
2025/5/26 8:40	0	0	0	0	0	24	51	27	178	50
2025/5/26 8:50	0	0	0	0	0	39	44	51	101	71
2025/5/26 9:00	0	0	0	0	0	42	38	35	192	49
2025/5/26 9:10	0	0	0	0	0	39	112	34	183	45
2025/5/26 9:20	0	0	0	0	0	46	64	80	143	95
2025/5/26 9:30	0	0	0	0	0	42	93	68	96	108
2025/5/26 9:40	0	0	0	0.1	0	51	50	83	93	120
2025/5/26 9:50	0.1	0	0	0.1	0	38	109	46	100	83
2025/5/26 10:00	0.1	0	0	0.1	0	123	76	75	106	197
2025/5/26 10:10	0.1	0	0	0	0	70	86	52	154	140
2025/5/26 10:20	0.1	0	0	0	0	31	71	40	179	39
2025/5/26 10:30	0	0	0	0	0	48	32	87	101	172
2025/5/26 10:40	0.1	0	0	0	0	33	119	87	133	80
2025/5/26 10:50	0.1	0	0	0	0	38	91	33	133	49
2025/5/26 11:00	0.1	0	0	0	0	48	139	31	119	41
2025/5/26 11:10	0.1	0	0	0	0	29	110	34	213	42
2025/5/26 11:20	0.1	0	0	0	0	26	73	32	175	49
2025/5/26 11:30	0.1	0	0	0	0	59	131	35	91	75
2025/5/26 11:40	0.1	0	0	0	0	69	147	38	243	100
2025/5/26 11:50	0	0	0	0	0	48	177	40	149	46
2025/5/26 12:00	0	0	0	0	0	109	316	35	142	39
2025/5/26 12:10	0	0	0	0	0	164	302	36	103	115

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/26 12:20	0.1	0	0	0	0	131	150	105	96	198
2025/5/26 12:30	0.1	0	0	0	0	139	92	151	99	236
2025/5/26 12:40	0.1	0	0	0	0	50	50	153	92	179
2025/5/26 12:50	0	0	0	0	0	94	87	173	72	256
2025/5/26 13:00	0	0	0	0	0	91	70	193	82	191
2025/5/26 13:10	0.1	0	0	0	0	94	90	167	83	217
2025/5/26 13:20	0.1	0	0	0	0	168	134	133	74	303
2025/5/26 13:30	0.1	0	0	0	0	194	218	112	72	299
2025/5/26 13:40	0.1	0	0	0	0	133	221	117	79	294
2025/5/26 13:50	0	0	0	0	0	138	169	132	81	261
2025/5/26 14:00	0	0	0	0	0	166	217	114	76	273
2025/5/26 14:10	0	0	0	0	0	151	143	140	76	232
2025/5/26 14:20	0	0	0	0	0	150	126	146	102	273
2025/5/26 14:30	0	0	0	0	0	160	144	171	86	286
2025/5/26 14:40	0	0	0	0	0	185	180	82	64	289
2025/5/26 14:50	0	0	0	0	0	155	173	105	63	285
2025/5/26 15:00	0	0	0	0	0	121	119	174	75	235
2025/5/26 15:10	0	0	0	0	0	145	157	143	76	257
2025/5/26 15:20	0	0	0	0	0	171	299	179	68	301
2025/5/26 15:30	0	0	0	0	0	198	328	135	48	267
2025/5/26 15:40	0	0	0	0	0	174	373	98	48	330
2025/5/26 15:50	0	0	0	0	0	181	495	95	39	279
2025/5/26 16:00	0	0	0	0	0	192	555	66	39	236
2025/5/26 16:10	0	0	0	0	0	215	706	137	99	319
2025/5/26 16:20	0	0	0	0	0	220	484	161	118	303
2025/5/26 16:30	0	0	0	0	0	134	225	173	97	300
2025/5/26 16:40	0	0	0	0	0	151	242	96	84	240
2025/5/26 16:50	0	0	0	0	0	184	353	105	86	248
2025/5/26 17:00	0	0	0	0	0	114	148	182	119	229
2025/5/26 17:10	0	0	0	0	0	157	152	83	50	276
2025/5/26 17:20	0	0	0	0	0	75	100	201	62	216
2025/5/26 17:30	0	0	0	0	0	97	144	152	56	233
2025/5/26 17:40	0	0	0	0	0	73	140	197	83	210
2025/5/26 17:50	0	0	0	0	0	72	108	206	87	219
2025/5/26 18:00	0	0	0	0	0	78	82	175	61	219
2025/5/26 18:10	0	0	0	0	0	85	94	173	61	245
2025/5/26 18:20	0	0	0	0	0	134	151	120	55	285
2025/5/26 18:30	0	0	0	0	0	136	148	107	53	299
2025/5/26 18:40	0	0	0	0	0	154	172	102	61	295
2025/5/26 18:50	0	0	0	0	0	128	173	92	71	313
2025/5/26 19:00	0	0	0	0	0	174	114	93	71	305
2025/5/26 19:10	0	0	0	0	0	83	99	173	86	296
2025/5/26 19:20	0	0	0	0	0	180	234	113	61	360
2025/5/26 19:30	0	0	0	0	0	182	288	90	43	250
2025/5/26 19:40	0	0	0	0	0	155	171	103	44	338
2025/5/26 19:50	0	0	0	0	0	162	126	80	29	268
2025/5/26 20:00	0	0	0	0	0	171	87	140	31	363
2025/5/26 20:10	0	0	0	0	0	105	76	183	49	339
2025/5/26 20:20	0	0	0	0	0	153	140	199	53	379
2025/5/26 20:30	0	0	0	0	0	144	77	123	46	295
2025/5/26 20:40	0	0	0	0	0	149	118	211	50	343
2025/5/26 20:50	0	0	0	0	0	179	117	110	37	339
2025/5/26 21:00	0	0	0	0	0	121	105	238	63	326
2025/5/26 21:10	0	0	0	0	0	126	113	275	94	353
2025/5/26 21:20	0	0	0	0	0	158	111	198	49	392
2025/5/26 21:30	0	0	0	0	0	172	91	142	45	408
2025/5/26 21:40	0	0	0	0	0	153	77	241	280	391
2025/5/26 21:50	0	0	0	0	0	178	159	247	70	415
2025/5/26 22:00	0	0	0	0	0	273	182	222	90	398
2025/5/26 22:10	0	0	0	0	0	190	131	156	47	451
2025/5/26 22:20	0	0	0	0	0	151	86	244	51	387
2025/5/26 22:30	0	0	0	0	0	121	71	323	250	371
2025/5/26 22:40	0	0	0	0	0	84	57	311	255	359
2025/5/26 22:50	0	0	0	0	0	137	106	246	45	367
2025/5/26 23:00	0	0	0	0	0	124	104	277	38	462
2025/5/26 23:10	0	0	0	0	0	184	78	306	77	500
2025/5/26 23:20	0	0	0	0	0	195	123	183	52	412
2025/5/26 23:30	0	0	0	0	0	255	112	99	42	290
2025/5/26 23:40	0	0	0	0	0	293	168	180	128	386
2025/5/26 23:50	0	0	0	0	0	207	136	219	57	421
2025/5/27 0:00	0	0	0	0	0	188	158	154	301	209
2025/5/27 0:10	0	0	0	0	0	60	49	269	468	209
2025/5/27 0:20	0	0	0	0	0	46	57	230	323	140

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/27 0:30	0	0	0	0	0	53	62	143	387	129
2025/5/27 0:40	0	0	0	0	0	39	106	47	385	53
2025/5/27 0:50	0	0	0	0	0	39	109	51	388	54
2025/5/27 1:00	0	0	0	0	0	48	102	69	333	64
2025/5/27 1:10	0	0	0	0	0	50	41	78	329	71
2025/5/27 1:20	0	0	0	0	0	55	37	186	255	109
2025/5/27 1:30	0	0	0	0	0	113	126	192	326	310
2025/5/27 1:40	0	0	0	0	0	58	137	82	461	92
2025/5/27 1:50	0	0	0	0	0	63	111	84	336	82
2025/5/27 2:00	0	0	0	0	0	72	60	119	293	117
2025/5/27 2:10	0	0	0	0	0	57	264	69	406	79
2025/5/27 2:20	0	0	0	0	0	54	190	67	411	67
2025/5/27 2:30	0	0	0	0	0	73	253	77	328	117
2025/5/27 2:40	0	0	0	0	0	74	114	188	303	189
2025/5/27 2:50	0	0	0	0	0	51	51	79	389	68
2025/5/27 3:00	0	0	0	0	0	48	45	61	361	67
2025/5/27 3:10	0	0	0	0	0	39	46	64	305	53
2025/5/27 3:20	0	0	0	0	0	38	171	56	261	52
2025/5/27 3:30	0	0	0	0	0	42	137	72	276	49
2025/5/27 3:40	0	0	0	0	0	46	200	67	350	56
2025/5/27 3:50	0	0	0	0	0	46	183	72	356	51
2025/5/27 4:00	0	0	0	0	0	106	67	168	319	154
2025/5/27 4:10	0	0	0	0	0	77	171	158	313	223
2025/5/27 4:20	0	0	0	0	0	86	187	198	350	179
2025/5/27 4:30	0	0	0	0	0	59	158	126	360	78
2025/5/27 4:40	0	0	0	0	0	54	168	108	304	84
2025/5/27 4:50	0	0	0	0	0	53	182	64	323	62
2025/5/27 5:00	0	0	0	0	0	59	169	67	289	124
2025/5/27 5:10	0	0	0	0	0	64	155	73	241	131
2025/5/27 5:20	0	0	0	0	0	58	95	78	269	73
2025/5/27 5:30	0	0	0	0	0	56	135	64	184	93
2025/5/27 5:40	0	0	0	0	0	48	75	70	194	70
2025/5/27 5:50	0	0	0	0	0	55	47	126	155	146
2025/5/27 6:00	0	0	0	0	0	48	42	101	136	154
2025/5/27 6:10	0	0	0	0	0	48	56	134	112	114
2025/5/27 6:20	0	0	0	0	0	40	38	87	145	65
2025/5/27 6:30	0	0	0	0	0	39	67	78	112	51
2025/5/27 6:40	0	0	0	0	0	40	82	84	163	43
2025/5/27 6:50	0	0	0	0	0	38	107	93	151	50
2025/5/27 7:00	0	0	0	0	0	58	61	172	110	242
2025/5/27 7:10	0	0	0	0	0	69	42	109	116	195
2025/5/27 7:20	0	0	0	0	0	36	123	88	131	89
2025/5/27 7:30	0	0	0	0	0	36	100	76	125	71
2025/5/27 7:40	0	0	0	0	0	36	52	60	127	47
2025/5/27 7:50	0	0	0	0	0	53	123	103	129	213
2025/5/27 8:00	0	0	0	0	0	31	98	89	175	54
2025/5/27 8:10	0	0	0	0	0	33	90	65	174	43
2025/5/27 8:20	0	0	0	0	0	31	46	46	153	39
2025/5/27 8:30	0	0	0	0	0	48	33	67	162	41
2025/5/27 8:40	0	0	0	0	0	44	61	74	131	79
2025/5/27 8:50	0	0	0	0	0	43	95	97	102	92
2025/5/27 9:00	0	0	0	0	0	38	153	90	110	64
2025/5/27 9:10	0	0	0	0	0	38	118	106	100	84
2025/5/27 9:20	0	0	0	0	0	26	142	62	102	68
2025/5/27 9:30	0	0	0	0	0	33	91	121	79	114
2025/5/27 9:40	0	0	0	0	0	35	128	102	115	140
2025/5/27 9:50	0	0	0	0	0	40	134	111	116	128
2025/5/27 10:00	0	0	0	0	0	30	83	63	106	60
2025/5/27 10:10	0	0	0	0	0	39	93	88	133	101
2025/5/27 10:20	0	0	0	0	0	36	204	68	115	130
2025/5/27 10:30	0	0	0	0	0	37	84	101	140	78
2025/5/27 10:40	0	0	0	0	0	41	71	84	141	111
2025/5/27 10:50	0	0	0	0	0	77	154	158	188	203
2025/5/27 11:00	0	0	0	0	0	273	355	248	177	479
2025/5/27 11:10	0	0	0	0	0	242	260	190	159	322
2025/5/27 11:20	0	0	0	0	0	79	183	166	282	176
2025/5/27 11:30	0	0	0	0	0	45	113	85	123	96
2025/5/27 11:40	0	0	0	0	0	87	158	140	144	183
2025/5/27 11:50	0	0	0	0	0	64	80	162	108	208
2025/5/27 12:00	0	0	0	0	0	55	66	117	105	213
2025/5/27 12:10	0	0	0	0	0	42	67	109	102	120
2025/5/27 12:20	0	0	0	0	0	48	50	137	83	230
2025/5/27 12:30	0	0	0	0	0	31	59	123	129	135

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/27 12:40	0	0	0	0	0	39	59	134	129	184
2025/5/27 12:50	0	0	0	0	0	34	78	110	110	121
2025/5/27 13:00	0	0	0	0	0	30	71	88	155	69
2025/5/27 13:10	0	0	0	0	0	33	46	93	131	134
2025/5/27 13:20	0	0	0	0	0	92	126	148	98	242
2025/5/27 13:30	0	0	0	0	0	91	129	165	145	198
2025/5/27 13:40	0	0	0	0	0	61	124	128	145	169
2025/5/27 13:50	0	0	0	0	0	64	110	146	121	195
2025/5/27 14:00	0	0	0	0	0	71	121	157	115	228
2025/5/27 14:10	0	0	0	0	0	85	114	179	136	283
2025/5/27 14:20	0	0	0	0	0	64	105	163	150	179
2025/5/27 14:30	0	0	0	0	0	59	59	140	133	240
2025/5/27 14:40	0	0	0	0	0	127	152	187	131	278
2025/5/27 14:50	0	0	0	0	0	121	149	170	136	290
2025/5/27 15:00	0	0	0	0	0	89	67	176	163	269
2025/5/27 15:10	0	0	0	0	0	83	104	149	115	239
2025/5/27 15:20	0	0	0	0	0	106	114	155	86	235
2025/5/27 15:30	0	0	0	0	0	66	104	178	135	197
2025/5/27 15:40	0	0	0	0	0	58	114	142	133	166
2025/5/27 15:50	0	0	0	0	0	49	72	148	141	167
2025/5/27 16:00	0	0	0	0	0	104	166	180	135	263
2025/5/27 16:10	0	0	0	0	0	117	145	163	117	247
2025/5/27 16:20	0	0	0	0	0	103	169	166	117	233
2025/5/27 16:30	0	0	0	0	0	99	127	149	120	193
2025/5/27 16:40	0	0	0	0	0	66	76	150	110	200
2025/5/27 16:50	0	0	0	0	0	68	130	217	192	283
2025/5/27 17:00	0	0	0	0	0	62	161	171	249	229
2025/5/27 17:10	0	0	0	0	0	72	107	189	274	240
2025/5/27 17:20	0	0	0	0	0	67	138	156	135	161
2025/5/27 17:30	0	0	0	0	0	78	152	198	117	283
2025/5/27 17:40	0	0	0	0	0	63	68	176	112	169
2025/5/27 17:50	0	0	0	0	0	58	199	175	102	222
2025/5/27 18:00	0	0	0	0	0	66	262	190	113	257
2025/5/27 18:10	0	0	0	0	0	79	93	185	84	255
2025/5/27 18:20	0	0	0	0	0	63	82	163	103	223
2025/5/27 18:30	0	0	0	0	0	79	151	191	84	284
2025/5/27 18:40	0	0	0	0	0	52	84	157	131	173
2025/5/27 18:50	0	0	0	0	0	87	101	190	132	278
2025/5/27 19:00	0	0	0	0	0	76	159	213	96	249
2025/5/27 19:10	0	0	0	0	0	94	154	218	124	273
2025/5/27 19:20	0	0	0	0	0	78	129	210	105	218
2025/5/27 19:30	0	0	0	0	0	69	103	203	108	226
2025/5/27 19:40	0	0	0	0	0	62	149	206	134	199
2025/5/27 19:50	0	0	0	0	0	108	195	186	118	232
2025/5/27 20:00	0	0	0	0	0	52	105	165	163	161
2025/5/27 20:10	0	0	0	0	0	62	170	185	234	184
2025/5/27 20:20	0	0	0	0	0	41	91	146	184	110
2025/5/27 20:30	0	0	0	0	0	47	131	195	105	250
2025/5/27 20:40	0	0	0	0	0	41	36	184	115	165
2025/5/27 20:50	0	0	0	0	0	34	181	153	138	110
2025/5/27 21:00	0	0	0	0	0	57	106	205	156	284
2025/5/27 21:10	0	0	0	0	0	68	143	192	147	227
2025/5/27 21:20	0	0	0	0	0	62	72	243	151	242
2025/5/27 21:30	0	0	0	0	0	74	133	245	127	303
2025/5/27 21:40	0	0	0	0	0	71	88	235	82	285
2025/5/27 21:50	0	0	0	0	0	59	103	223	159	185
2025/5/27 22:00	0	0	0	0	0	45	44	239	206	195
2025/5/27 22:10	0	0	0	0	0	46	44	228	157	210
2025/5/27 22:20	0	0	0	0	0	66	97	267	104	255
2025/5/27 22:30	0	0	0	0	0	72	55	292	184	239
2025/5/27 22:40	0	0	0	0	0	45	43	246	176	183
2025/5/27 22:50	0	0	0	0	0	39	38	155	164	79
2025/5/27 23:00	0	0	0	0	0	33	39	140	227	81
2025/5/27 23:10	0	0	0	0	0	31	240	131	203	48
2025/5/27 23:20	0	0	0	0	0	72	110	238	163	253
2025/5/27 23:30	0	0	0	0	0	37	205	81	348	46
2025/5/27 23:40	0	0	0	0	0	36	203	72	336	42
2025/5/27 23:50	0	0	0	0	0	38	50	55	363	46
2025/5/28 0:00	0	0	0	0	0	39	144	54	274	46
2025/5/28 0:10	0	0	0	0	0	38	165	54	251	66
2025/5/28 0:20	0	0	0	0	0	41	85	63	222	50
2025/5/28 0:30	0	0	0	0	0	43	79	61	221	51
2025/5/28 0:40	0	0	0	0	0	40	136	91	242	47

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/28 0:50	0	0	0	0	0	40	62	60	305	46
2025/5/28 1:00	0	0	0	0	0	41	89	56	248	49
2025/5/28 1:10	0	0	0	0	0	46	108	65	250	53
2025/5/28 1:20	0	0	0	0	0	52	136	74	258	61
2025/5/28 1:30	0	0	0	0	0	48	100	64	290	54
2025/5/28 1:40	0	0	0	0	0	62	142	70	261	67
2025/5/28 1:50	0	0	0	0	0	69	130	67	274	78
2025/5/28 2:00	0	0	0	0	0	63	109	65	303	77
2025/5/28 2:10	0	0	0	0	0	42	125	55	292	51
2025/5/28 2:20	0	0	0	0	0	38	86	60	277	46
2025/5/28 2:30	0	0	0	0	0	51	105	69	293	61
2025/5/28 2:40	0	0	0	0	0	59	122	70	291	74
2025/5/28 2:50	0	0	0	0	0	62	105	71	279	78
2025/5/28 3:00	0	0	0	0	0	56	143	63	334	65
2025/5/28 3:10	0	0	0	0	0	52	158	67	312	60
2025/5/28 3:20	0	0	0	0	0	44	183	76	289	53
2025/5/28 3:30	0	0	0	0	0	47	106	61	264	58
2025/5/28 3:40	0	0	0	0	0	46	108	67	288	57
2025/5/28 3:50	0	0	0	0	0	45	126	58	279	51
2025/5/28 4:00	0	0	0	0	0	51	163	76	269	57
2025/5/28 4:10	0	0	0	0	0	46	80	86	271	55
2025/5/28 4:20	0	0	0	0	0	51	106	79	201	60
2025/5/28 4:30	0	0	0	0	0	48	88	72	218	58
2025/5/28 4:40	0	0	0	0	0	54	104	69	244	64
2025/5/28 4:50	0	0	0	0	0	60	87	96	198	71
2025/5/28 5:00	0	0	0	0	0	50	52	86	137	59
2025/5/28 5:10	0	0	0	0	0	48	60	124	88	60
2025/5/28 5:20	0	0	0	0	0	39	42	92	96	59
2025/5/28 5:30	0	0	0	0	0	36	72	60	165	56
2025/5/28 5:40	0	0	0	0	0	35	38	80	120	45
2025/5/28 5:50	0	0	0	0	0	38	55	74	94	48
2025/5/28 6:00	0	0	0	0	0	39	62	71	126	46
2025/5/28 6:10	0	0	0	0	0	34	46	52	119	45
2025/5/28 6:20	0	0	0	0	0	33	42	51	89	51
2025/5/28 6:30	0	0	0.1	0	0	29	42	49	115	43
2025/5/28 6:40	0	0	0.1	0	0	25	42	43	107	34
2025/5/28 6:50	0	0	0.1	0	0	24	47	45	87	52
2025/5/28 7:00	0	0	0.1	0	0	25	37	81	60	63
2025/5/28 7:10	0	0	0.1	0	0	21	51	35	140	32
2025/5/28 7:20	0	0	0.1	0	0	23	71	42	100	32
2025/5/28 7:30	0	0	0.1	0	0	17	46	32	109	34
2025/5/28 7:40	0	0	0.1	0.1	0	15	59	38	98	29
2025/5/28 7:50	0	0	0.1	0.1	0	16	48	30	125	27
2025/5/28 8:00	0	0	0.1	0.1	0	20	52	37	143	33
2025/5/28 8:10	0	0	0.1	0.1	0	16	55	35	169	30
2025/5/28 8:20	0	0	0.1	0.1	0	16	107	45	117	40
2025/5/28 8:30	0	0	0	0.1	0	16	91	37	115	32
2025/5/28 8:40	0	0	0.1	0.1	0	16	60	33	112	56
2025/5/28 8:50	0	0	0.1	0.1	0	18	88	55	88	80
2025/5/28 9:00	0	0	0.1	0.1	0	15	101	51	95	73
2025/5/28 9:10	0	0	0.1	0.1	0	13	92	75	80	59
2025/5/28 9:20	0	0	0.1	0.1	0	28	164	120	108	176
2025/5/28 9:30	0	0	0.1	0.1	0	50	117	138	190	220
2025/5/28 9:40	0	0	0.1	0.1	0	22	151	70	136	78
2025/5/28 9:50	0	0	0.1	0.1	0	52	169	132	157	201
2025/5/28 10:00	0	0	0.1	0.1	0	64	243	155	146	254
2025/5/28 10:10	0.1	0	0.1	0.1	0	146	204	201	163	339
2025/5/28 10:20	0.1	0	0.1	0.1	0	79	164	187	176	279
2025/5/28 10:30	0.1	0	0	0.1	0	125	170	140	168	366
2025/5/28 10:40	0.1	0	0	0.1	0	64	126	158	177	228
2025/5/28 10:50	0.1	0	0	0	0	87	205	141	146	230
2025/5/28 11:00	0.1	0	0	0	0	72	116	147	136	299
2025/5/28 11:10	0.1	0	0	0	0	68	104	143	125	219
2025/5/28 11:20	0.1	0	0	0	0	89	88	143	96	234
2025/5/28 11:30	0.1	0	0	0	0	163	146	244	154	432
2025/5/28 11:40	0.1	0	0	0	0	179	235	227	142	412
2025/5/28 11:50	0.1	0	0	0	0	83	220	178	250	270
2025/5/28 12:00	0.1	0	0	0	0	148	151	234	152	444
2025/5/28 12:10	0.1	0	0	0	0	137	230	239	187	358
2025/5/28 12:20	0.1	0	0	0	0	71	127	270	196	385
2025/5/28 12:30	0.1	0	0	0	0	142	183	266	72	398
2025/5/28 12:40	0.1	0	0	0	0	102	216	213	111	393
2025/5/28 12:50	0.1	0	0	0	0	80	212	298	219	362

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/28 13:00	0.1	0	0	0	0	95	151	265	255	316
2025/5/28 13:10	0.1	0	0	0	0	101	526	245	297	324
2025/5/28 13:20	0.1	0	0	0	0	145	535	305	231	465
2025/5/28 13:30	0.1	0	0	0	0	116	468	228	197	392
2025/5/28 13:40	0.1	0	0	0	0	144	779	218	142	371
2025/5/28 13:50	0.1	0	0	0	0	72	581	163	170	272
2025/5/28 14:00	0.1	0	0	0	0	74	478	185	154	255
2025/5/28 14:10	0.2	0	0	0	0	106	461	158	126	257
2025/5/28 14:20	0.2	0.1	0	0	0	66	512	122	106	163
2025/5/28 14:30	0.2	0.1	0	0	0	74	483	135	109	203
2025/5/28 14:40	0.2	0.1	0	0	0	79	338	142	109	192
2025/5/28 14:50	0.2	0.1	0	0	0	106	408	94	78	215
2025/5/28 15:00	0.2	0.1	0	0	0	86	522	128	78	173
2025/5/28 15:10	0.2	0.1	0	0	0	105	577	101	52	205
2025/5/28 15:20	0.2	0.1	0	0	0	104	970	151	56	213
2025/5/28 15:30	0.2	0.1	0	0	0	119	545	129	60	259
2025/5/28 15:40	0.2	0.1	0	0	0	113	399	160	81	220
2025/5/28 15:50	0.2	0.1	0	0	0	91	141	147	89	222
2025/5/28 16:00	0.2	0.1	0	0	0	130	150	129	62	212
2025/5/28 16:10	0.2	0.1	0	0	0	119	159	151	64	233
2025/5/28 16:20	0.2	0.1	0	0	0	114	180	120	56	283
2025/5/28 16:30	0.1	0.1	0	0	0	123	123	123	48	300
2025/5/28 16:40	0.1	0.1	0	0	0	102	133	160	60	253
2025/5/28 16:50	0.1	0.1	0	0	0	87	119	141	44	224
2025/5/28 17:00	0.1	0.1	0	0	0	83	111	166	41	220
2025/5/28 17:10	0.1	0.1	0	0	0	81	87	156	38	227
2025/5/28 17:20	0.1	0.1	0	0	0	67	78	152	36	169
2025/5/28 17:30	0.1	0	0	0	0	73	88	108	35	168
2025/5/28 17:40	0	0	0	0	0	63	57	114	35	187
2025/5/28 17:50	0	0	0	0	0	64	75	127	39	194
2025/5/28 18:00	0	0	0	0	0	70	58	146	43	194
2025/5/28 18:10	0	0	0	0	0	67	55	133	39	205
2025/5/28 18:20	0	0	0	0	0	85	71	161	68	266
2025/5/28 18:30	0	0	0	0	0	76	114	144	79	246
2025/5/28 18:40	0	0	0	0	0	60	107	186	142	216
2025/5/28 18:50	0	0	0	0	0	114	256	191	110	305
2025/5/28 19:00	0	0	0	0	0	86	203	238	89	259
2025/5/28 19:10	0	0	0	0	0	79	142	180	57	227
2025/5/28 19:20	0	0	0	0	0	58	73	143	44	201
2025/5/28 19:30	0	0	0	0	0	84	146	152	43	256
2025/5/28 19:40	0	0	0	0	0	108	230	199	43	264
2025/5/28 19:50	0	0	0	0	0	77	71	160	34	230
2025/5/28 20:00	0	0	0	0	0	107	138	186	39	282
2025/5/28 20:10	0	0	0	0	0	136	323	140	27	375
2025/5/28 20:20	0	0	0	0	0	195	271	153	27	405
2025/5/28 20:30	0	0	0	0	0	100	226	207	38	338
2025/5/28 20:40	0	0	0	0	0	168	372	183	40	434
2025/5/28 20:50	0	0	0	0	0	275	509	142	29	388
2025/5/28 21:00	0	0	0	0	0	153	218	190	26	457
2025/5/28 21:10	0	0	0	0	0	122	203	223	28	379
2025/5/28 21:20	0	0	0	0	0	99	218	261	38	287
2025/5/28 21:30	0	0	0	0	0	131	300	272	43	368
2025/5/28 21:40	0	0	0	0	0	183	379	223	40	398
2025/5/28 21:50	0	0	0	0	0	253	501	205	35	454
2025/5/28 22:00	0	0	0	0	0	345	494	130	46	457
2025/5/28 22:10	0	0	0	0	0	176	463	238	30	469
2025/5/28 22:20	0	0	0	0	0	268	427	202	36	450
2025/5/28 22:30	0	0	0	0	0	201	511	264	34	507
2025/5/28 22:40	0	0	0	0	0	267	507	290	44	504
2025/5/28 22:50	0	0	0	0	0	184	464	275	38	451
2025/5/28 23:00	0	0	0	0	0	168	424	269	38	487
2025/5/28 23:10	0	0	0	0	0	175	457	288	54	455
2025/5/28 23:20	0	0	0	0	0	252	486	281	76	547
2025/5/28 23:30	0	0	0	0	0	218	489	232	74	426
2025/5/28 23:40	0	0	0	0	0	208	559	337	77	501
2025/5/28 23:50	0	0	0	0	0	215	530	330	121	435
2025/5/29 0:00	0	0	0	0	0	55	430	241	428	146
2025/5/29 0:10	0	0	0	0	0	32	269	65	388	107
2025/5/29 0:20	0	0	0	0	0	34	172	183	262	184
2025/5/29 0:30	0	0	0	0	0	53	298	166	298	161
2025/5/29 0:40	0	0	0	0	0	78	392	278	255	141
2025/5/29 0:50	0	0	0	0	0	34	267	139	337	90
2025/5/29 1:00	0	0	0	0	0	31	242	118	299	56

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/29 1:10	0	0	0	0	0	34	218	106	272	87
2025/5/29 1:20	0	0	0	0	0	280	355	303	195	339
2025/5/29 1:30	0	0	0	0	0	183	490	404	282	549
2025/5/29 1:40	0	0	0	0	0	114	489	364	326	277
2025/5/29 1:50	0	0	0	0	0	31	249	77	414	86
2025/5/29 2:00	0	0	0	0	0	47	238	85	310	93
2025/5/29 2:10	0	0	0	0	0	120	380	268	276	282
2025/5/29 2:20	0	0	0	0	0	35	185	99	335	233
2025/5/29 2:30	0	0	0	0	0	84	419	169	262	436
2025/5/29 2:40	0	0	0	0	0	337	498	189	215	436
2025/5/29 2:50	0	0	0	0	0	360	597	155	197	396
2025/5/29 3:00	0	0	0	0	0	311	568	240	160	521
2025/5/29 3:10	0	0	0	0	0	257	618	353	332	440
2025/5/29 3:20	0	0	0	0	0	301	553	261	266	395
2025/5/29 3:30	0	0	0	0	0	256	584	313	192	323
2025/5/29 3:40	0	0	0	0	0	429	613	193	98	438
2025/5/29 3:50	0	0	0	0	0	368	614	163	81	440
2025/5/29 4:00	0	0	0	0	0	421	616	127	79	409
2025/5/29 4:10	0	0	0	0	0	282	451	121	72	463
2025/5/29 4:20	0	0	0	0	0	142	493	170	68	376
2025/5/29 4:30	0	0	0	0	0	322	485	141	75	348
2025/5/29 4:40	0	0	0	0	0	260	479	127	82	398
2025/5/29 4:50	0	0	0	0	0	203	369	119	76	405
2025/5/29 5:00	0	0	0	0	0	120	445	110	61	363
2025/5/29 5:10	0	0	0	0	0	211	444	111	56	349
2025/5/29 5:20	0	0	0	0	0	112	438	146	67	348
2025/5/29 5:30	0	0	0	0	0	148	397	127	65	346
2025/5/29 5:40	0	0	0	0	0	121	362	166	71	260
2025/5/29 5:50	0	0	0	0	0	160	409	217	68	336
2025/5/29 6:00	0	0	0	0	0	179	425	176	97	286
2025/5/29 6:10	0	0	0	0	0	197	421	136	116	238
2025/5/29 6:20	0	0	0	0	0	106	306	167	125	214
2025/5/29 6:30	0	0	0	0	0	80	302	139	196	275
2025/5/29 6:40	0	0	0	0	0	99	229	189	107	230
2025/5/29 6:50	0	0	0	0	0	50	201	88	131	145
2025/5/29 7:00	0	0	0	0	0	34	217	101	159	72
2025/5/29 7:10	0	0	0	0	0	52	253	157	133	210
2025/5/29 7:20	0	0	0.1	0.1	0	49	204	142	115	223
2025/5/29 7:30	0	0	0.1	0.1	0	38	144	86	166	147
2025/5/29 7:40	0	0	0.1	0.1	0	30	119	114	125	116
2025/5/29 7:50	0	0	0.1	0.1	0	33	143	105	118	151
2025/5/29 8:00	0	0	0.1	0.1	0	26	63	58	174	138
2025/5/29 8:10	0	0	0.1	0.1	0	38	258	97	166	178
2025/5/29 8:20	0	0	0.1	0.1	0	102	342	150	70	295
2025/5/29 8:30	0	0	0.1	0.1	0	105	256	92	144	224
2025/5/29 8:40	0	0	0.1	0.1	0	88	198	107	146	208
2025/5/29 8:50	0	0	0.1	0.1	0	103	233	138	125	228
2025/5/29 9:00	0	0	0.1	0.1	0	89	224	156	115	294
2025/5/29 9:10	0	0	0.1	0.1	0	145	310	93	91	224
2025/5/29 9:20	0.1	0	0.1	0.1	0	88	275	115	93	238
2025/5/29 9:30	0.1	0	0.1	0.1	0	109	165	158	132	334
2025/5/29 9:40	0.1	0	0.1	0.1	0	93	311	83	89	220
2025/5/29 9:50	0.1	0	0.1	0.1	0	56	173	140	131	198
2025/5/29 10:00	0.1	0	0.1	0.1	0	52	80	132	101	186
2025/5/29 10:10	0.1	0	0.1	0.1	0	67	187	128	107	188
2025/5/29 10:20	0.1	0	0.1	0.1	0	58	125	143	136	185
2025/5/29 10:30	0.1	0	0.1	0.1	0	75	243	125	127	160
2025/5/29 10:40	0.1	0	0	0.1	0	122	227	100	75	244
2025/5/29 10:50	0.1	0	0	0.1	0	158	261	95	140	186
2025/5/29 11:00	0.1	0	0	0.1	0	155	220	53	39	255
2025/5/29 11:10	0.1	0	0	0.1	0	116	226	89	63	242
2025/5/29 11:20	0.1	0	0	0.1	0	135	269	109	47	244
2025/5/29 11:30	0.1	0	0	0.1	0	110	165	86	43	251
2025/5/29 11:40	0.1	0	0	0.1	0	72	238	89	63	219
2025/5/29 11:50	0.1	0	0	0.1	0	103	206	97	70	214
2025/5/29 12:00	0.1	0	0	0	0	78	194	114	60	214
2025/5/29 12:10	0.1	0	0	0	0	148	221	65	44	215
2025/5/29 12:20	0.1	0	0	0	0	110	189	57	42	232
2025/5/29 12:30	0.1	0	0	0	0	133	225	58	38	215
2025/5/29 12:40	0.1	0	0	0	0	114	177	64	38	184
2025/5/29 12:50	0.1	0	0	0.1	0	103	190	76	35	265
2025/5/29 13:00	0.1	0	0	0	0	116	255	55	36	204
2025/5/29 13:10	0.1	0	0	0	0	97	266	76	46	244

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/29 13:20	0.1	0	0	0	0	119	208	92	58	259
2025/5/29 13:30	0.1	0	0	0	0	171	280	92	63	320
2025/5/29 13:40	0.1	0	0	0	0	128	246	75	63	247
2025/5/29 13:50	0.1	0	0	0	0	128	255	68	71	249
2025/5/29 14:00	0.1	0	0	0	0	150	287	80	85	274
2025/5/29 14:10	0.1	0	0	0	0	126	213	68	64	206
2025/5/29 14:20	0.1	0	0	0	0	129	175	66	61	227
2025/5/29 14:30	0.1	0	0	0	0	157	238	47	55	139
2025/5/29 14:40	0.1	0	0	0	0	139	292	75	66	236
2025/5/29 14:50	0.1	0	0	0	0	104	775	69	70	275
2025/5/29 15:00	0.1	0	0	0	0	126	1652	65	53	171
2025/5/29 15:10	0.1	0	0	0	0	116	1429	69	57	234
2025/5/29 15:20	0	0	0	0	0	175	1117	53	60	197
2025/5/29 15:30	0	0	0	0	0	156	1720	53	59	159
2025/5/29 15:40	0	0	0	0	0	109	1669	93	63	303
2025/5/29 15:50	0	0	0	0	0	121	1056	115	69	282
2025/5/29 16:00	0	0	0	0	0	122	966	101	63	285
2025/5/29 16:10	0	0	0	0	0	156	1009	92	90	285
2025/5/29 16:20	0	0	0	0	0	197	1697	95	93	260
2025/5/29 16:30	0	0	0	0	0	182	1282	90	94	214
2025/5/29 16:40	0	0	0	0	0	171	793	114	82	307
2025/5/29 16:50	0	0	0	0	0	135	619	126	78	298
2025/5/29 17:00	0	0	0	0	0	124	560	138	74	318
2025/5/29 17:10	0	0	0	0	0	242	618	75	84	245
2025/5/29 17:20	0	0	0	0	0	169	607	106	72	331
2025/5/29 17:30	0	0	0	0	0	217	839	97	64	310
2025/5/29 17:40	0	0	0	0	0	118	732	140	64	344
2025/5/29 17:50	0	0	0	0	0	188	782	105	64	334
2025/5/29 18:00	0	0	0	0	0	164	1107	125	73	333
2025/5/29 18:10	0	0	0	0	0	176	1059	90	65	329
2025/5/29 18:20	0	0	0	0	0	166	802	133	73	346
2025/5/29 18:30	0	0	0	0	0	108	664	166	64	296
2025/5/29 18:40	0	0	0	0	0	121	1039	104	47	318
2025/5/29 18:50	0	0	0	0	0	122	1278	144	49	423
2025/5/29 19:00	0	0	0	0	0	116	1045	202	62	355
2025/5/29 19:10	0	0	0	0	0	119	1025	131	48	440
2025/5/29 19:20	0	0	0	0	0	120	799	184	53	378
2025/5/29 19:30	0	0	0	0	0	144	776	124	43	402
2025/5/29 19:40	0	0	0	0	0	191	1101	115	42	405
2025/5/29 19:50	0	0	0	0	0	193	1283	127	40	402
2025/5/29 20:00	0	0	0	0	0	201	1158	147	39	419
2025/5/29 20:10	0	0	0	0	0	130	896	209	69	424
2025/5/29 20:20	0	0	0	0	0	120	818	237	58	434
2025/5/29 20:30	0	0	0	0	0	179	811	165	50	417
2025/5/29 20:40	0	0	0	0	0	166	690	125	39	348
2025/5/29 20:50	0	0	0	0	0	142	636	133	43	372
2025/5/29 21:00	0	0	0	0	0	157	723	152	39	355
2025/5/29 21:10	0	0	0	0	0	187	613	172	47	430
2025/5/29 21:20	0	0	0	0	0	197	762	179	60	403
2025/5/29 21:30	0	0	0	0	0	161	725	230	61	419
2025/5/29 21:40	0	0	0	0	0	149	521	207	69	404
2025/5/29 21:50	0	0	0	0	0	254	521	201	81	432
2025/5/29 22:00	0	0	0	0	0	242	439	197	87	456
2025/5/29 22:10	0	0	0	0	0	184	461	259	110	480
2025/5/29 22:20	0	0	0	0	0	175	437	272	126	449
2025/5/29 22:30	0	0	0	0	0	253	378	268	110	480
2025/5/29 22:40	0	0	0	0	0	364	413	290	105	565
2025/5/29 22:50	0	0	0	0	0	384	429	197	61	522
2025/5/29 23:00	0	0	0	0	0	431	484	227	59	534
2025/5/29 23:10	0	0	0	0	0	335	533	270	98	550
2025/5/29 23:20	0	0	0	0	0	463	486	211	117	568
2025/5/29 23:30	0	0	0	0	0	353	473	210	79	556
2025/5/29 23:40	0	0	0	0	0	206	422	332	97	528
2025/5/29 23:50	0	0	0	0	0	173	403	247	76	454
2025/5/30 0:00	0	0	0	0	0	116	206	271	82	431
2025/5/30 0:10	0	0	0	0	0	100	185	281	68	450
2025/5/30 0:20	0	0	0	0	0	136	214	223	41	417
2025/5/30 0:30	0	0	0	0	0	176	381	237	65	409
2025/5/30 0:40	0	0	0	0	0	308	357	270	255	421
2025/5/30 0:50	0	0	0	0	0	178	239	271	256	421
2025/5/30 1:00	0	0	0	0	0	158	271	173	261	355
2025/5/30 1:10	0	0	0	0	0	78	218	51	324	134
2025/5/30 1:20	0	0	0	0	0	39	207	56	265	88

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/30 1:30	0	0	0	0	0	44	243	51	287	75
2025/5/30 1:40	0	0	0	0	0	30	224	46	326	64
2025/5/30 1:50	0	0	0	0	0	32	223	47	274	87
2025/5/30 2:00	0	0	0	0	0	32	217	48	272	95
2025/5/30 2:10	0	0	0	0	0	36	264	67	223	69
2025/5/30 2:20	0	0	0	0	0	141	209	202	148	211
2025/5/30 2:30	0	0	0	0	0	29	210	129	172	107
2025/5/30 2:40	0	0	0	0	0	22	218	66	126	60
2025/5/30 2:50	0	0	0	0	0	25	208	46	156	55
2025/5/30 3:00	0	0	0	0	0	25	176	52	216	55
2025/5/30 3:10	0	0	0	0	0	36	184	75	168	71
2025/5/30 3:20	0	0	0	0	0	36	86	120	98	111
2025/5/30 3:30	0	0	0	0	0	39	79	158	128	74
2025/5/30 3:40	0	0	0	0	0	37	76	120	115	75
2025/5/30 3:50	0	0	0	0	0	33	94	63	121	62
2025/5/30 4:00	0	0	0	0	0	27	87	51	142	57
2025/5/30 4:10	0	0	0	0	0	24	66	84	115	61
2025/5/30 4:20	0	0	0	0	0	26	83	63	83	118
2025/5/30 4:30	0	0	0	0	0	28	77	88	102	68
2025/5/30 4:40	0	0	0	0	0	30	77	79	112	55
2025/5/30 4:50	0	0	0	0	0	25	83	67	108	51
2025/5/30 5:00	0	0	0	0	0	21	60	57	106	46
2025/5/30 5:10	0	0	0	0	0	22	58	61	88	56
2025/5/30 5:20	0	0	0	0	0	23	49	58	87	45
2025/5/30 5:30	0	0	0	0	0	25	59	59	97	45
2025/5/30 5:40	0	0	0	0	0	27	99	98	102	87
2025/5/30 5:50	0	0	0	0	0	29	71	80	95	62
2025/5/30 6:00	0	0	0	0	0	30	58	58	118	47
2025/5/30 6:10	0	0	0	0	0	32	70	63	107	47
2025/5/30 6:20	0	0	0	0	0	35	120	56	143	51
2025/5/30 6:30	0	0	0	0	0	36	109	56	139	52
2025/5/30 6:40	0	0	0	0	0	42	131	63	120	81
2025/5/30 6:50	0	0	0	0	0	42	119	65	130	82
2025/5/30 7:00	0	0	0	0	0	31	69	130	102	140
2025/5/30 7:10	0	0	0	0	0	24	60	136	87	120
2025/5/30 7:20	0	0	0	0	0	33	69	135	97	112
2025/5/30 7:30	0	0	0	0	0	25	96	109	106	78
2025/5/30 7:40	0	0	0	0	0	22	67	110	105	61
2025/5/30 7:50	0	0	0	0	0	22	93	112	95	62
2025/5/30 8:00	0	0	0	0	0	23	51	54	105	57
2025/5/30 8:10	0	0	0	0	0	33	68	84	92	72
2025/5/30 8:20	0	0	0	0	0	33	59	47	104	50
2025/5/30 8:30	0	0	0	0	0	34	49	77	70	49
2025/5/30 8:40	0	0	0	0	0	37	52	56	78	51
2025/5/30 8:50	0	0	0	0	0	35	49	57	95	52
2025/5/30 9:00	0	0	0	0	0	36	95	64	81	61
2025/5/30 9:10	0	0	0	0	0	34	156	61	92	52
2025/5/30 9:20	0	0	0	0	0	32	63	57	87	44
2025/5/30 9:30	0	0	0	0	0	36	46	45	111	47
2025/5/30 9:40	0	0	0	0	0	38	46	67	116	75
2025/5/30 9:50	0	0	0	0	0	39	57	85	90	58
2025/5/30 10:00	0	0	0	0	0	44	65	71	145	61
2025/5/30 10:10	0	0	0	0	0	50	53	60	152	64
2025/5/30 10:20	0	0	0	0	0	68	69	79	182	87
2025/5/30 10:30	0	0	0	0	0	62	71	77	148	81
2025/5/30 10:40	0	0	0	0	0	58	71	70	132	77
2025/5/30 10:50	0	0	0	0	0	46	85	68	100	78
2025/5/30 11:00	0	0	0	0	0	38	74	113	89	106
2025/5/30 11:10	0	0	0	0	0	35	77	50	96	50
2025/5/30 11:20	0	0	0	0	0	34	63	53	86	44
2025/5/30 11:30	0	0	0	0	0	42	62	56	99	54
2025/5/30 11:40	0	0	0	0	0	42	89	105	93	86
2025/5/30 11:50	0	0	0	0	0	45	73	65	89	59
2025/5/30 12:00	0	0	0	0	0	29	59	49	77	41
2025/5/30 12:10	0	0	0	0	0	29	44	79	64	56
2025/5/30 12:20	0	0	0	0	0	25	47	59	62	45
2025/5/30 12:30	0	0	0	0	0	23	37	94	59	56
2025/5/30 12:40	0	0	0	0	0	24	43	62	70	32
2025/5/30 12:50	0	0	0	0	0	22	33	43	65	26
2025/5/30 13:00	0	0	0	0	0	22	46	51	75	40
2025/5/30 13:10	0	0	0	0	0	24	53	46	79	45
2025/5/30 13:20	0	0	0	0	0	22	60	43	103	27
2025/5/30 13:30	0	0	0	0	0	22	71	40	125	25

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/30 13:40	0	0	0	0	0	27	90	48	127	37
2025/5/30 13:50	0	0	0	0	0	29	62	46	138	33
2025/5/30 14:00	0	0	0	0	0	26	89	40	108	33
2025/5/30 14:10	0	0	0	0	0	21	50	43	90	30
2025/5/30 14:20	0	0	0	0	0	28	63	48	110	37
2025/5/30 14:30	0	0	0	0	0	30	91	62	101	39
2025/5/30 14:40	0	0	0	0	0	25	41	56	85	32
2025/5/30 14:50	0	0	0	0	0	24	50	42	110	39
2025/5/30 15:00	0	0	0	0	0	28	79	44	136	36
2025/5/30 15:10	0	0	0	0	0	30	68	47	145	41
2025/5/30 15:20	0	0	0	0	0	34	60	48	157	42
2025/5/30 15:30	0	0	0	0	0	46	65	56	163	59
2025/5/30 15:40	0	0	0	0	0	50	75	59	166	65
2025/5/30 15:50	0	0	0	0	0	61	100	68	166	76
2025/5/30 16:00	0	0	0	0	0	46	106	58	113	62
2025/5/30 16:10	0	0	0	0	0	43	63	57	146	56
2025/5/30 16:20	0	0	0	0	0	43	53	59	115	59
2025/5/30 16:30	0	0	0	0	0	106	71	61	116	66
2025/5/30 16:40	0	0	0	0	0	95	81	61	128	72
2025/5/30 16:50	0	0	0	0	0	67	118	71	152	82
2025/5/30 17:00	0	0	0	0	0	52	111	69	126	62
2025/5/30 17:10	0	0	0	0	0	52	76	68	128	68
2025/5/30 17:20	0	0	0	0	0	68	103	77	163	93
2025/5/30 17:30	0	0	0	0	0	53	107	67	121	69
2025/5/30 17:40	0	0	0	0	0	40	86	55	125	52
2025/5/30 17:50	0	0	0	0	0	36	92	53	115	49
2025/5/30 18:00	0	0	0	0	0	38	69	56	102	53
2025/5/30 18:10	0	0	0	0	0	36	77	53	117	51
2025/5/30 18:20	0	0	0	0	0	35	65	59	103	47
2025/5/30 18:30	0	0	0	0	0	38	96	57	134	47
2025/5/30 18:40	0	0	0	0	0	38	79	60	107	46
2025/5/30 18:50	0	0	0	0	0	35	82	57	96	44
2025/5/30 19:00	0	0	0	0	0	36	53	64	94	57
2025/5/30 19:10	0	0	0	0	0	31	60	56	86	44
2025/5/30 19:20	0	0	0	0	0	26	31	59	75	38
2025/5/30 19:30	0	0	0	0	0	23	46	61	74	34
2025/5/30 19:40	0	0	0	0	0	25	84	48	105	33
2025/5/30 19:50	0	0	0	0	0	31	79	56	125	42
2025/5/30 20:00	0	0	0	0	0	43	76	59	152	53
2025/5/30 20:10	0	0	0	0	0	46	92	59	146	59
2025/5/30 20:20	0	0	0	0	0	42	66	56	138	56
2025/5/30 20:30	0	0	0	0	0	39	73	54	141	61
2025/5/30 20:40	0	0	0	0	0	46	80	60	143	61
2025/5/30 20:50	0	0	0	0	0	40	79	61	132	56
2025/5/30 21:00	0	0	0	0	0	38	83	55	129	55
2025/5/30 21:10	0	0	0	0	0	33	92	52	139	52
2025/5/30 21:20	0	0	0	0	0	32	87	51	132	49
2025/5/30 21:30	0	0	0	0	0	31	82	54	113	57
2025/5/30 21:40	0	0	0	0	0	41	75	58	153	61
2025/5/30 21:50	0	0	0	0	0	37	58	57	128	53
2025/5/30 22:00	0	0	0	0	0	29	94	49	109	42
2025/5/30 22:10	0	0	0	0	0	30	66	55	115	45
2025/5/30 22:20	0	0	0	0	0	25	51	49	121	36
2025/5/30 22:30	0	0	0	0	0	16	27	57	84	35
2025/5/30 22:40	0	0	0	0	0	15	28	41	102	23
2025/5/30 22:50	0	0	0	0	0	18	44	44	126	26
2025/5/30 23:00	0	0	0	0	0	26	75	56	120	37
2025/5/30 23:10	0	0	0	0	0	23	61	46	125	35
2025/5/30 23:20	0	0	0	0	0	21	92	48	116	31
2025/5/30 23:30	0	0	0	0	0	19	55	43	110	28
2025/5/30 23:40	0	0	0	0	0	20	24	43	95	29
2025/5/30 23:50	0	0	0	0	0	19	35	42	108	29
2025/5/31 0:00	0	0	0	0	0	20	44	41	94	31
2025/5/31 0:10	0	0	0	0	0	16	58	42	96	26
2025/5/31 0:20	0	0	0	0	0	15	29	40	91	23
2025/5/31 0:30	0	0	0	0	0	18	55	52	82	30
2025/5/31 0:40	0	0	0	0	0	17	53	39	106	25
2025/5/31 0:50	0	0	0	0	0	16	49	44	104	27
2025/5/31 1:00	0	0	0	0	0	16	55	43	107	25
2025/5/31 1:10	0	0	0	0	0	17	40	48	95	27
2025/5/31 1:20	0	0	0	0	0	17	42	49	85	27
2025/5/31 1:30	0	0	0	0	0	13	46	45	103	28
2025/5/31 1:40	0	0	0	0	0	12	35	42	110	28

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/31 1:50	0	0	0	0	0	11	16	38	102	20
2025/5/31 2:00	0	0	0	0	0	13	42	43	112	20
2025/5/31 2:10	0	0	0	0	0	15	78	48	88	20
2025/5/31 2:20	0	0	0	0	0	14	37	50	83	22
2025/5/31 2:30	0	0	0	0	0	13	26	38	82	31
2025/5/31 2:40	0	0	0	0	0	13	16	43	95	18
2025/5/31 2:50	0	0	0	0	0	13	39	47	98	32
2025/5/31 3:00	0	0	0	0	0	13	36	39	103	19
2025/5/31 3:10	0	0	0	0	0	13	29	44	83	18
2025/5/31 3:20	0	0	0	0	0	12	20	39	85	32
2025/5/31 3:30	0	0	0	0	0	13	20	54	83	20
2025/5/31 3:40	0	0	0	0	0	14	20	74	80	69
2025/5/31 3:50	0	0	0	0	0	13	48	48	88	36
2025/5/31 4:00	0	0	0	0	0	12	25	35	110	20
2025/5/31 4:10	0	0	0	0	0	13	42	36	130	20
2025/5/31 4:20	0	0	0	0	0	13	72	38	100	22
2025/5/31 4:30	0	0	0	0	0	13	53	38	123	21
2025/5/31 4:40	0	0	0	0	0	13	84	39	124	21
2025/5/31 4:50	0	0	0	0	0	13	57	38	124	21
2025/5/31 5:00	0	0	0	0	0	14	34	40	100	21
2025/5/31 5:10	0	0	0	0	0	14	49	39	133	22
2025/5/31 5:20	0	0	0	0	0	15	78	41	104	24
2025/5/31 5:30	0	0	0	0	0	14	52	38	105	22
2025/5/31 5:40	0	0	0	0	0	14	62	41	101	21
2025/5/31 5:50	0	0	0	0	0	14	35	41	106	22
2025/5/31 6:00	0	0	0	0	0	14	18	48	85	24
2025/5/31 6:10	0	0	0	0	0	14	32	39	90	20
2025/5/31 6:20	0	0	0	0	0	14	17	38	85	20
2025/5/31 6:30	0	0	0	0	0	14	20	39	87	20
2025/5/31 6:40	0	0	0	0	0	15	16	45	85	35
2025/5/31 6:50	0	0	0	0	0	15	14	44	89	36
2025/5/31 7:00	0	0	0	0	0	17	36	51	82	40
2025/5/31 7:10	0	0	0	0	0	17	36	59	85	41
2025/5/31 7:20	0	0	0	0	0	16	53	43	108	20
2025/5/31 7:30	0	0	0	0	0	16	75	41	127	22
2025/5/31 7:40	0	0	0	0	0	15	23	48	102	27
2025/5/31 7:50	0	0	0	0	0	15	24	44	103	24
2025/5/31 8:00	0	0	0	0	0	15	44	40	127	25
2025/5/31 8:10	0	0	0	0	0	16	29	41	111	23
2025/5/31 8:20	0	0	0	0	0	16	67	43	103	25
2025/5/31 8:30	0	0	0	0	0	13	34	48	113	23
2025/5/31 8:40	0	0	0	0	0	15	60	45	116	24
2025/5/31 8:50	0	0	0	0	0	16	44	46	143	25
2025/5/31 9:00	0	0	0	0	0	19	65	46	111	28
2025/5/31 9:10	0	0	0	0	0	19	50	50	131	29
2025/5/31 9:20	0	0	0	0	0	22	42	52	132	32
2025/5/31 9:30	0	0	0	0	0	27	49	52	135	38
2025/5/31 9:40	0	0	0	0	0	43	57	54	136	48
2025/5/31 9:50	0	0	0	0	0	30	214	54	120	42
2025/5/31 10:00	0	0	0	0	0	28	111	51	149	40
2025/5/31 10:10	0	0	0	0	0	26	101	52	133	47
2025/5/31 10:20	0	0	0	0	0	26	86	52	145	46
2025/5/31 10:30	0	0	0	0	0	26	73	52	144	39
2025/5/31 10:40	0	0	0	0	0	28	112	62	138	46
2025/5/31 10:50	0	0	0	0	0	28	157	58	128	48
2025/5/31 11:00	0	0	0	0	0	29	417	55	142	45
2025/5/31 11:10	0	0	0	0	0	26	375	54	111	51
2025/5/31 11:20	0	0	0	0	0	24	295	55	136	42
2025/5/31 11:30	0	0	0	0	0	24	394	55	138	46
2025/5/31 11:40	0	0	0	0	0	26	362	53	158	42
2025/5/31 11:50	0	0	0	0	0	27	305	55	153	47
2025/5/31 12:00	0	0	0	0	0	24	276	49	136	40
2025/5/31 12:10	0	0	0	0	0	26	181	49	131	39
2025/5/31 12:20	0	0	0	0	0	26	135	52	130	39
2025/5/31 12:30	0	0	0	0	0	24	141	48	164	39
2025/5/31 12:40	0	0	0	0	0	23	145	47	117	50
2025/5/31 12:50	0	0	0	0	0	21	162	47	118	50
2025/5/31 13:00	0	0	0	0	0	24	170	49	128	43
2025/5/31 13:10	0	0	0	0	0	23	119	47	104	51
2025/5/31 13:20	0	0	0	0	0	19	98	44	122	43
2025/5/31 13:30	0	0	0	0	0	22	93	44	111	40
2025/5/31 13:40	0	0	0	0	0	18	80	43	111	35
2025/5/31 13:50	0	0	0	0	0	18	57	40	104	55

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/5/31 14:00	0	0	0	0	0	17	41	42	110	65
2025/5/31 14:10	0	0	0	0	0	18	50	43	107	52
2025/5/31 14:20	0	0	0	0	0	22	47	46	102	63
2025/5/31 14:30	0	0	0	0	0	19	36	47	103	87
2025/5/31 14:40	0	0	0	0	0	19	39	45	108	42
2025/5/31 14:50	0	0	0	0	0	19	23	46	87	38
2025/5/31 15:00	0	0	0	0	0	18	23	44	94	35
2025/5/31 15:10	0	0	0	0	0	20	17	44	120	35
2025/5/31 15:20	0	0	0	0	0	19	23	44	109	36
2025/5/31 15:30	0	0	0	0	0	16	22	41	100	33
2025/5/31 15:40	0	0	0	0	0	14	16	39	95	30
2025/5/31 15:50	0	0	0	0	0	14	13	39	111	32
2025/5/31 16:00	0	0	0	0	0	16	11	41	112	35
2025/5/31 16:10	0	0	0	0	0	17	21	41	120	38
2025/5/31 16:20	0	0	0	0	0	15	17	42	96	31
2025/5/31 16:30	0	0	0	0	0	12	16	38	92	49
2025/5/31 16:40	0	0	0	0	0	10	14	34	99	25
2025/5/31 16:50	0	0	0	0	0	8	14	36	73	23
2025/5/31 17:00	0	0	0	0	0	10	20	36	92	22
2025/5/31 17:10	0	0	0	0	0	11	153	42	69	33
2025/5/31 17:20	0	0	0	0	0	12	169	40	102	24
2025/5/31 17:30	0	0	0	0	0	19	55	43	121	52
2025/5/31 17:40	0	0	0	0	0	20	41	43	121	54
2025/5/31 17:50	0	0	0	0	0	20	44	43	128	44
2025/5/31 18:00	0	0	0	0	0	21	41	44	148	50
2025/5/31 18:10	0	0	0	0	0	22	55	45	182	48
2025/5/31 18:20	0	0	0	0	0	22	32	46	128	62
2025/5/31 18:30	0	0	0	0	0	27	35	48	142	42
2025/5/31 18:40	0	0	0	0	0	24	30	46	144	52
2025/5/31 18:50	0	0	0	0	0	26	32	47	165	41
2025/5/31 19:00	0	0	0	0	0	25	31	45	165	51
2025/5/31 19:10	0	0	0	0	0	21	36	50	118	45
2025/5/31 19:20	0	0	0	0	0	13	33	45	95	19
2025/5/31 19:30	0	0	0	0	0	11	18	38	100	23
2025/5/31 19:40	0	0	0	0	0	11	21	37	86	19
2025/5/31 19:50	0	0	0	0	0	10	20	34	106	20
2025/5/31 20:00	0	0	0	0	0	10	17	41	69	18
2025/5/31 20:10	0	0	0	0	0	11	16	39	81	20
2025/5/31 20:20	0	0	0	0	0	10	12	34	81	18
2025/5/31 20:30	0	0	0	0	0	10	15	35	82	16
2025/5/31 20:40	0	0	0	0	0	10	18	35	91	17
2025/5/31 20:50	0	0	0	0	0	11	13	38	77	21
2025/5/31 21:00	0	0	0	0	0	11	10	38	86	21
2025/5/31 21:10	0	0	0	0	0	11	30	36	105	19
2025/5/31 21:20	0	0	0	0	0	10	13	44	65	23
2025/5/31 21:30	0	0	0	0	0	10	14	39	99	18
2025/5/31 21:40	0	0	0	0	0	10	19	47	83	20
2025/5/31 21:50	0	0	0	0	0	10	10	43	80	18
2025/5/31 22:00	0	0	0	0	0	11	19	44	93	21
2025/5/31 22:10	0	0	0	0	0	11	24	44	87	19
2025/5/31 22:20	0	0	0	0	0	11	39	43	123	18
2025/5/31 22:30	0	0	0	0	0	13	23	50	101	24
2025/5/31 22:40	0	0	0	0	0	13	16	55	107	17
2025/5/31 22:50	0	0	0	0	0	10	16	49	111	22
2025/5/31 23:00	0	0	0	0	0	10	13	57	86	18
2025/5/31 23:10	0	0	0	0	0	11	16	143	75	60
2025/5/31 23:20	0	0	0	0	0	12	41	153	103	65
2025/5/31 23:30	0	0	0	0	0	28	41	237	64	174
2025/5/31 23:40	0	0	0	0	0	26	90	200	73	154
2025/5/31 23:50	0	0	0	0	0	19	25	206	72	132
2025/6/1 0:00	0	0	0	0	0	20	44	204	81	172
2025/6/1 0:10	0	0	0	0	0	19	22	158	101	95
2025/6/1 0:20	0	0	0	0	0	14	104	90	90	58
2025/6/1 0:30	0	0	0	0	0	15	63	109	87	87
2025/6/1 0:40	0	0	0	0	0	12	16	122	104	83
2025/6/1 0:50	0	0	0	0	0	12	44	90	104	54
2025/6/1 1:00	0	0	0	0	0	11	28	129	92	49
2025/6/1 1:10	0	0	0	0	0	12	52	73	115	41
2025/6/1 1:20	0	0	0	0	0	11	15	45	109	29
2025/6/1 1:30	0	0	0	0	0	11	75	72	143	16
2025/6/1 1:40	0	0	0	0	0	15	13	114	170	44
2025/6/1 1:50	0	0	0	0	0	12	16	66	153	17
2025/6/1 2:00	0	0	0	0	0	20	23	67	160	71

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/1 2:10	0	0	0	0	0	11	82	44	191	16
2025/6/1 2:20	0	0	0	0	0	12	22	60	178	22
2025/6/1 2:30	0	0	0	0	0	12	62	55	216	20
2025/6/1 2:40	0	0	0	0	0	12	32	45	237	19
2025/6/1 2:50	0	0	0	0	0	16	206	38	257	22
2025/6/1 3:00	0	0	0	0	0	248	184	212	184	328
2025/6/1 3:10	0	0	0	0	0	65	374	78	238	75
2025/6/1 3:20	0	0	0	0	0	26	189	47	297	40
2025/6/1 3:30	0	0	0	0	0	24	189	43	244	35
2025/6/1 3:40	0	0	0	0	0	283	224	87	163	269
2025/6/1 3:50	0	0	0	0	0	78	365	56	96	56
2025/6/1 4:00	0	0	0	0	0	157	289	61	76	57
2025/6/1 4:10	0	0	0	0	0	183	259	68	74	113
2025/6/1 4:20	0	0	0	0	0	72	267	61	72	60
2025/6/1 4:30	0	0	0	0	0	196	242	55	69	74
2025/6/1 4:40	0	0	0	0	0	328	242	98	72	230
2025/6/1 4:50	0	0	0	0	0	366	197	144	81	253
2025/6/1 5:00	0	0	0	0	0	275	299	81	76	190
2025/6/1 5:10	0	0	0	0	0	214	253	69	75	125
2025/6/1 5:20	0	0	0	0	0	144	261	73	132	97
2025/6/1 5:30	0	0	0	0	0	176	241	76	233	119
2025/6/1 5:40	0	0	0	0	0	321	322	113	74	229
2025/6/1 5:50	0	0	0	0	0	299	251	79	75	223
2025/6/1 6:00	0	0	0	0	0	259	245	93	69	222
2025/6/1 6:10	0	0	0	0	0	275	262	104	62	198
2025/6/1 6:20	0	0	0	0	0	219	146	95	63	228
2025/6/1 6:30	0	0	0	0	0	211	186	85	51	236
2025/6/1 6:40	0	0	0	0	0	140	118	97	54	257
2025/6/1 6:50	0	0	0	0	0	144	120	87	52	216
2025/6/1 7:00	0	0	0	0	0	152	110	83	41	215
2025/6/1 7:10	0	0	0	0	0	145	138	77	43	269
2025/6/1 7:20	0	0	0	0	0	172	94	50	39	188
2025/6/1 7:30	0	0	0	0	0	137	126	70	38	264
2025/6/1 7:40	0	0	0	0	0	86	143	83	42	254
2025/6/1 7:50	0	0	0	0	0	143	126	61	38	142
2025/6/1 8:00	0	0	0	0	0	132	112	84	37	249
2025/6/1 8:10	0	0	0	0	0	143	103	87	40	252
2025/6/1 8:20	0	0	0	0	0	102	91	93	39	223
2025/6/1 8:30	0	0	0	0	0	85	72	92	31	195
2025/6/1 8:40	0	0	0	0	0	84	39	94	29	268
2025/6/1 8:50	0	0	0	0	0	77	55	54	26	211
2025/6/1 9:00	0	0	0	0	0	79	47	76	22	198
2025/6/1 9:10	0	0	0.1	0.1	0	58	92	73	47	150
2025/6/1 9:20	0.1	0	0.1	0.1	0	140	130	57	38	178
2025/6/1 9:30	0.1	0	0.1	0.1	0	77	88	61	71	196
2025/6/1 9:40	0.1	0	0.1	0.1	0	123	124	56	51	179
2025/6/1 9:50	0.1	0	0.1	0.1	0	100	158	40	32	107
2025/6/1 10:00	0.1	0	0.1	0.1	0	60	67	58	27	97
2025/6/1 10:10	0.1	0	0.1	0.1	0	45	116	42	36	137
2025/6/1 10:20	0.1	0	0.1	0.1	0	72	146	38	41	95
2025/6/1 10:30	0.1	0	0.1	0.1	0	98	145	32	48	86
2025/6/1 10:40	0.1	0	0.1	0.1	0	69	140	31	45	78
2025/6/1 10:50	0.1	0	0.1	0.1	0	88	137	31	50	119
2025/6/1 11:00	0.1	0	0.1	0.1	0	87	85	33	66	84
2025/6/1 11:10	0.1	0	0.1	0	0	85	138	59	28	157
2025/6/1 11:20	0.1	0	0.1	0	0	65	144	38	80	112
2025/6/1 11:30	0.1	0	0.1	0	0	68	134	32	91	65
2025/6/1 11:40	0.1	0	0	0	0	95	128	33	60	75
2025/6/1 11:50	0.1	0	0	0	0	97	139	53	26	163
2025/6/1 12:00	0.1	0	0	0	0	86	136	69	28	137
2025/6/1 12:10	0.1	0	0	0	0	59	235	31	163	56
2025/6/1 12:20	0.1	0	0	0	0	131	145	47	28	199
2025/6/1 12:30	0.1	0	0	0	0	82	77	86	24	241
2025/6/1 12:40	0.1	0.1	0	0	0	122	99	59	28	200
2025/6/1 12:50	0.1	0.1	0	0	0	25	187	67	170	37
2025/6/1 13:00	0.1	0.1	0	0	0	134	161	31	24	87
2025/6/1 13:10	0.1	0.1	0	0	0	80	181	91	87	178
2025/6/1 13:20	0.1	0.1	0	0	0	142	236	39	26	129
2025/6/1 13:30	0.1	0.1	0	0	0	92	142	62	24	208
2025/6/1 13:40	0.1	0.1	0	0	0	87	184	38	69	172
2025/6/1 13:50	0.1	0	0	0	0	195	186	37	24	144
2025/6/1 14:00	0.1	0	0	0	0	43	172	99	22	280
2025/6/1 14:10	0.1	0	0	0	0	149	207	44	35	195

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/1 14:20	0.1	0	0	0	0	143	138	64	28	307
2025/6/1 14:30	0.1	0	0	0	0	143	310	46	53	218
2025/6/1 14:40	0.1	0	0	0	0	186	174	43	34	236
2025/6/1 14:50	0	0	0	0	0	145	141	37	39	141
2025/6/1 15:00	0.1	0	0	0	0	125	137	50	47	170
2025/6/1 15:10	0.1	0	0	0	0	137	116	36	32	127
2025/6/1 15:20	0.1	0	0	0	0	126	108	34	26	131
2025/6/1 15:30	0.1	0.1	0	0	0	119	110	33	25	95
2025/6/1 15:40	0.1	0.1	0	0	0	115	88	34	26	130
2025/6/1 15:50	0.1	0.1	0	0	0	133	97	38	25	200
2025/6/1 16:00	0.1	0.1	0	0	0	143	147	48	27	201
2025/6/1 16:10	0.1	0	0	0	0	146	94	45	26	160
2025/6/1 16:20	0.1	0	0	0	0	146	113	37	24	164
2025/6/1 16:30	0	0	0	0	0	150	155	65	22	241
2025/6/1 16:40	0	0	0	0	0	132	196	42	37	120
2025/6/1 16:50	0	0	0	0	0	140	132	74	33	330
2025/6/1 17:00	0	0	0	0	0	145	202	89	30	322
2025/6/1 17:10	0	0	0	0	0	100	93	95	36	273
2025/6/1 17:20	0	0	0	0	0	135	183	95	32	303
2025/6/1 17:30	0	0	0	0	0	140	121	87	31	275
2025/6/1 17:40	0	0	0	0	0	65	76	119	27	245
2025/6/1 17:50	0	0	0	0	0	67	84	105	24	261
2025/6/1 18:00	0	0	0	0	0	66	57	107	24	295
2025/6/1 18:10	0	0	0	0	0	107	51	82	21	287
2025/6/1 18:20	0	0	0	0	0	128	125	70	19	260
2025/6/1 18:30	0	0	0	0	0	128	114	73	18	267
2025/6/1 18:40	0	0	0	0	0	155	95	66	19	264
2025/6/1 18:50	0	0	0	0	0	138	123	76	21	275
2025/6/1 19:00	0	0	0	0	0	119	106	69	19	249
2025/6/1 19:10	0	0	0	0	0	68	82	69	21	280
2025/6/1 19:20	0	0	0	0	0	120	78	73	18	284
2025/6/1 19:30	0	0	0	0	0	94	59	67	19	332
2025/6/1 19:40	0	0	0	0	0	127	71	66	18	252
2025/6/1 19:50	0	0	0	0	0	119	78	61	18	274
2025/6/1 20:00	0	0	0	0	0	128	117	70	17	262
2025/6/1 20:10	0	0	0	0	0	128	148	92	19	299
2025/6/1 20:20	0	0	0	0	0	149	73	92	21	296
2025/6/1 20:30	0	0	0	0	0	155	90	86	21	308
2025/6/1 20:40	0	0	0	0	0	160	116	94	24	290
2025/6/1 20:50	0	0	0	0	0	147	126	84	22	289
2025/6/1 21:00	0	0	0	0	0	178	171	74	24	273
2025/6/1 21:10	0	0	0	0	0	90	138	102	23	281
2025/6/1 21:20	0	0	0	0	0	138	178	100	25	324
2025/6/1 21:30	0	0	0	0	0	182	179	121	23	321
2025/6/1 21:40	0	0	0	0	0	247	134	104	25	308
2025/6/1 21:50	0	0	0	0	0	201	295	102	24	280
2025/6/1 22:00	0	0	0	0	0	199	154	115	39	361
2025/6/1 22:10	0	0	0	0	0	162	145	121	25	372
2025/6/1 22:20	0	0	0	0	0	259	98	137	27	303
2025/6/1 22:30	0	0	0	0	0	142	117	161	290	204
2025/6/1 22:40	0	0	0	0	0	332	292	128	32	260
2025/6/1 22:50	0	0	0	0	0	374	227	123	32	273
2025/6/1 23:00	0	0	0	0	0	284	303	116	35	240
2025/6/1 23:10	0	0	0	0	0	302	442	81	36	266
2025/6/1 23:20	0	0	0	0	0	170	377	50	40	133
2025/6/1 23:30	0	0	0	0	0	312	276	53	35	175
2025/6/1 23:40	0	0	0	0	0	68	461	46	45	54
2025/6/1 23:50	0	0	0	0	0	55	442	47	45	56
2025/6/2 0:00	0	0	0	0	0	385	196	66	40	121
2025/6/2 0:10	0	0	0	0	0	381	268	186	71	337
2025/6/2 0:20	0	0	0	0	0	419	391	107	55	346
2025/6/2 0:30	0	0	0	0	0	168	478	70	66	106
2025/6/2 0:40	0	0	0	0	0	278	418	53	49	61
2025/6/2 0:50	0	0	0	0	0	326	412	126	52	213
2025/6/2 1:00	0	0	0	0	0	388	479	111	70	255
2025/6/2 1:10	0	0	0	0	0	491	415	107	85	466
2025/6/2 1:20	0	0	0	0	0	291	579	256	345	295
2025/6/2 1:30	0	0	0	0	0	176	554	111	188	207
2025/6/2 1:40	0	0	0	0	0	128	461	71	100	126
2025/6/2 1:50	0	0	0	0	0	70	279	91	404	80
2025/6/2 2:00	0	0	0	0	0	57	150	74	461	68
2025/6/2 2:10	0	0	0	0	0	55	99	79	385	68
2025/6/2 2:20	0	0	0	0	0	52	58	70	297	65

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/2 2:30	0	0	0	0	0	61	63	106	341	101
2025/6/2 2:40	0	0	0	0	0	106	63	208	321	134
2025/6/2 2:50	0	0	0	0	0	66	51	115	329	100
2025/6/2 3:00	0	0	0	0	0	272	152	253	96	317
2025/6/2 3:10	0	0	0	0	0	73	73	132	139	91
2025/6/2 3:20	0	0	0	0	0	73	405	114	121	79
2025/6/2 3:30	0	0	0	0	0	63	421	89	103	74
2025/6/2 3:40	0	0	0	0	0	63	469	79	90	69
2025/6/2 3:50	0	0	0	0	0	125	345	84	92	111
2025/6/2 4:00	0	0	0	0	0	118	417	82	107	114
2025/6/2 4:10	0	0	0	0	0	101	92	119	327	100
2025/6/2 4:20	0	0	0	0	0	71	68	127	345	113
2025/6/2 4:30	0	0	0	0	0	72	297	82	238	83
2025/6/2 4:40	0	0	0	0	0	79	175	89	313	87
2025/6/2 4:50	0	0	0	0	0	82	194	94	301	84
2025/6/2 5:00	0	0	0	0	0	92	150	127	238	92
2025/6/2 5:10	0	0	0	0	0	76	61	101	168	78
2025/6/2 5:20	0	0	0	0	0	68	53	119	128	72
2025/6/2 5:30	0	0	0	0	0	60	60	86	126	90
2025/6/2 5:40	0	0	0	0	0	61	55	73	132	80
2025/6/2 5:50	0	0	0	0	0	58	53	73	110	72
2025/6/2 6:00	0	0	0	0	0	59	45	147	83	112
2025/6/2 6:10	0	0	0	0	0	55	88	97	91	97
2025/6/2 6:20	0	0	0	0	0	46	62	89	100	89
2025/6/2 6:30	0	0	0	0	0	45	89	74	135	66
2025/6/2 6:40	0	0	0	0	0	47	49	78	112	65
2025/6/2 6:50	0	0	0	0	0	51	99	69	142	69
2025/6/2 7:00	0	0	0	0	0	55	102	80	136	76
2025/6/2 7:10	0	0	0	0	0	85	106	78	132	96
2025/6/2 7:20	0	0	0	0	0	66	155	73	116	74
2025/6/2 7:30	0	0	0	0	0	121	49	122	107	175
2025/6/2 7:40	0	0	0	0	0	69	129	83	130	123
2025/6/2 7:50	0	0	0	0	0	45	182	78	84	99
2025/6/2 8:00	0	0	0	0	0	46	134	122	92	107
2025/6/2 8:10	0	0	0	0	0	64	90	105	98	153
2025/6/2 8:20	0	0	0.1	0.1	0	46	169	84	80	149
2025/6/2 8:30	0	0	0.1	0.1	0	40	134	117	111	102
2025/6/2 8:40	0	0	0.1	0.1	0	31	184	50	128	70
2025/6/2 8:50	0	0	0.1	0.1	0	30	81	82	91	77
2025/6/2 9:00	0	0	0.1	0.1	0	26	76	42	111	60
2025/6/2 9:10	0	0	0.1	0.1	0	27	68	64	91	70
2025/6/2 9:20	0	0	0.1	0.1	0	28	94	50	99	62
2025/6/2 9:30	0	0	0.1	0.1	0	29	160	42	107	112
2025/6/2 9:40	0.1	0	0.1	0.1	0	36	211	54	136	76
2025/6/2 9:50	0.1	0	0.1	0.1	0	48	245	106	103	212
2025/6/2 10:00	0.1	0	0.1	0.1	0	44	139	94	91	144
2025/6/2 10:10	0.1	0	0.1	0.1	0	64	212	102	102	188
2025/6/2 10:20	0.1	0	0.1	0.1	0	148	408	51	68	124
2025/6/2 10:30	0.1	0	0.1	0.1	0	123	355	72	101	192
2025/6/2 10:40	0.1	0	0.1	0.1	0	129	292	54	66	271
2025/6/2 10:50	0.1	0	0.1	0.1	0	127	326	64	126	156
2025/6/2 11:00	0.1	0	0.1	0.1	0	111	397	118	71	254
2025/6/2 11:10	0.1	0	0.1	0.1	0	159	293	116	72	321
2025/6/2 11:20	0.1	0	0.1	0.1	0	65	189	61	132	103
2025/6/2 11:30	0.1	0	0	0	0	175	382	63	163	240
2025/6/2 11:40	0.1	0	0	0	0	187	289	86	141	300
2025/6/2 11:50	0.1	0	0	0	0	117	273	81	98	193
2025/6/2 12:00	0.1	0	0	0	0	121	209	50	82	131
2025/6/2 12:10	0.1	0	0	0	0	98	247	43	80	72
2025/6/2 12:20	0.1	0	0	0	0	116	194	72	101	170
2025/6/2 12:30	0.1	0	0	0	0	129	200	51	59	168
2025/6/2 12:40	0.1	0	0	0	0	137	222	54	54	249
2025/6/2 12:50	0.1	0	0	0	0	104	218	82	49	258
2025/6/2 13:00	0.1	0	0	0	0	134	153	50	47	213
2025/6/2 13:10	0.1	0	0	0	0	142	213	45	50	119
2025/6/2 13:20	0.1	0.1	0	0	0	134	298	63	54	224
2025/6/2 13:30	0.1	0	0	0	0	135	237	66	53	262
2025/6/2 13:40	0.1	0	0	0	0	116	272	55	78	189
2025/6/2 13:50	0.1	0	0	0	0	141	152	49	41	174
2025/6/2 14:00	0.1	0.1	0	0	0	141	188	73	46	220
2025/6/2 14:10	0.1	0.1	0	0	0	163	194	55	58	235
2025/6/2 14:20	0.1	0	0	0	0	164	286	57	64	160
2025/6/2 14:30	0.1	0	0	0	0	181	162	59	59	201

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/2 14:40	0.1	0	0	0	0	163	173	60	55	212
2025/6/2 14:50	0.1	0	0	0	0	154	317	65	47	220
2025/6/2 15:00	0.1	0	0	0	0	142	243	50	47	229
2025/6/2 15:10	0.1	0	0	0	0	142	214	54	45	197
2025/6/2 15:20	0.1	0	0	0	0	136	292	53	46	208
2025/6/2 15:30	0.1	0	0	0	0	143	233	72	50	291
2025/6/2 15:40	0.1	0.1	0	0	0	155	251	54	55	174
2025/6/2 15:50	0.1	0.1	0	0	0	175	353	58	50	221
2025/6/2 16:00	0.1	0.1	0	0	0	180	258	69	50	272
2025/6/2 16:10	0.1	0.1	0	0	0	180	343	52	57	198
2025/6/2 16:20	0.1	0.1	0	0	0	167	264	65	48	269
2025/6/2 16:30	0.1	0.1	0	0	0	183	218	73	50	265
2025/6/2 16:40	0.1	0.1	0	0	0	167	166	59	50	159
2025/6/2 16:50	0.1	0.1	0	0	0	161	228	64	50	237
2025/6/2 17:00	0.1	0	0	0	0	157	262	91	46	247
2025/6/2 17:10	0	0	0	0	0	183	235	53	52	147
2025/6/2 17:20	0	0	0	0	0	159	213	85	62	256
2025/6/2 17:30	0	0	0	0	0	178	247	74	55	270
2025/6/2 17:40	0	0	0	0	0	155	197	92	55	274
2025/6/2 17:50	0	0	0	0	0	174	224	56	60	200
2025/6/2 18:00	0	0	0	0	0	158	237	53	54	161
2025/6/2 18:10	0	0	0	0	0	160	217	70	53	281
2025/6/2 18:20	0	0	0	0	0	185	293	60	58	216
2025/6/2 18:30	0	0	0	0	0	161	160	67	45	199
2025/6/2 18:40	0	0	0	0	0	140	204	58	55	162
2025/6/2 18:50	0	0	0	0	0	181	189	52	59	187
2025/6/2 19:00	0	0	0	0	0	128	207	49	61	131
2025/6/2 19:10	0	0	0	0	0	193	183	52	42	156
2025/6/2 19:20	0	0	0	0	0	201	201	61	42	225
2025/6/2 19:30	0	0	0	0	0	206	250	72	43	261
2025/6/2 19:40	0	0	0	0	0	178	252	97	47	325
2025/6/2 19:50	0	0	0	0	0	172	218	70	42	219
2025/6/2 20:00	0	0	0	0	0	169	209	58	42	217
2025/6/2 20:10	0	0	0	0	0	157	183	58	32	242
2025/6/2 20:20	0	0	0	0	0	195	225	57	34	275
2025/6/2 20:30	0	0	0	0	0	189	219	48	31	254
2025/6/2 20:40	0	0	0	0	0	215	231	57	44	191
2025/6/2 20:50	0	0	0	0	0	184	262	73	40	294
2025/6/2 21:00	0	0	0	0	0	190	253	81	39	260
2025/6/2 21:10	0	0	0	0	0	192	218	89	38	255
2025/6/2 21:20	0	0	0	0	0	214	239	74	39	277
2025/6/2 21:30	0	0	0	0	0	228	277	103	42	342
2025/6/2 21:40	0	0	0	0	0	193	232	104	41	297
2025/6/2 21:50	0	0	0	0	0	234	279	79	142	267
2025/6/2 22:00	0	0	0	0	0	210	326	97	45	377
2025/6/2 22:10	0	0	0	0	0	184	351	153	44	369
2025/6/2 22:20	0	0	0	0	0	218	379	159	49	389
2025/6/2 22:30	0	0	0	0	0	284	371	186	53	491
2025/6/2 22:40	0	0	0	0	0	223	413	163	63	411
2025/6/2 22:50	0	0	0	0	0	160	386	184	63	411
2025/6/2 23:00	0	0	0	0	0	189	272	142	60	358
2025/6/2 23:10	0	0	0	0	0	142	297	169	57	370
2025/6/2 23:20	0	0	0	0	0	212	362	167	51	353
2025/6/2 23:30	0	0	0	0	0	250	359	203	127	429
2025/6/2 23:40	0	0	0	0	0	155	375	176	59	388
2025/6/2 23:50	0	0	0	0	0	189	404	185	58	431
2025/6/3 0:00	0	0	0	0	0	238	442	182	60	463
2025/6/3 0:10	0	0	0	0	0	130	374	180	58	398
2025/6/3 0:20	0	0	0	0	0	136	359	180	71	432
2025/6/3 0:30	0	0	0	0	0	186	390	154	72	395
2025/6/3 0:40	0	0	0	0	0	190	300	156	66	331
2025/6/3 0:50	0	0	0	0	0	162	287	129	59	354
2025/6/3 1:00	0	0	0	0	0	128	312	148	63	366
2025/6/3 1:10	0	0	0	0	0	146	371	147	66	370
2025/6/3 1:20	0	0	0	0	0	218	337	155	75	422
2025/6/3 1:30	0	0	0	0	0	175	287	154	70	357
2025/6/3 1:40	0	0	0	0	0	232	288	152	67	328
2025/6/3 1:50	0	0	0	0	0	171	290	144	67	343
2025/6/3 2:00	0	0	0	0	0	162	253	136	70	329
2025/6/3 2:10	0	0	0	0	0	279	212	119	68	336
2025/6/3 2:20	0	0	0	0	0	216	214	173	70	357
2025/6/3 2:30	0	0	0	0	0	167	269	160	76	377
2025/6/3 2:40	0	0	0	0	0	279	332	133	150	385

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/3 2:50	0	0	0	0	0	149	372	163	75	394
2025/6/3 3:00	0	0	0	0	0	124	391	161	77	377
2025/6/3 3:10	0	0	0	0	0	220	322	142	75	359
2025/6/3 3:20	0	0	0	0	0	112	270	144	76	357
2025/6/3 3:30	0	0	0	0	0	198	327	135	79	335
2025/6/3 3:40	0	0	0	0	0	172	294	142	85	314
2025/6/3 3:50	0	0	0	0	0	148	310	142	82	361
2025/6/3 4:00	0	0	0	0	0	135	355	157	81	407
2025/6/3 4:10	0	0	0	0	0	167	341	146	145	408
2025/6/3 4:20	0	0	0	0	0	202	317	204	166	370
2025/6/3 4:30	0	0	0	0	0	183	248	173	133	297
2025/6/3 4:40	0	0	0	0	0	225	227	106	86	250
2025/6/3 4:50	0	0	0	0	0	193	188	130	80	251
2025/6/3 5:00	0	0	0	0	0	165	191	120	74	241
2025/6/3 5:10	0	0	0	0	0	193	185	107	72	208
2025/6/3 5:20	0	0	0	0	0	211	224	88	87	202
2025/6/3 5:30	0	0	0	0	0	241	217	83	99	133
2025/6/3 5:40	0	0	0	0	0	199	234	80	101	110
2025/6/3 5:50	0	0	0	0	0	210	263	80	87	87
2025/6/3 6:00	0	0	0	0	0	318	335	92	94	194
2025/6/3 6:10	0	0	0	0	0	261	332	96	102	246
2025/6/3 6:20	0	0	0	0	0	176	338	232	147	418
2025/6/3 6:30	0	0	0	0	0	179	383	199	129	376
2025/6/3 6:40	0	0	0	0	0	293	275	159	109	413
2025/6/3 6:50	0	0	0	0	0	310	329	111	108	291
2025/6/3 7:00	0	0	0	0	0	266	209	92	95	215
2025/6/3 7:10	0	0	0	0	0	260	220	85	78	115
2025/6/3 7:20	0	0	0	0	0	132	242	67	162	75
2025/6/3 7:30	0	0	0	0	0	114	256	61	137	70
2025/6/3 7:40	0	0	0	0	0	92	254	61	135	80
2025/6/3 7:50	0	0	0	0	0	42	241	53	133	67
2025/6/3 8:00	0	0	0	0	0	42	207	56	127	69
2025/6/3 8:10	0	0	0	0	0	73	275	61	170	73
2025/6/3 8:20	0	0	0	0	0	90	278	55	90	68
2025/6/3 8:30	0	0	0	0	0	94	193	51	69	64
2025/6/3 8:40	0	0	0	0	0	191	203	54	74	114
2025/6/3 8:50	0	0	0	0	0	172	203	65	55	245
2025/6/3 9:00	0	0	0	0	0	185	210	64	54	249
2025/6/3 9:10	0	0	0	0	0	199	228	61	56	280
2025/6/3 9:20	0	0	0	0	0	176	215	75	80	233
2025/6/3 9:30	0	0	0	0	0	145	196	66	73	255
2025/6/3 9:40	0	0	0	0	0	146	177	76	72	233
2025/6/3 9:50	0	0	0	0	0	152	190	73	71	241
2025/6/3 10:00	0	0	0	0	0	169	169	65	65	195
2025/6/3 10:10	0	0	0	0	0	175	159	61	60	212
2025/6/3 10:20	0	0	0	0	0	173	227	62	67	218
2025/6/3 10:30	0	0	0	0	0	175	278	71	68	242
2025/6/3 10:40	0	0	0	0	0	167	260	64	76	221
2025/6/3 10:50	0	0	0	0	0	163	211	67	69	205
2025/6/3 11:00	0	0	0	0	0	167	246	61	71	207
2025/6/3 11:10	0	0	0	0	0	173	348	62	77	163
2025/6/3 11:20	0	0	0	0	0	167	240	60	66	177
2025/6/3 11:30	0	0	0	0	0	166	263	64	62	218
2025/6/3 11:40	0	0	0	0	0	157	248	63	55	208
2025/6/3 11:50	0	0	0	0	0	171	339	58	56	208
2025/6/3 12:00	0	0	0	0	0	158	229	65	65	247
2025/6/3 12:10	0	0	0	0	0	173	195	74	58	260
2025/6/3 12:20	0	0	0	0	0	135	202	78	51	265
2025/6/3 12:30	0	0	0	0	0	155	219	76	50	290
2025/6/3 12:40	0	0	0	0	0	141	238	90	53	279
2025/6/3 12:50	0	0	0	0	0	143	204	87	70	268
2025/6/3 13:00	0	0	0	0	0	137	254	86	63	301
2025/6/3 13:10	0	0	0	0	0	157	220	75	59	270
2025/6/3 13:20	0	0	0	0	0	163	230	88	70	279
2025/6/3 13:30	0	0	0	0	0	186	277	81	64	265
2025/6/3 13:40	0	0	0	0	0	194	273	72	73	237
2025/6/3 13:50	0	0	0	0	0	175	357	88	85	299
2025/6/3 14:00	0	0	0	0	0	164	343	121	88	295
2025/6/3 14:10	0	0	0	0	0	159	367	120	95	254
2025/6/3 14:20	0	0	0	0	0	166	367	103	93	272
2025/6/3 14:30	0	0	0	0	0	248	310	106	102	259
2025/6/3 14:40	0	0	0	0	0	172	216	112	99	312
2025/6/3 14:50	0	0	0	0	0	152	244	101	77	283

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/3 15:00	0	0	0	0	0	155	244	90	77	287
2025/6/3 15:10	0	0	0	0	0	141	240	92	73	267
2025/6/3 15:20	0	0	0	0	0	173	340	87	73	314
2025/6/3 15:30	0	0	0	0	0	225	289	148	122	348
2025/6/3 15:40	0	0	0	0	0	209	253	165	147	386
2025/6/3 15:50	0	0	0	0	0	167	158	261	269	297
2025/6/3 16:00	0	0	0	0	0	123	168	256	299	252
2025/6/3 16:10	0	0	0	0	0	125	202	235	172	237
2025/6/3 16:20	0	0	0	0	0	105	181	221	202	229
2025/6/3 16:30	0	0	0	0	0	105	138	185	188	233
2025/6/3 16:40	0	0	0	0	0	87	123	222	235	219
2025/6/3 16:50	0	0	0	0	0	83	112	192	225	202
2025/6/3 17:00	0	0	0	0	0	74	101	182	194	158
2025/6/3 17:10	0	0	0	0	0	57	92	130	144	119
2025/6/3 17:20	0	0	0	0	0	57	102	110	129	134
2025/6/3 17:30	0	0	0	0	0	51	94	89	119	84
2025/6/3 17:40	0	0	0	0	0	53	83	105	90	117
2025/6/3 17:50	0	0	0	0	0	52	89	141	90	127
2025/6/3 18:00	0	0	0	0	0	48	97	91	112	96
2025/6/3 18:10	0	0	0	0	0	52	87	68	106	95
2025/6/3 18:20	0	0	0	0	0	57	87	71	143	97
2025/6/3 18:30	0	0	0	0	0	56	117	69	131	91
2025/6/3 18:40	0	0	0	0	0	57	108	67	99	90
2025/6/3 18:50	0	0	0	0	0	53	95	64	98	86
2025/6/3 19:00	0	0	0	0	0	51	88	79	108	84
2025/6/3 19:10	0	0	0	0	0	51	93	63	101	94
2025/6/3 19:20	0	0	0	0	0	50	75	61	94	84
2025/6/3 19:30	0	0	0	0	0	45	72	59	83	78
2025/6/3 19:40	0	0	0	0	0	40	68	65	81	77
2025/6/3 19:50	0	0	0	0	0	39	77	56	100	73
2025/6/3 20:00	0	0	0	0	0	31	62	53	133	72
2025/6/3 20:10	0	0	0	0	0	31	56	55	90	71
2025/6/3 20:20	0	0	0	0	0	33	74	54	98	75
2025/6/3 20:30	0	0	0	0	0	36	78	56	122	76
2025/6/3 20:40	0	0	0	0	0	38	73	59	131	78
2025/6/3 20:50	0	0	0	0	0	42	75	62	152	84
2025/6/3 21:00	0	0	0	0	0	40	85	61	153	82
2025/6/3 21:10	0	0	0	0	0	39	67	56	147	84
2025/6/3 21:20	0	0	0	0	0	33	69	53	137	76
2025/6/3 21:30	0	0	0	0	0	34	61	53	125	73
2025/6/3 21:40	0	0	0	0	0	33	65	53	132	75
2025/6/3 21:50	0	0	0	0	0	32	59	54	130	73
2025/6/3 22:00	0	0	0	0	0	37	63	55	133	78
2025/6/3 22:10	0	0	0	0	0	44	80	59	137	81
2025/6/3 22:20	0	0	0	0	0	43	77	58	153	84
2025/6/3 22:30	0	0	0	0	0	38	64	56	139	78
2025/6/3 22:40	0	0	0	0	0	43	76	59	129	89
2025/6/3 22:50	0	0	0	0	0	46	89	60	148	83
2025/6/3 23:00	0	0	0	0	0	46	81	61	123	88
2025/6/3 23:10	0	0	0	0	0	46	77	61	129	84
2025/6/3 23:20	0	0	0	0	0	40	70	60	126	80
2025/6/3 23:30	0	0	0	0	0	38	64	65	130	78
2025/6/3 23:40	0	0	0	0	0	35	62	57	129	75
2025/6/3 23:50	0	0	0	0	0	34	64	54	124	73
2025/6/4 0:00	0	0	0	0	0	32	62	55	110	69
2025/6/4 0:10	0	0	0	0	0	31	61	52	124	71
2025/6/4 0:20	0	0	0	0	0	31	63	55	123	67
2025/6/4 0:30	0	0	0	0	0	32	57	57	127	65
2025/6/4 0:40	0	0	0	0	0	35	59	63	124	69
2025/6/4 0:50	0	0	0	0	0	43	63	72	134	73
2025/6/4 1:00	0	0	0	0	0	46	87	70	140	74
2025/6/4 1:10	0	0	0	0	0	44	130	71	113	71
2025/6/4 1:20	0	0	0	0	0	46	175	70	129	72
2025/6/4 1:30	0	0	0	0	0	55	200	77	83	78
2025/6/4 1:40	0	0	0	0	0	53	91	75	165	77
2025/6/4 1:50	0	0	0	0	0	54	70	85	147	83
2025/6/4 2:00	0	0	0	0	0	57	82	87	162	86
2025/6/4 2:10	0	0	0	0	0	59	84	87	166	87
2025/6/4 2:20	0	0	0	0	0	59	119	81	150	86
2025/6/4 2:30	0	0	0	0	0	197	174	104	90	106
2025/6/4 2:40	0	0	0	0	0	207	198	83	95	116
2025/6/4 2:50	0	0	0	0	0	227	177	89	94	105
2025/6/4 3:00	0	0	0	0	0	114	134	85	91	102

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/4 3:10	0	0	0	0	0	279	128	100	90	124
2025/6/4 3:20	0	0	0	0	0	362	153	120	106	188
2025/6/4 3:30	0	0	0	0	0	205	146	103	106	114
2025/6/4 3:40	0	0	0	0	0	121	167	124	104	144
2025/6/4 3:50	0	0	0	0	0	184	160	197	137	137
2025/6/4 4:00	0	0	0	0	0	285	295	174	120	202
2025/6/4 4:10	0	0	0	0	0	377	267	238	113	266
2025/6/4 4:20	0	0	0	0	0	283	202	150	117	184
2025/6/4 4:30	0	0	0	0	0	131	194	157	115	108
2025/6/4 4:40	0	0	0	0	0	352	239	319	109	180
2025/6/4 4:50	0	0	0	0	0	339	243	179	106	218
2025/6/4 5:00	0	0	0	0	0	333	248	179	118	195
2025/6/4 5:10	0	0	0	0	0	374	291	274	121	318
2025/6/4 5:20	0	0	0	0	0	320	219	240	110	313
2025/6/4 5:30	0	0	0	0	0	142	166	142	105	275
2025/6/4 5:40	0	0	0	0	0	139	169	128	111	275
2025/6/4 5:50	0	0	0	0	0	126	176	147	97	247
2025/6/4 6:00	0	0	0	0	0	212	160	167	102	277
2025/6/4 6:10	0	0	0	0	0	173	179	97	87	277
2025/6/4 6:20	0	0	0.1	0	0	139	218	97	98	204
2025/6/4 6:30	0	0	0.1	0.1	0	145	199	100	107	153
2025/6/4 6:40	0	0	0.1	0.1	0	175	188	88	92	137
2025/6/4 6:50	0	0	0.1	0.1	0	135	182	78	86	135
2025/6/4 7:00	0	0	0.2	0.1	0	106	181	70	98	95
2025/6/4 7:10	0	0	0.2	0.1	0	122	199	85	76	177
2025/6/4 7:20	0	0	0.2	0.2	0	113	194	88	74	223
2025/6/4 7:30	0	0	0.2	0.2	0	123	202	73	73	130
2025/6/4 7:40	0	0	0.2	0.2	0	118	241	75	77	178
2025/6/4 7:50	0	0	0.2	0.2	0	114	242	80	84	126
2025/6/4 8:00	0	0	0.2	0.2	0	68	206	59	108	75
2025/6/4 8:10	0	0	0.2	0.2	0	78	177	117	76	176
2025/6/4 8:20	0	0	0.2	0.2	0	118	212	61	91	110
2025/6/4 8:30	0	0	0.2	0.2	0	161	252	68	84	103
2025/6/4 8:40	0	0	0.1	0.2	0	98	246	62	89	137
2025/6/4 8:50	0.1	0	0.1	0.2	0	129	269	66	81	140
2025/6/4 9:00	0.1	0	0.1	0.2	0	148	172	58	72	165
2025/6/4 9:10	0.1	0	0.1	0.2	0	85	165	101	69	156
2025/6/4 9:20	0.1	0	0.1	0.1	0	119	234	62	73	160
2025/6/4 9:30	0.1	0	0.1	0.1	0	60	180	63	119	112
2025/6/4 9:40	0.1	0	0.1	0.1	0	171	219	73	71	278
2025/6/4 9:50	0.1	0	0.1	0.1	0	159	232	66	84	121
2025/6/4 10:00	0.1	0	0.1	0.1	0	94	139	69	121	108
2025/6/4 10:10	0.1	0	0.1	0.1	0	55	125	64	124	84
2025/6/4 10:20	0.1	0	0.1	0.1	0	69	172	60	137	97
2025/6/4 10:30	0.1	0	0.1	0.1	0	134	222	67	152	152
2025/6/4 10:40	0.1	0	0.1	0.1	0	107	195	59	97	174
2025/6/4 10:50	0.1	0	0	0.1	0	97	175	110	150	186
2025/6/4 11:00	0.1	0	0	0.1	0	145	218	147	100	204
2025/6/4 11:10	0.1	0	0	0.1	0	106	147	146	134	188
2025/6/4 11:20	0.1	0	0	0.1	0	98	158	110	109	211
2025/6/4 11:30	0.1	0	0	0.1	0	117	141	131	146	217
2025/6/4 11:40	0.1	0	0	0.1	0	122	223	101	106	232
2025/6/4 11:50	0.1	0	0	0.1	0	117	227	77	77	236
2025/6/4 12:00	0.1	0	0	0.1	0	77	163	98	97	178
2025/6/4 12:10	0.1	0.1	0.1	0.1	0	80	157	106	80	221
2025/6/4 12:20	0.1	0.1	0.1	0.1	0	82	152	94	76	205
2025/6/4 12:30	0.1	0.1	0.1	0.1	0	106	171	80	73	209
2025/6/4 12:40	0.1	0.1	0.1	0.1	0	110	208	104	62	236
2025/6/4 12:50	0.1	0.1	0.1	0.1	0	87	162	142	72	221
2025/6/4 13:00	0.1	0.1	0.1	0.1	0	70	201	123	122	217
2025/6/4 13:10	0.1	0.1	0.1	0.1	0	68	116	162	106	205
2025/6/4 13:20	0.1	0.1	0	0.1	0	112	192	94	111	143
2025/6/4 13:30	0.1	0.1	0	0.1	0	103	190	92	92	148
2025/6/4 13:40	0.1	0.1	0	0.1	0	64	110	87	142	155
2025/6/4 13:50	0.1	0.1	0	0.1	0	53	111	52	195	118
2025/6/4 14:00	0.1	0.1	0	0.1	0	83	113	147	191	262
2025/6/4 14:10	0.1	0.1	0	0.1	0	118	264	116	88	245
2025/6/4 14:20	0.1	0.1	0	0.1	0	49	151	67	149	133
2025/6/4 14:30	0.1	0.1	0	0.1	0	41	110	56	153	103
2025/6/4 14:40	0.1	0.1	0	0.1	0	44	114	91	109	155
2025/6/4 14:50	0.1	0.1	0	0.1	0	51	115	74	106	191
2025/6/4 15:00	0.1	0.1	0	0.1	0	82	141	156	126	231
2025/6/4 15:10	0.1	0.1	0	0.1	0	111	184	191	143	253

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/4 15:20	0.1	0.1	0	0.1	0	83	173	166	104	225
2025/6/4 15:30	0.1	0.1	0	0.1	0	98	228	102	112	189
2025/6/4 15:40	0.1	0.1	0	0.1	0	144	271	145	79	309
2025/6/4 15:50	0.1	0.1	0	0.1	0	132	201	212	159	300
2025/6/4 16:00	0.1	0	0	0.1	0	120	140	173	150	290
2025/6/4 16:10	0.1	0	0	0	0	159	288	107	156	314
2025/6/4 16:20	0.1	0	0	0	0	145	325	120	121	259
2025/6/4 16:30	0.1	0	0	0	0	189	354	77	92	289
2025/6/4 16:40	0.1	0	0	0	0	189	290	105	114	331
2025/6/4 16:50	0.1	0	0	0	0	134	272	127	97	295
2025/6/4 17:00	0.1	0	0	0	0	141	277	133	132	328
2025/6/4 17:10	0	0	0	0	0	141	297	148	102	307
2025/6/4 17:20	0	0	0	0	0	160	370	125	103	321
2025/6/4 17:30	0	0	0	0	0	136	347	141	86	331
2025/6/4 17:40	0	0	0	0	0	182	355	132	80	292
2025/6/4 17:50	0	0	0	0	0	155	402	150	82	302
2025/6/4 18:00	0	0	0	0	0	123	350	131	79	308
2025/6/4 18:10	0	0	0	0	0	99	253	124	71	239
2025/6/4 18:20	0	0	0	0	0	144	256	108	75	312
2025/6/4 18:30	0	0	0	0	0	105	255	128	74	304
2025/6/4 18:40	0	0	0	0	0	130	329	142	77	313
2025/6/4 18:50	0	0	0	0	0	110	287	146	66	341
2025/6/4 19:00	0	0	0	0	0	196	294	196	80	365
2025/6/4 19:10	0	0	0	0	0	239	259	198	109	410
2025/6/4 19:20	0	0	0	0	0	62	137	114	154	123
2025/6/4 19:30	0	0	0	0	0	65	129	116	118	191
2025/6/4 19:40	0	0	0	0	0	78	192	165	224	172
2025/6/4 19:50	0	0	0	0	0	54	88	241	134	342
2025/6/4 20:00	0	0	0	0	0	225	269	164	107	331
2025/6/4 20:10	0	0	0	0	0	115	204	125	68	271
2025/6/4 20:20	0	0	0	0	0	111	223	174	57	372
2025/6/4 20:30	0	0	0	0	0	85	192	280	82	335
2025/6/4 20:40	0	0	0	0	0	212	263	260	134	457
2025/6/4 20:50	0	0	0	0	0	202	268	165	131	344
2025/6/4 21:00	0	0	0	0	0	169	194	95	221	337
2025/6/4 21:10	0	0	0	0	0	193	196	219	104	446
2025/6/4 21:20	0	0	0	0	0	111	233	188	85	354
2025/6/4 21:30	0	0	0	0	0	131	158	208	75	297
2025/6/4 21:40	0	0	0	0	0	84	130	233	86	265
2025/6/4 21:50	0	0	0	0	0	84	137	202	79	309
2025/6/4 22:00	0	0	0	0	0	84	257	230	88	312
2025/6/4 22:10	0	0	0	0	0	163	234	255	132	431
2025/6/4 22:20	0	0	0	0	0	85	188	275	168	236
2025/6/4 22:30	0	0	0	0	0	86	149	287	111	241
2025/6/4 22:40	0	0	0	0	0	155	228	173	140	351
2025/6/4 22:50	0	0	0	0	0	120	102	243	105	416
2025/6/4 23:00	0	0	0	0	0	65	123	217	109	285
2025/6/4 23:10	0	0	0	0	0	54	142	145	153	182
2025/6/4 23:20	0	0	0	0	0	67	120	120	120	183
2025/6/4 23:30	0	0	0	0	0	49	72	96	96	144
2025/6/4 23:40	0	0	0	0	0	39	76	56	109	85
2025/6/4 23:50	0	0	0	0	0	36	65	76	86	83
2025/6/5 0:00	0	0	0	0	0	40	57	95	76	82
2025/6/5 0:10	0	0	0	0	0	42	81	75	107	81
2025/6/5 0:20	0	0	0	0	0	40	77	72	104	83
2025/6/5 0:30	0	0	0	0	0	39	79	54	130	91
2025/6/5 0:40	0	0	0	0	0	55	100	138	89	129
2025/6/5 0:50	0	0	0	0	0	52	88	59	130	148
2025/6/5 1:00	0	0	0	0	0	46	82	56	151	92
2025/6/5 1:10	0	0	0	0	0	52	89	61	150	97
2025/6/5 1:20	0	0	0	0	0	51	72	60	127	100
2025/6/5 1:30	0	0	0	0	0	47	74	59	124	88
2025/6/5 1:40	0	0	0	0	0	44	89	65	105	143
2025/6/5 1:50	0	0	0	0	0	47	84	89	101	102
2025/6/5 2:00	0	0	0	0	0	48	86	61	133	90
2025/6/5 2:10	0	0	0	0	0	66	89	70	146	116
2025/6/5 2:20	0	0	0	0	0	43	70	53	120	86
2025/6/5 2:30	0	0	0	0	0	36	61	50	100	94
2025/6/5 2:40	0	0	0	0	0	40	80	55	106	151
2025/6/5 2:50	0	0	0	0	0	49	90	60	142	181
2025/6/5 3:00	0	0	0	0	0	47	92	55	137	264
2025/6/5 3:10	0	0	0	0	0	43	85	52	143	291
2025/6/5 3:20	0	0	0	0	0	334	129	127	118	472

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/5 3:30	0	0	0	0	0	72	131	64	162	141
2025/6/5 3:40	0	0	0	0	0	61	83	60	153	409
2025/6/5 3:50	0	0	0	0	0	410	231	78	144	542
2025/6/5 4:00	0	0	0	0	0	395	287	304	143	509
2025/6/5 4:10	0	0	0	0	0	93	166	166	183	309
2025/6/5 4:20	0	0	0	0	0	150	161	263	187	341
2025/6/5 4:30	0	0	0	0	0	259	147	212	171	629
2025/6/5 4:40	0	0	0	0	0	166	196	247	136	572
2025/6/5 4:50	0	0	0	0	0	201	173	232	146	494
2025/6/5 5:00	0	0	0	0	0	94	151	103	175	163
2025/6/5 5:10	0	0	0	0	0	98	155	101	176	353
2025/6/5 5:20	0	0	0	0	0	143	187	202	158	192
2025/6/5 5:30	0	0	0	0	0	282	151	280	102	490
2025/6/5 5:40	0	0	0	0	0	102	102	202	103	222
2025/6/5 5:50	0	0	0	0	0	114	121	186	100	282
2025/6/5 6:00	0	0	0	0	0	187	197	147	116	384
2025/6/5 6:10	0	0	0	0	0	166	183	182	119	408
2025/6/5 6:20	0	0	0	0	0	83	116	158	111	323
2025/6/5 6:30	0	0	0	0	0	57	108	68	105	111
2025/6/5 6:40	0	0	0	0	0	55	119	70	104	95
2025/6/5 6:50	0	0	0.1	0	0	59	79	62	100	106
2025/6/5 7:00	0	0	0.1	0	0	57	77	59	100	109
2025/6/5 7:10	0	0	0.1	0	0	59	70	61	116	93
2025/6/5 7:20	0	0	0.1	0	0	54	62	55	114	80
2025/6/5 7:30	0	0	0.1	0.1	0	56	51	55	94	97
2025/6/5 7:40	0	0	0.1	0.1	0	58	66	57	101	85
2025/6/5 7:50	0	0	0.1	0.1	0	62	147	68	97	159
2025/6/5 8:00	0	0	0.1	0.2	0	53	115	57	97	85
2025/6/5 8:10	0	0	0.1	0.2	0	43	65	52	118	71
2025/6/5 8:20	0	0	0.1	0.2	0	39	89	42	104	71
2025/6/5 8:30	0	0	0.1	0.2	0	38	99	48	108	67
2025/6/5 8:40	0	0	0.1	0.2	0	38	69	47	119	77
2025/6/5 8:50	0.1	0	0.1	0.2	0	36	75	39	105	90
2025/6/5 9:00	0.1	0	0.1	0.2	0	42	117	44	87	73
2025/6/5 9:10	0.1	0	0.1	0.2	0	37	128	43	83	58
2025/6/5 9:20	0.1	0	0.1	0.1	0	71	201	45	76	65
2025/6/5 9:30	0.1	0	0.1	0.1	0	68	176	45	78	95
2025/6/5 9:40	0.1	0	0.1	0.1	0	67	164	45	71	65
2025/6/5 9:50	0.1	0	0.1	0.1	0	101	217	50	67	149
2025/6/5 10:00	0.1	0	0.1	0.1	0	32	143	39	73	45
2025/6/5 10:10	0.1	0	0.1	0.1	0	25	117	32	90	46
2025/6/5 10:20	0.1	0	0.1	0.1	0	45	120	44	83	55
2025/6/5 10:30	0.1	0	0.1	0.1	0	114	195	40	50	144
2025/6/5 10:40	0.1	0	0.1	0.1	0	96	248	40	54	104
2025/6/5 10:50	0.1	0	0.1	0.1	0	91	167	36	66	56
2025/6/5 11:00	0.1	0	0.1	0.1	0	60	188	36	85	107
2025/6/5 11:10	0.1	0	0.1	0.1	0	94	218	65	93	86
2025/6/5 11:20	0.1	0	0.1	0.1	0	117	189	70	99	128
2025/6/5 11:30	0.1	0	0.1	0.1	0	110	168	73	80	180
2025/6/5 11:40	0.1	0	0.1	0.1	0	108	152	60	72	122
2025/6/5 11:50	0.1	0	0.1	0.1	0	99	125	64	66	146
2025/6/5 12:00	0.1	0	0	0.1	0	98	136	62	62	158
2025/6/5 12:10	0.1	0	0	0.1	0	101	138	58	59	129
2025/6/5 12:20	0.1	0	0	0.1	0	96	117	75	60	160
2025/6/5 12:30	0.1	0.1	0	0.1	0	83	135	75	56	153
2025/6/5 12:40	0.1	0.1	0	0.1	0	95	144	85	56	159
2025/6/5 12:50	0.1	0.1	0	0.1	0	94	153	61	56	145
2025/6/5 13:00	0.1	0.1	0	0.1	0	99	184	55	57	150
2025/6/5 13:10	0.1	0.1	0	0.1	0	98	127	64	61	148
2025/6/5 13:20	0.1	0.1	0	0.1	0	112	194	61	64	185
2025/6/5 13:30	0.1	0.1	0	0.1	0	114	148	71	76	207
2025/6/5 13:40	0.1	0.1	0	0.1	0	111	159	72	78	214
2025/6/5 13:50	0.1	0.1	0	0.1	0	115	158	54	68	131
2025/6/5 14:00	0.2	0.1	0	0.1	0	99	163	67	63	193
2025/6/5 14:10	0.2	0.1	0	0.1	0	115	155	61	76	153
2025/6/5 14:20	0.2	0.1	0	0.1	0	98	150	61	64	145
2025/6/5 14:30	0.2	0.1	0	0	0	91	126	58	61	146
2025/6/5 14:40	0.2	0.1	0	0.1	0	106	145	53	66	135
2025/6/5 14:50	0.2	0.1	0	0	0	101	141	51	65	119
2025/6/5 15:00	0.2	0.1	0	0	0	113	123	48	55	122
2025/6/5 15:10	0.2	0.1	0	0	0	138	134	54	62	181
2025/6/5 15:20	0.2	0.1	0	0	0	115	145	71	66	216
2025/6/5 15:30	0.2	0.1	0	0	0	114	198	71	70	184

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/5 15:40	0.2	0.1	0	0	0	118	200	61	69	180
2025/6/5 15:50	0.2	0.1	0	0	0	120	156	60	67	172
2025/6/5 16:00	0.2	0.1	0	0	0	114	137	60	57	150
2025/6/5 16:10	0.2	0.1	0	0	0	98	147	56	59	126
2025/6/5 16:20	0.2	0.1	0	0	0	108	187	61	59	167
2025/6/5 16:30	0.2	0.2	0	0	0	113	175	68	69	185
2025/6/5 16:40	0.2	0.2	0	0	0	103	162	61	56	117
2025/6/5 16:50	0.1	0.2	0	0	0	123	130	62	57	122
2025/6/5 17:00	0.1	0.2	0	0	0	117	152	61	57	150
2025/6/5 17:10	0.1	0.2	0	0	0	108	213	61	50	147
2025/6/5 17:20	0.1	0.2	0	0	0	91	230	58	43	87
2025/6/5 17:30	0.1	0.1	0	0	0	113	187	53	44	148
2025/6/5 17:40	0.1	0.1	0	0	0	80	163	46	39	81
2025/6/5 17:50	0.1	0.1	0	0	0	86	149	43	45	96
2025/6/5 18:00	0.1	0.1	0	0	0	82	144	39	47	87
2025/6/5 18:10	0.1	0.1	0	0	0	124	116	41	38	98
2025/6/5 18:20	0	0.1	0	0	0	104	130	37	38	70
2025/6/5 18:30	0	0.1	0	0	0	106	166	37	33	80
2025/6/5 18:40	0	0	0	0	0	139	174	43	45	101
2025/6/5 18:50	0	0	0	0	0	146	201	46	53	178
2025/6/5 19:00	0	0	0	0	0	137	187	51	60	123
2025/6/5 19:10	0	0	0	0	0	184	196	50	62	146
2025/6/5 19:20	0	0	0	0	0	167	174	45	47	70
2025/6/5 19:30	0	0	0	0	0	178	—	—	—	217
2025/6/5 19:40	0	0	0	0	0	196	—	—	—	290
2025/6/5 19:50	0	0	0	0	0	151	—	—	—	290
2025/6/5 20:00	0	0	0	0	0	175	—	—	—	289
2025/6/5 20:10	0	0	0	0	0	159	—	—	—	271
2025/6/5 20:20	0	0	0	0	0	177	—	—	—	258
2025/6/5 20:30	0	0	0	0	0	180	—	—	—	199
2025/6/5 20:40	0	0	0	0	0	162	—	—	—	273
2025/6/5 20:50	0	0	0	0	0	152	—	—	—	302
2025/6/5 21:00	0	0	0	0	0	166	—	—	—	272
2025/6/5 21:10	0	0	0	0	0	183	—	—	—	290
2025/6/5 21:20	0	0	0	0	0	136	—	—	—	247
2025/6/5 21:30	0	0	0	0	0	153	—	—	—	277
2025/6/5 21:40	0	0	0	0	0	163	—	—	—	304
2025/6/5 21:50	0	0	0	0	0	180	—	—	—	317
2025/6/5 22:00	0	0	0	0	0	125	—	—	—	308
2025/6/5 22:10	0	0	0	0	0	180	—	—	—	295
2025/6/5 22:20	0	0	0	0	0	173	—	—	—	273
2025/6/5 22:30	0	0	0	0	0	215	—	—	—	293
2025/6/5 22:40	0	0	0	0	0	187	—	—	—	262
2025/6/5 22:50	0	0	0	0	0	190	—	—	—	174
2025/6/5 23:00	0	0	0	0	0	257	—	—	—	267
2025/6/5 23:10	0	0	0	0	0	234	—	—	—	369
2025/6/5 23:20	0	0	0	0	0	295	—	—	—	395
2025/6/5 23:30	0	0	0	0	0	334	—	—	—	434
2025/6/5 23:40	0	0	0	0	0	314	—	—	—	488
2025/6/5 23:50	0	0	0	0	0	323	—	—	—	564
2025/6/6 0:00	0	0	0	0	0	40	57	95	76	82
2025/6/6 0:10	0	0	0	0	0	42	81	75	107	81
2025/6/6 0:20	0	0	0	0	0	40	77	72	104	83
2025/6/6 0:30	0	0	0	0	0	39	79	54	130	91
2025/6/6 0:40	0	0	0	0	0	55	100	138	89	129
2025/6/6 0:50	0	0	0	0	0	52	88	59	130	148
2025/6/6 1:00	0	0	0	0	0	46	82	56	151	92
2025/6/6 1:10	0	0	0	0	0	52	89	61	150	97
2025/6/6 1:20	0	0	0	0	0	51	72	60	127	100
2025/6/6 1:30	0	0	0	0	0	47	74	59	124	88
2025/6/6 1:40	0	0	0	0	0	44	89	65	105	143
2025/6/6 1:50	0	0	0	0	0	47	84	89	101	102
2025/6/6 2:00	0	0	0	0	0	48	86	61	133	90
2025/6/6 2:10	0	0	0	0	0	66	89	70	146	116
2025/6/6 2:20	0	0	0	0	0	43	70	53	120	86
2025/6/6 2:30	0	0	0	0	0	36	61	50	100	94
2025/6/6 2:40	0	0	0	0	0	40	80	55	106	151
2025/6/6 2:50	0	0	0	0	0	49	90	60	142	181
2025/6/6 3:00	0	0	0	0	0	47	92	55	137	264
2025/6/6 3:10	0	0	0	0	0	43	85	52	143	291
2025/6/6 3:20	0	0	0	0	0	334	129	127	118	472
2025/6/6 3:30	0	0	0	0	0	72	131	64	162	141
2025/6/6 3:40	0	0	0	0	0	61	83	60	153	409

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/6 3:50	0	0	0	0	0	410	231	78	144	542
2025/6/6 4:00	0	0	0	0	0	395	287	304	143	509
2025/6/6 4:10	0	0	0	0	0	93	166	166	183	309
2025/6/6 4:20	0	0	0	0	0	150	161	263	187	341
2025/6/6 4:30	0	0	0	0	0	259	147	212	171	629
2025/6/6 4:40	0	0	0	0	0	166	196	247	136	572
2025/6/6 4:50	0	0	0	0	0	201	173	232	146	494
2025/6/6 5:00	0	0	0	0	0	94	151	103	175	163
2025/6/6 5:10	0	0	0	0	0	98	155	101	176	353
2025/6/6 5:20	0	0	0	0	0	143	187	202	158	192
2025/6/6 5:30	0	0	0	0	0	282	151	280	102	490
2025/6/6 5:40	0	0	0	0	0	102	102	202	103	222
2025/6/6 5:50	0	0	0	0	0	114	121	186	100	282
2025/6/6 6:00	0	0	0	0	0	187	197	147	116	384
2025/6/6 6:10	0	0	0	0	0	166	183	182	119	408
2025/6/6 6:20	0	0	0	0	0	83	116	158	111	323
2025/6/6 6:30	0	0	0.1	0	0	57	108	68	105	111
2025/6/6 6:40	0	0	0.1	0	0	55	119	70	104	95
2025/6/6 6:50	0	0	0.1	0	0	59	79	62	100	106
2025/6/6 7:00	0	0	0.1	0	0	57	77	59	100	109
2025/6/6 7:10	0	0	0.1	0	0	59	70	61	116	93
2025/6/6 7:20	0	0	0.1	0.1	0	54	62	55	114	80
2025/6/6 7:30	0	0	0.1	0.1	0	56	51	55	94	97
2025/6/6 7:40	0	0	0.1	0.1	0	58	66	57	101	85
2025/6/6 7:50	0	0	0.2	0.1	0	62	147	68	97	159
2025/6/6 8:00	0	0	0.2	0.1	0	53	115	57	97	85
2025/6/6 8:10	0	0	0.1	0.1	0	43	65	52	118	71
2025/6/6 8:20	0	0	0.1	0.1	0	39	89	42	104	71
2025/6/6 8:30	0	0	0.1	0.2	0	38	99	48	108	67
2025/6/6 8:40	0.1	0	0.1	0.2	0	38	69	47	119	77
2025/6/6 8:50	0.1	0	0.1	0.2	0	36	75	39	105	90
2025/6/6 9:00	0.1	0	0.1	0.2	0	42	117	44	87	73
2025/6/6 9:10	0.1	0	0.1	0.2	0	37	128	43	83	58
2025/6/6 9:20	0.1	0	0.1	0.1	0	71	201	45	76	65
2025/6/6 9:30	0.1	0	0.1	0.1	0	68	176	45	78	95
2025/6/6 9:40	0.1	0	0.1	0.1	0	67	164	45	71	65
2025/6/6 9:50	0.1	0	0.1	0.1	0	101	217	50	67	149
2025/6/6 10:00	0.1	0	0.1	0.1	0	32	143	39	73	45
2025/6/6 10:10	0.1	0	0.1	0.1	0	25	117	32	90	46
2025/6/6 10:20	0.1	0	0.1	0.1	0	45	120	44	83	55
2025/6/6 10:30	0.1	0	0.1	0.1	0	114	195	40	50	144
2025/6/6 10:40	0.1	0	0.1	0.1	0	96	248	40	54	104
2025/6/6 10:50	0.1	0	0.1	0.1	0	91	167	36	66	56
2025/6/6 11:00	0.1	0	0.1	0.1	0	60	188	36	85	107
2025/6/6 11:10	0.1	0	0.1	0.1	0	94	218	65	93	86
2025/6/6 11:20	0.1	0	0	0.1	0	117	189	70	99	128
2025/6/6 11:30	0.1	0	0.1	0.1	0	110	168	73	80	180
2025/6/6 11:40	0.1	0	0.1	0.1	0	108	152	60	72	122
2025/6/6 11:50	0.1	0	0.1	0.1	0	99	125	64	66	146
2025/6/6 12:00	0.1	0	0.1	0.1	0	98	136	62	62	158
2025/6/6 12:10	0.1	0.1	0.1	0.1	0	101	138	58	59	129
2025/6/6 12:20	0.1	0.1	0	0.1	0	96	117	75	60	160
2025/6/6 12:30	0.1	0.1	0	0.1	0	83	135	75	56	153
2025/6/6 12:40	0.1	0.1	0	0.1	0	95	144	85	56	159
2025/6/6 12:50	0.1	0.1	0	0.1	0	94	153	61	56	145
2025/6/6 13:00	0.1	0.1	0	0.1	0	99	184	55	57	150
2025/6/6 13:10	0.1	0.1	0	0.1	0	98	127	64	61	148
2025/6/6 13:20	0.1	0.1	0	0.1	0	112	194	61	64	185
2025/6/6 13:30	0.1	0.1	0	0.1	0	114	148	71	76	207
2025/6/6 13:40	0.1	0.1	0	0	0	111	159	72	78	214
2025/6/6 13:50	0.1	0.1	0	0	0	115	158	54	68	131
2025/6/6 14:00	0.1	0.1	0	0	0	99	163	67	63	193
2025/6/6 14:10	0.1	0.1	0	0	0	115	155	61	76	153
2025/6/6 14:20	0.1	0.1	0	0	0	98	150	61	64	145
2025/6/6 14:30	0.2	0.1	0	0	0	91	126	58	61	146
2025/6/6 14:40	0.2	0.1	0	0	0	106	145	53	66	135
2025/6/6 14:50	0.1	0.1	0	0	0	101	141	51	65	119
2025/6/6 15:00	0.1	0.1	0	0	0	113	123	48	55	122
2025/6/6 15:10	0.1	0.1	0	0	0	138	134	54	62	181
2025/6/6 15:20	0.1	0.1	0	0	0	115	145	71	66	216
2025/6/6 15:30	0.1	0.1	0	0	0	114	198	71	70	184
2025/6/6 15:40	0.1	0.1	0	0	0	118	200	61	69	180
2025/6/6 15:50	0.1	0.1	0	0	0	120	156	60	67	172

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/6 16:00	0.1	0.1	0	0	0	114	137	60	57	150
2025/6/6 16:10	0.1	0	0	0	0	98	147	56	59	126
2025/6/6 16:20	0.1	0	0	0	0	108	187	61	59	167
2025/6/6 16:30	0.1	0	0	0	0	113	175	68	69	185
2025/6/6 16:40	0.1	0	0	0	0	103	162	61	56	117
2025/6/6 16:50	0.1	0	0	0	0	123	130	62	57	122
2025/6/6 17:00	0	0	0	0	0	117	152	61	57	150
2025/6/6 17:10	0	0	0	0	0	108	213	61	50	147
2025/6/6 17:20	0	0	0	0	0	91	230	58	43	87
2025/6/6 17:30	0	0	0	0	0	113	187	53	44	148
2025/6/6 17:40	0	0	0	0	0	80	163	46	39	81
2025/6/6 17:50	0	0	0	0	0	86	149	43	45	96
2025/6/6 18:00	0	0	0	0	0	82	144	39	47	87
2025/6/6 18:10	0	0	0	0	0	124	116	41	38	98
2025/6/6 18:20	0	0	0	0	0	104	130	37	38	70
2025/6/6 18:30	0	0	0	0	0	106	166	37	33	80
2025/6/6 18:40	0	0	0	0	0	139	174	43	45	101
2025/6/6 18:50	0	0	0	0	0	146	201	46	53	178
2025/6/6 19:00	0	0	0	0	0	137	187	51	60	123
2025/6/6 19:10	0	0	0	0	0	184	196	50	62	146
2025/6/6 19:20	0	0	0	0	0	136	174	45	47	70
2025/6/6 19:30	0	0	0	0	0	165	—	—	—	183
2025/6/6 19:40	0	0	0	0	0	151	—	—	—	217
2025/6/6 19:50	0	0	0	0	0	175	—	—	—	175
2025/6/6 20:00	0	0	0	0	0	169	—	—	—	280
2025/6/6 20:10	0	0	0	0	0	167	—	—	—	178
2025/6/6 20:20	0	0	0	0	0	164	—	—	—	96
2025/6/6 20:30	0	0	0	0	0	173	—	—	—	164
2025/6/6 20:40	0	0	0	0	0	134	—	—	—	121
2025/6/6 20:50	0	0	0	0	0	153	—	—	—	118
2025/6/6 21:00	0	0	0	0	0	120	—	—	—	74
2025/6/6 21:10	0	0	0	0	0	99	—	—	—	56
2025/6/6 21:20	0	0	0	0	0	134	—	—	—	82
2025/6/6 21:30	0	0	0	0	0	184	—	—	—	200
2025/6/6 21:40	0	0	0	0	0	135	—	—	—	102
2025/6/6 21:50	0	0	0	0	0	189	—	—	—	126
2025/6/6 22:00	0	0	0	0	0	161	—	—	—	119
2025/6/6 22:10	0	0	0	0	0	223	—	—	—	120
2025/6/6 22:20	0	0	0	0	0	235	—	—	—	179
2025/6/6 22:30	0	0	0	0	0	185	—	—	—	99
2025/6/6 22:40	0	0	0	0	0	141	—	—	—	51
2025/6/6 22:50	0	0	0	0	0	107	—	—	—	66
2025/6/6 23:00	0	0	0	0	0	74	—	—	—	29
2025/6/6 23:10	0	0	0	0	0	143	—	—	—	37
2025/6/6 23:20	0	0	0	0	0	115	—	—	—	64
2025/6/6 23:30	0	0	0	0	0	101	—	—	—	31
2025/6/6 23:40	0	0	0	0	0	166	—	—	—	53
2025/6/6 23:50	0	0	0	0	0	187	—	—	—	57
2025/6/7 0:00	0	0	0	0	0	40	57	95	76	82
2025/6/7 0:10	0	0	0	0	0	42	81	75	107	81
2025/6/7 0:20	0	0	0	0	0	40	77	72	104	83
2025/6/7 0:30	0	0	0	0	0	39	79	54	130	91
2025/6/7 0:40	0	0	0	0	0	55	100	138	89	129
2025/6/7 0:50	0	0	0	0	0	52	88	59	130	148
2025/6/7 1:00	0	0	0	0	0	46	82	56	151	92
2025/6/7 1:10	0	0	0	0	0	52	89	61	150	97
2025/6/7 1:20	0	0	0	0	0	51	72	60	127	100
2025/6/7 1:30	0	0	0	0	0	47	74	59	124	88
2025/6/7 1:40	0	0	0	0	0	44	89	65	105	143
2025/6/7 1:50	0	0	0	0	0	47	84	89	101	102
2025/6/7 2:00	0	0	0	0	0	48	86	61	133	90
2025/6/7 2:10	0	0	0	0	0	66	89	70	146	116
2025/6/7 2:20	0	0	0	0	0	43	70	53	120	86
2025/6/7 2:30	0	0	0	0	0	36	61	50	100	94
2025/6/7 2:40	0	0	0	0	0	40	80	55	106	151
2025/6/7 2:50	0	0	0	0	0	49	90	60	142	181
2025/6/7 3:00	0	0	0	0	0	47	92	55	137	264
2025/6/7 3:10	0	0	0	0	0	43	85	52	143	291
2025/6/7 3:20	0	0	0	0	0	334	129	127	118	472
2025/6/7 3:30	0	0	0	0	0	72	131	64	162	141
2025/6/7 3:40	0	0	0	0	0	61	83	60	153	409
2025/6/7 3:50	0	0	0	0	0	410	231	78	144	542
2025/6/7 4:00	0	0	0	0	0	395	287	304	143	509

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/7 4:10	0	0	0	0	0	93	166	166	183	309
2025/6/7 4:20	0	0	0	0	0	150	161	263	187	341
2025/6/7 4:30	0	0	0	0	0	259	147	212	171	629
2025/6/7 4:40	0	0	0	0	0	166	196	247	136	572
2025/6/7 4:50	0	0	0	0	0	201	173	232	146	494
2025/6/7 5:00	0	0	0	0	0	94	151	103	175	163
2025/6/7 5:10	0	0	0	0	0	98	155	101	176	353
2025/6/7 5:20	0	0	0	0	0	143	187	202	158	192
2025/6/7 5:30	0	0	0	0	0	282	151	280	102	490
2025/6/7 5:40	0	0	0	0	0	102	102	202	103	222
2025/6/7 5:50	0	0	0	0	0	114	121	186	100	282
2025/6/7 6:00	0	0	0	0	0	187	197	147	116	384
2025/6/7 6:10	0	0	0	0	0	166	183	182	119	408
2025/6/7 6:20	0	0	0	0	0	83	116	158	111	323
2025/6/7 6:30	0	0	0	0	0	57	108	68	105	111
2025/6/7 6:40	0	0	0	0.1	0	55	119	70	104	95
2025/6/7 6:50	0	0	0.1	0.1	0	59	79	62	100	106
2025/6/7 7:00	0	0	0.1	0.1	0	57	77	59	100	109
2025/6/7 7:10	0	0	0.1	0.1	0	59	70	61	116	93
2025/6/7 7:20	0	0	0.1	0.1	0	54	62	55	114	80
2025/6/7 7:30	0	0	0.1	0.1	0	56	51	55	94	97
2025/6/7 7:40	0	0	0.1	0.1	0	58	66	57	101	85
2025/6/7 7:50	0	0	0.1	0.1	0	62	147	68	97	159
2025/6/7 8:00	0	0	0.1	0.1	0	53	115	57	97	85
2025/6/7 8:10	0.1	0	0.1	0.1	0	43	65	52	118	71
2025/6/7 8:20	0.1	0	0.1	0.1	0	39	89	42	104	71
2025/6/7 8:30	0.1	0	0.1	0.2	0	38	99	48	108	67
2025/6/7 8:40	0.1	0	0.1	0.2	0	38	69	47	119	77
2025/6/7 8:50	0.1	0	0.1	0.2	0	36	75	39	105	90
2025/6/7 9:00	0.1	0	0.1	0.2	0	42	117	44	87	73
2025/6/7 9:10	0.1	0	0.1	0.2	0	37	128	43	83	58
2025/6/7 9:20	0.1	0	0.1	0.2	0	71	201	45	76	65
2025/6/7 9:30	0.1	0	0.1	0.1	0	68	176	45	78	95
2025/6/7 9:40	0.1	0	0.1	0.1	0	67	164	45	71	65
2025/6/7 9:50	0.1	0	0.1	0.1	0	101	217	50	67	149
2025/6/7 10:00	0.1	0	0.1	0.1	0	32	143	39	73	45
2025/6/7 10:10	0.1	0	0.1	0.1	0	25	117	32	90	46
2025/6/7 10:20	0.1	0	0.1	0.1	0	45	120	44	83	55
2025/6/7 10:30	0.1	0	0.1	0.1	0	114	195	40	50	144
2025/6/7 10:40	0.1	0	0.1	0.1	0	96	248	40	54	104
2025/6/7 10:50	0.1	0	0.1	0.1	0	91	167	36	66	56
2025/6/7 11:00	0.1	0	0.1	0.1	0	60	188	36	85	107
2025/6/7 11:10	0.1	0	0.1	0.1	0	94	218	65	93	86
2025/6/7 11:20	0.1	0	0.1	0.1	0	117	189	70	99	128
2025/6/7 11:30	0.1	0	0.1	0.1	0	110	168	73	80	180
2025/6/7 11:40	0.1	0	0.1	0.1	0	108	152	60	72	122
2025/6/7 11:50	0.1	0	0.1	0.1	0	99	125	64	66	146
2025/6/7 12:00	0.1	0	0.1	0.1	0	98	136	62	62	158
2025/6/7 12:10	0.1	0	0	0.1	0	101	138	58	59	129
2025/6/7 12:20	0.1	0.1	0	0.1	0	96	117	75	60	160
2025/6/7 12:30	0.1	0.1	0	0.1	0	83	135	75	56	153
2025/6/7 12:40	0.1	0.1	0	0.1	0	95	144	85	56	159
2025/6/7 12:50	0.1	0.1	0	0.1	0	94	153	61	56	145
2025/6/7 13:00	0.1	0.1	0	0.1	0	99	184	55	57	150
2025/6/7 13:10	0.1	0.1	0	0.1	0	98	127	64	61	148
2025/6/7 13:20	0.1	0.1	0	0.1	0	112	194	61	64	185
2025/6/7 13:30	0.1	0.1	0	0.1	0	114	148	71	76	207
2025/6/7 13:40	0.1	0.1	0	0.1	0	111	159	72	78	214
2025/6/7 13:50	0.1	0.1	0	0.1	0	115	158	54	68	131
2025/6/7 14:00	0.1	0.1	0	0.1	0	99	163	67	63	193
2025/6/7 14:10	0.1	0.1	0	0.1	0	115	155	61	76	153
2025/6/7 14:20	0.1	0.1	0	0.1	0	98	150	61	64	145
2025/6/7 14:30	0.1	0.1	0	0	0	91	126	58	61	146
2025/6/7 14:40	0.2	0.1	0	0	0	106	145	53	66	135
2025/6/7 14:50	0.2	0.1	0	0	0	101	141	51	65	119
2025/6/7 15:00	0.2	0.1	0	0	0	113	123	48	55	122
2025/6/7 15:10	0.2	0.1	0	0	0	138	134	54	62	181
2025/6/7 15:20	0.2	0.1	0	0	0	115	145	71	66	216
2025/6/7 15:30	0.2	0.1	0	0	0	114	198	71	70	184
2025/6/7 15:40	0.2	0.1	0	0	0	118	200	61	69	180
2025/6/7 15:50	0.1	0.1	0	0	0	120	156	60	67	172
2025/6/7 16:00	0.1	0.1	0	0	0	114	137	60	57	150
2025/6/7 16:10	0.1	0	0	0	0	98	147	56	59	126

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/7 16:20	0.1	0	0	0	0	108	187	61	59	167
2025/6/7 16:30	0.1	0	0	0	0	113	175	68	69	185
2025/6/7 16:40	0.1	0	0	0	0	103	162	61	56	117
2025/6/7 16:50	0	0	0	0	0	123	130	62	57	122
2025/6/7 17:00	0	0	0	0	0	117	152	61	57	150
2025/6/7 17:10	0	0	0	0	0	108	213	61	50	147
2025/6/7 17:20	0	0	0	0	0	91	230	58	43	87
2025/6/7 17:30	0	0	0	0	0	113	187	53	44	148
2025/6/7 17:40	0	0	0	0	0	80	163	46	39	81
2025/6/7 17:50	0	0	0	0	0	86	149	43	45	96
2025/6/7 18:00	0	0	0	0	0	82	144	39	47	87
2025/6/7 18:10	0	0	0	0	0	124	116	41	38	98
2025/6/7 18:20	0	0	0	0	0	104	130	37	38	70
2025/6/7 18:30	0	0	0	0	0	106	166	37	33	80
2025/6/7 18:40	0	0	0	0	0	139	174	43	45	101
2025/6/7 18:50	0	0	0	0	0	146	201	46	53	178
2025/6/7 19:00	0	0	0	0	0	137	187	51	60	123
2025/6/7 19:10	0	0	0	0	0	184	196	50	62	146
2025/6/7 19:20	0	0	0	0	0	188	174	45	47	70
2025/6/7 19:30	0	0	0	0	0	125	—	—	—	187
2025/6/7 19:40	0	0	0	0	0	113	—	—	—	96
2025/6/7 19:50	0	0	0	0	0	190	—	—	—	315
2025/6/7 20:00	0	0	0	0	0	207	—	—	—	233
2025/6/7 20:10	0	0	0	0	0	132	—	—	—	219
2025/6/7 20:20	0	0	0	0	0	173	—	—	—	237
2025/6/7 20:30	0	0	0	0	0	157	—	—	—	237
2025/6/7 20:40	0	0	0	0	0	189	—	—	—	208
2025/6/7 20:50	0	0	0	0	0	196	—	—	—	252
2025/6/7 21:00	0	0	0	0	0	206	—	—	—	210
2025/6/7 21:10	0	0	0	0	0	207	—	—	—	237
2025/6/7 21:20	0	0	0	0	0	206	—	—	—	293
2025/6/7 21:30	0	0	0	0	0	259	—	—	—	248
2025/6/7 21:40	0	0	0	0	0	213	—	—	—	160
2025/6/7 21:50	0	0	0	0	0	217	—	—	—	412
2025/6/7 22:00	0	0	0	0	0	216	—	—	—	357
2025/6/7 22:10	0	0	0	0	0	245	—	—	—	412
2025/6/7 22:20	0	0	0	0	0	208	—	—	—	353
2025/6/7 22:30	0	0	0	0	0	122	—	—	—	384
2025/6/7 22:40	0	0	0	0	0	246	—	—	—	335
2025/6/7 22:50	0	0	0	0	0	247	—	—	—	401
2025/6/7 23:00	0	0	0	0	0	280	—	—	—	416
2025/6/7 23:10	0	0	0	0	0	306	—	—	—	382
2025/6/7 23:20	0	0	0	0	0	321	—	—	—	465
2025/6/7 23:30	0	0	0	0	0	217	—	—	—	429
2025/6/7 23:40	0	0	0	0	0	230	—	—	—	466
2025/6/7 23:50	0	0	0	0	0	264	—	—	—	444
2025/6/8 0:00	0	0	0	0	0	40	57	95	76	82
2025/6/8 0:10	0	0	0	0	0	42	81	75	107	81
2025/6/8 0:20	0	0	0	0	0	40	77	72	104	83
2025/6/8 0:30	0	0	0	0	0	39	79	54	130	91
2025/6/8 0:40	0	0	0	0	0	55	100	138	89	129
2025/6/8 0:50	0	0	0	0	0	52	88	59	130	148
2025/6/8 1:00	0	0	0	0	0	46	82	56	151	92
2025/6/8 1:10	0	0	0	0	0	52	89	61	150	97
2025/6/8 1:20	0	0	0	0	0	51	72	60	127	100
2025/6/8 1:30	0	0	0	0	0	47	74	59	124	88
2025/6/8 1:40	0	0	0	0	0	44	89	65	105	143
2025/6/8 1:50	0	0	0	0	0	47	84	89	101	102
2025/6/8 2:00	0	0	0	0	0	48	86	61	133	90
2025/6/8 2:10	0	0	0	0	0	66	89	70	146	116
2025/6/8 2:20	0	0	0	0	0	43	70	53	120	86
2025/6/8 2:30	0	0	0	0	0	36	61	50	100	94
2025/6/8 2:40	0	0	0	0	0	40	80	55	106	151
2025/6/8 2:50	0	0	0	0	0	49	90	60	142	181
2025/6/8 3:00	0	0	0	0	0	47	92	55	137	264
2025/6/8 3:10	0	0	0	0	0	43	85	52	143	291
2025/6/8 3:20	0	0	0	0	0	334	129	127	118	472
2025/6/8 3:30	0	0	0	0	0	72	131	64	162	141
2025/6/8 3:40	0	0	0	0	0	61	83	60	153	409
2025/6/8 3:50	0	0	0	0	0	410	231	78	144	542
2025/6/8 4:00	0	0	0	0	0	395	287	304	143	509
2025/6/8 4:10	0	0	0	0	0	93	166	166	183	309
2025/6/8 4:20	0	0	0	0	0	150	161	263	187	341

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/8 4:30	0	0	0	0	0	259	147	212	171	629
2025/6/8 4:40	0	0	0	0	0	166	196	247	136	572
2025/6/8 4:50	0	0	0	0	0	201	173	232	146	494
2025/6/8 5:00	0	0	0	0	0	94	151	103	175	163
2025/6/8 5:10	0	0	0	0	0	98	155	101	176	353
2025/6/8 5:20	0	0	0	0	0	143	187	202	158	192
2025/6/8 5:30	0	0	0	0	0	282	151	280	102	490
2025/6/8 5:40	0	0	0	0	0	102	102	202	103	222
2025/6/8 5:50	0	0	0	0	0	114	121	186	100	282
2025/6/8 6:00	0	0	0	0	0	187	197	147	116	384
2025/6/8 6:10	0	0	0	0	0	166	183	182	119	408
2025/6/8 6:20	0	0	0	0	0	83	116	158	111	323
2025/6/8 6:30	0	0	0	0	0	57	108	68	105	111
2025/6/8 6:40	0	0	0	0	0	55	119	70	104	95
2025/6/8 6:50	0	0	0	0	0	59	79	62	100	106
2025/6/8 7:00	0	0	0	0	0	57	77	59	100	109
2025/6/8 7:10	0	0	0	0	0	59	70	61	116	93
2025/6/8 7:20	0	0	0	0	0	54	62	55	114	80
2025/6/8 7:30	0	0	0	0	0	56	51	55	94	97
2025/6/8 7:40	0	0	0	0	0	58	66	57	101	85
2025/6/8 7:50	0	0	0	0	0	62	147	68	97	159
2025/6/8 8:00	0	0	0	0	0	53	115	57	97	85
2025/6/8 8:10	0	0	0	0	0	43	65	52	118	71
2025/6/8 8:20	0	0	0	0	0	39	89	42	104	71
2025/6/8 8:30	0	0	0	0	0	38	99	48	108	67
2025/6/8 8:40	0	0	0	0	0	38	69	47	119	77
2025/6/8 8:50	0	0	0	0	0	36	75	39	105	90
2025/6/8 9:00	0	0	0	0	0	42	117	44	87	73
2025/6/8 9:10	0	0	0	0	0	37	128	43	83	58
2025/6/8 9:20	0	0	0	0	0	71	201	45	76	65
2025/6/8 9:30	0	0	0	0	0	68	176	45	78	95
2025/6/8 9:40	0	0	0	0	0	67	164	45	71	65
2025/6/8 9:50	0	0	0	0	0	101	217	50	67	149
2025/6/8 10:00	0	0	0	0	0	32	143	39	73	45
2025/6/8 10:10	0	0	0	0	0	25	117	32	90	46
2025/6/8 10:20	0	0	0	0	0	45	120	44	83	55
2025/6/8 10:30	0.1	0	0	0	0	114	195	40	50	144
2025/6/8 10:40	0.1	0	0	0	0	96	248	40	54	104
2025/6/8 10:50	0	0	0	0	0	91	167	36	66	56
2025/6/8 11:00	0	0	0	0	0	60	188	36	85	107
2025/6/8 11:10	0	0	0	0	0	94	218	65	93	86
2025/6/8 11:20	0.1	0	0	0	0	117	189	70	99	128
2025/6/8 11:30	0.1	0	0	0	0	110	168	73	80	180
2025/6/8 11:40	0.1	0	0	0	0	108	152	60	72	122
2025/6/8 11:50	0.1	0	0	0	0	99	125	64	66	146
2025/6/8 12:00	0.1	0	0	0	0	98	136	62	62	158
2025/6/8 12:10	0.1	0	0	0	0	101	138	58	59	129
2025/6/8 12:20	0.1	0	0	0	0	96	117	75	60	160
2025/6/8 12:30	0.1	0	0	0	0	83	135	75	56	153
2025/6/8 12:40	0.1	0	0	0	0	95	144	85	56	159
2025/6/8 12:50	0.1	0	0	0	0	94	153	61	56	145
2025/6/8 13:00	0.1	0	0	0.1	0	99	184	55	57	150
2025/6/8 13:10	0.1	0	0	0.1	0	98	127	64	61	148
2025/6/8 13:20	0.1	0	0	0.1	0	112	194	61	64	185
2025/6/8 13:30	0.1	0	0	0.1	0	114	148	71	76	207
2025/6/8 13:40	0.1	0.1	0	0.1	0	111	159	72	78	214
2025/6/8 13:50	0.1	0.1	0	0.1	0	115	158	54	68	131
2025/6/8 14:00	0.1	0.1	0	0.1	0	99	163	67	63	193
2025/6/8 14:10	0.1	0.1	0	0.1	0	115	155	61	76	153
2025/6/8 14:20	0.1	0.1	0	0.1	0	98	150	61	64	145
2025/6/8 14:30	0.1	0.1	0	0.1	0	91	126	58	61	146
2025/6/8 14:40	0.1	0.1	0	0.1	0	106	145	53	66	135
2025/6/8 14:50	0.1	0.1	0	0.1	0	101	141	51	65	119
2025/6/8 15:00	0.1	0.1	0	0.1	0	113	123	48	55	122
2025/6/8 15:10	0.1	0	0	0.1	0	138	134	54	62	181
2025/6/8 15:20	0.1	0	0	0	0	115	145	71	66	216
2025/6/8 15:30	0.1	0	0	0	0	114	198	71	70	184
2025/6/8 15:40	0.1	0	0	0	0	118	200	61	69	180
2025/6/8 15:50	0.1	0	0	0	0	120	156	60	67	172
2025/6/8 16:00	0.1	0	0	0	0	114	137	60	57	150
2025/6/8 16:10	0	0	0	0	0	98	147	56	59	126
2025/6/8 16:20	0	0	0	0	0	108	187	61	59	167
2025/6/8 16:30	0	0	0	0	0	113	175	68	69	185

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/8 16:40	0	0	0	0	0	103	162	61	56	117
2025/6/8 16:50	0	0	0	0	0	123	130	62	57	122
2025/6/8 17:00	0	0	0	0	0	117	152	61	57	150
2025/6/8 17:10	0	0	0	0	0	108	213	61	50	147
2025/6/8 17:20	0	0	0	0	0	91	230	58	43	87
2025/6/8 17:30	0	0	0	0	0	113	187	53	44	148
2025/6/8 17:40	0	0	0	0	0	80	163	46	39	81
2025/6/8 17:50	0	0	0	0	0	86	149	43	45	96
2025/6/8 18:00	0	0	0	0	0	82	144	39	47	87
2025/6/8 18:10	0	0	0	0	0	124	116	41	38	98
2025/6/8 18:20	0	0	0	0	0	104	130	37	38	70
2025/6/8 18:30	0	0	0	0	0	106	166	37	33	80
2025/6/8 18:40	0	0	0	0	0	139	174	43	45	101
2025/6/8 18:50	0	0	0	0	0	146	201	46	53	178
2025/6/8 19:00	0	0	0	0	0	137	187	51	60	123
2025/6/8 19:10	0	0	0	0	0	184	196	50	62	146
2025/6/8 19:20	0	0	0	0	0	167	174	45	47	70
2025/6/8 19:30	0	0	0	0	0	161	—	—	—	276
2025/6/8 19:40	0	0	0	0	0	147	—	—	—	327
2025/6/8 19:50	0	0	0	0	0	152	—	—	—	324
2025/6/8 20:00	0	0	0	0	0	117	—	—	—	291
2025/6/8 20:10	0	0	0	0	0	107	—	—	—	302
2025/6/8 20:20	0	0	0	0	0	168	—	—	—	261
2025/6/8 20:30	0	0	0	0	0	150	—	—	—	236
2025/6/8 20:40	0	0	0	0	0	182	—	—	—	257
2025/6/8 20:50	0	0	0	0	0	143	—	—	—	250
2025/6/8 21:00	0	0	0	0	0	125	—	—	—	228
2025/6/8 21:10	0	0	0	0	0	162	—	—	—	290
2025/6/8 21:20	0	0	0	0	0	170	—	—	—	289
2025/6/8 21:30	0	0	0	0	0	175	—	—	—	299
2025/6/8 21:40	0	0	0	0	0	197	—	—	—	366
2025/6/8 21:50	0	0	0	0	0	198	—	—	—	332
2025/6/8 22:00	0	0	0	0	0	173	—	—	—	318
2025/6/8 22:10	0	0	0	0	0	234	—	—	—	308
2025/6/8 22:20	0	0	0	0	0	210	—	—	—	391
2025/6/8 22:30	0	0	0	0	0	209	—	—	—	374
2025/6/8 22:40	0	0	0	0	0	178	—	—	—	378
2025/6/8 22:50	0	0	0	0	0	147	—	—	—	353
2025/6/8 23:00	0	0	0	0	0	189	—	—	—	389
2025/6/8 23:10	0	0	0	0	0	148	—	—	—	377
2025/6/8 23:20	0	0	0	0	0	206	—	—	—	364
2025/6/8 23:30	0	0	0	0	0	219	—	—	—	346
2025/6/8 23:40	0	0	0	0	0	168	—	—	—	379
2025/6/8 23:50	0	0	0	0	0	173	—	—	—	349
2025/6/9 0:00	0	0	0	0	0	201	199	148	51	382
2025/6/9 0:10	0	0	0	0	0	221	266	237	57	422
2025/6/9 0:20	0	0	0	0	0	152	266	280	60	403
2025/6/9 0:30	0	0	0	0	0	113	282	269	62	405
2025/6/9 0:40	0	0	0	0	0	91	244	269	64	437
2025/6/9 0:50	0	0	0	0	0	124	260	319	66	443
2025/6/9 1:00	0	0	0	0	0	284	251	236	67	419
2025/6/9 1:10	0	0	0	0	0	154	238	236	67	372
2025/6/9 1:20	0	0	0	0	0	169	241	217	69	366
2025/6/9 1:30	0	0	0	0	0	142	240	227	67	374
2025/6/9 1:40	0	0	0	0	0	158	231	250	69	367
2025/6/9 1:50	0	0	0	0	0	138	202	230	64	392
2025/6/9 2:00	0	0	0	0	0	146	242	214	58	396
2025/6/9 2:10	0	0	0	0	0	236	235	262	64	406
2025/6/9 2:20	0	0	0	0	0	239	258	312	71	454
2025/6/9 2:30	0	0	0	0	0	224	258	228	61	475
2025/6/9 2:40	0	0	0	0	0	176	258	228	60	388
2025/6/9 2:50	0	0	0	0	0	123	274	236	58	385
2025/6/9 3:00	0	0	0	0	0	250	289	222	63	396
2025/6/9 3:10	0	0	0	0	0	305	285	265	76	441
2025/6/9 3:20	0	0	0	0	0	339	290	274	64	428
2025/6/9 3:30	0	0	0	0	0	267	279	275	73	477
2025/6/9 3:40	0	0	0	0	0	296	273	218	68	401
2025/6/9 3:50	0	0	0	0	0	292	259	191	59	394
2025/6/9 4:00	0	0	0	0	0	318	256	259	62	393
2025/6/9 4:10	0	0	0	0	0	267	246	241	63	371
2025/6/9 4:20	0	0	0	0	0	254	247	208	63	394
2025/6/9 4:30	0	0	0	0	0	214	217	187	56	336
2025/6/9 4:40	0	0	0	0	0	257	208	173	59	368

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/9 4:50	0	0	0	0	0	221	220	154	61	346
2025/6/9 5:00	0	0	0	0	0	283	197	99	132	233
2025/6/9 5:10	0	0	0	0	0	301	242	65	282	201
2025/6/9 5:20	0	0	0	0	0	317	226	149	126	468
2025/6/9 5:30	0	0	0	0	0	340	234	180	151	475
2025/6/9 5:40	0	0	0	0	0	276	236	240	81	429
2025/6/9 5:50	0	0	0	0	0	251	233	170	178	314
2025/6/9 6:00	0	0	0	0	0	263	220	127	128	296
2025/6/9 6:10	0	0	0	0	0	240	217	94	117	368
2025/6/9 6:20	0	0	0	0	0	293	238	69	195	375
2025/6/9 6:30	0	0	0	0	0	315	239	116	224	404
2025/6/9 6:40	0	0	0	0	0	348	285	158	270	562
2025/6/9 6:50	0	0	0	0	0	311	276	73	281	388
2025/6/9 7:00	0	0	0	0	0	303	255	74	271	179
2025/6/9 7:10	0	0	0	0	0	207	240	75	308	107
2025/6/9 7:20	0	0	0	0	0	61	220	79	246	458
2025/6/9 7:30	0	0	0	0	0	336	174	130	212	416
2025/6/9 7:40	0	0	0	0	0	237	271	82	159	289
2025/6/9 7:50	0	0	0	0	0	130	272	149	80	369
2025/6/9 8:00	0	0	0	0.1	0	180	285	159	82	375
2025/6/9 8:10	0	0	0	0.1	0	190	264	127	84	319
2025/6/9 8:20	0	0	0	0.1	0	115	297	184	134	271
2025/6/9 8:30	0.1	0	0.1	0.1	0	162	461	139	80	395
2025/6/9 8:40	0.1	0	0.1	0.1	0	165	407	81	92	346
2025/6/9 8:50	0.1	0	0.1	0.1	0	131	386	99	150	254
2025/6/9 9:00	0.1	0	0.1	0.1	0	155	412	128	82	402
2025/6/9 9:10	0.1	0	0.1	0.1	0	187	424	80	80	280
2025/6/9 9:20	0.1	0	0.1	0.1	0	152	269	94	71	267
2025/6/9 9:30	0.1	0	0.1	0.1	0	182	280	110	72	255
2025/6/9 9:40	0.1	0	0.1	0.1	0	167	338	67	107	186
2025/6/9 9:50	0.1	0	0.1	0.1	0	170	276	69	92	228
2025/6/9 10:00	0.1	0	0.1	0.1	0	137	261	93	74	249
2025/6/9 10:10	0.1	0	0.1	0.1	0	158	253	89	66	258
2025/6/9 10:20	0.1	0	0.1	0.1	0	177	248	70	67	252
2025/6/9 10:30	0.1	0	0.1	0.1	0	148	312	62	67	196
2025/6/9 10:40	0.1	0	0.1	0.1	0	133	322	77	65	268
2025/6/9 10:50	0.1	0	0.1	0.1	0	76	286	99	70	265
2025/6/9 11:00	0.1	0	0.1	0.1	0	87	210	111	68	228
2025/6/9 11:10	0.1	0	0.1	0.1	0	135	192	60	65	240
2025/6/9 11:20	0.1	0	0.1	0.1	0	127	232	66	60	225
2025/6/9 11:30	0.1	0	0.1	0.1	0	99	252	85	63	230
2025/6/9 11:40	0.1	0	0	0.1	0	136	283	54	58	189
2025/6/9 11:50	0.1	0	0	0.1	0	106	251	91	77	244
2025/6/9 12:00	0.1	0	0.1	0.1	0	137	216	53	64	234
2025/6/9 12:10	0.1	0	0	0.1	0	74	172	99	52	254
2025/6/9 12:20	0.1	0	0	0.1	0	104	169	56	50	203
2025/6/9 12:30	0.1	0	0	0.1	0	92	150	74	41	219
2025/6/9 12:40	0.1	0	0	0	0	79	165	65	48	223
2025/6/9 12:50	0.1	0	0	0	0	104	171	58	48	240
2025/6/9 13:00	0.1	0	0	0	0	157	242	51	56	171
2025/6/9 13:10	0.1	0	0	0	0	123	322	74	52	246
2025/6/9 13:20	0.1	0	0	0	0	185	314	51	53	245
2025/6/9 13:30	0.1	0	0	0	0	140	269	60	62	217
2025/6/9 13:40	0.1	0	0	0	0	118	234	104	58	264
2025/6/9 13:50	0.1	0	0	0	0	133	351	102	57	254
2025/6/9 14:00	0.1	0	0	0	0	162	308	98	56	277
2025/6/9 14:10	0.1	0	0	0	0	164	310	62	55	225
2025/6/9 14:20	0.1	0	0	0	0	152	323	102	66	290
2025/6/9 14:30	0.1	0	0	0	0	128	235	79	54	274
2025/6/9 14:40	0.1	0	0	0	0	128	238	106	65	277
2025/6/9 14:50	0.1	0	0	0	0	147	251	52	64	137
2025/6/9 15:00	0.1	0	0	0	0	118	246	97	62	300
2025/6/9 15:10	0.1	0	0	0	0	171	204	76	52	256
2025/6/9 15:20	0	0	0	0	0	168	224	62	59	268
2025/6/9 15:30	0	0	0	0	0	162	205	57	53	226
2025/6/9 15:40	0	0	0	0	0	136	185	79	55	233
2025/6/9 15:50	0	0	0	0	0	149	170	67	54	230
2025/6/9 16:00	0	0	0	0	0	143	165	75	52	259
2025/6/9 16:10	0	0	0	0	0	165	207	78	58	227
2025/6/9 16:20	0	0	0	0	0	155	180	61	56	237
2025/6/9 16:30	0	0	0	0	0	144	227	65	54	213
2025/6/9 16:40	0	0	0	0	0	131	247	97	51	308
2025/6/9 16:50	0	0	0	0	0	129	201	83	52	280

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/9 17:00	0	0	0	0	0	181	219	105	63	270
2025/6/9 17:10	0	0	0	0	0	113	227	125	72	316
2025/6/9 17:20	0	0	0	0	0	197	208	84	67	291
2025/6/9 17:30	0	0	0	0	0	173	202	81	86	314
2025/6/9 17:40	0	0	0	0	0	184	215	62	76	158
2025/6/9 17:50	0	0	0	0	0	192	199	62	91	164
2025/6/9 18:00	0	0	0	0	0	220	180	64	78	147
2025/6/9 18:10	0	0	0	0	0	210	230	67	86	232
2025/6/9 18:20	0	0	0	0	0	193	181	62	69	200
2025/6/9 18:30	0	0	0	0	0	199	157	60	70	114
2025/6/9 18:40	0	0	0	0	0	175	148	74	58	216
2025/6/9 18:50	0	0	0	0	0	178	139	77	48	275
2025/6/9 19:00	0	0	0	0	0	225	134	54	45	192
2025/6/9 19:10	0	0	0	0	0	158	124	82	48	222
2025/6/9 19:20	0	0	0	0	0	152	125	65	51	230
2025/6/9 19:30	0	0	0	0	0	178	127	59	53	161
2025/6/9 19:40	0	0	0	0	0	173	141	63	44	182
2025/6/9 19:50	0	0	0	0	0	166	139	65	41	255
2025/6/9 20:00	0	0	0	0	0	132	159	103	37	258
2025/6/9 20:10	0	0	0	0	0	199	184	89	50	264
2025/6/9 20:20	0	0	0	0	0	139	177	152	50	287
2025/6/9 20:30	0	0	0	0	0	103	147	151	48	267
2025/6/9 20:40	0	0	0	0	0	121	146	107	44	235
2025/6/9 20:50	0	0	0	0	0	155	145	81	41	287
2025/6/9 21:00	0	0	0	0	0	162	158	107	37	281
2025/6/9 21:10	0	0	0	0	0	129	152	132	32	275
2025/6/9 21:20	0	0	0	0	0	219	152	49	32	306
2025/6/9 21:30	0	0	0	0	0	146	168	134	32	292
2025/6/9 21:40	0	0	0	0	0	137	203	142	27	311
2025/6/9 21:50	0	0	0	0	0	173	164	77	49	272
2025/6/9 22:00	0	0	0	0	0	165	155	51	37	187
2025/6/9 22:10	0	0	0	0	0	199	150	67	40	193
2025/6/9 22:20	0	0	0	0	0	220	177	115	35	257
2025/6/9 22:30	0	0	0	0	0	314	221	57	47	223
2025/6/9 22:40	0	0	0	0	0	310	279	120	277	433
2025/6/9 22:50	0	0	0	0	0	404	247	129	53	508
2025/6/9 23:00	0	0	0	0	0	360	255	85	38	280
2025/6/9 23:10	0	0	0	0	0	380	292	195	131	499
2025/6/9 23:20	0	0	0	0	0	331	290	111	140	546
2025/6/9 23:30	0	0	0	0	0	405	269	199	110	581
2025/6/9 23:40	0	0	0	0	0	249	289	288	35	598
2025/6/9 23:50	0	0	0	0	0	213	266	223	39	441
2025/6/10 0:00	0	0	0	0	0	211	250	205	36	496
2025/6/10 0:10	0	0	0	0	0	128	217	212	45	444
2025/6/10 0:20	0	0	0	0	0	248	255	210	52	439
2025/6/10 0:30	0	0	0	0	0	232	253	193	58	442
2025/6/10 0:40	0	0	0	0	0	138	241	217	63	469
2025/6/10 0:50	0	0	0	0	0	226	271	197	76	423
2025/6/10 1:00	0	0	0	0	0	270	266	206	79	424
2025/6/10 1:10	0	0	0	0	0	230	263	187	85	412
2025/6/10 1:20	0	0	0	0	0	128	225	223	79	346
2025/6/10 1:30	0	0	0	0	0	130	222	153	72	363
2025/6/10 1:40	0	0	0	0	0	269	240	186	63	415
2025/6/10 1:50	0	0	0	0	0	208	264	188	62	392
2025/6/10 2:00	0	0	0	0	0	238	269	200	56	383
2025/6/10 2:10	0	0	0	0	0	118	243	229	62	366
2025/6/10 2:20	0	0	0	0	0	144	230	188	63	379
2025/6/10 2:30	0	0	0	0	0	170	263	225	62	451
2025/6/10 2:40	0	0	0	0	0	192	292	264	63	488
2025/6/10 2:50	0	0	0	0	0	155	244	262	66	468
2025/6/10 3:00	0	0	0	0	0	254	286	189	66	432
2025/6/10 3:10	0	0	0	0	0	315	299	154	68	404
2025/6/10 3:20	0	0	0	0	0	283	276	221	77	459
2025/6/10 3:30	0	0	0	0	0	279	268	181	80	425
2025/6/10 3:40	0	0	0	0	0	342	250	198	78	533
2025/6/10 3:50	0	0	0	0	0	152	259	247	89	419
2025/6/10 4:00	0	0	0	0	0	127	250	219	95	419
2025/6/10 4:10	0	0	0	0	0	158	227	187	96	387
2025/6/10 4:20	0	0	0	0	0	264	211	206	138	407
2025/6/10 4:30	0	0	0	0	0	113	217	253	92	407
2025/6/10 4:40	0	0	0	0	0	159	193	214	78	433
2025/6/10 4:50	0	0	0	0	0	175	168	203	81	399
2025/6/10 5:00	0	0	0	0	0	193	206	194	77	454

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/10 5:10	0	0	0	0	0	162	150	221	87	385
2025/6/10 5:20	0	0	0	0	0	118	139	262	95	316
2025/6/10 5:30	0	0	0	0	0	148	161	177	87	385
2025/6/10 5:40	0	0	0	0	0	130	153	208	86	382
2025/6/10 5:50	0	0	0	0	0	174	139	214	99	381
2025/6/10 6:00	0	0	0	0	0	210	121	205	121	381
2025/6/10 6:10	0	0	0	0	0	100	147	170	169	310
2025/6/10 6:20	0	0	0	0	0	93	152	209	227	231
2025/6/10 6:30	0	0	0	0	0	206	169	203	170	408
2025/6/10 6:40	0	0	0	0	0	176	164	211	107	469
2025/6/10 6:50	0	0	0	0	0	174	197	210	83	492
2025/6/10 7:00	0	0	0	0	0	262	156	202	135	488
2025/6/10 7:10	0	0	0	0	0	81	121	282	141	282
2025/6/10 7:20	0	0	0	0	0	95	154	248	87	401
2025/6/10 7:30	0	0	0	0	0	104	158	152	70	443
2025/6/10 7:40	0	0	0	0	0	106	117	198	80	391
2025/6/10 7:50	0	0	0	0	0	117	117	209	109	364
2025/6/10 8:00	0	0	0	0	0	83	111	235	155	272
2025/6/10 8:10	0	0	0	0	0	120	140	222	135	378
2025/6/10 8:20	0	0	0	0	0	97	109	232	141	266
2025/6/10 8:30	0	0	0	0	0	68	98	204	128	330
2025/6/10 8:40	0	0	0	0	0	172	192	198	130	356
2025/6/10 8:50	0	0	0	0	0	95	145	188	110	346
2025/6/10 9:00	0	0	0	0	0	63	134	171	113	243
2025/6/10 9:10	0	0	0	0	0	53	146	142	131	239
2025/6/10 9:20	0	0	0	0	0	54	139	191	97	249
2025/6/10 9:30	0	0	0	0	0	50	118	113	76	232
2025/6/10 9:40	0	0	0	0	0	67	147	174	110	244
2025/6/10 9:50	0	0	0	0	0	49	147	100	120	184
2025/6/10 10:00	0	0	0	0	0	72	110	57	128	196
2025/6/10 10:10	0	0	0	0	0	44	134	55	139	130
2025/6/10 10:20	0	0	0	0	0	40	115	53	94	102
2025/6/10 10:30	0	0	0	0	0	38	104	102	113	192
2025/6/10 10:40	0	0	0	0	0	56	125	80	96	179
2025/6/10 10:50	0	0	0	0	0	57	116	76	101	130
2025/6/10 11:00	0	0	0	0	0	59	133	132	125	238
2025/6/10 11:10	0	0	0	0	0	54	135	135	124	198
2025/6/10 11:20	0	0	0	0	0	57	110	99	117	127
2025/6/10 11:30	0	0	0	0	0	39	89	62	108	102
2025/6/10 11:40	0	0	0	0	0	39	93	71	115	113
2025/6/10 11:50	0	0	0	0	0	35	81	47	163	96
2025/6/10 12:00	0	0	0	0	0	35	97	50	229	100
2025/6/10 12:10	0	0	0	0	0	45	99	57	147	111
2025/6/10 12:20	0	0	0	0	0	45	99	56	96	143
2025/6/10 12:30	0	0	0	0	0	50	94	124	85	192
2025/6/10 12:40	0	0	0	0	0	51	88	99	110	175
2025/6/10 12:50	0	0	0	0	0	45	100	95	133	123
2025/6/10 13:00	0	0	0	0	0	50	112	126	139	146
2025/6/10 13:10	0	0	0	0	0	46	116	59	137	116
2025/6/10 13:20	0	0	0	0	0	54	98	57	81	125
2025/6/10 13:30	0	0	0	0	0	46	102	56	155	110
2025/6/10 13:40	0	0	0	0	0	61	101	96	112	158
2025/6/10 13:50	0	0	0	0	0	60	103	130	89	173
2025/6/10 14:00	0	0	0	0	0	58	142	226	148	160
2025/6/10 14:10	0	0	0	0	0	95	133	216	222	210
2025/6/10 14:20	0	0	0	0	0	112	151	156	167	179
2025/6/10 14:30	0	0	0	0	0	99	153	173	157	158
2025/6/10 14:40	0	0	0	0	0	87	261	126	113	221
2025/6/10 14:50	0	0	0	0	0	115	161	238	175	253
2025/6/10 15:00	0	0	0	0	0	150	153	181	155	350
2025/6/10 15:10	0	0	0	0	0	180	205	165	125	388
2025/6/10 15:20	0	0	0	0	0	155	232	144	121	438
2025/6/10 15:30	0	0	0	0	0	165	176	162	128	404
2025/6/10 15:40	0	0	0	0	0	230	341	179	113	418
2025/6/10 15:50	0	0	0	0	0	202	262	141	129	442
2025/6/10 16:00	0	0	0	0	0	168	266	202	164	276
2025/6/10 16:10	0	0	0	0	0	312	221	120	231	460
2025/6/10 16:20	0	0	0	0	0	156	183	159	124	308
2025/6/10 16:30	0	0	0	0	0	244	230	225	243	501
2025/6/10 16:40	0	0	0	0	0	320	275	160	177	411
2025/6/10 16:50	0	0	0	0	0	255	260	186	103	376
2025/6/10 17:00	0	0	0	0	0	271	246	95	101	214
2025/6/10 17:10	0	0	0	0	0	263	243	107	107	276

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/10 17:20	0	0	0	0	0	265	245	95	104	284
2025/6/10 17:30	0	0	0	0	0	223	245	93	103	286
2025/6/10 17:40	0	0	0	0	0	251	274	134	117	324
2025/6/10 17:50	0	0	0	0	0	221	234	183	114	403
2025/6/10 18:00	0	0	0	0	0	270	266	99	118	308
2025/6/10 18:10	0	0	0	0	0	80	236	82	277	127
2025/6/10 18:20	0	0	0	0	0	77	131	82	241	121
2025/6/10 18:30	0	0	0	0	0	110	137	104	249	154
2025/6/10 18:40	0	0	0	0	0	104	127	105	206	157
2025/6/10 18:50	0	0	0	0	0	97	128	96	175	155
2025/6/10 19:00	0	0	0	0	0	110	126	116	191	172
2025/6/10 19:10	0	0	0	0	0	92	130	133	151	155
2025/6/10 19:20	0	0	0	0	0	68	120	95	117	125
2025/6/10 19:30	0	0	0	0	0	64	102	78	170	123
2025/6/10 19:40	0	0	0	0	0	72	105	81	173	131
2025/6/10 19:50	0	0	0	0	0	76	112	83	165	136
2025/6/10 20:00	0	0	0	0	0	81	114	89	169	138
2025/6/10 20:10	0	0	0	0	0	74	117	84	157	124
2025/6/10 20:20	0	0	0	0	0	72	128	87	159	154
2025/6/10 20:30	0	0	0	0	0	255	187	94	135	281
2025/6/10 20:40	0	0	0	0	0	207	175	161	126	282
2025/6/10 20:50	0	0	0	0	0	297	214	112	125	301
2025/6/10 21:00	0	0	0	0	0	301	261	98	133	301
2025/6/10 21:10	0	0	0	0	0	82	166	94	169	133
2025/6/10 21:20	0	0	0	0	0	64	114	81	157	120
2025/6/10 21:30	0	0	0	0	0	63	133	82	162	117
2025/6/10 21:40	0	0	0	0	0	61	122	77	154	114
2025/6/10 21:50	0	0	0	0	0	116	148	91	148	116
2025/6/10 22:00	0	0	0	0	0	165	216	91	143	123
2025/6/10 22:10	0	0	0	0	0	60	143	81	170	120
2025/6/10 22:20	0	0	0	0	0	66	159	90	122	122
2025/6/10 22:30	0	0	0	0	0	265	167	118	112	200
2025/6/10 22:40	0	0	0	0	0	152	200	89	136	129
2025/6/10 22:50	0	0	0	0	0	156	160	132	147	260
2025/6/10 23:00	0	0	0	0	0	67	152	90	208	146
2025/6/10 23:10	0	0	0	0	0	164	138	88	175	234
2025/6/10 23:20	0	0	0	0	0	282	175	92	119	210
2025/6/10 23:30	0	0	0	0	0	411	225	114	96	420
2025/6/10 23:40	0	0	0	0	0	293	211	128	100	220
2025/6/10 23:50	0	0	0	0	0	279	214	250	169	441
2025/6/11 0:00	0	0	0	0	0	185	175	267	138	343
2025/6/11 0:10	0	0	0	0	0	159	167	223	134	213
2025/6/11 0:20	0	0	0	0	0	85	155	111	129	143
2025/6/11 0:30	0	0	0	0	0	80	135	150	119	164
2025/6/11 0:40	0	0	0	0	0	76	127	174	111	133
2025/6/11 0:50	0	0	0	0	0	84	143	179	138	151
2025/6/11 1:00	0	0	0	0	0	73	132	104	135	143
2025/6/11 1:10	0	0	0	0	0	68	148	107	144	129
2025/6/11 1:20	0	0	0	0	0	75	125	177	130	175
2025/6/11 1:30	0	0	0	0	0	82	140	127	128	168
2025/6/11 1:40	0	0	0	0	0	80	137	117	147	142
2025/6/11 1:50	0	0	0	0	0	152	125	221	121	263
2025/6/11 2:00	0	0	0	0	0	109	151	190	159	173
2025/6/11 2:10	0	0	0	0	0	107	150	108	208	160
2025/6/11 2:20	0	0	0	0	0	109	143	113	190	161
2025/6/11 2:30	0	0	0	0	0	106	141	150	168	160
2025/6/11 2:40	0	0	0	0	0	101	125	106	188	158
2025/6/11 2:50	0	0	0	0	0	108	142	123	173	155
2025/6/11 3:00	0	0	0	0	0	108	127	162	144	181
2025/6/11 3:10	0	0	0	0	0	95	145	112	177	145
2025/6/11 3:20	0	0	0	0	0	101	122	107	182	156
2025/6/11 3:30	0	0	0	0	0	127	149	133	189	192
2025/6/11 3:40	0	0	0	0	0	113	129	132	141	164
2025/6/11 3:50	0	0	0	0	0	103	125	118	156	147
2025/6/11 4:00	0	0	0	0	0	98	126	104	178	149
2025/6/11 4:10	0	0	0	0	0	103	122	109	176	156
2025/6/11 4:20	0	0	0	0	0	109	133	115	160	159
2025/6/11 4:30	0	0	0	0	0	103	121	108	180	151
2025/6/11 4:40	0	0	0	0	0	92	118	115	155	146
2025/6/11 4:50	0	0	0	0	0	81	106	97	128	133
2025/6/11 5:00	0	0	0	0	0	82	101	90	128	150
2025/6/11 5:10	0	0	0	0	0	82	100	101	118	143
2025/6/11 5:20	0	0	0	0	0	81	114	98	124	130

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/11 5:30	0	0	0	0	0	82	111	100	145	131
2025/6/11 5:40	0	0	0	0	0	88	107	101	142	140
2025/6/11 5:50	0	0	0	0	0	89	109	99	150	142
2025/6/11 6:00	0	0	0	0	0	91	104	98	153	138
2025/6/11 6:10	0	0	0	0	0	95	107	101	159	153
2025/6/11 6:20	0	0	0	0	0	100	108	110	149	147
2025/6/11 6:30	0	0	0	0	0	89	130	100	147	144
2025/6/11 6:40	0	0	0	0	0	98	127	97	117	134
2025/6/11 6:50	0	0	0	0	0	99	138	94	112	131
2025/6/11 7:00	0	0	0	0	0	131	137	95	114	131
2025/6/11 7:10	0	0	0	0	0	87	168	108	120	132
2025/6/11 7:20	0	0	0	0	0	89	137	96	150	133
2025/6/11 7:30	0	0	0	0	0	96	147	101	154	139
2025/6/11 7:40	0	0	0	0	0	91	156	100	145	140
2025/6/11 7:50	0	0	0	0	0	94	169	101	170	135
2025/6/11 8:00	0	0	0	0	0	91	121	97	164	154
2025/6/11 8:10	0	0	0	0	0	90	148	97	159	171
2025/6/11 8:20	0	0	0	0	0	92	138	99	188	145
2025/6/11 8:30	0	0	0	0	0	106	146	109	181	149
2025/6/11 8:40	0	0	0	0	0	130	150	127	173	176
2025/6/11 8:50	0	0	0	0	0	115	144	114	189	146
2025/6/11 9:00	0	0	0	0	0	108	127	107	193	137
2025/6/11 9:10	0	0	0	0	0	110	126	102	202	136
2025/6/11 9:20	0	0	0	0	0	137	169	105	213	148
2025/6/11 9:30	0	0	0	0	0	140	162	114	208	172
2025/6/11 9:40	0	0	0	0	0	224	187	180	278	253
2025/6/11 9:50	0	0	0	0	0	141	151	138	175	184
2025/6/11 10:00	0	0	0	0	0	92	121	105	139	142
2025/6/11 10:10	0	0	0	0	0	77	111	90	131	121
2025/6/11 10:20	0	0	0	0	0	81	108	89	157	134
2025/6/11 10:30	0	0	0	0	0	85	107	98	106	125
2025/6/11 10:40	0	0	0	0	0	82	110	95	107	136
2025/6/11 10:50	0	0	0	0	0	88	145	106	124	181
2025/6/11 11:00	0	0	0	0	0	107	161	197	143	265
2025/6/11 11:10	0	0	0	0	0	140	199	280	246	293
2025/6/11 11:20	0	0	0	0	0	141	189	223	205	278
2025/6/11 11:30	0	0	0	0	0	114	206	219	191	234
2025/6/11 11:40	0	0	0	0	0	100	160	191	159	232
2025/6/11 11:50	0	0	0	0	0	86	148	174	160	216
2025/6/11 12:00	0	0	0	0	0	76	109	163	127	215
2025/6/11 12:10	0	0	0	0	0	60	102	183	108	223
2025/6/11 12:20	0	0	0	0	0	63	106	190	101	199
2025/6/11 12:30	0	0	0	0	0	63	113	201	102	228
2025/6/11 12:40	0	0	0	0	0	77	113	195	101	267
2025/6/11 12:50	0	0	0	0	0	78	117	212	120	248
2025/6/11 13:00	0	0	0	0	0	131	181	206	177	271
2025/6/11 13:10	0	0	0	0	0	100	141	195	232	220
2025/6/11 13:20	0	0	0	0	0	86	147	196	229	206
2025/6/11 13:30	0	0	0	0	0	77	141	188	185	201
2025/6/11 13:40	0	0	0	0	0	78	139	209	216	217
2025/6/11 13:50	0	0	0	0	0	94	165	239	282	250
2025/6/11 14:00	0	0	0	0	0	79	161	201	307	201
2025/6/11 14:10	0	0	0	0	0	112	213	241	317	259
2025/6/11 14:20	0	0	0	0	0	88	723	219	343	251
2025/6/11 14:30	0	0	0	0	0	53	1076	162	206	184
2025/6/11 14:40	0	0	0	0	0	39	748	161	135	189
2025/6/11 14:50	0	0	0	0	0	59	779	185	148	241
2025/6/11 15:00	0	0	0	0	0	59	828	183	148	236
2025/6/11 15:10	0	0	0	0	0	55	773	171	176	228
2025/6/11 15:20	0	0	0	0	0	116	1253	223	195	308
2025/6/11 15:30	0	0	0	0	0	165	1813	211	168	287
2025/6/11 15:40	0	0	0	0	0	229	1382	163	137	319
2025/6/11 15:50	0	0	0	0	0	124	937	108	80	219
2025/6/11 16:00	0	0	0	0	0	113	1034	106	74	200
2025/6/11 16:10	0	0	0	0	0	120	775	105	69	235
2025/6/11 16:20	0	0	0	0	0	90	1420	207	195	227
2025/6/11 16:30	0	0	0	0	0	99	1192	169	104	270
2025/6/11 16:40	0	0	0	0	0	87	402	146	74	261
2025/6/11 16:50	0	0	0	0	0	130	192	181	83	299
2025/6/11 17:00	0	0	0	0	0	95	861	224	91	332
2025/6/11 17:10	0	0	0	0	0	198	283	187	189	294
2025/6/11 17:20	0	0	0	0	0	168	205	145	157	319
2025/6/11 17:30	0	0	0	0	0	52	135	62	183	138

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/11 17:40	0	0	0	0	0	343	195	130	97	267
2025/6/11 17:50	0	0	0	0	0	68	156	88	202	154
2025/6/11 18:00	0	0	0	0	0	54	116	64	152	166
2025/6/11 18:10	0	0	0	0	0	84	139	86	197	183
2025/6/11 18:20	0	0	0	0	0	97	156	100	186	170
2025/6/11 18:30	0	0	0	0	0	377	183	126	189	367
2025/6/11 18:40	0	0	0	0	0	377	201	227	199	390
2025/6/11 18:50	0	0	0	0	0	405	215	341	184	482
2025/6/11 19:00	0	0	0	0	0	239	153	392	127	388
2025/6/11 19:10	0	0	0	0	0	128	139	371	161	520
2025/6/11 19:20	0	0	0	0	0	103	153	356	94	522
2025/6/11 19:30	0	0	0	0	0	173	152	391	94	412
2025/6/11 19:40	0	0	0	0	0	562	219	337	161	576
2025/6/11 19:50	0	0	0	0	0	602	267	384	163	598
2025/6/11 20:00	0	0	0	0	0	422	219	368	220	558
2025/6/11 20:10	0	0	0	0	0	414	231	372	178	619
2025/6/11 20:20	0	0	0	0	0	298	215	288	252	567
2025/6/11 20:30	0	0	0	0	0	427	209	303	214	604
2025/6/11 20:40	0	0	0	0	0	240	206	349	140	521
2025/6/11 20:50	0	0	0	0	0	263	220	358	199	551
2025/6/11 21:00	0	0	0	0	0	130	144	377	141	385
2025/6/11 21:10	0	0	0	0	0	171	139	315	117	348
2025/6/11 21:20	0	0	0	0	0	82	133	338	107	355
2025/6/11 21:30	0	0	0	0	0	91	119	339	102	412
2025/6/11 21:40	0	0	0	0	0	76	142	119	166	273
2025/6/11 21:50	0	0	0	0	0	68	147	129	119	326
2025/6/11 22:00	0	0	0	0	0	61	141	199	132	216
2025/6/11 22:10	0	0	0	0	0	58	109	99	91	172
2025/6/11 22:20	0	0	0	0	0	73	112	259	84	293
2025/6/11 22:30	0	0	0	0	0	413	175	255	102	559
2025/6/11 22:40	0	0	0	0	0	237	155	328	119	335
2025/6/11 22:50	0	0	0	0	0	298	225	224	116	523
2025/6/11 23:00	0	0	0	0	0	125	164	240	128	328
2025/6/11 23:10	0	0	0	0	0	75	166	158	146	226
2025/6/11 23:20	0	0	0	0	0	111	162	153	196	345
2025/6/11 23:30	0	0	0	0	0	76	143	256	86	304
2025/6/11 23:40	0	0	0	0	0	69	128	228	82	309
2025/6/11 23:50	0	0	0	0	0	111	141	177	118	360
2025/6/12 0:00	0	0	0	0	0	93	128	198	89	315
2025/6/12 0:10	0	0	0	0	0	73	129	201	91	228
2025/6/12 0:20	0	0	0	0	0	61	115	93	103	161
2025/6/12 0:30	0	0	0	0	0	61	113	139	111	243
2025/6/12 0:40	0	0	0	0	0	62	107	81	142	165
2025/6/12 0:50	0	0	0	0	0	88	125	87	177	345
2025/6/12 1:00	0	0	0	0	0	66	115	117	135	324
2025/6/12 1:10	0	0	0	0	0	66	121	94	134	294
2025/6/12 1:20	0	0	0	0	0	67	109	83	208	152
2025/6/12 1:30	0	0	0	0	0	71	121	149	131	244
2025/6/12 1:40	0	0	0	0	0	81	118	180	102	222
2025/6/12 1:50	0	0	0	0	0	123	117	184	110	418
2025/6/12 2:00	0	0	0	0	0	113	101	205	121	291
2025/6/12 2:10	0	0	0	0	0	83	129	162	114	206
2025/6/12 2:20	0	0	0	0	0	77	113	191	105	264
2025/6/12 2:30	0	0	0	0	0	77	118	136	101	204
2025/6/12 2:40	0	0	0	0	0	73	128	166	117	234
2025/6/12 2:50	0	0	0	0	0	74	106	162	110	191
2025/6/12 3:00	0	0	0	0	0	74	123	87	118	154
2025/6/12 3:10	0	0	0	0	0	88	114	155	149	223
2025/6/12 3:20	0	0	0	0	0	94	134	135	161	262
2025/6/12 3:30	0	0	0	0	0	67	98	83	148	148
2025/6/12 3:40	0	0	0	0	0	66	99	81	145	147
2025/6/12 3:50	0	0	0	0	0	224	123	120	156	335
2025/6/12 4:00	0	0	0	0	0	307	133	188	167	462
2025/6/12 4:10	0	0	0	0	0	69	117	102	132	401
2025/6/12 4:20	0	0	0	0	0	90	122	182	106	335
2025/6/12 4:30	0	0	0	0	0	80	103	170	93	217
2025/6/12 4:40	0	0	0	0	0	216	145	163	119	440
2025/6/12 4:50	0	0	0	0	0	237	183	121	197	323
2025/6/12 5:00	0	0	0	0	0	204	157	144	205	425
2025/6/12 5:10	0	0	0	0	0	194	255	103	153	198
2025/6/12 5:20	0	0	0	0	0	181	228	99	126	191
2025/6/12 5:30	0	0	0	0	0	245	168	141	127	346
2025/6/12 5:40	0	0	0	0	0	138	144	133	140	192

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/12 5:50	0	0	0	0	0	142	144	90	130	200
2025/6/12 6:00	0	0	0	0	0	70	127	82	145	118
2025/6/12 6:10	0	0	0	0	0	75	134	82	144	117
2025/6/12 6:20	0	0	0	0	0	75	128	83	129	157
2025/6/12 6:30	0	0	0.1	0	0	71	95	79	105	135
2025/6/12 6:40	0	0	0.1	0.1	0	76	93	77	124	114
2025/6/12 6:50	0	0	0	0	0	72	98	76	113	117
2025/6/12 7:00	0	0	0	0	0	70	109	79	124	128
2025/6/12 7:10	0	0	0.1	0.1	0	68	87	78	107	123
2025/6/12 7:20	0	0	0.1	0.1	0	65	93	89	94	162
2025/6/12 7:30	0	0	0.1	0.1	0	73	96	101	87	230
2025/6/12 7:40	0	0	0.1	0.2	0	75	113	109	94	257
2025/6/12 7:50	0	0	0.1	0.1	0	68	91	92	92	155
2025/6/12 8:00	0	0	0.1	0.1	0	72	108	77	103	181
2025/6/12 8:10	0	0	0.1	0.1	0	62	108	78	113	145
2025/6/12 8:20	0	0	0.1	0.1	0	58	91	76	96	218
2025/6/12 8:30	0	0	0.1	0.1	0	51	131	78	115	163
2025/6/12 8:40	0	0	0	0.1	0	89	127	98	130	356
2025/6/12 8:50	0	0	0	0.1	0	58	106	98	122	263
2025/6/12 9:00	0	0	0	0.1	0	105	172	102	115	238
2025/6/12 9:10	0	0	0	0.1	0	60	263	87	106	169
2025/6/12 9:20	0	0	0	0.1	0	48	454	71	116	145
2025/6/12 9:30	0.1	0	0	0.1	0	46	403	84	103	133
2025/6/12 9:40	0.1	0	0	0.1	0	44	389	70	121	131
2025/6/12 9:50	0.1	0	0	0.1	0	59	445	104	109	232
2025/6/12 10:00	0.1	0	0	0.1	0	50	411	95	100	198
2025/6/12 10:10	0.1	0	0	0.1	0	60	453	118	115	270
2025/6/12 10:20	0.1	0	0	0.1	0	55	404	102	106	240
2025/6/12 10:30	0.1	0	0	0.1	0	61	320	112	96	246
2025/6/12 10:40	0.1	0	0	0.1	0	45	308	68	105	136
2025/6/12 10:50	0.1	0	0.1	0.1	0	47	275	69	86	155
2025/6/12 11:00	0.1	0	0.1	0.1	0	47	264	70	132	156
2025/6/12 11:10	0.1	0	0.1	0.1	0	45	483	67	114	134
2025/6/12 11:20	0.1	0	0.1	0.1	0	106	513	128	102	275
2025/6/12 11:30	0.1	0	0.1	0.1	0	46	436	78	87	202
2025/6/12 11:40	0.1	0	0.1	0.1	0	37	375	71	97	153
2025/6/12 11:50	0.1	0	0.1	0.1	0	64	432	117	71	299
2025/6/12 12:00	0.1	0	0.1	0.1	0	46	369	53	125	199
2025/6/12 12:10	0.1	0	0	0.1	0	42	268	59	157	116
2025/6/12 12:20	0.1	0	0	0.1	0	42	244	94	103	186
2025/6/12 12:30	0.1	0	0	0.1	0	56	405	123	77	262
2025/6/12 12:40	0.1	0	0	0.1	0	67	323	169	83	282
2025/6/12 12:50	0.1	0	0	0.1	0	44	278	103	76	186
2025/6/12 13:00	0.1	0	0	0.1	0	59	358	112	141	281
2025/6/12 13:10	0.1	0	0	0.1	0	34	271	110	66	178
2025/6/12 13:20	0.1	0	0	0.1	0	35	330	91	69	179
2025/6/12 13:30	0.1	0	0	0.1	0	34	308	54	108	129
2025/6/12 13:40	0.1	0	0	0.1	0	43	409	103	89	179
2025/6/12 13:50	0.1	0	0	0.1	0	57	314	138	94	227
2025/6/12 14:00	0.1	0.1	0	0.1	0	121	329	60	131	258
2025/6/12 14:10	0.1	0.1	0	0.1	0	37	219	64	133	113
2025/6/12 14:20	0.1	0.1	0	0.1	0	30	190	32	198	95
2025/6/12 14:30	0.1	0.1	0	0.1	0	42	194	42	181	122
2025/6/12 14:40	0.1	0.1	0	0.1	0	38	198	45	142	105
2025/6/12 14:50	0.1	0.1	0	0.1	0	55	202	41	157	204
2025/6/12 15:00	0.1	0	0	0.1	0	22	141	46	154	109
2025/6/12 15:10	0.1	0	0	0.1	0	40	162	44	166	124
2025/6/12 15:20	0.1	0	0	0.1	0	76	235	97	193	297
2025/6/12 15:30	0.1	0	0	0.1	0	40	239	107	152	180
2025/6/12 15:40	0.1	0	0	0.1	0	36	531	115	156	197
2025/6/12 15:50	0.1	0	0	0	0	76	1202	143	167	404
2025/6/12 16:00	0.1	0	0	0	0	105	767	136	89	410
2025/6/12 16:10	0.1	0	0	0	0	77	452	174	172	459
2025/6/12 16:20	0.1	0	0	0	0	47	402	134	198	481
2025/6/12 16:30	0.1	0	0	0	0	127	336	186	162	431
2025/6/12 16:40	0.1	0	0	0	0	175	339	128	100	350
2025/6/12 16:50	0.1	0	0	0	0	135	389	136	92	365
2025/6/12 17:00	0	0	0	0	0	110	360	169	125	350
2025/6/12 17:10	0	0	0	0	0	147	—	—	—	361
2025/6/12 17:20	0	0	0	0	0	114	—	—	—	365
2025/6/12 17:30	0	0	0	0	0	168	—	—	—	327
2025/6/12 17:40	0	0	0	0	0	117	—	—	—	339
2025/6/12 17:50	0	0	0	0	0	136	—	—	—	318

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/12 18:00	0	0	0	0	0	122	—	—	—	315
2025/6/12 18:10	0	0	0	0	0	121	—	—	—	353
2025/6/12 18:20	0	0	0	0	0	131	—	—	—	338
2025/6/12 18:30	0	0	0	0	0	162	—	—	—	363
2025/6/12 18:40	0	0	0	0	0	143	—	—	—	332
2025/6/12 18:50	0	0	0	0	0	153	—	—	—	343
2025/6/12 19:00	0	0	0	0	0	154	—	—	—	343
2025/6/12 19:10	0	0	0	0	0	117	—	—	—	371
2025/6/12 19:20	0	0	0	0	0	121	—	—	—	381
2025/6/12 19:30	0	0	0	0	0	128	—	—	—	365
2025/6/12 19:40	0	0	0	0	0	121	—	—	—	386
2025/6/12 19:50	0	0	0	0	0	139	—	—	—	436
2025/6/12 20:00	0	0	0	0	0	149	—	—	—	309
2025/6/12 20:10	0	0	0	0	0	164	—	—	—	330
2025/6/12 20:20	0	0	0	0	0	153	—	—	—	430
2025/6/12 20:30	0	0	0	0	0	123	—	—	—	443
2025/6/12 20:40	0	0	0	0	0	198	—	—	—	471
2025/6/12 20:50	0	0	0	0	0	186	—	—	—	473
2025/6/12 21:00	0	0	0	0	0	180	—	—	—	441
2025/6/12 21:10	0	0	0	0	0	152	—	—	—	415
2025/6/12 21:20	0	0	0	0	0	163	—	—	—	370
2025/6/12 21:30	0	0	0	0	0	196	—	—	—	426
2025/6/12 21:40	0	0	0	0	0	195	—	—	—	428
2025/6/12 21:50	0	0	0	0	0	181	—	—	—	362
2025/6/12 22:00	0	0	0	0	0	195	—	—	—	419
2025/6/12 22:10	0	0	0	0	0	256	—	—	—	581
2025/6/12 22:20	0	0	0	0	0	223	—	—	—	391
2025/6/12 22:30	0	0	0	0	0	214	—	—	—	495
2025/6/12 22:40	0	0	0	0	0	258	—	—	—	571
2025/6/12 22:50	0	0	0	0	0	327	—	—	—	707
2025/6/12 23:00	0	0	0	0	0	279	—	—	—	675
2025/6/12 23:10	0	0	0	0	0	238	—	—	—	581
2025/6/12 23:20	0	0	0	0	0	347	—	—	—	591
2025/6/12 23:30	0	0	0	0	0	333	—	—	—	422
2025/6/12 23:40	0	0	0	0	0	301	—	—	—	698
2025/6/12 23:50	0	0	0	0	0	491	—	—	—	786
2025/6/13 0:00	0	0	0	0	0	93	128	198	89	315
2025/6/13 0:10	0	0	0	0	1.4	73	129	201	91	228
2025/6/13 0:20	0	0	0	0	0	61	115	93	103	161
2025/6/13 0:30	0	0	0	0	0	61	113	139	111	243
2025/6/13 0:40	0	0	0	0	0	62	107	81	142	165
2025/6/13 0:50	0	0	0	0	0	88	125	87	177	345
2025/6/13 1:00	0	0	0	0	0	66	115	117	135	324
2025/6/13 1:10	0	0	0	0	0	66	121	94	134	294
2025/6/13 1:20	0	0	0	0	0	67	109	83	208	152
2025/6/13 1:30	0	0	0	0	0	71	121	149	131	244
2025/6/13 1:40	0	0	0	0	0	81	118	180	102	222
2025/6/13 1:50	0	0	0	0	0	123	117	184	110	418
2025/6/13 2:00	0	0	0	0	0	113	101	205	121	291
2025/6/13 2:10	0	0	0	0	0	83	129	162	114	206
2025/6/13 2:20	0	0	0	0	1.6	77	113	191	105	264
2025/6/13 2:30	0	0	0	0	0	77	118	136	101	204
2025/6/13 2:40	0	0	0	0	0.1	73	128	166	117	234
2025/6/13 2:50	0	0	0	0	0	74	106	162	110	191
2025/6/13 3:00	0	0	0	0	0	74	123	87	118	154
2025/6/13 3:10	0	0	0	0	0	88	114	155	149	223
2025/6/13 3:20	0	0	0	0	0	94	134	135	161	262
2025/6/13 3:30	0	0	0	0	0	67	98	83	148	148
2025/6/13 3:40	0	0	0	0	0	66	99	81	145	147
2025/6/13 3:50	0	0	0	0	0	224	123	120	156	335
2025/6/13 4:00	0	0	0	0	0	307	133	188	167	462
2025/6/13 4:10	0	0	0	0	0	69	117	102	132	401
2025/6/13 4:20	0	0	0	0	0	90	122	182	106	335
2025/6/13 4:30	0	0	0	0	0	80	103	170	93	217
2025/6/13 4:40	0	0	0	0	0	216	145	163	119	440
2025/6/13 4:50	0	0	0	0	0	237	183	121	197	323
2025/6/13 5:00	0	0	0	0	0	204	157	144	205	425
2025/6/13 5:10	0	0	0	0	0	194	255	103	153	198
2025/6/13 5:20	0	0	0	0	0	181	228	99	126	191
2025/6/13 5:30	0	0	0	0	0	245	168	141	127	346
2025/6/13 5:40	0	0	0	0	0	138	144	133	140	192
2025/6/13 5:50	0	0	0	0	0	142	144	90	130	200
2025/6/13 6:00	0	0	0	0	0	70	127	82	145	118

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/13 6:10	0	0	0	0	0	75	134	82	144	117
2025/6/13 6:20	0	0	0	0	0	75	128	83	129	157
2025/6/13 6:30	0	0	0	0	0	71	95	79	105	135
2025/6/13 6:40	0	0	0	0	0	76	93	77	124	114
2025/6/13 6:50	0	0	0	0	0	72	98	76	113	117
2025/6/13 7:00	0	0	0	0	0	70	109	79	124	128
2025/6/13 7:10	0	0	0	0	0	68	87	78	107	123
2025/6/13 7:20	0	0	0	0	0	65	93	89	94	162
2025/6/13 7:30	0	0	0	0	0	73	96	101	87	230
2025/6/13 7:40	0	0	0	0	0	75	113	109	94	257
2025/6/13 7:50	0	0	0	0	0	68	91	92	92	155
2025/6/13 8:00	0	0	0	0	0	72	108	77	103	181
2025/6/13 8:10	0	0	0	0	0	62	108	78	113	145
2025/6/13 8:20	0	0	0	0	0	58	91	76	96	218
2025/6/13 8:30	0	0	0	0.1	0	51	131	78	115	163
2025/6/13 8:40	0.1	0	0	0.1	0	89	127	98	130	356
2025/6/13 8:50	0.1	0	0.1	0.1	0	58	106	98	122	263
2025/6/13 9:00	0.1	0	0.1	0.1	0	105	172	102	115	238
2025/6/13 9:10	0.1	0	0.1	0.1	0	60	263	87	106	169
2025/6/13 9:20	0.1	0	0	0.1	0	48	454	71	116	145
2025/6/13 9:30	0.1	0	0	0.1	0	46	403	84	103	133
2025/6/13 9:40	0.1	0	0	0.1	0	44	389	70	121	131
2025/6/13 9:50	0.1	0	0	0.1	0	59	445	104	109	232
2025/6/13 10:00	0.1	0	0	0.1	0	50	411	95	100	198
2025/6/13 10:10	0	0	0	0	0	60	453	118	115	270
2025/6/13 10:20	0	0	0	0	0	55	404	102	106	240
2025/6/13 10:30	0	0	0	0	0	61	320	112	96	246
2025/6/13 10:40	0.1	0	0	0	0	45	308	68	105	136
2025/6/13 10:50	0.1	0	0	0	0	47	275	69	86	155
2025/6/13 11:00	0.1	0	0	0	0	47	264	70	132	156
2025/6/13 11:10	0.1	0	0	0.1	0	45	483	67	114	134
2025/6/13 11:20	0.1	0	0	0.1	0	106	513	128	102	275
2025/6/13 11:30	0.1	0	0	0.1	0	46	436	78	87	202
2025/6/13 11:40	0.1	0	0	0.1	0	37	375	71	97	153
2025/6/13 11:50	0.1	0	0	0.1	0	64	432	117	71	299
2025/6/13 12:00	0.1	0	0	0.1	0	46	369	53	125	199
2025/6/13 12:10	0.1	0	0	0.1	0	42	268	59	157	116
2025/6/13 12:20	0.1	0	0	0.1	0	42	244	94	103	186
2025/6/13 12:30	0.1	0	0	0.1	0	56	405	123	77	262
2025/6/13 12:40	0.1	0	0	0.1	0	67	323	169	83	282
2025/6/13 12:50	0.1	0	0	0.1	0	44	278	103	76	186
2025/6/13 13:00	0.1	0	0	0	0	59	358	112	141	281
2025/6/13 13:10	0.1	0	0	0	0	34	271	110	66	178
2025/6/13 13:20	0.1	0	0	0	0	35	330	91	69	179
2025/6/13 13:30	0.1	0	0	0	0	34	308	54	108	129
2025/6/13 13:40	0.1	0	0	0	0	43	409	103	89	179
2025/6/13 13:50	0.1	0	0	0	0	57	314	138	94	227
2025/6/13 14:00	0.1	0	0	0.1	0	121	329	60	131	258
2025/6/13 14:10	0.1	0	0	0.1	0	37	219	64	133	113
2025/6/13 14:20	0.1	0	0	0.1	0	30	190	32	198	95
2025/6/13 14:30	0.1	0	0	0	0	42	194	42	181	122
2025/6/13 14:40	0.1	0	0	0	0	38	198	45	142	105
2025/6/13 14:50	0.1	0.1	0	0.1	0	55	202	41	157	204
2025/6/13 15:00	0.1	0.1	0	0.1	0	22	141	46	154	109
2025/6/13 15:10	0.1	0.1	0	0.1	0	40	162	44	166	124
2025/6/13 15:20	0.1	0.1	0	0	0	76	235	97	193	297
2025/6/13 15:30	0.1	0.1	0	0	0	40	239	107	152	180
2025/6/13 15:40	0.1	0.1	0	0	0	36	531	115	156	197
2025/6/13 15:50	0.1	0.1	0	0	0	76	1202	143	167	404
2025/6/13 16:00	0.1	0	0	0	0	105	767	136	89	410
2025/6/13 16:10	0.1	0	0	0	0	77	452	174	172	459
2025/6/13 16:20	0.1	0	0	0	0	47	402	134	198	481
2025/6/13 16:30	0.1	0	0	0	0	127	336	186	162	431
2025/6/13 16:40	0.1	0	0	0	0.1	175	339	128	100	350
2025/6/13 16:50	0.1	0	0	0	0	135	389	136	92	365
2025/6/13 17:00	0	0	0	0	0	110	360	169	125	350
2025/6/13 17:10	0	0	0	0	0	191	—	—	—	387
2025/6/13 17:20	0	0	0	0	0	181	—	—	—	307
2025/6/13 17:30	0	0	0	0	0	153	—	—	—	372
2025/6/13 17:40	0	0	0	0	0	155	—	—	—	356
2025/6/13 17:50	0	0	0	0	0	116	—	—	—	294
2025/6/13 18:00	0	0	0	0	0	94	—	—	—	287
2025/6/13 18:10	0	0	0	0	0	83	—	—	—	335

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/13 18:20	0	0	0	0	0	118	—	—	—	299
2025/6/13 18:30	0	0	0	0	0	128	—	—	—	311
2025/6/13 18:40	0	0	0	0	0	138	—	—	—	300
2025/6/13 18:50	0	0	0	0	0	148	—	—	—	327
2025/6/13 19:00	0	0	0	0	0	140	—	—	—	311
2025/6/13 19:10	0	0	0	0	0	115	—	—	—	304
2025/6/13 19:20	0	0	0	0	0	136	—	—	—	299
2025/6/13 19:30	0	0	0	0	0	154	—	—	—	323
2025/6/13 19:40	0	0	0	0	0	117	—	—	—	268
2025/6/13 19:50	0	0	0	0	0	120	—	—	—	281
2025/6/13 20:00	0	0	0	0	0	101	—	—	—	241
2025/6/13 20:10	0	0	0	0	0	125	—	—	—	288
2025/6/13 20:20	0	0	0	0	0	117	—	—	—	253
2025/6/13 20:30	0	0	0	0	0	141	—	—	—	275
2025/6/13 20:40	0	0	0	0	0	132	—	—	—	320
2025/6/13 20:50	0	0	0	0	0	182	—	—	—	330
2025/6/13 21:00	0	0	0	0	0	153	—	—	—	326
2025/6/13 21:10	0	0	0	0	0	144	—	—	—	386
2025/6/13 21:20	0	0	0	0	0	115	—	—	—	383
2025/6/13 21:30	0	0	0	0	0	105	—	—	—	422
2025/6/13 21:40	0	0	0	0	0	175	—	—	—	417
2025/6/13 21:50	0	0	0	0	0	150	—	—	—	447
2025/6/13 22:00	0	0	0	0	0	140	—	—	—	393
2025/6/13 22:10	0	0	0	0	0	133	—	—	—	374
2025/6/13 22:20	0	0	0	0	0	119	—	—	—	390
2025/6/13 22:30	0	0	0	0	0	143	—	—	—	374
2025/6/13 22:40	0	0	0	0	0	182	—	—	—	393
2025/6/13 22:50	0	0	0	0	0	151	—	—	—	441
2025/6/13 23:00	0	0	0	0	0	162	—	—	—	448
2025/6/13 23:10	0	0	0	0	0	183	—	—	—	491
2025/6/13 23:20	0	0	0	0	0	177	—	—	—	469
2025/6/13 23:30	0	0	0	0	0	159	—	—	—	525
2025/6/13 23:40	0	0	0	0	0	162	—	—	—	471
2025/6/13 23:50	0	0	0	0	0	145	—	—	—	531
2025/6/14 0:00	0	0	0	0	0	187	294	190	52	475
2025/6/14 0:10	0	0	0	0	0	186	298	196	51	504
2025/6/14 0:20	0	0	0	0	0	180	314	217	53	508
2025/6/14 0:30	0	0	0	0	0	181	331	245	54	519
2025/6/14 0:40	0	0	0	0	0	211	320	194	56	508
2025/6/14 0:50	0	0	0	0	0	183	314	212	52	516
2025/6/14 1:00	0	0	0	0	0	184	334	232	50	493
2025/6/14 1:10	0	0	0	0	0	182	298	197	54	554
2025/6/14 1:20	0	0	0	0	0	183	299	188	52	468
2025/6/14 1:30	0	0	0	0	0	158	302	218	51	474
2025/6/14 1:40	0	0	0	0	0	172	306	185	48	491
2025/6/14 1:50	0	0	0	0	0	179	309	230	47	479
2025/6/14 2:00	0	0	0	0	0	164	326	244	56	482
2025/6/14 2:10	0	0	0	0	0	228	316	228	57	537
2025/6/14 2:20	0	0	0	0	0	257	317	161	61	512
2025/6/14 2:30	0	0	0	0	0	178	329	265	65	537
2025/6/14 2:40	0	0	0	0	0	258	365	211	67	513
2025/6/14 2:50	0	0	0	0	0	184	348	259	62	551
2025/6/14 3:00	0	0	0	0	0	170	337	246	62	543
2025/6/14 3:10	0	0	0	0	0	182	345	264	62	559
2025/6/14 3:20	0	0	0	0	0	160	325	219	59	509
2025/6/14 3:30	0	0	0	0	0	218	339	203	57	495
2025/6/14 3:40	0	0	0	0	0	187	312	232	54	496
2025/6/14 3:50	0	0	0	0	0	171	281	206	50	471
2025/6/14 4:00	0	0	0	0	0	182	249	191	52	493
2025/6/14 4:10	0	0	0	0	0	156	256	204	53	464
2025/6/14 4:20	0	0	0	0	0	159	236	177	55	430
2025/6/14 4:30	0	0	0	0	0	192	232	147	55	400
2025/6/14 4:40	0	0	0	0	0	178	211	124	55	382
2025/6/14 4:50	0	0	0	0	0	207	219	110	59	327
2025/6/14 5:00	0	0	0	0	0	169	212	163	54	402
2025/6/14 5:10	0	0	0	0	0	186	185	99	46	325
2025/6/14 5:20	0	0	0	0	0	176	171	85	55	297
2025/6/14 5:30	0	0	0	0	0	181	149	87	62	289
2025/6/14 5:40	0	0	0	0	0	161	141	73	54	256
2025/6/14 5:50	0	0	0	0	0	173	121	71	48	257
2025/6/14 6:00	0	0	0	0	0	140	128	76	46	252
2025/6/14 6:10	0	0	0	0	0	130	116	64	40	226
2025/6/14 6:20	0	0	0	0	0	145	112	57	34	150

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/14 6:30	0	0	0	0	0	134	102	62	33	237
2025/6/14 6:40	0	0	0	0	0	148	96	61	32	224
2025/6/14 6:50	0	0	0	0	0	144	112	56	29	171
2025/6/14 7:00	0	0	0	0	0	140	99	58	32	235
2025/6/14 7:10	0	0	0	0	0	132	117	76	34	259
2025/6/14 7:20	0	0	0	0	0	173	116	59	33	249
2025/6/14 7:30	0	0	0	0	0	132	90	49	31	179
2025/6/14 7:40	0	0	0	0	0	163	98	54	32	215
2025/6/14 7:50	0	0	0	0.1	0	114	114	72	37	195
2025/6/14 8:00	0	0	0	0.1	0	153	78	49	29	262
2025/6/14 8:10	0	0	0	0.1	0	153	102	45	29	157
2025/6/14 8:20	0	0	0	0.1	0	132	84	51	24	221
2025/6/14 8:30	0	0	0	0.1	0	139	94	45	23	166
2025/6/14 8:40	0	0	0	0.1	0	150	139	65	25	316
2025/6/14 8:50	0	0	0.1	0.1	0	165	150	45	29	223
2025/6/14 9:00	0.1	0	0.1	0.1	0	145	147	40	33	142
2025/6/14 9:10	0.1	0	0.1	0.1	0	127	179	66	36	263
2025/6/14 9:20	0.1	0	0.1	0.1	0	124	172	75	61	248
2025/6/14 9:30	0.1	0	0.1	0.1	0	186	171	48	32	185
2025/6/14 9:40	0.1	0	0.1	0.1	0	161	156	55	31	279
2025/6/14 9:50	0.1	0	0.1	0.1	0	159	145	63	34	290
2025/6/14 10:00	0.1	0	0.1	0.1	0	168	167	53	36	240
2025/6/14 10:10	0.1	0	0.1	0.1	0	107	153	43	46	148
2025/6/14 10:20	0.1	0	0.1	0.1	0	116	125	56	33	193
2025/6/14 10:30	0.1	0	0.1	0.1	0	103	117	67	36	235
2025/6/14 10:40	0.1	0	0.1	0.1	0	115	122	51	37	190
2025/6/14 10:50	0.1	0	0.1	0.1	0	112	124	60	36	220
2025/6/14 11:00	0.1	0	0.1	0.1	0	130	110	42	38	192
2025/6/14 11:10	0.1	0	0.1	0.1	0	150	135	42	51	175
2025/6/14 11:20	0.1	0	0.1	0.1	0	122	140	45	49	125
2025/6/14 11:30	0.1	0	0	0.1	0	135	132	47	38	248
2025/6/14 11:40	0.1	0	0	0.1	0	123	109	71	35	271
2025/6/14 11:50	0.1	0	0	0.1	0	129	134	72	46	277
2025/6/14 12:00	0.1	0	0	0.1	0	96	115	68	35	277
2025/6/14 12:10	0.1	0	0	0.1	0	127	128	53	34	191
2025/6/14 12:20	0.1	0	0	0.1	0	97	135	62	36	219
2025/6/14 12:30	0.1	0	0	0.1	0	84	119	68	40	290
2025/6/14 12:40	0.1	0	0	0.1	0	129	137	61	38	232
2025/6/14 12:50	0.1	0	0	0.1	0	105	143	74	35	244
2025/6/14 13:00	0.1	0	0	0.1	0	122	116	50	32	212
2025/6/14 13:10	0.1	0	0	0	0	120	127	66	31	266
2025/6/14 13:20	0.1	0	0	0	0	106	126	82	26	282
2025/6/14 13:30	0.1	0	0	0	0	130	105	50	27	231
2025/6/14 13:40	0.1	0	0	0	0	114	92	48	26	225
2025/6/14 13:50	0.1	0	0	0	0	115	107	41	37	143
2025/6/14 14:00	0.1	0	0	0	0	128	103	40	32	124
2025/6/14 14:10	0.1	0	0	0	0	101	109	41	32	150
2025/6/14 14:20	0.1	0	0	0	0	89	108	38	35	112
2025/6/14 14:30	0.1	0	0	0	0	131	95	45	35	158
2025/6/14 14:40	0.1	0	0	0	0	112	92	36	29	100
2025/6/14 14:50	0	0	0	0	0	126	75	34	26	119
2025/6/14 15:00	0	0	0	0	0	112	92	40	36	170
2025/6/14 15:10	0	0	0	0	0	109	83	34	32	147
2025/6/14 15:20	0	0	0	0	0	134	83	31	24	132
2025/6/14 15:30	0	0	0	0	0	151	83	36	28	148
2025/6/14 15:40	0	0	0	0	0	131	83	40	36	160
2025/6/14 15:50	0	0	0	0	0	104	74	35	25	139
2025/6/14 16:00	0	0	0	0	0	132	81	41	34	166
2025/6/14 16:10	0	0	0	0	0	162	84	58	43	253
2025/6/14 16:20	0	0	0	0	0	157	82	54	46	201
2025/6/14 16:30	0	0	0	0	0	121	83	66	39	228
2025/6/14 16:40	0	0	0	0	0	129	97	68	42	256
2025/6/14 16:50	0	0	0	0	0	139	107	63	43	203
2025/6/14 17:00	0	0	0	0	0	148	121	65	40	204
2025/6/14 17:10	0	0	0	0	0	163	124	74	47	225
2025/6/14 17:20	0	0	0	0	0	113	134	102	43	254
2025/6/14 17:30	0	0	0	0	0	119	137	135	55	276
2025/6/14 17:40	0	0	0	0	0	126	148	144	70	284
2025/6/14 17:50	0	0	0	0	0	145	152	108	54	254
2025/6/14 18:00	0	0	0	0	0	112	136	109	40	282
2025/6/14 18:10	0	0	0	0	0	144	134	102	38	274
2025/6/14 18:20	0	0	0	0	0	115	155	123	40	278
2025/6/14 18:30	0	0	0	0	0	125	158	128	45	269

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/14 18:40	0	0	0	0	0	117	126	124	44	263
2025/6/14 18:50	0	0	0	0	0	157	146	109	48	239
2025/6/14 19:00	0	0	0	0	0	136	132	106	46	258
2025/6/14 19:10	0	0	0	0	0	129	144	124	48	233
2025/6/14 19:20	0	0	0	0	0	107	134	108	42	228
2025/6/14 19:30	0	0	0	0	0	81	118	140	47	236
2025/6/14 19:40	0	0	0	0	0	138	126	109	50	218
2025/6/14 19:50	0	0	0	0	0	99	113	99	48	222
2025/6/14 20:00	0	0	0	0	0	95	107	109	47	202
2025/6/14 20:10	0	0	0	0	0	89	101	101	41	195
2025/6/14 20:20	0	0	0	0	0	115	101	76	43	191
2025/6/14 20:30	0	0	0	0	0	101	97	93	39	176
2025/6/14 20:40	0	0	0	0	0	80	99	92	41	205
2025/6/14 20:50	0	0	0	0	0	86	105	114	46	209
2025/6/14 21:00	0	0	0	0	0	74	105	113	49	191
2025/6/14 21:10	0	0	0	0	0	96	106	132	50	204
2025/6/14 21:20	0	0	0	0	0	81	126	156	53	229
2025/6/14 21:30	0	0	0	0	0	112	121	127	57	220
2025/6/14 21:40	0	0	0	0	0	102	114	134	55	233
2025/6/14 21:50	0	0	0	0	0	109	133	138	54	230
2025/6/14 22:00	0	0	0	0	0	120	110	106	54	213
2025/6/14 22:10	0	0	0	0	0	97	113	90	49	199
2025/6/14 22:20	0	0	0	0	0	141	107	87	48	208
2025/6/14 22:30	0	0	0	0	0	105	100	92	47	232
2025/6/14 22:40	0	0	0	0	0	131	102	82	44	205
2025/6/14 22:50	0	0	0	0	0	131	98	83	44	202
2025/6/14 23:00	0	0	0	0	0	131	90	64	41	177
2025/6/14 23:10	0	0	0	0	0	131	88	57	40	154
2025/6/14 23:20	0	0	0	0	0	134	87	58	46	142
2025/6/14 23:30	0	0	0	0	0	114	81	61	42	121
2025/6/14 23:40	0	0	0	0	0	103	82	53	45	110
2025/6/14 23:50	0	0	0	0	0	125	75	53	41	124
2025/6/15 0:00	0	0	0	0	0	110	77	53	41	117
2025/6/15 0:10	0	0	0	0	0	130	78	55	39	103
2025/6/15 0:20	0	0	0	0	0	131	79	54	40	112
2025/6/15 0:30	0	0	0	0	0	144	81	55	44	111
2025/6/15 0:40	0	0	0	0	0	131	86	55	59	112
2025/6/15 0:50	0	0	0	0	0	126	93	60	51	112
2025/6/15 1:00	0	0	0	0	0	129	88	59	48	124
2025/6/15 1:10	0	0	0	0	0	130	90	59	50	105
2025/6/15 1:20	0	0	0	0	0	149	90	64	53	124
2025/6/15 1:30	0	0	0	0	0	168	104	69	56	125
2025/6/15 1:40	0	0	0	0	0	149	90	77	55	129
2025/6/15 1:50	0	0	0	0	0	153	98	68	56	112
2025/6/15 2:00	0	0	0	0	0	122	92	67	56	100
2025/6/15 2:10	0	0	0	0	0	115	100	64	58	97
2025/6/15 2:20	0	0	0	0	0	97	95	62	53	89
2025/6/15 2:30	0	0	0	0	0	89	99	62	62	87
2025/6/15 2:40	0	0	0	0	0	99	114	63	74	87
2025/6/15 2:50	0	0	0	0	0	90	114	63	62	87
2025/6/15 3:00	0	0	0	0	0	84	118	62	80	84
2025/6/15 3:10	0	0	0	0	0	71	123	64	107	85
2025/6/15 3:20	0	0	0	0	0	82	142	63	144	85
2025/6/15 3:30	0	0	0	0	0	85	186	64	152	85
2025/6/15 3:40	0	0	0	0	0	75	170	65	115	87
2025/6/15 3:50	0	0	0	0	0	61	143	65	184	96
2025/6/15 4:00	0	0	0	0	0	85	163	70	165	182
2025/6/15 4:10	0	0	0	0	0	52	104	79	173	116
2025/6/15 4:20	0	0	0	0	0	54	127	71	180	92
2025/6/15 4:30	0	0	0	0	0	72	109	123	111	153
2025/6/15 4:40	0	0	0	0	0	69	110	80	136	185
2025/6/15 4:50	0	0	0	0	0	57	91	77	124	112
2025/6/15 5:00	0	0	0	0	0	53	75	70	119	105
2025/6/15 5:10	0	0	0	0	0	54	71	71	129	92
2025/6/15 5:20	0	0	0	0	0	57	66	73	156	90
2025/6/15 5:30	0	0	0	0	0	55	71	71	138	94
2025/6/15 5:40	0	0	0	0	0	58	79	74	138	96
2025/6/15 5:50	0	0	0	0	0	62	142	77	147	98
2025/6/15 6:00	0	0	0	0	0	100	112	76	141	142
2025/6/15 6:10	0	0	0	0	0	251	185	77	69	148
2025/6/15 6:20	0	0	0	0	0	82	198	72	166	89
2025/6/15 6:30	0	0	0	0	0	120	147	76	102	166
2025/6/15 6:40	0	0	0	0	0	57	117	76	155	140

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/15 6:50	0	0	0	0	0	53	87	70	190	95
2025/6/15 7:00	0	0	0	0	0	54	82	69	174	95
2025/6/15 7:10	0	0	0	0	0	59	82	72	194	99
2025/6/15 7:20	0	0	0	0	0	78	108	77	161	196
2025/6/15 7:30	0	0	0	0	0	202	177	165	102	353
2025/6/15 7:40	0	0	0	0	0	217	138	81	71	201
2025/6/15 7:50	0	0	0	0	0	150	124	70	59	135
2025/6/15 8:00	0	0	0	0	0	238	149	78	58	186
2025/6/15 8:10	0	0	0	0	0	189	162	74	59	149
2025/6/15 8:20	0	0	0	0	0	131	176	67	84	91
2025/6/15 8:30	0	0	0	0	0	105	296	67	177	89
2025/6/15 8:40	0	0	0	0	0	53	107	75	116	98
2025/6/15 8:50	0	0	0	0	0	47	70	67	112	98
2025/6/15 9:00	0	0	0	0	0	42	62	67	72	87
2025/6/15 9:10	0	0	0	0	0	39	78	68	98	86
2025/6/15 9:20	0	0	0	0	0	41	67	71	105	86
2025/6/15 9:30	0	0	0	0	0	45	68	67	98	92
2025/6/15 9:40	0	0	0	0	0	58	73	75	130	111
2025/6/15 9:50	0	0	0	0	0	65	74	73	130	169
2025/6/15 10:00	0	0	0	0	0	59	76	73	159	103
2025/6/15 10:10	0	0	0	0	0	57	73	72	125	103
2025/6/15 10:20	0	0	0	0	0	47	73	62	134	97
2025/6/15 10:30	0	0	0	0	0	45	64	60	110	98
2025/6/15 10:40	0	0	0	0	0	43	66	61	129	122
2025/6/15 10:50	0	0	0	0	0	41	62	59	120	96
2025/6/15 11:00	0	0	0	0	0	42	65	57	134	97
2025/6/15 11:10	0	0	0	0	0	44	74	59	137	94
2025/6/15 11:20	0	0	0	0	0	41	70	60	137	111
2025/6/15 11:30	0	0	0	0	0	40	69	62	125	106
2025/6/15 11:40	0	0	0	0	0	43	71	58	129	109
2025/6/15 11:50	0	0	0	0	0	44	72	57	102	97
2025/6/15 12:00	0	0	0	0	0	41	75	59	136	92
2025/6/15 12:10	0	0	0	0	0	39	66	83	114	113
2025/6/15 12:20	0	0	0	0	0	37	82	58	127	113
2025/6/15 12:30	0	0	0	0	0	70	81	55	126	95
2025/6/15 12:40	0	0	0	0	0	49	85	57	131	177
2025/6/15 12:50	0	0	0	0	0	162	142	105	98	283
2025/6/15 13:00	0.1	0	0	0	0	93	118	56	117	115
2025/6/15 13:10	0.1	0	0	0.1	0	56	161	106	96	244
2025/6/15 13:20	0.1	0	0	0.1	0	78	92	148	78	329
2025/6/15 13:30	0.1	0	0	0.1	0	103	164	55	126	111
2025/6/15 13:40	0.1	0.1	0	0.1	0	72	193	52	115	111
2025/6/15 13:50	0.1	0.1	0	0.1	0	69	140	54	80	123
2025/6/15 14:00	0.1	0.1	0	0.1	0	113	154	55	91	139
2025/6/15 14:10	0.1	0.1	0	0.1	0	78	150	54	107	112
2025/6/15 14:20	0.2	0.1	0	0.1	0	81	153	57	94	114
2025/6/15 14:30	0.2	0.1	0	0.1	0	97	174	56	89	138
2025/6/15 14:40	0.2	0.1	0	0.1	0	81	188	57	146	139
2025/6/15 14:50	0.1	0.1	0	0.1	0	116	205	56	135	110
2025/6/15 15:00	0.1	0.1	0	0.1	0	97	177	103	150	256
2025/6/15 15:10	0.1	0.1	0	0.1	0	111	198	67	154	180
2025/6/15 15:20	0.1	0.1	0	0.1	0	136	159	56	90	135
2025/6/15 15:30	0.1	0.1	0	0.1	0	57	179	56	146	106
2025/6/15 15:40	0.1	0.1	0	0.1	0	101	169	96	95	266
2025/6/15 15:50	0.1	0.1	0	0.1	0	88	177	58	112	127
2025/6/15 16:00	0.2	0.1	0	0.1	0	120	172	67	119	194
2025/6/15 16:10	0.2	0.1	0	0.1	0	106	155	99	80	283
2025/6/15 16:20	0.2	0.1	0	0.1	0	143	191	83	87	272
2025/6/15 16:30	0.2	0.1	0	0.1	0	88	169	111	93	279
2025/6/15 16:40	0.2	0.2	0	0.1	0	115	151	121	79	314
2025/6/15 16:50	0.2	0.2	0	0.1	0	150	179	109	80	298
2025/6/15 17:00	0.2	0.2	0	0.1	0	100	157	63	78	210
2025/6/15 17:10	0.2	0.2	0	0.1	0	139	188	54	87	238
2025/6/15 17:20	0.2	0.2	0	0.1	0	158	229	54	214	164
2025/6/15 17:30	0.2	0.2	0	0.1	0	145	160	130	90	320
2025/6/15 17:40	0.1	0.2	0	0.1	0	161	185	93	83	359
2025/6/15 17:50	0.1	0.1	0	0.1	0	151	181	123	82	346
2025/6/15 18:00	0.1	0.1	0	0	0	119	195	198	80	361
2025/6/15 18:10	0.1	0.1	0	0	0	131	134	164	76	459
2025/6/15 18:20	0.1	0.1	0	0	0	122	170	195	78	418
2025/6/15 18:30	0.1	0.1	0	0	0	127	145	180	85	389
2025/6/15 18:40	0.1	0.1	0	0	0	129	145	192	82	401
2025/6/15 18:50	0.1	0	0	0	0	152	191	159	78	373

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/15 19:00	0.1	0	0	0	0	167	158	185	84	393
2025/6/15 19:10	0	0	0	0	0	158	208	194	80	345
2025/6/15 19:20	0	0	0	0	0	119	190	198	75	321
2025/6/15 19:30	0	0	0	0	0	144	181	165	76	338
2025/6/15 19:40	0	0	0	0	0	141	200	208	75	385
2025/6/15 19:50	0	0	0	0	0	340	208	175	76	547
2025/6/15 20:00	0	0	0	0	0	147	216	136	73	414
2025/6/15 20:10	0	0	0	0	0	142	234	143	73	393
2025/6/15 20:20	0	0	0	0	0	168	220	150	73	455
2025/6/15 20:30	0	0	0	0	0	220	250	101	277	604
2025/6/15 20:40	0	0	0	0	0	207	250	111	160	619
2025/6/15 20:50	0	0	0	0	0	262	278	70	432	364
2025/6/15 21:00	0	0	0	0	0	418	210	169	443	675
2025/6/15 21:10	0	0	0	0	0.1	660	308	240	323	971
2025/6/15 21:20	0	0	0	0	2.6	631	297	138	294	919
2025/6/15 21:30	0	0	0	0	1.8	487	337	189	314	510
2025/6/15 21:40	0	0	0	0	0	423	272	117	282	636
2025/6/15 21:50	0	0	0	0	0	453	288	170	418	754
2025/6/15 22:00	0	0	0	0	0	611	297	355	371	887
2025/6/15 22:10	0	0	0	0	1	753	384	247	419	1027
2025/6/15 22:20	0	0	0	0	3.5	674	311	396	372	748
2025/6/15 22:30	0	0	0	0	0.3	226	209	413	342	623
2025/6/15 22:40	0	0	0	0	0	87	208	228	298	388
2025/6/15 22:50	0	0	0	0	0.3	503	177	368	175	822
2025/6/15 23:00	0	0	0	0	0.4	96	175	237	256	225
2025/6/15 23:10	0	0	0	0	0	71	160	141	252	293
2025/6/15 23:20	0	0	0	0	0	93	145	169	261	616
2025/6/15 23:30	0	0	0	0	0.4	75	154	232	168	254
2025/6/15 23:40	0	0	0	0	0	154	142	272	125	525
2025/6/15 23:50	0	0	0	0	0	111	167	271	120	512
2025/6/16 0:00	0	0	0	0	0	96	145	255	109	398
2025/6/16 0:10	0	0	0	0	0	66	133	237	110	318
2025/6/16 0:20	0	0	0	0	0	120	156	261	109	513
2025/6/16 0:30	0	0	0	0	0	81	253	154	302	494
2025/6/16 0:40	0	0	0	0	0.2	60	156	83	251	138
2025/6/16 0:50	0	0	0	0	0	300	216	275	142	663
2025/6/16 1:00	0	0	0	0	0.4	116	154	361	165	568
2025/6/16 1:10	0	0	0	0	0	64	134	242	92	371
2025/6/16 1:20	0	0	0	0	0	60	128	241	112	374
2025/6/16 1:30	0	0	0	0	0	61	142	259	87	376
2025/6/16 1:40	0	0	0	0	0	236	213	262	77	515
2025/6/16 1:50	0	0	0	0	0	248	274	309	235	573
2025/6/16 2:00	0	0	0	0	0	146	183	290	150	597
2025/6/16 2:10	0	0	0	0	0	358	319	276	321	776
2025/6/16 2:20	0	0	0	0	1.1	679	308	353	330	927
2025/6/16 2:30	0	0	0	0	2.1	656	322	342	364	761
2025/6/16 2:40	0	0	0	0	0	558	362	277	448	744
2025/6/16 2:50	0	0	0	0	0.3	573	318	312	259	700
2025/6/16 3:00	0	0	0	0	0	600	344	295	394	830
2025/6/16 3:10	0	0	0	0	1.8	315	297	255	547	629
2025/6/16 3:20	0	0	0	0	0	499	249	341	381	682
2025/6/16 3:30	0	0	0	0	0	382	247	275	222	556
2025/6/16 3:40	0	0	0	0	0	220	236	168	67	438
2025/6/16 3:50	0	0	0	0	0	216	244	141	156	426
2025/6/16 4:00	0	0	0	0	0	363	244	114	326	563
2025/6/16 4:10	0	0	0	0	0	403	308	127	341	532
2025/6/16 4:20	0	0	0	0	0	367	249	241	342	543
2025/6/16 4:30	0	0	0	0	0	435	285	149	327	608
2025/6/16 4:40	0	0	0	0	0	440	255	233	314	624
2025/6/16 4:50	0	0	0	0	0	418	297	189	267	594
2025/6/16 5:00	0	0	0	0	0	185	267	171	176	525
2025/6/16 5:10	0	0	0	0	0	162	251	199	244	564
2025/6/16 5:20	0	0	0	0	0	500	280	227	339	666
2025/6/16 5:30	0	0	0	0	0	478	299	211	300	685
2025/6/16 5:40	0	0	0	0	0	398	277	262	300	708
2025/6/16 5:50	0	0	0	0	0	661	313	319	328	823
2025/6/16 6:00	0	0	0	0	0	521	257	285	296	722
2025/6/16 6:10	0	0	0	0	0.2	160	216	185	134	571
2025/6/16 6:20	0	0	0	0	0	128	234	197	300	544
2025/6/16 6:30	0	0	0	0	0	148	236	239	115	544
2025/6/16 6:40	0	0	0	0	0	475	184	168	176	653
2025/6/16 6:50	0	0	0	0	0	68	165	246	136	323
2025/6/16 7:00	0	0	0	0	0	152	280	144	175	398

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/16 7:10	0	0	0	0	0	101	299	150	67	395
2025/6/16 7:20	0	0	0	0	0	121	232	137	67	337
2025/6/16 7:30	0	0	0.1	0.1	0	130	199	127	65	372
2025/6/16 7:40	0.1	0	0.1	0.1	0	131	293	102	115	297
2025/6/16 7:50	0.1	0	0.1	0.1	0	120	179	162	67	309
2025/6/16 8:00	0.1	0	0.1	0.1	0	101	211	118	66	335
2025/6/16 8:10	0.1	0	0.1	0.1	0	155	215	62	75	297
2025/6/16 8:20	0.1	0	0.1	0.1	0	121	172	64	119	172
2025/6/16 8:30	0.1	0	0.1	0.1	0	98	204	68	70	164
2025/6/16 8:40	0.1	0	0.1	0.1	0	81	189	69	65	176
2025/6/16 8:50	0.1	0	0.1	0.1	0	108	269	85	66	335
2025/6/16 9:00	0.1	0	0.1	0.1	0	99	307	86	70	256
2025/6/16 9:10	0.1	0	0.1	0.2	0	92	395	99	71	261
2025/6/16 9:20	0.1	0	0.1	0.2	0	124	822	72	76	232
2025/6/16 9:30	0.1	0	0.1	0.1	0	90	545	94	76	288
2025/6/16 9:40	0.1	0	0.1	0.1	0	136	233	82	80	189
2025/6/16 9:50	0.1	0	0.1	0.1	0	169	200	75	74	196
2025/6/16 10:00	0.1	0	0.1	0.1	0	168	202	78	76	167
2025/6/16 10:10	0.1	0	0.1	0.1	0	156	210	84	97	177
2025/6/16 10:20	0.1	0	0.1	0.1	0	200	186	86	88	214
2025/6/16 10:30	0.1	0	0.1	0.1	0	237	176	85	86	177
2025/6/16 10:40	0.1	0	0.1	0.1	0	189	180	84	90	198
2025/6/16 10:50	0.1	0	0.1	0.1	0	137	150	90	83	262
2025/6/16 11:00	0.1	0	0.1	0.1	0	204	219	77	81	221
2025/6/16 11:10	0.1	0	0.1	0.1	0	218	158	90	78	246
2025/6/16 11:20	0.1	0.1	0.1	0.1	0	191	159	88	73	277
2025/6/16 11:30	0.1	0.1	0.1	0.1	0	210	168	82	71	281
2025/6/16 11:40	0.1	0	0.1	0.1	0	214	203	81	70	266
2025/6/16 11:50	0.1	0	0.1	0.1	0	225	157	76	72	201
2025/6/16 12:00	0.1	0	0.1	0.1	0	162	149	72	74	166
2025/6/16 12:10	0.1	0.1	0.1	0.1	0	235	135	87	67	230
2025/6/16 12:20	0.1	0.1	0.1	0.1	0	292	138	83	65	243
2025/6/16 12:30	0.1	0.1	0.1	0.1	0	271	189	103	67	294
2025/6/16 12:40	0.1	0.1	0.1	0.1	0	259	179	98	66	291
2025/6/16 12:50	0.1	0.1	0.1	0.1	0	210	197	113	69	311
2025/6/16 13:00	0.1	0.1	0.1	0.1	0	285	185	75	67	262
2025/6/16 13:10	0.1	0.1	0.1	0.1	0	192	177	90	68	307
2025/6/16 13:20	0.1	0.1	0.1	0.1	0	203	176	93	79	275
2025/6/16 13:30	0.1	0.1	0.1	0.1	0	192	179	81	80	272
2025/6/16 13:40	0.1	0.1	0.1	0.1	0	231	239	84	80	268
2025/6/16 13:50	0.1	0.1	0.1	0.1	0	231	197	74	71	226
2025/6/16 14:00	0.1	0.1	0.1	0.1	0	175	200	71	74	225
2025/6/16 14:10	0.1	0.1	0.1	0.1	0	212	185	75	81	230
2025/6/16 14:20	0.1	0.1	0.1	0.1	0	236	181	114	78	304
2025/6/16 14:30	0.1	0.1	0.1	0.1	0	187	174	112	83	298
2025/6/16 14:40	0.1	0.1	0	0.1	0	165	171	81	78	189
2025/6/16 14:50	0.1	0.1	0	0.1	0	178	176	78	86	240
2025/6/16 15:00	0.1	0.1	0	0.1	0	176	179	74	112	224
2025/6/16 15:10	0.1	0.1	0	0.1	0	210	203	87	101	257
2025/6/16 15:20	0.1	0.1	0	0.1	0	252	197	75	76	260
2025/6/16 15:30	0.1	0.1	0	0.1	0	146	168	64	70	166
2025/6/16 15:40	0.1	0.1	0	0.1	0	188	149	84	76	271
2025/6/16 15:50	0.1	0.1	0	0.1	0	234	224	91	102	302
2025/6/16 16:00	0.1	0.1	0	0.1	0	228	236	63	81	204
2025/6/16 16:10	0.1	0.1	0	0.1	0	193	217	60	77	173
2025/6/16 16:20	0.1	0	0	0.1	0	205	195	70	95	256
2025/6/16 16:30	0.1	0	0	0.1	0	196	222	82	111	278
2025/6/16 16:40	0.1	0	0	0.1	0	135	235	129	120	396
2025/6/16 16:50	0.1	0	0	0.1	0	173	241	91	88	290
2025/6/16 17:00	0.1	0	0	0	0	159	238	90	94	285
2025/6/16 17:10	0.1	0	0	0	0	164	230	112	111	308
2025/6/16 17:20	0.1	0	0	0	0	121	219	112	89	286
2025/6/16 17:30	0.1	0	0	0	0	156	219	83	78	306
2025/6/16 17:40	0.1	0	0	0	0	162	213	101	75	289
2025/6/16 17:50	0.1	0	0	0	0	172	191	65	74	302
2025/6/16 18:00	0.1	0	0	0	0	168	181	70	69	309
2025/6/16 18:10	0.1	0	0	0	0	133	172	108	68	340
2025/6/16 18:20	0	0	0	0	0	154	184	100	69	331
2025/6/16 18:30	0	0	0	0	0	148	194	92	77	304
2025/6/16 18:40	0	0	0	0	0	169	232	105	72	296
2025/6/16 18:50	0	0	0	0	0	189	288	160	85	398
2025/6/16 19:00	0	0	0	0	0	214	275	127	75	354
2025/6/16 19:10	0	0	0	0	0	199	253	153	76	440

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/16 19:20	0	0	0	0	0	189	265	145	71	432
2025/6/16 19:30	0	0	0	0	0	194	244	64	173	134
2025/6/16 19:40	0	0	0	0	0	193	269	63	249	312
2025/6/16 19:50	0	0	0	0	0	197	236	68	95	378
2025/6/16 20:00	0	0	0	0	0	204	244	98	92	364
2025/6/16 20:10	0	0	0	0	0	165	248	122	85	335
2025/6/16 20:20	0	0	0	0	0	203	272	94	231	344
2025/6/16 20:30	0	0	0	0	0	193	261	180	94	429
2025/6/16 20:40	0	0	0	0	0	191	239	115	75	400
2025/6/16 20:50	0	0	0	0	0	169	273	225	175	594
2025/6/16 21:00	0	0	0	0	0	187	327	174	78	481
2025/6/16 21:10	0	0	0	0	0	180	266	178	73	467
2025/6/16 21:20	0	0	0	0	0	196	253	207	74	438
2025/6/16 21:30	0	0	0	0	0	203	217	127	68	474
2025/6/16 21:40	0	0	0	0	0	171	204	134	67	372
2025/6/16 21:50	0	0	0	0	0	176	231	165	71	408
2025/6/16 22:00	0	0	0	0	0	179	250	173	80	469
2025/6/16 22:10	0	0	0	0	0	172	276	217	84	471
2025/6/16 22:20	0	0	0	0	0	156	290	227	237	451
2025/6/16 22:30	0	0	0	0	0	238	300	276	293	668
2025/6/16 22:40	0	0	0	0	0.6	199	293	200	75	439
2025/6/16 22:50	0	0	0	0	0	172	262	197	74	406
2025/6/16 23:00	0	0	0	0	0	197	262	227	76	487
2025/6/16 23:10	0	0	0	0	0	171	289	257	79	477
2025/6/16 23:20	0	0	0	0	0	197	306	198	80	468
2025/6/16 23:30	0	0	0	0	0	248	303	161	78	441
2025/6/16 23:40	0	0	0	0	0	226	261	75	91	363
2025/6/16 23:50	0	0	0	0	0	317	274	210	551	779
2025/6/17 0:00	0	0	0	0	1.3	304	324	429	556	585
2025/6/17 0:10	0	0	0	0	0.3	591	301	318	326	834
2025/6/17 0:20	0	0	0	0	1.9	524	343	414	515	983
2025/6/17 0:30	0	0	0	0	3.2	556	374	433	445	886
2025/6/17 0:40	0	0	0	0	1.8	382	303	182	338	633
2025/6/17 0:50	0	0	0	0	1.3	447	333	414	415	822
2025/6/17 1:00	0	0	0	0	1.2	596	445	246	499	639
2025/6/17 1:10	0	0	0	0	0.5	407	337	222	483	988
2025/6/17 1:20	0	0	0	0	3.9	623	347	401	435	946
2025/6/17 1:30	0	0	0	0	2.7	571	390	386	482	795
2025/6/17 1:40	0	0	0	0	1.5	634	445	484	550	937
2025/6/17 1:50	0	0	0	0	2.3	654	469	423	552	1073
2025/6/17 2:00	0	0	0	0	4.8	760	432	379	474	843
2025/6/17 2:10	0	0	0	0	1.2	610	471	319	594	894
2025/6/17 2:20	0	0	0	0	1.7	325	416	248	656	675
2025/6/17 2:30	0	0	0	0	1.1	354	286	179	591	913
2025/6/17 2:40	0	0	0	0	3.8	782	418	469	524	958
2025/6/17 2:50	0	0	0	0	2.7	151	313	479	410	851
2025/6/17 3:00	0	0	0	0	1.8	136	271	312	366	603
2025/6/17 3:10	0	0	0	0	0.2	356	286	202	367	889
2025/6/17 3:20	0	0	0	0	2	386	321	345	326	701
2025/6/17 3:30	0	0	0	0	0	327	338	285	509	582
2025/6/17 3:40	0	0	0	0	0	513	391	354	450	531
2025/6/17 3:50	0	0	0	0	0	342	368	219	490	537
2025/6/17 4:00	0	0	0	0	0.7	289	279	116	514	671
2025/6/17 4:10	0	0	0	0	0.6	419	285	210	488	742
2025/6/17 4:20	0	0	0	0	0.5	557	313	379	517	699
2025/6/17 4:30	0	0	0	0	0.3	521	348	367	448	811
2025/6/17 4:40	0	0	0	0	1	635	358	364	444	821
2025/6/17 4:50	0	0	0	0	0.2	380	362	399	439	678
2025/6/17 5:00	0	0	0	0	0	578	375	328	437	826
2025/6/17 5:10	0	0	0	0	0.4	396	387	309	363	616
2025/6/17 5:20	0	0	0	0	0	374	350	324	351	634
2025/6/17 5:30	0	0	0	0	0	240	287	137	449	238
2025/6/17 5:40	0	0	0	0	0	309	250	127	317	572
2025/6/17 5:50	0	0	0	0	0	316	239	115	375	164
2025/6/17 6:00	0	0	0.1	0	0	89	185	101	348	144
2025/6/17 6:10	0	0	0.1	0	0	104	199	100	336	146
2025/6/17 6:20	0	0	0.1	0	0	130	213	103	345	149
2025/6/17 6:30	0	0	0.1	0	0	203	280	99	390	206
2025/6/17 6:40	0	0	0.1	0.1	0	247	299	97	218	244
2025/6/17 6:50	0	0	0.2	0.1	0	85	175	118	151	188
2025/6/17 7:00	0	0	0.2	0.2	0	87	150	97	209	238
2025/6/17 7:10	0	0	0.2	0.2	0	94	177	110	194	178
2025/6/17 7:20	0.1	0	0.2	0.2	0	104	166	172	125	339

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/17 7:30	0.1	0	0.2	0.2	0	79	143	86	147	168
2025/6/17 7:40	0.1	0	0.2	0.2	0	76	136	89	136	185
2025/6/17 7:50	0.1	0	0.2	0.2	0	77	173	120	125	235
2025/6/17 8:00	0.1	0	0.2	0.2	0	80	148	142	111	264
2025/6/17 8:10	0.1	0	0.2	0.2	0	108	146	140	128	305
2025/6/17 8:20	0.1	0	0.2	0.2	0	125	197	110	128	249
2025/6/17 8:30	0.1	0	0.2	0.2	0	73	133	120	151	180
2025/6/17 8:40	0.1	0	0.2	0.2	0	71	124	107	136	191
2025/6/17 8:50	0.1	0	0.1	0.2	0	73	117	119	135	213
2025/6/17 9:00	0.1	0	0.1	0.2	0	102	162	141	162	296
2025/6/17 9:10	0.1	0	0.1	0.2	0	90	149	143	126	300
2025/6/17 9:20	0.1	0	0.1	0.2	0	123	241	133	132	229
2025/6/17 9:30	0.1	0	0.1	0.2	0	116	201	98	160	231
2025/6/17 9:40	0.1	0	0.1	0.2	0	133	245	101	111	230
2025/6/17 9:50	0.1	0	0.1	0.2	0	131	198	107	118	259
2025/6/17 10:00	0.1	0	0.1	0.2	0	136	256	109	124	239
2025/6/17 10:10	0.1	0	0.1	0.1	0	155	271	116	120	323
2025/6/17 10:20	0.1	0	0.1	0.1	0.1	141	300	127	121	316
2025/6/17 10:30	0.1	0	0.1	0.1	0.1	165	284	108	119	293
2025/6/17 10:40	0.1	0	0.1	0.1	0.1	146	325	131	121	298
2025/6/17 10:50	0.1	0	0.1	0.1	0.1	153	324	109	110	304
2025/6/17 11:00	0.1	0	0.1	0.1	0.1	129	249	109	112	256
2025/6/17 11:10	0.1	0	0.1	0.1	0.1	140	306	98	111	293
2025/6/17 11:20	0.1	0	0.1	0.1	0.1	143	313	101	112	314
2025/6/17 11:30	0.1	0	0.1	0.1	0.1	129	302	123	101	325
2025/6/17 11:40	0.1	0	0.1	0.1	0.1	180	302	94	98	288
2025/6/17 11:50	0.1	0.1	0.1	0.1	0.1	133	278	124	106	331
2025/6/17 12:00	0.1	0.1	0.1	0.1	0.1	146	273	98	147	318
2025/6/17 12:10	0.1	0.1	0.1	0.1	0.1	149	268	87	130	243
2025/6/17 12:20	0.1	0.1	0.1	0.1	0.1	94	235	116	98	333
2025/6/17 12:30	0.1	0.1	0.1	0.1	0.1	125	245	91	99	262
2025/6/17 12:40	0.1	0.1	0.1	0.1	0.1	123	235	123	102	258
2025/6/17 12:50	0.1	0.1	0.1	0.1	0.1	115	280	118	97	271
2025/6/17 13:00	0.1	0.1	0.1	0.1	0.1	122	271	121	97	313
2025/6/17 13:10	0.2	0.1	0.1	0.1	0.1	152	292	123	120	301
2025/6/17 13:20	0.2	0.1	0.1	0.1	0.1	142	331	108	105	288
2025/6/17 13:30	0.2	0.1	0.1	0.1	0.1	154	266	85	104	282
2025/6/17 13:40	0.2	0.1	0.1	0.1	0.1	128	300	126	113	300
2025/6/17 13:50	0.2	0.1	0.1	0.1	0.1	189	315	115	123	331
2025/6/17 14:00	0.2	0.1	0.1	0.1	0.1	166	311	119	124	347
2025/6/17 14:10	0.2	0.1	0.1	0.1	0	182	314	137	130	371
2025/6/17 14:20	0.2	0.1	0.1	0.1	0	165	254	181	157	342
2025/6/17 14:30	0.1	0.1	0.1	0.1	0	149	262	135	109	327
2025/6/17 14:40	0.1	0.1	0	0.1	0	128	253	138	99	334
2025/6/17 14:50	0.1	0.1	0	0.1	0	129	237	126	91	356
2025/6/17 15:00	0.1	0.1	0	0.1	0	127	201	135	96	316
2025/6/17 15:10	0.2	0.1	0	0.1	0	146	220	120	101	321
2025/6/17 15:20	0.2	0.1	0	0.1	0	118	231	154	104	276
2025/6/17 15:30	0.2	0.1	0	0.1	0	156	270	137	107	325
2025/6/17 15:40	0.2	0.1	0	0.1	0	196	309	109	87	365
2025/6/17 15:50	0.2	0.1	0	0.1	0	152	261	113	78	308
2025/6/17 16:00	0.2	0.1	0	0.1	0	152	214	103	94	376
2025/6/17 16:10	0.2	0.1	0	0.1	0	127	222	157	154	351
2025/6/17 16:20	0.2	0.1	0	0.1	0	141	200	109	237	347
2025/6/17 16:30	0.2	0.1	0	0.1	0	131	217	98	221	357
2025/6/17 16:40	0.2	0.1	0	0.1	0	137	200	112	145	313
2025/6/17 16:50	0.2	0.2	0	0.1	0	145	225	115	143	260
2025/6/17 17:00	0.2	0.2	0	0.1	0	119	224	111	141	296
2025/6/17 17:10	0.2	0.2	0	0.1	0	122	184	97	109	310
2025/6/17 17:20	0.2	0.2	0	0.1	0	122	227	122	162	353
2025/6/17 17:30	0.2	0.1	0	0.1	0	123	245	98	116	332
2025/6/17 17:40	0.1	0.1	0	0.1	0	104	229	109	102	308
2025/6/17 17:50	0.1	0.1	0	0.1	0	110	209	124	96	338
2025/6/17 18:00	0.1	0.1	0	0.1	0	152	250	122	93	365
2025/6/17 18:10	0.1	0.1	0	0.1	0	99	187	170	96	367
2025/6/17 18:20	0.1	0.1	0	0	0	136	200	141	88	372
2025/6/17 18:30	0.1	0.1	0	0	0	94	176	120	77	282
2025/6/17 18:40	0.1	0.1	0	0	0	113	198	99	72	328
2025/6/17 18:50	0.1	0.1	0	0	0	67	132	216	88	300
2025/6/17 19:00	0.1	0	0	0	0	94	154	124	71	323
2025/6/17 19:10	0.1	0	0	0	0	57	107	224	79	184
2025/6/17 19:20	0	0	0	0	0	66	128	145	79	253
2025/6/17 19:30	0	0	0	0	0	61	123	212	71	201

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/17 19:40	0	0	0	0	0	57	134	206	72	240
2025/6/17 19:50	0	0	0	0	0	55	104	173	67	210
2025/6/17 20:00	0	0	0	0	0	56	134	221	71	187
2025/6/17 20:10	0	0	0	0	0	54	131	204	69	166
2025/6/17 20:20	0	0	0	0	0	56	127	193	65	245
2025/6/17 20:30	0	0	0	0	0	55	147	222	72	229
2025/6/17 20:40	0	0	0	0	0	58	133	219	68	190
2025/6/17 20:50	0	0	0	0	0	56	178	183	69	223
2025/6/17 21:00	0	0	0	0	0	64	170	215	65	224
2025/6/17 21:10	0	0	0	0	0	76	225	187	68	334
2025/6/17 21:20	0	0	0	0	0	59	170	206	71	214
2025/6/17 21:30	0	0	0	0	0	57	150	227	75	235
2025/6/17 21:40	0	0	0	0	0	77	189	206	69	323
2025/6/17 21:50	0	0	0	0	0	76	208	229	74	277
2025/6/17 22:00	0	0	0	0	0	61	211	293	80	249
2025/6/17 22:10	0	0	0	0	0	48	202	282	133	273
2025/6/17 22:20	0	0	0	0	0	58	214	244	136	374
2025/6/17 22:30	0	0	0	0	0	68	238	281	84	408
2025/6/17 22:40	0	0	0	0	0	62	191	307	86	377
2025/6/17 22:50	0	0	0	0	0	44	148	252	156	315
2025/6/17 23:00	0	0	0	0	0	45	159	188	165	281
2025/6/17 23:10	0	0	0	0	0	61	167	205	130	297
2025/6/17 23:20	0	0	0	0	0	53	106	187	138	270
2025/6/17 23:30	0	0	0	0	0	46	165	191	202	197
2025/6/17 23:40	0	0	0	0	0	42	111	158	155	163
2025/6/17 23:50	0	0	0	0	0	52	118	179	134	251
2025/6/18 0:00	0	0	0	0	0	45	97	175	156	175
2025/6/18 0:10	0	0	0	0	0	36	137	156	146	156
2025/6/18 0:20	0	0	0	0	0	40	105	199	115	199
2025/6/18 0:30	0	0	0	0	0	36	112	162	127	162
2025/6/18 0:40	0	0	0	0	0	38	129	159	181	159
2025/6/18 0:50	0	0	0	0	0	38	136	153	195	153
2025/6/18 1:00	0	0	0	0	0	40	122	193	125	193
2025/6/18 1:10	0	0	0	0	0	49	101	54	343	54
2025/6/18 1:20	0	0	0	0	0	50	94	56	366	56
2025/6/18 1:30	0	0	0	0	0	59	138	192	140	192
2025/6/18 1:40	0	0	0	0	0	43	156	188	139	188
2025/6/18 1:50	0	0	0	0	0	44	106	59	328	59
2025/6/18 2:00	0	0	0	0	0	52	96	61	305	61
2025/6/18 2:10	0	0	0	0	0	58	91	68	241	68
2025/6/18 2:20	0	0	0	0	0	63	102	68	234	68
2025/6/18 2:30	0	0	0	0	0	64	128	86	233	86
2025/6/18 2:40	0	0	0	0	0	71	179	119	253	119
2025/6/18 2:50	0	0	0	0	0	80	146	75	395	75
2025/6/18 3:00	0	0	0	0	0	85	114	69	384	69
2025/6/18 3:10	0	0	0	0	0	84	147	96	335	96
2025/6/18 3:20	0	0	0	0	0	106	131	69	409	69
2025/6/18 3:30	0	0	0	0	0	90	108	74	374	74
2025/6/18 3:40	0	0	0	0	0	103	105	80	366	80
2025/6/18 3:50	0	0	0	0	0	99	141	77	456	77
2025/6/18 4:00	0	0	0	0	0	91	131	74	438	74
2025/6/18 4:10	0	0	0	0	0	95	209	273	366	273
2025/6/18 4:20	0	0	0	0	0	96	128	77	438	77
2025/6/18 4:30	0	0	0	0	0	106	122	78	308	78
2025/6/18 4:40	0	0	0	0	0	86	133	130	290	130
2025/6/18 4:50	0	0	0	0	0	74	113	106	206	106
2025/6/18 5:00	0	0	0	0	0	60	119	72	227	72
2025/6/18 5:10	0	0	0	0	0	65	141	109	169	109
2025/6/18 5:20	0	0	0	0	0	65	124	70	195	70
2025/6/18 5:30	0	0	0	0	0	64	108	97	110	97
2025/6/18 5:40	0	0	0	0	0	62	104	105	84	105
2025/6/18 5:50	0	0	0	0	0	53	103	84	99	84
2025/6/18 6:00	0	0	0.1	0	0	56	90	124	89	124
2025/6/18 6:10	0	0	0.1	0	0	51	143	91	96	91
2025/6/18 6:20	0	0	0.1	0	0	53	150	105	131	105
2025/6/18 6:30	0	0	0.1	0.1	0	49	150	76	114	76
2025/6/18 6:40	0	0	0.1	0.1	0	48	112	114	114	114
2025/6/18 6:50	0	0	0.1	0.1	0	47	81	128	101	128
2025/6/18 7:00	0	0	0.1	0.2	0	45	156	99	109	99
2025/6/18 7:10	0	0	0.2	0.2	0	50	129	121	115	121
2025/6/18 7:20	0.1	0	0.2	0.2	0	57	140	168	85	168
2025/6/18 7:30	0.1	0	0.2	0.2	0	54	119	160	96	160
2025/6/18 7:40	0.1	0	0.2	0.2	0	61	110	146	81	146

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/18 7:50	0.1	0	0.2	0.2	0	39	134	108	129	108
2025/6/18 8:00	0.1	0	0.2	0.2	0	39	133	106	118	106
2025/6/18 8:10	0.1	0	0.2	0.2	0	45	135	154	128	154
2025/6/18 8:20	0.1	0	0.2	0.2	0	41	90	97	116	97
2025/6/18 8:30	0.1	0	0.2	0.2	0	49	114	110	127	110
2025/6/18 8:40	0.1	0	0.1	0.2	0	37	122	64	151	64
2025/6/18 8:50	0.1	0	0.1	0.2	0	53	176	152	218	152
2025/6/18 9:00	0.1	0	0.1	0.2	0	44	166	113	180	113
2025/6/18 9:10	0.1	0	0.1	0.2	0	100	202	106	137	225
2025/6/18 9:20	0.1	0	0.1	0.2	0	91	131	141	184	296
2025/6/18 9:30	0.1	0	0.1	0.2	0	57	122	150	237	175
2025/6/18 9:40	0.1	0	0.1	0.2	0	62	108	91	111	158
2025/6/18 9:50	0.1	0	0.1	0.2	0	74	140	123	164	194
2025/6/18 10:00	0.1	0	0.1	0.2	0	56	117	118	110	175
2025/6/18 10:10	0.1	0	0.1	0.1	0	56	143	119	124	163
2025/6/18 10:20	0.1	0	0.1	0.1	0	132	235	176	248	272
2025/6/18 10:30	0.1	0	0.1	0.1	0	88	155	142	226	224
2025/6/18 10:40	0.1	0	0.1	0.1	0	87	143	164	210	229
2025/6/18 10:50	0.1	0	0.1	0.1	0	95	155	123	203	237
2025/6/18 11:00	0.1	0	0.1	0.1	0	111	200	197	192	238
2025/6/18 11:10	0.1	0	0.1	0.1	0	126	164	175	231	230
2025/6/18 11:20	0.1	0	0.1	0.1	0	107	165	138	194	202
2025/6/18 11:30	0.1	0	0.1	0.1	0	121	182	151	121	251
2025/6/18 11:40	0.1	0	0.1	0.1	0	103	173	142	148	215
2025/6/18 11:50	0.1	0.1	0.1	0.1	0.1	82	153	163	140	217
2025/6/18 12:00	0.1	0.1	0.1	0.1	0.1	80	147	135	105	236
2025/6/18 12:10	0.1	0.1	0.1	0.1	0.1	105	162	136	103	235
2025/6/18 12:20	0.1	0.1	0.1	0.1	0	97	152	109	83	256
2025/6/18 12:30	0.1	0.1	0	0.1	0	92	157	111	75	239
2025/6/18 12:40	0.1	0.1	0	0.1	0	79	148	128	91	165
2025/6/18 12:50	0.1	0.1	0	0.1	0	113	196	139	151	209
2025/6/18 13:00	0.1	0.1	0	0.1	0	214	348	145	111	307
2025/6/18 13:10	0.1	0.1	0	0.1	0	198	315	188	258	288
2025/6/18 13:20	0.1	0.1	0	0.1	0	171	336	204	289	293
2025/6/18 13:30	0.2	0.1	0	0.1	0	197	288	208	252	316
2025/6/18 13:40	0.2	0.1	0	0.1	0	123	179	169	166	246
2025/6/18 13:50	0.2	0.1	0	0.1	0	142	201	128	153	250
2025/6/18 14:00	0.2	0.1	0	0.1	0	114	159	165	238	225
2025/6/18 14:10	0.2	0.1	0	0.1	0	110	179	160	249	217
2025/6/18 14:20	0.2	0.1	0	0.1	0	124	193	188	275	248
2025/6/18 14:30	0.2	0.1	0	0.1	0	159	252	176	223	288
2025/6/18 14:40	0.2	0.1	0	0.1	0	199	267	183	202	303
2025/6/18 14:50	0.2	0.1	0	0.1	0	213	294	172	223	330
2025/6/18 15:00	0.2	0.1	0	0.1	0	139	210	167	124	249
2025/6/18 15:10	0.2	0.1	0	0.1	0	151	246	164	144	295
2025/6/18 15:20	0.2	0.1	0	0.1	0	174	273	134	142	297
2025/6/18 15:30	0.2	0.1	0	0.1	0	157	272	153	162	246
2025/6/18 15:40	0.2	0.1	0	0.1	0	178	220	215	178	329
2025/6/18 15:50	0.2	0.1	0	0.1	0	195	302	93	110	304
2025/6/18 16:00	0.2	0.2	0	0.1	0	145	229	92	98	265
2025/6/18 16:10	0.2	0.2	0	0.1	0	173	247	82	83	254
2025/6/18 16:20	0.2	0.2	0	0.1	0	132	228	93	83	267
2025/6/18 16:30	0.2	0.2	0	0.1	0	122	221	83	72	277
2025/6/18 16:40	0.2	0.2	0	0.1	0	140	221	74	64	265
2025/6/18 16:50	0.2	0.2	0	0.1	0	124	213	88	69	228
2025/6/18 17:00	0.2	0.2	0	0.1	0	97	186	110	73	258
2025/6/18 17:10	0.2	0.2	0	0.1	0	93	—	—	—	338
2025/6/18 17:20	0.2	0.2	0	0.1	0	114	—	—	—	296
2025/6/18 17:30	0.2	0.2	0	0.1	0	119	—	—	—	262
2025/6/18 17:40	0.1	0.2	0	0.1	0	134	—	—	—	332
2025/6/18 17:50	0.1	0.2	0	0.1	0	168	—	—	—	310
2025/6/18 18:00	0.1	0.1	0	0.1	0	125	—	—	—	305
2025/6/18 18:10	0.1	0.1	0	0	0	139	—	—	—	283
2025/6/18 18:20	0.1	0.1	0	0	0	143	—	—	—	256
2025/6/18 18:30	0.1	0.1	0	0	0	135	—	—	—	305
2025/6/18 18:40	0.1	0.1	0	0	0	145	—	—	—	295
2025/6/18 18:50	0.1	0.1	0	0	0	101	—	—	—	305
2025/6/18 19:00	0.1	0	0	0	0	129	—	—	—	329
2025/6/18 19:10	0	0	0	0	0	160	—	—	—	264
2025/6/18 19:20	0	0	0	0	0	132	—	—	—	314
2025/6/18 19:30	0	0	0	0	0	142	—	—	—	355
2025/6/18 19:40	0	0	0	0	0	142	—	—	—	313
2025/6/18 19:50	0	0	0	0	0	149	—	—	—	329

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/18 20:00	0	0	0	0	0	148	—	—	—	327
2025/6/18 20:10	0	0	0	0	0	125	—	—	—	347
2025/6/18 20:20	0	0	0	0	0	162	—	—	—	319
2025/6/18 20:30	0	0	0	0	0	193	—	—	—	392
2025/6/18 20:40	0	0	0	0	0	135	—	—	—	355
2025/6/18 20:50	0	0	0	0	0	143	—	—	—	350
2025/6/18 21:00	0	0	0	0	0	190	—	—	—	354
2025/6/18 21:10	0	0	0	0	0	247	—	—	—	354
2025/6/18 21:20	0	0	0	0	0	236	—	—	—	336
2025/6/18 21:30	0	0	0	0	0	225	—	—	—	397
2025/6/18 21:40	0	0	0	0	0	226	—	—	—	390
2025/6/18 21:50	0	0	0	0	0	285	—	—	—	444
2025/6/18 22:00	0	0	0	0	0	289	—	—	—	521
2025/6/18 22:10	0	0	0	0	0	300	—	—	—	507
2025/6/18 22:20	0	0	0	0	0	296	—	—	—	459
2025/6/18 22:30	0	0	0	0	0	274	—	—	—	662
2025/6/18 22:40	0	0	0	0	0	288	—	—	—	595
2025/6/18 22:50	0	0	0	0	0	319	—	—	—	535
2025/6/18 23:00	0	0	0	0	0	290	—	—	—	568
2025/6/18 23:10	0	0	0	0	0	318	—	—	—	659
2025/6/18 23:20	0	0	0	0	0	260	—	—	—	663
2025/6/18 23:30	0	0	0	0	0	353	—	—	—	593
2025/6/18 23:40	0	0	0	0	0	335	—	—	—	542
2025/6/18 23:50	0	0	0	0	0	310	—	—	—	596
2025/6/19 0:00	0	0	0	0	0	45	97	175	156	175
2025/6/19 0:10	0	0	0	0	0	36	137	156	146	156
2025/6/19 0:20	0	0	0	0	0	40	105	199	115	199
2025/6/19 0:30	0	0	0	0	0	36	112	162	127	162
2025/6/19 0:40	0	0	0	0	0	38	129	159	181	159
2025/6/19 0:50	0	0	0	0	0	38	136	153	195	153
2025/6/19 1:00	0	0	0	0	0	40	122	193	125	193
2025/6/19 1:10	0	0	0	0	0	49	101	54	343	54
2025/6/19 1:20	0	0	0	0	0	50	94	56	366	56
2025/6/19 1:30	0	0	0	0	0	59	138	192	140	192
2025/6/19 1:40	0	0	0	0	0	43	156	188	139	188
2025/6/19 1:50	0	0	0	0	0	44	106	59	328	59
2025/6/19 2:00	0	0	0	0	0	52	96	61	305	61
2025/6/19 2:10	0	0	0	0	0	58	91	68	241	68
2025/6/19 2:20	0	0	0	0	0	63	102	68	234	68
2025/6/19 2:30	0	0	0	0	0	64	128	86	233	86
2025/6/19 2:40	0	0	0	0	0	71	179	119	253	119
2025/6/19 2:50	0	0	0	0	0	80	146	75	395	75
2025/6/19 3:00	0	0	0	0	0	85	114	69	384	69
2025/6/19 3:10	0	0	0	0	0	84	147	96	335	96
2025/6/19 3:20	0	0	0	0	0	106	131	69	409	69
2025/6/19 3:30	0	0	0	0	0	90	108	74	374	74
2025/6/19 3:40	0	0	0	0	0	103	105	80	366	80
2025/6/19 3:50	0	0	0	0	0	99	141	77	456	77
2025/6/19 4:00	0	0	0	0	0	91	131	74	438	74
2025/6/19 4:10	0	0	0	0	0	95	209	273	366	273
2025/6/19 4:20	0	0	0	0	0	96	128	77	438	77
2025/6/19 4:30	0	0	0	0	0	106	122	78	308	78
2025/6/19 4:40	0	0	0	0	0	86	133	130	290	130
2025/6/19 4:50	0	0	0	0	0	74	113	106	206	106
2025/6/19 5:00	0	0	0	0	0	60	119	72	227	72
2025/6/19 5:10	0	0	0	0	0	65	141	109	169	109
2025/6/19 5:20	0	0	0	0	0	65	124	70	195	70
2025/6/19 5:30	0	0	0	0	0	64	108	97	110	97
2025/6/19 5:40	0	0	0	0	0	62	104	105	84	105
2025/6/19 5:50	0	0	0	0	0	53	103	84	99	84
2025/6/19 6:00	0	0	0	0	0	56	90	124	89	124
2025/6/19 6:10	0	0	0	0	0	51	143	91	96	91
2025/6/19 6:20	0	0	0	0	0	53	150	105	131	105
2025/6/19 6:30	0	0	0	0	0	49	150	76	114	76
2025/6/19 6:40	0	0	0	0	0	48	112	114	114	114
2025/6/19 6:50	0	0	0	0	0	47	81	128	101	128
2025/6/19 7:00	0	0	0	0	0	45	156	99	109	99
2025/6/19 7:10	0	0	0	0	0	50	129	121	115	121
2025/6/19 7:20	0	0	0	0.1	0	57	140	168	85	168
2025/6/19 7:30	0	0	0	0.1	0	54	119	160	96	160
2025/6/19 7:40	0	0	0.1	0.1	0	61	110	146	81	146
2025/6/19 7:50	0	0	0.1	0.1	0	39	134	108	129	108
2025/6/19 8:00	0	0	0.1	0.1	0	39	133	106	118	106

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/19 8:10	0.1	0	0.1	0.2	0	45	135	154	128	154
2025/6/19 8:20	0.1	0	0.1	0.2	0	41	90	97	116	97
2025/6/19 8:30	0.1	0	0.1	0.2	0	49	114	110	127	110
2025/6/19 8:40	0.1	0	0.1	0.2	0	37	122	64	151	64
2025/6/19 8:50	0.1	0	0.1	0.2	0	53	176	152	218	152
2025/6/19 9:00	0.1	0	0.1	0.2	0	44	166	113	180	113
2025/6/19 9:10	0.1	0	—	0.2	0	100	202	106	137	225
2025/6/19 9:20	0.1	0	—	0.2	0	91	131	141	184	296
2025/6/19 9:30	0.1	0	—	0.2	0	57	122	150	237	175
2025/6/19 9:40	0.1	0	—	0.2	0	62	108	91	111	158
2025/6/19 9:50	0.1	0	—	0.2	0	74	140	123	164	194
2025/6/19 10:00	0.1	0	0.1	0.1	0	56	117	118	110	175
2025/6/19 10:10	0.1	0	0.1	0.1	0	56	143	119	124	163
2025/6/19 10:20	0.1	0	0.1	0.1	0	132	235	176	248	272
2025/6/19 10:30	0.1	0	0.1	0.1	0	88	155	142	226	224
2025/6/19 10:40	0.1	0	0.1	0.1	0	87	143	164	210	229
2025/6/19 10:50	0.1	0	0.1	0.1	0	95	155	123	203	237
2025/6/19 11:00	0.1	0	0.1	0.1	0	111	200	197	192	238
2025/6/19 11:10	0.1	0	0.1	0.1	0.1	126	164	175	231	230
2025/6/19 11:20	0.1	0	0.1	0.1	0.1	107	165	138	194	202
2025/6/19 11:30	0.1	0	0.1	0.1	0.1	121	182	151	121	251
2025/6/19 11:40	0.1	0	0.1	0.1	0.1	103	173	142	148	215
2025/6/19 11:50	0.1	0	0.1	0.1	0	82	153	163	140	217
2025/6/19 12:00	0.1	0	0.1	0.1	0	80	147	135	105	236
2025/6/19 12:10	0.1	0.1	0.1	0.1	0	105	162	136	103	235
2025/6/19 12:20	0.1	0.1	0.1	0.1	0.1	97	152	109	83	256
2025/6/19 12:30	0.1	0.1	0.1	0.1	0.1	92	157	111	75	239
2025/6/19 12:40	0.1	0.1	0	0.1	0.1	79	148	128	91	165
2025/6/19 12:50	0.1	0.1	0	0.1	0.1	113	196	139	151	209
2025/6/19 13:00	0.1	0.1	0	0.1	0.1	214	348	145	111	307
2025/6/19 13:10	0.1	0.1	0	0.1	0.1	198	315	188	258	288
2025/6/19 13:20	0.2	0.1	0	0.1	0.1	171	336	204	289	293
2025/6/19 13:30	0.2	0.1	0	0.1	0.1	197	288	208	252	316
2025/6/19 13:40	0.2	0.1	0	0.1	0	123	179	169	166	246
2025/6/19 13:50	0.2	0.1	0	0.1	0	142	201	128	153	250
2025/6/19 14:00	0.2	0.1	0	0.1	0	114	159	165	238	225
2025/6/19 14:10	0.2	0.1	0	0.1	0	110	179	160	249	217
2025/6/19 14:20	0.2	0.1	0	0.1	0	124	193	188	275	248
2025/6/19 14:30	0.2	0.1	0	0.1	0	159	252	176	223	288
2025/6/19 14:40	0.2	0.1	0	0.1	0	199	267	183	202	303
2025/6/19 14:50	0.2	0.1	0	0.1	0	213	294	172	223	330
2025/6/19 15:00	0.2	0.1	0	0.1	0	139	210	167	124	249
2025/6/19 15:10	0.2	0.1	0	0.1	0	151	246	164	144	295
2025/6/19 15:20	0.2	0.1	0	0.1	0	174	273	134	142	297
2025/6/19 15:30	0.2	0.1	0	0.1	0	157	272	153	162	246
2025/6/19 15:40	0.2	0.1	0	0.1	0	178	220	215	178	329
2025/6/19 15:50	0.2	0.2	0	0.1	0	195	302	93	110	304
2025/6/19 16:00	0.2	0.2	0	0.1	0	145	229	92	98	265
2025/6/19 16:10	0.2	0.2	0	0.1	0	173	247	82	83	254
2025/6/19 16:20	0.2	0.2	0	0.1	0	132	228	93	83	267
2025/6/19 16:30	0.2	0.2	0	0.1	0	122	221	83	72	277
2025/6/19 16:40	0.2	0.2	0	0.1	0	140	221	74	64	265
2025/6/19 16:50	0.2	0.2	0	0.1	0	124	213	88	69	228
2025/6/19 17:00	0.2	0.2	0	0.1	0	97	186	110	73	258
2025/6/19 17:10	0.2	0.2	0	0.1	0	154	222	86	330	332
2025/6/19 17:20	0.2	0.2	0	0.1	0	122	194	102	304	380
2025/6/19 17:30	0.2	0.1	0	0	0	128	223	121	353	360
2025/6/19 17:40	0.1	0.1	0	0.1	0	97	160	142	330	317
2025/6/19 17:50	0.1	0.1	0	0	0	119	159	127	351	407
2025/6/19 18:00	0.1	0.1	0	0	0	133	214	131	386	369
2025/6/19 18:10	0.1	0.1	0	0	0	110	188	89	269	369
2025/6/19 18:20	0.1	0.1	0	0	0	121	218	166	362	368
2025/6/19 18:30	0.1	0.1	0	0	0	129	221	143	349	330
2025/6/19 18:40	0.1	0.1	0	0	0	185	296	127	359	377
2025/6/19 18:50	0.1	0	0	0	0	134	241	131	342	332
2025/6/19 19:00	0	0	0	0	0	161	232	129	308	348
2025/6/19 19:10	0	0	0	0	0	138	241	156	358	338
2025/6/19 19:20	0	0	0	0	0	134	209	140	353	349
2025/6/19 19:30	0	0	0	0	0	169	245	139	337	384
2025/6/19 19:40	0	0	0	0	0	139	211	156	343	371
2025/6/19 19:50	0	0	0	0	0	142	208	154	313	373
2025/6/19 20:00	0	0	0	0	0	132	223	145	302	385
2025/6/19 20:10	0	0	0	0	0	138	234	154	282	405

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/19 20:20	0	0	0	0	0	168	230	135	287	415
2025/6/19 20:30	0	0	0	0	0	147	243	151	291	384
2025/6/19 20:40	0	0	0	0	0	177	248	148	321	372
2025/6/19 20:50	0	0	0	0	0	218	175	98	327	327
2025/6/19 21:00	0	0	0	0	0	185	181	123	337	314
2025/6/19 21:10	0	0	0	0	0	164	210	125	291	345
2025/6/19 21:20	0	0	0	0	0	148	221	128	290	366
2025/6/19 21:30	0	0	0	0	0	226	186	71	311	269
2025/6/19 21:40	0	0	0	0	0	160	191	152	320	340
2025/6/19 21:50	0	0	0	0	0	109	234	163	307	330
2025/6/19 22:00	0	0	0	0	0	160	252	170	316	413
2025/6/19 22:10	0	0	0	0	0	165	270	230	244	468
2025/6/19 22:20	0	0	0	0	0	114	271	203	342	460
2025/6/19 22:30	0	0	0	0	0	239	307	199	287	451
2025/6/19 22:40	0	0	0	0	0	157	324	212	333	484
2025/6/19 22:50	0	0	0	0	0	168	319	197	297	438
2025/6/19 23:00	0	0	0	0	0	134	297	234	337	438
2025/6/19 23:10	0	0	0	0	0	245	282	163	316	395
2025/6/19 23:20	0	0	0	0	0	207	297	162	322	404
2025/6/19 23:30	0	0	0	0	0	184	304	189	288	446
2025/6/19 23:40	0	0	0	0	0	193	310	241	309	515
2025/6/19 23:50	0	0	0	0	0	169	341	239	314	490
2025/6/20 0:00	0	0	0	0	0	175	326	239	302	445
2025/6/20 0:10	0	0	0	0	0	192	325	234	347	448
2025/6/20 0:20	0	0	0	0	0	229	323	236	303	513
2025/6/20 0:30	0	0	0	0	0	232	335	211	266	513
2025/6/20 0:40	0	0	0	0	0	198	318	245	300	536
2025/6/20 0:50	0	0	0	0	0	243	314	180	378	554
2025/6/20 1:00	0	0	0	0	0	202	297	183	385	458
2025/6/20 1:10	0	0	0	0	0	179	296	235	299	414
2025/6/20 1:20	0	0	0	0	0	89	205	274	293	371
2025/6/20 1:30	0	0	0	0	0	95	207	236	255	418
2025/6/20 1:40	0	0	0	0	0	114	230	211	245	407
2025/6/20 1:50	0	0	0	0	0	124	254	205	313	498
2025/6/20 2:00	0	0	0	0	0	163	254	159	276	551
2025/6/20 2:10	0	0	0	0	0	164	283	143	330	488
2025/6/20 2:20	0	0	0	0	0	178	260	199	274	408
2025/6/20 2:30	0	0	0	0	0	213	282	162	336	381
2025/6/20 2:40	0	0	0	0	0	205	267	179	265	394
2025/6/20 2:50	0	0	0	0	0	187	264	150	344	399
2025/6/20 3:00	0	0	0	0	0	178	277	206	330	485
2025/6/20 3:10	0	0	0	0	0	192	263	229	358	519
2025/6/20 3:20	0	0	0	0	0	268	274	243	351	584
2025/6/20 3:30	0	0	0	0	0	193	280	244	362	595
2025/6/20 3:40	0	0	0	0	0	227	285	254	277	625
2025/6/20 3:50	0	0	0	0	0	186	315	208	330	562
2025/6/20 4:00	0	0	0	0	0	260	282	225	372	638
2025/6/20 4:10	0	0	0	0	0	227	299	187	349	613
2025/6/20 4:20	0	0	0	0	0	176	273	266	311	665
2025/6/20 4:30	0	0	0	0	0	99	252	321	343	511
2025/6/20 4:40	0	0	0	0	0	114	258	232	332	523
2025/6/20 4:50	0	0	0	0	0	287	258	220	407	611
2025/6/20 5:00	0	0	0	0	0	267	266	243	432	639
2025/6/20 5:10	0	0	0	0	0	125	241	293	234	563
2025/6/20 5:20	0	0	0	0	0	182	238	231	295	519
2025/6/20 5:30	0	0	0	0	0	102	239	197	331	443
2025/6/20 5:40	0	0	0	0	0	204	244	140	276	429
2025/6/20 5:50	0	0	0	0	0	227	263	154	299	379
2025/6/20 6:00	0	0	0	0	0	177	250	124	346	327
2025/6/20 6:10	0	0	0	0	0	185	234	137	257	389
2025/6/20 6:20	0	0	0	0	0	127	238	126	290	336
2025/6/20 6:30	0	0	0	0	0	135	232	174	234	359
2025/6/20 6:40	0	0	0	0	0	101	224	159	276	166
2025/6/20 6:50	0	0	0	0.1	0	78	236	161	223	398
2025/6/20 7:00	0	0	0.1	0.1	0	114	197	173	186	365
2025/6/20 7:10	0	0	0.1	0.1	0	69	200	170	170	273
2025/6/20 7:20	0	0	0.1	0.1	0	199	255	125	252	482
2025/6/20 7:30	0	0	0.1	0.1	0	145	314	166	177	365
2025/6/20 7:40	0	0	0.1	0.1	0	111	270	152	161	348
2025/6/20 7:50	0.1	0	0.1	0.2	0	203	368	134	206	429
2025/6/20 8:00	0.1	0	0.1	0.2	0	115	251	177	191	250
2025/6/20 8:10	0.1	0	0.1	0.2	0	96	173	197	160	291
2025/6/20 8:20	0.1	0	0.1	0.2	0	69	141	142	172	230

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/20 8:30	0.1	0	0.1	0.2	0	114	157	184	167	315
2025/6/20 8:40	0.1	0	0.1	0.2	0	88	187	180	204	375
2025/6/20 8:50	0.1	0	0.1	0.2	0	210	285	93	259	295
2025/6/20 9:00	0.1	0	0.1	0.2	0	170	355	135	242	323
2025/6/20 9:10	0.1	0	0.1	0.2	0	176	358	137	189	367
2025/6/20 9:20	0.1	0	0.1	0.1	0	133	361	129	245	348
2025/6/20 9:30	0.1	0	0.1	0.1	0	112	295	74	232	338
2025/6/20 9:40	0.1	0	0.1	0.1	0	175	369	130	224	401
2025/6/20 9:50	0.1	0	0.1	0.1	0	115	279	130	171	427
2025/6/20 10:00	0.1	0	0.1	0.1	0	104	243	65	256	132
2025/6/20 10:10	0.1	0	0	0.1	0	144	316	72	266	237
2025/6/20 10:20	0.1	0	0	0.1	0	74	163	176	247	247
2025/6/20 10:30	0.1	0	0	0.1	0	124	309	149	175	212
2025/6/20 10:40	0.1	0	0	0.1	0	200	304	68	171	292
2025/6/20 10:50	0.1	0	0	0.1	0	110	331	127	178	263
2025/6/20 11:00	0.1	0	0	0.1	0	134	283	112	189	285
2025/6/20 11:10	0.1	0	0.1	0.1	0	125	265	141	214	248
2025/6/20 11:20	0.1	0	0.1	0.1	0	149	358	119	122	281
2025/6/20 11:30	0.1	0.1	0.1	0.1	0	175	297	107	130	305
2025/6/20 11:40	0.1	0.1	0.1	0.1	0	126	260	120	183	282
2025/6/20 11:50	0.1	0.1	0.1	0.1	0.1	93	232	127	150	235
2025/6/20 12:00	0.1	0.1	0.1	0.1	0.1	92	181	92	149	209
2025/6/20 12:10	0.1	0.1	0.1	0.1	0.1	78	140	115	152	249
2025/6/20 12:20	0.1	0.1	0.1	0.1	0.1	83	191	97	138	213
2025/6/20 12:30	0.1	0.1	0.1	0.1	0.1	76	170	105	178	218
2025/6/20 12:40	0.1	0.1	0.1	0.1	0	116	225	95	119	298
2025/6/20 12:50	0.1	0.1	0	0.1	0	150	231	146	143	262
2025/6/20 13:00	0.1	0.1	0	0.1	0	162	233	136	198	239
2025/6/20 13:10	0.1	0.1	0	0.1	0	151	253	197	308	256
2025/6/20 13:20	0.1	0.1	0	0.1	0	126	223	144	207	253
2025/6/20 13:30	0.1	0.1	0	0.1	0	108	240	139	174	250
2025/6/20 13:40	0.1	0.1	0	0.1	0	120	237	116	164	244
2025/6/20 13:50	0.1	0.1	0	0.1	0	134	238	98	150	251
2025/6/20 14:00	0.1	0.1	0	0.1	0	111	224	102	176	238
2025/6/20 14:10	0.1	0.1	0	0.1	0	142	191	123	170	268
2025/6/20 14:20	0.1	0.1	0	0.1	0	124	217	116	155	247
2025/6/20 14:30	0.1	0.1	0	0.1	0	133	239	115	175	245
2025/6/20 14:40	0.1	0.1	0	0.1	0	89	158	174	184	234
2025/6/20 14:50	0.1	0.1	0	0.1	0	117	196	146	170	242
2025/6/20 15:00	0.1	0.1	0	0.1	0	134	213	112	162	268
2025/6/20 15:10	0.1	0.1	0	0.1	0	127	218	101	178	238
2025/6/20 15:20	0.2	0.1	0	0.1	0	143	203	89	184	281
2025/6/20 15:30	0.2	0.1	0	0.1	0	137	208	106	169	323
2025/6/20 15:40	0.2	0.1	0	0.1	0	103	179	153	141	224
2025/6/20 15:50	0.2	0.1	0	0.1	0	145	208	71	171	302
2025/6/20 16:00	0.2	0.1	0	0.1	0	126	231	90	176	245
2025/6/20 16:10	0.2	0.1	0	0.1	0	145	241	80	158	282
2025/6/20 16:20	0.2	0.1	0	0.1	0	117	187	129	168	276
2025/6/20 16:30	0.2	0.1	0	0.1	0	118	207	113	172	298
2025/6/20 16:40	0.2	0.2	0	0.1	0	137	248	93	163	286
2025/6/20 16:50	0.2	0.2	0	0.1	0	119	197	112	169	290
2025/6/20 17:00	0.2	0.2	0	0.1	0	155	226	66	193	279
2025/6/20 17:10	0.1	0.1	0	0	0	145	242	123	236	327
2025/6/20 17:20	0.1	0.1	0	0	0	181	247	120	249	317
2025/6/20 17:30	0.1	0.1	0	0	0	156	211	112	189	287
2025/6/20 17:40	0.1	0.1	0	0	0	165	177	87	189	277
2025/6/20 17:50	0.1	0.1	0	0	0	182	212	63	188	217
2025/6/20 18:00	0.1	0.1	0	0	0	183	198	72	190	251
2025/6/20 18:10	0.1	0.1	0	0	0	115	259	133	199	358
2025/6/20 18:20	0.1	0.1	0	0	0	157	228	109	192	321
2025/6/20 18:30	0.1	0	0	0	0	150	294	130	266	370
2025/6/20 18:40	0	0	0	0	0	161	235	132	186	323
2025/6/20 18:50	0	0	0	0	0	153	221	102	225	303
2025/6/20 19:00	0	0	0	0	0	187	231	99	216	293
2025/6/20 19:10	0	0	0	0	0	132	202	96	210	294
2025/6/20 19:20	0	0	0	0	0	142	235	102	170	308
2025/6/20 19:30	0	0	0	0	0	110	224	118	219	309
2025/6/20 19:40	0	0	0	0	0	171	215	103	183	280
2025/6/20 19:50	0	0	0	0	0	153	222	105	197	290
2025/6/20 20:00	0	0	0	0	0	200	223	72	200	266
2025/6/20 20:10	0	0	0	0	0	199	197	56	190	262
2025/6/20 20:20	0	0	0	0	0	145	169	63	193	236
2025/6/20 20:30	0	0	0	0	0	165	185	60	171	216

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/20 20:40	0	0	0	0	0	167	196	105	181	307
2025/6/20 20:50	0	0	0	0	0	225	204	64	189	258
2025/6/20 21:00	0	0	0	0	0	216	147	54	176	174
2025/6/20 21:10	0	0	0	0	0	185	193	55	199	130
2025/6/20 21:20	0	0	0	0	0	213	154	64	172	202
2025/6/20 21:30	0	0	0	0	0	224	165	53	181	231
2025/6/20 21:40	0	0	0	0	0	206	181	67	190	218
2025/6/20 21:50	0	0	0	0	0	224	238	65	163	287
2025/6/20 22:00	0	0	0	0	0	255	240	51	195	270
2025/6/20 22:10	0	0	0	0	0	251	245	97	201	337
2025/6/20 22:20	0	0	0	0	0	224	302	125	216	419
2025/6/20 22:30	0	0	0	0	0	190	263	118	206	380
2025/6/20 22:40	0	0	0	0	0	274	306	73	172	372
2025/6/20 22:50	0	0	0	0	0	251	277	83	190	377
2025/6/20 23:00	0	0	0	0	0	224	240	68	197	249
2025/6/20 23:10	0	0	0	0	0	221	186	65	209	196
2025/6/20 23:20	0	0	0	0	0	230	232	66	203	280
2025/6/20 23:30	0	0	0	0	0	190	189	58	179	179
2025/6/20 23:40	0	0	0	0	0	182	167	74	233	282
2025/6/20 23:50	0	0	0	0	0	160	171	84	168	289
2025/6/21 0:00	0	0	0	0	0	237	194	91	213	264
2025/6/21 0:10	0	0	0	0	0	194	242	115	220	350
2025/6/21 0:20	0	0	0	0	0	172	225	118	237	357
2025/6/21 0:30	0	0	0	0	0	202	228	105	249	312
2025/6/21 0:40	0	0	0	0	0	193	223	118	226	315
2025/6/21 0:50	0	0	0	0	0	193	223	128	217	383
2025/6/21 1:00	0	0	0	0	0	248	232	86	188	317
2025/6/21 1:10	0	0	0	0	0	241	232	63	190	239
2025/6/21 1:20	0	0	0	0	0	241	206	66	203	366
2025/6/21 1:30	0	0	0	0	0	249	224	64	225	228
2025/6/21 1:40	0	0	0	0	0	244	204	63	225	208
2025/6/21 1:50	0	0	0	0	0	224	241	62	201	204
2025/6/21 2:00	0	0	0	0	0	232	264	70	276	96
2025/6/21 2:10	0	0	0	0	0	270	272	61	201	387
2025/6/21 2:20	0	0	0	0	0	300	286	64	226	371
2025/6/21 2:30	0	0	0	0	0	306	291	67	199	325
2025/6/21 2:40	0	0	0	0	0	330	316	68	170	423
2025/6/21 2:50	0	0	0	0	0	345	321	70	368	595
2025/6/21 3:00	0	0	0	0	0	283	348	130	244	531
2025/6/21 3:10	0	0	0	0	0	292	309	99	272	407
2025/6/21 3:20	0	0	0	0	0	221	306	150	290	356
2025/6/21 3:30	0	0	0	0	0	238	271	121	273	363
2025/6/21 3:40	0	0	0	0	0	242	293	121	275	341
2025/6/21 3:50	0	0	0	0	0	232	269	113	258	350
2025/6/21 4:00	0	0	0	0	0	226	277	129	289	355
2025/6/21 4:10	0	0	0	0	0	195	263	120	237	343
2025/6/21 4:20	0	0	0	0	0	208	223	93	281	332
2025/6/21 4:30	0	0	0	0	0	198	205	105	228	271
2025/6/21 4:40	0	0	0	0	0	221	225	77	204	275
2025/6/21 4:50	0	0	0	0	0	234	206	64	210	224
2025/6/21 5:00	0	0	0	0	0	189	191	67	208	237
2025/6/21 5:10	0	0	0	0	0	168	176	65	204	153
2025/6/21 5:20	0	0	0	0	0	194	199	78	225	207
2025/6/21 5:30	0	0	0	0	0	122	180	68	216	118
2025/6/21 5:40	0	0	0	0	0	179	204	79	309	198
2025/6/21 5:50	0	0	0	0	0	151	168	94	265	243
2025/6/21 6:00	0	0	0	0	0	146	142	71	235	181
2025/6/21 6:10	0	0	0.1	0	0	145	150	85	209	240
2025/6/21 6:20	0	0	0.1	0	0	132	143	81	211	256
2025/6/21 6:30	0	0	0.1	0.1	0	129	150	87	206	282
2025/6/21 6:40	0	0	0.1	0.1	0	167	192	77	194	226
2025/6/21 6:50	0	0	0.1	0.1	0	161	185	60	204	226
2025/6/21 7:00	0	0	0.1	0.1	0	134	193	119	222	315
2025/6/21 7:10	0	0	0.1	0.1	0	158	216	81	188	283
2025/6/21 7:20	0	0	0.1	0.1	0	98	216	60	201	104
2025/6/21 7:30	0	0	0.1	0.1	0	137	217	75	252	185
2025/6/21 7:40	0	0	0.1	0.1	0	166	242	64	192	188
2025/6/21 7:50	0.1	0	0.1	0.2	0	141	220	65	168	157
2025/6/21 8:00	0.1	0	0.1	0.2	0	69	242	54	207	56
2025/6/21 8:10	0.1	0	0.1	0.2	0	132	231	73	198	208
2025/6/21 8:20	0.1	0	0.1	0.2	0	139	255	71	193	239
2025/6/21 8:30	0.1	0	0.1	0.2	0	135	251	109	187	248
2025/6/21 8:40	0.1	0	0.1	0.2	0	181	204	73	188	259

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/21 8:50	0.1	0	0.1	0.1	0	115	210	99	210	305
2025/6/21 9:00	0.1	0	0.1	0.2	0	155	205	74	183	237
2025/6/21 9:10	0.1	0	0.1	0.2	0	163	231	87	201	237
2025/6/21 9:20	0.1	0	0.1	0.2	0	158	195	70	198	163
2025/6/21 9:30	0.1	0	0.1	0.2	0	128	194	69	216	197
2025/6/21 9:40	0.1	0	0.1	0.1	0	134	185	117	201	234
2025/6/21 9:50	0.1	0	0.1	0.1	0	119	182	230	200	269
2025/6/21 10:00	0.1	0	0.1	0.1	0	101	170	135	203	283
2025/6/21 10:10	0.1	0	0.1	0.1	0	140	166	78	168	188
2025/6/21 10:20	0.1	0	0.1	0.1	0	99	176	80	172	144
2025/6/21 10:30	0.1	0	0.1	0.1	0	89	169	136	167	262
2025/6/21 10:40	0.1	0	0.1	0.1	0	80	158	99	182	224
2025/6/21 10:50	0.1	0	0.1	0.1	0	99	157	85	180	188
2025/6/21 11:00	0.1	0	0.1	0.1	0	117	147	71	166	200
2025/6/21 11:10	0.1	0	0.1	0.1	0	113	167	73	169	168
2025/6/21 11:20	0.1	0	0.1	0.1	0	122	157	81	163	198
2025/6/21 11:30	0.1	0	0.1	0.1	0	125	192	63	170	158
2025/6/21 11:40	0.1	0	0.1	0.1	0	129	183	66	181	160
2025/6/21 11:50	0.1	0	0.1	0.1	0	104	172	93	202	230
2025/6/21 12:00	0.1	0.1	0.1	0.1	0	102	167	82	185	213
2025/6/21 12:10	0.1	0.1	0.1	0.1	0	123	164	76	164	198
2025/6/21 12:20	0.1	0.1	0.1	0.1	0	137	176	74	160	177
2025/6/21 12:30	0.1	0.1	0	0.1	0	112	168	76	165	202
2025/6/21 12:40	0.1	0.1	0	0.1	0	107	177	63	174	134
2025/6/21 12:50	0.1	0.1	0	0.1	0	130	141	72	132	155
2025/6/21 13:00	0.1	0.1	0	0.1	0	136	190	84	164	202
2025/6/21 13:10	0.1	0.1	0	0.1	0	147	190	86	160	185
2025/6/21 13:20	0.1	0.1	0	0.1	0	138	216	104	167	188
2025/6/21 13:30	0.1	0.1	0	0.1	0	114	208	105	167	240
2025/6/21 13:40	0.1	0.1	0	0.1	0	134	183	109	152	240
2025/6/21 13:50	0.1	0.1	0	0.1	0	130	188	91	156	187
2025/6/21 14:00	0.2	0.1	0	0.1	0	115	172	109	166	238
2025/6/21 14:10	0.2	0.1	0	0.1	0	117	200	105	168	239
2025/6/21 14:20	0.2	0.1	0	0.1	0	118	226	100	146	186
2025/6/21 14:30	0.2	0.1	0	0.1	0	133	202	92	140	164
2025/6/21 14:40	0.2	0.1	0	0.1	0	132	158	87	138	168
2025/6/21 14:50	0.2	0.1	0	0.1	0	126	172	102	181	190
2025/6/21 15:00	0.2	0.1	0	0.1	0	148	174	118	165	238
2025/6/21 15:10	0.2	0.1	0	0.1	0	117	160	113	170	241
2025/6/21 15:20	0.2	0.1	0	0.1	0	133	166	96	149	237
2025/6/21 15:30	0.2	0.1	0	0.1	0	110	172	84	161	255
2025/6/21 15:40	0.2	0.1	0	0.1	0	137	190	70	152	194
2025/6/21 15:50	0.2	0.1	0	0.1	0	132	188	56	126	176
2025/6/21 16:00	0.2	0.1	0	0.1	0	114	216	75	146	201
2025/6/21 16:10	0.2	0.1	0	0.1	0	110	181	55	141	127
2025/6/21 16:20	0.2	0.1	0	0.1	0	112	175	61	151	205
2025/6/21 16:30	0.2	0.2	0	0.1	0	115	157	82	171	255
2025/6/21 16:40	0.2	0.2	0	0.1	0	99	170	57	157	138
2025/6/21 16:50	0.2	0.2	0	0	0	108	178	58	146	116
2025/6/21 17:00	0.2	0.2	0	0.1	0	121	154	59	142	157
2025/6/21 17:10	0.2	0.2	0	0	0	109	316	64	157	210
2025/6/21 17:20	0.2	0.2	0	0	0	131	242	67	161	182
2025/6/21 17:30	0.1	0.1	0	0	0	125	129	59	174	173
2025/6/21 17:40	0.1	0.1	0	0	0	111	127	59	166	129
2025/6/21 17:50	0.1	0.1	0	0	0	122	135	61	147	133
2025/6/21 18:00	0.1	0.1	0	0	0	118	152	66	158	193
2025/6/21 18:10	0.1	0.1	0	0	0	120	145	76	169	214
2025/6/21 18:20	0.1	0.1	0	0	0	134	129	72	175	153
2025/6/21 18:30	0.1	0.1	0	0	0	128	154	82	153	225
2025/6/21 18:40	0	0	0	0	0	160	148	68	178	251
2025/6/21 18:50	0	0	0	0	0	159	147	70	161	212
2025/6/21 19:00	0	0	0	0	0	157	161	74	189	201
2025/6/21 19:10	0	0	0	0	0	167	196	74	176	204
2025/6/21 19:20	0	0	0	0	0	156	168	72	202	190
2025/6/21 19:30	0	0	0	0	0	156	166	61	190	181
2025/6/21 19:40	0	0	0	0	0	130	119	75	158	173
2025/6/21 19:50	0	0	0	0	0	143	133	64	159	152
2025/6/21 20:00	0	0	0	0	0	156	130	61	174	166
2025/6/21 20:10	0	0	0	0	0	156	123	64	180	196
2025/6/21 20:20	0	0	0	0	0	166	143	61	178	194
2025/6/21 20:30	0	0	0	0	0	158	134	62	183	169
2025/6/21 20:40	0	0	0	0	0	157	141	70	158	204
2025/6/21 20:50	0	0	0	0	0	178	143	65	160	177

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/21 21:00	0	0	0	0	0	152	128	77	154	203
2025/6/21 21:10	0	0	0	0	0	167	155	78	167	276
2025/6/21 21:20	0	0	0	0	0	180	154	77	173	261
2025/6/21 21:30	0	0	0	0	0	168	160	73	160	236
2025/6/21 21:40	0	0	0	0	0	172	142	63	170	210
2025/6/21 21:50	0	0	0	0	0	170	167	62	190	192
2025/6/21 22:00	0	0	0	0	0	182	167	63	162	231
2025/6/21 22:10	0	0	0	0	0	185	141	77	150	300
2025/6/21 22:20	0	0	0	0	0	187	133	65	145	198
2025/6/21 22:30	0	0	0	0	0	200	155	67	166	201
2025/6/21 22:40	0	0	0	0	0	199	160	85	162	308
2025/6/21 22:50	0	0	0	0	0	191	155	96	177	296
2025/6/21 23:00	0	0	0	0	0	151	139	64	154	154
2025/6/21 23:10	0	0	0	0	0	177	137	62	127	178
2025/6/21 23:20	0	0	0	0	0	160	127	65	169	275
2025/6/21 23:30	0	0	0	0	0	196	135	71	160	214
2025/6/21 23:40	0	0	0	0	0	195	159	69	162	246
2025/6/21 23:50	0	0	0	0	0	174	140	72	136	209
2025/6/22 0:00	0	0	0	0	0	194	151	62	149	154
2025/6/22 0:10	0	0	0	0	0	222	163	72	151	208
2025/6/22 0:20	0	0	0	0	0	188	165	64	170	131
2025/6/22 0:30	0	0	0	0	0	154	184	58	162	111
2025/6/22 0:40	0	0	0	0	0	171	139	56	132	142
2025/6/22 0:50	0	0	0	0	0	139	175	54	128	75
2025/6/22 1:00	0	0	0	0	0	138	160	52	163	88
2025/6/22 1:10	0	0	0	0	0	165	175	57	158	164
2025/6/22 1:20	0	0	0	0	0	177	193	62	174	177
2025/6/22 1:30	0	0	0	0	0	153	213	54	168	107
2025/6/22 1:40	0	0	0	0	0	91	163	50	147	81
2025/6/22 1:50	0	0	0	0	0	105	150	48	157	77
2025/6/22 2:00	0	0	0	0	0	144	171	48	168	77
2025/6/22 2:10	0	0	0	0	0	73	202	48	214	52
2025/6/22 2:20	0	0	0	0	0	89	201	47	187	68
2025/6/22 2:30	0	0	0	0	0	128	173	48	163	106
2025/6/22 2:40	0	0	0	0	0	129	155	47	126	84
2025/6/22 2:50	0	0	0	0	0	100	186	47	140	52
2025/6/22 3:00	0	0	—	0	0	125	159	47	114	77
2025/6/22 3:10	0	0	0	0	0	109	156	45	151	69
2025/6/22 3:20	0	0	0	0	0	64	157	44	177	52
2025/6/22 3:30	0	0	0	0	0	72	225	45	187	51
2025/6/22 3:40	0	0	0	0	0	123	167	44	173	58
2025/6/22 3:50	0	0	0	0	0	92	168	44	156	51
2025/6/22 4:00	0	0	0	0	0	88	165	45	159	74
2025/6/22 4:10	0	0	0	0	0	93	144	44	165	57
2025/6/22 4:20	0	0	0	0	0	70	153	45	192	50
2025/6/22 4:30	0	0	0	0	0	68	154	45	130	55
2025/6/22 4:40	0	0	0	0	0	56	135	43	169	50
2025/6/22 4:50	0	0	0	0	0	79	163	42	161	59
2025/6/22 5:00	0	0	0	0	0	61	146	44	114	54
2025/6/22 5:10	0	0	0	0	0	99	136	45	114	62
2025/6/22 5:20	0	0	0	0	0	76	140	45	183	56
2025/6/22 5:30	0	0	0	0	0	110	127	43	128	66
2025/6/22 5:40	0	0	0	0	0	111	102	43	134	78
2025/6/22 5:50	0	0	0	0	0	97	137	44	190	54
2025/6/22 6:00	0	0	0.1	0.1	0	44	171	43	207	55
2025/6/22 6:10	0	0	0.1	0.1	0	82	165	43	199	68
2025/6/22 6:20	0	0	0.1	0.1	0	40	147	43	138	56
2025/6/22 6:30	0	0	0.1	0.1	0	77	168	42	168	56
2025/6/22 6:40	0	0	0.1	0.2	0	66	200	44	185	59
2025/6/22 6:50	0	0	0.1	0.2	0	62	175	44	171	58
2025/6/22 7:00	0	0	0.2	0.2	0	25	171	43	174	57
2025/6/22 7:10	0	0	0.2	0.2	0	41	176	44	203	58
2025/6/22 7:20	0	0	0.2	0.2	0	71	180	46	130	63
2025/6/22 7:30	0	0	0.2	0.2	0	70	179	46	168	62
2025/6/22 7:40	0	0	0.2	0.2	0	97	184	49	192	66
2025/6/22 7:50	0.1	0	0.2	0.2	0	53	168	50	157	64
2025/6/22 8:00	0.1	0	0.2	0.2	0	30	180	54	196	66
2025/6/22 8:10	0.1	0	0.2	0.2	0	69	148	53	152	76
2025/6/22 8:20	0.1	0	0.2	0.2	0	85	164	58	139	74
2025/6/22 8:30	0.1	0	0.2	0.2	0	39	192	58	209	69
2025/6/22 8:40	0.1	0	0.1	0.2	0	76	179	58	172	77
2025/6/22 8:50	0.1	0	0.1	0.2	0	38	184	58	225	78
2025/6/22 9:00	0.1	0	0.1	0.2	0	83	183	62	164	105

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/22 9:10	0.1	0	0.1	0.2	0	45	189	64	173	77
2025/6/22 9:20	0.1	0	0.1	0.2	0	91	191	67	150	89
2025/6/22 9:30	0.1	0	0.1	0.2	0	79	158	66	159	84
2025/6/22 9:40	0.1	0	0.1	0.2	0	63	156	65	133	87
2025/6/22 9:50	0.1	0	0.1	0.2	0	48	153	65	165	81
2025/6/22 10:00	0.1	0	0.1	0.1	0	57	188	65	140	88
2025/6/22 10:10	0.1	0	0.1	0.1	0	45	168	66	192	85
2025/6/22 10:20	0.1	0	0.1	0.1	0	62	165	63	157	93
2025/6/22 10:30	0.1	0	0.1	0.1	0	76	175	64	147	94
2025/6/22 10:40	0.1	0	0.1	0.1	0	81	165	64	149	110
2025/6/22 10:50	0.1	0	0.1	0.1	0	107	144	66	141	143
2025/6/22 11:00	0.1	0	0.1	0.1	0	73	165	63	169	97
2025/6/22 11:10	0.1	0	0.1	0.1	0	98	176	63	149	125
2025/6/22 11:20	0.1	0	0.1	0.1	0	120	157	65	135	164
2025/6/22 11:30	0.1	0	0.1	0.1	0	134	151	77	156	238
2025/6/22 11:40	0.1	0	0.1	0.1	0	111	164	73	152	175
2025/6/22 11:50	0.1	0	0.1	0.1	0	101	166	61	139	127
2025/6/22 12:00	0.1	0	0.1	0.1	0	111	162	64	137	120
2025/6/22 12:10	0.1	0	0.1	0.1	0	121	171	65	131	154
2025/6/22 12:20	0.1	0.1	0	0.1	0	76	187	61	169	106
2025/6/22 12:30	0.1	0.1	0	0.1	0	108	177	64	164	146
2025/6/22 12:40	0.1	0.1	0	0.1	0	126	177	62	155	171
2025/6/22 12:50	0.1	0.1	0	0.1	0	82	197	60	184	108
2025/6/22 13:00	0.1	0.1	0	0.1	0	107	169	61	136	145
2025/6/22 13:10	0.1	0.1	0	0.1	0	89	172	59	135	121
2025/6/22 13:20	0.1	0.1	0	0.1	0	92	154	59	175	137
2025/6/22 13:30	0.1	0.1	0	0.1	0	111	166	57	137	151
2025/6/22 13:40	0.1	0.1	0	0.1	0	135	172	69	129	212
2025/6/22 13:50	0.1	0.1	0	0.1	0	119	171	77	146	224
2025/6/22 14:00	0.2	0.1	0	0.1	0	169	191	65	128	244
2025/6/22 14:10	0.2	0.1	0	0.1	0	117	185	59	158	142
2025/6/22 14:20	0.2	0.1	0	0.1	0	107	185	56	179	157
2025/6/22 14:30	0.2	0.1	0	0.1	0	89	187	55	172	135
2025/6/22 14:40	0.2	0.1	0	0.1	0	103	165	55	151	161
2025/6/22 14:50	0.2	0.1	0	0.1	0	124	161	67	145	255
2025/6/22 15:00	0.2	0.1	0	0.1	0	101	203	62	147	167
2025/6/22 15:10	0.2	0.1	0	0.1	0	115	192	60	153	191
2025/6/22 15:20	0.2	0.1	0	0.1	0	124	163	64	168	164
2025/6/22 15:30	0.2	0.1	0	0.1	0	88	183	54	177	123
2025/6/22 15:40	0.2	0.1	0	0.1	0	100	171	54	175	141
2025/6/22 15:50	0.2	0.1	0	0.1	0	112	155	53	130	150
2025/6/22 16:00	0.2	0.1	0	0.1	0	85	179	52	148	116
2025/6/22 16:10	0.2	0.2	0	0.1	0	128	172	55	136	181
2025/6/22 16:20	0.2	0.2	0	0.1	0	126	172	65	156	205
2025/6/22 16:30	0.2	0.2	0	0.1	0	135	185	72	157	272
2025/6/22 16:40	0.2	0.2	0	0.1	0	129	165	94	157	293
2025/6/22 16:50	0.2	0.2	0	0.1	0	149	154	69	136	251
2025/6/22 17:00	0.2	0.2	0	0.1	0	132	165	89	129	290
2025/6/22 17:10	0.2	0.2	0	0.1	0	144	160	81	152	264
2025/6/22 17:20	0.2	0.2	0	0	0	146	142	65	159	244
2025/6/22 17:30	0.1	0.2	0	0	0	148	156	78	176	255
2025/6/22 17:40	0.1	0.1	0	0	0	163	173	80	155	279
2025/6/22 17:50	0.1	0.1	0	0	0	138	161	95	160	281
2025/6/22 18:00	0.1	0.1	0	0	0	126	132	74	163	245
2025/6/22 18:10	0.1	0.1	0	0	0	129	132	82	158	258
2025/6/22 18:20	0.1	0.1	0	0	0	131	127	71	158	239
2025/6/22 18:30	0.1	0.1	0	0	0	131	121	69	164	205
2025/6/22 18:40	0.1	0	0	0	0	143	118	65	157	195
2025/6/22 18:50	0	0	0	0	0	160	128	69	153	247
2025/6/22 19:00	0	0	0	0	0	130	108	84	162	243
2025/6/22 19:10	0	0	0	0	0	165	124	69	138	202
2025/6/22 19:20	0	0	0	0	0	140	140	90	143	254
2025/6/22 19:30	0	0	0	0	0	159	136	73	163	266
2025/6/22 19:40	0	0	0	0	0	146	130	89	172	266
2025/6/22 19:50	0	0	0	0	0	158	154	90	185	266
2025/6/22 20:00	0	0	0	0	0	173	139	68	175	245
2025/6/22 20:10	0	0	0	0	0	170	141	83	177	274
2025/6/22 20:20	0	0	0	0	0	169	147	82	174	253
2025/6/22 20:30	0	0	0	0	0	173	142	68	175	237
2025/6/22 20:40	0	0	0	0	0	153	125	64	154	174
2025/6/22 20:50	0	0	0	0	0	160	150	58	140	156
2025/6/22 21:00	0	0	0	0	0	130	132	56	142	142
2025/6/22 21:10	0	0	0	0	0	147	133	57	143	186

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/22 21:20	0	0	0	0	0	164	141	57	131	131
2025/6/22 21:30	0	0	0	0	0	171	149	58	143	214
2025/6/22 21:40	0	0	0	0	0	144	159	55	151	116
2025/6/22 21:50	0	0	0	0	0	169	146	54	133	141
2025/6/22 22:00	0	0	0	0	0	164	185	54	136	151
2025/6/22 22:10	0	0	0	0	0	160	207	56	175	113
2025/6/22 22:20	0	0	0	0	0	249	185	56	140	180
2025/6/22 22:30	0	0	0	0	0	249	215	59	126	190
2025/6/22 22:40	0	0	0	0	0	204	217	61	156	257
2025/6/22 22:50	0	0	0	0	0	224	186	57	151	240
2025/6/22 23:00	0	0	0	0	0	140	179	54	134	186
2025/6/22 23:10	0	0	0	0	0	219	166	54	132	166
2025/6/22 23:20	0	0	0	0	0	151	192	53	188	97
2025/6/22 23:30	0	0	0	0	0	183	193	52	132	87
2025/6/22 23:40	0	0	0	0	0	212	191	51	127	110
2025/6/22 23:50	0	0	0	0	0	256	211	61	181	265
2025/6/23 0:00	0	0	0	0	0	263	278	143	170	407
2025/6/23 0:10	0	0	0	0	0	240	181	133	189	379
2025/6/23 0:20	0	0	0	0	0	277	280	147	178	394
2025/6/23 0:30	0	0	0	0	0	255	247	110	200	415
2025/6/23 0:40	0	0	0	0	0	215	187	57	178	179
2025/6/23 0:50	0	0	0	0	0	232	225	67	133	167
2025/6/23 1:00	0	0	0	0	0	213	194	59	170	177
2025/6/23 1:10	0	0	0	0	0	196	180	55	161	148
2025/6/23 1:20	0	0	0	0	0	108	175	54	146	74
2025/6/23 1:30	0	0	0	0	0	144	161	54	170	83
2025/6/23 1:40	0	0	0	0	0	142	179	54	155	96
2025/6/23 1:50	0	0	0	0	0	177	148	55	129	101
2025/6/23 2:00	0	0	0	0	0	149	145	55	133	104
2025/6/23 2:10	0	0	0	0	0	128	176	54	152	117
2025/6/23 2:20	0	0	0	0	0	158	165	54	176	92
2025/6/23 2:30	0	0	0	0	0	150	180	54	169	113
2025/6/23 2:40	0	0	0	0	0	141	158	54	150	125
2025/6/23 2:50	0	0	0	0	0	191	141	57	150	170
2025/6/23 3:00	0	0	0	0	0	153	164	56	168	117
2025/6/23 3:10	0	0	0	0	0	183	151	60	159	192
2025/6/23 3:20	0	0	0	0	0	152	132	59	160	88
2025/6/23 3:30	0	0	0	0	0	148	146	57	194	116
2025/6/23 3:40	0	0	0	0	0	176	133	57	145	124
2025/6/23 3:50	0	0	0	0	0	132	136	58	164	97
2025/6/23 4:00	0	0	0	0	0	144	124	57	142	84
2025/6/23 4:10	0	0	0	0	0	146	135	56	134	96
2025/6/23 4:20	0	0	0	0	0	193	151	63	156	200
2025/6/23 4:30	0	0	0	0	0	175	155	63	137	179
2025/6/23 4:40	0	0	0	0	0	133	140	60	158	118
2025/6/23 4:50	0	0	0	0	0	153	117	59	142	130
2025/6/23 5:00	0	0	0	0	0	124	127	60	140	71
2025/6/23 5:10	0	0	0	0	0	163	133	58	150	133
2025/6/23 5:20	0	0	0	0	0	150	123	57	173	196
2025/6/23 5:30	0	0	0	0	0	150	133	57	134	75
2025/6/23 5:40	0	0	0	0	0	186	119	59	145	135
2025/6/23 5:50	0	0	0	0	0	121	153	58	142	77
2025/6/23 6:00	0	0	0	0	0	130	133	56	133	146
2025/6/23 6:10	0	0	0	0	0	122	126	57	145	122
2025/6/23 6:20	0	0	0	0	0	187	130	59	139	156
2025/6/23 6:30	0	0	0	0	0	128	165	60	173	154
2025/6/23 6:40	0	0	0	0	0	129	161	63	167	113
2025/6/23 6:50	0	0	0	0	0	152	162	62	148	139
2025/6/23 7:00	0	0	0	0	0	199	149	65	150	212
2025/6/23 7:10	0	0	0	0	0	185	149	66	186	154
2025/6/23 7:20	0	0	0	0.1	0	167	155	66	150	127
2025/6/23 7:30	0	0	0	0.1	0	137	137	62	178	106
2025/6/23 7:40	0	0	0	0.1	0	161	151	66	144	175
2025/6/23 7:50	0.1	0	0.1	0.1	0	136	150	63	168	126
2025/6/23 8:00	0.1	0	0.1	0.1	0	131	149	63	157	121
2025/6/23 8:10	0.1	0	0.1	0.1	0	175	125	62	124	150
2025/6/23 8:20	0.1	0	0	0.1	0	157	145	59	124	142
2025/6/23 8:30	0.1	0	0	0.1	0	152	165	61	151	137
2025/6/23 8:40	0.1	0	0.1	0.1	0	198	147	68	172	231
2025/6/23 8:50	0.1	0	0.1	0.1	0	186	178	69	152	207
2025/6/23 9:00	0.1	0	0.1	0.1	0	174	223	69	158	213
2025/6/23 9:10	0.1	0	0.1	0.1	0	154	201	74	158	194
2025/6/23 9:20	0.1	0	0.1	0.1	0	184	191	69	140	265

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/23 9:30	0.1	0	0.1	0.1	0	158	186	88	160	283
2025/6/23 9:40	0.1	0	0.1	0.1	0	160	208	77	145	236
2025/6/23 9:50	0.1	0	0.1	0.1	0	195	223	78	151	236
2025/6/23 10:00	0.1	0	0.1	0.1	0	147	188	103	159	328
2025/6/23 10:10	0.1	0	0.1	0.1	0	164	179	82	176	290
2025/6/23 10:20	0.1	0	0.1	—	0	159	170	81	—	207
2025/6/23 10:30	0.1	0	0.1	—	0	101	192	64	—	101
2025/6/23 10:40	0.1	0	0.1	—	0	107	219	63	—	109
2025/6/23 10:50	0.1	0	0.1	—	0	113	187	68	—	159
2025/6/23 11:00	0.1	0	0.1	—	0	100	247	63	—	94
2025/6/23 11:10	0.1	0	0.1	—	0	174	267	71	—	210
2025/6/23 11:20	0.1	0	0.1	—	0	173	238	85	—	295
2025/6/23 11:30	0.1	0	0.1	—	0	159	188	75	—	209
2025/6/23 11:40	0.1	0	0.1	—	0	135	220	65	71	150
2025/6/23 11:50	0.1	0	0.1	—	0	132	206	64	72	138
2025/6/23 12:00	0.1	0	0.1	0.1	0	160	198	65	107	183
2025/6/23 12:10	0.1	0	0.1	0.1	0	133	177	66	118	205
2025/6/23 12:20	0.1	0.1	0.1	0.1	0	151	184	69	112	177
2025/6/23 12:30	0.1	0.1	0.1	0.1	0	151	231	78	117	236
2025/6/23 12:40	0.1	0.1	0.1	0.1	0.1	180	246	88	109	318
2025/6/23 12:50	0.1	0.1	0.1	0.1	0.1	183	240	98	117	302
2025/6/23 13:00	0.1	0.1	0.1	0.1	0.1	157	217	74	113	226
2025/6/23 13:10	0.1	0.1	0.1	0.1	0.1	119	202	67	99	149
2025/6/23 13:20	0.1	0.1	0.1	0.1	0.1	162	213	66	103	197
2025/6/23 13:30	0.1	0.1	0	0.1	0	114	214	63	102	160
2025/6/23 13:40	0.1	0.1	0.1	0.1	0	130	190	62	89	199
2025/6/23 13:50	0.1	0.1	0.1	0.1	0	119	209	71	126	156
2025/6/23 14:00	0.1	0.1	0.1	0.1	0	118	202	89	97	156
2025/6/23 14:10	0.1	0.1	0	0.1	0	105	204	91	132	159
2025/6/23 14:20	0.1	0.1	0	0.1	0	152	206	93	110	233
2025/6/23 14:30	0.1	0.1	0	0.1	0	144	213	89	106	257
2025/6/23 14:40	0.1	0.1	0	0.1	0	139	235	89	116	280
2025/6/23 14:50	0.1	0.1	0	0.1	0	180	218	100	124	278
2025/6/23 15:00	0.1	0.1	0	0.1	0	171	190	93	130	280
2025/6/23 15:10	0.1	0.1	0	0.1	0	178	263	85	117	193
2025/6/23 15:20	0.1	0.1	0	0.1	0	149	291	76	112	178
2025/6/23 15:30	0.1	0.1	0	0.1	0	135	195	76	134	138
2025/6/23 15:40	0.1	0	0	0.1	0	106	217	73	117	135
2025/6/23 15:50	0.1	0	0	0.1	0	69	217	65	139	108
2025/6/23 16:00	0.1	0	0	0.1	0	59	265	69	142	107
2025/6/23 16:10	0.1	0	0	0.1	0	57	101	63	205	136
2025/6/23 16:20	0.1	0	0	0	0	52	93	59	269	109
2025/6/23 16:30	0.1	0	0	0	0	68	98	67	267	121
2025/6/23 16:40	0.1	0	0	0	0	60	136	63	250	114
2025/6/23 16:50	0	0	0	0	0	46	125	106	135	131
2025/6/23 17:00	0	0	0	0	0	43	120	55	209	97
2025/6/23 17:10	0	0	0	0	0	46	90	94	121	129
2025/6/23 17:20	0	0	0	0	0	41	98	82	156	109
2025/6/23 17:30	0	0	0	0	0	61	115	112	136	181
2025/6/23 17:40	0	0	0	0	0	112	168	267	84	552
2025/6/23 17:50	0	0	0	0	0	76	164	272	154	415
2025/6/23 18:00	0	0	0	0	0	94	187	271	134	457
2025/6/23 18:10	0	0	0	0	0	141	186	252	93	442
2025/6/23 18:20	0	0	0	0	0	272	258	181	139	558
2025/6/23 18:30	0	0	0	0	0	77	236	286	146	397
2025/6/23 18:40	0	0	0	0	0	103	197	240	149	422
2025/6/23 18:50	0	0	0	0	0	115	246	241	180	496
2025/6/23 19:00	0	0	0	0	0	180	277	190	201	464
2025/6/23 19:10	0	0	0	0	0	214	254	131	154	360
2025/6/23 19:20	0	0	0	0	0	260	264	115	147	342
2025/6/23 19:30	0	0	0	0	0	264	263	105	160	307
2025/6/23 19:40	0	0	0	0	0	216	223	125	162	397
2025/6/23 19:50	0	0	0	0	0	223	205	80	123	324
2025/6/23 20:00	0	0	0	0	0	206	175	69	120	260
2025/6/23 20:10	0	0	0	0	0	206	178	84	127	235
2025/6/23 20:20	0	0	0	0	0	195	180	83	134	299
2025/6/23 20:30	0	0	0	0	0	219	182	94	131	315
2025/6/23 20:40	0	0	0	0	0	222	203	101	126	348
2025/6/23 20:50	0	0	0	0	0	237	201	107	119	318
2025/6/23 21:00	0	0	0	0	0	226	184	83	124	286
2025/6/23 21:10	0	0	0	0	0	224	210	103	145	367
2025/6/23 21:20	0	0	0	0	0	231	202	77	120	271
2025/6/23 21:30	0	0	0	0	0	233	205	77	100	295

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/23 21:40	0	0	0	0	0	205	152	75	118	283
2025/6/23 21:50	0	0	0	0	0	212	198	88	98	354
2025/6/23 22:00	0	0	0	0	0	253	204	66	137	349
2025/6/23 22:10	0	0	0	0	0	267	210	115	141	283
2025/6/23 22:20	0	0	0	0	0	267	272	94	96	280
2025/6/23 22:30	0	0	0	0	0	261	212	112	151	273
2025/6/23 22:40	0	0	0	0	0	262	283	138	120	409
2025/6/23 22:50	0	0	0	0	0	289	270	85	116	337
2025/6/23 23:00	0	0	0	0	0	307	250	94	177	424
2025/6/23 23:10	0	0	0	0	0	305	337	93	166	332
2025/6/23 23:20	0	0	0	0	0	247	293	158	181	419
2025/6/23 23:30	0	0	0	0	0	225	273	143	168	397
2025/6/23 23:40	0	0	0	0	0	227	280	105	171	360
2025/6/23 23:50	0	0	0	0	0	236	211	83	140	229
2025/6/24 0:00	0	0	0	0	0	216	207	106	130	282
2025/6/24 0:10	0	0	0	0	0	242	186	97	132	294
2025/6/24 0:20	0	0	0	0	0	269	253	89	136	307
2025/6/24 0:30	0	0	0	0	0	255	250	78	161	290
2025/6/24 0:40	0	0	0	0	0	202	228	70	163	170
2025/6/24 0:50	0	0	0	0	0	117	272	73	374	86
2025/6/24 1:00	0	0	0	0	0	340	383	87	312	126
2025/6/24 1:10	0	0	0	0	0	214	435	87	359	103
2025/6/24 1:20	0	0	0	0	0	102	301	86	303	108
2025/6/24 1:30	0	0	0	0	0	159	317	89	377	145
2025/6/24 1:40	0	0	0	0	0	497	428	93	371	482
2025/6/24 1:50	0	0	0	0	0.4	268	398	96	465	132
2025/6/24 2:00	0	0	0	0	0	150	350	100	457	203
2025/6/24 2:10	0	0	0	0	0.2	378	403	119	433	674
2025/6/24 2:20	0	0	0	0	1.2	400	378	159	333	726
2025/6/24 2:30	0	0	0	0	1.7	690	523	86	345	403
2025/6/24 2:40	0	0	0	0	0	103	328	87	398	110
2025/6/24 2:50	0	0	0	0	0	475	355	87	306	262
2025/6/24 3:00	0	0	0	0	0	209	313	300	184	814
2025/6/24 3:10	0	0	0	0	0.8	426	416	241	257	623
2025/6/24 3:20	0	0	0	0	0.4	276	388	330	329	446
2025/6/24 3:30	0	0	0	0	0.3	519	441	219	347	571
2025/6/24 3:40	0	0	0	0	0.3	304	354	264	354	496
2025/6/24 3:50	0	0	0	0	0	162	313	91	348	133
2025/6/24 4:00	0	0	0	0	0	102	219	103	365	124
2025/6/24 4:10	0	0	0	0	0	99	141	87	294	120
2025/6/24 4:20	0	0	0	0	0	85	139	83	303	106
2025/6/24 4:30	0	0	0	0	0	82	125	75	242	105
2025/6/24 4:40	0	0	0	0	0	77	132	83	241	108
2025/6/24 4:50	0	0	0	0	0	197	182	192	185	492
2025/6/24 5:00	0	0	0	0	0	105	232	220	165	206
2025/6/24 5:10	0	0	0	0	0	98	179	206	156	156
2025/6/24 5:20	0	0	0	0	0	224	322	216	174	443
2025/6/24 5:30	0	0	0	0	0	92	152	86	315	114
2025/6/24 5:40	0	0	0	0	0	95	121	84	275	117
2025/6/24 5:50	0	0	0	0	0	93	126	90	235	123
2025/6/24 6:00	0	0	0	0	0	94	134	143	206	126
2025/6/24 6:10	0	0	0	0	0	80	165	93	222	105
2025/6/24 6:20	0	0	0	0	0	90	134	92	255	119
2025/6/24 6:30	0	0	0	0	0	103	191	235	152	251
2025/6/24 6:40	0	0	0	0	0	147	153	240	143	330
2025/6/24 6:50	0	0	0	0	0	84	164	110	311	106
2025/6/24 7:00	0	0	0	0	0	99	211	147	166	119
2025/6/24 7:10	0	0	0	0	0	115	183	242	149	284
2025/6/24 7:20	0	0	0	0	0	85	144	182	182	282
2025/6/24 7:30	0	0	0	0	0	84	159	124	277	137
2025/6/24 7:40	0	0	0	0	0	90	199	89	287	117
2025/6/24 7:50	0	0	0	0	0	88	172	89	313	120
2025/6/24 8:00	0	0	0	0	0	91	125	88	239	119
2025/6/24 8:10	0	0	0	0	0	82	155	89	325	113
2025/6/24 8:20	0	0	0	0	0	101	261	85	250	105
2025/6/24 8:30	0	0	0	0	0	136	210	86	308	230
2025/6/24 8:40	0	0	0	0	0	406	358	164	131	558
2025/6/24 8:50	0	0	0	0	0	192	363	83	196	209
2025/6/24 9:00	0	0	0	0	0	261	337	88	141	179
2025/6/24 9:10	0	0	0	0	0	226	343	109	175	196
2025/6/24 9:20	0	0	0	0	0	244	323	111	213	274
2025/6/24 9:30	0	0	0	0	0	189	280	136	193	323
2025/6/24 9:40	0	0	0	0	0	191	272	93	162	194

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/24 9:50	0	0	0	0	0	191	225	93	123	270
2025/6/24 10:00	0	0	0	0	0	148	224	68	107	169
2025/6/24 10:10	0	0	0	0	0	151	223	77	97	216
2025/6/24 10:20	0	0	0	0	0	133	209	69	99	147
2025/6/24 10:30	0	0	0	0	0	142	214	72	153	142
2025/6/24 10:40	0.1	0	0	0	0	129	222	73	163	126
2025/6/24 10:50	0.1	0	0	0	0	166	220	82	149	230
2025/6/24 11:00	0.1	0	0	0	0	183	247	95	165	272
2025/6/24 11:10	0.1	0	0	0	0	187	246	99	128	251
2025/6/24 11:20	0.1	0	0	0	0	167	271	88	123	199
2025/6/24 11:30	0.1	0	0	0	0	155	307	97	151	313
2025/6/24 11:40	0.1	0	0	0.1	0	171	253	93	108	267
2025/6/24 11:50	0.1	0	0	0.1	0	164	252	75	91	242
2025/6/24 12:00	0.1	0	0	0.1	0	147	253	79	124	279
2025/6/24 12:10	0.1	0	0	0.1	0	135	230	86	83	273
2025/6/24 12:20	0.1	0	0	0.1	0	126	185	77	118	220
2025/6/24 12:30	0.1	0	0	0.1	0	129	187	68	97	178
2025/6/24 12:40	0.1	0	0	0.1	0	128	188	69	99	215
2025/6/24 12:50	0.1	0	0	0.1	0	124	208	63	75	210
2025/6/24 13:00	0.1	0	0	0.1	0	124	208	58	77	116
2025/6/24 13:10	0.1	0	0	0.1	0	137	252	57	117	155
2025/6/24 13:20	0.1	0	0	0.1	0	123	258	61	103	162
2025/6/24 13:30	0.1	0	0	0.1	0	157	260	73	76	254
2025/6/24 13:40	0.1	0	0	0.1	0	125	247	62	43	188
2025/6/24 13:50	0.1	0	0	0.1	0	111	242	92	35	274
2025/6/24 14:00	0.1	0	0	0.1	0	158	230	87	43	217
2025/6/24 14:10	0.1	0	0	0.1	0	136	217	62	45	191
2025/6/24 14:20	0.1	0	0	0.1	0	134	203	62	36	168
2025/6/24 14:30	0.1	0	0	0.1	0	121	195	64	45	156
2025/6/24 14:40	0.1	0	0	0.1	0	140	258	74	46	225
2025/6/24 14:50	0.1	0	0	0.1	0	159	309	74	61	194
2025/6/24 15:00	0.1	0	0	0	0	155	228	66	46	194
2025/6/24 15:10	0.1	0	0	0	0	169	233	81	58	259
2025/6/24 15:20	0.1	0	0	0	0	157	301	75	45	248
2025/6/24 15:30	0.1	0	0	0	0	125	244	74	37	177
2025/6/24 15:40	0.1	0	0	0	0	145	241	72	46	253
2025/6/24 15:50	0.1	0	0	0	0	165	256	64	51	206
2025/6/24 16:00	0.1	0	0	0	0	146	217	91	60	245
2025/6/24 16:10	0.1	0	0	0	0	155	208	83	59	235
2025/6/24 16:20	0.1	0	0	0	0	164	276	82	47	332
2025/6/24 16:30	0.1	0	0	0	0	146	270	72	55	197
2025/6/24 16:40	0.1	0	0	0	0	106	270	64	66	137
2025/6/24 16:50	0.1	0	0	0	0	178	215	67	33	314
2025/6/24 17:00	0.1	0	0	0	0	185	269	97	61	328
2025/6/24 17:10	0.1	0	0	0	0	201	264	74	59	265
2025/6/24 17:20	0.1	0	0	0	0	198	277	66	60	210
2025/6/24 17:30	0.1	0	0	0	0	180	289	83	55	256
2025/6/24 17:40	0.1	0	0	0	0	206	289	99	68	318
2025/6/24 17:50	0.1	0	0	0	0	168	261	148	95	369
2025/6/24 18:00	0	0	0	0	0	237	294	120	94	403
2025/6/24 18:10	0	0	0	0	0	198	285	133	75	376
2025/6/24 18:20	0	0	0	0	0	211	296	124	49	317
2025/6/24 18:30	0	0	0	0	0	194	221	101	33	326
2025/6/24 18:40	0	0	0	0	0	191	242	75	38	255
2025/6/24 18:50	0	0	0	0	0	206	259	72	46	205
2025/6/24 19:00	0	0	0	0	0	124	223	62	28	168
2025/6/24 19:10	0	0	0	0	0	235	231	63	39	237
2025/6/24 19:20	0	0	0	0	0	208	231	61	45	319
2025/6/24 19:30	0	0	0	0	0	198	266	60	42	245
2025/6/24 19:40	0	0	0	0	0	230	276	92	46	302
2025/6/24 19:50	0	0	0	0	0	248	259	106	42	314
2025/6/24 20:00	0	0	0	0	0	232	279	75	44	318
2025/6/24 20:10	0	0	0	0	0	226	314	100	46	333
2025/6/24 20:20	0	0	0	0	0	256	305	135	38	378
2025/6/24 20:30	0	0	0	0	0	268	301	97	34	384
2025/6/24 20:40	0	0	0	0	0	270	287	66	33	374
2025/6/24 20:50	0	0	0	0	0	252	288	112	34	391
2025/6/24 21:00	0	0	0	0	0	182	276	132	33	383
2025/6/24 21:10	0	0	0	0	0	189	289	157	40	423
2025/6/24 21:20	0	0	0	0	0	224	285	162	43	377
2025/6/24 21:30	0	0	0	0	0	216	300	153	42	427
2025/6/24 21:40	0	0	0	0	0	236	286	157	39	390
2025/6/24 21:50	0	0	0	0	0	247	328	126	41	344

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/24 22:00	0	0	0	0	0	310	369	152	46	434
2025/6/24 22:10	0	0	0	0	0	256	333	144	48	447
2025/6/24 22:20	0	0	0	0	0	248	317	168	48	432
2025/6/24 22:30	0	0	0	0	0	227	351	147	51	461
2025/6/24 22:40	0	0	0	0	0	311	339	132	52	403
2025/6/24 22:50	0	0	0	0	0	217	306	174	46	424
2025/6/24 23:00	0	0	0	0	0	229	339	195	40	462
2025/6/24 23:10	0	0	0	0	0	292	327	140	45	426
2025/6/24 23:20	0	0	0	0	0	295	346	116	46	376
2025/6/24 23:30	0	0	0	0	0	188	346	156	49	420
2025/6/24 23:40	0	0	0	0	0	268	342	145	44	400
2025/6/24 23:50	0	0	0	0	0	283	333	159	45	430
2025/6/25 0:00	0	0	0	0	0	223	318	153	48	452
2025/6/25 0:10	0	0	0	0	0	273	299	112	44	332
2025/6/25 0:20	0	0	0	0	0	305	318	115	46	427
2025/6/25 0:30	0	0	0	0	0	247	323	144	46	390
2025/6/25 0:40	0	0	0	0	0	204	332	165	51	423
2025/6/25 0:50	0	0	0	0	0	227	275	216	49	491
2025/6/25 1:00	0	0	0	0	0	275	350	130	48	416
2025/6/25 1:10	0	0	0	0	0	237	334	149	76	450
2025/6/25 1:20	0	0	0	0	0	279	351	253	61	481
2025/6/25 1:30	0	0	0	0	0	149	332	186	37	458
2025/6/25 1:40	0	0	0	0	0	239	264	114	34	386
2025/6/25 1:50	0	0	0	0	0	240	269	101	32	376
2025/6/25 2:00	0	0	0	0	0	229	288	169	32	442
2025/6/25 2:10	0	0	0	0	0	278	304	143	38	493
2025/6/25 2:20	0	0	0	0	0	105	244	348	160	397
2025/6/25 2:30	0	0	0	0	0	135	265	273	84	404
2025/6/25 2:40	0	0	0	0	0	134	267	305	63	384
2025/6/25 2:50	0	0	0	0	0	116	255	285	47	401
2025/6/25 3:00	0	0	0	0	0	249	293	98	34	418
2025/6/25 3:10	0	0	0	0	0	167	262	108	34	429
2025/6/25 3:20	0	0	0	0	0	94	232	310	108	375
2025/6/25 3:30	0	0	0	0	0	124	233	234	51	377
2025/6/25 3:40	0	0	0	0	0	111	213	260	63	285
2025/6/25 3:50	0	0	0	0	0	167	214	209	105	378
2025/6/25 4:00	0	0	0	0	0	125	200	270	128	348
2025/6/25 4:10	0	0	0	0	0	114	205	276	177	321
2025/6/25 4:20	0	0	0	0	0	165	213	243	153	410
2025/6/25 4:30	0	0	0	0	0	193	245	118	41	354
2025/6/25 4:40	0	0	0	0	0	170	211	123	47	403
2025/6/25 4:50	0	0	0	0	0	78	191	275	88	338
2025/6/25 5:00	0	0	0	0	0	115	187	205	115	315
2025/6/25 5:10	0	0	0	0	0	88	179	198	77	309
2025/6/25 5:20	0	0	0	0	0	86	182	211	55	361
2025/6/25 5:30	0	0	0	0	0	75	176	204	68	309
2025/6/25 5:40	0	0	0	0	0	84	166	161	44	267
2025/6/25 5:50	0	0	0	0	0	122	177	126	42	328
2025/6/25 6:00	0	0	0	0	0	164	211	133	54	343
2025/6/25 6:10	0	0	0	0	0	145	178	155	112	367
2025/6/25 6:20	0	0	0	0	0	212	223	103	33	335
2025/6/25 6:30	0	0	0	0	0	87	239	211	52	303
2025/6/25 6:40	0	0	0	0	0	59	148	174	97	162
2025/6/25 6:50	0	0	0	0	0	100	181	191	41	386
2025/6/25 7:00	0	0	0	0	0	109	191	160	39	359
2025/6/25 7:10	0	0	0	0	0	112	174	175	35	345
2025/6/25 7:20	0	0	0	0	0	100	217	185	42	326
2025/6/25 7:30	0	0	0	0	0	65	163	209	44	224
2025/6/25 7:40	0	0	0	0	0	158	190	99	49	422
2025/6/25 7:50	0	0	0	0	0	101	186	195	174	266
2025/6/25 8:00	0	0	0	0	0	108	213	238	41	308
2025/6/25 8:10	0	0	0	0	0	155	205	174	64	360
2025/6/25 8:20	0	0	0	0	0	166	214	167	81	293
2025/6/25 8:30	0	0	0	0	0	85	165	63	250	118
2025/6/25 8:40	0	0	0	0	0	48	125	58	317	96
2025/6/25 8:50	0	0	0	0	0	46	155	58	264	101
2025/6/25 9:00	0	0	0	0	0	46	266	59	252	90
2025/6/25 9:10	0	0	0	0	0	71	280	59	267	115
2025/6/25 9:20	0	0	0	0	0	228	253	158	89	518
2025/6/25 9:30	0	0	0	0	0	132	250	216	102	476
2025/6/25 9:40	0	0	0	0	0	238	456	181	90	445
2025/6/25 9:50	0	0	0	0	0	214	463	102	60	402
2025/6/25 10:00	0	0	0	0	0	204	288	196	77	455

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/25 10:10	0	0	0	0	0	236	330	159	74	434
2025/6/25 10:20	0	0	0	0	0	267	379	136	65	415
2025/6/25 10:30	0	0	0	0	0	278	462	150	87	478
2025/6/25 10:40	0	0	0	0	0	192	225	233	157	454
2025/6/25 10:50	0	0	0	0	0	150	219	214	202	475
2025/6/25 11:00	0	0	0	0	0	105	183	273	153	275
2025/6/25 11:10	0	0	0	0	0	125	194	277	341	302
2025/6/25 11:20	0	0	0	0	0	211	302	200	124	426
2025/6/25 11:30	0	0	0	0	0	235	307	100	95	372
2025/6/25 11:40	0	0	0	0	0	162	299	107	62	400
2025/6/25 11:50	0	0	0	0	0	158	279	108	66	389
2025/6/25 12:00	0	0	0	0	0	156	240	104	65	358
2025/6/25 12:10	0	0	0	0	0	188	293	100	50	383
2025/6/25 12:20	0	0	0	0	0	183	253	84	46	372
2025/6/25 12:30	0.1	0	0	0	0	146	210	111	47	372
2025/6/25 12:40	0.1	0	0	0	0	89	174	132	46	311
2025/6/25 12:50	0.1	0	0	0	0	182	280	149	45	382
2025/6/25 13:00	0.1	0	0	0	0	188	371	110	45	495
2025/6/25 13:10	0.1	0	0	0	0	178	397	86	42	307
2025/6/25 13:20	0.1	0	0	0	0	181	401	88	45	373
2025/6/25 13:30	0	0	0	0	0	166	369	94	51	390
2025/6/25 13:40	0	0	0	0	0	181	364	107	58	356
2025/6/25 13:50	0	0	0	0	0	148	345	99	57	388
2025/6/25 14:00	0	0	0	0	0	213	262	77	46	265
2025/6/25 14:10	0	0	0	0	0	227	320	67	44	334
2025/6/25 14:20	0	0	0	0	0	308	387	99	55	398
2025/6/25 14:30	0	0	0	0	0	216	382	161	78	428
2025/6/25 14:40	0	0	0	0	0	181	214	227	201	336
2025/6/25 14:50	0	0	0	0	0	97	153	226	222	281
2025/6/25 15:00	0	0	0	0	0	128	171	250	113	369
2025/6/25 15:10	0	0	0	0	0	165	281	117	64	341
2025/6/25 15:20	0	0	0	0	0	158	343	99	53	391
2025/6/25 15:30	0	0	0	0	0	219	321	101	60	442
2025/6/25 15:40	0	0	0	0	0	287	350	93	60	331
2025/6/25 15:50	0	0	0	0	0	283	371	95	61	303
2025/6/25 16:00	0	0	0	0	0	266	365	86	53	346
2025/6/25 16:10	0	0	0	0	0	195	321	95	81	313
2025/6/25 16:20	0	0	0	0	0	233	367	100	71	332
2025/6/25 16:30	0	0	0	0	0	197	288	105	65	315
2025/6/25 16:40	0	0	0	0	0	200	294	105	108	361
2025/6/25 16:50	0	0	0	0	0	216	281	96	94	362
2025/6/25 17:00	0.1	0	0	0	0	167	264	106	60	326
2025/6/25 17:10	0.1	0.1	0	0	0	152	267	102	54	310
2025/6/25 17:20	0.1	0.1	0	0	0	154	179	90	48	289
2025/6/25 17:30	0.1	0	0	0	0	146	194	88	42	311
2025/6/25 17:40	0.1	0	0	0	0	166	216	86	44	309
2025/6/25 17:50	0	0	0	0	0	151	193	86	32	323
2025/6/25 18:00	0	0	0	0	0	167	202	91	31	296
2025/6/25 18:10	0	0	0	0	0	166	257	95	46	320
2025/6/25 18:20	0	0	0	0	0	173	297	101	65	339
2025/6/25 18:30	0	0	0	0	0	172	379	102	50	328
2025/6/25 18:40	0	0	0	0	0	199	332	103	53	330
2025/6/25 18:50	0	0	0	0	0	190	304	97	48	330
2025/6/25 19:00	0	0	0	0	0	218	318	111	59	361
2025/6/25 19:10	0	0	0	0	0	183	400	118	55	424
2025/6/25 19:20	0	0	0	0	0	212	377	89	35	388
2025/6/25 19:30	0	0	0	0	0	258	335	89	38	411
2025/6/25 19:40	0	0	0	0	0	158	251	92	46	435
2025/6/25 19:50	0	0	0	0	0	231	246	96	45	410
2025/6/25 20:00	0	0	0	0	0	164	248	96	41	421
2025/6/25 20:10	0	0	0	0	0	217	216	92	40	372
2025/6/25 20:20	0	0	0	0	0	157	225	97	41	431
2025/6/25 20:30	0	0	0	0	0	169	286	131	41	466
2025/6/25 20:40	0	0	0	0	0	165	301	108	40	387
2025/6/25 20:50	0	0	0	0	0	192	321	93	33	369
2025/6/25 21:00	0	0	0	0	0	180	222	86	31	372
2025/6/25 21:10	0	0	0	0	0	125	271	91	32	407
2025/6/25 21:20	0	0	0	0	0	204	209	92	38	385
2025/6/25 21:30	0	0	0	0	0	138	244	113	40	390
2025/6/25 21:40	0	0	0	0	0	111	201	159	46	436
2025/6/25 21:50	0	0	0	0	0	147	178	118	36	421
2025/6/25 22:00	0	0	0	0	0	167	169	107	35	433
2025/6/25 22:10	0	0	0	0	0	96	152	108	36	408

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/25 22:20	0	0	0	0	0	105	166	144	43	377
2025/6/25 22:30	0	0	0	0	0	88	147	199	43	350
2025/6/25 22:40	0	0	0	0	0	107	179	155	39	343
2025/6/25 22:50	0	0	0	0	0	101	179	113	40	391
2025/6/25 23:00	0	0	0	0	0	160	149	102	37	358
2025/6/25 23:10	0	0	0	0	0	113	151	158	37	387
2025/6/25 23:20	0	0	0	0	0	122	167	118	36	375
2025/6/25 23:30	0	0	0	0	0	172	213	106	35	327
2025/6/25 23:40	0	0	0	0	0	101	143	205	45	310
2025/6/25 23:50	0	0	0	0	0	82	162	217	76	300
2025/6/26 0:00	0	0	0	0	0	115	154	203	70	341
2025/6/26 0:10	0	0	0	0	0	98	159	175	57	315
2025/6/26 0:20	0	0	0	0	0	90	143	216	135	297
2025/6/26 0:30	0	0	0	0	0	59	117	287	86	201
2025/6/26 0:40	0	0	0	0	0	57	134	215	99	198
2025/6/26 0:50	0	0	0	0	0	56	116	229	81	169
2025/6/26 1:00	0	0	0	0	0	56	107	215	96	218
2025/6/26 1:10	0	0	0	0	0	56	159	205	119	283
2025/6/26 1:20	0	0	0	0	0	51	129	200	78	203
2025/6/26 1:30	0	0	0	0	0	51	124	201	56	184
2025/6/26 1:40	0	0	0	0	0	55	104	198	78	221
2025/6/26 1:50	0	0	0	0	0	51	120	205	61	168
2025/6/26 2:00	0	0	0	0	0	52	105	176	80	143
2025/6/26 2:10	0	0	0	0	0	44	110	147	101	167
2025/6/26 2:20	0	0	0	0	0	44	96	162	72	151
2025/6/26 2:30	0	0	0	0	0	43	84	133	90	131
2025/6/26 2:40	0	0	0	0	0	54	151	194	49	235
2025/6/26 2:50	0	0	0	0	0	46	107	183	102	223
2025/6/26 3:00	0	0	0	0	0	42	84	105	73	110
2025/6/26 3:10	0	0	0	0	0	42	84	88	121	95
2025/6/26 3:20	0	0	0	0	0	41	93	118	79	110
2025/6/26 3:30	0	0	0	0	0	40	82	105	77	100
2025/6/26 3:40	0	0	0	0	0	41	82	107	57	95
2025/6/26 3:50	0	0	0	0	0	44	86	108	50	111
2025/6/26 4:00	0	0	0	0	0	44	87	108	63	103
2025/6/26 4:10	0	0	0	0	0	46	87	106	76	115
2025/6/26 4:20	0	0	0	0	0	49	86	117	52	116
2025/6/26 4:30	0	0	0	0	0	48	85	112	65	102
2025/6/26 4:40	0	0	0	0	0	48	92	76	72	100
2025/6/26 4:50	0	0	0	0	0	47	92	78	87	95
2025/6/26 5:00	0	0	0	0	0	45	86	78	84	95
2025/6/26 5:10	0	0	0	0	0	45	82	76	83	96
2025/6/26 5:20	0	0	0	0	0	45	83	70	103	97
2025/6/26 5:30	0	0	0	0	0	46	89	67	97	101
2025/6/26 5:40	0	0	0	0	0	45	84	61	94	94
2025/6/26 5:50	0	0	0	0	0	45	81	63	74	93
2025/6/26 6:00	0	0	0	0	0	45	83	60	87	93
2025/6/26 6:10	0	0	0	0	0	44	83	60	80	93
2025/6/26 6:20	0	0	0	0	0	44	82	61	84	92
2025/6/26 6:30	0	0	0	0	0	47	81	64	100	97
2025/6/26 6:40	0	0	0	0	0	52	89	68	100	101
2025/6/26 6:50	0	0	0	0	0	45	83	63	108	99
2025/6/26 7:00	0	0	0	0	0	47	81	62	125	100
2025/6/26 7:10	0	0	0	0	0	48	80	61	126	106
2025/6/26 7:20	0	0	0	0	0	50	80	62	111	109
2025/6/26 7:30	0	0	0	0	0	52	81	68	92	107
2025/6/26 7:40	0	0	0	0	0	50	79	64	104	105
2025/6/26 7:50	0	0	0	0	0	43	74	60	81	99
2025/6/26 8:00	0	0	0	0	0	42	75	61	99	98
2025/6/26 8:10	0	0	0	0.1	0	42	85	61	95	99
2025/6/26 8:20	0	0	0.1	0.1	0	44	84	61	116	100
2025/6/26 8:30	0.1	0	0.1	0.1	0	48	79	61	129	103
2025/6/26 8:40	0.1	0	0.1	0.1	0	53	83	61	132	107
2025/6/26 8:50	0.1	0	0.1	0.1	0	55	83	62	90	107
2025/6/26 9:00	0.1	0	0	0.1	0	47	82	61	81	106
2025/6/26 9:10	0.1	0	0.1	0.1	0	45	77	58	75	104
2025/6/26 9:20	0.1	0	0.1	0.1	0	47	78	62	72	108
2025/6/26 9:30	0.1	0	0.1	0.1	0	52	81	65	96	114
2025/6/26 9:40	0.1	0	0.1	0.1	0	54	89	65	76	113
2025/6/26 9:50	0.1	0	0.1	0.1	0	46	86	61	61	107
2025/6/26 10:00	0.1	0	0	0.1	0	49	100	63	35	107
2025/6/26 10:10	0.1	0	0	0.1	0	48	93	66	59	108
2025/6/26 10:20	0.1	0	0	0.1	0	46	95	64	50	109

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/26 10:30	0.1	0	0.1	0.1	0	51	96	63	46	109
2025/6/26 10:40	0.1	0	0.1	0.1	0	60	100	65	44	123
2025/6/26 10:50	0.1	0	0.1	0.1	0	69	137	65	46	115
2025/6/26 11:00	0.1	0	0.1	0.1	0	59	120	67	47	115
2025/6/26 11:10	0.1	0	0.1	0.1	0	57	145	65	71	121
2025/6/26 11:20	0.1	0.1	0.1	0.1	0	66	140	62	54	119
2025/6/26 11:30	0.1	0.1	0.1	0.1	0	61	120	63	59	129
2025/6/26 11:40	0.1	0.1	0.1	0.1	0	59	121	63	70	124
2025/6/26 11:50	0.1	0.1	0.1	0.1	0	79	151	72	41	152
2025/6/26 12:00	0.1	0	0.1	0.1	0	98	130	85	49	202
2025/6/26 12:10	0.1	0	0.1	0.1	0	98	133	86	50	191
2025/6/26 12:20	0.1	0	0.1	0.1	0	100	127	77	48	163
2025/6/26 12:30	0.1	0.1	0.1	0.1	0	85	117	69	37	151
2025/6/26 12:40	0.1	0.1	0	0.1	0	92	127	70	42	153
2025/6/26 12:50	0.1	0.1	0	0.1	0	99	146	74	52	163
2025/6/26 13:00	0.1	0.1	0	0.1	0	109	152	76	40	219
2025/6/26 13:10	0.1	0.1	0	0.1	0	105	174	66	41	175
2025/6/26 13:20	0.1	0.1	0.1	0.1	0	74	157	67	50	156
2025/6/26 13:30	0.1	0.1	0.1	0.1	0	88	181	65	70	160
2025/6/26 13:40	0.1	0.1	0.1	0.1	0	116	184	75	42	201
2025/6/26 13:50	0.1	0.1	0	0.1	0	93	187	83	41	202
2025/6/26 14:00	0.2	0.1	0	0.1	0	94	194	81	40	202
2025/6/26 14:10	0.2	0.1	0	0.1	0	98	203	88	42	214
2025/6/26 14:20	0.2	0.1	0	0.1	0	133	189	84	48	245
2025/6/26 14:30	0.2	0.1	0	0.1	0	125	172	86	54	246
2025/6/26 14:40	0.1	0.1	0	0.1	0	130	226	94	60	231
2025/6/26 14:50	0.1	0.1	0	0.1	0	130	212	81	61	194
2025/6/26 15:00	0.1	0.1	0	0.1	0	92	157	78	44	186
2025/6/26 15:10	0.1	0.1	0	0.1	0	98	180	72	55	144
2025/6/26 15:20	0.1	0.1	0	0.1	0	92	173	65	88	131
2025/6/26 15:30	0.1	0.1	0	0.1	0	77	171	63	30	127
2025/6/26 15:40	0.1	0	0	0.1	0	85	122	61	35	128
2025/6/26 15:50	0.1	0	0	0.1	0	63	133	59	54	126
2025/6/26 16:00	0.1	0	0	0.1	0	80	137	62	45	123
2025/6/26 16:10	0.1	0	0	0.1	0	82	133	63	36	124
2025/6/26 16:20	0.1	0	0	0.1	0	79	147	62	40	124
2025/6/26 16:30	0.1	0	0	0	0	78	162	59	61	120
2025/6/26 16:40	0.1	0	0	0	0	104	209	63	32	123
2025/6/26 16:50	0.1	0	0	0	0	85	169	62	43	121
2025/6/26 17:00	0.1	0	0	0	0	84	121	61	29	128
2025/6/26 17:10	0.1	0	0	0	0	69	127	63	29	124
2025/6/26 17:20	0.1	0	0	0	0	76	137	61	42	123
2025/6/26 17:30	0.1	0	0	0	0	68	139	60	38	125
2025/6/26 17:40	0.1	0	0	0	0	59	137	62	34	122
2025/6/26 17:50	0.1	0	0	0	0	52	141	62	46	119
2025/6/26 18:00	0.1	0	0	0	0	68	131	63	46	120
2025/6/26 18:10	0	0	0	0	0	95	162	63	46	137
2025/6/26 18:20	0	0	0	0	0	67	114	60	30	119
2025/6/26 18:30	0	0	0	0	0	68	118	62	37	120
2025/6/26 18:40	0	0	0	0	0	54	122	62	40	113
2025/6/26 18:50	0	0	0	0	0	53	122	61	25	123
2025/6/26 19:00	0	0	0	0	0	78	144	64	73	112
2025/6/26 19:10	0	0	0	0	0	69	139	65	54	113
2025/6/26 19:20	0	0	0	0	0	110	131	65	32	120
2025/6/26 19:30	0	0	0	0	0	155	130	72	42	230
2025/6/26 19:40	0	0	0	0	0	131	118	68	34	124
2025/6/26 19:50	0	0	0	0	0	124	108	69	29	117
2025/6/26 20:00	0	0	0	0	0	128	107	71	33	173
2025/6/26 20:10	0	0	0	0	0	170	119	75	37	205
2025/6/26 20:20	0	0	0	0	0	181	124	136	87	287
2025/6/26 20:30	0	0	0	0	0	161	169	68	123	114
2025/6/26 20:40	0	0	0	0	0	59	166	63	29	106
2025/6/26 20:50	0	0	0	0	0	87	143	62	33	118
2025/6/26 21:00	0	0	0	0	0	142	135	66	31	178
2025/6/26 21:10	0	0	0	0	0	76	145	63	33	110
2025/6/26 21:20	0	0	0	0	0	179	116	66	30	170
2025/6/26 21:30	0	0	0	0	0	190	144	71	159	232
2025/6/26 21:40	0	0	0	0	0	122	170	64	88	146
2025/6/26 21:50	0	0	0	0	0	170	122	65	29	200
2025/6/26 22:00	0	0	0	0	0	72	146	58	39	101
2025/6/26 22:10	0	0	0	0	0	44	230	55	154	99
2025/6/26 22:20	0	0	0	0	0	60	247	57	137	100
2025/6/26 22:30	0	0	0	0	0	100	158	61	53	100

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/26 22:40	0	0	0	0	0	83	171	56	48	99
2025/6/26 22:50	0	0	0	0	0	99	146	55	20	100
2025/6/26 23:00	0	0	0	0	0	50	178	58	121	96
2025/6/26 23:10	0	0	0	0	0	66	152	57	26	100
2025/6/26 23:20	0	0	0	0	0	49	147	54	26	96
2025/6/26 23:30	0	0	0	0	0	64	170	52	61	95
2025/6/26 23:40	0	0	0	0	0	79	138	51	22	95
2025/6/26 23:50	0	0	0	0	0	51	158	51	22	93
2025/6/27 0:00	0	0	0	0	0	110	146	53	58	95
2025/6/27 0:10	0	0	0	0	0	182	138	56	61	137
2025/6/27 0:20	0	0	0	0	0	120	186	58	173	123
2025/6/27 0:30	0	0	0	0	0	175	191	59	155	95
2025/6/27 0:40	0	0	0	0	0	199	146	70	46	197
2025/6/27 0:50	0	0	0	0	0	159	133	65	29	174
2025/6/27 1:00	0	0	0	0	0	116	132	62	43	104
2025/6/27 1:10	0	0	0	0	0	56	148	56	64	93
2025/6/27 1:20	0	0	0	0	0	60	205	55	108	93
2025/6/27 1:30	0	0	0	0	0	161	195	59	106	107
2025/6/27 1:40	0	0	0	0	0	75	175	55	70	93
2025/6/27 1:50	0	0	0	0	0	63	174	55	98	92
2025/6/27 2:00	0	0	0	0	0	51	208	58	36	90
2025/6/27 2:10	0	0	0	0	0	101	188	60	142	98
2025/6/27 2:20	0	0	0	0	0	126	166	62	105	94
2025/6/27 2:30	0	0	0	0	0	150	148	64	161	94
2025/6/27 2:40	0	0	0	0	0	143	207	60	220	92
2025/6/27 2:50	0	0	0	0	0	362	201	103	131	332
2025/6/27 3:00	0	0	0	0	0	334	218	75	189	233
2025/6/27 3:10	0	0	0	0	0	95	249	66	163	100
2025/6/27 3:20	0	0	0	0	0	278	217	77	114	209
2025/6/27 3:30	0	0	0	0	0	312	182	73	219	340
2025/6/27 3:40	0	0	0	0	0	411	206	122	132	376
2025/6/27 3:50	0	0	0	0	0	324	189	93	208	341
2025/6/27 4:00	0	0	0	0	0	388	192	112	162	453
2025/6/27 4:10	0	0	0	0	0	344	226	129	217	320
2025/6/27 4:20	0	0	0	0	0	166	200	71	207	149
2025/6/27 4:30	0	0	0	0	0	131	178	75	220	143
2025/6/27 4:40	0	0	0	0	0	158	183	78	176	115
2025/6/27 4:50	0	0	0	0	0	211	156	78	184	119
2025/6/27 5:00	0	0	0	0	0	65	136	82	214	114
2025/6/27 5:10	0	0	0	0	0	70	118	84	173	119
2025/6/27 5:20	0	0	0	0	0	352	115	201	113	435
2025/6/27 5:30	0	0	0	0	0	93	137	80	152	195
2025/6/27 5:40	0	0	0	0	0	79	137	77	154	117
2025/6/27 5:50	0	0	0	0	0	166	168	79	168	173
2025/6/27 6:00	0	0	0	0	0	152	150	78	182	116
2025/6/27 6:10	0	0	0	0	0	64	162	82	165	121
2025/6/27 6:20	0	0	0	0	0	65	117	83	170	121
2025/6/27 6:30	0	0	0	0	0	63	109	80	193	116
2025/6/27 6:40	0	0	0	0	0	85	185	77	97	114
2025/6/27 6:50	0	0	0	0	0	170	159	77	170	216
2025/6/27 7:00	0	0	0	0	0	140	157	75	111	150
2025/6/27 7:10	0	0	0	0	0	58	114	77	130	120
2025/6/27 7:20	0	0	0	0	0	59	94	145	115	133
2025/6/27 7:30	0	0	0	0	0	58	108	80	102	178
2025/6/27 7:40	0	0	0	0	0	58	104	67	167	117
2025/6/27 7:50	0	0	0	0	0	135	165	176	68	382
2025/6/27 8:00	0	0	0	0	0	164	118	182	83	352
2025/6/27 8:10	0	0	0	0	0	58	109	145	64	201
2025/6/27 8:20	0	0	0	0	0	59	113	79	124	146
2025/6/27 8:30	0	0	0	0.1	0	58	98	70	85	146
2025/6/27 8:40	0.1	0	0.1	0.1	0	78	112	136	71	303
2025/6/27 8:50	0.1	0	0.1	0.1	0	63	136	85	89	182
2025/6/27 9:00	0.1	0	0.1	0.2	0	47	116	61	81	130
2025/6/27 9:10	0.1	0	0.1	0.2	0	46	120	74	118	145
2025/6/27 9:20	0.1	0	0.1	0.2	0	51	108	92	53	188
2025/6/27 9:30	0.1	0	0.1	0.2	0	50	117	85	55	174
2025/6/27 9:40	0.1	0	0.1	0.1	0	57	140	106	85	191
2025/6/27 9:50	0.1	0	0.1	0.1	0	48	116	80	83	151
2025/6/27 10:00	0.1	0	0.1	0.1	0	55	139	94	112	192
2025/6/27 10:10	0.1	0	0.1	0.1	0	41	111	62	69	156
2025/6/27 10:20	0.1	0	0.1	0.1	0	40	129	65	75	161
2025/6/27 10:30	0.1	0	0.1	0.1	0	39	115	64	83	152
2025/6/27 10:40	0.1	0	0.1	0.1	0	45	112	75	69	166

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/27 10:50	0.1	0	0.1	0.1	0	42	127	76	109	153
2025/6/27 11:00	0.1	0	0.1	0.1	0	96	198	102	77	228
2025/6/27 11:10	0.1	0	0.1	0.1	0	89	172	65	67	201
2025/6/27 11:20	0.1	0	0.1	0.1	0	71	166	94	79	219
2025/6/27 11:30	0.1	0	0.1	0.1	0	70	133	98	87	221
2025/6/27 11:40	0.1	0	0.1	0.1	0	98	195	122	65	245
2025/6/27 11:50	0.1	0	0.1	0.1	0	88	151	108	49	274
2025/6/27 12:00	0.1	0	0.1	0.1	0.1	44	119	64	79	173
2025/6/27 12:10	0.1	0.1	0.1	0.1	0.1	45	117	97	43	209
2025/6/27 12:20	0.1	0.1	0.1	0.1	0.1	39	118	62	56	162
2025/6/27 12:30	0.1	0.1	0	0.1	0.1	40	124	55	89	171
2025/6/27 12:40	0.1	0.1	0	0.1	0.1	59	154	112	51	289
2025/6/27 12:50	0.1	0.1	0	0.1	0.1	75	176	99	60	196
2025/6/27 13:00	0.1	0.1	0	0.1	0.1	42	126	51	85	173
2025/6/27 13:10	0.1	0.1	0	0.1	0.1	45	121	48	100	168
2025/6/27 13:20	0.1	0.1	0	0.1	0.1	46	114	68	71	196
2025/6/27 13:30	0.1	0.1	0	0.1	0.1	89	199	124	108	262
2025/6/27 13:40	0.1	0.1	0	0.1	0.1	59	152	72	112	186
2025/6/27 13:50	0.1	0.1	0	0.1	0	130	245	122	72	317
2025/6/27 14:00	0.1	0.1	0	0.1	0	81	165	54	86	212
2025/6/27 14:10	0.1	0.1	0	0.1	0	71	154	52	96	199
2025/6/27 14:20	0.1	0.1	0	0.1	0	99	209	75	114	330
2025/6/27 14:30	0.1	0.1	0	0.1	0	62	136	127	87	290
2025/6/27 14:40	0.1	0.1	0	0.1	0	54	117	127	95	246
2025/6/27 14:50	0.1	0.1	0	0.1	0	51	119	86	85	182
2025/6/27 15:00	0.1	0.1	0	0.1	0	59	118	126	57	241
2025/6/27 15:10	0.1	0.1	0	0.1	0	87	141	144	104	332
2025/6/27 15:20	0.1	0.1	0	0.1	0	54	126	70	131	161
2025/6/27 15:30	0.1	0.1	0	0.1	0	46	131	73	150	177
2025/6/27 15:40	0.1	0.1	0	0.1	0	70	139	151	68	318
2025/6/27 15:50	0.1	0.1	0	0.1	0	115	215	163	49	300
2025/6/27 16:00	0.1	0.1	0	0.1	0	86	219	171	84	257
2025/6/27 16:10	0.1	0.1	0	0.1	0	109	302	106	42	298
2025/6/27 16:20	0.1	0.1	0	0.1	0	94	195	87	33	271
2025/6/27 16:30	0.1	0.1	0	0.1	0	104	199	99	44	295
2025/6/27 16:40	0.1	0	0	0.1	0	107	200	102	50	289
2025/6/27 16:50	0.1	0	0	0	0	131	163	82	73	277
2025/6/27 17:00	0.1	0	0	0	0	100	157	94	80	268
2025/6/27 17:10	0.1	0	0	0	0	110	148	60	38	228
2025/6/27 17:20	0.1	0	0	0	0	125	170	93	66	259
2025/6/27 17:30	0.1	0	0	0	0	103	143	87	51	283
2025/6/27 17:40	0.1	0	0	0	0	103	151	119	48	313
2025/6/27 17:50	0.1	0	0	0	0	108	175	134	45	371
2025/6/27 18:00	0.1	0	0	0	0	78	147	253	56	367
2025/6/27 18:10	0	0	0	0	0	51	100	176	69	295
2025/6/27 18:20	0	0	0	0	0	65	119	187	61	312
2025/6/27 18:30	0	0	0	0	0	78	142	210	78	315
2025/6/27 18:40	0	0	0	0	0	132	171	185	63	355
2025/6/27 18:50	0	0	0	0	0	169	164	132	39	363
2025/6/27 19:00	0	0	0	0	0	135	155	164	45	382
2025/6/27 19:10	0	0	0	0	0	174	179	151	38	383
2025/6/27 19:20	0	0	0	0	0	124	145	174	43	406
2025/6/27 19:30	0	0	0	0	0	111	167	193	40	407
2025/6/27 19:40	0	0	0	0	0	96	140	130	22	280
2025/6/27 19:50	0	0	0	0	0	107	123	114	22	292
2025/6/27 20:00	0	0	0	0	0	75	146	171	17	357
2025/6/27 20:10	0	0	0	0	0	65	157	267	77	311
2025/6/27 20:20	0	0	0	0	0	78	159	241	32	471
2025/6/27 20:30	0	0	0	0	0	93	176	220	49	387
2025/6/27 20:40	0	0	0	0	0	78	166	218	31	343
2025/6/27 20:50	0	0	0	0	0	73	136	256	54	433
2025/6/27 21:00	0	0	0	0	0	73	167	239	62	390
2025/6/27 21:10	0	0	0	0	0	78	135	215	85	414
2025/6/27 21:20	0	0	0	0	0	96	139	263	87	464
2025/6/27 21:30	0	0	0	0	0	123	157	179	57	406
2025/6/27 21:40	0	0	0	0	0	89	168	205	42	379
2025/6/27 21:50	0	0	0	0	0	90	136	224	155	339
2025/6/27 22:00	0	0	0	0	0	72	152	239	67	440
2025/6/27 22:10	0	0	0	0	0	79	134	260	131	409
2025/6/27 22:20	0	0	0	0	0	114	149	289	159	531
2025/6/27 22:30	0	0	0	0	0	113	137	273	116	441
2025/6/27 22:40	0	0	0	0	0	246	134	238	152	650
2025/6/27 22:50	0	0	0	0	0	40	143	176	181	209

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/27 23:00	0	0	0	0	0	50	105	105	207	248
2025/6/27 23:10	0	0	0	0	0	100	111	248	150	445
2025/6/27 23:20	0	0	0	0	0	48	100	58	277	167
2025/6/27 23:30	0	0	0	0	0	105	123	198	195	237
2025/6/27 23:40	0	0	0	0	0	93	124	254	145	296
2025/6/27 23:50	0	0	0	0	0	71	130	220	197	385
2025/6/28 0:00	0	0	0	0	0	49	149	133	177	181
2025/6/28 0:10	0	0	0	0	0	76	161	171	240	310
2025/6/28 0:20	0	0	0	0	0	79	148	251	224	284
2025/6/28 0:30	0	0	0	0	0	192	170	284	157	491
2025/6/28 0:40	0	0	0	0	0	93	148	289	159	451
2025/6/28 0:50	0	0	0	0	0	145	118	268	115	433
2025/6/28 1:00	0	0	0	0	0	253	144	260	113	537
2025/6/28 1:10	0	0	0	0	0	130	127	230	180	449
2025/6/28 1:20	0	0	0	0	0	91	130	190	153	316
2025/6/28 1:30	0	0	0	0	0	230	166	250	131	632
2025/6/28 1:40	0	0	0	0	0	320	172	269	180	792
2025/6/28 1:50	0	0	0	0	0	363	186	311	194	779
2025/6/28 2:00	0	0	0	0	0.3	174	164	297	207	563
2025/6/28 2:10	0	0	0	0	0	124	164	129	322	374
2025/6/28 2:20	0	0	0	0	0.2	583	164	299	270	942
2025/6/28 2:30	0	0	0	0	2.9	599	206	354	292	1036
2025/6/28 2:40	0	0	0	0	3.9	758	190	274	407	1017
2025/6/28 2:50	0	0	0	0	3.9	607	186	337	357	984
2025/6/28 3:00	0	0	0	0	3.5	555	182	383	278	909
2025/6/28 3:10	0	0	0	0	1.8	541	201	384	319	945
2025/6/28 3:20	0	0	0	0	3.3	326	193	108	419	550
2025/6/28 3:30	0	0	0	0	0.2	169	144	83	453	279
2025/6/28 3:40	0	0	0	0	0.1	110	120	85	395	319
2025/6/28 3:50	0	0	0	0	0.3	263	155	169	295	713
2025/6/28 4:00	0	0	0	0	1.4	562	198	387	234	880
2025/6/28 4:10	0	0	0	0	1.1	158	166	250	238	430
2025/6/28 4:20	0	0	0	0	0	186	159	271	249	548
2025/6/28 4:30	0	0	0	0	0	108	168	201	263	465
2025/6/28 4:40	0	0	0	0	0	386	170	293	214	831
2025/6/28 4:50	0	0	0	0	1.3	724	206	313	169	783
2025/6/28 5:00	0	0	0	0	0	553	235	306	274	865
2025/6/28 5:10	0	0	0	0	1.4	305	227	352	231	903
2025/6/28 5:20	0	0	0	0	2.2	240	175	281	193	714
2025/6/28 5:30	0	0	0	0	1	126	130	191	162	424
2025/6/28 5:40	0	0	0	0	0	74	111	119	149	243
2025/6/28 5:50	0	0	0	0	0	67	105	94	102	238
2025/6/28 6:00	0	0	0	0	0	58	96	108	86	167
2025/6/28 6:10	0	0	0	0	0	55	88	74	77	185
2025/6/28 6:20	0	0	0.1	0	0	49	83	70	63	176
2025/6/28 6:30	0	0	0.1	0	0	50	85	113	67	165
2025/6/28 6:40	0	0	0.1	0.1	0	48	82	84	84	180
2025/6/28 6:50	0	0	0.1	0.1	0	48	89	57	152	127
2025/6/28 7:00	0	0	0.1	0.1	0	43	86	57	165	128
2025/6/28 7:10	0	0	0.1	0.1	0	42	93	55	177	142
2025/6/28 7:20	0	0	0.1	0.1	0	36	78	52	156	146
2025/6/28 7:30	0	0	0.1	0.1	0	32	72	47	167	118
2025/6/28 7:40	0	0	0.1	0.1	0	36	69	48	153	124
2025/6/28 7:50	0	0	0.1	0.1	0	33	71	52	197	121
2025/6/28 8:00	0	0	0.1	0.1	0	34	77	50	214	122
2025/6/28 8:10	0	0	0.1	0.1	0	33	81	49	210	120
2025/6/28 8:20	0	0	0.1	0.1	0	31	78	49	223	118
2025/6/28 8:30	0	0	0.1	0.1	0	28	90	49	244	122
2025/6/28 8:40	0	0	0.1	0.1	0	40	73	51	163	134
2025/6/28 8:50	0.1	0	0.1	0.1	0	41	83	50	208	131
2025/6/28 9:00	0.1	0	0.1	0.1	0	45	71	59	129	143
2025/6/28 9:10	0.1	0	0.1	0.1	0	39	81	52	121	144
2025/6/28 9:20	0.1	0	0.1	0.2	0	35	80	64	77	160
2025/6/28 9:30	0.1	0	0.1	0.1	0	31	79	81	62	169
2025/6/28 9:40	0.1	0	0.1	0.1	0	40	73	60	105	155
2025/6/28 9:50	0.1	0	0.1	0.1	0	32	77	56	52	163
2025/6/28 10:00	0.1	0	0.1	0.1	0	31	71	52	54	157
2025/6/28 10:10	0.1	0	0.1	0.1	0	37	76	64	53	170
2025/6/28 10:20	0.1	0	0.1	0.1	0	29	67	69	35	190
2025/6/28 10:30	0.1	0	0.1	0.1	0	37	78	72	44	190
2025/6/28 10:40	0.1	0	0.1	0.1	0	47	88	58	57	207
2025/6/28 10:50	0.1	0	0.1	0.1	0	35	71	57	47	173
2025/6/28 11:00	0.1	0	0.1	0.1	0	34	82	62	66	165

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/28 11:10	0.1	0	0.1	0.1	0	34	103	67	72	203
2025/6/28 11:20	0.1	0	0.1	0.1	0	34	83	84	50	230
2025/6/28 11:30	0.1	0	0.1	0.1	0	36	85	52	82	171
2025/6/28 11:40	0.1	0	0.1	0.1	0	41	80	68	71	201
2025/6/28 11:50	0.1	0	0.1	0.1	0	47	95	61	62	195
2025/6/28 12:00	0.1	0	0.1	0.1	0.1	31	97	45	123	161
2025/6/28 12:10	0.1	0	0.1	0.1	0.1	47	105	83	59	233
2025/6/28 12:20	0.1	0	0.1	0.1	0.1	63	113	133	25	293
2025/6/28 12:30	0.1	0.1	0.1	0.1	0.1	56	147	102	37	321
2025/6/28 12:40	0.1	0.1	0	0.1	0.1	107	138	104	23	317
2025/6/28 12:50	0.1	0.1	0	0.1	0.1	37	101	62	100	206
2025/6/28 13:00	0.1	0.1	0	0.1	0.1	40	105	78	68	231
2025/6/28 13:10	0.1	0.1	0	0.1	0.1	56	134	132	57	306
2025/6/28 13:20	0.1	0.1	0	0.1	0.1	79	157	114	21	309
2025/6/28 13:30	0.1	0.1	0	0.1	0	60	129	131	36	307
2025/6/28 13:40	0.2	0.1	0	0.1	0	67	123	128	30	327
2025/6/28 13:50	0.2	0.1	0	0.1	0	95	159	97	23	282
2025/6/28 14:00	0.2	0.1	0	0.1	0	79	141	74	72	256
2025/6/28 14:10	0.2	0.1	0	0.1	0	65	140	82	61	275
2025/6/28 14:20	0.2	0.1	0	0.1	0	88	154	94	34	333
2025/6/28 14:30	0.2	0.1	0	0.1	0	61	134	137	54	339
2025/6/28 14:40	0.2	0.1	0	0.1	0	98	160	76	83	267
2025/6/28 14:50	0.2	0.1	0	0.1	0	64	115	144	44	291
2025/6/28 15:00	0.2	0.1	0	0.1	0.1	84	177	55	60	248
2025/6/28 15:10	0.2	0.1	0	0.1	0	60	133	177	41	284
2025/6/28 15:20	0.2	0.1	0	0.1	0	88	154	129	28	301
2025/6/28 15:30	0.2	0.1	0	0.1	0	69	152	96	81	310
2025/6/28 15:40	0.2	0.1	0	0.1	0	105	158	111	23	377
2025/6/28 15:50	0.2	0.1	0	0.1	0	81	186	134	33	322
2025/6/28 16:00	0.2	0.2	0	0.1	0	98	198	109	22	348
2025/6/28 16:10	0.2	0.2	0	0.1	0	93	237	113	22	314
2025/6/28 16:20	0.2	0.2	0	0.1	0	134	298	66	42	299
2025/6/28 16:30	0.2	0.2	0	0.1	0	72	143	155	33	322
2025/6/28 16:40	0.2	0.2	0	0.1	0	98	214	126	23	323
2025/6/28 16:50	0.2	0.2	0	0.1	0	117	219	115	20	371
2025/6/28 17:00	0.2	0.1	0	0.1	0	82	170	145	20	331
2025/6/28 17:10	0.1	0.1	0	0.1	0	131	716	95	20	330
2025/6/28 17:20	0.1	0.1	0	0	0	75	378	109	16	311
2025/6/28 17:30	0.1	0.1	0	0.1	0	104	193	101	11	312
2025/6/28 17:40	0.1	0.1	0	0	0	67	162	123	16	332
2025/6/28 17:50	0.1	0.1	0	0	0	98	136	94	14	308
2025/6/28 18:00	0.1	0	0	0	0	82	132	105	13	316
2025/6/28 18:10	0.1	0	0	0	0	80	119	103	12	298
2025/6/28 18:20	0.1	0	0	0	0	126	125	79	15	294
2025/6/28 18:30	0.1	0	0	0	0	81	145	128	16	316
2025/6/28 18:40	0	0	0	0	0	95	169	149	19	349
2025/6/28 18:50	0	0	0	0	0	88	149	133	20	350
2025/6/28 19:00	0	0	0	0	0	72	143	111	21	319
2025/6/28 19:10	0	0	0	0	0	92	163	112	27	354
2025/6/28 19:20	0	0	0	0	0	90	162	117	23	307
2025/6/28 19:30	0	0	0	0	0	74	134	116	25	314
2025/6/28 19:40	0	0	0	0	0	91	125	125	27	315
2025/6/28 19:50	0	0	0	0	0	99	140	120	32	303
2025/6/28 20:00	0	0	0	0	0	91	153	107	28	300
2025/6/28 20:10	0	0	0	0	0	83	132	121	23	340
2025/6/28 20:20	0	0	0	0	0	110	146	124	21	337
2025/6/28 20:30	0	0	0	0	0	141	140	108	18	327
2025/6/28 20:40	0	0	0	0	0	153	128	76	17	266
2025/6/28 20:50	0	0	0	0	0	142	139	108	18	327
2025/6/28 21:00	0	0	0	0	0	195	142	97	19	320
2025/6/28 21:10	0	0	0	0	0	190	121	61	17	270
2025/6/28 21:20	0	0	0	0	0	151	136	106	19	380
2025/6/28 21:30	0	0	0	0	0	132	161	176	26	385
2025/6/28 21:40	0	0	0	0	0	150	176	163	34	418
2025/6/28 21:50	0	0	0	0	0	158	170	140	32	393
2025/6/28 22:00	0	0	0	0	0	216	175	93	24	399
2025/6/28 22:10	0	0	0	0	0	216	159	54	21	240
2025/6/28 22:20	0	0	0	0	0	191	177	144	19	389
2025/6/28 22:30	0	0	0	0	0	135	165	157	15	367
2025/6/28 22:40	0	0	0	0	0	151	196	163	21	413
2025/6/28 22:50	0	0	0	0	0	186	197	155	21	429
2025/6/28 23:00	0	0	0	0	0	140	188	170	22	435
2025/6/28 23:10	0	0	0	0	0	179	203	182	24	442

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/28 23:20	0	0	0	0	0	167	205	192	27	486
2025/6/28 23:30	0	0	0	0	0	183	233	191	34	520
2025/6/28 23:40	0	0	0	0	0	190	236	202	44	506
2025/6/28 23:50	0	0	0	0	0	260	239	209	55	529
2025/6/29 0:00	0	0	0	0	0	232	233	208	56	509
2025/6/29 0:10	0	0	0	0	0	239	232	190	64	537
2025/6/29 0:20	0	0	0	0	0	219	225	239	140	527
2025/6/29 0:30	0	0	0	0	0	296	255	224	74	605
2025/6/29 0:40	0	0	0	0	0	259	262	180	185	556
2025/6/29 0:50	0	0	0	0	0	231	210	270	57	631
2025/6/29 1:00	0	0	0	0	0	298	281	269	121	669
2025/6/29 1:10	0	0	0	0	0	657	219	398	410	884
2025/6/29 1:20	0	0	0	0	0.4	797	344	372	381	872
2025/6/29 1:30	0	0	0	0	0.2	747	254	407	388	910
2025/6/29 1:40	0	0	0	0	0.6	365	281	436	453	1041
2025/6/29 1:50	0	0	0	0	3.3	662	297	407	438	1018
2025/6/29 2:00	0	0	0	0	3	621	333	433	467	1069
2025/6/29 2:10	0	0	0	0	4	434	283	433	363	989
2025/6/29 2:20	0	0	0	0	2.9	523	360	446	487	1062
2025/6/29 2:30	0	0	0	0	3.9	539	315	443	440	1108
2025/6/29 2:40	0	0	0	0	4.5	231	270	479	405	683
2025/6/29 2:50	0	0	0	0	0.1	466	297	433	410	1086
2025/6/29 3:00	0	0	0	0	4.6	441	271	412	426	961
2025/6/29 3:10	0	0	0	0	3	233	297	400	405	1015
2025/6/29 3:20	0	0	0	0	4.4	115	263	471	397	1104
2025/6/29 3:30	0	0	0	0	5	666	300	420	450	979
2025/6/29 3:40	0	0	0	0	3.1	248	304	382	505	631
2025/6/29 3:50	0	0	0	0	1	93	198	305	373	906
2025/6/29 4:00	0	0	0	0	3.2	113	203	301	357	842
2025/6/29 4:10	0	0	0	0	2	333	237	410	369	973
2025/6/29 4:20	0	0	0	0	3.2	384	208	383	306	952
2025/6/29 4:30	0	0	0	0	2.6	115	216	457	276	811
2025/6/29 4:40	0	0	0	0	0.4	152	251	316	338	712
2025/6/29 4:50	0	0	0	0	0.9	85	189	217	347	514
2025/6/29 5:00	0	0	0	0	0.3	112	232	235	308	537
2025/6/29 5:10	0	0	0	0	0.8	118	234	236	268	666
2025/6/29 5:20	0	0	0	0	1.3	110	175	158	291	385
2025/6/29 5:30	0	0	0	0	0	94	138	217	223	262
2025/6/29 5:40	0	0	0	0	0	198	161	282	122	653
2025/6/29 5:50	0	0	0	0	0	117	198	303	181	626
2025/6/29 6:00	0	0	0	0	0	230	182	237	179	797
2025/6/29 6:10	0	0	0.1	0	0.1	94	179	188	268	485
2025/6/29 6:20	0	0	0.1	0	0.3	82	144	70	233	186
2025/6/29 6:30	0	0	0.1	0	0	62	133	63	260	147
2025/6/29 6:40	0	0	0.1	0.1	0	53	123	61	260	141
2025/6/29 6:50	0	0	0.1	0.1	0	48	106	70	236	220
2025/6/29 7:00	0	0	0.1	0.1	0	47	113	57	228	153
2025/6/29 7:10	0	0	0.1	0.2	0	47	159	56	188	142
2025/6/29 7:20	0	0	0.2	0.2	0	48	115	59	172	191
2025/6/29 7:30	0	0	0.2	0.2	0	110	111	56	155	219
2025/6/29 7:40	0	0	0.2	0.2	0	42	106	54	157	153
2025/6/29 7:50	0	0	0.2	0.2	0	62	119	55	112	168
2025/6/29 8:00	0.1	0	0.2	0.2	0	46	145	62	98	172
2025/6/29 8:10	0.1	0	0.2	0.2	0	48	125	59	105	223
2025/6/29 8:20	0.1	0	0.2	0.2	0	57	136	101	66	218
2025/6/29 8:30	0.1	0	0.2	0.2	0	92	160	100	129	274
2025/6/29 8:40	0.1	0	0.2	0.2	0	28	103	59	135	152
2025/6/29 8:50	0.1	0	0.2	0.2	0	32	148	62	245	155
2025/6/29 9:00	0.1	0	0.1	0.2	0	52	182	63	216	162
2025/6/29 9:10	0.1	0	0.1	0.2	0	67	129	68	142	205
2025/6/29 9:20	0.1	0	0.1	0.2	0	60	148	116	76	267
2025/6/29 9:30	0.1	0	0.1	0.2	0	48	166	72	93	237
2025/6/29 9:40	0.1	0	0.1	0.2	0	25	86	62	205	174
2025/6/29 9:50	0.1	0	0.1	0.2	0	81	148	64	139	191
2025/6/29 10:00	0.1	0	0.1	0.2	0	34	131	61	157	176
2025/6/29 10:10	0.1	0	0.1	0.1	0	32	110	72	81	253
2025/6/29 10:20	0.1	0	0.1	0.1	0	28	128	61	135	182
2025/6/29 10:30	0.1	0	0.1	0.1	0	32	116	62	182	184
2025/6/29 10:40	0.1	0	0.1	0.1	0.1	49	134	63	114	188
2025/6/29 10:50	0.1	0	0.1	0.1	0.1	97	135	69	64	288
2025/6/29 11:00	0.1	0	0.1	0.1	0.1	55	126	120	19	281
2025/6/29 11:10	0.1	0	0.1	0.1	0.1	93	171	106	24	262
2025/6/29 11:20	0.1	0	0.1	0.1	0.1	102	163	98	29	354

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/29 11:30	0.1	0	0.1	0.1	0.1	120	163	91	26	328
2025/6/29 11:40	0.1	0	0.1	0.1	0.1	155	179	64	50	336
2025/6/29 11:50	0.1	0	0.1	0.1	0.1	140	192	70	56	320
2025/6/29 12:00	0.1	0.1	0.1	0.1	0.1	146	161	79	27	290
2025/6/29 12:10	0.1	0.1	0.1	0.1	0.1	141	169	93	29	330
2025/6/29 12:20	0.1	0.1	0.1	0.1	0.1	119	169	75	47	325
2025/6/29 12:30	0.1	0.1	0.1	0.1	0.1	145	184	100	85	354
2025/6/29 12:40	0.1	0.1	0.1	0.1	0.1	137	175	73	31	340
2025/6/29 12:50	0.1	0.1	0.1	0.1	0.1	132	175	70	38	309
2025/6/29 13:00	0.1	0.1	0.1	0.1	0.1	106	181	93	42	379
2025/6/29 13:10	0.1	0.1	0.1	0.1	0.1	181	184	60	24	329
2025/6/29 13:20	0.1	0.1	0	0.1	0.1	109	178	109	26	355
2025/6/29 13:30	0.1	0.1	0	0.1	0.1	155	166	72	23	306
2025/6/29 13:40	0.1	0.1	0	0.1	0	110	168	79	18	366
2025/6/29 13:50	0.2	0.1	0	0.1	0	121	171	44	19	286
2025/6/29 14:00	0.2	0.1	0	0.1	0	113	177	89	18	314
2025/6/29 14:10	0.2	0.1	0	0.1	0	130	198	70	20	300
2025/6/29 14:20	0.2	0.1	0	0.1	0	136	184	93	19	386
2025/6/29 14:30	0.2	0.1	0	0.1	0	111	187	124	16	401
2025/6/29 14:40	0.2	0.1	0	0.1	0	129	166	90	18	365
2025/6/29 14:50	0.2	0.1	0	0.1	0	127	149	132	19	402
2025/6/29 15:00	0.2	0.1	0	0.1	0	136	163	132	17	372
2025/6/29 15:10	0.2	0.1	0	0.1	0	146	164	96	16	349
2025/6/29 15:20	0.2	0.1	0	0.1	0	149	185	107	18	363
2025/6/29 15:30	0.2	0.1	0	0.1	0	136	167	110	19	398
2025/6/29 15:40	0.2	0.1	0	0.1	0	129	159	106	19	365
2025/6/29 15:50	0.2	0.1	0	0.1	0	128	166	81	18	351
2025/6/29 16:00	0.2	0.1	0	0.1	0	138	158	86	21	338
2025/6/29 16:10	0.2	0.1	0	0.1	0	131	196	68	20	358
2025/6/29 16:20	0.2	0.1	0	0.1	0	122	136	111	18	364
2025/6/29 16:30	0.2	0.1	0	0.1	0	134	169	87	18	337
2025/6/29 16:40	0.1	0.1	0	0.1	0	141	157	102	20	327
2025/6/29 16:50	0.1	0.1	0	0.1	0	166	166	107	19	336
2025/6/29 17:00	0.1	0.1	0	0	0	127	174	116	21	338
2025/6/29 17:10	0.1	0.1	0	0	0	145	170	100	19	350
2025/6/29 17:20	0.1	0.1	0	0	0	154	150	91	20	332
2025/6/29 17:30	0.1	0.1	0	0	0	119	164	112	18	403
2025/6/29 17:40	0.1	0.1	0	0	0	129	174	103	15	357
2025/6/29 17:50	0.1	0.1	0	0	0	156	149	90	16	332
2025/6/29 18:00	0.1	0.1	0	0	0	137	172	121	16	345
2025/6/29 18:10	0.1	0.1	0	0	0	181	161	95	16	385
2025/6/29 18:20	0.1	0.1	0	0	0	173	158	130	15	367
2025/6/29 18:30	0.1	0.1	0	0	0	170	171	93	15	394
2025/6/29 18:40	0	0	0	0	0	164	172	160	14	387
2025/6/29 18:50	0	0	0	0	0	192	179	133	16	416
2025/6/29 19:00	0	0	0	0	0	204	162	128	15	352
2025/6/29 19:10	0	0	0	0	0	182	169	103	17	339
2025/6/29 19:20	0	0	0	0	0	223	154	93	20	359
2025/6/29 19:30	0	0	0	0	0	195	153	82	21	320
2025/6/29 19:40	0	0	0	0	0	171	156	118	22	362
2025/6/29 19:50	0	0	0	0	0	170	151	105	22	306
2025/6/29 20:00	0	0	0	0	0	157	144	86	22	323
2025/6/29 20:10	0	0	0	0	0	191	141	71	22	328
2025/6/29 20:20	0	0	0	0	0	176	151	76	22	346
2025/6/29 20:30	0	0	0	0	0	201	152	91	26	383
2025/6/29 20:40	0	0	0	0	0	235	190	164	26	436
2025/6/29 20:50	0	0	0	0	0	236	203	148	27	437
2025/6/29 21:00	0	0	0	0	0	197	184	169	27	434
2025/6/29 21:10	0	0	0	0	0	208	171	146	27	343
2025/6/29 21:20	0	0	0	0	0	186	173	145	26	380
2025/6/29 21:30	0	0	0	0	0	210	173	99	28	387
2025/6/29 21:40	0	0	0	0	0	228	175	89	28	389
2025/6/29 21:50	0	0	0	0	0	214	186	173	30	435
2025/6/29 22:00	0	0	0	0	0	196	182	141	29	383
2025/6/29 22:10	0	0	0	0	0	215	194	95	28	348
2025/6/29 22:20	0	0	0	0	0	188	178	182	29	447
2025/6/29 22:30	0	0	0	0	0	208	189	172	35	400
2025/6/29 22:40	0	0	0	0	0	214	181	141	33	400
2025/6/29 22:50	0	0	0	0	0	202	184	164	32	409
2025/6/29 23:00	0	0	0	0	0	181	195	200	31	456
2025/6/29 23:10	0	0	0	0	0	222	187	167	33	358
2025/6/29 23:20	0	0	0	0	0	214	185	189	33	413
2025/6/29 23:30	0	0	0	0	0	207	184	169	32	398

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/29 23:40	0	0	0	0	0	234	190	118	35	446
2025/6/29 23:50	0	0	0	0	0	246	194	167	37	390
2025/6/30 0:00	0	0	0	0	0	211	178	152	34	364
2025/6/30 0:10	0	0	0	0	0	234	192	122	38	439
2025/6/30 0:20	0	0	0	0	0	240	194	164	38	371
2025/6/30 0:30	0	0	0	0	0	230	196	143	36	410
2025/6/30 0:40	0	0	0	0	0	228	197	186	35	481
2025/6/30 0:50	0	0	0	0	0	246	192	135	35	428
2025/6/30 1:00	0	0	0	0	0	318	187	82	39	373
2025/6/30 1:10	0	0	0	0	0	291	195	155	37	331
2025/6/30 1:20	0	0	0	0	0	317	192	156	39	350
2025/6/30 1:30	0	0	0	0	0	347	176	130	45	455
2025/6/30 1:40	0	0	0	0	0	221	194	179	48	464
2025/6/30 1:50	0	0	0	0	0	231	198	215	48	478
2025/6/30 2:00	0	0	0	0	0	268	194	176	51	422
2025/6/30 2:10	0	0	0	0	0	296	184	160	50	452
2025/6/30 2:20	0	0	0	0	0	260	197	188	51	413
2025/6/30 2:30	0	0	0	0	0	238	205	173	53	432
2025/6/30 2:40	0	0	0	0	0	279	233	206	54	420
2025/6/30 2:50	0	0	0	0	0	241	211	210	55	474
2025/6/30 3:00	0	0	0	0	0	168	241	204	63	513
2025/6/30 3:10	0	0	0	0	0	117	231	200	69	559
2025/6/30 3:20	0	0	0	0	0	154	237	182	62	519
2025/6/30 3:30	0	0	0	0	0	178	203	162	64	419
2025/6/30 3:40	0	0	0	0	0	170	220	183	63	405
2025/6/30 3:50	0	0	0	0	0	271	188	160	55	372
2025/6/30 4:00	0	0	0	0	0	219	174	181	61	396
2025/6/30 4:10	0	0	0	0	0	94	245	193	70	412
2025/6/30 4:20	0	0	0	0	0	142	215	145	72	535
2025/6/30 4:30	0	0	0	0	0	162	244	148	59	476
2025/6/30 4:40	0	0	0	0	0	112	237	122	46	538
2025/6/30 4:50	0	0	0	0	0	85	214	124	49	410
2025/6/30 5:00	0	0	0	0	0	159	166	108	53	320
2025/6/30 5:10	0	0	0	0	0	243	175	86	52	312
2025/6/30 5:20	0	0	0	0	0	206	158	105	48	338
2025/6/30 5:30	0	0	0	0	0	169	220	107	65	373
2025/6/30 5:40	0	0	0	0	0	293	291	238	277	529
2025/6/30 5:50	0	0	0	0	0	281	263	196	160	383
2025/6/30 6:00	0	0	0	0	0	212	208	82	66	226
2025/6/30 6:10	0	0	0.1	0	0	230	180	85	57	224
2025/6/30 6:20	0	0	0	0	0	137	194	84	137	268
2025/6/30 6:30	0	0	0	0	0	122	216	80	204	196
2025/6/30 6:40	0	0	0	0	0	166	233	96	45	457
2025/6/30 6:50	0	0	0	0	0	144	218	83	73	290
2025/6/30 7:00	0	0	0	0.1	0	69	248	75	250	159
2025/6/30 7:10	0	0	0.1	0.1	0	132	318	66	203	160
2025/6/30 7:20	0	0	0.1	0.1	0	150	204	91	216	265
2025/6/30 7:30	0	0	0.1	0.1	0	82	275	63	229	158
2025/6/30 7:40	0	0	0.1	0.1	0	217	233	77	103	249
2025/6/30 7:50	0.1	0	0.1	0.1	0	109	209	174	83	213
2025/6/30 8:00	0.1	0	0.1	0.1	0	176	242	112	52	385
2025/6/30 8:10	0.1	0	0.1	0.2	0	153	271	165	52	447
2025/6/30 8:20	0.1	0	0.1	0.2	0	126	243	87	45	324
2025/6/30 8:30	0.1	0	0.1	0.2	0	153	231	139	118	421
2025/6/30 8:40	0.1	0	0.1	0.2	0	120	254	83	109	230
2025/6/30 8:50	0.1	0	0.1	0.2	0	135	237	138	68	324
2025/6/30 9:00	0.1	0	0.1	0.2	0	167	295	136	76	362
2025/6/30 9:10	0.1	0	0.1	0.2	0	143	279	135	65	299
2025/6/30 9:20	0.1	0	0.1	0.2	0	178	216	100	53	341
2025/6/30 9:30	0.1	0	0.1	0.2	0	146	214	93	55	241
2025/6/30 9:40	0.1	0	0.1	0.2	0	100	232	123	95	359
2025/6/30 9:50	0.1	0	0.1	0.2	0	139	216	106	58	306
2025/6/30 10:00	0.1	0	0.1	0.2	0	128	204	114	61	333
2025/6/30 10:10	0.1	0	0.1	0.1	0	121	200	97	50	338
2025/6/30 10:20	0.1	0	0.1	0.1	0	143	231	82	51	256
2025/6/30 10:30	0.1	0	0.1	0.1	0	117	197	100	46	356
2025/6/30 10:40	0.1	0	0.1	0.1	0	106	267	120	73	318
2025/6/30 10:50	0.1	0	0.1	0.1	0	152	210	104	57	309
2025/6/30 11:00	0.1	0	0.1	0.1	0	106	252	103	79	357
2025/6/30 11:10	0.1	0	0.1	0.1	0	137	204	82	43	301
2025/6/30 11:20	0.1	0	0.1	0.1	0	143	183	96	50	310
2025/6/30 11:30	0.1	0	0.1	0.1	0	115	214	102	50	339
2025/6/30 11:40	0.1	0	0.1	0.1	0	99	202	115	48	355

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/6/30 11:50	0.1	0.1	0.1	0.1	0	126	209	99	52	343
2025/6/30 12:00	0.1	0.1	0.1	0.1	0	140	181	83	42	309
2025/6/30 12:10	0.1	0.1	0.1	0.1	0	108	192	103	44	329
2025/6/30 12:20	0.1	0.1	0.1	0.1	0.1	123	182	63	36	238
2025/6/30 12:30	0.1	0.1	0.1	0.1	0	141	190	60	31	276
2025/6/30 12:40	0.1	0.1	0.1	0.1	0	115	170	67	33	265
2025/6/30 12:50	0.1	0.1	0.1	0.1	0	102	160	92	34	334
2025/6/30 13:00	0.1	0.1	0.1	0.1	0.1	141	213	59	78	261
2025/6/30 13:10	0.1	0.1	0.1	0.1	0.1	131	288	67	53	322
2025/6/30 13:20	0.1	0.1	0.1	0.1	0.1	131	260	71	40	290
2025/6/30 13:30	0.1	0.1	0.1	0.1	0.1	134	255	92	49	325
2025/6/30 13:40	0.1	0.1	0.1	0.1	0	129	256	70	79	320
2025/6/30 13:50	0.1	0.1	0.1	0.1	0	144	225	87	48	321
2025/6/30 14:00	0.2	0.1	0	0.1	0	147	253	88	49	363
2025/6/30 14:10	0.2	0.1	0	0.1	0	131	270	75	63	300
2025/6/30 14:20	0.2	0.1	0	0.1	0	121	326	103	50	327
2025/6/30 14:30	0.2	0.1	0	0.1	0	144	266	83	68	303
2025/6/30 14:40	0.2	0.1	0	0.1	0	137	296	86	52	327
2025/6/30 14:50	0.2	0.1	0	0.1	0	123	307	87	46	334
2025/6/30 15:00	0.2	0.1	0	0.1	0	137	214	83	58	341
2025/6/30 15:10	0.2	0.1	0	0.1	0	114	208	80	40	311
2025/6/30 15:20	0.2	0.1	0	0.1	0	175	214	58	44	315
2025/6/30 15:30	0.2	0.1	0	0.1	0	156	188	66	55	305
2025/6/30 15:40	0.2	0.1	0	0.1	0	151	174	84	53	331
2025/6/30 15:50	0.1	0.1	0	0.1	0	163	185	71	44	284
2025/6/30 16:00	0.1	0.1	0	0.1	0	152	159	76	43	315
2025/6/30 16:10	0.1	0.1	0	0.1	0	139	183	84	36	338
2025/6/30 16:20	0.1	0.1	0	0.1	0	136	167	51	30	226
2025/6/30 16:30	0.2	0.1	0	0.1	0	147	193	59	34	339
2025/6/30 16:40	0.2	0.1	0	0.1	0	133	215	61	32	317
2025/6/30 16:50	0.1	0.1	0	0.1	0	122	178	87	33	334
2025/6/30 17:00	0.1	0.1	0	0.1	0	134	149	75	30	318
2025/6/30 17:10	0.1	0.1	0	0.1	0	125	154	56	31	226
2025/6/30 17:20	0.1	0.1	0	0.1	0	136	148	70	30	239
2025/6/30 17:30	0.1	0.1	0	0	0	136	130	64	25	274
2025/6/30 17:40	0.1	0.1	0	0	0	140	120	61	24	250
2025/6/30 17:50	0.1	0.1	0	0	0	121	115	63	26	260
2025/6/30 18:00	0.1	0.1	0	0	0	139	118	62	25	288
2025/6/30 18:10	0.1	0.1	0	0	0	123	108	75	24	256
2025/6/30 18:20	0.1	0.1	0	0	0	127	113	55	23	255
2025/6/30 18:30	0.1	0.1	0	0	0	122	104	74	24	258
2025/6/30 18:40	0.1	0.1	0	0	0	124	123	58	32	249
2025/6/30 18:50	0	0	0	0	0	149	116	57	27	259
2025/6/30 19:00	0	0	0	0	0	148	121	61	34	284
2025/6/30 19:10	0	0	0	0	0	129	120	69	30	273
2025/6/30 19:20	0	0	0	0	0	143	130	68	32	288
2025/6/30 19:30	0	0	0	0	0	170	147	57	38	229
2025/6/30 19:40	0	0	0	0	0	193	135	61	32	246
2025/6/30 19:50	0	0	0	0	0	136	120	64	32	213
2025/6/30 20:00	0	0	0	0	0	134	103	97	29	269
2025/6/30 20:10	0	0	0	0	0	149	112	71	26	261
2025/6/30 20:20	0	0	0	0	0	128	110	79	24	275
2025/6/30 20:30	0	0	0	0	0	158	103	71	22	230
2025/6/30 20:40	0	0	0	0	0	151	113	72	25	218
2025/6/30 20:50	0	0	0	0	0	143	116	71	30	275
2025/6/30 21:00	0	0	0	0	0	161	111	70	28	253
2025/6/30 21:10	0	0	0	0	0	160	118	70	28	292
2025/6/30 21:20	0	0	0	0	0	176	138	63	29	361
2025/6/30 21:30	0	0	0	0	0	166	133	117	28	338
2025/6/30 21:40	0	0	0	0	0	157	115	86	28	308
2025/6/30 21:50	0	0	0	0	0	150	130	108	29	345
2025/6/30 22:00	0	0	0	0	0	146	142	118	30	330
2025/6/30 22:10	0	0	0	0	0	163	133	101	32	351
2025/6/30 22:20	0	0	0	0	0	189	149	89	34	361
2025/6/30 22:30	0	0	0	0	0	132	151	165	32	370
2025/6/30 22:40	0	0	0	0	0	193	129	114	31	322
2025/6/30 22:50	0	0	0	0	0	175	109	97	27	304
2025/6/30 23:00	0	0	0	0	0	163	125	91	27	332
2025/6/30 23:10	0	0	0	0	0	199	120	64	28	324
2025/6/30 23:20	0	0	0	0	0	166	133	83	28	374
2025/6/30 23:30	0	0	0	0	0	191	126	75	31	344
2025/6/30 23:40	0	0	0	0	0	176	126	81	31	300
2025/6/30 23:50	0	0	0	0	0	197	147	151	32	345

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/1 0:00	0	0	0	0	0	181	146	118	34	395
2025/7/1 0:10	0	0	0	0	0	206	139	115	31	359
2025/7/1 0:20	0	0	0	0	0	159	146	116	34	386
2025/7/1 0:30	0	0	0	0	0	153	131	114	32	346
2025/7/1 0:40	0	0	0	0	0	184	130	97	35	311
2025/7/1 0:50	0	0	0	0	0	196	125	64	33	324
2025/7/1 1:00	0	0	0	0	0	167	144	147	35	354
2025/7/1 1:10	0	0	0	0	0	210	150	120	38	342
2025/7/1 1:20	0	0	0	0	0	202	146	109	41	347
2025/7/1 1:30	0	0	0	0	0	175	144	131	44	372
2025/7/1 1:40	0	0	0	0	0	158	146	158	47	384
2025/7/1 1:50	0	0	0	0	0	185	140	124	43	340
2025/7/1 2:00	0	0	0	0	0	208	142	123	40	362
2025/7/1 2:10	0	0	0	0	0	231	150	74	40	354
2025/7/1 2:20	0	0	0	0	0	216	153	170	43	398
2025/7/1 2:30	0	0	0	0	0	179	156	129	43	384
2025/7/1 2:40	0	0	0	0	0	206	156	140	48	409
2025/7/1 2:50	0	0	0	0	0	206	155	164	42	399
2025/7/1 3:00	0	0	0	0	0	175	148	175	41	381
2025/7/1 3:10	0	0	0	0	0	200	156	155	40	392
2025/7/1 3:20	0	0	0	0	0	226	163	154	43	406
2025/7/1 3:30	0	0	0	0	0	228	162	195	49	456
2025/7/1 3:40	0	0	0	0	0	216	164	155	50	399
2025/7/1 3:50	0	0	0	0	0	212	151	97	47	367
2025/7/1 4:00	0	0	0	0	0	234	149	135	44	356
2025/7/1 4:10	0	0	0	0	0	238	144	75	44	354
2025/7/1 4:20	0	0	0	0	0	235	161	79	45	387
2025/7/1 4:30	0	0	0	0	0	214	171	120	49	445
2025/7/1 4:40	0	0	0	0	0	214	153	167	52	418
2025/7/1 4:50	0	0	0	0	0	193	141	97	51	334
2025/7/1 5:00	0	0	0	0	0	204	142	124	48	322
2025/7/1 5:10	0	0	0	0	0	192	137	76	51	290
2025/7/1 5:20	0	0	0	0	0	206	140	73	51	253
2025/7/1 5:30	0	0	0	0	0	236	144	68	46	240
2025/7/1 5:40	0	0	0	0	0	186	160	97	49	373
2025/7/1 5:50	0	0	0	0	0	165	158	68	58	397
2025/7/1 6:00	0	0	0	0	0	183	163	66	64	305
2025/7/1 6:10	0	0	0.1	0	0	130	156	58	38	184
2025/7/1 6:20	0	0	0.1	0	0	192	147	63	39	238
2025/7/1 6:30	0	0	0.1	0.1	0	175	164	79	42	325
2025/7/1 6:40	0	0	0.1	0.1	0	161	162	111	44	361
2025/7/1 6:50	0	0	0.1	0.1	0	170	177	106	44	348
2025/7/1 7:00	0	0	0.1	0.1	0	124	179	115	39	426
2025/7/1 7:10	0	0	0.1	0.1	0	139	178	124	45	364
2025/7/1 7:20	0	0	0.1	0.2	0	132	165	127	43	401
2025/7/1 7:30	0	0	0.1	0.2	0	150	183	82	43	349
2025/7/1 7:40	0.1	0	0.1	0.2	0	149	202	91	45	356
2025/7/1 7:50	0.1	0	0.1	0.2	0	156	216	110	45	388
2025/7/1 8:00	0.1	0	0.1	0.2	0	188	267	93	47	352
2025/7/1 8:10	0.1	0	0.1	0.2	0	149	200	76	93	332
2025/7/1 8:20	0.1	0	0.1	0.2	0	142	195	86	40	399
2025/7/1 8:30	0.1	0	0.1	0.2	0	131	194	117	46	343
2025/7/1 8:40	0.1	0	0.1	0.2	0	96	184	126	44	326
2025/7/1 8:50	0.1	0	0.1	0.2	0	123	220	86	49	314
2025/7/1 9:00	0.1	0	0.1	0.2	0	128	217	79	49	331
2025/7/1 9:10	0.1	0	0.1	0.2	0	105	211	82	47	313
2025/7/1 9:20	0.1	0	0.1	0.2	0	76	209	120	48	319
2025/7/1 9:30	0.1	0	0.1	0.2	0	124	179	87	50	244
2025/7/1 9:40	0.1	0	0.1	0.2	0	92	173	72	69	221
2025/7/1 9:50	0.1	0	0.1	0.1	0	123	176	85	42	295
2025/7/1 10:00	0.1	0	0.1	0.1	0	126	171	75	49	267
2025/7/1 10:10	0.1	0	0.1	0.1	0	105	182	91	45	252
2025/7/1 10:20	0.1	0	0.1	0.1	0	110	178	85	49	273
2025/7/1 10:30	0.1	0	0.1	0.1	0	111	194	74	80	236
2025/7/1 10:40	0.1	0	0.1	0.1	0	110	229	103	49	324
2025/7/1 10:50	0.1	0	0.1	0.1	0	120	192	95	54	294
2025/7/1 11:00	0.1	0	0.1	0.1	0	102	195	79	51	280
2025/7/1 11:10	0.1	0	0.1	0.1	0	122	195	73	51	280
2025/7/1 11:20	0.1	0.1	0.1	0.1	0.1	129	193	70	51	229
2025/7/1 11:30	0.1	0.1	0.1	0.1	0	124	188	79	50	275
2025/7/1 11:40	0.1	0.1	0.1	0.1	0.1	122	188	71	52	250
2025/7/1 11:50	0.1	0.1	0.1	0.1	0.1	85	185	99	56	319
2025/7/1 12:00	0.1	0.1	0.1	0.1	0	124	178	80	65	283

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/1 12:10	0.1	0.1	0.1	0.1	0.1	118	183	84	41	313
2025/7/1 12:20	0.1	0.1	0.1	0.1	0.1	124	186	98	37	310
2025/7/1 12:30	0.1	0.1	0.1	0.1	0.1	73	183	112	33	357
2025/7/1 12:40	0.1	0.1	0.1	0.1	0.1	118	161	70	34	287
2025/7/1 12:50	0.1	0.1	0.1	0.1	0.1	119	162	59	37	270
2025/7/1 13:00	0.1	0.1	0.1	0.1	0.1	105	156	80	33	280
2025/7/1 13:10	0.1	0.1	0.1	0.1	0.1	106	153	68	34	283
2025/7/1 13:20	0.1	0.1	0.1	0.1	0.1	101	224	92	49	315
2025/7/1 13:30	0.1	0.1	0.1	0.1	0.1	121	200	64	38	282
2025/7/1 13:40	0.1	0.1	0.1	0.1	0	126	171	78	48	280
2025/7/1 13:50	0.2	0.1	0.1	0.1	0.1	126	179	82	59	319
2025/7/1 14:00	0.1	0.1	0.1	0.1	0	101	174	92	64	324
2025/7/1 14:10	0.1	0.1	0	0.1	0	135	180	72	55	299
2025/7/1 14:20	0.1	0.1	0	0.1	0	132	180	83	40	299
2025/7/1 14:30	0.1	0.1	0	0.1	0	101	162	101	47	314
2025/7/1 14:40	0.1	0.1	0	0.1	0	106	176	102	42	334
2025/7/1 14:50	0.1	0.1	0	0.1	0	130	179	74	44	320
2025/7/1 15:00	0.1	0.1	0	0.1	0	170	167	63	48	273
2025/7/1 15:10	0.1	0.1	0	0.1	0	120	157	89	49	307
2025/7/1 15:20	0.1	0	0	0.1	0	143	155	82	49	322
2025/7/1 15:30	0.1	0	0	0.1	0	156	163	76	50	276
2025/7/1 15:40	0.1	0	0	0.1	0	169	146	83	45	262
2025/7/1 15:50	0.1	0	0	0.1	0	181	155	87	46	297
2025/7/1 16:00	0.1	0	0	0	0	153	189	66	46	204
2025/7/1 16:10	0.1	0	0	0	0	215	224	70	49	306
2025/7/1 16:20	0.1	0	0	0	0	192	266	144	118	435
2025/7/1 16:30	0.1	0	0	0	0	157	296	193	115	462
2025/7/1 16:40	0.1	0	0	0	0	111	227	200	72	382
2025/7/1 16:50	0.1	0	0	0	0	106	209	174	70	389
2025/7/1 17:00	0.1	0	0	0	0	166	236	110	74	402
2025/7/1 17:10	0.1	0	0	0	0	176	—	—	—	453
2025/7/1 17:20	0.1	0	0	0	0	110	—	—	—	330
2025/7/1 17:30	0.1	0	0	0	0	119	—	—	—	336
2025/7/1 17:40	0.1	0	0	0	0	98	—	—	—	330
2025/7/1 17:50	0.1	0	0	0	0	112	—	—	—	311
2025/7/1 18:00	0.1	0	0	0	0	115	—	—	—	285
2025/7/1 18:10	0	0	0	0	0	124	—	—	—	292
2025/7/1 18:20	0	0	0	0	0	159	—	—	—	255
2025/7/1 18:30	0	0	0	0	0	123	—	—	—	188
2025/7/1 18:40	0	0	0	0	0	138	—	—	—	213
2025/7/1 18:50	0	0	0	0	0	159	—	—	—	238
2025/7/1 19:00	0	0	0	0	0	185	—	—	—	274
2025/7/1 19:10	0	0	0	0	0	134	—	—	—	189
2025/7/1 19:20	0	0	0	0	0	103	—	—	—	153
2025/7/1 19:30	0	0	0	0	0	213	—	—	—	343
2025/7/1 19:40	0	0	0	0	0	237	—	—	—	240
2025/7/1 19:50	0	0	0	0	0	196	—	—	—	347
2025/7/1 20:00	0	0	0	0	0	228	—	—	—	443
2025/7/1 20:10	0	0	0	0	0	205	—	—	—	352
2025/7/1 20:20	0	0	0	0	0	193	—	—	—	288
2025/7/1 20:30	0	0	0	0	0	201	—	—	—	243
2025/7/1 20:40	0	0	0	0	0	193	—	—	—	198
2025/7/1 20:50	0	0	0	0	0	272	—	—	—	305
2025/7/1 21:00	0	0	0	0	0	297	—	—	—	353
2025/7/1 21:10	0	0	0	0	0	203	—	—	—	168
2025/7/1 21:20	0	0	0	0	0	88	—	—	—	218
2025/7/1 21:30	0	0	0	0	0	99	—	—	—	206
2025/7/1 21:40	0	0	0	0	0	105	—	—	—	214
2025/7/1 21:50	0	0	0	0	0	73	—	—	—	170
2025/7/1 22:00	0	0	0	0	0	70	—	—	—	158
2025/7/1 22:10	0	0	0	0	0	73	—	—	—	153
2025/7/1 22:20	0	0	0	0	0	94	—	—	—	169
2025/7/1 22:30	0	0	0	0	0	97	—	—	—	191
2025/7/1 22:40	0	0	0	0	0	85	—	—	—	172
2025/7/1 22:50	0	0	0	0	0	84	—	—	—	171
2025/7/1 23:00	0	0	0	0	0	79	—	—	—	165
2025/7/1 23:10	0	0	0	0	0	70	—	—	—	154
2025/7/1 23:20	0	0	0	0	0	74	—	—	—	156
2025/7/1 23:30	0	0	0	0	0	94	—	—	—	414
2025/7/1 23:40	0	0	0	0	0.1	76	—	—	—	364
2025/7/1 23:50	0	0	0	0	0	74	—	—	—	444
2025/7/2 0:00	0	0	0	0	0	86	146	118	34	395
2025/7/2 0:10	0	0	0	0	0	128	139	115	31	359

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/2 0:20	0	0	0	0	0	295	146	116	34	386
2025/7/2 0:30	0	0	0	0	0	226	131	114	32	346
2025/7/2 0:40	0	0	0	0	0.1	82	130	97	35	311
2025/7/2 0:50	0	0	0	0	0	154	125	64	33	324
2025/7/2 1:00	0	0	0	0	0	400	144	147	35	354
2025/7/2 1:10	0	0	0	0	0	89	150	120	38	342
2025/7/2 1:20	0	0	0	0	0	348	146	109	41	347
2025/7/2 1:30	0	0	0	0	0	366	144	131	44	372
2025/7/2 1:40	0	0	0	0	1.3	199	146	158	47	384
2025/7/2 1:50	0	0	0	0	1.7	129	140	124	43	340
2025/7/2 2:00	0	0	0	0	1.4	251	142	123	40	362
2025/7/2 2:10	0	0	0	0	0.8	98	150	74	40	354
2025/7/2 2:20	0	0	0	0	0	96	153	170	43	398
2025/7/2 2:30	0	0	0	0	0	93	156	129	43	384
2025/7/2 2:40	0	0	0	0	0	91	156	140	48	409
2025/7/2 2:50	0	0	0	0	0	116	155	164	42	399
2025/7/2 3:00	0	0	0	0	0	116	148	175	41	381
2025/7/2 3:10	0	0	0	0	0	104	156	155	40	392
2025/7/2 3:20	0	0	0	0	0	99	163	154	43	406
2025/7/2 3:30	0	0	0	0	0	106	162	195	49	456
2025/7/2 3:40	0	0	0	0	0	73	164	155	50	399
2025/7/2 3:50	0	0	0	0	0	75	151	97	47	367
2025/7/2 4:00	0	0	0	0	0	90	149	135	44	356
2025/7/2 4:10	0	0	0	0	0	80	144	75	44	354
2025/7/2 4:20	0	0	0	0	0	92	161	79	45	387
2025/7/2 4:30	0	0	0	0	0	93	171	120	49	445
2025/7/2 4:40	0	0	0	0	0.1	371	153	167	52	418
2025/7/2 4:50	0	0	0	0	0.2	90	141	97	51	334
2025/7/2 5:00	0	0	0	0	0	222	142	124	48	322
2025/7/2 5:10	0	0	0	0	0	148	137	76	51	290
2025/7/2 5:20	0	0	0	0	0	106	140	73	51	253
2025/7/2 5:30	0	0	0	0	0	169	144	68	46	240
2025/7/2 5:40	0	0	0	0	0	116	160	97	49	373
2025/7/2 5:50	0	0	0	0	0	116	158	68	58	397
2025/7/2 6:00	0	0	0	0	0	103	163	66	64	305
2025/7/2 6:10	0	0	0	0	0	88	156	58	38	184
2025/7/2 6:20	0	0	0	0	0	87	147	63	39	238
2025/7/2 6:30	0	0	0	0	0	130	164	79	42	325
2025/7/2 6:40	0	0	0	0	0	83	162	111	44	361
2025/7/2 6:50	0	0	0	0	0	113	177	106	44	348
2025/7/2 7:00	0	0	0	0	0	74	179	115	39	426
2025/7/2 7:10	0	0	0	0	0	78	178	124	45	364
2025/7/2 7:20	0	0	0	0	0	78	165	127	43	401
2025/7/2 7:30	0	0	0	0	0	79	183	82	43	349
2025/7/2 7:40	0	0	0	0	0	98	202	91	45	356
2025/7/2 7:50	0	0	0	0	0	101	216	110	45	388
2025/7/2 8:00	0	0	0	0	0	92	267	93	47	352
2025/7/2 8:10	0	0	0	0	0	81	200	76	93	332
2025/7/2 8:20	0	0	0	0	0	79	195	86	40	399
2025/7/2 8:30	0	0	0	0	0	81	194	117	46	343
2025/7/2 8:40	0	0	0	0	0	84	184	126	44	326
2025/7/2 8:50	0	0	0	0	0	122	220	86	49	314
2025/7/2 9:00	0.1	0	0	0	0	125	217	79	49	331
2025/7/2 9:10	0.1	0	0	0.1	0	105	211	82	47	313
2025/7/2 9:20	0.1	0	0	0.1	0	103	209	120	48	319
2025/7/2 9:30	0.1	0	0	0.1	0	84	179	87	50	244
2025/7/2 9:40	0.1	0	0	0.1	0	77	173	72	69	221
2025/7/2 9:50	0.1	0	0	0.1	0	91	176	85	42	295
2025/7/2 10:00	0.1	0	0	0.1	0	70	171	75	49	267
2025/7/2 10:10	0.1	0	0	0.1	0	99	182	91	45	252
2025/7/2 10:20	0.1	0	0	0.1	0	79	178	85	49	273
2025/7/2 10:30	0.1	0	0	0.1	0	55	194	74	80	236
2025/7/2 10:40	0.1	0	0	0.1	0	69	229	103	49	324
2025/7/2 10:50	0.1	0	0	0.1	0	84	192	95	54	294
2025/7/2 11:00	0.1	0	0	0.1	0	87	195	79	51	280
2025/7/2 11:10	0.1	0	0	0.1	0	75	195	73	51	280
2025/7/2 11:20	0.1	0	0.1	0.1	0	91	193	70	51	229
2025/7/2 11:30	0.1	0	0.1	0.1	0	121	188	79	50	275
2025/7/2 11:40	0.1	0	0.1	0.1	0	93	188	71	52	250
2025/7/2 11:50	0.1	0.1	0.1	0.1	0	104	185	99	56	319
2025/7/2 12:00	0.1	0.1	0.1	0.1	0.1	103	178	80	65	283
2025/7/2 12:10	0.1	0.1	0.1	0.1	0.1	99	183	84	41	313
2025/7/2 12:20	0.1	0.1	0.1	0.1	0.1	96	186	98	37	310

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/2 12:30	0.1	0.1	0.1	0.1	0.1	109	183	112	33	357
2025/7/2 12:40	0.1	0.1	0.1	0.1	0.1	100	161	70	34	287
2025/7/2 12:50	0.1	0.1	0.1	0.1	0.1	108	162	59	37	270
2025/7/2 13:00	0.1	0.1	0.1	0.1	0.1	94	156	80	33	280
2025/7/2 13:10	0.1	0.1	0.1	0.1	0.1	95	153	68	34	283
2025/7/2 13:20	0.1	0.1	0.1	0.1	0.1	108	224	92	49	315
2025/7/2 13:30	0.1	0.1	0	0.1	0.1	96	200	64	38	282
2025/7/2 13:40	0.1	0.1	0	0.1	0	109	171	78	48	280
2025/7/2 13:50	0.1	0.1	0	0.1	0	92	179	82	59	319
2025/7/2 14:00	0.1	0.1	0	0.1	0	116	174	92	64	324
2025/7/2 14:10	0.1	0.1	0	0.1	0	102	180	72	55	299
2025/7/2 14:20	0.1	0.1	0	0.1	0	112	180	83	40	299
2025/7/2 14:30	0.1	0.1	0	0.1	0	104	162	101	47	314
2025/7/2 14:40	0.1	0.1	0	0.1	0	103	176	102	42	334
2025/7/2 14:50	0.1	0.1	0	0.1	0	99	179	74	44	320
2025/7/2 15:00	0.1	0.1	0	0.1	0	94	167	63	48	273
2025/7/2 15:10	0.1	0.1	0	0.1	0	102	157	89	49	307
2025/7/2 15:20	0.1	0.1	0	0.1	0	90	155	82	49	322
2025/7/2 15:30	0.1	0.1	0	0.1	0	95	163	76	50	276
2025/7/2 15:40	0.1	0.1	0	0.1	0	110	146	83	45	262
2025/7/2 15:50	0.1	0.1	0	0.1	0	109	155	87	46	297
2025/7/2 16:00	0.1	0.1	0	0.1	0	116	189	66	46	204
2025/7/2 16:10	0.1	0.1	0	0.1	0	117	224	70	49	306
2025/7/2 16:20	0.1	0.1	0	0.1	0	144	266	144	118	435
2025/7/2 16:30	0.1	0.1	0	0.1	0	130	296	193	115	462
2025/7/2 16:40	0.1	0.1	0	0.1	0	134	227	200	72	382
2025/7/2 16:50	0.1	0.1	0	0.1	0	128	209	174	70	389
2025/7/2 17:00	0.1	0.1	0	0	0	117	236	110	74	402
2025/7/2 17:10	0.1	0	0	0	0	120	188	93	54	275
2025/7/2 17:20	0.1	0	0	0	0	122	264	88	64	272
2025/7/2 17:30	0.1	0	0	0	0	118	170	74	39	238
2025/7/2 17:40	0.1	0	0	0	0	110	136	69	35	250
2025/7/2 17:50	0.1	0	0	0	0	125	132	90	36	274
2025/7/2 18:00	0.1	0	0	0	0	132	146	94	42	257
2025/7/2 18:10	0	0	0	0	0	155	149	73	46	266
2025/7/2 18:20	0	0	0	0	0	150	169	68	52	213
2025/7/2 18:30	0	0	0	0	0	150	160	75	61	276
2025/7/2 18:40	0	0	0	0	0	143	167	104	75	275
2025/7/2 18:50	0	0	0	0	0	141	194	95	77	233
2025/7/2 19:00	0	0	0	0	0	147	180	70	66	199
2025/7/2 19:10	0	0	0	0	0	142	198	76	55	234
2025/7/2 19:20	0	0	0	0	0	137	164	74	48	242
2025/7/2 19:30	0	0	0	0	0	139	133	75	48	231
2025/7/2 19:40	0	0	0	0	0	163	130	76	47	223
2025/7/2 19:50	0	0	0	0	0	154	136	80	49	217
2025/7/2 20:00	0	0	0	0	0	165	139	82	51	243
2025/7/2 20:10	0	0	0	0	0	150	137	106	52	260
2025/7/2 20:20	0	0	0	0	0	156	136	83	52	230
2025/7/2 20:30	0	0	0	0	0	144	139	114	51	269
2025/7/2 20:40	0	0	0	0	0	128	136	110	52	299
2025/7/2 20:50	0	0	0	0	0	144	133	100	51	276
2025/7/2 21:00	0	0	0	0	0	140	127	115	46	274
2025/7/2 21:10	0	0	0	0	0	157	138	97	46	294
2025/7/2 21:20	0	0	0	0	0	176	129	87	43	276
2025/7/2 21:30	0	0	0	0	0	166	125	83	42	278
2025/7/2 21:40	0	0	0	0	0	173	128	81	44	266
2025/7/2 21:50	0	0	0	0	0	180	128	82	38	268
2025/7/2 22:00	0	0	0	0	0	140	125	90	32	260
2025/7/2 22:10	0	0	0	0	0	169	138	96	31	291
2025/7/2 22:20	0	0	0	0	0	168	125	111	29	286
2025/7/2 22:30	0	0	0	0	0	155	133	109	29	329
2025/7/2 22:40	0	0	0	0	0	144	128	107	28	325
2025/7/2 22:50	0	0	0	0	0	209	125	76	27	269
2025/7/2 23:00	0	0	0	0	0	136	134	146	28	330
2025/7/2 23:10	0	0	0	0	0	167	130	100	29	301
2025/7/2 23:20	0	0	0	0	0	186	124	63	26	277
2025/7/2 23:30	0	0	0	0	0	164	116	93	25	303
2025/7/2 23:40	0	0	0	0	0	164	119	74	29	284
2025/7/2 23:50	0	0	0	0	0	161	114	58	29	263
2025/7/3 0:00	0	0	0	0	0	147	109	57	29	193
2025/7/3 0:10	0	0	0	0	0	162	105	54	25	224
2025/7/3 0:20	0	0	0	0	0	151	99	55	24	242
2025/7/3 0:30	0	0	0	0	0	165	111	53	25	199

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/3 0:40	0	0	0	0	0	166	114	54	24	232
2025/7/3 0:50	0	0	0	0	0	141	116	62	36	178
2025/7/3 1:00	0	0	0	0	0	169	121	61	29	224
2025/7/3 1:10	0	0	0	0	0	195	117	57	28	277
2025/7/3 1:20	0	0	0	0	0	182	121	72	28	277
2025/7/3 1:30	0	0	0	0	0	173	131	111	31	295
2025/7/3 1:40	0	0	0	0	0	152	127	136	34	313
2025/7/3 1:50	0	0	0	0	0	158	130	129	37	298
2025/7/3 2:00	0	0	0	0	0	178	132	151	38	337
2025/7/3 2:10	0	0	0	0	0	177	128	116	39	303
2025/7/3 2:20	0	0	0	0	0	173	130	151	35	321
2025/7/3 2:30	0	0	0	0	0	187	124	95	34	298
2025/7/3 2:40	0	0	0	0	0	211	120	77	34	296
2025/7/3 2:50	0	0	0	0	0	224	129	66	35	302
2025/7/3 3:00	0	0	0	0	0	207	134	101	61	319
2025/7/3 3:10	0	0	0	0	0	213	119	60	34	240
2025/7/3 3:20	0	0	0	0	0	197	130	61	80	274
2025/7/3 3:30	0	0	0	0	0	250	137	95	170	277
2025/7/3 3:40	0	0	0	0	0	218	135	83	34	304
2025/7/3 3:50	0	0	0	0	0	193	138	101	37	332
2025/7/3 4:00	0	0	0	0	0	216	138	103	42	351
2025/7/3 4:10	0	0	0	0	0	216	133	97	44	302
2025/7/3 4:20	0	0	0	0	0	200	146	75	44	333
2025/7/3 4:30	0	0	0	0	0	201	150	68	45	260
2025/7/3 4:40	0	0	0	0	0	208	148	68	80	259
2025/7/3 4:50	0	0	0	0	0	206	131	69	43	317
2025/7/3 5:00	0	0	0	0	0	203	143	104	43	379
2025/7/3 5:10	0	0	0	0	0	151	143	161	49	320
2025/7/3 5:20	0	0	0	0	0	151	134	124	47	273
2025/7/3 5:30	0	0	0	0	0	187	149	135	101	290
2025/7/3 5:40	0	0	0	0	0	178	159	126	85	292
2025/7/3 5:50	0	0	0	0	0	141	148	129	64	331
2025/7/3 6:00	0	0	0	0	0	195	168	105	84	337
2025/7/3 6:10	0	0	0	0	0	152	158	83	166	238
2025/7/3 6:20	0	0	0	0	0	129	145	54	158	149
2025/7/3 6:30	0	0	0	0	0	95	174	52	165	144
2025/7/3 6:40	0	0	0	0	0	70	206	53	333	142
2025/7/3 6:50	0	0	0	0	0	131	200	53	285	142
2025/7/3 7:00	0	0	0	0	0	197	224	54	303	144
2025/7/3 7:10	0	0	0	0	0	122	194	52	252	166
2025/7/3 7:20	0	0	0	0	0	64	218	51	184	141
2025/7/3 7:30	0	0	0	0	0	66	238	50	336	140
2025/7/3 7:40	0	0	0	0	0	157	192	71	85	290
2025/7/3 7:50	0	0	0	0	0	166	184	70	35	299
2025/7/3 8:00	0.1	0	0	0.1	0	134	182	81	21	302
2025/7/3 8:10	0.1	0	0.1	0.1	0	150	202	77	51	263
2025/7/3 8:20	0.1	0	0.1	0.1	0	170	222	66	36	339
2025/7/3 8:30	0.1	0	0.1	0.2	0	107	169	74	32	327
2025/7/3 8:40	0.1	0	0.1	0.2	0	161	177	68	51	226
2025/7/3 8:50	0.1	0	0.1	0.1	0	91	174	58	154	177
2025/7/3 9:00	0.1	0	0.1	0.1	0	88	274	57	121	162
2025/7/3 9:10	0.1	0	0.1	0.1	0	118	890	60	29	281
2025/7/3 9:20	0.1	0	0.1	0.1	0	124	865	75	32	295
2025/7/3 9:30	0.1	0	0.1	0.1	0	105	660	61	38	274
2025/7/3 9:40	0.1	0	0.1	0.1	0	85	481	70	36	221
2025/7/3 9:50	0.1	0	0.1	0.1	0	88	574	79	62	211
2025/7/3 10:00	0.1	0	0.1	0.1	0	114	496	66	34	244
2025/7/3 10:10	0.1	0	0.1	0.1	0	102	491	70	39	241
2025/7/3 10:20	0.1	0	0.1	0.1	0	89	445	94	38	278
2025/7/3 10:30	0.1	0.1	0.1	0.1	0	102	479	94	50	287
2025/7/3 10:40	0.1	0.1	0.1	0.1	0.1	111	468	77	43	286
2025/7/3 10:50	0.1	0.1	0.1	0.1	0.1	108	419	88	45	299
2025/7/3 11:00	0.1	0.1	0.1	0.1	0.1	103	342	84	46	273
2025/7/3 11:10	0.1	0.1	0.1	0.1	0.1	101	224	85	43	257
2025/7/3 11:20	0.1	0.1	0.1	0.1	0	123	249	68	59	243
2025/7/3 11:30	0.1	0.1	0.1	0.1	0.1	113	217	66	52	243
2025/7/3 11:40	0.1	0.1	0.1	0.1	0.1	120	233	69	73	232
2025/7/3 11:50	0.1	0.1	0.1	0.1	0.1	95	216	91	53	285
2025/7/3 12:00	0.1	0.1	0.1	0.1	0.1	108	183	66	40	253
2025/7/3 12:10	0.1	0.1	0.1	0.1	0	108	197	87	91	292
2025/7/3 12:20	0.1	0.1	0.1	0.1	0.1	116	184	69	97	300
2025/7/3 12:30	0.1	0.1	0.1	0.1	0.1	114	187	74	74	267
2025/7/3 12:40	0.1	0.1	0.1	0.1	0.1	95	192	93	74	289

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/3 12:50	0.1	0.1	0.1	0.1	0.1	118	185	62	69	264
2025/7/3 13:00	0.1	0.1	0.1	0.1	0.1	141	203	59	56	267
2025/7/3 13:10	0.1	0.1	0.1	0.1	0.1	90	209	80	54	283
2025/7/3 13:20	0.1	0.1	0	0.1	0	107	190	56	54	238
2025/7/3 13:30	0.1	0.1	0	0.1	0.1	126	175	52	58	244
2025/7/3 13:40	0.2	0.1	0	0.1	0	104	169	73	60	278
2025/7/3 13:50	0.2	0.1	0	0.1	0	103	174	52	63	222
2025/7/3 14:00	0.2	0.1	0	0.1	0	114	188	66	72	263
2025/7/3 14:10	0.2	0.1	0	0.1	0	104	192	61	38	246
2025/7/3 14:20	0.2	0.1	0	0.1	0	112	181	75	43	272
2025/7/3 14:30	0.2	0.1	0	0.1	0	128	189	61	35	248
2025/7/3 14:40	0.2	0.1	0	0.1	0	100	182	56	35	204
2025/7/3 14:50	0.2	0.1	0	0.1	0	113	219	71	38	306
2025/7/3 15:00	0.2	0.1	0	0.1	0	122	208	70	35	300
2025/7/3 15:10	0.2	0.1	0	0.1	0	121	183	53	33	227
2025/7/3 15:20	0.2	0.1	0	0.1	0	131	198	75	36	299
2025/7/3 15:30	0.2	0.1	0	0.1	0	126	207	58	40	296
2025/7/3 15:40	0.2	0.1	0	0.1	0	124	206	74	35	292
2025/7/3 15:50	0.2	0.1	0	0.1	0	96	186	53	42	186
2025/7/3 16:00	0.2	0.1	0	0.1	0	95	180	52	46	204
2025/7/3 16:10	0.2	0.1	0	0.1	0	120	177	57	36	234
2025/7/3 16:20	0.2	0.1	0	0.1	0	101	185	52	39	211
2025/7/3 16:30	0.2	0.1	0	0.1	0	78	165	50	29	163
2025/7/3 16:40	0.2	0.1	0	0.1	0	100	170	53	56	209
2025/7/3 16:50	0.1	0.1	0	0.1	0	152	146	60	37	279
2025/7/3 17:00	0.1	0.1	0	0.1	0	144	142	54	32	230
2025/7/3 17:10	0.1	0.1	0	0.1	0	132	137	63	28	222
2025/7/3 17:20	0.1	0.1	0	0.1	0	157	143	74	30	274
2025/7/3 17:30	0.1	0.1	0	0.1	0	158	146	65	36	303
2025/7/3 17:40	0.1	0.1	0	0	0	151	165	60	39	296
2025/7/3 17:50	0.1	0.1	0	0	0	148	136	79	27	301
2025/7/3 18:00	0.1	0	0	0	0	157	130	73	36	298
2025/7/3 18:10	0.1	0	0	0	0	156	128	51	31	264
2025/7/3 18:20	0.1	0	0	0	0	121	123	55	29	263
2025/7/3 18:30	0	0	0	0	0	147	122	56	28	206
2025/7/3 18:40	0	0	0	0	0	119	141	57	30	192
2025/7/3 18:50	0	0	0	0	0	147	137	48	26	182
2025/7/3 19:00	0	0	0	0	0	138	121	50	25	178
2025/7/3 19:10	0	0	0	0	0	151	115	51	26	220
2025/7/3 19:20	0	0	0	0	0	137	117	51	22	211
2025/7/3 19:30	0	0	0	0	0	129	114	64	25	220
2025/7/3 19:40	0	0	0	0	0	89	137	59	28	143
2025/7/3 19:50	0	0	0	0	0	131	144	71	30	263
2025/7/3 20:00	0	0	0	0	0	138	100	55	21	215
2025/7/3 20:10	0	0	0	0	0	150	100	48	18	203
2025/7/3 20:20	0	0	0	0	0	139	136	57	23	294
2025/7/3 20:30	0	0	0	0	0	107	122	82	14	293
2025/7/3 20:40	0	0	0	0	0	102	112	89	13	276
2025/7/3 20:50	0	0	0	0	0	162	131	49	15	264
2025/7/3 21:00	0	0	0	0	0	130	103	59	13	284
2025/7/3 21:10	0	0	0	0	0	159	115	51	10	263
2025/7/3 21:20	0	0	0	0	0	167	117	71	9	305
2025/7/3 21:30	0	0	0	0	0	174	126	48	13	262
2025/7/3 21:40	0	0	0	0	0	134	132	58	14	257
2025/7/3 21:50	0	0	0	0	0	186	134	50	19	184
2025/7/3 22:00	0	0	0	0	0	171	144	51	20	135
2025/7/3 22:10	0	0	0	0	0	139	133	51	20	141
2025/7/3 22:20	0	0	0	0	0	110	142	53	20	144
2025/7/3 22:30	0	0	0	0	0	189	142	53	21	223
2025/7/3 22:40	0	0	0	0	0	172	121	94	19	364
2025/7/3 22:50	0	0	0	0	0	161	147	85	23	351
2025/7/3 23:00	0	0	0	0	0	182	143	87	27	365
2025/7/3 23:10	0	0	0	0	0	191	150	83	28	248
2025/7/3 23:20	0	0	0	0	0	202	152	84	25	365
2025/7/3 23:30	0	0	0	0	0	194	148	66	26	265
2025/7/3 23:40	0	0	0	0	0	202	131	108	25	346
2025/7/3 23:50	0	0	0	0	0	169	159	112	26	449
2025/7/4 0:00	0	0	0	0	0	205	158	114	29	306
2025/7/4 0:10	0	0	0	0	0	191	140	75	28	339
2025/7/4 0:20	0	0	0	0	0	209	148	95	26	338
2025/7/4 0:30	0	0	0	0	0	204	159	89	27	306
2025/7/4 0:40	0	0	0	0	0	236	167	64	26	262
2025/7/4 0:50	0	0	0	0	0	207	141	92	26	308

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/4 1:00	0	0	0	0	0	195	139	70	27	282
2025/7/4 1:10	0	0	0	0	0	196	136	101	26	306
2025/7/4 1:20	0	0	0	0	0	217	164	102	27	350
2025/7/4 1:30	0	0	0	0	0	230	139	73	27	312
2025/7/4 1:40	0	0	0	0	0	172	136	128	24	343
2025/7/4 1:50	0	0	0	0	0	189	143	87	24	278
2025/7/4 2:00	0	0	0	0	0	219	128	68	24	287
2025/7/4 2:10	0	0	0	0	0	208	145	53	25	301
2025/7/4 2:20	0	0	0	0	0	210	151	62	25	271
2025/7/4 2:30	0	0	0	0	0	184	151	55	26	216
2025/7/4 2:40	0	0	0	0	0	242	142	67	24	275
2025/7/4 2:50	0	0	0	0	0	245	156	58	27	291
2025/7/4 3:00	0	0	0	0	0	234	174	59	27	369
2025/7/4 3:10	0	0	0	0	0	235	150	77	27	310
2025/7/4 3:20	0	0	0	0	0	210	151	107	27	339
2025/7/4 3:30	0	0	0	0	0	220	159	116	29	360
2025/7/4 3:40	0	0	0	0	0	227	170	98	28	353
2025/7/4 3:50	0	0	0	0	0	207	171	128	31	358
2025/7/4 4:00	0	0	0	0	0	210	169	116	30	413
2025/7/4 4:10	0	0	0	0	0	213	172	152	32	372
2025/7/4 4:20	0	0	0	0	0	238	156	79	30	289
2025/7/4 4:30	0	0	0	0	0	209	145	87	30	344
2025/7/4 4:40	0	0	0	0	0	241	152	66	29	307
2025/7/4 4:50	0	0	0	0	0	219	161	101	32	345
2025/7/4 5:00	0	0	0	0	0	222	150	92	34	320
2025/7/4 5:10	0	0	0	0	0	200	161	105	34	302
2025/7/4 5:20	0	0	0	0	0	202	159	90	35	279
2025/7/4 5:30	0	0	0	0	0	179	175	117	73	293
2025/7/4 5:40	0	0	0	0	0	192	162	117	64	295
2025/7/4 5:50	0	0	0	0	0	168	169	127	72	341
2025/7/4 6:00	0	0	0	0	0	177	170	103	63	312
2025/7/4 6:10	0	0	0	0	0	175	162	86	50	269
2025/7/4 6:20	0	0	0	0	0	166	163	63	36	264
2025/7/4 6:30	0	0	0	0	0	87	206	56	181	139
2025/7/4 6:40	0	0	0	0	0	101	225	51	254	134
2025/7/4 6:50	0	0	0	0	0	192	214	52	69	156
2025/7/4 7:00	0	0	0	0	0	180	184	56	89	228
2025/7/4 7:10	0	0	0	0	0	149	214	55	24	180
2025/7/4 7:20	0	0	0	0	0	167	213	67	33	249
2025/7/4 7:30	0	0	0	0	0	231	179	80	30	370
2025/7/4 7:40	0	0	0	0	0	165	194	74	27	287
2025/7/4 7:50	0	0	0	0	0	150	200	110	32	319
2025/7/4 8:00	0	0	0	0	0	178	198	74	45	264
2025/7/4 8:10	0.1	0	0	0.1	0	155	215	60	53	258
2025/7/4 8:20	0.1	0	0.1	0.1	0	186	207	68	32	341
2025/7/4 8:30	0.1	0	0.1	0.1	0	146	206	60	44	250
2025/7/4 8:40	0.1	0	0.1	0.1	0	132	163	75	36	334
2025/7/4 8:50	0.1	0	0.1	0.1	0	116	183	63	51	236
2025/7/4 9:00	0.1	0	0.1	0.1	0	136	196	76	33	248
2025/7/4 9:10	0.1	0	0.1	0.1	0	108	178	70	36	255
2025/7/4 9:20	0.1	0	0.1	0.1	0	102	210	100	35	289
2025/7/4 9:30	0.1	0	0.1	0.1	0	81	156	70	38	291
2025/7/4 9:40	0.1	0	0.1	0.1	0	107	271	87	41	356
2025/7/4 9:50	0.1	0	0.1	0.1	0	68	211	62	125	183
2025/7/4 10:00	0.1	0	0.1	0.1	0	82	204	64	83	222
2025/7/4 10:10	0.1	0	0.1	0.1	0	94	206	74	58	277
2025/7/4 10:20	0.1	0	0.1	0.1	0	109	199	95	37	281
2025/7/4 10:30	0.1	0	0.1	0.1	0	92	208	59	68	223
2025/7/4 10:40	0.1	0	0.1	0.1	0	90	186	66	39	235
2025/7/4 10:50	0.1	0	0.1	0.1	0	114	210	66	41	247
2025/7/4 11:00	0.1	0	0.1	0.1	0	112	220	66	38	263
2025/7/4 11:10	0.1	0	0.1	0.1	0	74	406	63	43	242
2025/7/4 11:20	0.1	0	0.1	—	0	103	508	59	—	245
2025/7/4 11:30	0.1	0.1	0.1	—	0.1	110	247	58	—	242
2025/7/4 11:40	0.1	0.1	0.1	—	0	114	257	68	—	268
2025/7/4 11:50	0.1	0.1	0.1	—	0.1	111	219	80	—	297
2025/7/4 12:00	0.1	0.1	0.1	—	0.1	110	189	84	—	319
2025/7/4 12:10	0.1	0.1	0.1	—	0.1	76	230	56	—	207
2025/7/4 12:20	0.1	0.1	0.1	—	0.1	90	200	55	—	223
2025/7/4 12:30	0.1	0.1	0.1	—	0.1	128	211	65	—	282
2025/7/4 12:40	0.1	0.1	0.1	—	0.1	76	207	58	—	216
2025/7/4 12:50	0.1	0.1	0.1	—	0.1	117	197	62	—	271
2025/7/4 13:00	0.1	0.1	0.1	—	0.1	102	177	63	—	286

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/4 13:10	0.1	0.1	0.1	—	0	88	171	72	—	281
2025/7/4 13:20	0.1	0.1	0.1	—	0.1	101	177	58	—	259
2025/7/4 13:30	0.1	0.1	0.1	—	0.1	84	180	50	—	254
2025/7/4 13:40	0.2	0.1	0.1	—	0	79	173	46	—	229
2025/7/4 13:50	0.2	0.1	0.1	—	0	99	191	51	—	286
2025/7/4 14:00	0.2	0.1	0	—	0	98	199	56	—	258
2025/7/4 14:10	0.2	0.1	0	—	0	116	189	48	—	267
2025/7/4 14:20	0.2	0.1	0	—	0	92	175	51	—	230
2025/7/4 14:30	0.2	0.1	0	—	0.1	84	181	55	—	226
2025/7/4 14:40	0.2	0.1	0	—	0.1	70	163	55	—	221
2025/7/4 14:50	0.2	0.1	0	—	0	74	154	56	—	216
2025/7/4 15:00	0.2	0.1	0	—	0	75	154	55	—	210
2025/7/4 15:10	0.2	0.1	0	—	0	69	159	53	—	201
2025/7/4 15:20	0.2	0.1	0	—	0	76	182	55	—	212
2025/7/4 15:30	0.2	0.1	0	—	0	87	190	54	—	214
2025/7/4 15:40	0.2	0.1	0	—	0	98	164	56	—	237
2025/7/4 15:50	0.2	0.1	0	—	0	99	173	65	—	266
2025/7/4 16:00	0.2	0.2	0	—	0	96	170	57	—	228
2025/7/4 16:10	0.2	0.1	0	—	0	87	190	58	240	198
2025/7/4 16:20	0.2	0.1	0	—	0	116	162	57	30	182
2025/7/4 16:30	0.1	0.1	0	—	0	112	140	59	23	194
2025/7/4 16:40	0.1	0.1	0	0	0	91	133	56	23	175
2025/7/4 16:50	0.1	0.1	0	0.1	0	106	144	57	22	219
2025/7/4 17:00	0.1	0.1	0	0.1	0	122	143	66	24	243
2025/7/4 17:10	0.1	0.1	0	0.1	0	125	164	81	27	282
2025/7/4 17:20	0.1	0	0	0.1	0	115	205	72	25	271
2025/7/4 17:30	0.1	0	0	0.1	0	121	162	72	43	250
2025/7/4 17:40	0.1	0.1	0	0.1	0	111	166	66	38	253
2025/7/4 17:50	0.1	0.1	0	0.1	0	135	150	68	37	256
2025/7/4 18:00	0.1	0.1	0	0.1	0	119	141	74	26	272
2025/7/4 18:10	0.1	0.1	0	0	0	129	141	78	25	254
2025/7/4 18:20	0.1	0	0	0	0	122	138	81	23	267
2025/7/4 18:30	0.1	0	0	0	0	123	116	61	19	217
2025/7/4 18:40	0	0	0	0	0	111	111	55	11	201
2025/7/4 18:50	0	0	0	0	0	120	122	64	11	254
2025/7/4 19:00	0	0	0	0	0	85	132	52	14	132
2025/7/4 19:10	0	0	0	0	0	112	127	52	18	152
2025/7/4 19:20	0	0	0	0	0	145	153	57	24	217
2025/7/4 19:30	0	0	0	0	0	170	149	72	27	297
2025/7/4 19:40	0	0	0	0	0	156	142	76	23	279
2025/7/4 19:50	0	0	0	0	0	152	131	81	20	277
2025/7/4 20:00	0	0	0	0	0	143	136	91	19	291
2025/7/4 20:10	0	0	0	0	0	133	122	91	21	286
2025/7/4 20:20	0	0	0	0	0	159	139	94	20	286
2025/7/4 20:30	0	0	0	0	0	134	134	91	17	305
2025/7/4 20:40	0	0	0	0	0	161	142	94	19	330
2025/7/4 20:50	0	0	0	0	0	196	152	79	21	308
2025/7/4 21:00	0	0	0	0	0	186	137	80	22	331
2025/7/4 21:10	0	0	0	0	0	207	139	80	23	274
2025/7/4 21:20	0	0	0	0	0	186	132	66	23	213
2025/7/4 21:30	0	0	0	0	0	207	134	64	24	191
2025/7/4 21:40	0	0	0	0	0	183	125	71	23	302
2025/7/4 21:50	0	0	0	0	0	201	152	69	24	230
2025/7/4 22:00	0	0	0	0	0	230	159	67	26	192
2025/7/4 22:10	0	0	0	0	0	201	171	72	24	244
2025/7/4 22:20	0	0	0	0	0	233	165	95	21	361
2025/7/4 22:30	0	0	0	0	0	217	148	71	20	254
2025/7/4 22:40	0	0	0	0	0	225	145	115	16	317
2025/7/4 22:50	0	0	0	0	0	250	176	91	17	310
2025/7/4 23:00	0	0	0	0	0	173	174	113	16	378
2025/7/4 23:10	0	0	0	0	0	201	168	121	17	390
2025/7/4 23:20	0	0	0	0	0	255	165	72	17	286
2025/7/4 23:30	0	0	0	0	0	243	176	96	16	313
2025/7/4 23:40	0	0	0	0	0	186	181	121	17	392
2025/7/4 23:50	0	0	0	0	0	229	170	84	20	357
2025/7/5 0:00	0	0	0	0	0	254	174	76	22	339
2025/7/5 0:10	0	0	0	0	0	206	189	106	23	325
2025/7/5 0:20	0	0	0	0	0	220	173	121	22	388
2025/7/5 0:30	0	0	0	0	0	165	186	125	26	383
2025/7/5 0:40	0	0	0	0	0	233	190	121	26	378
2025/7/5 0:50	0	0	0	0	0	218	185	112	27	400
2025/7/5 1:00	0	0	0	0	0	234	181	119	28	373
2025/7/5 1:10	0	0	0	0	0	263	196	70	27	417

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/5 1:20	0	0	0	0	0	312	236	72	26	378
2025/7/5 1:30	0	0	0	0	0	279	195	97	28	426
2025/7/5 1:40	0	0	0	0	0	266	205	72	29	350
2025/7/5 1:50	0	0	0	0	0	288	177	101	28	403
2025/7/5 2:00	0	0	0	0	0	268	176	86	28	397
2025/7/5 2:10	0	0	0	0	0	76	172	63	250	192
2025/7/5 2:20	0	0	0	0	0	56	174	63	337	159
2025/7/5 2:30	0	0	0	0	0	55	167	59	326	151
2025/7/5 2:40	0	0	0	0	0	65	235	56	286	142
2025/7/5 2:50	0	0	0	0	0	50	167	56	252	139
2025/7/5 3:00	0	0	0	0	0	135	234	56	215	138
2025/7/5 3:10	0	0	0	0	0	202	254	57	100	138
2025/7/5 3:20	0	0	0	0	0	244	260	58	212	139
2025/7/5 3:30	0	0	0	0	0	67	198	59	397	136
2025/7/5 3:40	0	0	0	0	0	62	148	57	399	134
2025/7/5 3:50	0	0	0	0	0	57	125	58	399	133
2025/7/5 4:00	0	0	0	0	0	205	221	59	313	136
2025/7/5 4:10	0	0	0	0	0	253	222	60	390	166
2025/7/5 4:20	0	0	0	0	0	82	122	101	286	415
2025/7/5 4:30	0	0	0	0	0.2	83	131	95	317	180
2025/7/5 4:40	0	0	0	0	0	83	141	69	364	296
2025/7/5 4:50	0	0	0	0	0.1	73	118	72	261	192
2025/7/5 5:00	0	0	0	0	0	70	117	73	211	206
2025/7/5 5:10	0	0	0	0	0	59	119	86	232	158
2025/7/5 5:20	0	0	0	0	0	60	111	65	249	148
2025/7/5 5:30	0	0	0	0	0	65	129	68	274	149
2025/7/5 5:40	0	0	0	0	0	65	117	164	136	183
2025/7/5 5:50	0	0	0	0	0	109	135	228	48	371
2025/7/5 6:00	0	0	0	0	0	98	119	209	58	490
2025/7/5 6:10	0	0	0	0	0	72	133	205	55	552
2025/7/5 6:20	0	0	0	0	0.2	133	152	212	98	459
2025/7/5 6:30	0	0	0	0	0	67	143	193	85	409
2025/7/5 6:40	0	0	0	0	0	64	129	99	90	413
2025/7/5 6:50	0	0	0	0.1	0	61	159	92	208	250
2025/7/5 7:00	0	0	0.1	0.1	0	60	147	64	261	174
2025/7/5 7:10	0	0	0.1	0.1	0	226	184	97	107	309
2025/7/5 7:20	0	0	0.1	0.1	0	57	184	64	117	207
2025/7/5 7:30	0.1	0	0.1	0.1	0	56	171	62	233	201
2025/7/5 7:40	0.1	0	0.1	0.1	0	66	126	62	338	179
2025/7/5 7:50	0.1	0	0.1	0.1	0	158	159	128	59	394
2025/7/5 8:00	0.1	0	0.1	0.1	0	71	155	155	81	313
2025/7/5 8:10	0.1	0	0.1	0.1	0	52	143	58	121	184
2025/7/5 8:20	0.1	0	0.1	0.1	0	52	128	76	165	176
2025/7/5 8:30	0.1	0	0.1	0.1	0	113	114	125	43	299
2025/7/5 8:40	0.1	0	0.1	0.1	0	60	152	187	67	424
2025/7/5 8:50	0.1	0	0.1	0.1	0	115	152	146	62	398
2025/7/5 9:00	0.1	0	0.1	0.1	0	69	178	133	27	387
2025/7/5 9:10	0.1	0	0.1	0.2	0	67	138	142	58	338
2025/7/5 9:20	0.1	0	0.1	0.2	0	47	197	87	65	226
2025/7/5 9:30	0.1	0	0.1	0.1	0	80	156	121	46	319
2025/7/5 9:40	0.1	0	0.1	0.1	0	60	140	121	40	339
2025/7/5 9:50	0.1	0	0.1	0.1	0	38	129	68	80	216
2025/7/5 10:00	0.1	0	0.1	0.1	0	52	141	136	27	322
2025/7/5 10:10	0.1	0	0.1	0.1	0	36	127	55	175	206
2025/7/5 10:20	0.1	0	0.1	0.1	0	41	140	91	81	239
2025/7/5 10:30	0.1	0	0.1	0.1	0	40	134	83	85	218
2025/7/5 10:40	0.1	0	0.1	0.1	0	47	172	107	55	210
2025/7/5 10:50	0.1	0	0.1	0.1	0	37	221	61	95	184
2025/7/5 11:00	0.1	0	0.1	0.1	0	36	131	55	122	178
2025/7/5 11:10	0.1	0	0	0.1	0	39	122	64	84	185
2025/7/5 11:20	0.1	0	0	0.1	0	40	128	62	84	176
2025/7/5 11:30	0.1	0	0	0.1	0	40	124	60	105	173
2025/7/5 11:40	0.1	0	0	0.1	0	38	136	62	85	175
2025/7/5 11:50	0.1	0	0	0.1	0	41	140	74	90	190
2025/7/5 12:00	0.1	0	0	0.1	0	41	123	59	97	201
2025/7/5 12:10	0.1	0	0	0.1	0	42	125	72	79	195
2025/7/5 12:20	0.1	0	0	0.1	0	45	129	74	102	184
2025/7/5 12:30	0.1	0	0	0.1	0	39	138	68	100	179
2025/7/5 12:40	0.1	0	0	0.1	0	42	124	56	90	240
2025/7/5 12:50	0.1	0	0	0.1	0	38	124	56	115	176
2025/7/5 13:00	0.1	0	0	0.1	0	50	155	52	111	231
2025/7/5 13:10	0.1	0	0	0.1	0	35	134	53	118	176
2025/7/5 13:20	0.1	0	0	0.1	0	38	142	77	79	216

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/5 13:30	0.1	0	0	0.1	0	40	177	79	127	271
2025/7/5 13:40	0.1	0	0	0.1	0	68	240	49	127	229
2025/7/5 13:50	0.1	0.1	0	0.1	0	123	250	52	31	290
2025/7/5 14:00	0.1	0.1	0	0.1	0	51	197	110	102	327
2025/7/5 14:10	0.1	0.1	0.1	0.1	0	68	161	117	57	278
2025/7/5 14:20	0.1	0.1	0.1	0.1	0	65	160	107	89	303
2025/7/5 14:30	0.1	0.1	0	0.1	0	55	174	95	105	263
2025/7/5 14:40	0.1	0.1	0	0.1	0	94	185	175	95	372
2025/7/5 14:50	0.1	0.1	0	0.1	0	104	152	148	86	416
2025/7/5 15:00	0.1	0.1	0	0.1	0	186	194	67	29	361
2025/7/5 15:10	0.2	0.1	0	0.1	0	164	228	104	17	421
2025/7/5 15:20	0.2	0.1	0	0.1	0	64	146	165	61	309
2025/7/5 15:30	0.2	0.1	0	0.1	0	74	135	170	117	338
2025/7/5 15:40	0.2	0.1	0	0.1	0	97	141	167	78	420
2025/7/5 15:50	0.2	0.1	0	0.1	0	186	300	82	23	385
2025/7/5 16:00	0.2	0.1	0	0.1	0	119	190	102	29	367
2025/7/5 16:10	0.2	0.1	0	0.1	0	117	187	141	17	367
2025/7/5 16:20	0.2	0.1	0	0.1	0	176	226	74	17	394
2025/7/5 16:30	0.2	0.1	0	0.1	0	121	235	89	19	336
2025/7/5 16:40	0.2	0.1	0	0.1	0	84	170	152	59	350
2025/7/5 16:50	0.2	0.1	0	0.1	0	108	209	122	19	396
2025/7/5 17:00	0.2	0.1	0	0.1	0	144	218	73	17	339
2025/7/5 17:10	0.1	0.1	0	0.1	0	78	218	124	19	355
2025/7/5 17:20	0.1	0.1	0	0.1	0	118	319	105	13	355
2025/7/5 17:30	0.1	0.1	0	0.1	0	122	212	98	9	334
2025/7/5 17:40	0.1	0.1	0	0.1	0	145	190	53	8	322
2025/7/5 17:50	0.1	0.1	0	0.1	0	100	173	70	9	344
2025/7/5 18:00	0.1	0	0	0.1	0	73	155	71	11	338
2025/7/5 18:10	0.1	0	0	0.1	0	64	166	88	13	320
2025/7/5 18:20	0.1	0	0	0.1	0	130	168	64	11	325
2025/7/5 18:30	0.1	0	0	0	0	89	147	88	16	326
2025/7/5 18:40	0.1	0	0	0	0	65	143	167	18	281
2025/7/5 18:50	0.1	0	0	0	0	85	163	103	19	330
2025/7/5 19:00	0.1	0	0	0	0	75	160	129	17	308
2025/7/5 19:10	0.1	0	0	0	0	63	156	149	19	324
2025/7/5 19:20	0	0	0	0	0	82	152	119	18	314
2025/7/5 19:30	0	0	0	0	0	63	142	160	24	289
2025/7/5 19:40	0	0	0	0	0	75	181	85	15	349
2025/7/5 19:50	0	0	0	0	0	81	166	141	19	402
2025/7/5 20:00	0	0	0	0	0	78	176	134	16	362
2025/7/5 20:10	0	0	0	0	0	68	149	237	28	337
2025/7/5 20:20	0	0	0	0	0	113	185	77	15	373
2025/7/5 20:30	0	0	0	0	0	99	175	90	16	426
2025/7/5 20:40	0	0	0	0	0	107	175	93	19	410
2025/7/5 20:50	0	0	0	0	0	120	179	97	16	398
2025/7/5 21:00	0	0	0	0	0	119	204	113	15	376
2025/7/5 21:10	0	0	0	0	0	68	189	52	119	192
2025/7/5 21:20	0	0	0	0	0	67	165	60	97	184
2025/7/5 21:30	0	0	0	0	0	55	122	59	258	183
2025/7/5 21:40	0	0	0	0	0	58	128	55	220	178
2025/7/5 21:50	0	0	0	0	0	56	125	55	323	171
2025/7/5 22:00	0	0	0	0	0	54	117	52	296	169
2025/7/5 22:10	0	0	0	0	0	51	130	51	332	163
2025/7/5 22:20	0	0	0	0	0	62	120	51	318	164
2025/7/5 22:30	0	0	0	0	0	57	100	50	254	170
2025/7/5 22:40	0	0	0	0	0	56	108	49	282	164
2025/7/5 22:50	0	0	0	0	0	61	109	101	204	203
2025/7/5 23:00	0	0	0	0	0	58	114	243	79	168
2025/7/5 23:10	0	0	0	0	0	55	110	222	61	176
2025/7/5 23:20	0	0	0	0	0	50	112	146	158	197
2025/7/5 23:30	0	0	0	0	0	49	119	69	211	159
2025/7/5 23:40	0	0	0	0	0	61	120	104	159	191
2025/7/5 23:50	0	0	0	0	0	54	99	55	214	186
2025/7/6 0:00	0	0	0	0	0	55	99	75	120	206
2025/7/6 0:10	0	0	0	0	0	54	112	119	121	190
2025/7/6 0:20	0	0	0	0	0	55	128	111	183	276
2025/7/6 0:30	0	0	0	0	0	51	108	77	234	157
2025/7/6 0:40	0	0	0	0	0	54	128	59	270	153
2025/7/6 0:50	0	0	0	0	0	53	119	173	98	193
2025/7/6 1:00	0	0	0	0	0	54	110	182	67	158
2025/7/6 1:10	0	0	0	0	0	49	129	163	132	259
2025/7/6 1:20	0	0	0	0	0	46	106	48	180	223
2025/7/6 1:30	0	0	0	0	0	50	103	47	238	194

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/6 1:40	0	0	0	0	0	48	103	52	295	155
2025/7/6 1:50	0	0	0	0	0	56	102	66	146	178
2025/7/6 2:00	0	0	0	0	0	63	116	135	154	183
2025/7/6 2:10	0	0	0	0	0	57	137	147	149	190
2025/7/6 2:20	0	0	0	0	0	54	129	156	199	187
2025/7/6 2:30	0	0	0	0	0	53	112	88	182	208
2025/7/6 2:40	0	0	0	0	0	55	108	176	142	181
2025/7/6 2:50	0	0	0	0	0	56	122	129	119	245
2025/7/6 3:00	0	0	0	0	0	57	111	52	231	194
2025/7/6 3:10	0	0	0	0	0	58	95	54	219	144
2025/7/6 3:20	0	0	0	0	0	67	105	64	231	198
2025/7/6 3:30	0	0	0	0	0	55	112	109	186	152
2025/7/6 3:40	0	0	0	0	0	55	104	71	244	143
2025/7/6 3:50	0	0	0	0	0	54	101	63	229	142
2025/7/6 4:00	0	0	0	0	0	58	100	59	248	145
2025/7/6 4:10	0	0	0	0	0	64	109	56	232	161
2025/7/6 4:20	0	0	0	0	0	62	124	160	191	354
2025/7/6 4:30	0	0	0	0	0	59	97	54	290	167
2025/7/6 4:40	0	0	0	0	0	72	96	64	218	173
2025/7/6 4:50	0	0	0	0	0	73	100	67	231	173
2025/7/6 5:00	0	0	0	0	0	71	99	65	245	167
2025/7/6 5:10	0	0	0	0	0	68	100	62	196	175
2025/7/6 5:20	0	0	0	0	0	61	99	62	235	156
2025/7/6 5:30	0	0	0	0	0	64	100	67	223	146
2025/7/6 5:40	0	0	0	0	0	64	100	62	204	146
2025/7/6 5:50	0	0	0	0	0	60	96	64	176	140
2025/7/6 6:00	0	0	0	0	0	59	95	60	188	177
2025/7/6 6:10	0	0	0	0	0	60	98	67	139	145
2025/7/6 6:20	0	0	0	0	0	60	104	78	122	161
2025/7/6 6:30	0	0	0	0	0	59	108	91	120	154
2025/7/6 6:40	0	0	0	0	0	55	92	88	41	148
2025/7/6 6:50	0	0	0	0	0	52	110	122	124	177
2025/7/6 7:00	0	0	0	0	0	50	111	76	101	185
2025/7/6 7:10	0	0	0.1	0.1	0	56	103	92	175	266
2025/7/6 7:20	0	0	0.1	0.1	0	50	101	54	176	153
2025/7/6 7:30	0	0	0.1	0.1	0	51	106	57	149	182
2025/7/6 7:40	0.1	0	0.1	0.1	0	46	101	52	161	164
2025/7/6 7:50	0.1	0	0.1	0.1	0	51	116	130	89	234
2025/7/6 8:00	0.1	0	0.1	0.1	0	50	109	84	139	157
2025/7/6 8:10	0.1	0	0.1	0.1	0	55	112	128	32	360
2025/7/6 8:20	0.1	0	0.1	0.1	0	49	109	113	93	267
2025/7/6 8:30	0.1	0	0.1	0.2	0	63	132	143	74	396
2025/7/6 8:40	0.1	0	0.1	0.2	0	48	121	81	131	213
2025/7/6 8:50	0.1	0	0.1	0.2	0	85	117	84	114	268
2025/7/6 9:00	0.1	0	0.1	0.1	0	51	113	166	80	422
2025/7/6 9:10	0.1	0	0.1	0.1	0	86	155	70	67	310
2025/7/6 9:20	0.1	0	0.1	0.2	0	40	150	88	122	264
2025/7/6 9:30	0.1	0	0.1	0.1	0	40	113	77	120	199
2025/7/6 9:40	0.1	0	0.1	0.1	0	36	134	84	119	222
2025/7/6 9:50	0.1	0	0.1	0.1	0	50	124	120	76	375
2025/7/6 10:00	0.1	0	0.1	0.1	0	43	106	57	78	198
2025/7/6 10:10	0.1	0	0.1	0.1	0	41	111	59	100	207
2025/7/6 10:20	0.1	0	0.1	0.1	0	41	136	75	92	213
2025/7/6 10:30	0.1	0	0.1	0.1	0	46	110	120	64	307
2025/7/6 10:40	0.1	0	0.1	0.1	0	45	109	51	63	181
2025/7/6 10:50	0.1	0	0.1	0.1	0.1	42	107	58	70	193
2025/7/6 11:00	0.1	0	0.1	0.1	0.1	46	111	74	65	233
2025/7/6 11:10	0.1	0	0.1	0.1	0.1	43	111	95	42	279
2025/7/6 11:20	0.1	0	0.1	0.1	0.1	41	115	53	74	186
2025/7/6 11:30	0.1	0	0.1	0.1	0.1	48	119	87	48	240
2025/7/6 11:40	0.1	0	0.1	0.1	0.1	62	128	97	30	274
2025/7/6 11:50	0.1	0.1	0.1	0.1	0.1	51	132	103	58	284
2025/7/6 12:00	0.1	0.1	0.1	0.1	0.1	65	110	105	42	283
2025/7/6 12:10	0.1	0.1	0.1	0.1	0.1	66	129	126	43	311
2025/7/6 12:20	0.1	0.1	0.1	0.1	0.1	54	156	68	79	228
2025/7/6 12:30	0.1	0.1	0.1	0.1	0.1	59	127	112	59	290
2025/7/6 12:40	0.1	0.1	0.1	0.1	0.1	53	123	61	95	244
2025/7/6 12:50	0.1	0.1	0.1	0.1	0.1	61	123	124	30	334
2025/7/6 13:00	0.1	0.1	0.1	0.1	0.1	61	138	93	44	273
2025/7/6 13:10	0.1	0.1	0.1	0.1	0.1	61	140	94	50	273
2025/7/6 13:20	0.1	0.1	0.1	0.1	0.1	68	165	59	69	271
2025/7/6 13:30	0.2	0.1	0.1	0.1	0.1	59	128	94	83	288
2025/7/6 13:40	0.2	0.1	0.1	0.1	0.1	84	143	106	45	339

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/6 13:50	0.2	0.1	0.1	0.1	0.1	65	134	83	37	257
2025/7/6 14:00	0.2	0.1	0.1	0.1	0.1	84	136	105	28	319
2025/7/6 14:10	0.2	0.1	0.1	0.1	0.1	83	145	145	15	366
2025/7/6 14:20	0.2	0.1	0.1	0.1	0.1	62	125	135	50	306
2025/7/6 14:30	0.2	0.1	0.1	0.1	0.1	69	133	128	53	343
2025/7/6 14:40	0.2	0.1	0	0.1	0.1	72	150	117	24	327
2025/7/6 14:50	0.2	0.1	0	0.1	0.1	92	138	88	28	266
2025/7/6 15:00	0.2	0.1	0	0.1	0.1	64	126	125	23	297
2025/7/6 15:10	0.2	0.1	0	0.1	0.1	72	154	91	32	290
2025/7/6 15:20	0.2	0.1	0	0.1	0.1	119	180	80	15	397
2025/7/6 15:30	0.2	0.1	0	0.1	0	115	182	88	12	320
2025/7/6 15:40	0.2	0.1	0	0.1	0	98	160	86	8	367
2025/7/6 15:50	0.1	0.1	0	0.1	0	88	136	103	11	325
2025/7/6 16:00	0.2	0.1	0	0.1	0	78	128	99	12	310
2025/7/6 16:10	0.1	0.1	0	0.1	0	92	157	75	15	351
2025/7/6 16:20	0.1	0.1	0	0.1	0	84	145	102	16	317
2025/7/6 16:30	0.1	0.1	0	0.1	0	87	121	131	30	354
2025/7/6 16:40	0.1	0.1	0	0.1	0	132	177	83	19	381
2025/7/6 16:50	0.1	0.1	0	0.1	0	92	129	103	29	349
2025/7/6 17:00	0.1	0.1	0	0.1	0	59	109	139	31	305
2025/7/6 17:10	0.1	0.1	0	0.1	0	80	117	86	11	309
2025/7/6 17:20	0.1	0.1	0	0.1	0	76	117	83	7	350
2025/7/6 17:30	0.1	0.1	0	0.1	0	94	167	64	6	371
2025/7/6 17:40	0.1	0.1	0	0.1	0	67	118	112	9	284
2025/7/6 17:50	0.1	0.1	0	0.1	0	63	106	101	9	289
2025/7/6 18:00	0.1	0.1	0	0.1	0	106	111	77	11	341
2025/7/6 18:10	0.1	0	0	0	0	77	120	121	18	339
2025/7/6 18:20	0.1	0	0	0	0	119	171	75	25	375
2025/7/6 18:30	0.1	0	0	0	0	94	117	79	9	333
2025/7/6 18:40	0.1	0	0	0	0	99	146	84	9	333
2025/7/6 18:50	0.1	0	0	0	0	110	128	70	7	285
2025/7/6 19:00	0.1	0	0	0	0	78	120	84	8	330
2025/7/6 19:10	0.1	0	0	0	0	119	121	86	8	323
2025/7/6 19:20	0	0	0	0	0	146	124	64	9	287
2025/7/6 19:30	0	0	0	0	0	108	130	76	9	323
2025/7/6 19:40	0	0	0	0	0	88	122	104	9	360
2025/7/6 19:50	0	0	0	0	0	97	141	84	9	323
2025/7/6 20:00	0	0	0	0	0	119	122	72	12	282
2025/7/6 20:10	0	0	0	0	0	107	114	72	12	286
2025/7/6 20:20	0	0	0	0	0	115	120	79	13	299
2025/7/6 20:30	0	0	0	0	0	136	127	67	11	287
2025/7/6 20:40	0	0	0	0	0	147	130	82	13	300
2025/7/6 20:50	0	0	0	0	0	135	157	83	18	377
2025/7/6 21:00	0	0	0	0	0	207	175	63	18	279
2025/7/6 21:10	0	0	0	0	0	206	152	75	12	347
2025/7/6 21:20	0	0	0	0	0	238	187	111	15	406
2025/7/6 21:30	0	0	0	0	0	231	196	91	17	424
2025/7/6 21:40	0	0	0	0	0	208	174	102	19	394
2025/7/6 21:50	0	0	0	0	0	218	164	108	17	380
2025/7/6 22:00	0	0	0	0	0	207	175	119	16	402
2025/7/6 22:10	0	0	0	0	0	288	178	71	20	328
2025/7/6 22:20	0	0	0	0	0	250	193	84	20	415
2025/7/6 22:30	0	0	0	0	0	211	178	104	21	416
2025/7/6 22:40	0	0	0	0	0	84	155	144	20	447
2025/7/6 22:50	0	0	0	0	0	138	175	117	25	460
2025/7/6 23:00	0	0	0	0	0	294	182	110	29	428
2025/7/6 23:10	0	0	0	0	0	159	196	136	30	470
2025/7/6 23:20	0	0	0	0	0	125	201	131	32	473
2025/7/6 23:30	0	0	0	0	0	155	178	123	32	431
2025/7/6 23:40	0	0	0	0	0	276	174	100	28	365
2025/7/6 23:50	0	0	0	0	0	204	175	111	27	414
2025/7/7 0:00	0	0	0	0	0	179	163	105	29	436
2025/7/7 0:10	0	0	0	0	0	153	175	93	31	433
2025/7/7 0:20	0	0	0	0	0	162	173	100	30	426
2025/7/7 0:30	0	0	0	0	0	108	216	124	29	434
2025/7/7 0:40	0	0	0	0	0	121	195	92	27	465
2025/7/7 0:50	0	0	0	0	0	163	205	90	29	374
2025/7/7 1:00	0	0	0	0	0	201	171	85	25	434
2025/7/7 1:10	0	0	0	0	0	176	185	84	26	423
2025/7/7 1:20	0	0	0	0	0	154	188	104	27	426
2025/7/7 1:30	0	0	0	0	0	161	202	107	27	441
2025/7/7 1:40	0	0	0	0	0	128	187	119	24	435
2025/7/7 1:50	0	0	0	0	0	146	181	223	46	380

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/7 2:00	0	0	0	0	0	152	175	122	34	410
2025/7/7 2:10	0	0	0	0	0	127	174	71	23	427
2025/7/7 2:20	0	0	0	0	0	160	180	76	24	426
2025/7/7 2:30	0	0	0	0	0	130	184	98	23	419
2025/7/7 2:40	0	0	0	0	0	112	188	105	20	435
2025/7/7 2:50	0	0	0	0	0	171	229	82	19	426
2025/7/7 3:00	0	0	0	0	0	164	194	86	18	461
2025/7/7 3:10	0	0	0	0	0	161	215	124	25	388
2025/7/7 3:20	0	0	0	0	0	130	175	104	30	454
2025/7/7 3:30	0	0	0	0	0	189	175	100	41	380
2025/7/7 3:40	0	0	0	0	0	202	180	113	44	381
2025/7/7 3:50	0	0	0	0	0	135	182	109	42	413
2025/7/7 4:00	0	0	0	0	0	133	196	113	40	411
2025/7/7 4:10	0	0	0	0	0	83	181	87	33	474
2025/7/7 4:20	0	0	0	0	0	197	176	96	33	424
2025/7/7 4:30	0	0	0	0	0	141	197	87	32	400
2025/7/7 4:40	0	0	0	0	0	120	148	93	35	385
2025/7/7 4:50	0	0	0	0	0	177	187	138	35	325
2025/7/7 5:00	0	0	0	0	0	97	150	137	36	303
2025/7/7 5:10	0	0	0	0	0	158	161	90	37	376
2025/7/7 5:20	0	0	0	0	0	164	198	109	35	338
2025/7/7 5:30	0	0	0	0	0	164	180	91	38	312
2025/7/7 5:40	0	0	0	0	0	159	187	115	34	355
2025/7/7 5:50	0	0	0	0	0	190	186	128	37	375
2025/7/7 6:00	0	0	0	0	0	165	193	108	37	382
2025/7/7 6:10	0	0	0	0	0	225	166	130	37	381
2025/7/7 6:20	0	0	0	0	0	140	152	110	40	343
2025/7/7 6:30	0	0	0	0	0	175	188	89	35	353
2025/7/7 6:40	0	0	0	0	0	72	141	147	37	250
2025/7/7 6:50	0	0	0	0	0	134	187	89	35	348
2025/7/7 7:00	0	0	0	0.1	0	146	180	83	38	299
2025/7/7 7:10	0	0	0	0.1	0	169	256	69	40	323
2025/7/7 7:20	0.1	0	0	0.1	0	147	154	100	40	372
2025/7/7 7:30	0.1	0	0	0.1	0	137	238	119	36	316
2025/7/7 7:40	0.1	0	0	0.1	0	169	213	66	35	233
2025/7/7 7:50	0.1	0	0	0.1	0	105	184	94	55	293
2025/7/7 8:00	0.1	0	0	0.1	0	82	232	68	166	207
2025/7/7 8:10	0.1	0	0.1	0.1	0	143	218	83	36	266
2025/7/7 8:20	0.1	0	0.1	0.1	0	109	191	135	71	253
2025/7/7 8:30	0.1	0	0.1	0.1	0	95	201	64	113	223
2025/7/7 8:40	0.1	0	0.1	0.1	0	145	198	133	78	346
2025/7/7 8:50	0.1	0	0.1	0.1	0	92	229	112	76	284
2025/7/7 9:00	0.1	0	0.1	0.2	0	138	268	130	34	318
2025/7/7 9:10	0.1	0	0.1	0.2	0	89	211	132	106	305
2025/7/7 9:20	0.1	0	0.1	0.2	0	68	157	78	66	241
2025/7/7 9:30	0.1	0	0.1	0.2	0.1	85	182	67	74	217
2025/7/7 9:40	0.1	0	0.1	0.2	0.1	90	171	140	57	304
2025/7/7 9:50	0.1	0.1	0.1	0.2	0.1	91	216	95	66	299
2025/7/7 10:00	0.1	0.1	0.1	0.2	0.1	101	159	102	50	308
2025/7/7 10:10	0.1	0.1	0.1	0.1	0.1	95	228	117	47	299
2025/7/7 10:20	0.1	0.1	0.1	0.1	0.1	80	191	143	91	397
2025/7/7 10:30	0.1	0.1	0.1	0.1	0.1	160	272	104	59	344
2025/7/7 10:40	0.1	0.1	0.1	0.1	0.1	56	151	94	70	257
2025/7/7 10:50	0.1	0.1	0.1	0.1	0.1	67	143	110	70	300
2025/7/7 11:00	0.1	0.1	0.1	0.1	0.1	51	146	83	55	212
2025/7/7 11:10	0.1	0.1	0.1	0.1	0.1	46	137	62	81	203
2025/7/7 11:20	0.1	0.1	0.1	0.1	0.1	48	126	95	51	260
2025/7/7 11:30	0.1	0.1	0.1	0.1	0.1	45	127	70	79	204
2025/7/7 11:40	0.1	0.1	0.1	0.1	0.1	44	123	77	100	201
2025/7/7 11:50	0.1	0.1	0.1	0.1	0.1	86	178	142	57	330
2025/7/7 12:00	0.1	0.1	0.1	0.1	0	110	181	93	23	289
2025/7/7 12:10	0.1	0.1	0.1	0.1	0	103	215	80	28	260
2025/7/7 12:20	0.1	0.1	0.1	0.1	0.1	127	176	111	21	387
2025/7/7 12:30	0.1	0.1	0.1	0.1	0.1	86	201	80	77	273
2025/7/7 12:40	0.1	0.1	0.1	0.1	0.1	111	154	145	64	437
2025/7/7 12:50	0.1	0.1	0.1	0.1	0.1	65	174	142	48	297
2025/7/7 13:00	0.1	0.1	0.1	0.1	0.1	131	255	149	46	400
2025/7/7 13:10	0.1	0.1	0.1	0.1	0.1	136	233	194	121	483
2025/7/7 13:20	0.1	0.1	0.1	0.1	0.1	169	389	91	32	375
2025/7/7 13:30	0.1	0.1	0.1	0.1	0	130	215	133	37	327
2025/7/7 13:40	0.1	0.1	0.1	0.1	0	169	271	72	35	350
2025/7/7 13:50	0.1	0.1	0.1	0.1	0	109	265	63	33	285
2025/7/7 14:00	0.1	0.1	0.1	0.1	0	104	252	81	54	272

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/7 14:10	0.1	0.1	0.1	0.1	0	135	243	50	48	257
2025/7/7 14:20	0.1	0.1	0.1	0.1	0	137	228	57	34	280
2025/7/7 14:30	0.1	0.1	0.1	0.1	0	147	208	87	33	309
2025/7/7 14:40	0.1	0.1	0.1	0.1	0	111	236	69	46	275
2025/7/7 14:50	0.1	0.1	0.1	0.1	0	161	197	67	93	309
2025/7/7 15:00	0.1	0.1	0	0.2	0	173	220	66	32	387
2025/7/7 15:10	0.1	0.1	0	0.1	0	168	246	66	34	333
2025/7/7 15:20	0.1	0.1	0	0.1	0	155	220	72	45	312
2025/7/7 15:30	0.1	0.1	0	0.1	0	159	276	81	46	316
2025/7/7 15:40	0.1	0.1	0	0.1	0	157	213	107	58	339
2025/7/7 15:50	0.1	0.1	0	0.1	0	129	238	108	44	352
2025/7/7 16:00	0.1	0.1	0	0.1	0	104	177	99	36	321
2025/7/7 16:10	0.1	0.1	0	0.1	0	118	188	84	33	310
2025/7/7 16:20	0.1	0.1	0	0.1	0	143	223	106	39	356
2025/7/7 16:30	0.1	0.1	0	0.1	0	165	268	108	50	376
2025/7/7 16:40	0.1	0.1	0	0.1	0	153	207	85	55	372
2025/7/7 16:50	0.1	0.1	0	0.1	0	166	247	87	683	404
2025/7/7 17:00	0.1	0.1	0	0.1	0	261	317	70	969	400
2025/7/7 17:10	0.1	0.1	0	0.1	0	254	733	63	808	351
2025/7/7 17:20	0.1	0.1	0	0.1	0	207	278	54	614	257
2025/7/7 17:30	0.1	0.1	0	0.1	0	167	219	46	509	269
2025/7/7 17:40	0.1	0.1	0	0.1	0	177	228	44	394	268
2025/7/7 17:50	0.1	0.1	0	0.1	0	185	187	62	366	262
2025/7/7 18:00	0.1	0	0	0.1	0	174	183	65	387	270
2025/7/7 18:10	0.1	0	0	0.1	0	174	173	67	345	307
2025/7/7 18:20	0.1	0	0	0	0	159	143	88	335	327
2025/7/7 18:30	0.1	0	0	0	0	183	173	70	338	304
2025/7/7 18:40	0.1	0	0	0	0	181	145	74	306	297
2025/7/7 18:50	0.1	0	0	0	0	165	196	61	273	237
2025/7/7 19:00	0	0	0	0	0	212	173	79	302	323
2025/7/7 19:10	0	0	0	0	0	215	164	83	246	330
2025/7/7 19:20	0	0	0	0	0	210	191	69	224	305
2025/7/7 19:30	0	0	0	0	0	213	150	75	236	311
2025/7/7 19:40	0	0	0	0	0	200	154	63	243	269
2025/7/7 19:50	0	0	0	0	0	182	169	89	225	341
2025/7/7 20:00	0	0	0	0	0	169	192	126	205	397
2025/7/7 20:10	0	0	0	0	0	200	195	82	189	368
2025/7/7 20:20	0	0	0	0	0	183	162	100	195	324
2025/7/7 20:30	0	0	0	0	0	164	146	79	178	315
2025/7/7 20:40	0	0	0	0	0	219	189	70	176	347
2025/7/7 20:50	0	0	0	0	0	170	198	121	165	360
2025/7/7 21:00	0	0	0	0	0	210	178	78	179	382
2025/7/7 21:10	0	0	0	0	0	238	223	76	170	381
2025/7/7 21:20	0	0	0	0	0	245	227	92	161	385
2025/7/7 21:30	0	0	0	0	0	226	273	108	163	448
2025/7/7 21:40	0	0	0	0	0	226	231	112	153	415
2025/7/7 21:50	0	0	0	0	0	228	202	97	150	360
2025/7/7 22:00	0	0	0	0	0	245	203	87	156	348
2025/7/7 22:10	0	0	0	0	0	258	186	73	156	406
2025/7/7 22:20	0	0	0	0	0	236	228	93	135	383
2025/7/7 22:30	0	0	0	0	0	242	226	100	145	414
2025/7/7 22:40	0	0	0	0	0	299	215	71	141	350
2025/7/7 22:50	0	0	0	0	0	264	195	90	143	376
2025/7/7 23:00	0	0	0	0	0	268	212	86	151	325
2025/7/7 23:10	0	0	0	0	0	273	223	87	128	347
2025/7/7 23:20	0	0	0	0	0	287	239	70	133	443
2025/7/7 23:30	0	0	0	0	0	242	220	88	136	377
2025/7/7 23:40	0	0	0	0	0	236	212	82	125	366
2025/7/7 23:50	0	0	0	0	0	252	206	69	128	299
2025/7/8 0:00	0	0	0	0	0	274	226	70	135	336
2025/7/8 0:10	0	0	0	0	0	253	182	83	131	325
2025/7/8 0:20	0	0	0	0	0	264	240	79	127	337
2025/7/8 0:30	0	0	0	0	0	225	214	98	128	364
2025/7/8 0:40	0	0	0	0	0	211	185	76	124	282
2025/7/8 0:50	0	0	0	0	0	211	200	58	103	241
2025/7/8 1:00	0	0	0	0	0	245	181	60	114	284
2025/7/8 1:10	0	0	0	0	0	224	204	60	110	281
2025/7/8 1:20	0	0	0	0	0	214	173	58	106	286
2025/7/8 1:30	0	0	0	0	0	206	171	62	105	280
2025/7/8 1:40	0	0	0	0	0	217	165	66	105	320
2025/7/8 1:50	0	0	0	0	0	215	173	70	99	283
2025/7/8 2:00	0	0	0	0	0	192	195	63	100	233
2025/7/8 2:10	0	0	0	0	0	248	246	64	129	198

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/8 2:20	0	0	0	0	0	242	270	126	104	342
2025/7/8 2:30	0	0	0	0	0	240	230	93	113	398
2025/7/8 2:40	0	0	0	0	0	269	313	80	122	384
2025/7/8 2:50	0	0	0	0	0	248	268	96	117	377
2025/7/8 3:00	0	0	0	0	0	254	256	77	118	332
2025/7/8 3:10	0	0	0	0	0	238	265	89	119	361
2025/7/8 3:20	0	0	0	0	0	217	251	108	117	411
2025/7/8 3:30	0	0	0	0	0	204	341	128	132	398
2025/7/8 3:40	0	0	0	0	0	233	325	124	108	396
2025/7/8 3:50	0	0	0	0	0	275	321	127	117	396
2025/7/8 4:00	0	0	0	0	0	220	320	140	113	386
2025/7/8 4:10	0	0	0	0	0	238	287	94	109	348
2025/7/8 4:20	0	0	0	0	0	232	274	121	110	371
2025/7/8 4:30	0	0	0	0	0	203	275	122	107	385
2025/7/8 4:40	0	0	0	0	0	230	262	128	97	357
2025/7/8 4:50	0	0	0	0	0	264	322	96	103	350
2025/7/8 5:00	0	0	0	0	0	259	298	71	103	292
2025/7/8 5:10	0	0	0	0	0	217	247	73	94	304
2025/7/8 5:20	0	0	0	0	0	211	243	74	107	329
2025/7/8 5:30	0	0	0	0	0	200	242	132	140	374
2025/7/8 5:40	0	0	0	0	0	213	229	109	138	319
2025/7/8 5:50	0	0	0	0	0	194	228	71	111	297
2025/7/8 6:00	0	0	0	0	0	180	215	88	105	328
2025/7/8 6:10	0	0	0	0	0	128	183	84	102	271
2025/7/8 6:20	0	0	0	0	0	179	214	94	98	315
2025/7/8 6:30	0	0	0.1	0.1	0	101	267	133	105	400
2025/7/8 6:40	0	0	0.1	0.1	0	125	262	90	119	361
2025/7/8 6:50	0	0	0.1	0.1	0	249	294	62	88	312
2025/7/8 7:00	0	0	0.1	0.1	0	173	290	60	165	210
2025/7/8 7:10	0.1	0	0.1	0.1	0	231	296	64	94	372
2025/7/8 7:20	0.1	0	0.1	0.1	0	141	312	111	96	453
2025/7/8 7:30	0.1	0	0.1	0.1	0	162	260	133	98	395
2025/7/8 7:40	0.1	0	0.1	0.1	0	161	261	145	150	347
2025/7/8 7:50	0.1	0	0.1	0.1	0	144	226	102	100	350
2025/7/8 8:00	0.1	0	0.1	0.2	0	181	327	64	216	354
2025/7/8 8:10	0.1	0	0.1	0.2	0	139	270	83	269	382
2025/7/8 8:20	0.1	0	0.1	0.2	0	125	242	108	199	348
2025/7/8 8:30	0.1	0	0.1	0.2	0	119	213	131	219	459
2025/7/8 8:40	0.1	0	0.1	0.2	0	146	255	63	412	243
2025/7/8 8:50	0.1	0	0.1	0.2	0	149	294	69	392	312
2025/7/8 9:00	0.1	0	0.1	0.2	0	159	234	68	284	235
2025/7/8 9:10	0.1	0	0.1	0.2	0	150	207	69	294	256
2025/7/8 9:20	0.1	0	0.1	0.2	0	155	244	69	290	224
2025/7/8 9:30	0.1	0	0.1	0.2	0	157	231	75	196	318
2025/7/8 9:40	0.1	0	0.1	0.2	0	151	265	90	202	322
2025/7/8 9:50	0.1	0	0.1	0.2	0	160	240	68	160	258
2025/7/8 10:00	0.1	0	0.1	0.2	0.1	177	247	68	129	278
2025/7/8 10:10	0.1	0	0.1	0.1	0.1	139	230	86	163	350
2025/7/8 10:20	0.1	0	0.1	0.1	0.1	152	274	91	210	353
2025/7/8 10:30	0.1	0	0.1	0.1	0	169	300	77	144	326
2025/7/8 10:40	0.1	0.1	0.1	0.1	0.1	151	258	98	138	363
2025/7/8 10:50	0.1	0.1	0.1	0.1	0.1	148	352	104	126	349
2025/7/8 11:00	0.1	0.1	0.1	0.1	0.1	140	295	83	110	320
2025/7/8 11:10	0.1	0.1	0.1	0.1	0.1	134	278	85	107	326
2025/7/8 11:20	0.1	0.1	0.1	0.1	0.1	115	241	63	121	258
2025/7/8 11:30	0.1	0.1	0.1	0.1	0.1	75	244	55	104	200
2025/7/8 11:40	0.1	0.1	0.1	0.1	0.1	131	250	62	84	255
2025/7/8 11:50	0.1	0.1	0.1	0.1	0.1	178	235	82	95	375
2025/7/8 12:00	0.1	0.1	0.1	0.1	0.1	152	225	81	106	387
2025/7/8 12:10	0.1	0.1	0.1	0.1	0.1	122	250	61	108	261
2025/7/8 12:20	0.1	0.1	0.1	0.1	0.1	146	235	70	101	278
2025/7/8 12:30	0.1	0.1	0.1	0.1	0.1	127	226	66	117	286
2025/7/8 12:40	0.1	0.1	0.1	0.1	0.1	116	217	75	97	294
2025/7/8 12:50	0.1	0.1	0.1	0.1	0.1	131	228	73	80	279
2025/7/8 13:00	0.1	0.1	0.1	0.1	0.1	120	257	61	97	254
2025/7/8 13:10	0.1	0.1	0.1	0.1	0.1	92	241	59	77	213
2025/7/8 13:20	0.2	0.1	0.1	0.1	0.1	74	253	55	110	201
2025/7/8 13:30	0.2	0.1	0.1	0.1	0.1	98	250	60	72	270
2025/7/8 13:40	0.2	0.1	0.1	0.1	0.1	139	236	94	59	364
2025/7/8 13:50	0.2	0.1	0.1	0.1	0.1	128	263	63	91	261
2025/7/8 14:00	0.2	0.1	0.1	0.1	0.1	131	300	67	50	330
2025/7/8 14:10	0.2	0.1	0.1	0.1	0.1	158	232	73	50	341
2025/7/8 14:20	0.2	0.1	0.1	0.1	0.1	128	299	117	52	397

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/8 14:30	0.2	0.1	0.1	0.1	0.1	157	311	67	44	318
2025/7/8 14:40	0.2	0.1	0.1	0.1	0.1	155	292	64	45	293
2025/7/8 14:50	0.2	0.1	0.1	0.1	0.1	183	305	74	51	391
2025/7/8 15:00	0.2	0.1	0.1	0.1	0.1	109	268	116	49	389
2025/7/8 15:10	0.2	0.1	0.1	0.1	0.1	196	286	62	47	399
2025/7/8 15:20	0.2	0.1	0.1	0.1	0.1	179	252	76	42	350
2025/7/8 15:30	0.2	0.1	0.1	0.1	0.1	154	237	67	46	332
2025/7/8 15:40	0.2	0.1	0	0.1	0.1	138	240	107	55	373
2025/7/8 15:50	0.2	0.1	0	0.1	0	147	210	87	52	374
2025/7/8 16:00	0.2	0.2	0	0.1	0	181	216	88	53	397
2025/7/8 16:10	0.2	0.2	0	0.1	0	164	224	68	51	331
2025/7/8 16:20	0.2	0.2	0	0.1	0	177	364	68	41	356
2025/7/8 16:30	0.2	0.2	0	0.1	0	178	449	60	44	355
2025/7/8 16:40	0.2	0.2	0	0.1	0	146	519	65	36	291
2025/7/8 16:50	0.2	0.2	0	0.1	0	145	756	83	38	339
2025/7/8 17:00	0.1	0.2	0	0.1	0	144	854	71	41	328
2025/7/8 17:10	0.1	0.2	0	0.1	0	147	1073	68	37	274
2025/7/8 17:20	0.1	0.1	0	0.1	0	134	1061	61	23	328
2025/7/8 17:30	0.1	0.1	0	0.1	0	116	211	66	20	371
2025/7/8 17:40	0.1	0.1	0	0.1	0	141	174	64	16	295
2025/7/8 17:50	0.1	0.1	0	0.1	0	137	152	46	13	238
2025/7/8 18:00	0.1	0.1	0	0.1	0	154	161	57	12	320
2025/7/8 18:10	0.1	0.1	0	0.1	0	122	161	49	11	191
2025/7/8 18:20	0.1	0.1	0	0.1	0	153	153	45	11	221
2025/7/8 18:30	0.1	0.1	0	0	0	146	145	45	13	228
2025/7/8 18:40	0.1	0.1	0	0.1	0	160	164	49	22	253
2025/7/8 18:50	0.1	0	0	0	0	168	170	52	29	220
2025/7/8 19:00	0.1	0	0	0	0	187	188	50	24	269
2025/7/8 19:10	0	0	0	0	0	186	144	50	11	277
2025/7/8 19:20	0	0	0	0	0	169	131	50	10	284
2025/7/8 19:30	0	0	0	0	0	148	124	50	7	264
2025/7/8 19:40	0	0	0	0	0	143	120	49	9	262
2025/7/8 19:50	0	0	0	0	0	149	134	55	10	295
2025/7/8 20:00	0	0	0	0	0	134	133	61	11	329
2025/7/8 20:10	0	0	0	0	0	169	143	59	13	315
2025/7/8 20:20	0	0	0	0	0	171	151	56	14	237
2025/7/8 20:30	0	0	0	0	0	171	135	52	10	168
2025/7/8 20:40	0	0	0	0	0	145	135	51	10	160
2025/7/8 20:50	0	0	0	0	0	137	127	63	8	283
2025/7/8 21:00	0	0	0	0	0	167	132	51	5	248
2025/7/8 21:10	0	0	0	0	0	156	173	53	8	237
2025/7/8 21:20	0	0	0	0	0	232	150	66	9	347
2025/7/8 21:30	0	0	0	0	0	193	162	66	14	300
2025/7/8 21:40	0	0	0	0	0	180	152	86	16	363
2025/7/8 21:50	0	0	0	0	0	198	154	85	13	390
2025/7/8 22:00	0	0	0	0	0	192	166	78	14	368
2025/7/8 22:10	0	0	0	0	0	267	189	56	15	258
2025/7/8 22:20	0	0	0	0	0	231	177	74	13	340
2025/7/8 22:30	0	0	0	0	0	270	209	67	14	311
2025/7/8 22:40	0	0	0	0	0	279	183	61	14	319
2025/7/8 22:50	0	0	0	0	0	286	252	89	17	397
2025/7/8 23:00	0	0	0	0	0	211	225	132	15	441
2025/7/8 23:10	0	0	0	0	0	243	278	100	18	416
2025/7/8 23:20	0	0	0	0	0	232	244	129	18	401
2025/7/8 23:30	0	0	0	0	0	297	257	84	19	397
2025/7/8 23:40	0	0	0	0	0	268	230	78	20	388
2025/7/8 23:50	0	0	0	0	0	207	213	80	18	371
2025/7/9 0:00	0	0	0	0	0	198	183	83	19	337
2025/7/9 0:10	0	0	0	0	0	221	194	84	18	350
2025/7/9 0:20	0	0	0	0	0	200	168	92	15	315
2025/7/9 0:30	0	0	0	0	0	219	195	74	16	355
2025/7/9 0:40	0	0	0	0	0	215	176	77	19	370
2025/7/9 0:50	0	0	0	0	0	198	178	63	17	314
2025/7/9 1:00	0	0	0	0	0	220	159	96	15	326
2025/7/9 1:10	0	0	0	0	0	188	171	71	16	351
2025/7/9 1:20	0	0	0	0	0	187	152	71	17	314
2025/7/9 1:30	0	0	0	0	0	207	154	65	16	330
2025/7/9 1:40	0	0	0	0	0	192	163	67	18	361
2025/7/9 1:50	0	0	0	0	0	237	194	59	19	256
2025/7/9 2:00	0	0	0	0	0	201	220	58	21	212
2025/7/9 2:10	0	0	0	0	0	287	186	75	18	344
2025/7/9 2:20	0	0	0	0	0	250	165	69	20	307
2025/7/9 2:30	0	0	0	0	0	214	233	57	18	249

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/9 2:40	0	0	0	0	0	196	293	100	22	426
2025/7/9 2:50	0	0	0	0	0	224	229	57	20	254
2025/7/9 3:00	0	0	0	0	0	257	225	62	23	295
2025/7/9 3:10	0	0	0	0	0	252	226	72	23	386
2025/7/9 3:20	0	0	0	0	0	250	230	89	21	333
2025/7/9 3:30	0	0	0	0	0	267	202	60	19	276
2025/7/9 3:40	0	0	0	0	0	264	181	57	17	336
2025/7/9 3:50	0	0	0	0	0	260	225	57	44	175
2025/7/9 4:00	0	0	0	0	0	291	244	60	20	241
2025/7/9 4:10	0	0	0	0	0	250	227	61	18	269
2025/7/9 4:20	0	0	0	0	0	278	221	60	19	297
2025/7/9 4:30	0	0	0	0	0	270	258	67	20	307
2025/7/9 4:40	0	0	0	0	0	273	202	61	20	305
2025/7/9 4:50	0	0	0	0	0	275	237	79	21	311
2025/7/9 5:00	0	0	0	0	0	252	268	70	22	325
2025/7/9 5:10	0	0	0	0	0	207	174	72	21	305
2025/7/9 5:20	0	0	0	0	0	207	185	63	24	317
2025/7/9 5:30	0	0	0	0	0	181	178	74	33	329
2025/7/9 5:40	0	0	0	0	0	197	209	65	42	289
2025/7/9 5:50	0	0	0	0	0	186	184	77	40	300
2025/7/9 6:00	0	0	0	0	0	191	174	69	28	246
2025/7/9 6:10	0	0	0	0	0	119	200	62	23	211
2025/7/9 6:20	0	0	0	0	0	138	188	62	38	248
2025/7/9 6:30	0	0	0	0	0	105	208	60	89	155
2025/7/9 6:40	0	0	0	0	0	108	231	56	63	149
2025/7/9 6:50	0	0	0	0.1	0	64	245	56	81	144
2025/7/9 7:00	0	0	0	0.1	0	95	267	54	138	145
2025/7/9 7:10	0	0	0	0.1	0	156	230	55	94	176
2025/7/9 7:20	0.1	0	0.1	0.1	0	230	225	59	13	224
2025/7/9 7:30	0.1	0	0.1	0.1	0	49	251	54	59	149
2025/7/9 7:40	0.1	0	0.1	0.1	0	86	269	54	45	153
2025/7/9 7:50	0.1	0	0.1	0.1	0	82	258	53	46	153
2025/7/9 8:00	0.1	0	0.1	0.1	0	119	277	52	25	157
2025/7/9 8:10	0.1	0	0.1	0.1	0	89	247	51	35	153
2025/7/9 8:20	0.1	0	0.1	0.1	0	142	265	56	119	209
2025/7/9 8:30	0.1	0	0.1	0.1	0	98	286	52	136	157
2025/7/9 8:40	0.1	0	0.1	0.1	0	149	221	52	41	207
2025/7/9 8:50	0.1	0	0.1	0.1	0	96	259	51	104	156
2025/7/9 9:00	0.1	0	0.1	0.1	0	68	231	52	89	159
2025/7/9 9:10	0.1	0	0.1	0.2	0	156	199	72	27	286
2025/7/9 9:20	0.1	0	0.1	0.2	0	146	208	81	30	307
2025/7/9 9:30	0.1	0	0.1	0.1	0	136	265	89	41	332
2025/7/9 9:40	0.1	0	0.1	0.2	0	135	247	74	39	264
2025/7/9 9:50	0.1	0	0.1	0.2	0	134	360	102	35	335
2025/7/9 10:00	0.1	0	0.1	0.1	0	126	296	76	35	265
2025/7/9 10:10	0.1	0.1	0.1	0.1	0.1	140	624	80	36	320
2025/7/9 10:20	0.1	0.1	0.1	0.1	0.1	134	487	92	42	291
2025/7/9 10:30	0.1	0.1	0.1	0.1	0.1	111	293	90	59	303
2025/7/9 10:40	0.1	0.1	0.1	0.1	—	112	311	76	45	264
2025/7/9 10:50	0.1	0.1	0.1	0.1	0.1	129	283	70	33	277
2025/7/9 11:00	0.1	0.1	0.1	0.1	0.1	125	480	74	39	259
2025/7/9 11:10	0.1	0.1	0.1	0.1	0.1	144	270	70	39	275
2025/7/9 11:20	0.1	0.1	0.1	0.1	0.1	118	358	106	43	321
2025/7/9 11:30	0.1	0.1	0.1	0.1	0.1	122	453	75	81	312
2025/7/9 11:40	0.1	0.1	0.1	0.1	0.1	160	293	68	139	268
2025/7/9 11:50	0.1	0.1	0.1	0.1	0.1	146	441	75	70	345
2025/7/9 12:00	0.1	0.1	0.1	0.1	0.1	146	208	68	53	275
2025/7/9 12:10	0.1	0.1	0.1	0.1	0.1	136	233	77	47	297
2025/7/9 12:20	0.1	0.1	0.1	0.1	0.1	133	213	78	31	276
2025/7/9 12:30	0.1	0.1	0.1	0.1	0.1	117	182	87	26	326
2025/7/9 12:40	0.1	0.1	0.1	0.1	0.1	103	179	91	23	318
2025/7/9 12:50	0.1	0.1	0.1	0.1	0.1	118	188	81	24	329
2025/7/9 13:00	0.1	0.1	0.1	0.1	0.1	121	188	78	23	296
2025/7/9 13:10	0.1	0.1	0.1	0.1	0.1	129	200	68	28	314
2025/7/9 13:20	0.1	0.1	0.1	0.1	0.1	148	203	69	35	313
2025/7/9 13:30	0.2	0.1	0.1	0.1	0.1	135	209	80	40	316
2025/7/9 13:40	0.2	0.1	0.1	0.1	0.1	150	204	60	41	296
2025/7/9 13:50	0.2	0.1	0.1	0.1	0	138	210	58	33	296
2025/7/9 14:00	0.2	0.1	0.1	0.1	0.1	108	197	72	35	278
2025/7/9 14:10	0.2	0.1	0.1	0.1	0.1	144	191	57	27	267
2025/7/9 14:20	0.2	0.1	0	0.1	0	122	176	59	23	276
2025/7/9 14:30	0.2	0.1	0	0.1	0.1	107	195	60	23	256
2025/7/9 14:40	0.2	0.1	0	0.1	0.1	124	197	59	29	247

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/9 14:50	0.2	0.1	0	0.1	0.1	119	186	55	24	214
2025/7/9 15:00	0.2	0.1	0	0.1	0	144	185	69	28	295
2025/7/9 15:10	0.2	0.1	0	0.1	0	139	233	73	26	298
2025/7/9 15:20	0.2	0.1	0	0.1	0	121	296	58	27	239
2025/7/9 15:30	0.2	0.1	0	0.1	0	148	258	59	27	279
2025/7/9 15:40	0.2	0.1	0	0.1	0	100	305	55	21	210
2025/7/9 15:50	0.2	0.1	0	0.1	0	101	222	63	20	227
2025/7/9 16:00	0.2	0.1	0	0.1	0	113	210	58	19	228
2025/7/9 16:10	0.2	0.1	0	0.1	0	122	248	58	22	258
2025/7/9 16:20	0.2	0.2	0	0.1	0	109	314	53	18	195
2025/7/9 16:30	0.2	0.2	0	0.1	0	249	304	54	19	213
2025/7/9 16:40	0.2	0.2	0	0.1	0	145	293	59	18	267
2025/7/9 16:50	0.1	0.2	0	0.1	0	147	246	64	18	239
2025/7/9 17:00	0.1	0.2	0	0.1	0	102	277	58	15	171
2025/7/9 17:10	0.1	0.1	0	0.1	0	118	279	54	11	170
2025/7/9 17:20	0.1	0.1	0	0.1	0	160	225	68	12	256
2025/7/9 17:30	0.1	0.1	0	0.1	0	141	164	62	10	245
2025/7/9 17:40	0.1	0.1	0	0.1	0	111	166	57	13	204
2025/7/9 17:50	0.1	0.1	0	0.1	0	122	150	60	12	222
2025/7/9 18:00	0.1	0.1	0	0.1	0	129	136	50	7	178
2025/7/9 18:10	0.1	0.1	0	0	0	103	136	51	9	141
2025/7/9 18:20	0.1	0.1	0	0	0	112	145	55	12	157
2025/7/9 18:30	0.1	0.1	0	0	0	120	158	56	12	148
2025/7/9 18:40	0.1	0.1	0	0	0	140	163	57	20	215
2025/7/9 18:50	0.1	0	0	0	0	142	141	56	17	239
2025/7/9 19:00	0	0	0	0	0	156	129	54	20	247
2025/7/9 19:10	0	0	0	0	0	141	154	63	22	221
2025/7/9 19:20	0	0	0	0	0	162	143	56	27	259
2025/7/9 19:30	0	0	0	0	0	178	158	58	12	205
2025/7/9 19:40	0	0	0	0	0	176	138	65	15	231
2025/7/9 19:50	0	0	0	0	0	199	143	62	16	247
2025/7/9 20:00	0	0	0	0	0	203	164	67	17	267
2025/7/9 20:10	0	0	0	0	0	160	137	82	21	245
2025/7/9 20:20	0	0	0	0	0	151	123	78	21	269
2025/7/9 20:30	0	0	0	0	0	177	152	69	20	218
2025/7/9 20:40	0	0	0	0	0	142	145	70	10	306
2025/7/9 20:50	0	0	0	0	0	161	140	69	9	250
2025/7/9 21:00	0	0	0	0	0	193	164	61	12	313
2025/7/9 21:10	0	0	0	0	0	187	186	88	12	336
2025/7/9 21:20	0	0	0	0	0	197	148	76	11	330
2025/7/9 21:30	0	0	0	0	0	222	198	61	11	295
2025/7/9 21:40	0	0	0	0	0	201	164	73	13	279
2025/7/9 21:50	0	0	0	0	0	223	177	77	15	296
2025/7/9 22:00	0	0	0	0	0	222	186	65	21	226
2025/7/9 22:10	0	0	0	0	0	242	182	84	20	355
2025/7/9 22:20	0	0	0	0	0	252	260	72	20	314
2025/7/9 22:30	0	0	0	0	0	285	230	66	21	308
2025/7/9 22:40	0	0	0	0	0	246	212	82	19	340
2025/7/9 22:50	0	0	0	0	0	295	243	76	18	354
2025/7/9 23:00	0	0	0	0	0	252	220	103	19	428
2025/7/9 23:10	0	0	0	0	0	244	270	103	19	377
2025/7/9 23:20	0	0	0	0	0	242	208	94	20	394
2025/7/9 23:30	0	0	0	0	0	248	240	98	19	317
2025/7/9 23:40	0	0	0	0	0	220	225	101	20	341
2025/7/9 23:50	0	0	0	0	0	183	192	144	20	372
2025/7/10 0:00	0	0	0	0	0	216	285	128	20	371
2025/7/10 0:10	0	0	0	0	0	234	203	71	19	341
2025/7/10 0:20	0	0	0	0	0	205	185	97	20	341
2025/7/10 0:30	0	0	0	0	0	223	236	106	21	358
2025/7/10 0:40	0	0	0	0	0	238	239	110	21	377
2025/7/10 0:50	0	0	0	0	0	209	217	73	21	358
2025/7/10 1:00	0	0	0	0	0	246	185	73	21	321
2025/7/10 1:10	0	0	0	0	0	256	182	77	21	297
2025/7/10 1:20	0	0	0	0	0	228	186	71	22	329
2025/7/10 1:30	0	0	0	0	0	249	202	97	24	336
2025/7/10 1:40	0	0	0	0	0	260	248	87	28	333
2025/7/10 1:50	0	0	0	0	0	260	231	110	26	319
2025/7/10 2:00	0	0	0	0	0	245	218	67	24	237
2025/7/10 2:10	0	0	0	0	0	237	208	70	22	287
2025/7/10 2:20	0	0	0	0	0	222	221	75	23	374
2025/7/10 2:30	0	0	0	0	0	236	249	110	25	369
2025/7/10 2:40	0	0	0	0	0	257	253	79	24	363
2025/7/10 2:50	0	0	0	0	0	221	236	94	23	391

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/10 3:00	0	0	0	0	0	247	248	83	24	374
2025/7/10 3:10	0	0	0	0	0	291	219	80	27	379
2025/7/10 3:20	0	0	0	0	0	274	322	116	28	401
2025/7/10 3:30	0	0	0	0	0	265	348	163	34	385
2025/7/10 3:40	0	0	0	0	0	269	291	126	32	388
2025/7/10 3:50	0	0	0	0	0	299	307	114	27	357
2025/7/10 4:00	0	0	0	0	0	269	335	107	28	366
2025/7/10 4:10	0	0	0	0	0	312	347	99	32	356
2025/7/10 4:20	0	0	0	0	0	308	332	103	37	324
2025/7/10 4:30	0	0	0	0	0	294	341	72	29	342
2025/7/10 4:40	0	0	0	0	0	266	316	115	31	334
2025/7/10 4:50	0	0	0	0	0	262	323	133	34	331
2025/7/10 5:00	0	0	0	0	0	215	267	80	30	343
2025/7/10 5:10	0	0	0	0	0	243	261	78	28	323
2025/7/10 5:20	0	0	0	0	0	252	307	99	178	318
2025/7/10 5:30	0	0	0	0	0	222	304	82	68	253
2025/7/10 5:40	0	0	0	0	0	228	302	79	54	258
2025/7/10 5:50	0	0	0	0	0	206	308	85	108	240
2025/7/10 6:00	0	0	0.1	0	0	161	244	63	130	159
2025/7/10 6:10	0	0	0.1	0	0	53	257	51	56	133
2025/7/10 6:20	0	0	0.1	0	0	51	252	51	40	133
2025/7/10 6:30	0	0	0.1	0.1	0	143	223	52	8	187
2025/7/10 6:40	0	0	0.1	0.1	0	144	238	53	94	173
2025/7/10 6:50	0	0	0.1	0.1	0	119	261	56	97	203
2025/7/10 7:00	0	0	0.1	0.2	0	136	246	52	36	140
2025/7/10 7:10	0.1	0	0.1	0.2	0	183	227	55	5	280
2025/7/10 7:20	0.1	0	0.2	0.2	0	131	278	57	30	206
2025/7/10 7:30	0.1	0	0.2	0.2	0	90	257	57	30	149
2025/7/10 7:40	0.1	0	0.2	0.2	0	59	264	59	116	150
2025/7/10 7:50	0.1	0	0.2	0.2	0	54	245	57	171	153
2025/7/10 8:00	0.1	0	0.2	0.2	0	107	210	75	56	219
2025/7/10 8:10	0.1	0	0.2	0.2	0	164	222	60	16	286
2025/7/10 8:20	0.1	0	0.2	0.2	0	130	209	84	27	252
2025/7/10 8:30	0.1	0	0.2	0.2	0	121	233	61	35	204
2025/7/10 8:40	0.1	0	0.2	0.2	0	91	246	64	42	186
2025/7/10 8:50	0.1	0	0.2	0.2	0	84	149	66	79	198
2025/7/10 9:00	0.1	0	0.2	0.2	0	66	154	70	115	195
2025/7/10 9:10	0.1	0	0.1	0.2	0	83	193	70	39	215
2025/7/10 9:20	0.1	0	0.1	0.2	0	92	246	65	51	185
2025/7/10 9:30	0.1	0	0.1	0.2	0	93	135	87	58	284
2025/7/10 9:40	0.1	0	0.1	0.2	0	91	200	59	88	215
2025/7/10 9:50	0.1	0	0.1	0.1	0	58	126	60	143	188
2025/7/10 10:00	0.1	0	0.1	0.1	0	55	164	58	94	182
2025/7/10 10:10	0.1	0	0.1	0.1	0	70	105	56	95	189
2025/7/10 10:20	0.1	0	0.1	0.1	0	89	218	58	50	186
2025/7/10 10:30	0.1	0	0.1	0.1	0	147	268	90	25	290
2025/7/10 10:40	0.1	0	0.1	0.1	0	121	170	84	31	265
2025/7/10 10:50	0.1	0	0.1	0.1	0	136	263	91	39	297
2025/7/10 11:00	0.1	0	0.1	0.1	0	128	205	107	23	347
2025/7/10 11:10	0.1	0	0.1	0.1	0	175	235	99	26	359
2025/7/10 11:20	0.1	0	0.1	0.1	0	150	249	60	54	252
2025/7/10 11:30	0.1	0.1	0.1	0.1	0	133	190	93	32	349
2025/7/10 11:40	0.1	0.1	0.1	0.1	0	112	177	138	24	355
2025/7/10 11:50	0.1	0.1	0.1	0.1	0	155	209	120	26	340
2025/7/10 12:00	0.1	0.1	0.1	0.1	0	135	248	127	22	368
2025/7/10 12:10	0.1	0.1	0.1	0.1	0	128	245	67	20	235
2025/7/10 12:20	0.1	0.1	0.1	0.1	0	166	169	79	18	313
2025/7/10 12:30	0.1	0.1	0.1	0.1	0	137	185	127	15	370
2025/7/10 12:40	0.1	0.1	0.1	0.1	0	124	188	112	14	360
2025/7/10 12:50	0.1	0.1	0.1	0.1	0	128	154	114	21	339
2025/7/10 13:00	0.1	0.1	0.1	0.1	0	133	193	84	10	337
2025/7/10 13:10	0.1	0.1	0.1	0.1	0	135	244	58	25	269
2025/7/10 13:20	0.1	0.1	0.1	0.1	0	160	298	80	24	351
2025/7/10 13:30	0.1	0.1	0.1	0.1	0	193	257	111	40	416
2025/7/10 13:40	0.2	0.1	0.1	0.1	0	124	237	114	85	306
2025/7/10 13:50	0.1	0.1	0.1	0.1	0	153	263	154	91	395
2025/7/10 14:00	0.1	0.1	0.1	0.1	0	156	247	135	68	369
2025/7/10 14:10	0.1	0.1	0.1	0.1	0	134	210	185	170	328
2025/7/10 14:20	0.1	0.1	0	0.1	0	149	236	231	128	362
2025/7/10 14:30	0.1	0.1	0	0.1	0	105	155	250	192	343
2025/7/10 14:40	0.1	0.1	0	0.1	0	107	162	189	133	310
2025/7/10 14:50	0.1	0.1	0	0.1	0	110	164	217	63	323
2025/7/10 15:00	0.1	0.1	0	0.1	0	136	166	150	53	303

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/10 15:10	0.1	0.1	0	0.1	0	91	179	133	65	233
2025/7/10 15:20	0.1	0.1	0	0.1	0	123	172	121	31	258
2025/7/10 15:30	0.1	0.1	0	0.1	0	128	145	177	30	339
2025/7/10 15:40	0.1	0	0	0.1	0	150	150	253	87	374
2025/7/10 15:50	0.1	0	0	0	0	139	170	136	52	298
2025/7/10 16:00	0.1	0	0	0	0	214	194	120	34	283
2025/7/10 16:10	0.1	0	0	0	0	151	213	187	109	290
2025/7/10 16:20	0.1	0	0	0	0	106	156	164	94	249
2025/7/10 16:30	0.1	0	0	0	0	108	158	117	52	202
2025/7/10 16:40	0.1	0	0	0	0	106	156	119	22	255
2025/7/10 16:50	0	0	0	0	0	88	129	103	24	181
2025/7/10 17:00	0	0	0	0	0	115	116	340	52	440
2025/7/10 17:10	0	0	0	0	0	108	125	113	24	240
2025/7/10 17:20	0	0	0	0	0	77	117	81	18	173
2025/7/10 17:30	0	0	0	0	0	70	112	130	34	170
2025/7/10 17:40	0	0	0	0	0	138	122	319	49	408
2025/7/10 17:50	0	0	0	0	0	146	107	261	80	343
2025/7/10 18:00	0	0	0	0	0	69	101	90	39	159
2025/7/10 18:10	0	0	0	0	0	53	102	71	30	129
2025/7/10 18:20	0	0	0	0	0	64	112	76	27	132
2025/7/10 18:30	0	0	0	0	0	57	101	81	28	127
2025/7/10 18:40	0	0	0	0	0	59	100	94	30	132
2025/7/10 18:50	0	0	0	0	0	58	100	94	38	121
2025/7/10 19:00	0	0	0	0	0	68	112	90	29	139
2025/7/10 19:10	0	0	0	0	0	62	103	106	45	133
2025/7/10 19:20	0	0	0	0	0	60	99	113	63	124
2025/7/10 19:30	0	0	0	0	0	53	94	134	47	132
2025/7/10 19:40	0	0	0	0	0	54	89	135	64	128
2025/7/10 19:50	0	0	0	0	0	71	105	101	33	166
2025/7/10 20:00	0	0	0	0	0	102	119	72	22	145
2025/7/10 20:10	0	0	0	0	0	88	105	55	22	119
2025/7/10 20:20	0	0	0	0	0	79	95	104	264	126
2025/7/10 20:30	0	0	0	0	0	47	84	112	157	114
2025/7/10 20:40	0	0	0	0	0	48	85	127	171	116
2025/7/10 20:50	0	0	0	0	0	76	92	225	98	180
2025/7/10 21:00	0	0	0	0	0	59	86	174	127	142
2025/7/10 21:10	0	0	0	0	0	73	105	251	148	275
2025/7/10 21:20	0	0	0	0	0	51	79	151	275	125
2025/7/10 21:30	0	0	0	0	0	46	72	66	117	104
2025/7/10 21:40	0	0	0	0	0	40	73	69	36	100
2025/7/10 21:50	0	0	0	0	0	41	70	126	99	132
2025/7/10 22:00	0	0	0	0	0	119	78	415	210	233
2025/7/10 22:10	0	0	0	0	0	55	78	225	79	186
2025/7/10 22:20	0	0	0	0	0	53	77	174	111	148
2025/7/10 22:30	0	0	0	0	0	46	75	155	191	130
2025/7/10 22:40	0	0	0	0	0	49	75	180	117	141
2025/7/10 22:50	0	0	0	0	0	42	72	189	145	145
2025/7/10 23:00	0	0	0	0	0	53	91	162	35	170
2025/7/10 23:10	0	0	0	0	0	57	94	181	49	171
2025/7/10 23:20	0	0	0	0	0	63	104	111	27	149
2025/7/10 23:30	0	0	0	0	0	66	105	89	21	153
2025/7/10 23:40	0	0	0	0	0	45	86	107	22	128
2025/7/10 23:50	0	0	0	0	0	60	82	109	38	135
2025/7/11 0:00	0	0	0	0	0	42	71	140	64	157
2025/7/11 0:10	0	0	0	0	0	67	104	217	64	257
2025/7/11 0:20	0	0	0	0	0	51	84	144	26	166
2025/7/11 0:30	0	0	0	0	0	47	78	95	28	129
2025/7/11 0:40	0	0	0	0	0	48	78	122	32	136
2025/7/11 0:50	0	0	0	0	0	44	78	146	37	153
2025/7/11 1:00	0	0	0	0	0	43	87	90	26	121
2025/7/11 1:10	0	0	0	0	0	39	78	85	56	112
2025/7/11 1:20	0	0	0	0	0	35	64	79	87	101
2025/7/11 1:30	0	0	0	0	0	42	70	87	30	110
2025/7/11 1:40	0	0	0	0	0	39	77	87	29	112
2025/7/11 1:50	0	0	0	0	0	38	76	85	28	107
2025/7/11 2:00	0	0	0	0	0	51	84	94	17	146
2025/7/11 2:10	0	0	0	0	0	38	77	100	20	107
2025/7/11 2:20	0	0	0	0	0	47	77	101	21	139
2025/7/11 2:30	0	0	0	0	0	43	77	98	19	130
2025/7/11 2:40	0	0	0	0	0	43	73	98	36	122
2025/7/11 2:50	0	0	0	0	0	44	72	101	54	112
2025/7/11 3:00	0	0	0	0	0	42	77	107	25	140
2025/7/11 3:10	0	0	0	0	0	39	70	92	80	118

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/11 3:20	0	0	0	0	0	37	65	96	38	109
2025/7/11 3:30	0	0	0	0	0	46	84	111	20	142
2025/7/11 3:40	0	0	0	0	0	41	75	82	31	116
2025/7/11 3:50	0	0	0	0	0	38	78	88	20	111
2025/7/11 4:00	0	0	0	0	0	34	64	69	40	103
2025/7/11 4:10	0	0	0	0	0	38	75	91	26	122
2025/7/11 4:20	0	0	0	0	0	37	65	71	55	107
2025/7/11 4:30	0	0	0	0	0	46	75	105	26	141
2025/7/11 4:40	0	0	0	0	0	43	73	87	21	134
2025/7/11 4:50	0	0	0	0	0	40	74	75	18	112
2025/7/11 5:00	0	0	0	0	0	41	80	93	17	122
2025/7/11 5:10	0	0	0	0	0	34	77	82	34	102
2025/7/11 5:20	0	0	0	0	0	34	72	76	32	101
2025/7/11 5:30	0	0	0	0	0	32	61	63	39	95
2025/7/11 5:40	0	0	0	0	0	32	64	67	26	100
2025/7/11 5:50	0	0	0	0	0	33	74	62	17	92
2025/7/11 6:00	0	0	0	0	0	31	71	63	23	98
2025/7/11 6:10	0	0	0	0	0	31	67	64	31	91
2025/7/11 6:20	0	0	0	0	0	33	66	73	31	100
2025/7/11 6:30	0	0	0	0	0	34	71	67	21	92
2025/7/11 6:40	0	0	0	0	0	34	66	61	37	95
2025/7/11 6:50	0	0	0	0	0	36	64	76	23	109
2025/7/11 7:00	0	0	0	0	0	41	66	87	36	121
2025/7/11 7:10	0	0	0	0	0	42	70	98	35	138
2025/7/11 7:20	0	0	0	0	0	39	77	96	30	139
2025/7/11 7:30	0	0	0	0	0	41	71	85	49	124
2025/7/11 7:40	0	0	0	0	0	37	64	61	89	90
2025/7/11 7:50	0	0	0	0	0	38	77	63	146	89
2025/7/11 8:00	0	0	0	0	0	46	83	53	130	100
2025/7/11 8:10	0	0	0	0	0	49	76	55	109	94
2025/7/11 8:20	0	0	0	0	0	50	82	66	134	122
2025/7/11 8:30	0	0	0	0	0	51	85	65	134	115
2025/7/11 8:40	0	0	0	0	0	51	96	56	123	99
2025/7/11 8:50	0	0	0	0	0	51	87	56	275	98
2025/7/11 9:00	0	0	0	0	0	60	88	58	162	99
2025/7/11 9:10	0	0	0	0	0	71	100	81	110	157
2025/7/11 9:20	0	0	0	0	0	71	136	148	129	302
2025/7/11 9:30	0	0	0	0	0	113	212	221	259	329
2025/7/11 9:40	0	0	0	0	0	100	194	204	198	291
2025/7/11 9:50	0	0	0	0	0	82	170	181	160	258
2025/7/11 10:00	0	0	0	0	0	68	147	128	95	209
2025/7/11 10:10	0	0	0	0	0	64	125	114	83	181
2025/7/11 10:20	0	0	0	0	0	58	126	108	76	169
2025/7/11 10:30	0	0	0	0	0	66	145	123	61	191
2025/7/11 10:40	0	0	0	0	0	57	133	117	146	190
2025/7/11 10:50	0	0	0	0	0	67	136	138	169	209
2025/7/11 11:00	0	0	0	0	0	61	111	115	83	188
2025/7/11 11:10	0	0	0	0	0	48	99	110	82	200
2025/7/11 11:20	0.1	0	0	0	0	46	99	107	64	182
2025/7/11 11:30	0.1	0	0	0	0	40	123	95	65	144
2025/7/11 11:40	0.1	0	0	0	0	47	109	105	68	179
2025/7/11 11:50	0.1	0	0	0	0	47	95	100	44	183
2025/7/11 12:00	0.1	0	0	0	0	45	83	100	42	178
2025/7/11 12:10	0.1	0	0	0	0	46	82	108	34	167
2025/7/11 12:20	0	0	0	0	0	43	85	120	38	204
2025/7/11 12:30	0	0	0	0	0	40	77	97	40	179
2025/7/11 12:40	0	0	0	0	0	52	95	126	36	213
2025/7/11 12:50	0	0	0	0	0	63	101	144	38	259
2025/7/11 13:00	0	0	0	0	0	50	107	132	97	185
2025/7/11 13:10	0	0	0	0	0	70	154	164	121	227
2025/7/11 13:20	0	0	0	0	0	74	155	147	132	237
2025/7/11 13:30	0	0	0	0	0	90	165	165	123	262
2025/7/11 13:40	0	0	0	0	0	83	162	151	127	229
2025/7/11 13:50	0	0	0	0	0	73	134	148	113	231
2025/7/11 14:00	0	0	0	0	0	66	123	126	86	195
2025/7/11 14:10	0	0	0	0	0	63	120	118	93	208
2025/7/11 14:20	0	0	0	0	0	75	106	152	130	256
2025/7/11 14:30	0	0	0	0	0	65	105	131	81	235
2025/7/11 14:40	0	0	0	0	0	63	108	124	105	203
2025/7/11 14:50	0	0	0	0	0	53	94	106	109	192
2025/7/11 15:00	0	0	0	0	0	44	87	111	61	167
2025/7/11 15:10	0	0	0	0	0	43	101	105	93	192
2025/7/11 15:20	0	0	0	0	0	38	83	95	90	135

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/11 15:30	0	0	0	0	0	42	75	104	91	206
2025/7/11 15:40	0	0	0	0	0	46	111	123	92	222
2025/7/11 15:50	0	0	0	0	0	38	89	97	91	149
2025/7/11 16:00	0	0	0	0	0	49	106	125	87	211
2025/7/11 16:10	0	0	0	0	0	69	136	193	63	302
2025/7/11 16:20	0	0	0	0	0	73	115	162	101	278
2025/7/11 16:30	0	0	0	0	0	53	123	145	74	238
2025/7/11 16:40	0	0	0	0	0	55	125	150	70	229
2025/7/11 16:50	0	0	0	0	0	71	149	160	60	307
2025/7/11 17:00	0	0	0	0	0	73	133	162	39	326
2025/7/11 17:10	0	0	0	0	0	72	109	202	58	276
2025/7/11 17:20	0	0	0	0	0	61	113	178	48	256
2025/7/11 17:30	0	0	0	0	0	58	103	153	48	231
2025/7/11 17:40	0	0	0	0	0	51	107	171	63	283
2025/7/11 17:50	0	0	0	0	0	57	107	157	25	325
2025/7/11 18:00	0	0	0	0	0	53	96	170	41	263
2025/7/11 18:10	0	0	0	0	0	52	86	158	23	260
2025/7/11 18:20	0	0	0	0	0	50	91	174	25	265
2025/7/11 18:30	0	0	0	0	0	47	91	168	27	247
2025/7/11 18:40	0	0	0	0	0	48	114	173	34	231
2025/7/11 18:50	0	0	0	0	0	43	91	186	38	260
2025/7/11 19:00	0	0	0	0	0	49	99	179	39	270
2025/7/11 19:10	0	0	0	0	0	48	84	154	60	253
2025/7/11 19:20	0	0	0	0	0	33	65	136	79	217
2025/7/11 19:30	0	0	0	0	0	43	89	175	46	296
2025/7/11 19:40	0	0	0	0	0	40	94	164	20	253
2025/7/11 19:50	0	0	0	0	0	32	85	140	99	203
2025/7/11 20:00	0	0	0	0	0	33	65	136	55	224
2025/7/11 20:10	0	0	0	0	0	40	84	156	31	289
2025/7/11 20:20	0	0	0	0	0	30	109	144	18	259
2025/7/11 20:30	0	0	0	0	0	36	68	127	46	247
2025/7/11 20:40	0	0	0	0	0	26	63	95	43	156
2025/7/11 20:50	0	0	0	0	0	31	79	123	35	222
2025/7/11 21:00	0	0	0	0	0	30	53	128	52	220
2025/7/11 21:10	0	0	0	0	0	32	82	128	18	221
2025/7/11 21:20	0	0	0	0	0	28	55	123	59	187
2025/7/11 21:30	0	0	0	0	0	40	56	148	57	246
2025/7/11 21:40	0	0	0	0	0	35	67	152	31	235
2025/7/11 21:50	0	0	0	0	0	32	81	146	42	175
2025/7/11 22:00	0	0	0	0	0	25	57	99	71	161
2025/7/11 22:10	0	0	0	0	0	35	54	133	41	215
2025/7/11 22:20	0	0	0	0	0	41	57	147	119	236
2025/7/11 22:30	0	0	0	0	0	29	60	105	145	126
2025/7/11 22:40	0	0	0	0	0	30	50	157	106	249
2025/7/11 22:50	0	0	0	0	0	28	58	137	131	231
2025/7/11 23:00	0	0	0	0	0	53	51	214	149	315
2025/7/11 23:10	0	0	0	0	0	50	71	170	170	248
2025/7/11 23:20	0	0	0	0	0	36	51	123	218	156
2025/7/11 23:30	0	0	0	0	0	37	53	200	109	190
2025/7/11 23:40	0	0	0	0	0	27	52	146	115	183
2025/7/11 23:50	0	0	0	0	0	32	65	228	27	355
2025/7/12 0:00	0	0	0	0	0	34	55	164	92	186
2025/7/12 0:10	0	0	0	0	0	30	49	132	103	134
2025/7/12 0:20	0	0	0	0	0	24	51	69	230	113
2025/7/12 0:30	0	0	0	0	0	31	48	145	109	197
2025/7/12 0:40	0	0	0	0	0	22	46	105	90	156
2025/7/12 0:50	0	0	0	0	0	27	46	149	131	297
2025/7/12 1:00	0	0	0	0	0	30	48	140	92	289
2025/7/12 1:10	0	0	0	0	0	25	46	121	121	182
2025/7/12 1:20	0	0	0	0	0	24	47	115	118	164
2025/7/12 1:30	0	0	0	0	0	27	45	154	53	179
2025/7/12 1:40	0	0	0	0	0	24	46	121	199	214
2025/7/12 1:50	0	0	0	0	0	31	54	44	313	79
2025/7/12 2:00	0	0	0	0	0	32	54	40	285	75
2025/7/12 2:10	0	0	0	0	0	35	51	53	279	96
2025/7/12 2:20	0	0	0	0	0	51	46	46	278	199
2025/7/12 2:30	0	0	0	0	0	37	54	46	224	102
2025/7/12 2:40	0	0	0	0	0	44	67	188	64	274
2025/7/12 2:50	0	0	0	0	0	32	76	168	151	222
2025/7/12 3:00	0	0	0	0	0	32	48	99	191	79
2025/7/12 3:10	0	0	0	0	0	33	57	75	198	117
2025/7/12 3:20	0	0	0	0	0	35	49	118	221	112
2025/7/12 3:30	0	0	0	0	0	32	56	82	235	98

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/12 3:40	0	0	0	0	0	39	52	56	295	105
2025/7/12 3:50	0	0	0	0	0	41	61	113	179	110
2025/7/12 4:00	0	0	0	0	0	40	54	113	108	139
2025/7/12 4:10	0	0	0	0	0	30	52	151	103	154
2025/7/12 4:20	0	0	0	0	0	32	53	98	208	122
2025/7/12 4:30	0	0	0	0	0	33	56	154	165	128
2025/7/12 4:40	0	0	0	0	0	44	52	180	86	236
2025/7/12 4:50	0	0	0	0	0	38	63	127	142	85
2025/7/12 5:00	0	0	0	0	0	40	56	93	221	82
2025/7/12 5:10	0	0	0	0	0	41	61	48	208	87
2025/7/12 5:20	0	0	0	0	0	39	65	44	221	73
2025/7/12 5:30	0	0	0	0	0	37	54	45	155	81
2025/7/12 5:40	0	0	0	0	0	35	64	43	147	76
2025/7/12 5:50	0	0	0	0	0	36	53	43	141	84
2025/7/12 6:00	0	0	0	0	0	38	62	50	127	87
2025/7/12 6:10	0	0	0	0	0	35	55	43	128	88
2025/7/12 6:20	0	0	0	0	0	28	57	44	169	93
2025/7/12 6:30	0	0	0	0	0	34	51	121	116	99
2025/7/12 6:40	0	0	0	0	0	43	59	176	81	276
2025/7/12 6:50	0	0	0	0	0	46	65	151	89	249
2025/7/12 7:00	0	0	0	0	0	42	73	144	64	247
2025/7/12 7:10	0	0	0	0	0	33	64	148	46	255
2025/7/12 7:20	0	0	0	0	0	36	71	144	42	238
2025/7/12 7:30	0	0	0	0	0	37	54	134	86	248
2025/7/12 7:40	0	0	0	0	0	38	61	165	40	303
2025/7/12 7:50	0	0	0	0	0	32	61	150	61	236
2025/7/12 8:00	0	0	0	0	0	35	62	136	77	226
2025/7/12 8:10	0	0	0	0	0	27	56	118	86	163
2025/7/12 8:20	0	0	0	0	0	31	72	165	60	233
2025/7/12 8:30	0	0	0	0	0	31	62	120	61	229
2025/7/12 8:40	0	0	0	0	0	30	63	145	64	245
2025/7/12 8:50	0	0	0	0.1	0	31	60	115	73	256
2025/7/12 9:00	0	0	0	0.1	0	47	69	133	72	205
2025/7/12 9:10	0	0	0	0.1	0	37	72	153	25	298
2025/7/12 9:20	0.1	0	0	0.1	0	61	87	132	59	325
2025/7/12 9:30	0.1	0	0	0.1	0	41	60	108	73	258
2025/7/12 9:40	0.1	0	0	0	0	59	70	132	36	220
2025/7/12 9:50	0	0	0	0	0	35	61	108	26	209
2025/7/12 10:00	0	0	0	0	0	35	69	73	19	141
2025/7/12 10:10	0	0	0	0	0	35	68	70	59	120
2025/7/12 10:20	0	0	0	0	0	31	71	74	39	123
2025/7/12 10:30	0	0	0	0	0	74	73	86	43	149
2025/7/12 10:40	0	0	0	0	0	32	77	80	54	108
2025/7/12 10:50	0	0	0	0	0	22	62	55	76	96
2025/7/12 11:00	0	0	0	0	0	26	65	62	31	98
2025/7/12 11:10	0	0	0	0	0	36	66	82	23	122
2025/7/12 11:20	0	0	0	0	0	35	68	89	11	125
2025/7/12 11:30	0	0	0	0	0	27	66	53	50	102
2025/7/12 11:40	0	0	0	0	0	25	65	43	65	90
2025/7/12 11:50	0	0	0	0	0	24	71	51	50	99
2025/7/12 12:00	0.1	0	0	0	0	45	66	71	52	139
2025/7/12 12:10	0.1	0	0	0	0	30	66	59	14	118
2025/7/12 12:20	0.1	0	0	0	0	43	69	57	34	124
2025/7/12 12:30	0.1	0	0	0	0	42	71	59	3	119
2025/7/12 12:40	0.1	0	0	0	0	31	70	62	22	120
2025/7/12 12:50	0.1	0	0	0	0	46	64	77	27	138
2025/7/12 13:00	0.1	0	0	0	0	52	80	54	4	128
2025/7/12 13:10	0.1	0	0	0	0	47	71	56	19	142
2025/7/12 13:20	0.1	0	0	0	0	44	65	64	51	130
2025/7/12 13:30	0.1	0	0	0	0	32	68	68	55	124
2025/7/12 13:40	0.1	0	0	0	0	40	69	75	27	132
2025/7/12 13:50	0.1	0	0	0	0	41	72	65	16	137
2025/7/12 14:00	0.1	0	0	0.1	0	48	68	66	106	162
2025/7/12 14:10	0.1	0	0	0	0	71	80	104	76	199
2025/7/12 14:20	0.1	0	0	0	0	59	83	126	118	210
2025/7/12 14:30	0.1	0	0	0	0	50	76	103	20	167
2025/7/12 14:40	0.1	0	0	0	0	45	67	61	55	131
2025/7/12 14:50	0.1	0	0	0	0	40	68	74	23	130
2025/7/12 15:00	0.1	0	0	0	0	60	67	94	42	183
2025/7/12 15:10	0.1	0	0	0	0	36	66	91	45	120
2025/7/12 15:20	0.1	0	0	0	0	45	75	65	1	133
2025/7/12 15:30	0.1	0	0	0	0	39	61	76	71	127
2025/7/12 15:40	0.1	0	0	0	0	39	62	76	53	121

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/12 15:50	0.1	0	0	0	0	45	69	88	17	146
2025/7/12 16:00	0.1	0	0	0	0	56	75	93	13	164
2025/7/12 16:10	0	0	0	0	0	52	75	123	49	180
2025/7/12 16:20	0	0	0	0	0	50	69	143	47	200
2025/7/12 16:30	0	0	0	0	0	56	68	123	42	188
2025/7/12 16:40	0	0	0	0	0	59	77	73	6	158
2025/7/12 16:50	0	0	0	0	0	50	78	100	11	182
2025/7/12 17:00	0	0	0	0	0	44	69	95	10	174
2025/7/12 17:10	0	0	0	0	0	53	72	102	14	172
2025/7/12 17:20	0	0	0	0	0	52	73	62	1	142
2025/7/12 17:30	0	0	0	0	0	49	73	55	2	133
2025/7/12 17:40	0	0	0	0	0	45	79	71	8	129
2025/7/12 17:50	0	0	0	0	0	46	67	65	7	132
2025/7/12 18:00	0	0	0	0	0	43	69	66	8	124
2025/7/12 18:10	0	0	0	0	0	31	60	76	11	111
2025/7/12 18:20	0	0	0	0	0	34	64	70	11	120
2025/7/12 18:30	0	0	0	0	0	40	72	60	5	119
2025/7/12 18:40	0	0	0	0	0	40	73	62	1	133
2025/7/12 18:50	0	0	0	0	0	35	72	50	1	106
2025/7/12 19:00	0	0	0	0	0	38	68	78	3	122
2025/7/12 19:10	0	0	0	0	0	33	66	59	3	112
2025/7/12 19:20	0	0	0	0	0	34	63	71	7	115
2025/7/12 19:30	0	0	0	0	0	36	68	58	1	122
2025/7/12 19:40	0	0	0	0	0	36	64	77	1	116
2025/7/12 19:50	0	0	0	0	0	48	65	68	1	141
2025/7/12 20:00	0	0	0	0	0	30	62	74	4	115
2025/7/12 20:10	0	0	0	0	0	27	54	92	9	121
2025/7/12 20:20	0	0	0	0	0	24	56	93	12	95
2025/7/12 20:30	0	0	0	0	0	28	62	57	9	97
2025/7/12 20:40	0	0	0	0	0	31	65	66	3	120
2025/7/12 20:50	0	0	0	0	0	36	66	61	1	126
2025/7/12 21:00	0	0	0	0	0	48	69	76	1	229
2025/7/12 21:10	0	0	0	0	0	39	60	83	2	189
2025/7/12 21:20	0	0	0	0	0	42	58	112	10	184
2025/7/12 21:30	0	0	0	0	0	34	57	100	15	157
2025/7/12 21:40	0	0	0	0	0	41	67	67	1	155
2025/7/12 21:50	0	0	0	0	0	42	63	75	1	134
2025/7/12 22:00	0	0	0	0	0	59	70	86	8	171
2025/7/12 22:10	0	0	0	0	0	35	60	92	7	131
2025/7/12 22:20	0	0	0	0	0	46	66	67	2	160
2025/7/12 22:30	0	0	0	0	0	77	66	51	2	148
2025/7/12 22:40	0	0	0	0	0	43	70	78	3	214
2025/7/12 22:50	0	0	0	0	0	97	76	83	2	218
2025/7/12 23:00	0	0	0	0	0	51	72	69	3	185
2025/7/12 23:10	0	0	0	0	0	68	69	75	3	145
2025/7/12 23:20	0	0	0	0	0	55	65	94	4	154
2025/7/12 23:30	0	0	0	0	0	107	68	67	2	165
2025/7/12 23:40	0	0	0	0	0	36	60	142	15	151
2025/7/12 23:50	0	0	0	0	0	30	63	119	46	155
2025/7/13 0:00	0	0	0	0	0	38	60	108	14	183
2025/7/13 0:10	0	0	0	0	0	43	70	127	12	182
2025/7/13 0:20	0	0	0	0	0	44	72	97	3	185
2025/7/13 0:30	0	0	0	0	0	39	59	144	49	165
2025/7/13 0:40	0	0	0	0	0	60	79	100	7	218
2025/7/13 0:50	0	0	0	0	0	80	70	62	3	151
2025/7/13 1:00	0	0	0	0	0	43	65	127	13	139
2025/7/13 1:10	0	0	0	0	0	32	57	146	13	152
2025/7/13 1:20	0	0	0	0	0	45	69	107	7	193
2025/7/13 1:30	0	0	0	0	0	48	64	97	5	161
2025/7/13 1:40	0	0	0	0	0	45	63	133	11	158
2025/7/13 1:50	0	0	0	0	0	66	67	161	6	231
2025/7/13 2:00	0	0	0	0	0	34	55	118	14	115
2025/7/13 2:10	0	0	0	0	0	41	62	156	12	154
2025/7/13 2:20	0	0	0	0	0	67	68	76	6	154
2025/7/13 2:30	0	0	0	0	0	33	57	119	15	132
2025/7/13 2:40	0	0	0	0	0	35	65	123	28	130
2025/7/13 2:50	0	0	0	0	0	29	58	110	62	91
2025/7/13 3:00	0	0	0	0	0	30	56	107	47	94
2025/7/13 3:10	0	0	0	0	0	48	57	118	9	150
2025/7/13 3:20	0	0	0	0	0	50	58	124	20	155
2025/7/13 3:30	0	0	0	0	0	38	56	102	59	132
2025/7/13 3:40	0	0	0	0	0	38	59	137	6	161
2025/7/13 3:50	0	0	0	0	0	32	53	61	169	81

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/13 4:00	0	0	0	0	0	31	54	39	132	77
2025/7/13 4:10	0	0	0	0	0	29	55	57	194	76
2025/7/13 4:20	0	0	0	0	0	29	76	47	176	76
2025/7/13 4:30	0	0	0	0	0	81	55	90	88	134
2025/7/13 4:40	0	0	0	0	0	124	58	110	25	233
2025/7/13 4:50	0	0	0	0	0	47	55	129	49	237
2025/7/13 5:00	0	0	0	0	0	34	52	157	108	252
2025/7/13 5:10	0	0	0	0	0	30	58	82	126	96
2025/7/13 5:20	0	0	0	0	0	73	63	173	48	384
2025/7/13 5:30	0	0	0	0	0	87	67	120	139	191
2025/7/13 5:40	0	0	0	0	0	51	59	106	87	220
2025/7/13 5:50	0	0	0	0	0	38	61	102	99	118
2025/7/13 6:00	0	0	0	0	0	56	71	175	53	272
2025/7/13 6:10	0	0	0	0	0	56	61	118	23	147
2025/7/13 6:20	0	0	0	0	0	69	64	98	27	213
2025/7/13 6:30	0	0	0	0	0	41	63	77	100	112
2025/7/13 6:40	0	0	0	0	0	43	65	85	103	125
2025/7/13 6:50	0	0	0	0	0	63	63	130	81	174
2025/7/13 7:00	0	0	0	0	0	105	70	72	7	233
2025/7/13 7:10	0	0	0	0	0	82	68	57	33	159
2025/7/13 7:20	0	0	0	0	0	52	68	68	55	166
2025/7/13 7:30	0	0	0	0	0	100	162	42	46	122
2025/7/13 7:40	0	0	0	0	0	49	173	45	20	114
2025/7/13 7:50	0	0	0	0	0	132	105	49	40	166
2025/7/13 8:00	0	0	0	0	0	58	130	82	86	195
2025/7/13 8:10	0	0	0	0	0	41	66	48	91	135
2025/7/13 8:20	0	0	0	0.1	0	41	78	41	74	106
2025/7/13 8:30	0	0	0	0.1	0	85	70	49	21	149
2025/7/13 8:40	0	0	0	0.1	0	105	76	50	4	191
2025/7/13 8:50	0.1	0	0	0.1	0	76	82	55	8	138
2025/7/13 9:00	0.1	0	0.1	0.1	0	56	119	46	9	134
2025/7/13 9:10	0.1	0	0.1	0.1	0	88	100	45	6	162
2025/7/13 9:20	0.1	0	0	0.1	0	172	79	45	6	203
2025/7/13 9:30	0.1	0	0	0.1	0	63	199	37	146	137
2025/7/13 9:40	0.1	0	0.1	0.1	0	161	80	58	23	216
2025/7/13 9:50	0.1	0	0.1	0.1	0	82	94	38	23	138
2025/7/13 10:00	0.1	0	0.1	0.1	0	85	220	40	8	143
2025/7/13 10:10	0.1	0	0.1	0.1	0	38	145	39	58	128
2025/7/13 10:20	0.1	0	0.1	0.1	0	103	105	43	12	144
2025/7/13 10:30	0.1	0	0.1	0.1	0	99	139	48	15	174
2025/7/13 10:40	0.1	0	0.1	0.1	0	86	163	41	89	145
2025/7/13 10:50	0.1	0	0.1	0.1	0	196	109	49	1	221
2025/7/13 11:00	0.1	0	0.1	0.1	0	114	165	50	2	196
2025/7/13 11:10	0.1	0	0.1	0.1	0	122	122	52	4	194
2025/7/13 11:20	0.1	0	0.1	0.1	0	57	244	39	93	156
2025/7/13 11:30	0.1	0	0.1	0.1	0	78	117	40	3	161
2025/7/13 11:40	0.1	0	0.1	0.1	0	70	107	38	12	156
2025/7/13 11:50	0.1	0.1	0.1	0.1	0	87	106	39	4	174
2025/7/13 12:00	0.1	0.1	0.1	0.1	0	85	131	40	11	148
2025/7/13 12:10	0.1	0.1	0.1	0.1	0	207	144	39	3	287
2025/7/13 12:20	0.1	0.1	0.1	0.1	0	58	157	39	29	140
2025/7/13 12:30	0.1	0.1	0.1	0.1	0	54	119	50	10	163
2025/7/13 12:40	0.1	0.1	0.1	0.1	0.1	112	140	50	6	209
2025/7/13 12:50	0.1	0.1	0.1	0.1	0.1	86	126	46	4	178
2025/7/13 13:00	0.1	0.1	0.1	0.1	0.1	67	113	42	4	157
2025/7/13 13:10	0.1	0.1	0.1	0.1	0.1	78	124	40	12	161
2025/7/13 13:20	0.1	0.1	0.1	0.1	0	58	122	40	5	145
2025/7/13 13:30	0.1	0.1	0	0.1	0.1	55	116	42	8	144
2025/7/13 13:40	0.1	0.1	0	0.1	0	65	133	40	22	153
2025/7/13 13:50	0.2	0.1	0	0.1	0	64	120	40	21	160
2025/7/13 14:00	0.2	0.1	0	0.1	0	58	139	41	7	151
2025/7/13 14:10	0.2	0.1	0	0.1	0	131	181	43	7	209
2025/7/13 14:20	0.2	0.1	0	0.1	0	270	158	69	4	298
2025/7/13 14:30	0.2	0.1	0	0.1	0	193	154	70	8	288
2025/7/13 14:40	0.2	0.1	0	0.1	0	198	170	44	10	220
2025/7/13 14:50	0.2	0.1	0	0.1	0	248	142	46	9	245
2025/7/13 15:00	0.2	0.1	0	0.1	0	159	181	44	3	210
2025/7/13 15:10	0.2	0.1	0	0.1	0	165	132	39	1	193
2025/7/13 15:20	0.2	0.1	0	0.1	0	141	145	39	6	193
2025/7/13 15:30	0.2	0.1	0	0.1	0	139	137	43	3	188
2025/7/13 15:40	0.2	0.1	0	0.1	0	91	121	40	3	153
2025/7/13 15:50	0.2	0.1	0	0.1	0	61	114	39	3	142
2025/7/13 16:00	0.2	0.1	0	0.1	0	81	118	40	2	152

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/13 16:10	0.1	0.1	0	0.1	0	153	120	44	2	187
2025/7/13 16:20	0.2	0.1	0	0.1	0	235	152	45	3	208
2025/7/13 16:30	0.2	0.1	0	0.1	0	207	168	55	8	234
2025/7/13 16:40	0.2	0.1	0	0.1	0	164	137	57	8	222
2025/7/13 16:50	0.1	0.1	0	0.1	0	61	103	53	5	158
2025/7/13 17:00	0.1	0.1	0	0.1	0	57	100	48	5	144
2025/7/13 17:10	0.1	0.1	0	0.1	0	54	96	47	1	141
2025/7/13 17:20	0.1	0.1	0	0.1	0	54	98	46	1	138
2025/7/13 17:30	0.1	0.1	0	0.1	0	48	96	43	1	126
2025/7/13 17:40	0.1	0.2	0	0.1	0	59	93	46	1	139
2025/7/13 17:50	0.1	0.2	0	0.1	0	71	96	50	1	136
2025/7/13 18:00	0.1	0.1	0	0	0	59	91	49	2	132
2025/7/13 18:10	0.1	0.1	0	0	0	64	89	50	1	129
2025/7/13 18:20	0.1	0.1	0	0	0	70	82	50	2	128
2025/7/13 18:30	0.1	0.1	0	0	0	77	77	48	1	126
2025/7/13 18:40	0.1	0.1	0	0	0	71	83	46	1	118
2025/7/13 18:50	0.1	0.1	0	0	0	91	73	48	1	122
2025/7/13 19:00	0	0	0	0	0	85	84	41	1	118
2025/7/13 19:10	0	0	0	0	0	145	73	42	1	127
2025/7/13 19:20	0	0	0	0	0	199	101	45	1	157
2025/7/13 19:30	0	0	0	0	0	111	108	43	1	125
2025/7/13 19:40	0	0	0	0	0	63	72	45	1	106
2025/7/13 19:50	0	0	0	0	0	94	82	45	1	118
2025/7/13 20:00	0	0	0	0	0	279	94	48	1	202
2025/7/13 20:10	0	0	0	0	0	223	80	46	2	135
2025/7/13 20:20	0	0	0	0	0	316	116	51	3	219
2025/7/13 20:30	0	0	0	0	0	245	114	113	1	346
2025/7/13 20:40	0	0	0	0	0	197	124	105	4	302
2025/7/13 20:50	0	0	0	0	0	292	80	90	6	374
2025/7/13 21:00	0	0	0	0	0	61	80	344	16	385
2025/7/13 21:10	0	0	0	0	0	60	84	269	13	277
2025/7/13 21:20	0	0	0	0	0	164	82	121	7	360
2025/7/13 21:30	0	0	0	0	0	336	86	80	9	397
2025/7/13 21:40	0	0	0	0	0	388	100	69	8	322
2025/7/13 21:50	0	0	0	0	0	144	80	296	42	351
2025/7/13 22:00	0	0	0	0	0	106	83	325	16	470
2025/7/13 22:10	0	0	0	0	0	74	88	310	14	419
2025/7/13 22:20	0	0	0	0	0	121	86	233	15	386
2025/7/13 22:30	0	0	0	0	0	63	80	298	19	301
2025/7/13 22:40	0	0	0	0	0	68	82	223	20	269
2025/7/13 22:50	0	0	0	0	0	118	83	160	14	279
2025/7/13 23:00	0	0	0	0	0	211	85	134	12	359
2025/7/13 23:10	0	0	0	0	0	368	102	51	10	191
2025/7/13 23:20	0	0	0	0	0	395	133	57	12	270
2025/7/13 23:30	0	0	0	0	0	252	118	63	11	261
2025/7/13 23:40	0	0	0	0	0	380	87	99	14	343
2025/7/13 23:50	0	0	0	0	0	213	90	324	13	496
2025/7/14 0:00	0	0	0	0	0	107	87	237	14	469
2025/7/14 0:10	0	0	0	0	0	229	102	345	25	371
2025/7/14 0:20	0	0	0	0	0	119	102	287	25	332
2025/7/14 0:30	0	0	0	0	0	64	98	304	33	262
2025/7/14 0:40	0	0	0	0	0	53	87	323	33	210
2025/7/14 0:50	0	0	0	0	0	53	88	355	36	233
2025/7/14 1:00	0	0	0	0	0	70	91	207	25	354
2025/7/14 1:10	0	0	0	0	0	71	92	307	26	277
2025/7/14 1:20	0	0	0	0	0	80	89	236	30	262
2025/7/14 1:30	0	0	0	0	0	60	89	262	29	202
2025/7/14 1:40	0	0	0	0	0	70	89	247	48	174
2025/7/14 1:50	0	0	0	0	0	73	86	225	99	209
2025/7/14 2:00	0	0	0	0	0	55	83	157	105	159
2025/7/14 2:10	0	0	0	0	0	57	83	171	79	162
2025/7/14 2:20	0	0	0	0	0	70	85	235	82	255
2025/7/14 2:30	0	0	0	0	0	51	81	122	67	150
2025/7/14 2:40	0	0	0	0	0	103	83	168	34	233
2025/7/14 2:50	0	0	0	0	0	81	81	143	44	220
2025/7/14 3:00	0	0	0	0	0	53	78	85	62	161
2025/7/14 3:10	0	0	0	0	0	45	77	78	38	126
2025/7/14 3:20	0	0	0	0	0	50	86	76	29	134
2025/7/14 3:30	0	0	0	0	0	44	77	72	71	126
2025/7/14 3:40	0	0	0	0	0	45	78	70	55	125
2025/7/14 3:50	0	0	0	0	0	45	80	70	57	116
2025/7/14 4:00	0	0	0	0	0	42	79	60	84	110
2025/7/14 4:10	0	0	0	0	0	41	76	74	74	115

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/14 4:20	0	0	0	0	0	43	72	57	46	106
2025/7/14 4:30	0	0	0	0	0	42	74	55	105	106
2025/7/14 4:40	0	0	0	0	0	46	78	60	44	110
2025/7/14 4:50	0	0	0	0	0	47	83	68	35	108
2025/7/14 5:00	0	0	0	0	0	47	79	56	48	110
2025/7/14 5:10	0	0	0	0	0	39	73	48	54	100
2025/7/14 5:20	0	0	0	0	0	40	72	49	74	99
2025/7/14 5:30	0	0	0	0	0	41	73	51	74	99
2025/7/14 5:40	0	0	0	0	0	41	74	47	98	98
2025/7/14 5:50	0	0	0	0	0	40	75	52	81	102
2025/7/14 6:00	0	0	0	0	0	42	74	49	79	99
2025/7/14 6:10	0	0	0	0	0	45	76	54	61	104
2025/7/14 6:20	0	0	0	0	0	45	76	51	67	102
2025/7/14 6:30	0	0	0	0	0	43	76	49	71	102
2025/7/14 6:40	0	0	0	0	0	43	75	51	54	102
2025/7/14 6:50	0	0	0	0	0	42	79	50	71	104
2025/7/14 7:00	0	0	0	0	0	42	82	54	74	105
2025/7/14 7:10	0	0	0	0	0	42	78	50	70	103
2025/7/14 7:20	0	0	0	0	0	42	80	49	62	105
2025/7/14 7:30	0	0	0	0	0	45	80	48	88	105
2025/7/14 7:40	0	0	0	0	0	41	80	50	80	105
2025/7/14 7:50	0	0	0	0	0	40	83	48	48	108
2025/7/14 8:00	0	0	0	0	0	39	89	47	45	106
2025/7/14 8:10	0	0	0	0.1	0	37	81	45	111	109
2025/7/14 8:20	0	0	0	0.1	0	37	85	46	114	111
2025/7/14 8:30	0.1	0	0	0.1	0	35	88	45	82	110
2025/7/14 8:40	0	0	0	0	0	37	88	46	48	112
2025/7/14 8:50	0.1	0	0	0.1	0	38	84	48	39	113
2025/7/14 9:00	0.1	0	0	0.1	0	41	86	47	74	116
2025/7/14 9:10	0	0	0	0	0	40	88	47	42	114
2025/7/14 9:20	0	0	0	0	0	44	86	52	32	118
2025/7/14 9:30	0	0	0	0	0	57	96	59	89	127
2025/7/14 9:40	0	0	0	0	0	55	92	57	88	125
2025/7/14 9:50	0	0	0	0	0	65	93	69	39	132
2025/7/14 10:00	0	0	0	0	0	58	90	62	51	128
2025/7/14 10:10	0	0	0	0	0	111	125	97	84	165
2025/7/14 10:20	0	0	0	0	0	109	112	110	96	168
2025/7/14 10:30	0	0	0	0	0	90	108	94	99	155
2025/7/14 10:40	0	0	0	0	0	71	99	81	132	136
2025/7/14 10:50	0	0	0	0	0	65	97	66	45	127
2025/7/14 11:00	0	0	0	0	0	61	113	64	39	126
2025/7/14 11:10	0	0	0	0	0	73	100	87	206	140
2025/7/14 11:20	0	0	0	0	0	85	104	85	193	146
2025/7/14 11:30	0	0	0	0	0	108	127	86	265	156
2025/7/14 11:40	0	0	0	0	0	101	159	76	290	147
2025/7/14 11:50	0	0	0	0	0	117	159	92	286	166
2025/7/14 12:00	0	0	0	0	0	86	142	65	273	139
2025/7/14 12:10	0	0	0	0	0	66	111	60	188	127
2025/7/14 12:20	0	0	0	0	0	78	116	71	202	138
2025/7/14 12:30	0	0	0	0	0	68	116	67	128	129
2025/7/14 12:40	0	0	0	0	0	61	94	66	275	127
2025/7/14 12:50	0	0	0	0	0	60	96	65	209	128
2025/7/14 13:00	0	0	0	0	0	61	105	55	385	121
2025/7/14 13:10	0	0	0	0	0	65	107	56	294	121
2025/7/14 13:20	0	0	0	0	0	56	97	52	282	119
2025/7/14 13:30	0	0	0	0	0	59	92	54	252	125
2025/7/14 13:40	0.1	0	0	0	0	51	119	52	274	125
2025/7/14 13:50	0.1	0	0	0	0	53	122	52	118	130
2025/7/14 14:00	0.1	0	0	0	0	57	98	53	328	132
2025/7/14 14:10	0.1	0	0	0	0	80	111	60	494	143
2025/7/14 14:20	0.1	0	0	0	0	75	263	58	387	138
2025/7/14 14:30	0.1	0	0	0	0	72	269	65	168	143
2025/7/14 14:40	0.1	0	0	0	0	163	212	56	111	289
2025/7/14 14:50	0.1	0	0	0	0	281	402	62	488	208
2025/7/14 15:00	0.1	0	0	0.3	0	89	360	56	230	139
2025/7/14 15:10	0.1	0	0	0	0	122	316	50	35	154
2025/7/14 15:20	0.1	0	0	0	0	60	520	49	9	125
2025/7/14 15:30	0.1	1	0	0	0	65	656	46	14	123
2025/7/14 15:40	0.1	0.7	0	0	0	89	228	46	7	140
2025/7/14 15:50	0.1	0.1	0	0	0	96	153	47	8	134
2025/7/14 16:00	0.1	0.1	0	0.1	0	110	158	63	14	166
2025/7/14 16:10	0.1	0.1	0	0	0	128	156	63	21	254
2025/7/14 16:20	0.1	0.1	0	0	0	138	167	54	13	253

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/14 16:30	0.1	0.1	0	0	0	185	202	59	24	262
2025/7/14 16:40	0.1	0.1	0	0	0	140	259	43	15	162
2025/7/14 16:50	0.1	0.1	0	0	0	136	170	58	8	219
2025/7/14 17:00	0.1	0.1	0	0	0	152	124	52	9	186
2025/7/14 17:10	0.1	0.1	0	0	0	162	173	52	16	197
2025/7/14 17:20	0.1	0.1	0	0	0	176	191	50	12	207
2025/7/14 17:30	0.1	0.1	0	0	0	153	126	49	5	178
2025/7/14 17:40	0.1	0.1	0	0	0	123	128	45	13	141
2025/7/14 17:50	0.1	0.1	0	0	0	158	133	45	1	148
2025/7/14 18:00	0.1	0.1	0	0	0	120	108	45	1	142
2025/7/14 18:10	0.1	0.1	0	0	0	98	99	46	5	131
2025/7/14 18:20	0.1	0.1	0	0	0	108	90	46	7	140
2025/7/14 18:30	0.1	0.1	0	0	0	129	94	48	2	147
2025/7/14 18:40	0	0	0	0	0	123	84	47	1	144
2025/7/14 18:50	0	0	0	0	0	99	86	46	4	123
2025/7/14 19:00	0	0	0	0	0	98	81	46	4	141
2025/7/14 19:10	0	0	0	0	0	102	83	47	4	139
2025/7/14 19:20	0	0	0	0	0	103	78	45	3	129
2025/7/14 19:30	0	0	0	0	0	94	79	46	6	163
2025/7/14 19:40	0	0	0	0	0	97	79	47	8	154
2025/7/14 19:50	0	0	0	0	0	118	83	51	8	148
2025/7/14 20:00	0	0	0	0	0	152	84	49	5	181
2025/7/14 20:10	0	0	0	0	0	109	75	47	3	166
2025/7/14 20:20	0	0	0	0	0	87	78	42	2	139
2025/7/14 20:30	0	0	0	0	0	73	83	40	3	122
2025/7/14 20:40	0	0	0	0	0	108	76	41	2	177
2025/7/14 20:50	0	0	0	0	0	95	75	41	1	161
2025/7/14 21:00	0	0	0	0	0	153	81	42	2	198
2025/7/14 21:10	0	0	0	0	0	156	81	56	3	234
2025/7/14 21:20	0	0	0	0	0	211	102	52	4	262
2025/7/14 21:30	0	0	0	0	0	228	143	47	4	262
2025/7/14 21:40	0	0	0	0	0	184	119	53	3	277
2025/7/14 21:50	0	0	0	0	0	189	90	52	3	237
2025/7/14 22:00	0	0	0	0	0	157	96	47	3	202
2025/7/14 22:10	0	0	0	0	0	155	94	44	3	181
2025/7/14 22:20	0	0	0	0	0	175	96	46	3	209
2025/7/14 22:30	0	0	0	0	0	198	96	55	2	291
2025/7/14 22:40	0	0	0	0	0	215	100	45	4	227
2025/7/14 22:50	0	0	0	0	0	170	102	45	3	245
2025/7/14 23:00	0	0	0	0	0	160	83	49	3	274
2025/7/14 23:10	0	0	0	0	0	213	98	56	5	275
2025/7/14 23:20	0	0	0	0	0	255	121	74	4	374
2025/7/14 23:30	0	0	0	0	0	235	120	45	2	283
2025/7/14 23:40	0	0	0	0	0	204	100	42	4	200
2025/7/14 23:50	0	0	0	0	0	194	96	65	2	273
2025/7/15 0:00	0	0	0	0	0	182	92	42	3	233
2025/7/15 0:10	0	0	0	0	0	225	102	41	5	257
2025/7/15 0:20	0	0	0	0	0	260	113	46	1	309
2025/7/15 0:30	0	0	0	0	0	179	87	60	1	267
2025/7/15 0:40	0	0	0	0	0	193	98	48	1	256
2025/7/15 0:50	0	0	0	0	0	243	117	59	1	309
2025/7/15 1:00	0	0	0	0	0	262	103	53	3	289
2025/7/15 1:10	0	0	0	0	0	228	116	52	3	301
2025/7/15 1:20	0	0	0	0	0	190	94	42	1	264
2025/7/15 1:30	0	0	0	0	0	171	97	51	3	288
2025/7/15 1:40	0	0	0	0	0	153	92	57	3	255
2025/7/15 1:50	0	0	0	0	0	144	84	48	3	236
2025/7/15 2:00	0	0	0	0	0	147	81	65	2	253
2025/7/15 2:10	0	0	0	0	0	186	102	54	4	225
2025/7/15 2:20	0	0	0	0	0	194	105	48	5	219
2025/7/15 2:30	0	0	0	0	0	180	99	51	4	261
2025/7/15 2:40	0	0	0	0	0	185	108	67	7	264
2025/7/15 2:50	0	0	0	0	0	166	99	58	8	262
2025/7/15 3:00	0	0	0	0	0	167	121	54	10	217
2025/7/15 3:10	0	0	0	0	0	196	119	60	10	244
2025/7/15 3:20	0	0	0	0	0	222	121	52	11	238
2025/7/15 3:30	0	0	0	0	0	148	92	74	8	242
2025/7/15 3:40	0	0	0	0	0	170	105	58	10	212
2025/7/15 3:50	0	0	0	0	0	125	103	91	15	254
2025/7/15 4:00	0	0	0	0	0	180	130	106	27	276
2025/7/15 4:10	0	0	0	0	0	183	110	75	20	246
2025/7/15 4:20	0	0	0	0	0	129	92	66	18	217
2025/7/15 4:30	0	0	0	0	0	115	83	48	14	163

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/15 16:50	0	0	0	0	0	209	152	98	71	272
2025/7/15 17:00	0	0	0	0	0	164	145	104	46	303
2025/7/15 17:10	0	0	0	0	0	182	153	96	63	304
2025/7/15 17:20	0	0	0	0	0	150	164	59	43	212
2025/7/15 17:30	0	0	0	0	0	133	130	52	23	171
2025/7/15 17:40	0	0	0	0	0	166	114	51	19	148
2025/7/15 17:50	0	0	0	0	0	216	130	53	20	260
2025/7/15 18:00	0	0	0	0	0	218	115	64	20	261
2025/7/15 18:10	0	0	0	0	0	310	123	93	31	323
2025/7/15 18:20	0	0	0	0	0	260	129	128	27	413
2025/7/15 18:30	0	0	0	0	0	232	113	90	22	349
2025/7/15 18:40	0	0	0	0	0	229	116	92	21	317
2025/7/15 18:50	0	0	0	0	0	242	115	60	22	282
2025/7/15 19:00	0	0	0	0	0	251	112	67	26	298
2025/7/15 19:10	0	0	0	0	0	209	104	91	30	259
2025/7/15 19:20	0	0	0	0	0	336	149	84	36	290
2025/7/15 19:30	0	0	0	0	0	213	150	83	58	248
2025/7/15 19:40	0	0	0	0	0	210	171	64	44	189
2025/7/15 19:50	0	0	0	0	0	206	177	78	62	198
2025/7/15 20:00	0	0	0	0	0	146	192	72	57	161
2025/7/15 20:10	0	0	0	0	0	79	109	60	30	132
2025/7/15 20:20	0	0	0	0	0	173	107	58	45	140
2025/7/15 20:30	0	0	0	0	0	158	104	57	22	149
2025/7/15 20:40	0	0	0	0	0	176	106	59	25	169
2025/7/15 20:50	0	0	0	0	0	188	103	82	29	176
2025/7/15 21:00	0	0	0	0	0	166	110	70	29	177
2025/7/15 21:10	0	0	0	0	0	136	99	61	27	179
2025/7/15 21:20	0	0	0	0	0	150	98	63	27	167
2025/7/15 21:30	0	0	0	0	0	219	124	71	25	225
2025/7/15 21:40	0	0	0	0	0	141	95	64	23	174
2025/7/15 21:50	0	0	0	0	0	169	99	59	24	165
2025/7/15 22:00	0	0	0	0	0	229	116	60	21	217
2025/7/15 22:10	0	0	0	0	0	173	103	58	20	156
2025/7/15 22:20	0	0	0	0	0	100	98	56	20	121
2025/7/15 22:30	0	0	0	0	0	109	93	50	17	113
2025/7/15 22:40	0	0	0	0	0	128	93	50	18	132
2025/7/15 22:50	0	0	0	0	0	162	99	52	20	165
2025/7/15 23:00	0	0	0	0	0	150	103	53	22	133
2025/7/15 23:10	0	0	0	0	0	185	95	54	20	188
2025/7/15 23:20	0	0	0	0	0	148	86	52	19	151
2025/7/15 23:30	0	0	0	0	0	150	85	57	19	170
2025/7/15 23:40	0	0	0	0	0	141	87	50	17	162
2025/7/15 23:50	0	0	0	0	0	142	88	49	16	158
2025/7/16 0:00	0	0	0	0	0	120	83	49	16	164
2025/7/16 0:10	0	0	0	0	0	128	82	49	17	134
2025/7/16 0:20	0	0	0	0	0	117	83	50	19	136
2025/7/16 0:30	0	0	0	0	0	121	85	53	20	141
2025/7/16 0:40	0	0	0	0	0	126	86	53	20	148
2025/7/16 0:50	0	0	0	0	0	129	87	53	19	159
2025/7/16 1:00	0	0	0	0	0	119	85	53	19	156
2025/7/16 1:10	0	0	0	0	0	118	84	53	18	141
2025/7/16 1:20	0	0	0	0	0	144	89	54	19	148
2025/7/16 1:30	0	0	0	0	0	126	88	50	18	138
2025/7/16 1:40	0	0	0	0	0	126	86	53	18	146
2025/7/16 1:50	0	0	0	0	0	120	89	56	19	170
2025/7/16 2:00	0	0	0	0	0	123	86	56	18	149
2025/7/16 2:10	0	0	0	0	0	110	82	51	18	139
2025/7/16 2:20	0	0	0	0	0	98	87	50	19	125
2025/7/16 2:30	0	0	0	0	0	123	92	47	17	126
2025/7/16 2:40	0	0	0	0	0	132	87	44	13	128
2025/7/16 2:50	0	0	0	0	0	114	83	43	11	122
2025/7/16 3:00	0	0	0	0	0	120	100	41	9	116
2025/7/16 3:10	0	0	0	0	0	151	91	46	11	152
2025/7/16 3:20	0	0	0	0	0	142	88	49	13	141
2025/7/16 3:30	0	0	0	0	0	151	99	56	14	163
2025/7/16 3:40	0	0	0	0	0	133	89	53	13	151
2025/7/16 3:50	0	0	0	0	0	135	85	51	15	150
2025/7/16 4:00	0	0	0	0	0	127	86	58	16	164
2025/7/16 4:10	0	0	0	0	0	120	82	52	17	136
2025/7/16 4:20	0	0	0	0	0	99	81	50	16	134
2025/7/16 4:30	0	0	0	0	0	98	80	54	18	134
2025/7/16 4:40	0	0	0	0	0	117	85	54	20	137
2025/7/16 4:50	0	0	0	0	0	199	89	52	19	142

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/16 5:00	0	0	0	0	0	97	89	51	20	121
2025/7/16 5:10	0	0	0	0	0	92	96	51	18	121
2025/7/16 5:20	0	0	0	0	0	170	123	54	18	136
2025/7/16 5:30	0	0	0	0	0	168	93	56	18	197
2025/7/16 5:40	0	0	0	0	0	165	110	62	19	176
2025/7/16 5:50	0	0	0	0	0	145	106	62	23	193
2025/7/16 6:00	0	0	0	0	0	124	103	67	33	173
2025/7/16 6:10	0	0	0	0	0	109	98	58	19	165
2025/7/16 6:20	0	0	0	0	0	121	90	60	16	174
2025/7/16 6:30	0	0	0	0	0	119	94	54	19	171
2025/7/16 6:40	0	0	0	0	0	112	92	57	16	175
2025/7/16 6:50	0	0	0	0	0	85	86	53	11	155
2025/7/16 7:00	0	0	0	0	0	84	81	45	8	136
2025/7/16 7:10	0	0	0	0	0	159	90	47	9	184
2025/7/16 7:20	0	0	0	0	0	101	85	52	10	167
2025/7/16 7:30	0	0	0	0	0	123	93	50	8	160
2025/7/16 7:40	0	0	0	0	0	82	81	48	10	134
2025/7/16 7:50	0	0	0	0	0	93	81	49	11	129
2025/7/16 8:00	0	0	0	0	0	72	88	43	26	129
2025/7/16 8:10	0	0	0	0	0	44	111	36	9	112
2025/7/16 8:20	0	0	0	0	0	48	137	35	15	108
2025/7/16 8:30	0	0	0	0	0	124	139	39	40	109
2025/7/16 8:40	0	0	0	0	0	186	232	64	32	158
2025/7/16 8:50	0	0	0	0	0	136	165	67	31	144
2025/7/16 9:00	0	0	0	0	0	111	156	55	22	127
2025/7/16 9:10	0	0	0	0	0	105	166	52	17	121
2025/7/16 9:20	0	0	0	0	0	146	164	51	14	156
2025/7/16 9:30	0	0	0	0	0	140	229	51	15	129
2025/7/16 9:40	0	0	0	0.1	0	116	149	54	17	185
2025/7/16 9:50	0	0	0	0.1	0	116	146	49	18	144
2025/7/16 10:00	0.1	0	0	0	0	124	133	52	19	151
2025/7/16 10:10	0.1	0	0	0	0	100	133	52	22	144
2025/7/16 10:20	0.1	0	0	0.1	0	88	125	55	21	156
2025/7/16 10:30	0.1	0	0	0.1	0	93	117	51	16	154
2025/7/16 10:40	0.1	0	0	0.1	0	96	118	50	18	143
2025/7/16 10:50	0.1	0	0	0.1	0	84	136	50	18	130
2025/7/16 11:00	0.1	0	0	0.1	0	109	116	51	15	151
2025/7/16 11:10	0.1	0	0	0.1	0	139	130	58	16	186
2025/7/16 11:20	0.1	0	0	0.1	0	119	119	60	24	169
2025/7/16 11:30	0.1	0	0	0.1	0	98	110	54	21	151
2025/7/16 11:40	0.1	0	0	0	0	103	106	52	14	138
2025/7/16 11:50	0	0	0	0	0	107	97	49	10	148
2025/7/16 12:00	0	0	0	0	0	127	103	45	12	160
2025/7/16 12:10	0.1	0	0	0	0	82	101	43	10	126
2025/7/16 12:20	0.1	0	0	0	0	83	92	44	8	124
2025/7/16 12:30	0	0	0	0	0	115	93	48	9	138
2025/7/16 12:40	0	0	0	0	0	138	92	55	11	157
2025/7/16 12:50	0	0	0	0	0	113	97	48	13	135
2025/7/16 13:00	0	0	0	0	0	125	104	49	14	136
2025/7/16 13:10	0	0	0	0	0	162	101	52	17	161
2025/7/16 13:20	0	0	0	0	0	171	117	62	18	180
2025/7/16 13:30	0	0	0	0	0	137	114	55	22	181
2025/7/16 13:40	0	0	0	0	0	128	107	52	22	149
2025/7/16 13:50	0	0	0	0	0	129	110	53	15	151
2025/7/16 14:00	0.1	0	0	0	0	91	104	52	18	141
2025/7/16 14:10	0.1	0	0	0	0	103	108	51	14	132
2025/7/16 14:20	0.1	0	0	0	0	96	110	51	16	145
2025/7/16 14:30	0.1	0	0	0.1	0	80	102	50	10	138
2025/7/16 14:40	0.1	0	0	0.1	0	79	95	48	8	134
2025/7/16 14:50	0.1	0	0	0	0	84	119	49	6	137
2025/7/16 15:00	0.1	0	0	0	0	75	95	50	7	132
2025/7/16 15:10	0.1	0	0	0	0	123	120	54	13	139
2025/7/16 15:20	0.1	0	0	0	0	97	156	56	16	158
2025/7/16 15:30	0.1	0	0	0	0	111	138	56	15	156
2025/7/16 15:40	0.1	0	0	0	0	117	166	58	12	152
2025/7/16 15:50	0.1	0	0	0	0	117	109	64	12	157
2025/7/16 16:00	0.1	0	0	0	0	103	154	64	12	144
2025/7/16 16:10	0.1	0	0	0	0	80	124	68	20	145
2025/7/16 16:20	0.1	0	0	0	0	91	113	68	16	141
2025/7/16 16:30	0.1	0	0	0	0	89	112	65	19	138
2025/7/16 16:40	0.1	0	0	0	0	111	145	55	28	134
2025/7/16 16:50	0	0	0	0	0	127	147	53	21	133
2025/7/16 17:00	0	0	0	0	0	145	123	52	14	165

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/19 6:00	0	0	0.1	0.1	0	108	243	51	212	111
2025/7/19 6:10	0	0	0.1	0.1	0	53	218	49	306	108
2025/7/19 6:20	0	0	0.1	0.1	0	64	190	49	136	110
2025/7/19 6:30	0	0	0.1	0.1	0	120	225	49	147	113
2025/7/19 6:40	0	0	0.1	0.1	0	128	197	48	147	159
2025/7/19 6:50	0	0	0.2	0.1	0	69	236	45	99	118
2025/7/19 7:00	0	0	0.2	0.1	0	49	215	46	169	113
2025/7/19 7:10	0	0	0.2	0.2	0	54	218	44	181	113
2025/7/19 7:20	0	0	0.2	0.2	0	66	211	46	274	119
2025/7/19 7:30	0.1	0	0.2	0.2	0	92	188	48	5	125
2025/7/19 7:40	0.1	0	0.2	0.2	0	57	210	46	98	123
2025/7/19 7:50	0.1	0	0.2	0.2	0	51	215	47	85	124
2025/7/19 8:00	0.1	0	0.2	0.2	0	72	230	46	59	127
2025/7/19 8:10	0.1	0	0.2	0.2	0	160	203	47	14	210
2025/7/19 8:20	0.1	0	0.2	0.1	0	156	173	50	80	285
2025/7/19 8:30	0.1	0	0.2	0.1	0	167	164	53	7	274
2025/7/19 8:40	0.1	0	0.2	0.1	0	194	166	64	11	260
2025/7/19 8:50	0.1	0	0.2	0.1	0	183	175	59	9	230
2025/7/19 9:00	0.1	0	0.2	0.1	0	194	132	60	11	267
2025/7/19 9:10	0.1	0	0.1	0.1	0	136	136	60	47	213
2025/7/19 9:20	0.1	0	0.1	0.1	0	142	147	57	14	202
2025/7/19 9:30	0.1	0	0.1	0.1	0	128	183	64	81	217
2025/7/19 9:40	0.1	0	0.1	0.1	0	158	150	64	82	257
2025/7/19 9:50	0.1	0	0.1	0.1	0	139	131	72	18	301
2025/7/19 10:00	0.1	0	0.1	0.1	0	184	131	97	18	339
2025/7/19 10:10	0.1	0	0.1	0.1	0	138	130	78	17	315
2025/7/19 10:20	0.1	0	0.1	0.1	0	136	126	63	16	256
2025/7/19 10:30	0.1	0	0.1	0.1	0	152	109	87	20	335
2025/7/19 10:40	0.1	0	0.1	0.1	0	148	113	69	19	293
2025/7/19 10:50	0.1	0	0.1	0.1	0	145	115	74	18	333
2025/7/19 11:00	0.1	0	0.1	0.1	0	177	129	57	23	231
2025/7/19 11:10	0.1	0	0.1	0.1	0	153	143	64	21	220
2025/7/19 11:20	0.1	0	0.1	0.1	0	148	120	55	19	229
2025/7/19 11:30	0.1	0	0.1	0.1	0	119	136	57	40	188
2025/7/19 11:40	0.1	0	0.1	0.1	0	139	139	64	23	208
2025/7/19 11:50	0.1	0	0.1	0.1	0	124	140	62	43	212
2025/7/19 12:00	0.1	0.1	0.1	0.1	0.1	228	158	69	19	339
2025/7/19 12:10	0.1	0.1	0.1	0.1	0	220	147	84	16	359
2025/7/19 12:20	0.1	0.1	0.1	0.1	0	111	118	93	18	340
2025/7/19 12:30	0.1	0.1	0.1	0.1	0.1	170	142	75	19	313
2025/7/19 12:40	0.1	0.1	0	0.1	0.1	180	150	93	19	388
2025/7/19 12:50	0.1	0.1	0	0.1	0.1	175	143	55	16	316
2025/7/19 13:00	0.1	0.1	0	0.1	0.1	220	160	81	12	378
2025/7/19 13:10	0.1	0.1	0	0.1	0.1	153	173	67	17	336
2025/7/19 13:20	0.1	0.1	0	0.1	0	146	135	68	25	291
2025/7/19 13:30	0.1	0.1	0	0.1	0.1	202	147	87	27	354
2025/7/19 13:40	0.2	0.1	0	0.1	0	208	173	73	18	340
2025/7/19 13:50	0.2	0.1	0	0.1	0	208	150	75	24	346
2025/7/19 14:00	0.2	0.1	0	0.1	0	183	142	54	25	299
2025/7/19 14:10	0.2	0.1	0	0.1	0	179	147	71	22	332
2025/7/19 14:20	0.1	0.1	0	0.1	0	171	134	64	21	332
2025/7/19 14:30	0.1	0.1	0	0.1	0	172	136	62	16	273
2025/7/19 14:40	0.1	0.1	0	0.1	0	204	138	67	24	376
2025/7/19 14:50	0.1	0.1	0	0.1	0	244	139	64	22	348
2025/7/19 15:00	0.1	0.1	0	0.1	0	262	159	80	10	419
2025/7/19 15:10	0.1	0.1	0	0.1	0	175	122	79	7	402
2025/7/19 15:20	0.1	0.1	0	0.1	0	207	146	103	7	446
2025/7/19 15:30	0.1	0.1	0	0.1	0	213	160	75	11	375
2025/7/19 15:40	0.1	0.1	0	0.1	0	245	153	52	20	407
2025/7/19 15:50	0.1	0.1	0	0.1	0	186	124	59	20	288
2025/7/19 16:00	0.1	0.1	0	0.1	0	157	128	96	21	369
2025/7/19 16:10	0.1	0.1	0	0.1	0	185	127	57	25	278
2025/7/19 16:20	0.1	0.1	0	0.1	0	149	135	72	23	285
2025/7/19 16:30	0.1	0.1	0	0.1	0	166	184	57	22	274
2025/7/19 16:40	0.1	0.1	0	0.1	0	172	119	64	22	331
2025/7/19 16:50	0.1	0.1	0	0.1	0	162	120	67	45	306
2025/7/19 17:00	0.1	0.1	0	0.1	0	143	107	90	29	306
2025/7/19 17:10	0.1	0.1	0	0.1	0	152	122	67	21	235
2025/7/19 17:20	0.1	0.1	0	0.1	0	138	273	66	12	245
2025/7/19 17:30	0.1	0.1	0	0	0	147	134	67	9	270
2025/7/19 17:40	0.1	0.1	0	0	0	164	127	54	12	211
2025/7/19 17:50	0.1	0.1	0	0	0	116	122	54	8	174
2025/7/19 18:00	0.1	0.1	0	0	0	211	122	59	8	286

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/19 18:10	0.1	0.1	0	0	0	164	102	58	7	229
2025/7/19 18:20	0.1	0.1	0	0	0	192	103	62	8	280
2025/7/19 18:30	0.1	0.1	0	0	0	141	97	60	8	182
2025/7/19 18:40	0.1	0.1	0	0	0	158	101	61	9	214
2025/7/19 18:50	0	0	0	0	0	159	94	58	8	220
2025/7/19 19:00	0	0	0	0	0	154	94	68	10	283
2025/7/19 19:10	0	0	0	0	0	164	107	61	9	194
2025/7/19 19:20	0	0	0	0	0	158	100	54	8	179
2025/7/19 19:30	0	0	0	0	0	169	108	59	8	232
2025/7/19 19:40	0	0	0	0	0	208	96	61	9	269
2025/7/19 19:50	0	0	0	0	0	169	97	70	12	269
2025/7/19 20:00	0	0	0	0	0	187	101	68	13	267
2025/7/19 20:10	0	0	0	0	0	192	103	75	12	240
2025/7/19 20:20	0	0	0	0	0	167	98	61	9	235
2025/7/19 20:30	0	0	0	0	0	238	127	73	10	295
2025/7/19 20:40	0	0	0	0	0	232	123	84	11	337
2025/7/19 20:50	0	0	0	0	0	249	146	75	13	285
2025/7/19 21:00	0	0	0	0	0	156	125	53	12	146
2025/7/19 21:10	0	0	0	0	0	217	115	61	11	255
2025/7/19 21:20	0	0	0	0	0	248	107	63	12	325
2025/7/19 21:30	0	0	0	0	0	227	123	74	11	276
2025/7/19 21:40	0	0	0	0	0	259	127	63	13	261
2025/7/19 21:50	0	0	0	0	0	310	178	64	14	311
2025/7/19 22:00	0	0	0	0	0	198	156	54	15	172
2025/7/19 22:10	0	0	0	0	0	221	139	59	16	237
2025/7/19 22:20	0	0	0	0	0	197	144	59	17	198
2025/7/19 22:30	0	0	0	0	0	201	123	60	17	210
2025/7/19 22:40	0	0	0	0	0	219	138	60	17	214
2025/7/19 22:50	0	0	0	0	0	197	122	63	18	214
2025/7/19 23:00	0	0	0	0	0	214	114	59	19	221
2025/7/19 23:10	0	0	0	0	0	195	111	62	15	217
2025/7/19 23:20	0	0	0	0	0	183	99	58	14	256
2025/7/19 23:30	0	0	0	0	0	176	105	60	14	215
2025/7/19 23:40	0	0	0	0	0	215	109	55	15	185
2025/7/19 23:50	0	0	0	0	0	220	122	58	13	225
2025/7/20 0:00	0	0	0	0	0	207	127	56	16	202
2025/7/20 0:10	0	0	0	0	0	157	119	56	15	153
2025/7/20 0:20	0	0	0	0	0	154	129	57	14	156
2025/7/20 0:30	0	0	0	0	0	186	127	59	16	165
2025/7/20 0:40	0	0	0	0	0	188	111	60	16	168
2025/7/20 0:50	0	0	0	0	0	167	117	61	16	180
2025/7/20 1:00	0	0	0	0	0	141	122	59	15	126
2025/7/20 1:10	0	0	0	0	0	147	130	58	14	138
2025/7/20 1:20	0	0	0	0	0	173	126	57	14	151
2025/7/20 1:30	0	0	0	0	0	182	135	57	15	141
2025/7/20 1:40	0	0	0	0	0	206	141	64	17	197
2025/7/20 1:50	0	0	0	0	0	218	137	60	19	197
2025/7/20 2:00	0	0	0	0	0	180	151	57	16	171
2025/7/20 2:10	0	0	0	0	0	200	150	57	16	178
2025/7/20 2:20	0	0	0	0	0	202	124	61	15	195
2025/7/20 2:30	0	0	0	0	0	182	127	56	14	198
2025/7/20 2:40	0	0	0	0	0	204	140	55	15	156
2025/7/20 2:50	0	0	0	0	0	204	173	54	13	166
2025/7/20 3:00	0	0	0	0	0	165	181	53	14	158
2025/7/20 3:10	0	0	0	0	0	251	159	54	13	147
2025/7/20 3:20	0	0	0	0	0	208	265	55	37	122
2025/7/20 3:30	0	0	0	0	0	267	374	55	109	165
2025/7/20 3:40	0	0	0	0	0	261	372	55	85	159
2025/7/20 3:50	0	0	0	0	0	86	344	51	29	108
2025/7/20 4:00	0	0	0	0	0	118	208	51	7	109
2025/7/20 4:10	0	0	0	0	0	66	205	50	8	106
2025/7/20 4:20	0	0	0	0	0	83	278	50	33	106
2025/7/20 4:30	0	0	0	0	0	74	275	51	49	105
2025/7/20 4:40	0	0	0	0	0	139	387	51	330	105
2025/7/20 4:50	0	0	0	0	0	204	392	54	246	108
2025/7/20 5:00	0	0	0	0	0	217	345	54	128	126
2025/7/20 5:10	0	0	0	0	0	145	311	53	11	108
2025/7/20 5:20	0	0	0	0	0	82	284	55	13	107
2025/7/20 5:30	0	0	0	0	0	69	264	55	24	107
2025/7/20 5:40	0	0	0	0	0	61	221	54	14	108
2025/7/20 5:50	0	0	0	0	0	56	256	54	32	109
2025/7/20 6:00	0	0	0	0	0	64	240	52	40	111
2025/7/20 6:10	0	0	0	0	0	71	218	53	61	113

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/20 6:20	0	0	0	0	0	64	225	52	95	112
2025/7/20 6:30	0	0	0	0	0	54	221	50	140	112
2025/7/20 6:40	0	0	0.1	0.1	0	54	190	48	108	115
2025/7/20 6:50	0	0	0.1	0.1	0	71	173	48	20	118
2025/7/20 7:00	0	0	0.1	0.1	0	92	176	48	5	120
2025/7/20 7:10	0	0	0.2	0.1	0	196	144	49	6	234
2025/7/20 7:20	0	0	0.2	0.1	0	102	196	49	36	134
2025/7/20 7:30	0	0	0.2	0.1	0	58	206	49	64	130
2025/7/20 7:40	0.1	0	0.2	0.1	0	176	164	60	70	204
2025/7/20 7:50	0.1	0	0.2	0.2	0	157	157	50	5	168
2025/7/20 8:00	0.1	0	0.2	0.2	0	76	247	52	141	136
2025/7/20 8:10	0.1	0	0.2	0.2	0	181	170	66	1	264
2025/7/20 8:20	0.1	0	0.2	0.2	0	184	128	91	3	364
2025/7/20 8:30	0.1	0	0.2	0.2	0	151	186	66	9	228
2025/7/20 8:40	0.1	0	0.2	0.2	0	155	162	71	38	248
2025/7/20 8:50	0.1	0	0.2	0.2	0	139	142	59	4	194
2025/7/20 9:00	0.1	0	0.2	0.2	0	147	168	114	9	333
2025/7/20 9:10	0.1	0	0.1	0.1	0	156	160	55	42	222
2025/7/20 9:20	0.1	0	0.1	0.1	0	64	191	56	57	225
2025/7/20 9:30	0.1	0	0.1	0.1	0	195	129	101	6	388
2025/7/20 9:40	0.1	0	0.1	0.1	0	233	140	76	8	357
2025/7/20 9:50	0.1	0	0.1	0.1	0	184	143	83	10	306
2025/7/20 10:00	0.1	0	0.1	0.1	0	243	162	79	12	318
2025/7/20 10:10	0.1	0	0.1	0.1	0	126	86	79	12	331
2025/7/20 10:20	0.1	0	0.1	0.1	0	168	125	76	11	285
2025/7/20 10:30	0.1	0	0.1	0.1	0	133	127	68	17	235
2025/7/20 10:40	0.1	0	0.1	0.1	0	123	113	60	14	215
2025/7/20 10:50	0.1	0	0.1	0.1	0	151	111	60	12	272
2025/7/20 11:00	0.1	0	0.1	0.1	0	126	93	66	11	265
2025/7/20 11:10	0.1	0	0.1	0.1	0	141	114	63	8	216
2025/7/20 11:20	0.1	0	0.1	0.1	0	111	113	53	10	196
2025/7/20 11:30	0.1	0	0.1	0.1	0	115	104	57	11	217
2025/7/20 11:40	0.1	0	0.1	0.1	0	127	99	67	15	238
2025/7/20 11:50	0.1	0	0.1	0.1	0	130	103	85	15	258
2025/7/20 12:00	0.1	0	0.1	0.1	0.1	148	115	67	15	259
2025/7/20 12:10	0.1	0.1	0.1	0.1	0.1	135	107	61	10	273
2025/7/20 12:20	0.1	0.1	0.1	0.1	0.1	134	106	79	12	287
2025/7/20 12:30	0.1	0.1	0.1	0.1	0.1	122	109	70	11	284
2025/7/20 12:40	0.1	0.1	0.1	0.1	0.1	145	124	59	11	251
2025/7/20 12:50	0.1	0.1	0.1	0.1	0.1	148	118	65	10	302
2025/7/20 13:00	0.1	0.1	0.1	0.1	0.1	165	123	59	6	247
2025/7/20 13:10	0.1	0.1	0.1	0.1	0.1	102	106	90	6	296
2025/7/20 13:20	0.1	0.1	0.1	0.1	0.1	129	109	51	8	269
2025/7/20 13:30	0.1	0.1	0.1	0.1	0.1	142	125	60	6	313
2025/7/20 13:40	0.2	0.1	0.1	0.1	0.1	107	116	74	8	275
2025/7/20 13:50	0.2	0.1	0	0.1	0	163	130	75	7	397
2025/7/20 14:00	0.2	0.1	0	0.1	0	177	133	102	7	361
2025/7/20 14:10	0.2	0.1	0	0.1	0	145	127	109	7	375
2025/7/20 14:20	0.2	0.1	0	0.1	0	206	163	68	8	339
2025/7/20 14:30	0.2	0.1	0	0.1	0	199	143	70	8	318
2025/7/20 14:40	0.2	0.1	0	0.1	0	167	151	61	10	296
2025/7/20 14:50	0.2	0.1	0	0.1	0	170	128	52	9	263
2025/7/20 15:00	0.2	0.1	0	0.1	0	154	129	53	9	231
2025/7/20 15:10	0.2	0.1	0	0.1	0	143	139	56	20	226
2025/7/20 15:20	0.2	0.1	0	0.1	0	146	132	61	23	271
2025/7/20 15:30	0.2	0.1	0	0.1	0	157	132	62	12	291
2025/7/20 15:40	0.2	0.1	0	0.1	0	156	129	63	13	288
2025/7/20 15:50	0.2	0.1	0	0.1	0	115	143	54	14	196
2025/7/20 16:00	0.2	0.1	0	0.1	0	139	133	55	17	277
2025/7/20 16:10	0.2	0.2	0	0.1	0	150	128	56	17	248
2025/7/20 16:20	0.2	0.2	0	0.1	0	132	127	53	10	209
2025/7/20 16:30	0.2	0.2	0	0.1	0	115	133	53	5	196
2025/7/20 16:40	0.2	0.2	0	0.1	0	136	113	54	6	235
2025/7/20 16:50	0.1	0.2	0	0.1	0	124	119	64	2	279
2025/7/20 17:00	0.1	0.2	0	0.1	0	140	120	77	1	285
2025/7/20 17:10	0.1	0.2	0	0.1	0	171	118	51	1	254
2025/7/20 17:20	0.1	0.2	0	0.1	0	138	107	71	1	307
2025/7/20 17:30	0.1	0.2	0	0.1	0	144	101	52	1	253
2025/7/20 17:40	0.1	0.2	0	0	0	148	91	48	1	243
2025/7/20 17:50	0.1	0.2	0	0	0	132	97	55	1	211
2025/7/20 18:00	0.1	0.2	0	0	0	109	117	50	1	153
2025/7/20 18:10	0.1	0.1	0	0	0	147	110	48	1	150
2025/7/20 18:20	0.1	0.1	0	0	0	160	90	53	1	219

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/20 18:30	0.1	0.1	0	0	0	167	87	75	3	275
2025/7/20 18:40	0.1	0.1	0	0	0	164	83	72	2	285
2025/7/20 18:50	0	0	0	0	0	154	81	71	3	272
2025/7/20 19:00	0	0	0	0	0	172	93	55	3	241
2025/7/20 19:10	0	0	0	0	0	174	88	56	5	204
2025/7/20 19:20	0	0	0	0	0	185	94	55	5	213
2025/7/20 19:30	0	0	0	0	0	182	96	60	6	236
2025/7/20 19:40	0	0	0	0	0	154	93	73	6	301
2025/7/20 19:50	0	0	0	0	0	173	94	58	6	249
2025/7/20 20:00	0	0	0	0	0	174	89	55	8	234
2025/7/20 20:10	0	0	0	0	0	194	98	61	8	222
2025/7/20 20:20	0	0	0	0	0	214	123	71	8	262
2025/7/20 20:30	0	0	0	0	0	258	134	63	9	289
2025/7/20 20:40	0	0	0	0	0	188	108	76	10	286
2025/7/20 20:50	0	0	0	0	0	171	119	69	12	196
2025/7/20 21:00	0	0	0	0	0	193	103	55	10	257
2025/7/20 21:10	0	0	0	0	0	200	106	57	11	221
2025/7/20 21:20	0	0	0	0	0	190	109	58	11	219
2025/7/20 21:30	0	0	0	0	0	166	120	56	11	183
2025/7/20 21:40	0	0	0	0	0	208	133	63	11	235
2025/7/20 21:50	0	0	0	0	0	190	102	67	11	269
2025/7/20 22:00	0	0	0	0	0	206	130	67	11	298
2025/7/20 22:10	0	0	0	0	0	221	116	66	12	254
2025/7/20 22:20	0	0	0	0	0	217	109	69	12	280
2025/7/20 22:30	0	0	0	0	0	203	111	66	13	280
2025/7/20 22:40	0	0	0	0	0	224	123	60	15	245
2025/7/20 22:50	0	0	0	0	0	208	123	58	14	244
2025/7/20 23:00	0	0	0	0	0	197	107	55	13	240
2025/7/20 23:10	0	0	0	0	0	202	105	59	13	250
2025/7/20 23:20	0	0	0	0	0	206	112	56	15	203
2025/7/20 23:30	0	0	0	0	0	224	116	59	14	261
2025/7/20 23:40	0	0	0	0	0	213	106	60	13	242
2025/7/20 23:50	0	0	0	0	0	218	116	55	13	242
2025/7/21 0:00	0	0	0	0	0	216	120	57	12	242
2025/7/21 0:10	0	0	0	0	0	256	121	58	13	269
2025/7/21 0:20	0	0	0	0	0	228	128	64	13	268
2025/7/21 0:30	0	0	0	0	0	243	130	58	13	244
2025/7/21 0:40	0	0	0	0	0	272	126	66	13	308
2025/7/21 0:50	0	0	0	0	0	230	126	59	14	221
2025/7/21 1:00	0	0	0	0	0	245	126	63	15	246
2025/7/21 1:10	0	0	0	0	0	208	160	59	16	209
2025/7/21 1:20	0	0	0	0	0	277	195	64	18	292
2025/7/21 1:30	0	0	0	0	0	262	130	75	20	278
2025/7/21 1:40	0	0	0	0	0	268	148	77	19	267
2025/7/21 1:50	0	0	0	0	0	292	174	77	20	267
2025/7/21 2:00	0	0	0	0	0	220	121	80	20	271
2025/7/21 2:10	0	0	0	0	0	302	158	72	25	284
2025/7/21 2:20	0	0	0	0	0	297	221	72	24	262
2025/7/21 2:30	0	0	0	0	0	293	207	71	25	223
2025/7/21 2:40	0	0	0	0	0	287	201	88	24	278
2025/7/21 2:50	0	0	0	0	0	315	168	92	26	259
2025/7/21 3:00	0	0	0	0	0	322	177	95	26	301
2025/7/21 3:10	0	0	0	0	0	358	210	93	32	276
2025/7/21 3:20	0	0	0	0	0	317	213	98	29	316
2025/7/21 3:30	0	0	0	0	0	340	200	75	30	302
2025/7/21 3:40	0	0	0	0	0	349	173	91	33	281
2025/7/21 3:50	0	0	0	0	0	346	192	81	34	248
2025/7/21 4:00	0	0	0	0	0	345	206	88	36	243
2025/7/21 4:10	0	0	0	0	0	414	332	75	37	346
2025/7/21 4:20	0	0	0	0	0	425	403	81	38	339
2025/7/21 4:30	0	0	0	0	0	442	435	79	39	360
2025/7/21 4:40	0	0	0	0	0	451	460	95	40	339
2025/7/21 4:50	0	0	0	0	0	378	358	95	40	407
2025/7/21 5:00	0	0	0	0	0	402	424	146	40	437
2025/7/21 5:10	0	0	0	0	0	385	384	102	37	302
2025/7/21 5:20	0	0	0	0	0	390	406	89	36	350
2025/7/21 5:30	0	0	0	0	0	303	439	85	35	348
2025/7/21 5:40	0	0	0	0	0	275	314	74	32	466
2025/7/21 5:50	0	0	0	0	0	379	187	63	33	273
2025/7/21 6:00	0	0	0.1	0	0	281	286	59	26	212
2025/7/21 6:10	0	0	0.1	0	0	162	275	54	19	148
2025/7/21 6:20	0	0	0.1	0	0	153	177	55	127	186
2025/7/21 6:30	0	0	0.1	0.1	0	75	126	54	148	157

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/21 6:40	0	0	0.1	0.1	0	97	239	57	30	142
2025/7/21 6:50	0	0	0.1	0.1	0	67	211	57	235	139
2025/7/21 7:00	0	0	0.1	0.1	0	96	196	55	137	141
2025/7/21 7:10	0	0	0.1	0.1	0	72	136	80	134	163
2025/7/21 7:20	0.1	0	0.2	0.1	0	96	111	67	276	179
2025/7/21 7:30	0.1	0	0.2	0.1	0	83	291	56	284	155
2025/7/21 7:40	0.1	0	0.2	0.1	0	71	126	58	227	163
2025/7/21 7:50	0.1	0	0.2	0.1	0	217	159	84	85	396
2025/7/21 8:00	0.1	0	0.2	0.2	0	163	144	122	10	280
2025/7/21 8:10	0.1	0	0.2	0.1	0.1	173	314	56	66	260
2025/7/21 8:20	0.1	0	0.1	0.1	0	198	170	57	62	190
2025/7/21 8:30	0.1	0	0.1	0.1	0	66	102	97	95	243
2025/7/21 8:40	0.1	0	0.1	0.1	0	163	135	159	31	349
2025/7/21 8:50	0.1	0	0.2	0.1	0	214	246	65	24	293
2025/7/21 9:00	0.1	0	0.1	0.1	0	237	128	82	20	378
2025/7/21 9:10	0.1	0	0.1	0.1	0	193	217	96	24	246
2025/7/21 9:20	0.1	0	0.1	0.1	0	143	189	82	84	270
2025/7/21 9:30	0.1	0	0.1	0.1	0	141	221	62	72	237
2025/7/21 9:40	0.1	0	0.1	0.1	0.1	142	165	59	34	190
2025/7/21 9:50	0.1	0	0.1	0.1	0	139	139	61	38	235
2025/7/21 10:00	0.1	0	0.1	0.1	0.1	153	161	88	28	355
2025/7/21 10:10	0.1	0	0.1	0.1	0.1	153	196	92	91	301
2025/7/21 10:20	0.1	0	0.1	0.1	0	171	164	83	1	314
2025/7/21 10:30	0.1	0	0.1	0.1	0	91	149	64	41	209
2025/7/21 10:40	0.1	0	0.1	0.1	0.1	175	179	65	17	314
2025/7/21 10:50	0.1	0	0.1	0.1	0.1	142	169	76	21	300
2025/7/21 11:00	0.1	0.1	0.1	0.1	0.1	165	101	108	18	318
2025/7/21 11:10	0.1	0.1	0.1	0.1	0.1	153	179	60	21	235
2025/7/21 11:20	0.1	0.1	0.1	0.1	0.1	225	140	67	17	347
2025/7/21 11:30	0.1	0.1	0.1	0.1	0.1	141	117	66	36	274
2025/7/21 11:40	0.1	0.1	0.1	0.1	0.1	136	114	66	18	298
2025/7/21 11:50	0.1	0.1	0.1	0.1	0.1	151	121	89	17	303
2025/7/21 12:00	0.1	0.1	0.1	0.1	0.1	129	117	74	15	289
2025/7/21 12:10	0.1	0.1	0.1	0.1	0.1	144	122	70	14	278
2025/7/21 12:20	0.1	0.1	0.1	0.1	0.1	144	114	78	14	298
2025/7/21 12:30	0.1	0.1	0.1	0.1	0.1	145	121	60	15	269
2025/7/21 12:40	0.1	0.1	0.1	0.1	0.1	123	121	62	16	284
2025/7/21 12:50	0.1	0.1	0.1	0.1	0.1	145	127	59	15	251
2025/7/21 13:00	0.1	0.1	0.1	0.1	0.1	116	123	60	15	255
2025/7/21 13:10	0.1	0.1	0.1	0.1	0.1	143	133	60	13	276
2025/7/21 13:20	0.1	0.1	0	0.1	0.1	139	131	56	14	260
2025/7/21 13:30	0.2	0.1	0	0.1	0.1	141	125	66	12	303
2025/7/21 13:40	0.2	0.1	0	0.1	0.1	145	132	56	12	254
2025/7/21 13:50	0.2	0.1	0	0.1	0.1	160	127	59	10	291
2025/7/21 14:00	0.2	0.1	0	0.1	0.1	156	127	54	9	283
2025/7/21 14:10	0.2	0.1	0	0.1	0	198	136	55	8	318
2025/7/21 14:20	0.2	0.1	0	0.1	0.1	164	133	53	8	298
2025/7/21 14:30	0.2	0.1	0	0.1	0	158	135	72	7	341
2025/7/21 14:40	0.2	0.1	0	0.1	0	225	141	124	10	471
2025/7/21 14:50	0.2	0.1	0	0.1	0	259	152	124	9	476
2025/7/21 15:00	0.2	0.1	0	0.1	0	231	141	69	9	379
2025/7/21 15:10	0.2	0.1	0	0.1	0	275	187	60	9	430
2025/7/21 15:20	0.2	0.1	0	0.1	0	254	158	56	11	385
2025/7/21 15:30	0.2	0.1	0	0.1	0	231	144	82	12	397
2025/7/21 15:40	0.2	0.1	0	0.1	0	208	149	83	10	378
2025/7/21 15:50	0.2	0.1	0	0.1	0	234	169	70	10	373
2025/7/21 16:00	0.2	0.1	0	0.1	0	259	159	127	12	496
2025/7/21 16:10	0.2	0.2	0	0.1	0	208	161	126	10	402
2025/7/21 16:20	0.2	0.2	0	0.1	0	241	139	85	10	365
2025/7/21 16:30	0.2	0.2	0	0.1	0	274	170	90	14	390
2025/7/21 16:40	0.2	0.2	0	0.1	0	275	204	62	12	409
2025/7/21 16:50	0.1	0.2	0	0.1	0	172	139	117	11	375
2025/7/21 17:00	0.1	0.2	0	0.1	0	198	140	83	12	378
2025/7/21 17:10	0.1	0.2	0	0.1	0	—	—	—	—	—
2025/7/21 17:20	0.1	0.2	0	0.1	0	—	—	—	—	—
2025/7/21 17:30	0.1	0.2	0	0.1	0	—	—	—	—	—
2025/7/21 17:40	0.1	0.2	0	0.1	0	—	—	—	—	—
2025/7/21 17:50	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/7/21 18:00	0.1	0.1	0	0.1	0	—	—	—	—	—
2025/7/21 18:10	0.1	0.1	0	0	0	—	—	—	—	—
2025/7/21 18:20	0.1	0.1	0	0	0	—	—	—	—	—
2025/7/21 18:30	0.1	0.1	0	0	0	—	—	—	—	—
2025/7/21 18:40	0.1	0.1	0	0	0	—	—	—	—	—

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/21 18:50	0.1	0	0	0	0	—	—	—	—	—
2025/7/21 19:00	0	0	0	0	0	—	—	—	—	—
2025/7/21 19:10	0	0	0	0	0	—	—	—	—	—
2025/7/21 19:20	0	0	0	0	0	—	—	—	—	—
2025/7/21 19:30	0	0	0	0	0	—	—	—	—	—
2025/7/21 19:40	0	0	0	0	0	—	—	—	—	—
2025/7/21 19:50	0	0	0	0	0	—	—	—	—	—
2025/7/21 20:00	0	0	0	0	0	—	—	—	—	—
2025/7/21 20:10	0	0	0	0	0	—	—	—	—	—
2025/7/21 20:20	0	0	0	0	0	—	—	—	—	—
2025/7/21 20:30	0	0	0	0	0	—	—	—	—	—
2025/7/21 20:40	0	0	0	0	0	—	—	—	—	—
2025/7/21 20:50	0	0	0	0	0	—	—	—	—	—
2025/7/21 21:00	0	0	0	0	0	—	—	—	—	—
2025/7/21 21:10	0	0	0	0	0	—	—	—	—	—
2025/7/21 21:20	0	0	0	0	0	—	—	—	—	—
2025/7/21 21:30	0	0	0	0	0	—	—	—	—	—
2025/7/21 21:40	0	0	0	0	0	—	—	—	—	—
2025/7/21 21:50	0	0	0	0	0	—	—	—	—	—
2025/7/21 22:00	0	0	0	0	0	—	—	—	—	—
2025/7/21 22:10	0	0	0	0	0	—	—	—	—	—
2025/7/21 22:20	0	0	0	0	0	—	—	—	—	—
2025/7/21 22:30	0	0	0	0	0	—	—	—	—	—
2025/7/21 22:40	0	0	0	0	0	—	—	—	—	—
2025/7/21 22:50	0	0	0	0	0	—	—	—	—	—
2025/7/21 23:00	0	0	0	0	0	—	—	—	—	—
2025/7/21 23:10	0	0	0	0	0	—	—	—	—	—
2025/7/21 23:20	0	0	0	0	0	—	—	—	—	—
2025/7/21 23:30	0	0	0	0	0	—	—	—	—	—
2025/7/21 23:40	0	0	0	0	0	—	—	—	—	—
2025/7/21 23:50	0	0	0	0	0	—	—	—	—	—
2025/7/22 0:00	0	0	0	0	0	253	195	56	15	236
2025/7/22 0:10	0	0	0	0	0	323	184	58	14	321
2025/7/22 0:20	0	0	0	0	0	307	126	62	14	309
2025/7/22 0:30	0	0	0	0	0	294	140	58	15	218
2025/7/22 0:40	0	0	0	0	0	346	206	65	16	289
2025/7/22 0:50	0	0	0	0	0	245	132	59	15	265
2025/7/22 1:00	0	0	0	0	0	266	143	58	16	202
2025/7/22 1:10	0	0	0	0	0	305	165	73	16	260
2025/7/22 1:20	0	0	0	0	0	320	168	65	18	320
2025/7/22 1:30	0	0	0	0	0	255	203	81	19	259
2025/7/22 1:40	0	0	0	0	0	312	172	85	19	288
2025/7/22 1:50	0	0	0	0	0	281	166	68	20	256
2025/7/22 2:00	0	0	0	0	0	335	157	122	26	390
2025/7/22 2:10	0	0	0	0	0	255	131	92	27	295
2025/7/22 2:20	0	0	0	0	0	283	127	85	27	297
2025/7/22 2:30	0	0	0	0	0	315	146	106	26	317
2025/7/22 2:40	0	0	0	0	0	281	137	94	26	302
2025/7/22 2:50	0	0	0	0	0	339	144	89	25	331
2025/7/22 3:00	0	0	0	0	0	327	138	108	27	344
2025/7/22 3:10	0	0	0	0	0	377	138	128	25	375
2025/7/22 3:20	0	0	0	0	0	318	153	137	24	336
2025/7/22 3:30	0	0	0	0	0	330	138	103	24	337
2025/7/22 3:40	0	0	0	0	0	312	144	88	23	328
2025/7/22 3:50	0	0	0	0	0	320	146	93	25	326
2025/7/22 4:00	0	0	0	0	0	326	170	110	26	322
2025/7/22 4:10	0	0	0	0	0	310	170	110	29	291
2025/7/22 4:20	0	0	0	0	0	373	177	127	29	347
2025/7/22 4:30	0	0	0	0	0	384	157	111	29	338
2025/7/22 4:40	0	0	0	0	0	397	187	137	29	340
2025/7/22 4:50	0	0	0	0	0	344	146	124	30	352
2025/7/22 5:00	0	0	0	0	0	343	195	133	30	361
2025/7/22 5:10	0	0	0	0	0	319	143	137	31	382
2025/7/22 5:20	0	0	0	0	0	364	182	112	28	352
2025/7/22 5:30	0	0	0	0	0	335	205	101	52	321
2025/7/22 5:40	0	0	0	0	0	360	318	101	60	363
2025/7/22 5:50	0	0	0	0	0	389	242	114	63	391
2025/7/22 6:00	0	0	0.1	0	0	376	344	123	87	326
2025/7/22 6:10	0	0	0.1	0	0	344	293	109	39	404
2025/7/22 6:20	0	0	0.1	0	0	318	256	108	32	403
2025/7/22 6:30	0	0	0.1	0.1	0	278	302	82	135	326
2025/7/22 6:40	0	0	0.1	0.1	0	235	306	60	126	271
2025/7/22 6:50	0	0	0.1	0.1	0	202	285	71	251	242

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/22 7:00	0	0	0.1	0.1	0	81	192	54	219	172
2025/7/22 7:10	0.1	0	0.2	0.1	0	229	139	57	221	499
2025/7/22 7:20	0.1	0	0.2	0.1	0.4	70	325	69	279	218
2025/7/22 7:30	0.1	0	0.2	0.1	0	74	161	56	372	170
2025/7/22 7:40	0.1	0	0.2	0.1	0	272	241	160	51	526
2025/7/22 7:50	0.1	0	0.2	0.1	0	91	114	69	260	232
2025/7/22 8:00	0.1	0	0.2	0.1	0	98	101	58	259	171
2025/7/22 8:10	0.1	0	0.2	0.1	0	223	192	84	50	291
2025/7/22 8:20	0.1	0	0.2	0.1	0	289	246	114	14	508
2025/7/22 8:30	0.1	0	0.2	0.1	0	277	221	172	118	467
2025/7/22 8:40	0.1	0	0.2	0.1	0	106	148	232	294	399
2025/7/22 8:50	0.1	0	0.2	0.1	0.1	155	99	102	249	324
2025/7/22 9:00	0.1	0	0.1	0.1	0	153	117	141	299	457
2025/7/22 9:10	0.1	0	0.1	0.1	0.1	215	348	141	67	382
2025/7/22 9:20	0.1	0	0.1	0.1	0	339	242	110	22	465
2025/7/22 9:30	0.1	0	0.1	0.1	0	269	217	131	30	457
2025/7/22 9:40	0.1	0	0.1	0.1	0	175	231	136	127	395
2025/7/22 9:50	0.1	0	0.1	0.1	0	115	128	148	329	305
2025/7/22 10:00	0.1	0	0.1	0.1	0	267	158	121	70	412
2025/7/22 10:10	0.1	0	0.1	0.1	0	242	219	117	27	498
2025/7/22 10:20	0.1	0	0.1	0.1	0.1	180	240	110	104	404
2025/7/22 10:30	0.1	0	0.1	0.1	0.1	197	204	71	29	323
2025/7/22 10:40	0.1	0	0.1	0.1	0	150	165	96	33	373
2025/7/22 10:50	0.1	0	0.1	0.1	0.1	171	162	83	43	310
2025/7/22 11:00	0.1	0	0.1	0.1	0.1	154	188	86	61	311
2025/7/22 11:10	0.1	0	0.1	0.1	0.1	178	182	101	54	308
2025/7/22 11:20	0.1	0	0.1	0.1	0.1	164	194	82	83	300
2025/7/22 11:30	0.1	0	0.1	0.1	0.1	157	222	75	43	318
2025/7/22 11:40	0.1	0.1	0.1	0.1	0.1	163	241	64	29	270
2025/7/22 11:50	0.1	0.1	0.1	0.1	0.1	165	160	80	47	289
2025/7/22 12:00	0.1	0.1	0.1	0.1	0.1	171	167	79	56	293
2025/7/22 12:10	0.1	0.1	0.1	0.1	0.1	135	181	66	38	251
2025/7/22 12:20	0.1	0.1	0.1	0.1	0.1	169	156	80	32	336
2025/7/22 12:30	0.1	0.1	0.1	0.1	0.1	151	158	75	25	283
2025/7/22 12:40	0.1	0.1	0.1	0.1	0.1	166	168	72	26	283
2025/7/22 12:50	0.1	0.1	0.1	0.1	0.1	147	142	64	27	283
2025/7/22 13:00	0.1	0.1	0.1	0.1	0.1	134	251	77	21	289
2025/7/22 13:10	0.1	0.1	0	0.1	0.1	153	273	67	24	301
2025/7/22 13:20	0.1	0.1	0	0.1	0.1	170	234	60	24	273
2025/7/22 13:30	0.2	0.1	0	0.1	0.1	155	388	53	28	287
2025/7/22 13:40	0.2	0.1	0	0.1	0.1	147	315	89	31	346
2025/7/22 13:50	0.2	0.1	0	0.1	0.1	150	173	72	26	278
2025/7/22 14:00	0.2	0.1	0	0.1	0	182	292	66	21	327
2025/7/22 14:10	0.2	0.1	0	0.1	0	184	260	82	28	355
2025/7/22 14:20	0.2	0.1	0	0.1	0	179	249	67	22	306
2025/7/22 14:30	0.2	0.1	0	0.1	0	203	300	57	35	326
2025/7/22 14:40	0.2	0.1	0	0.1	0.1	178	223	62	27	321
2025/7/22 14:50	0.2	0.1	0	0.1	0	159	283	54	18	271
2025/7/22 15:00	0.2	0.1	0	0.1	0	153	178	50	14	241
2025/7/22 15:10	0.2	0.1	0	0.1	0	145	181	50	14	224
2025/7/22 15:20	0.2	0.1	0	0.1	0	119	166	51	23	202
2025/7/22 15:30	0.1	0.1	0	0.1	0	173	143	58	17	286
2025/7/22 15:40	0.1	0.1	0	0.1	0	150	169	75	35	257
2025/7/22 15:50	0.1	0.1	0	0.1	0	169	230	70	39	268
2025/7/22 16:00	0.1	0.1	0	0.1	0	222	257	68	32	273
2025/7/22 16:10	0.1	0.1	0	0.1	0	250	291	89	55	296
2025/7/22 16:20	0.1	0.1	0	0.1	0	231	274	71	41	285
2025/7/22 16:30	0.1	0.1	0	0.1	0	223	234	88	43	297
2025/7/22 16:40	0.1	0.1	0	0	0	320	335	87	67	311
2025/7/22 16:50	0.1	0	0	0	0	219	187	95	52	302
2025/7/22 17:00	0.1	0	0	0	0	202	198	67	49	265
2025/7/22 17:10	0.1	0	0	0	0	217	206	65	29	248
2025/7/22 17:20	0.1	0	0	0	0	225	152	71	23	322
2025/7/22 17:30	0.1	0	0	0	0	228	165	111	19	369
2025/7/22 17:40	0.1	0	0	0	0	209	147	87	19	342
2025/7/22 17:50	0.1	0	0	0	0	173	137	71	21	301
2025/7/22 18:00	0	0	0	0	0	276	178	77	20	350
2025/7/22 18:10	0	0	0	0	0	216	161	80	25	308
2025/7/22 18:20	0	0	0	0	0	223	182	74	33	288
2025/7/22 18:30	0	0	0	0	0	296	196	72	30	316
2025/7/22 18:40	0	0	0	0	0	187	135	66	24	270
2025/7/22 18:50	0	0	0	0	0	183	120	65	20	260
2025/7/22 19:00	0	0	0	0	0	296	139	62	17	375

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/22 19:10	0	0	0	0	0	363	250	64	18	321
2025/7/22 19:20	0	0	0	0	0	430	193	76	19	432
2025/7/22 19:30	0	0	0	0	0	293	231	76	19	290
2025/7/22 19:40	0	0	0	0	0	281	186	70	17	366
2025/7/22 19:50	0	0	0	0	0	287	143	77	21	350
2025/7/22 20:00	0	0	0	0	0	186	124	69	20	253
2025/7/22 20:10	0	0	0	0	0	239	192	91	18	302
2025/7/22 20:20	0	0	0	0	0	306	161	78	18	250
2025/7/22 20:30	0	0	0	0	0	175	148	84	19	258
2025/7/22 20:40	0	0	0	0	0	211	127	71	22	246
2025/7/22 20:50	0	0	0	0	0	252	136	73	23	243
2025/7/22 21:00	0	0	0	0	0	282	154	85	24	282
2025/7/22 21:10	0	0	0	0	0	231	139	77	24	283
2025/7/22 21:20	0	0	0	0	0	278	195	66	23	196
2025/7/22 21:30	0	0	0	0	0	562	220	130	27	477
2025/7/22 21:40	0	0	0	0	0	452	195	113	25	398
2025/7/22 21:50	0	0	0	0	0	284	166	94	25	283
2025/7/22 22:00	0	0	0	0	0	459	195	92	25	296
2025/7/22 22:10	0	0	0	0	0	496	160	127	27	397
2025/7/22 22:20	0	0	0	0	0	436	238	106	26	347
2025/7/22 22:30	0	0	0	0	0	272	166	73	25	239
2025/7/22 22:40	0	0	0	0	0	139	141	59	23	167
2025/7/22 22:50	0	0	0	0	0	141	142	62	23	183
2025/7/22 23:00	0	0	0	0	0	135	133	58	20	175
2025/7/22 23:10	0	0	0	0	0	223	163	62	20	209
2025/7/22 23:20	0	0	0	0	0	369	246	63	20	330
2025/7/22 23:30	0	0	0	0	0	397	335	74	20	316
2025/7/22 23:40	0	0	0	0	0	547	293	95	20	422
2025/7/22 23:50	0	0	0	0	0	283	203	89	22	285
2025/7/23 0:00	0	0	0	0	0	444	274	82	23	300
2025/7/23 0:10	0	0	0	0	0.1	676	225	212	27	574
2025/7/23 0:20	0	0	0	0	0.3	525	198	109	29	417
2025/7/23 0:30	0	0	0	0	0	432	208	80	27	297
2025/7/23 0:40	0	0	0	0	0	245	175	66	30	208
2025/7/23 0:50	0	0	0	0	0	181	145	68	30	205
2025/7/23 1:00	0	0	0	0	0	197	193	67	30	188
2025/7/23 1:10	0	0	0	0	0	272	160	71	32	197
2025/7/23 1:20	0	0	0	0	0	176	147	67	31	175
2025/7/23 1:30	0	0	0	0	0	250	150	73	35	200
2025/7/23 1:40	0	0	0	0	0	366	187	81	35	219
2025/7/23 1:50	0	0	0	0	0	234	150	74	38	188
2025/7/23 2:00	0	0	0	0	0	181	137	70	37	169
2025/7/23 2:10	0	0	0	0	0	178	160	71	35	167
2025/7/23 2:20	0	0	0	0	0	168	136	70	36	168
2025/7/23 2:30	0	0	0	0	0	165	157	69	36	166
2025/7/23 2:40	0	0	0	0	0	267	181	74	37	176
2025/7/23 2:50	0	0	0	0	0	225	152	76	38	171
2025/7/23 3:00	0	0	0	0	0	199	131	74	33	179
2025/7/23 3:10	0	0	0	0	0	210	159	75	34	187
2025/7/23 3:20	0	0	0	0	0	198	142	73	33	186
2025/7/23 3:30	0	0	0	0	0	189	151	79	31	194
2025/7/23 3:40	0	0	0	0	0	205	151	68	32	171
2025/7/23 3:50	0	0	0	0	0	206	179	77	30	203
2025/7/23 4:00	0	0	0	0	0	254	203	80	31	221
2025/7/23 4:10	0	0	0	0	0	207	185	72	32	194
2025/7/23 4:20	0	0	0	0	0	208	205	70	32	176
2025/7/23 4:30	0	0	0	0	0	229	191	74	31	183
2025/7/23 4:40	0	0	0	0	0	240	183	73	34	176
2025/7/23 4:50	0	0	0	0	0	236	199	74	37	172
2025/7/23 5:00	0	0	0	0	0	313	246	75	41	197
2025/7/23 5:10	0	0	0	0	0	242	287	82	93	232
2025/7/23 5:20	0	0	0	0	0	249	321	72	96	237
2025/7/23 5:30	0	0	0	0	0	346	311	73	35	223
2025/7/23 5:40	0	0	0	0	0	367	298	92	96	282
2025/7/23 5:50	0	0	0	0	0	353	339	104	117	328
2025/7/23 6:00	0	0	0	0	0	349	417	118	241	411
2025/7/23 6:10	0	0	0	0	0	328	360	83	69	322
2025/7/23 6:20	0	0	0	0	0	229	309	64	181	204
2025/7/23 6:30	0	0	0	0	0	262	354	61	183	149
2025/7/23 6:40	0	0	0	0	0	174	351	59	356	154
2025/7/23 6:50	0	0	0	0	0	226	351	61	292	151
2025/7/23 7:00	0	0	0	0	0	173	237	67	20	178
2025/7/23 7:10	0	0	0.1	0.1	0	78	207	74	193	151

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/23 7:20	0	0	0.1	0.1	0	120	136	63	114	155
2025/7/23 7:30	0	0	0.1	0.1	0	155	197	63	81	193
2025/7/23 7:40	0	0	0.1	0.1	0	71	171	62	175	160
2025/7/23 7:50	0.1	0	0.1	0.1	0	118	178	64	143	169
2025/7/23 8:00	0.1	0	0.2	0.1	0	186	145	77	15	300
2025/7/23 8:10	0.1	0	0.2	0.1	0	184	206	68	34	207
2025/7/23 8:20	0.1	0	0.1	0.1	0	77	146	67	90	178
2025/7/23 8:30	0.1	0	0.2	0.1	0	76	132	70	140	179
2025/7/23 8:40	0.1	0	0.1	0.1	0	129	124	72	39	231
2025/7/23 8:50	0.1	0	0.1	0.1	0	77	246	73	238	187
2025/7/23 9:00	0.1	0	0.1	0.1	0	79	257	73	95	190
2025/7/23 9:10	0.1	0	0.1	0.1	0	132	154	70	101	210
2025/7/23 9:20	0.1	0	0.1	0.1	0	102	189	67	102	195
2025/7/23 9:30	0.1	0	0.1	0.1	0	81	161	68	162	191
2025/7/23 9:40	0.1	0	0.1	0.1	0	79	108	66	244	205
2025/7/23 9:50	0.1	0	0.1	0.1	0	140	109	80	140	265
2025/7/23 10:00	0.1	0	0.1	0.1	0	155	173	96	54	264
2025/7/23 10:10	0.1	0	0.1	0.1	0	269	174	77	112	312
2025/7/23 10:20	0.1	0	0.1	0.1	0	186	212	72	24	277
2025/7/23 10:30	0.1	0	0.1	0.1	0	257	187	78	41	348
2025/7/23 10:40	0.1	0	0.1	0.1	0	183	271	80	45	280
2025/7/23 10:50	0.1	0	0.1	0.1	0	138	246	81	41	248
2025/7/23 11:00	0.1	0	0.1	0.1	0	149	194	79	36	257
2025/7/23 11:10	0.1	0	0.1	0.1	0	134	196	79	37	237
2025/7/23 11:20	0.1	0	0.1	0.1	0.1	135	200	72	43	234
2025/7/23 11:30	0.1	0	0.1	0.1	0.1	179	198	74	54	256
2025/7/23 11:40	0.1	0.1	0.1	0.1	0.1	167	211	75	107	268
2025/7/23 11:50	0.1	0.1	0.1	0.1	0.1	228	166	86	50	307
2025/7/23 12:00	0.1	0.1	0.1	0.1	0.1	206	215	76	61	274
2025/7/23 12:10	0.1	0.1	0.1	0.1	0.1	135	183	69	30	258
2025/7/23 12:20	0.1	0.1	0.1	0.1	0.1	138	167	71	27	265
2025/7/23 12:30	0.1	0.1	0.1	0.1	0.1	136	171	69	33	259
2025/7/23 12:40	0.1	0.1	0.1	0.1	0.1	134	180	62	24	251
2025/7/23 12:50	0.1	0.1	0.1	0.1	0.1	127	162	58	27	238
2025/7/23 13:00	0.1	0.1	0.1	0.1	0.1	131	154	56	22	240
2025/7/23 13:10	0.1	0.1	0.1	0.1	0.1	160	175	61	25	265
2025/7/23 13:20	0.1	0.1	0	0.1	0.1	153	194	71	26	268
2025/7/23 13:30	0.2	0.1	0	0.1	0.1	149	179	70	22	261
2025/7/23 13:40	0.2	0.1	0	0.1	0.1	148	167	68	24	259
2025/7/23 13:50	0.2	0.1	0	0.1	0.1	162	205	59	22	247
2025/7/23 14:00	0.2	0.1	0	0.1	0	153	212	73	22	264
2025/7/23 14:10	0.2	0.1	0	0.1	0	194	232	58	21	273
2025/7/23 14:20	0.2	0.1	0	0.1	0	278	217	73	27	364
2025/7/23 14:30	0.2	0.1	0	0.1	0	171	196	69	35	294
2025/7/23 14:40	0.2	0.1	0	0.1	0	142	181	49	35	257
2025/7/23 14:50	0.2	0.1	0	0.1	0	142	171	51	16	258
2025/7/23 15:00	0.2	0.1	0	0.1	0	136	175	55	18	280
2025/7/23 15:10	0.2	0.1	0	0.1	0	191	209	67	76	305
2025/7/23 15:20	0.2	0.1	0	0.1	0	244	220	91	51	354
2025/7/23 15:30	0.2	0.1	0	0.1	0	207	212	59	32	275
2025/7/23 15:40	0.2	0.1	0	0.1	0	255	194	80	52	381
2025/7/23 15:50	0.2	0.1	0	0.1	0	184	195	67	35	268
2025/7/23 16:00	0.2	0.1	0	0.1	0	274	281	70	35	356
2025/7/23 16:10	0.2	0.2	0	0.1	0	153	171	67	20	259
2025/7/23 16:20	0.2	0.2	0	0.1	0	269	203	92	24	384
2025/7/23 16:30	0.2	0.1	0	0.1	0	300	259	75	22	342
2025/7/23 16:40	0.1	0.1	0	0.1	0	364	329	115	23	403
2025/7/23 16:50	0.1	0.1	0	0.1	0	182	171	79	34	301
2025/7/23 17:00	0.1	0.1	0	0.1	0	180	230	90	44	296
2025/7/23 17:10	0.1	0.1	0	0.1	0	321	199	77	54	312
2025/7/23 17:20	0.1	0.1	0	0.1	0	225	183	89	25	366
2025/7/23 17:30	0.1	0.1	0	0	0	229	182	62	25	256
2025/7/23 17:40	0.1	0	0	0	0	181	152	88	24	323
2025/7/23 17:50	0.1	0	0	0	0	162	184	80	18	273
2025/7/23 18:00	0.1	0	0	0	0	194	133	73	12	255
2025/7/23 18:10	0.1	0	0	0	0	166	110	66	12	268
2025/7/23 18:20	0	0	0	0	0	162	198	58	19	201
2025/7/23 18:30	0	0	0	0	0	227	226	69	41	216
2025/7/23 18:40	0	0	0	0	0	195	195	64	35	227
2025/7/23 18:50	0	0	0	0	0	158	160	64	28	220
2025/7/23 19:00	0	0	0	0	0	284	211	78	36	308
2025/7/23 19:10	0	0	0	0	0	251	192	69	26	237
2025/7/23 19:20	0	0	0	0	0	271	276	82	24	255

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/23 19:30	0	0	0	0	0	209	271	84	22	243
2025/7/23 19:40	0	0	0	0	0	247	205	87	21	261
2025/7/23 19:50	0	0	0	0	0	193	135	81	22	238
2025/7/23 20:00	0	0	0	0	0	215	183	91	25	256
2025/7/23 20:10	0	0	0	0	0	195	152	80	23	240
2025/7/23 20:20	0	0	0	0	0	175	121	74	22	230
2025/7/23 20:30	0	0	0	0	0	156	139	65	24	194
2025/7/23 20:40	0	0	0	0	0	132	124	63	21	182
2025/7/23 20:50	0	0	0	0	0	156	109	72	20	202
2025/7/23 21:00	0	0	0	0	0	150	124	62	16	205
2025/7/23 21:10	0	0	0	0	0	174	127	63	13	196
2025/7/23 21:20	0	0	0	0	0	174	124	60	12	194
2025/7/23 21:30	0	0	0	0	0	205	157	64	15	232
2025/7/23 21:40	0	0	0	0	0	353	169	64	15	315
2025/7/23 21:50	0	0	0	0	0	331	270	74	20	301
2025/7/23 22:00	0	0	0	0	0	302	200	65	21	208
2025/7/23 22:10	0	0	0	0	0	321	155	78	21	240
2025/7/23 22:20	0	0	0	0	0	235	181	67	21	218
2025/7/23 22:30	0	0	0	0	0	323	232	76	23	228
2025/7/23 22:40	0	0	0	0	0	301	233	61	23	198
2025/7/23 22:50	0	0	0	0	0	420	254	79	24	284
2025/7/23 23:00	0	0	0	0	0	337	276	73	22	272
2025/7/23 23:10	0	0	0	0	0	281	192	88	24	256
2025/7/23 23:20	0	0	0	0	0	282	254	73	26	219
2025/7/23 23:30	0	0	0	0	0	436	279	66	28	196
2025/7/23 23:40	0	0	0	0	0	360	225	73	28	217
2025/7/23 23:50	0	0	0	0	0	340	328	65	166	188
2025/7/24 0:00	0	0	0	0	0	218	312	63	243	159
2025/7/24 0:10	0	0	0	0	0	154	229	64	16	154
2025/7/24 0:20	0	0	0	0	0	277	237	63	75	218
2025/7/24 0:30	0	0	0	0	0	246	216	65	25	179
2025/7/24 0:40	0	0	0	0	0	307	299	64	27	189
2025/7/24 0:50	0	0	0	0	0	326	250	72	37	204
2025/7/24 1:00	0	0	0	0	0	202	177	73	33	178
2025/7/24 1:10	0	0	0	0	0	206	179	67	29	167
2025/7/24 1:20	0	0	0	0	0	207	180	68	31	172
2025/7/24 1:30	0	0	0	0	0	197	183	67	29	165
2025/7/24 1:40	0	0	0	0	0	195	200	64	34	168
2025/7/24 1:50	0	0	0	0	0	183	145	63	27	164
2025/7/24 2:00	0	0	0	0	0	236	190	64	28	175
2025/7/24 2:10	0	0	0	0	0	246	224	66	33	169
2025/7/24 2:20	0	0	0	0	0	285	212	71	34	192
2025/7/24 2:30	0	0	0	0	0	249	224	71	37	179
2025/7/24 2:40	0	0	0	0	0	328	161	75	41	195
2025/7/24 2:50	0	0	0	0	0	259	204	70	34	190
2025/7/24 3:00	0	0	0	0	0	225	184	71	32	175
2025/7/24 3:10	0	0	0	0	0	291	186	74	36	187
2025/7/24 3:20	0	0	0	0	0	279	208	73	42	235
2025/7/24 3:30	0	0	0	0	0	231	178	84	44	219
2025/7/24 3:40	0	0	0	0	0	256	171	72	39	202
2025/7/24 3:50	0	0	0	0	0	280	173	75	36	204
2025/7/24 4:00	0	0	0	0	0	300	201	82	35	238
2025/7/24 4:10	0	0	0	0	0	273	193	76	35	201
2025/7/24 4:20	0	0	0	0	0	289	201	76	38	225
2025/7/24 4:30	0	0	0	0	0	307	238	95	43	282
2025/7/24 4:40	0	0	0	0	0	289	250	78	39	218
2025/7/24 4:50	0	0	0	0	0	299	300	114	95	338
2025/7/24 5:00	0	0	0	0	0	317	301	82	139	260
2025/7/24 5:10	0	0	0	0	0	239	345	102	209	273
2025/7/24 5:20	0	0	0	0	0	293	318	71	31	258
2025/7/24 5:30	0	0	0	0	0	344	362	73	40	279
2025/7/24 5:40	0	0	0	0	0	369	318	109	80	410
2025/7/24 5:50	0	0	0	0	0	302	274	111	84	368
2025/7/24 6:00	0	0	0	0	0	255	243	116	75	346
2025/7/24 6:10	0	0	0.1	0	0	279	255	166	124	393
2025/7/24 6:20	0	0	0.1	0	0	282	224	71	57	341
2025/7/24 6:30	0	0	0.1	0.1	0	215	179	67	100	250
2025/7/24 6:40	0	0	0.1	0.1	0	243	253	65	136	200
2025/7/24 6:50	0	0	0.1	0.1	0	106	133	243	25	347
2025/7/24 7:00	0	0	0.1	0.1	0	131	140	189	238	303
2025/7/24 7:10	0	0	0.2	0.1	0	84	109	68	392	200
2025/7/24 7:20	0.1	0	0.2	0.1	0	134	120	88	452	237
2025/7/24 7:30	0.1	0	0.2	0.1	0	225	114	88	141	287

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/24 7:40	0.1	0	0.2	0.1	0	102	127	70	232	190
2025/7/24 7:50	0.1	0	0.2	0.1	0	128	141	91	112	244
2025/7/24 8:00	0.1	0	0.2	0.1	0	192	150	117	185	304
2025/7/24 8:10	0.1	0	0.2	0.1	0	169	142	103	326	340
2025/7/24 8:20	0.1	0	0.2	0.3	0	137	114	75	310	239
2025/7/24 8:30	0.1	0	0.2	0.1	0	118	150	74	147	228
2025/7/24 8:40	0.1	0	0.2	0.1	0	98	204	74	257	212
2025/7/24 8:50	0.1	0	0.1	0.1	0	116	145	83	176	272
2025/7/24 9:00	0.1	0	0.1	0.1	0	116	122	162	236	326
2025/7/24 9:10	0.1	0	0.1	0.1	0	115	237	247	214	340
2025/7/24 9:20	0.1	0	0.1	0.1	0	114	172	180	405	315
2025/7/24 9:30	0.1	0	0.1	0.1	0	99	164	122	387	261
2025/7/24 9:40	0.1	0	0.1	0.1	0.1	132	165	174	242	341
2025/7/24 9:50	0.1	0	0.1	0.1	0.1	164	153	126	249	323
2025/7/24 10:00	0.1	0	0.1	0.1	0.1	190	145	259	166	404
2025/7/24 10:10	0.1	0	0.1	0.1	0.1	250	170	150	156	397
2025/7/24 10:20	0.1	0	0.1	0.1	0.1	134	615	140	330	297
2025/7/24 10:30	0.1	0	0.1	0.1	0	99	142	117	279	278
2025/7/24 10:40	0.1	0	0.1	0.1	0.1	114	110	125	341	275
2025/7/24 10:50	0.1	0	0.1	0.1	0.1	96	118	133	283	262
2025/7/24 11:00	0.1	0	0.1	0.1	0.1	210	209	197	180	409
2025/7/24 11:10	0.1	0	0.1	0.1	0.1	108	238	191	214	319
2025/7/24 11:20	0.1	0	0.1	0.1	0.1	100	212	115	228	252
2025/7/24 11:30	0.1	0	0.1	0.1	0.1	122	152	151	205	341
2025/7/24 11:40	0.1	0	0.1	0.1	0.1	136	145	101	83	299
2025/7/24 11:50	0.1	0	0.1	0.1	0.1	233	180	80	27	373
2025/7/24 12:00	0.1	0	0.1	0.1	0.1	182	147	102	26	351
2025/7/24 12:10	0.1	0.1	0.1	0.1	0.1	148	146	135	28	377
2025/7/24 12:20	0.1	0.1	0.1	0.1	0.1	229	149	89	24	394
2025/7/24 12:30	0.1	0.1	0.1	0.1	0.1	219	149	84	24	387
2025/7/24 12:40	0.1	0.1	0.1	0.1	0.1	203	149	64	20	408
2025/7/24 12:50	0.1	0.1	0.1	0.1	0.1	197	150	71	23	463
2025/7/24 13:00	0.1	0.1	0.1	0.1	0.1	199	262	78	23	343
2025/7/24 13:10	0.2	0.1	0.1	0.1	0.1	191	230	63	17	335
2025/7/24 13:20	0.2	0.1	0.1	0.1	0.1	213	173	47	22	342
2025/7/24 13:30	0.2	0.1	0.1	0.1	0.1	188	179	65	28	387
2025/7/24 13:40	0.2	0.1	0.1	0.1	0.1	198	199	64	23	371
2025/7/24 13:50	0.2	0.1	0.1	0.1	0.1	212	233	73	20	405
2025/7/24 14:00	0.2	0.1	0.1	0.1	0.1	207	193	58	18	339
2025/7/24 14:10	0.2	0.1	0	0.1	0	204	184	90	21	435
2025/7/24 14:20	0.2	0.1	0	0.1	0	218	275	91	18	425
2025/7/24 14:30	0.2	0.1	0	0.1	0	283	387	52	21	346
2025/7/24 14:40	0.2	0.1	0	0.1	0	251	256	106	22	483
2025/7/24 14:50	0.2	0.1	0	0.1	0.1	267	223	61	34	470
2025/7/24 15:00	0.2	0.1	0	0.1	0.1	216	189	51	23	271
2025/7/24 15:10	0.2	0.1	0	0.1	0.1	288	190	66	26	488
2025/7/24 15:20	0.2	0.1	0	0.1	0.1	240	254	67	42	345
2025/7/24 15:30	0.2	0.1	0	0.1	0	282	198	65	44	459
2025/7/24 15:40	0.2	0.1	0	0.1	0	282	188	106	35	485
2025/7/24 15:50	0.2	0.1	0	0.1	0	243	197	167	60	643
2025/7/24 16:00	0.2	0.1	0	0.1	0.1	299	179	101	28	622
2025/7/24 16:10	0.2	0.1	0	0.1	0	328	162	94	21	488
2025/7/24 16:20	0.2	0.1	0	0.1	0	235	194	102	36	446
2025/7/24 16:30	0.2	0.1	0	0.1	0	231	184	89	41	410
2025/7/24 16:40	0.1	0.1	0	0.1	0	216	163	83	35	407
2025/7/24 16:50	0.1	0.1	0	0.1	0	198	158	60	27	340
2025/7/24 17:00	0.1	0.1	0	0.1	0	219	216	59	22	290
2025/7/24 17:10	0.1	0.1	0	0.1	0	224	691	62	24	292
2025/7/24 17:20	0.1	0.1	0	0.1	0	206	386	75	21	451
2025/7/24 17:30	0.1	0.1	0	0.1	0	208	158	112	21	477
2025/7/24 17:40	0.1	0.1	0	0	0	219	162	110	22	434
2025/7/24 17:50	0.1	0	0	0	0	245	174	97	29	405
2025/7/24 18:00	0.1	0	0	0	0	232	168	67	28	317
2025/7/24 18:10	0.1	0	0	0	0	229	153	100	39	355
2025/7/24 18:20	0.1	0	0	0	0	240	177	91	34	314
2025/7/24 18:30	0	0	0	0	0	226	174	84	27	372
2025/7/24 18:40	0	0	0	0	0	249	190	81	35	368
2025/7/24 18:50	0	0	0	0	0	234	198	116	44	385
2025/7/24 19:00	0	0	0	0	0	211	161	115	30	368
2025/7/24 19:10	0	0	0	0	0	259	167	120	28	390
2025/7/24 19:20	0	0	0	0	0	232	168	123	28	420
2025/7/24 19:30	0	0	0	0	0	207	156	136	27	399
2025/7/24 19:40	0	0	0	0	0	207	146	120	27	341

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/24 19:50	0	0	0	0	0	188	149	104	25	329
2025/7/24 20:00	0	0	0	0	0	222	187	95	27	322
2025/7/24 20:10	0	0	0	0	0	227	163	109	31	333
2025/7/24 20:20	0	0	0	0	0	292	176	103	28	364
2025/7/24 20:30	0	0	0	0	0	197	165	137	32	443
2025/7/24 20:40	0	0	0	0	0	198	158	149	28	421
2025/7/24 20:50	0	0	0	0	0	199	151	149	27	419
2025/7/24 21:00	0	0	0	0	0	193	153	150	27	365
2025/7/24 21:10	0	0	0	0	0	162	139	132	29	399
2025/7/24 21:20	0	0	0	0	0	213	141	120	30	342
2025/7/24 21:30	0	0	0	0	0	200	139	109	30	317
2025/7/24 21:40	0	0	0	0	0	173	134	110	31	311
2025/7/24 21:50	0	0	0	0	0	191	163	99	31	318
2025/7/24 22:00	0	0	0	0	0	197	161	71	28	262
2025/7/24 22:10	0	0	0	0	0	208	166	89	29	295
2025/7/24 22:20	0	0	0	0	0	207	157	112	28	335
2025/7/24 22:30	0	0	0	0	0	214	159	108	27	335
2025/7/24 22:40	0	0	0	0	0	221	195	92	26	317
2025/7/24 22:50	0	0	0	0	0	250	165	96	24	338
2025/7/24 23:00	0	0	0	0	0	238	151	95	24	361
2025/7/24 23:10	0	0	0	0	0	272	169	110	25	368
2025/7/24 23:20	0	0	0	0	0	277	144	165	25	412
2025/7/24 23:30	0	0	0	0	0	284	239	126	25	378
2025/7/24 23:40	0	0	0	0	0	308	205	122	28	358
2025/7/24 23:50	0	0	0	0	0	352	252	149	29	352
2025/7/25 0:00	0	0	0	0	0	352	219	174	32	386
2025/7/25 0:10	0	0	0	0	0	356	240	155	32	375
2025/7/25 0:20	0	0	0	0	0	375	242	164	34	398
2025/7/25 0:30	0	0	0	0	0	325	204	154	36	397
2025/7/25 0:40	0	0	0	0	0	290	185	140	33	349
2025/7/25 0:50	0	0	0	0	0	278	206	128	35	359
2025/7/25 1:00	0	0	0	0	0	295	198	125	34	341
2025/7/25 1:10	0	0	0	0	0	254	190	145	41	397
2025/7/25 1:20	0	0	0	0	0	266	166	135	39	338
2025/7/25 1:30	0	0	0	0	0	194	161	142	40	385
2025/7/25 1:40	0	0	0	0	0	216	159	130	37	359
2025/7/25 1:50	0	0	0	0	0	258	145	106	37	382
2025/7/25 2:00	0	0	0	0	0	311	150	127	34	406
2025/7/25 2:10	0	0	0	0	0	279	170	129	31	340
2025/7/25 2:20	0	0	0	0	0	266	178	89	31	315
2025/7/25 2:30	0	0	0	0	0	286	175	129	33	305
2025/7/25 2:40	0	0	0	0	0	304	216	102	35	323
2025/7/25 2:50	0	0	0	0	0	373	251	112	105	384
2025/7/25 3:00	0	0	0	0	0	322	222	93	45	412
2025/7/25 3:10	0	0	0	0	0	311	312	111	382	432
2025/7/25 3:20	0	0	0	0	0	339	253	188	62	488
2025/7/25 3:30	0	0	0	0	0	437	368	136	44	423
2025/7/25 3:40	0	0	0	0	0	364	304	176	342	508
2025/7/25 3:50	0	0	0	0	0	393	369	243	466	511
2025/7/25 4:00	0	0	0	0	0	408	367	157	73	481
2025/7/25 4:10	0	0	0	0	0	405	393	169	54	510
2025/7/25 4:20	0	0	0	0	0	367	328	136	60	530
2025/7/25 4:30	0	0	0	0	0	369	401	202	62	456
2025/7/25 4:40	0	0	0	0	0	397	325	119	52	333
2025/7/25 4:50	0	0	0	0	0	339	269	128	48	355
2025/7/25 5:00	0	0	0	0	0	390	256	112	45	333
2025/7/25 5:10	0	0	0	0	0	366	308	86	46	353
2025/7/25 5:20	0	0	0	0	0	385	303	134	98	481
2025/7/25 5:30	0	0	0	0	0	415	315	97	58	458
2025/7/25 5:40	0	0	0	0	0	313	395	79	174	321
2025/7/25 5:50	0	0	0	0	0	366	277	69	350	369
2025/7/25 6:00	0	0	0.1	0.1	0	193	297	63	424	187
2025/7/25 6:10	0	0	0.1	0.1	0	109	261	62	468	160
2025/7/25 6:20	0	0	0.1	0.1	0	235	288	63	446	171
2025/7/25 6:30	0	0	0.1	0.1	0	112	159	62	355	162
2025/7/25 6:40	0	0	0.1	0.1	0	122	203	62	357	200
2025/7/25 6:50	0	0	0.1	0.1	0	184	317	63	414	168
2025/7/25 7:00	0.1	0	0.2	0.1	0	96	197	66	431	356
2025/7/25 7:10	0.1	0	0.2	0.1	0.1	91	135	67	365	196
2025/7/25 7:20	0.1	0	0.2	0.1	0	147	220	64	278	172
2025/7/25 7:30	0.1	0	0.2	0.2	0	115	227	66	291	176
2025/7/25 7:40	0.1	0	0.2	0.2	0	134	175	66	167	296
2025/7/25 7:50	0.1	0	0.2	0.2	0	114	362	66	239	193

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/25 8:00	0.1	0	0.2	0.2	0	250	274	89	47	474
2025/7/25 8:10	0.1	0	0.2	0.2	0	177	260	158	24	528
2025/7/25 8:20	0.1	0	0.2	0.2	0.1	213	255	110	104	465
2025/7/25 8:30	0.1	0	0.2	0.2	0	144	355	69	224	226
2025/7/25 8:40	0.1	0	0.2	0.2	0	134	280	68	176	213
2025/7/25 8:50	0.1	0	0.2	0.1	0	101	175	69	188	202
2025/7/25 9:00	0.1	0	0.1	0.1	0	146	162	70	127	311
2025/7/25 9:10	0.1	0	0.1	0.1	0	206	267	85	97	301
2025/7/25 9:20	0.1	0	0.1	0.1	0	198	183	124	29	404
2025/7/25 9:30	0.1	0	0.1	0.1	0	198	183	107	26	387
2025/7/25 9:40	0.1	0	0.1	0.1	0	172	181	88	38	380
2025/7/25 9:50	0.1	0	0.1	0.1	0	183	194	89	53	364
2025/7/25 10:00	0.1	0	0.1	0.1	0	183	157	100	27	359
2025/7/25 10:10	0.1	0	0.1	0.1	0.1	201	195	85	44	367
2025/7/25 10:20	0.1	0	0.1	0.1	0.1	182	185	76	61	301
2025/7/25 10:30	0.1	0	0.1	0.1	0.1	201	195	77	51	306
2025/7/25 10:40	0.1	0	0.1	0.1	0.1	141	185	91	32	292
2025/7/25 10:50	0.1	0	0.1	0.1	0.1	152	176	82	44	309
2025/7/25 11:00	0.1	0	0.1	0.1	0.1	165	164	78	38	307
2025/7/25 11:10	0.1	0	0.1	0.1	0.1	161	291	95	45	313
2025/7/25 11:20	0.1	0	0.1	0.1	0.1	155	186	98	37	308
2025/7/25 11:30	0.1	0	0.1	0.1	0.1	163	177	96	41	338
2025/7/25 11:40	0.1	0	0.1	0.1	0.1	181	168	98	55	343
2025/7/25 11:50	0.1	0.1	0.1	0.1	0.1	154	179	98	45	311
2025/7/25 12:00	0.1	0.1	0.1	0.1	0.1	188	175	72	43	325
2025/7/25 12:10	0.1	0.1	0.1	0.1	0.1	162	156	87	31	355
2025/7/25 12:20	0.1	0.1	0.1	0.1	0.1	148	144	85	28	333
2025/7/25 12:30	0.1	0.1	0.1	0.1	0.1	179	164	72	27	317
2025/7/25 12:40	0.1	0.1	0.1	0.1	0.1	161	161	111	25	350
2025/7/25 12:50	0.1	0.1	0.1	0.1	0.1	163	174	93	26	331
2025/7/25 13:00	0.1	0.1	0	0.1	0.1	185	240	92	29	366
2025/7/25 13:10	0.1	0.1	0	0.1	0.1	232	326	86	31	366
2025/7/25 13:20	0.1	0.1	0	0.1	0.1	229	231	65	26	357
2025/7/25 13:30	0.2	0.1	0	0.1	0.1	257	272	94	36	442
2025/7/25 13:40	0.2	0.1	0	0.1	0.1	226	226	84	18	412
2025/7/25 13:50	0.2	0.1	0	0.1	0.1	195	285	103	20	472
2025/7/25 14:00	0.2	0.1	0	0.1	0	189	257	117	22	409
2025/7/25 14:10	0.2	0.1	0	0.1	0	235	271	127	36	440
2025/7/25 14:20	0.2	0.1	0	0.1	0	208	233	83	29	429
2025/7/25 14:30	0.2	0.1	0	0.1	0.1	238	252	91	46	420
2025/7/25 14:40	0.2	0.1	0	0.1	0	231	280	95	67	455
2025/7/25 14:50	0.2	0.1	0	0.1	0	253	290	67	47	391
2025/7/25 15:00	0.2	0.1	0	0.1	0	208	304	70	31	324
2025/7/25 15:10	0.2	0.1	0	0.1	0	257	247	105	51	432
2025/7/25 15:20	0.2	0.1	0	0.1	0	254	231	150	51	473
2025/7/25 15:30	0.2	0.1	0	0.1	0	248	213	109	38	426
2025/7/25 15:40	0.2	0.1	0	0.1	0	220	248	84	44	403
2025/7/25 15:50	0.2	0.1	0	0.1	0	251	270	80	67	403
2025/7/25 16:00	0.2	0.1	0	0.1	0	230	265	87	47	375
2025/7/25 16:10	0.2	0.1	0	0.1	0	267	267	93	65	430
2025/7/25 16:20	0.2	0.1	0	0.1	0	247	300	65	47	318
2025/7/25 16:30	0.1	0.1	0	0.1	0	236	224	74	30	407
2025/7/25 16:40	0.1	0.1	0	0.1	0	213	230	70	36	312
2025/7/25 16:50	0.1	0.1	0	0.1	0	269	202	92	64	410
2025/7/25 17:00	0.1	0.1	0	0.1	0	203	223	124	51	446
2025/7/25 17:10	0.1	0.1	0	0	0	169	207	107	26	383
2025/7/25 17:20	0.1	0.1	0	0	0	183	189	89	23	402
2025/7/25 17:30	0.1	0	0	0	0	227	245	92	22	354
2025/7/25 17:40	0.1	0	0	0	0	226	186	76	22	350
2025/7/25 17:50	0.1	0	0	0	0	242	205	82	26	403
2025/7/25 18:00	0.1	0	0	0	0	216	154	116	19	425
2025/7/25 18:10	0	0	0	0	0	211	133	105	21	364
2025/7/25 18:20	0	0	0	0	0	200	140	86	24	328
2025/7/25 18:30	0	0	0	0	0	226	151	119	23	401
2025/7/25 18:40	0	0	0	0	0	243	160	80	20	356
2025/7/25 18:50	0	0	0	0	0	227	142	100	27	357
2025/7/25 19:00	0	0	0	0	0	219	162	80	32	356
2025/7/25 19:10	0	0	0	0	0	191	278	78	35	333
2025/7/25 19:20	0	0	0	0	0	215	272	74	27	303
2025/7/25 19:30	0	0	0	0	0	210	183	113	38	428
2025/7/25 19:40	0	0	0	0	0	203	166	106	20	363
2025/7/25 19:50	0	0	0	0	0	237	183	86	20	361
2025/7/25 20:00	0	0	0	0	0	217	152	103	19	382

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/25 20:10	0	0	0	0	0	221	187	112	20	359
2025/7/25 20:20	0	0	0	0	0	248	168	114	21	402
2025/7/25 20:30	0	0	0	0	0	270	205	69	21	343
2025/7/25 20:40	0	0	0	0	0	225	151	102	21	353
2025/7/25 20:50	0	0	0	0	0	201	157	112	23	380
2025/7/25 21:00	0	0	0	0	0	230	171	91	23	332
2025/7/25 21:10	0	0	0	0	0	234	190	72	21	341
2025/7/25 21:20	0	0	0	0	0	272	194	118	22	394
2025/7/25 21:30	0	0	0	0	0	269	161	102	22	400
2025/7/25 21:40	0	0	0	0	0	279	214	65	25	363
2025/7/25 21:50	0	0	0	0	0	314	233	61	27	249
2025/7/25 22:00	0	0	0	0	0	287	253	66	26	359
2025/7/25 22:10	0	0	0	0	0	398	213	120	27	453
2025/7/25 22:20	0	0	0	0	0	453	379	180	33	444
2025/7/25 22:30	0	0	0	0	0	345	303	179	34	427
2025/7/25 22:40	0	0	0	0	0	326	299	151	30	419
2025/7/25 22:50	0	0	0	0	0	310	257	122	30	375
2025/7/25 23:00	0	0	0	0	0	283	231	99	32	381
2025/7/25 23:10	0	0	0	0	0	304	221	78	29	398
2025/7/25 23:20	0	0	0	0	0	330	219	94	33	414
2025/7/25 23:30	0	0	0	0	0	331	237	138	30	407
2025/7/25 23:40	0	0	0	0	0	340	252	86	27	420
2025/7/25 23:50	0	0	0	0	0	330	284	103	28	382
2025/7/26 0:00	0	0	0	0	0	288	264	112	29	409
2025/7/26 0:10	0	0	0	0	0	327	250	66	31	333
2025/7/26 0:20	0	0	0	0	0	348	236	73	30	495
2025/7/26 0:30	0	0	0	0	0	287	247	84	30	382
2025/7/26 0:40	0	0	0	0	0	352	304	69	40	473
2025/7/26 0:50	0	0	0	0	0	337	413	66	183	399
2025/7/26 1:00	0	0	0	0	0	347	333	68	367	462
2025/7/26 1:10	0	0	0	0	0	260	317	59	143	285
2025/7/26 1:20	0	0	0	0	0	334	331	99	36	396
2025/7/26 1:30	0	0	0	0	0	278	297	58	19	377
2025/7/26 1:40	0	0	0	0	0	342	234	91	27	444
2025/7/26 1:50	0	0	0	0	0	350	256	109	30	443
2025/7/26 2:00	0	0	0	0	0	357	352	61	344	352
2025/7/26 2:10	0	0	0	0	0	308	420	68	382	293
2025/7/26 2:20	0	0	0	0	0	210	360	56	234	188
2025/7/26 2:30	0	0	0	0	0	280	406	55	616	160
2025/7/26 2:40	0	0	0	0	0	374	473	57	636	253
2025/7/26 2:50	0	0	0	0	0	342	450	57	592	181
2025/7/26 3:00	0	0	0	0	0	317	437	57	527	235
2025/7/26 3:10	0	0	0	0	0	299	440	55	322	349
2025/7/26 3:20	0	0	0	0	0	156	357	52	287	157
2025/7/26 3:30	0	0	0	0	0	137	369	53	317	151
2025/7/26 3:40	0	0	0	0	0	247	413	53	539	158
2025/7/26 3:50	0	0	0	0	0	247	456	57	555	156
2025/7/26 4:00	0	0	0	0	0	276	430	56	520	155
2025/7/26 4:10	0	0	0	0	0	325	491	57	664	201
2025/7/26 4:20	0	0	0	0	0	331	449	57	601	149
2025/7/26 4:30	0	0	0	0	0	211	401	56	404	146
2025/7/26 4:40	0	0	0	0	0	384	446	57	665	334
2025/7/26 4:50	0	0	0	0	0	435	481	59	583	440
2025/7/26 5:00	0	0	0	0	0	183	450	59	610	177
2025/7/26 5:10	0	0	0	0	0	202	384	58	476	157
2025/7/26 5:20	0	0	0	0	0	280	401	59	434	169
2025/7/26 5:30	0	0	0	0	0	474	403	59	539	456
2025/7/26 5:40	0	0	0	0	0	350	461	59	477	279
2025/7/26 5:50	0	0	0	0	0	202	366	57	437	170
2025/7/26 6:00	0	0	0.1	0.1	0	202	303	57	378	230
2025/7/26 6:10	0	0	0.1	0.1	0	144	284	59	398	174
2025/7/26 6:20	0	0	0.1	0.1	0	96	255	59	254	164
2025/7/26 6:30	0	0	0.1	0.1	0	85	255	59	281	164
2025/7/26 6:40	0	0	0.1	0.1	0	85	255	61	233	163
2025/7/26 6:50	0	0	0.2	0.1	0	96	320	62	274	165
2025/7/26 7:00	0	0	0.2	0.1	0	86	206	65	301	165
2025/7/26 7:10	0.1	0	0.2	0.1	0	190	256	65	127	308
2025/7/26 7:20	0.1	0	0.2	0.1	0	165	239	63	117	196
2025/7/26 7:30	0.1	0	0.2	0.2	0	155	267	64	56	230
2025/7/26 7:40	0.1	0	0.2	0.2	0	157	222	63	224	198
2025/7/26 7:50	0.1	0	0.2	0.2	0	145	211	63	193	191
2025/7/26 8:00	0.1	0	0.2	0.2	0	98	231	63	177	208
2025/7/26 8:10	0.1	0	0.2	0.2	0	126	243	65	314	193

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/26 8:20	0.1	0	0.2	0.2	0	104	192	66	307	202
2025/7/26 8:30	0.1	0	0.2	0.2	0	102	110	99	216	371
2025/7/26 8:40	0.1	0	0.2	0.1	0	99	157	70	165	211
2025/7/26 8:50	0.1	0	0.2	0.1	0	99	151	69	222	220
2025/7/26 9:00	0.1	0	0.2	0.1	0	131	103	83	140	383
2025/7/26 9:10	0.1	0	0.1	0.1	0	261	185	144	29	512
2025/7/26 9:20	0.1	0	0.1	0.1	0	110	142	66	203	246
2025/7/26 9:30	0.1	0	0.1	0.1	0	98	157	68	172	225
2025/7/26 9:40	0.1	0	0.1	0.1	0	120	165	64	153	238
2025/7/26 9:50	0.1	0	0.1	0.1	0.1	97	135	64	231	229
2025/7/26 10:00	0.1	0	0.1	0.1	0	98	86	58	256	239
2025/7/26 10:10	0.1	0	0.1	0.1	0.1	162	111	79	148	257
2025/7/26 10:20	0.1	0	0.1	0.1	0.1	285	256	91	28	427
2025/7/26 10:30	0.1	0	0.1	0.1	0.1	227	201	85	47	354
2025/7/26 10:40	0.1	0	0.1	0.1	0	216	222	76	37	381
2025/7/26 10:50	0.1	0	0.1	0.1	0.1	193	188	86	33	346
2025/7/26 11:00	0.1	0	0.1	0.1	0.1	161	158	95	33	367
2025/7/26 11:10	0.1	0	0.1	0.1	0.1	161	185	90	34	317
2025/7/26 11:20	0.1	0	0.1	0.1	0	161	169	82	29	321
2025/7/26 11:30	0.1	0	0.1	0.1	0	164	179	72	31	295
2025/7/26 11:40	0.1	0	0.1	0.1	0	180	197	68	30	328
2025/7/26 11:50	0.1	0.1	0.1	0.1	0.1	188	206	70	30	307
2025/7/26 12:00	0.1	0.1	0.1	0.1	0.1	186	193	73	30	333
2025/7/26 12:10	0.1	0.1	0.1	0.1	0	193	159	100	32	335
2025/7/26 12:20	0.1	0.1	0.1	0.1	0	208	223	76	28	342
2025/7/26 12:30	0.1	0.1	0.1	0.1	0.1	203	178	83	26	338
2025/7/26 12:40	0.1	0.1	0.1	0.1	0.1	185	179	89	23	352
2025/7/26 12:50	0.1	0.1	0	0.1	0.1	215	197	78	25	374
2025/7/26 13:00	0.1	0.1	0	0.1	0.1	190	166	104	24	374
2025/7/26 13:10	0.1	0.1	0	0.1	0.1	191	221	94	24	355
2025/7/26 13:20	0.1	0.1	0	0.1	0.1	202	274	80	23	377
2025/7/26 13:30	0.2	0.1	0	0.1	0.1	192	223	89	21	392
2025/7/26 13:40	0.2	0.1	0	0.1	0.1	225	230	71	26	356
2025/7/26 13:50	0.2	0.1	0	0.1	0.1	250	229	76	24	395
2025/7/26 14:00	0.2	0.1	0	0.1	0	241	247	94	24	399
2025/7/26 14:10	0.2	0.1	0	0.1	0	212	271	62	24	347
2025/7/26 14:20	0.2	0.1	0	0.1	0	201	271	64	25	327
2025/7/26 14:30	0.2	0.1	0	0.1	0	227	244	82	25	427
2025/7/26 14:40	0.2	0.1	0	0.1	0	208	279	90	23	407
2025/7/26 14:50	0.2	0.1	0	0.1	0	221	306	62	23	326
2025/7/26 15:00	0.2	0.1	0	0.1	0	235	251	66	23	336
2025/7/26 15:10	0.2	0.1	0	0.1	0	233	263	75	22	355
2025/7/26 15:20	0.2	0.1	0	0.1	0	227	232	82	22	327
2025/7/26 15:30	0.2	0.1	0	0.1	0	207	178	67	22	355
2025/7/26 15:40	0.2	0.1	0	0.1	0.1	214	257	78	24	347
2025/7/26 15:50	0.2	0.1	0	0.1	0	191	337	70	24	308
2025/7/26 16:00	0.2	0.1	0	0.1	0	195	290	86	22	357
2025/7/26 16:10	0.2	0.1	0	0.1	0	195	207	85	23	389
2025/7/26 16:20	0.2	0.2	0	0.1	0	193	222	88	19	368
2025/7/26 16:30	0.2	0.2	0	0.1	0	176	257	93	15	369
2025/7/26 16:40	0.1	0.2	0	0.1	0	188	181	99	14	348
2025/7/26 16:50	0.1	0.2	0	0.1	0	183	169	102	13	395
2025/7/26 17:00	0.1	0.2	0	0.1	0	205	169	85	13	386
2025/7/26 17:10	0.1	0.2	0	0.1	0	196	343	84	10	361
2025/7/26 17:20	0.1	0.2	0	0.1	0	181	243	74	10	377
2025/7/26 17:30	0.1	0.2	0	0	0	191	150	68	13	331
2025/7/26 17:40	0.1	0.2	0	0	0	198	143	61	18	335
2025/7/26 17:50	0.1	0.1	0	0	0	196	137	90	14	396
2025/7/26 18:00	0.1	0.1	0	0	0	230	150	56	14	306
2025/7/26 18:10	0.1	0.1	0	0	0	185	119	115	14	324
2025/7/26 18:20	0.1	0.1	0	0	0	215	120	73	15	371
2025/7/26 18:30	0.1	0.1	0	0	0	212	134	84	15	343
2025/7/26 18:40	0	0	0	0	0	222	140	66	17	347
2025/7/26 18:50	0	0	0	0	0	200	141	98	19	376
2025/7/26 19:00	0	0	0	0	0	184	114	102	18	368
2025/7/26 19:10	0	0	0	0	0	201	132	83	17	308
2025/7/26 19:20	0	0	0	0	0	219	142	82	20	324
2025/7/26 19:30	0	0	0	0	0	194	163	77	18	320
2025/7/26 19:40	0	0	0	0	0	199	151	100	18	340
2025/7/26 19:50	0	0	0	0	0	229	157	91	20	368
2025/7/26 20:00	0	0	0	0	0	245	185	89	20	339
2025/7/26 20:10	0	0	0	0	0	276	212	123	20	442
2025/7/26 20:20	0	0	0	0	0	317	220	112	21	416

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/26 20:30	0	0	0	0	0	283	172	130	24	429
2025/7/26 20:40	0	0	0	0	0	256	205	116	22	355
2025/7/26 20:50	0	0	0	0	0	248	162	84	29	336
2025/7/26 21:00	0	0	0	0	0	237	177	77	29	328
2025/7/26 21:10	0	0	0	0	0	250	169	78	28	326
2025/7/26 21:20	0	0	0	0	0	244	163	101	28	360
2025/7/26 21:30	0	0	0	0	0	270	177	87	28	385
2025/7/26 21:40	0	0	0	0	0	234	158	76	28	349
2025/7/26 21:50	0	0	0	0	0	253	150	93	27	376
2025/7/26 22:00	0	0	0	0	0	278	170	69	26	318
2025/7/26 22:10	0	0	0	0	0	282	211	70	28	299
2025/7/26 22:20	0	0	0	0	0	275	188	75	28	294
2025/7/26 22:30	0	0	0	0	0	279	267	70	26	334
2025/7/26 22:40	0	0	0	0	0	296	216	68	26	330
2025/7/26 22:50	0	0	0	0	0	340	289	67	23	308
2025/7/26 23:00	0	0	0	0	0	288	257	62	22	276
2025/7/26 23:10	0	0	0	0	0	295	245	61	18	332
2025/7/26 23:20	0	0	0	0	0	341	242	60	17	278
2025/7/26 23:30	0	0	0	0	0	371	229	77	18	370
2025/7/26 23:40	0	0	0	0	0	300	234	59	18	401
2025/7/26 23:50	0	0	0	0	0	290	236	76	17	355
2025/7/27 0:00	0	0	0	0	0	283	187	98	17	406
2025/7/27 0:10	0	0	0	0	0	296	213	90	19	386
2025/7/27 0:20	0	0	0	0	0	299	210	112	21	365
2025/7/27 0:30	0	0	0	0	0	264	166	75	22	391
2025/7/27 0:40	0	0	0	0	0	249	165	63	19	355
2025/7/27 0:50	0	0	0	0	0	238	151	60	17	266
2025/7/27 1:00	0	0	0	0	0	207	193	55	20	202
2025/7/27 1:10	0	0	0	0	0	203	218	55	18	165
2025/7/27 1:20	0	0	0	0	0	219	203	55	33	181
2025/7/27 1:30	0	0	0	0	0	219	197	54	86	223
2025/7/27 1:40	0	0	0	0	0	168	270	54	123	180
2025/7/27 1:50	0	0	0	0	0	234	293	55	68	181
2025/7/27 2:00	0	0	0	0	0	265	265	54	163	178
2025/7/27 2:10	0	0	0	0	0	235	271	56	14	197
2025/7/27 2:20	0	0	0	0	0	188	239	54	25	147
2025/7/27 2:30	0	0	0	0	0	131	330	56	196	145
2025/7/27 2:40	0	0	0	0	0	149	348	56	210	141
2025/7/27 2:50	0	0	0	0	0	267	417	59	204	184
2025/7/27 3:00	0	0	0	0	0	155	356	57	83	149
2025/7/27 3:10	0	0	0	0	0	102	372	56	246	138
2025/7/27 3:20	0	0	0	0	0	133	426	55	187	137
2025/7/27 3:30	0	0	0	0	0	123	440	56	232	137
2025/7/27 3:40	0	0	0	0	0	175	390	55	370	136
2025/7/27 3:50	0	0	0	0	0	168	402	56	269	136
2025/7/27 4:00	0	0	0	0	0	135	398	56	154	135
2025/7/27 4:10	0	0	0	0	0	187	454	54	152	137
2025/7/27 4:20	0	0	0	0	0	176	425	55	208	138
2025/7/27 4:30	0	0	0	0	0	149	328	55	247	136
2025/7/27 4:40	0	0	0	0	0	126	295	54	43	135
2025/7/27 4:50	0	0	0	0	0	96	331	53	124	135
2025/7/27 5:00	0	0	0	0	0	163	338	53	301	136
2025/7/27 5:10	0	0	0	0	0	225	411	55	237	137
2025/7/27 5:20	0	0	0	0	0	175	393	54	369	137
2025/7/27 5:30	0	0	0	0	0	194	400	55	600	139
2025/7/27 5:40	0	0	0	0	0	197	353	55	332	138
2025/7/27 5:50	0	0	0	0	0	170	399	55	381	143
2025/7/27 6:00	0	0	0.1	0.1	0	94	330	52	269	144
2025/7/27 6:10	0	0	0.1	0.1	0	92	326	53	299	147
2025/7/27 6:20	0	0	0.1	0.1	0	150	253	53	257	165
2025/7/27 6:30	0	0	0.1	0.1	0	96	270	54	248	151
2025/7/27 6:40	0	0	0.1	0.1	0	121	220	53	211	152
2025/7/27 6:50	0	0	0.2	0.1	0	84	261	53	290	154
2025/7/27 7:00	0	0	0.2	0.1	0	91	237	54	214	160
2025/7/27 7:10	0	0	0.2	0.1	0	189	261	56	159	182
2025/7/27 7:20	0.1	0	0.2	0.1	0	254	180	57	25	204
2025/7/27 7:30	0.1	0	0.2	0.2	0	156	285	57	220	172
2025/7/27 7:40	0.1	0	0.2	0.2	0	203	286	59	76	244
2025/7/27 7:50	0.1	0	0.2	0.2	0	132	225	72	256	211
2025/7/27 8:00	0.1	0	0.2	0.2	0	90	262	112	270	275
2025/7/27 8:10	0.1	0	0.2	0.2	0	195	274	65	44	323
2025/7/27 8:20	0.1	0	0.2	0.1	0	185	250	64	70	241
2025/7/27 8:30	0.1	0	0.2	0.1	0	179	282	68	164	290

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/27 8:40	0.1	0	0.2	0.1	0	165	192	67	61	241
2025/7/27 8:50	0.1	0	0.2	0.2	0	86	222	69	266	194
2025/7/27 9:00	0.1	0	0.2	0.1	0	95	230	69	306	201
2025/7/27 9:10	0.1	0	0.1	0.1	0	148	360	61	104	261
2025/7/27 9:20	0.1	0	0.1	0.1	0	174	210	64	136	264
2025/7/27 9:30	0.1	0	0.1	0.1	0	97	269	60	183	206
2025/7/27 9:40	0.1	0	0.1	0.1	0	92	196	57	380	197
2025/7/27 9:50	0.1	0	0.1	0.1	0	92	222	55	312	192
2025/7/27 10:00	0.1	0	0.1	0.1	0	97	178	54	240	190
2025/7/27 10:10	0.1	0	0.1	0.1	0	213	198	56	22	251
2025/7/27 10:20	0.1	0	0.1	0.1	0	136	139	70	226	234
2025/7/27 10:30	0.1	0	0.1	0.1	0	251	183	70	97	289
2025/7/27 10:40	0.1	0	0.1	0.1	0.1	167	181	67	71	287
2025/7/27 10:50	0.1	0.1	0.1	0.1	0	253	202	60	23	341
2025/7/27 11:00	0.1	0.1	0.1	0.1	0	235	195	70	29	357
2025/7/27 11:10	0.1	0.1	0.1	0.1	0	219	165	92	38	421
2025/7/27 11:20	0.1	0.1	0.1	0.1	0	213	179	55	32	363
2025/7/27 11:30	0.1	0.1	0.1	0.1	0	211	160	85	50	351
2025/7/27 11:40	0.1	0.1	0.1	0.1	0.1	224	180	59	39	328
2025/7/27 11:50	0.1	0.1	0.1	0.1	0.1	201	141	106	58	465
2025/7/27 12:00	0.1	0.1	0.1	0.1	0.1	244	172	143	73	462
2025/7/27 12:10	0.1	0.1	0.1	0.1	0.1	255	235	87	44	372
2025/7/27 12:20	0.1	0.1	0.1	0.1	0.1	256	149	61	24	359
2025/7/27 12:30	0.1	0.1	0.1	0.1	0.1	212	146	70	24	382
2025/7/27 12:40	0.1	0.1	0.1	0.1	0.1	238	153	68	21	404
2025/7/27 12:50	0.1	0.1	0.1	0.1	0.1	283	204	67	21	422
2025/7/27 13:00	0.1	0.1	0	0.1	0.1	253	184	94	18	434
2025/7/27 13:10	0.1	0.1	0.1	0.1	0.1	213	165	114	18	448
2025/7/27 13:20	0.1	0.1	0.1	0.1	0.1	199	139	124	18	494
2025/7/27 13:30	0.2	0.1	0.1	0.1	0.1	190	147	141	20	434
2025/7/27 13:40	0.2	0.1	0	0.1	0.1	235	175	99	17	434
2025/7/27 13:50	0.2	0.1	0	0.1	0.1	196	151	80	14	389
2025/7/27 14:00	0.2	0.1	0	0.1	0	186	154	96	16	374
2025/7/27 14:10	0.2	0.1	0.1	0.1	0	182	178	108	12	402
2025/7/27 14:20	0.2	0.1	0	0.1	0	157	138	107	11	375
2025/7/27 14:30	0.2	0.1	0	0.1	0	217	173	46	15	323
2025/7/27 14:40	0.2	0.1	0	0.1	0	207	165	73	13	377
2025/7/27 14:50	0.2	0.1	0	0.1	0	219	170	113	13	450
2025/7/27 15:00	0.2	0.1	0	0.1	0	210	139	86	17	398
2025/7/27 15:10	0.2	0.1	0	0.1	0	190	138	99	19	439
2025/7/27 15:20	0.2	0.1	0	0.1	0	213	163	53	18	290
2025/7/27 15:30	0.2	0.1	0	0.1	0	181	161	53	29	300
2025/7/27 15:40	0.2	0.1	0	0.1	0	189	136	102	43	396
2025/7/27 15:50	0.1	0.1	0	0.1	0	192	146	90	27	388
2025/7/27 16:00	0.1	0.1	0	0.1	0	189	143	104	19	445
2025/7/27 16:10	0.1	0.1	0	0.1	0	221	142	98	40	400
2025/7/27 16:20	0.1	0.1	0	0.1	0	210	153	95	39	398
2025/7/27 16:30	0.1	0.1	0	0.1	0	206	161	89	20	374
2025/7/27 16:40	0.1	0.1	0	0.1	0	192	130	122	22	397
2025/7/27 16:50	0.1	0.1	0	0.1	0	209	126	73	25	402
2025/7/27 17:00	0.1	0.1	0	0.1	0	198	128	100	22	398
2025/7/27 17:10	0.1	0.1	0	0	0	212	151	66	23	376
2025/7/27 17:20	0.1	0.1	0	0	0	218	157	114	28	425
2025/7/27 17:30	0.1	0.1	0	0	0	213	137	114	19	400
2025/7/27 17:40	0.1	0.1	0	0	0	220	144	65	17	322
2025/7/27 17:50	0.1	0.1	0	0	0	200	164	80	15	388
2025/7/27 18:00	0.1	0.1	0	0	0	233	148	75	16	345
2025/7/27 18:10	0	0.1	0	0	0	225	121	71	14	314
2025/7/27 18:20	0	0.1	0	0	0	225	125	77	14	338
2025/7/27 18:30	0	0	0	0	0	206	143	91	14	422
2025/7/27 18:40	0	0	0	0	0	219	142	140	14	438
2025/7/27 18:50	0	0	0	0	0	249	162	125	16	455
2025/7/27 19:00	0	0	0	0	0	247	166	92	16	419
2025/7/27 19:10	0	0	0	0	0	228	158	63	18	397
2025/7/27 19:20	0	0	0	0	0	251	164	83	17	338
2025/7/27 19:30	0	0	0	0	0	311	199	59	22	211
2025/7/27 19:40	0	0	0	0	0	327	171	121	20	403
2025/7/27 19:50	0	0	0	0	0	237	163	138	20	392
2025/7/27 20:00	0	0	0	0	0	222	157	85	20	361
2025/7/27 20:10	0	0	0	0	0	225	181	91	20	319
2025/7/27 20:20	0	0	0	0	0	240	190	126	18	360
2025/7/27 20:30	0	0	0	0	0	245	167	127	21	334
2025/7/27 20:40	0	0	0	0	0	236	169	113	23	375

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/27 20:50	0	0	0	0	0	268	205	130	22	391
2025/7/27 21:00	0	0	0	0	0	227	230	104	22	326
2025/7/27 21:10	0	0	0	0	0	249	185	110	22	373
2025/7/27 21:20	0	0	0	0	0	245	193	111	22	356
2025/7/27 21:30	0	0	0	0	0	242	185	89	22	335
2025/7/27 21:40	0	0	0	0	0	325	261	88	23	343
2025/7/27 21:50	0	0	0	0	0	301	268	120	23	387
2025/7/27 22:00	0	0	0	0	0	316	231	134	25	413
2025/7/27 22:10	0	0	0	0	0	355	270	93	25	466
2025/7/27 22:20	0	0	0	0	0	311	237	94	24	447
2025/7/27 22:30	0	0	0	0	0	343	243	104	23	402
2025/7/27 22:40	0	0	0	0	0	316	186	74	23	455
2025/7/27 22:50	0	0	0	0	0	337	291	81	26	438
2025/7/27 23:00	0	0	0	0	0	343	233	106	29	484
2025/7/27 23:10	0	0	0	0	0	352	253	66	28	381
2025/7/27 23:20	0	0	0	0	0	323	233	79	27	372
2025/7/27 23:30	0	0	0	0	0	421	225	93	28	408
2025/7/27 23:40	0	0	0	0	0	333	223	100	29	427
2025/7/27 23:50	0	0	0	0	0	315	222	75	27	305
2025/7/28 0:00	0	0	0	0	0	314	199	64	27	391
2025/7/28 0:10	0	0	0	0	0	356	238	81	27	333
2025/7/28 0:20	0	0	0	0	0	330	261	72	27	331
2025/7/28 0:30	0	0	0	0	0	411	220	80	23	436
2025/7/28 0:40	0	0	0	0	0	347	224	68	22	407
2025/7/28 0:50	0	0	0	0	0	283	275	69	157	285
2025/7/28 1:00	0	0	0	0	0	305	302	88	34	327
2025/7/28 1:10	0	0	0	0	0	354	233	104	25	370
2025/7/28 1:20	0	0	0	0	0	411	359	100	36	376
2025/7/28 1:30	0	0	0	0	0	417	321	107	41	336
2025/7/28 1:40	0	0	0	0	0	325	253	74	38	352
2025/7/28 1:50	0	0	0	0	0	338	261	78	38	346
2025/7/28 2:00	0	0	0	0	0	362	340	77	35	410
2025/7/28 2:10	0	0	0	0	0	390	282	73	35	446
2025/7/28 2:20	0	0	0	0	0	396	344	70	41	382
2025/7/28 2:30	0	0	0	0	0	436	320	71	34	487
2025/7/28 2:40	0	0	0	0	0	326	426	66	118	365
2025/7/28 2:50	0	0	0	0	0	391	373	64	145	499
2025/7/28 3:00	0	0	0	0	0	441	437	75	339	647
2025/7/28 3:10	0	0	0	0	0.1	485	478	109	531	741
2025/7/28 3:20	0	0	0	0	1	591	659	444	799	846
2025/7/28 3:30	0	0	0	0	1.6	637	697	374	787	850
2025/7/28 3:40	0	0	0	0	1.9	556	633	228	790	855
2025/7/28 3:50	0	0	0	0	2.3	822	682	471	816	918
2025/7/28 4:00	0	0	0	0.9	3.1	536	699	258	694	770
2025/7/28 4:10	0	0	0	0	1	571	598	411	824	847
2025/7/28 4:20	0	0	0	0.3	1.9	612	682	555	871	847
2025/7/28 4:30	0	0	0	0.3	2.2	684	711	470	865	872
2025/7/28 4:40	0	0	0	1.2	2.4	199	474	323	741	535
2025/7/28 4:50	0	0	0	0.7	1.1	455	488	292	124	771
2025/7/28 5:00	0	0	0	0	1.1	404	438	84	59	656
2025/7/28 5:10	0	0	0	0	0	523	426	137	54	588
2025/7/28 5:20	0	0	0	0	0	459	536	149	487	666
2025/7/28 5:30	0	0	0	0	0	576	590	237	335	803
2025/7/28 5:40	0	0	0	0	1	355	581	347	802	919
2025/7/28 5:50	0	0	0	0	2.7	471	563	179	834	763
2025/7/28 6:00	0	0	0	0	1	711	337	166	358	805
2025/7/28 6:10	0	0	0.1	0	1.2	147	317	53	483	489
2025/7/28 6:20	0	0	0.1	0	0.7	132	152	210	299	525
2025/7/28 6:30	0	0	0.1	0.1	0.1	166	136	208	78	674
2025/7/28 6:40	0	0	0.1	0.1	0.3	79	123	164	331	263
2025/7/28 6:50	0	0	0.1	0.1	0	84	127	90	399	300
2025/7/28 7:00	0	0	0.1	0.1	0	116	132	131	236	366
2025/7/28 7:10	0	0	0.1	0.1	0	70	125	46	353	157
2025/7/28 7:20	0	0	0.2	0.1	0	74	124	48	317	176
2025/7/28 7:30	0.1	0	0.2	0.1	0	73	123	49	297	153
2025/7/28 7:40	0.1	0	0.2	0.1	0	103	124	51	263	221
2025/7/28 7:50	0.1	0	0.2	0.1	0	138	113	65	290	310
2025/7/28 8:00	0.1	0	0.2	0.1	0	131	149	141	220	371
2025/7/28 8:10	0.1	0	0.2	0.1	0.2	184	181	121	330	341
2025/7/28 8:20	0.1	0	0.1	0.1	0	140	110	140	165	429
2025/7/28 8:30	0.1	0	0.1	0.1	0	89	124	98	190	290
2025/7/28 8:40	0.1	0	0.1	0.1	0	70	119	53	228	167
2025/7/28 8:50	0.1	0	0.1	0.1	0	67	120	62	189	211

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/28 9:00	0.1	0	0.1	0.1	0	77	97	92	266	307
2025/7/28 9:10	0.1	0	0.1	0.1	0	70	130	100	213	340
2025/7/28 9:20	0.1	0	0.1	0.1	0.1	75	112	72	219	258
2025/7/28 9:30	0.1	0	0.1	0.1	0	92	104	77	271	319
2025/7/28 9:40	0.1	0	0.1	0.1	0	106	115	95	152	222
2025/7/28 9:50	0.1	0	0.1	0.1	0	103	120	63	170	190
2025/7/28 10:00	0.1	0	0.1	0.1	0	201	169	64	43	403
2025/7/28 10:10	0.1	0	0.1	0.1	0	130	194	98	146	266
2025/7/28 10:20	0.1	0	0.1	0.1	0.1	179	211	124	56	410
2025/7/28 10:30	0.1	0	0.1	0.1	0.1	237	290	125	30	435
2025/7/28 10:40	0.1	0	0.1	0.1	0.1	208	260	92	74	346
2025/7/28 10:50	0.1	0	0.1	0.1	0.1	131	172	112	141	323
2025/7/28 11:00	0.1	0	0.1	0.1	0.1	190	162	92	107	388
2025/7/28 11:10	0.1	0	0.1	0.1	0.1	190	221	90	46	328
2025/7/28 11:20	0.1	0	0.1	0.1	0.1	187	233	104	55	343
2025/7/28 11:30	0.1	0	0.1	0.1	0.1	112	140	89	154	248
2025/7/28 11:40	0.1	0	0.1	0.1	0.1	103	130	124	155	274
2025/7/28 11:50	0.1	0	0.1	0.1	0.1	123	131	130	113	347
2025/7/28 12:00	0.1	0	0.1	0.1	0.1	213	260	92	48	304
2025/7/28 12:10	0.1	0	0.1	0.1	0.1	210	167	89	57	353
2025/7/28 12:20	0.1	0.1	0.1	0.1	0.1	161	168	93	36	317
2025/7/28 12:30	0.1	0.1	0.1	0.1	0.1	143	185	58	37	242
2025/7/28 12:40	0.1	0.1	0.1	0.1	0.1	183	215	68	35	289
2025/7/28 12:50	0.1	0.1	0.1	0.1	0.1	173	150	76	54	299
2025/7/28 13:00	0.1	0.1	0.1	0.1	0.1	181	183	58	52	314
2025/7/28 13:10	0.1	0.1	0.1	0.1	0.1	154	222	65	63	325
2025/7/28 13:20	0.1	0.1	0.1	0.1	0.1	193	239	74	27	326
2025/7/28 13:30	0.1	0.1	0.1	0.1	0.1	217	301	54	72	299
2025/7/28 13:40	0.2	0.1	0.1	0.1	0.1	207	266	80	25	335
2025/7/28 13:50	0.2	0.1	0.1	0.1	0.1	179	237	47	27	289
2025/7/28 14:00	0.2	0.1	0.1	0.1	0.1	187	209	57	30	290
2025/7/28 14:10	0.2	0.1	0.1	0.1	0.1	175	295	58	32	279
2025/7/28 14:20	0.2	0.1	0.1	0.1	0.1	236	303	57	35	335
2025/7/28 14:30	0.2	0.1	0.1	0.1	0.1	238	266	70	35	338
2025/7/28 14:40	0.2	0.1	0.1	0.1	0.1	190	227	57	43	299
2025/7/28 14:50	0.2	0.1	0.1	0.1	0.1	189	218	67	44	321
2025/7/28 15:00	0.2	0.1	0.1	0.1	0.1	206	235	64	47	312
2025/7/28 15:10	0.2	0.1	0.1	0.1	0.1	196	206	71	36	319
2025/7/28 15:20	0.2	0.1	0	0.1	0.1	191	200	65	40	329
2025/7/28 15:30	0.2	0.1	0	0.1	0	182	248	60	36	302
2025/7/28 15:40	0.2	0.1	0	0.1	0	170	287	50	35	242
2025/7/28 15:50	0.2	0.1	0	0.1	0	202	224	57	34	298
2025/7/28 16:00	0.2	0.1	0	0.1	0	188	243	58	33	306
2025/7/28 16:10	0.2	0.1	0	0.1	0	185	224	64	30	286
2025/7/28 16:20	0.2	0.1	0	0.1	0	187	193	61	29	320
2025/7/28 16:30	0.2	0.1	0	0.1	0	179	243	69	31	300
2025/7/28 16:40	0.1	0.1	0	0.1	0	203	231	97	37	371
2025/7/28 16:50	0.1	0.1	0	0.1	0	214	215	86	38	355
2025/7/28 17:00	0.1	0.1	0	0.1	0	245	178	70	33	363
2025/7/28 17:10	0.1	0.1	0	0.1	0	258	236	99	41	410
2025/7/28 17:20	0.1	0.1	0	0.1	0	227	218	50	28	322
2025/7/28 17:30	0.1	0.1	0	0.1	0	285	225	99	27	447
2025/7/28 17:40	0.1	0.1	0	0.1	0	260	294	145	32	414
2025/7/28 17:50	0.1	0.1	0	0.1	0	247	269	64	36	337
2025/7/28 18:00	0.1	0.1	0	0.1	0	328	323	96	54	464
2025/7/28 18:10	0.1	0.1	0	0.1	0	308	345	96	44	388
2025/7/28 18:20	0.1	0.1	0	0.1	0	313	383	82	98	392
2025/7/28 18:30	0.1	0.1	0	0.1	0	328	301	75	38	461
2025/7/28 18:40	0.1	0.1	0	0	0	390	310	114	39	471
2025/7/28 18:50	0.1	0	0	0	0	356	354	109	75	436
2025/7/28 19:00	0	0	0	0	0	349	459	201	86	484
2025/7/28 19:10	0	0	0	0	0	417	366	124	49	537
2025/7/28 19:20	0	0	0	0	0	402	370	159	39	448
2025/7/28 19:30	0	0	0	0	0	344	294	178	37	526
2025/7/28 19:40	0	0	0	0	0	362	280	144	39	440
2025/7/28 19:50	0	0	0	0	0	333	266	168	38	505
2025/7/28 20:00	0	0	0	0	0	357	241	177	37	540
2025/7/28 20:10	0	0	0	0	0	270	144	160	43	568
2025/7/28 20:20	0	0	0	0	0	321	201	180	49	603
2025/7/28 20:30	0	0	0	0	0	366	244	218	40	585
2025/7/28 20:40	0	0	0	0	0	280	257	188	70	590
2025/7/28 20:50	0	0	0	0	0	322	347	190	106	566
2025/7/28 21:00	0	0	0	0	0	353	275	172	65	574

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/28 21:10	0	0	0	0	0	342	274	134	44	448
2025/7/28 21:20	0	0	0	0	0	293	189	147	40	434
2025/7/28 21:30	0	0	0	0	0	306	210	131	34	423
2025/7/28 21:40	0	0	0	0	0	334	250	117	33	392
2025/7/28 21:50	0	0	0	0	0	264	227	112	39	365
2025/7/28 22:00	0	0	0	0	0	246	211	101	37	386
2025/7/28 22:10	0	0	0	0	0	243	189	111	34	358
2025/7/28 22:20	0	0	0	0	0	277	218	85	29	364
2025/7/28 22:30	0	0	0	0	0	253	222	121	29	395
2025/7/28 22:40	0	0	0	0	0	271	216	112	29	385
2025/7/28 22:50	0	0	0	0	0	310	232	84	30	350
2025/7/28 23:00	0	0	0	0	0	260	217	120	26	438
2025/7/28 23:10	0	0	0	0	0	260	243	129	28	369
2025/7/28 23:20	0	0	0	0	0	329	260	88	30	379
2025/7/28 23:30	0	0	0	0	0	289	209	88	28	405
2025/7/28 23:40	0	0	0	0	0	338	243	71	31	412
2025/7/28 23:50	0	0	0	0	0	375	230	79	34	372
2025/7/29 0:00	0	0	0	0	0	352	316	71	35	413
2025/7/29 0:10	0	0	0	0	0	374	301	125	36	396
2025/7/29 0:20	0	0	0	0	0	397	229	156	40	423
2025/7/29 0:30	0	0	0	0	0	309	226	135	40	384
2025/7/29 0:40	0	0	0	0	0	307	189	121	43	324
2025/7/29 0:50	0	0	0	0	0	274	239	86	41	327
2025/7/29 1:00	0	0	0	0	0	235	209	118	38	350
2025/7/29 1:10	0	0	0	0	0	221	185	86	37	346
2025/7/29 1:20	0	0	0	0	0	240	183	110	35	327
2025/7/29 1:30	0	0	0	0	0	253	206	90	34	311
2025/7/29 1:40	0	0	0	0	0	237	181	95	31	291
2025/7/29 1:50	0	0	0	0	0	268	183	73	28	305
2025/7/29 2:00	0	0	0	0	0	267	171	86	28	301
2025/7/29 2:10	0	0	0	0	0	268	168	72	29	327
2025/7/29 2:20	0	0	0	0	0	264	234	100	29	327
2025/7/29 2:30	0	0	0	0	0	271	214	75	32	296
2025/7/29 2:40	0	0	0	0	0	323	273	67	33	313
2025/7/29 2:50	0	0	0	0	0	369	225	62	33	337
2025/7/29 3:00	0	0	0	0	0	402	269	79	33	381
2025/7/29 3:10	0	0	0	0	0	410	256	78	36	414
2025/7/29 3:20	0	0	0	0	0	308	275	85	32	367
2025/7/29 3:30	0	0	0	0	0	227	328	57	54	160
2025/7/29 3:40	0	0	0	0	0	223	319	53	48	148
2025/7/29 3:50	0	0	0	0	0	252	373	51	270	163
2025/7/29 4:00	0	0	0	0	0	265	375	51	287	147
2025/7/29 4:10	0	0	0	0	0	279	408	50	474	149
2025/7/29 4:20	0	0	0	0	0	102	247	51	605	152
2025/7/29 4:30	0	0	0	0	0	153	450	51	422	229
2025/7/29 4:40	0	0	0	0	0	462	336	72	301	612
2025/7/29 4:50	0	0	0	0	0.3	399	321	382	182	774
2025/7/29 5:00	0	0	0	0	1	479	300	118	185	525
2025/7/29 5:10	0	0	0	0	0.4	405	368	51	102	279
2025/7/29 5:20	0	0	0	0	0	123	272	51	648	174
2025/7/29 5:30	0	0	0	0	0	71	126	50	433	152
2025/7/29 5:40	0	0	0	0	0	74	128	50	364	152
2025/7/29 5:50	0	0	0	0	0	80	127	53	391	150
2025/7/29 6:00	0	0	0.1	0	0	78	105	55	402	171
2025/7/29 6:10	0	0	0.1	0	0	82	103	72	296	170
2025/7/29 6:20	0	0	0.1	0.1	0	78	108	53	354	153
2025/7/29 6:30	0	0	0.1	0.1	0	77	132	51	317	152
2025/7/29 6:40	0	0	0.1	0.1	0	79	103	94	258	181
2025/7/29 6:50	0	0	0.1	0.1	0	82	107	91	166	208
2025/7/29 7:00	0	0	0.2	0.1	0	83	108	54	354	163
2025/7/29 7:10	0	0	0.2	0.1	0	80	102	54	312	204
2025/7/29 7:20	0	0	0.2	0.1	0	80	99	106	154	218
2025/7/29 7:30	0.1	0	0.2	0.1	0	80	101	103	211	271
2025/7/29 7:40	0.1	0	0.2	0.1	0	78	100	110	190	230
2025/7/29 7:50	0.1	0	0.2	0.1	0	81	114	75	213	185
2025/7/29 8:00	0.1	0	0.2	0.1	0	83	127	103	149	216
2025/7/29 8:10	0.1	0	0.2	0.1	0	79	161	58	203	185
2025/7/29 8:20	0.1	0	0.2	0.1	0	83	131	89	235	206
2025/7/29 8:30	0.1	0	0.2	0.1	0	92	98	134	115	287
2025/7/29 8:40	0.1	0	0.2	0.1	0	80	99	72	172	195
2025/7/29 8:50	0.1	0	0.1	0.1	0	82	100	78	240	214
2025/7/29 9:00	0.1	0	0.1	0.1	0	83	125	91	254	242
2025/7/29 9:10	0.1	0	0.1	0.1	0	93	115	86	206	324

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/29 9:20	0.1	0	0.1	0.1	0	84	194	82	158	248
2025/7/29 9:30	0.1	0	0.1	0.1	0	85	118	74	113	206
2025/7/29 9:40	0.1	0	0.1	0.1	0	196	199	162	71	435
2025/7/29 9:50	0.1	0	0.1	0.1	0.1	99	119	112	236	346
2025/7/29 10:00	0.1	0	0.1	0.1	0.1	90	95	86	138	242
2025/7/29 10:10	0.1	0	0.1	0.1	0.1	96	121	101	148	265
2025/7/29 10:20	0.1	0	0.1	0.1	0	127	122	107	60	405
2025/7/29 10:30	0.1	0	0.1	0.1	0	137	123	152	120	421
2025/7/29 10:40	0.1	0	0.1	0.1	0	116	131	200	226	363
2025/7/29 10:50	0.1	0	0.1	0.1	0	125	156	180	201	380
2025/7/29 11:00	0.1	0	0.1	0.1	0	114	136	101	120	256
2025/7/29 11:10	0.1	0	0.1	0.1	0.1	95	93	87	79	235
2025/7/29 11:20	0.1	0	0.1	0.1	0.1	94	101	64	112	218
2025/7/29 11:30	0.1	0	0.1	0.1	0.1	94	93	82	97	224
2025/7/29 11:40	0.1	0	0.1	0.1	0.1	96	93	65	144	226
2025/7/29 11:50	0.1	0	0.1	0.1	0.1	96	100	88	70	231
2025/7/29 12:00	0.1	0	0.1	0.1	0.1	96	108	83	121	254
2025/7/29 12:10	0.1	0	0.1	0.1	0.1	125	123	144	62	380
2025/7/29 12:20	0.1	0	0.1	0.1	0.1	231	128	106	25	439
2025/7/29 12:30	0.1	0.1	0.1	0.1	0.1	167	129	157	62	383
2025/7/29 12:40	0.1	0.1	0.1	0.1	0.1	122	136	92	80	269
2025/7/29 12:50	0.1	0.1	0.1	0.1	0.1	136	129	134	122	334
2025/7/29 13:00	0.1	0.1	0.1	0.1	0.1	214	230	136	38	455
2025/7/29 13:10	0.2	0.1	0.1	0.1	0.1	286	307	105	38	457
2025/7/29 13:20	0.2	0.1	0.1	0.1	0.1	277	353	170	45	506
2025/7/29 13:30	0.2	0.1	0.1	0.1	0.1	194	217	161	137	427
2025/7/29 13:40	0.2	0.1	0	0.1	0.1	221	270	155	66	455
2025/7/29 13:50	0.2	0.1	0	0.1	0.1	260	248	91	41	415
2025/7/29 14:00	0.2	0.1	0	0.1	0.1	247	242	122	54	433
2025/7/29 14:10	0.2	0.1	0	0.1	0.1	254	265	133	62	468
2025/7/29 14:20	0.2	0.1	0	0.1	0	222	231	115	55	421
2025/7/29 14:30	0.2	0.1	0	0.1	0	251	200	115	44	446
2025/7/29 14:40	0.2	0.1	0	0.1	0	204	179	229	148	447
2025/7/29 14:50	0.2	0.1	0	0.1	0	224	264	149	82	467
2025/7/29 15:00	0.2	0.1	0	0.1	0	246	261	139	42	479
2025/7/29 15:10	0.2	0.1	0	0.1	0	237	235	106	77	388
2025/7/29 15:20	0.2	0.1	0	0.1	0	252	214	106	54	380
2025/7/29 15:30	0.2	0.1	0	0.1	0	208	216	146	47	435
2025/7/29 15:40	0.2	0.1	0	0.1	0	186	224	87	38	339
2025/7/29 15:50	0.2	0.1	0	0.1	0	172	233	130	42	333
2025/7/29 16:00	0.2	0.1	0	0.1	0	214	219	104	39	367
2025/7/29 16:10	0.2	0.1	0	0.1	0	182	249	102	35	341
2025/7/29 16:20	0.2	0.1	0	0.1	0	249	211	91	34	428
2025/7/29 16:30	0.2	0.2	0	0.1	0	241	216	121	32	451
2025/7/29 16:40	0.2	0.2	0	0.1	0	182	197	142	30	445
2025/7/29 16:50	0.1	0.2	0	0.1	0	216	213	122	28	460
2025/7/29 17:00	0.1	0.2	0	0.1	0	199	182	128	35	443
2025/7/29 17:10	0.1	0.2	0	0.1	0	154	178	93	34	352
2025/7/29 17:20	0.1	0.2	0	0.1	0	158	183	92	30	402
2025/7/29 17:30	0.1	0.2	0	0.1	0	178	186	109	82	385
2025/7/29 17:40	0.1	0.2	0	0.1	0	122	136	115	36	441
2025/7/29 17:50	0.1	0.2	0	0.1	0	190	190	100	50	368
2025/7/29 18:00	0.1	0.1	0	0	0	202	167	131	63	427
2025/7/29 18:10	0.1	0.1	0	0.1	0	225	162	97	37	403
2025/7/29 18:20	0.1	0.1	0	0	0	220	134	90	23	409
2025/7/29 18:30	0.1	0.1	0	0	0	175	110	101	16	478
2025/7/29 18:40	0.1	0.1	0	0	0	234	156	100	16	387
2025/7/29 18:50	0	0	0	0	0	226	148	81	17	378
2025/7/29 19:00	0	0	0	0	0	219	170	87	21	347
2025/7/29 19:10	0	0	0	0	0	209	116	87	23	432
2025/7/29 19:20	0	0	0	0	0	204	114	98	30	456
2025/7/29 19:30	0	0	0	0	0	174	159	99	39	414
2025/7/29 19:40	0	0	0	0	0	217	101	115	28	474
2025/7/29 19:50	0	0	0	0	0	212	110	104	40	452
2025/7/29 20:00	0	0	0	0	0	244	100	103	29	426
2025/7/29 20:10	0	0	0	0	0	197	159	123	21	410
2025/7/29 20:20	0	0	0	0	0	233	129	100	16	386
2025/7/29 20:30	0	0	0	0	0	242	143	98	19	368
2025/7/29 20:40	0	0	0	0	0	298	152	115	27	473
2025/7/29 20:50	0	0	0	0	0	217	196	112	23	461
2025/7/29 21:00	0	0	0	0	0	271	173	114	20	452
2025/7/29 21:10	0	0	0	0	0	229	172	117	19	505
2025/7/29 21:20	0	0	0	0	0	218	104	187	21	493

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/29 21:30	0	0	0	0	0	107	104	284	24	523
2025/7/29 21:40	0	0	0	0	0	95	99	316	22	514
2025/7/29 21:50	0	0	0	0	0	100	105	243	26	619
2025/7/29 22:00	0	0	0	0	0	180	90	337	55	642
2025/7/29 22:10	0	0	0	0	0	116	103	318	29	768
2025/7/29 22:20	0	0	0	0	0.6	98	84	313	225	517
2025/7/29 22:30	0	0	0	0	0	87	94	368	189	598
2025/7/29 22:40	0	0	0	0	0.3	299	78	341	347	760
2025/7/29 22:50	0	0	0	0	1.8	61	112	201	551	295
2025/7/29 23:00	0	0	0	0	0.1	86	89	183	636	202
2025/7/29 23:10	0	0	0	0	0	118	72	336	383	592
2025/7/29 23:20	0	0	0	0	0.8	117	75	342	344	679
2025/7/29 23:30	0	0	0	0	1.1	139	119	430	82	853
2025/7/29 23:40	0	0	0	0	1.3	219	236	500	50	858
2025/7/29 23:50	0	0	0	0	2	118	147	397	75	655
2025/7/30 0:00	0	0	0	0	0.3	108	139	426	167	643
2025/7/30 0:10	0	0	0	0	0.5	93	99	278	155	558
2025/7/30 0:20	0	0	0	0	0.2	107	97	343	180	687
2025/7/30 0:30	0	0	0	0	1.1	109	113	343	137	645
2025/7/30 0:40	0	0	0	0	0.3	99	108	346	55	553
2025/7/30 0:50	0	0	0	0	0	140	131	222	44	627
2025/7/30 1:00	0	0	0	0	0	102	101	334	78	592
2025/7/30 1:10	0	0	0	0	0	101	108	296	55	590
2025/7/30 1:20	0	0	0	0	0.1	97	117	251	84	461
2025/7/30 1:30	0	0	0	0	0	83	109	248	77	409
2025/7/30 1:40	0	0	0	0	0	94	98	238	149	496
2025/7/30 1:50	0	0	0	0	0.1	91	96	246	79	440
2025/7/30 2:00	0	0	0	0	0	84	96	293	57	460
2025/7/30 2:10	0	0	0	0	0	85	100	281	78	463
2025/7/30 2:20	0	0	0	0	0	111	100	293	56	644
2025/7/30 2:30	0	0	0	0	0	161	99	229	243	401
2025/7/30 2:40	0	0	0	0	0	75	89	274	444	667
2025/7/30 2:50	0	0	0	0	1.1	83	103	252	403	627
2025/7/30 3:00	0	0	0	0	1.3	77	101	204	438	542
2025/7/30 3:10	0	0	0	0	1.3	82	88	373	285	633
2025/7/30 3:20	0	0	0	0	1.1	83	95	380	305	505
2025/7/30 3:30	0	0	0	0	0.4	76	98	344	245	830
2025/7/30 3:40	0	0	0	0	2.5	72	89	298	325	474
2025/7/30 3:50	0	0	0	0	0.5	69	89	272	182	262
2025/7/30 4:00	0	0	0	0	0	75	98	244	86	370
2025/7/30 4:10	0	0	0	0	0	91	92	283	75	529
2025/7/30 4:20	0	0	0	0	0	72	92	210	272	360
2025/7/30 4:30	0	0	0	0	0.4	71	88	234	223	456
2025/7/30 4:40	0	0	0	0	0.2	70	87	78	391	147
2025/7/30 4:50	0	0	0	0	0	70	93	48	409	134
2025/7/30 5:00	0	0	0	0	0	73	99	49	435	131
2025/7/30 5:10	0	0	0	0	0	75	97	52	400	135
2025/7/30 5:20	0	0	0	0	0	76	96	57	372	135
2025/7/30 5:30	0	0	0	0	0	78	97	57	347	159
2025/7/30 5:40	0	0	0	0	0	81	98	60	351	136
2025/7/30 5:50	0	0	0	0	0	82	97	74	221	215
2025/7/30 6:00	0	0	0.1	0	0	78	95	60	293	167
2025/7/30 6:10	0	0	0.1	0.1	0	77	92	89	273	178
2025/7/30 6:20	0	0	0.1	0.1	0	76	89	101	235	197
2025/7/30 6:30	0	0	0.1	0.1	0	75	93	57	229	188
2025/7/30 6:40	0	0	0.1	0.1	0	75	99	47	272	134
2025/7/30 6:50	0	0	0.1	0.1	0	76	108	55	174	143
2025/7/30 7:00	0	0	0.2	0.1	0	74	92	78	254	192
2025/7/30 7:10	0	0	0.2	0.1	0	76	99	43	281	142
2025/7/30 7:20	0	0	0.2	0.1	0	78	102	97	159	180
2025/7/30 7:30	0	0	0.2	0.1	0	80	92	143	219	330
2025/7/30 7:40	0	0	0.2	0.1	0	104	105	163	147	457
2025/7/30 7:50	0	0	0.2	0.1	0.1	74	108	50	220	195
2025/7/30 8:00	0	0	0.2	0.1	0	86	111	80	148	290
2025/7/30 8:10	0	0	0.2	0.1	0	83	98	114	225	340
2025/7/30 8:20	0.1	0	0.2	0.1	0	96	99	198	77	464
2025/7/30 8:30	0.1	0	0.2	0.1	0	73	105	78	139	193
2025/7/30 8:40	0.1	0	0.1	0.1	0	92	119	138	96	335
2025/7/30 8:50	0.1	0	0.1	0.1	0	80	123	91	119	270
2025/7/30 9:00	0.1	0	0.1	0.1	0	88	119	127	140	291
2025/7/30 9:10	0.1	0	0.1	0.1	0	83	120	97	176	238
2025/7/30 9:20	0.1	0	0.1	0.1	0	88	116	102	189	262
2025/7/30 9:30	0.1	0	0.1	0.1	0	79	108	59	93	193

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/30 9:40	0.1	0	0.1	0.1	0	115	147	119	132	287
2025/7/30 9:50	0.1	0	0.1	0.1	0	88	115	99	124	202
2025/7/30 10:00	0.1	0	0.1	0.1	0	120	138	93	98	283
2025/7/30 10:10	0.1	0	0.1	0.1	0.1	168	204	138	113	354
2025/7/30 10:20	0.1	0	0.1	0.1	0.1	98	127	78	103	253
2025/7/30 10:30	0.1	0	0.1	0.1	0.1	167	242	96	67	345
2025/7/30 10:40	0.1	0	0.1	0.1	0.1	168	201	112	84	389
2025/7/30 10:50	0.1	0	0.1	0.1	0.1	179	197	124	168	412
2025/7/30 11:00	0.1	0	0.1	0.1	0.1	155	164	82	91	302
2025/7/30 11:10	0.1	0	0.1	0.1	0.1	146	183	132	121	316
2025/7/30 11:20	0.1	0	0.1	0.1	0.1	194	261	109	82	327
2025/7/30 11:30	0.1	0	0.1	0.1	0.1	111	131	81	98	271
2025/7/30 11:40	0.1	0	0.1	0.1	0.1	111	125	120	174	312
2025/7/30 11:50	0.1	0	0.1	0.1	0.1	108	111	96	82	285
2025/7/30 12:00	0.1	0	0.1	0.1	0.1	111	116	100	68	293
2025/7/30 12:10	0.1	0	0.1	0.1	0.1	108	107	101	105	280
2025/7/30 12:20	0.1	0.1	0.1	0.1	0.1	120	120	120	54	371
2025/7/30 12:30	0.1	0.1	0.1	0.1	0.1	110	125	142	84	294
2025/7/30 12:40	0.1	0.1	0.1	0.1	0.1	129	142	137	33	397
2025/7/30 12:50	0.1	0.1	0	0.1	0.1	120	131	136	46	346
2025/7/30 13:00	0.1	0.1	0	0.1	0.1	122	137	101	117	317
2025/7/30 13:10	0.1	0.1	0	0.1	0.1	142	182	110	143	307
2025/7/30 13:20	0.1	0.1	0	0.1	0.1	133	171	133	113	345
2025/7/30 13:30	0.2	0.1	0	0.1	0.1	166	217	149	150	310
2025/7/30 13:40	0.2	0.1	0	0.1	0.1	206	287	199	224	388
2025/7/30 13:50	0.2	0.1	0	0.1	0.1	206	288	212	200	381
2025/7/30 14:00	0.2	0.1	0	0.1	0	173	222	130	196	337
2025/7/30 14:10	0.2	0.1	0	0.1	0	230	345	166	110	438
2025/7/30 14:20	0.2	0.1	0	0.1	0	149	184	197	165	336
2025/7/30 14:30	0.2	0.1	0	0.1	0	158	197	151	105	332
2025/7/30 14:40	0.2	0.1	0	0.1	0	152	190	173	137	351
2025/7/30 14:50	0.2	0.1	0	0.1	0	172	220	137	101	323
2025/7/30 15:00	0.2	0.1	0	0.1	0	207	260	146	77	363
2025/7/30 15:10	0.2	0.1	0	0.1	0	239	279	155	82	405
2025/7/30 15:20	0.2	0.1	0	0.1	0	203	276	155	117	318
2025/7/30 15:30	0.2	0.1	0	0.1	0	218	292	155	69	366
2025/7/30 15:40	0.2	0.1	0	0.1	0	192	284	147	69	339
2025/7/30 15:50	0.2	0.1	0	0.1	0	206	312	159	105	335
2025/7/30 16:00	0.2	0.1	0	0.1	0	131	186	117	104	252
2025/7/30 16:10	0.2	0.1	0	0.1	0	120	181	128	90	248
2025/7/30 16:20	0.2	0.1	0	0.1	0	152	201	119	47	331
2025/7/30 16:30	0.2	0.1	0	0.1	0	137	183	122	49	279
2025/7/30 16:40	0.1	0.1	0	0.1	0	143	204	138	63	308
2025/7/30 16:50	0.1	0.2	0	0.1	0	97	151	137	78	219
2025/7/30 17:00	0.1	0.2	0	0.1	0	115	156	154	49	317
2025/7/30 17:10	0.1	0.2	0	0.1	0	154	152	130	31	321
2025/7/30 17:20	0.1	0.2	0	0.1	0	92	143	151	45	228
2025/7/30 17:30	0.1	0.2	0	0	0	108	137	134	30	319
2025/7/30 17:40	0.1	0.1	0	0	0	88	118	153	39	267
2025/7/30 17:50	0.1	0.1	0	0	0	91	109	149	37	294
2025/7/30 18:00	0.1	0.1	0	0	0	116	100	170	48	381
2025/7/30 18:10	0.1	0.1	0	0	0	80	95	166	33	259
2025/7/30 18:20	0	0.1	0	0	0	76	90	144	28	271
2025/7/30 18:30	0	0.1	0	0	0	99	96	128	35	376
2025/7/30 18:40	0	0	0	0	0	100	97	168	54	427
2025/7/30 18:50	0	0	0	0	0	81	94	193	47	322
2025/7/30 19:00	0	0	0	0	0	109	103	152	50	406
2025/7/30 19:10	0	0	0	0	0	84	94	187	40	297
2025/7/30 19:20	0	0	0	0	0	118	101	150	47	467
2025/7/30 19:30	0	0	0	0	0	84	95	199	97	315
2025/7/30 19:40	0	0	0	0	0	89	103	191	30	328
2025/7/30 19:50	0	0	0	0	0	109	101	157	19	457
2025/7/30 20:00	0	0	0	0	0	96	93	173	25	425
2025/7/30 20:10	0	0	0	0	0	85	99	225	36	387
2025/7/30 20:20	0	0	0	0	0	125	107	184	31	397
2025/7/30 20:30	0	0	0	0	0	83	93	193	74	394
2025/7/30 20:40	0	0	0	0	0	89	93	230	54	391
2025/7/30 20:50	0	0	0	0	0	69	79	174	177	245
2025/7/30 21:00	0	0	0	0	0	63	74	179	211	193
2025/7/30 21:10	0	0	0	0	0	67	81	160	117	247
2025/7/30 21:20	0	0	0	0	0	69	84	198	94	327
2025/7/30 21:30	0	0	0	0	0	66	79	130	193	196
2025/7/30 21:40	0	0	0	0	0	59	82	112	277	150

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/30 21:50	0	0	0	0	0	58	68	154	264	248
2025/7/30 22:00	0	0	0	0	0	61	88	151	157	245
2025/7/30 22:10	0	0	0	0	0	70	72	107	242	178
2025/7/30 22:20	0	0	0	0	0	61	70	69	271	160
2025/7/30 22:30	0	0	0	0	0	58	72	128	196	195
2025/7/30 22:40	0	0	0	0	0	63	72	164	197	254
2025/7/30 22:50	0	0	0	0	0	65	85	202	110	347
2025/7/30 23:00	0	0	0	0	0	65	73	211	285	219
2025/7/30 23:10	0	0	0	0	0	65	87	200	348	190
2025/7/30 23:20	0	0	0	0	0	61	80	188	414	324
2025/7/30 23:30	0	0	0	0	0.3	126	77	312	352	516
2025/7/30 23:40	0	0	0	0	0.3	88	80	300	453	661
2025/7/30 23:50	0	0	0	0	0.7	189	78	341	428	748
2025/7/31 0:00	0	0	0	0	1.3	118	95	328	453	610
2025/7/31 0:10	0	0	0	0	0.8	166	75	252	555	726
2025/7/31 0:20	0	0	0	0	1.9	68	101	278	574	644
2025/7/31 0:30	0	0	0	0	0.6	135	79	299	408	655
2025/7/31 0:40	0	0	0	0	1.1	198	81	406	287	783
2025/7/31 0:50	0	0	0	0	2	76	81	333	302	439
2025/7/31 1:00	0	0	0	0	0.6	152	81	326	295	733
2025/7/31 1:10	0	0	0	0	1	67	85	341	369	510
2025/7/31 1:20	0	0	0	0	0.3	135	89	356	140	771
2025/7/31 1:30	0	0	0	0	0.5	170	119	254	46	653
2025/7/31 1:40	0	0	0	0	0.1	109	108	302	60	606
2025/7/31 1:50	0	0	0	0	0	154	108	246	42	621
2025/7/31 2:00	0	0	0	0	0	68	82	237	47	373
2025/7/31 2:10	0	0	0	0	0	75	83	241	44	422
2025/7/31 2:20	0	0	0	0	0	113	104	267	49	451
2025/7/31 2:30	0	0	0	0	0	119	91	228	82	459
2025/7/31 2:40	0	0	0	0	0	77	88	184	116	368
2025/7/31 2:50	0	0	0	0	0	78	90	239	97	413
2025/7/31 3:00	0	0	0	0	0	114	107	225	70	389
2025/7/31 3:10	0	0	0	0	0	74	83	223	95	362
2025/7/31 3:20	0	0	0	0	0	67	84	196	227	348
2025/7/31 3:30	0	0	0	0	0	68	70	197	184	368
2025/7/31 3:40	0	0	0	0	0	77	74	197	201	397
2025/7/31 3:50	0	0	0	0	0	63	74	182	311	237
2025/7/31 4:00	0	0	0	0	0	74	85	260	228	534
2025/7/31 4:10	0	0	0	0	0.1	61	80	121	319	213
2025/7/31 4:20	0	0	0	0	0	60	75	165	279	258
2025/7/31 4:30	0	0	0	0	0	60	81	144	190	201
2025/7/31 4:40	0	0	0	0	0	62	77	209	135	366
2025/7/31 4:50	0	0	0	0	0	61	79	100	152	141
2025/7/31 5:00	0	0	0	0	0	59	82	103	155	139
2025/7/31 5:10	0	0	0	0	0	62	83	110	127	194
2025/7/31 5:20	0	0	0	0	0	64	87	166	87	301
2025/7/31 5:30	0	0	0	0	0	75	87	168	81	372
2025/7/31 5:40	0	0	0	0	0	68	88	195	100	381
2025/7/31 5:50	0	0	0	0	0	67	87	99	225	216
2025/7/31 6:00	0	0	0	0	0	68	83	93	203	156
2025/7/31 6:10	0	0	0	0	0	61	87	93	174	145
2025/7/31 6:20	0	0	0.1	0.1	0	63	79	103	137	224
2025/7/31 6:30	0	0	0.1	0.1	0	66	81	84	173	201
2025/7/31 6:40	0	0	0.1	0.1	0	62	79	57	224	150
2025/7/31 6:50	0	0	0.1	0.1	0	62	84	67	196	124
2025/7/31 7:00	0	0	0.1	0.1	0	66	81	50	188	138
2025/7/31 7:10	0	0	0.1	0.1	0	72	81	94	137	236
2025/7/31 7:20	0	0	0.1	0.1	0	67	81	48	281	139
2025/7/31 7:30	0	0	0.1	0.1	0	65	116	56	238	253
2025/7/31 7:40	0	0	0	0.1	0	66	88	116	150	203
2025/7/31 7:50	0	0	0	0	0	92	137	165	84	351
2025/7/31 8:00	0	0	0.1	0.1	0	68	98	133	105	272
2025/7/31 8:10	0	0	0	0.1	0	88	101	177	117	362
2025/7/31 8:20	0	0	0	0	0	96	123	201	181	398
2025/7/31 8:30	0	0	0	0.1	0.1	100	128	176	151	375
2025/7/31 8:40	0	0	0	0	0	135	210	157	71	350
2025/7/31 8:50	0.1	0	0.1	0.1	0	100	156	145	79	261
2025/7/31 9:00	0.1	0	0.1	0.1	0	75	106	97	113	175
2025/7/31 9:10	0.1	0	0.1	0.1	0	69	110	65	131	145
2025/7/31 9:20	0.1	0	0	0.1	0	104	197	135	73	324
2025/7/31 9:30	0.1	0	0.1	0.1	0	84	120	99	81	238
2025/7/31 9:40	0.1	0	0.1	0.1	0	82	104	98	83	228
2025/7/31 9:50	0.1	0	0.1	0.1	0	78	111	69	69	189

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/31 10:00	0.1	0	0.1	0.1	0	82	102	77	69	217
2025/7/31 10:10	0.1	0	0.1	0.1	0	94	119	86	90	227
2025/7/31 10:20	0.1	0	0.1	0.1	0	92	127	96	119	218
2025/7/31 10:30	0.1	0	0.1	0.1	0	90	119	83	144	211
2025/7/31 10:40	0.1	0	0	0.1	0	82	110	84	100	224
2025/7/31 10:50	0.1	0	0	0.1	0	82	128	79	104	195
2025/7/31 11:00	0.1	0	0	0.1	0	86	119	94	107	217
2025/7/31 11:10	0.1	0	0	0.1	0	76	103	71	87	204
2025/7/31 11:20	0.1	0	0	0.1	0	83	113	80	95	226
2025/7/31 11:30	0.1	0	0	0.1	0	99	135	101	107	235
2025/7/31 11:40	0.1	0	0	0.1	0	94	125	121	100	259
2025/7/31 11:50	0.1	0	0	0.1	0	92	118	82	79	212
2025/7/31 12:00	0.1	0	0	0.1	0	95	111	79	52	203
2025/7/31 12:10	0.1	0	0	0.1	0	93	107	72	44	190
2025/7/31 12:20	0.1	0	0	0.1	0	88	105	53	40	165
2025/7/31 12:30	0.1	0	0	0.1	0	89	107	56	41	164
2025/7/31 12:40	0.1	0	0	0.1	0	86	106	57	34	165
2025/7/31 12:50	0.1	0	0	0.1	0	94	115	60	36	168
2025/7/31 13:00	0.1	0	0	0.1	0	95	128	71	85	178
2025/7/31 13:10	0.1	0	0	0.1	0.1	135	192	116	117	233
2025/7/31 13:20	0.1	0.1	0	0.1	0.1	137	206	120	138	267
2025/7/31 13:30	0.1	0.1	0	0.1	0.1	109	168	121	167	239
2025/7/31 13:40	0.2	0.1	0	0.1	0.1	170	220	169	155	357
2025/7/31 13:50	0.2	0.1	0	0.1	0	98	139	87	166	227
2025/7/31 14:00	0.2	0.1	0	0.1	0	121	165	118	109	261
2025/7/31 14:10	0.2	0.1	0	0.1	0	112	139	115	150	255
2025/7/31 14:20	0.2	0.1	0	0.1	0	115	157	126	136	241
2025/7/31 14:30	0.2	0.1	0	0.1	0	140	166	148	136	306
2025/7/31 14:40	0.2	0.1	0	0.1	0	104	139	99	141	205
2025/7/31 14:50	0.2	0.1	0	0.1	0	123	182	155	153	304
2025/7/31 15:00	0.2	0.1	0	0.1	0	125	199	154	148	268
2025/7/31 15:10	0.2	0.1	0	0.1	0	197	275	153	159	335
2025/7/31 15:20	0.2	0.1	0	0.1	0	135	159	159	164	326
2025/7/31 15:30	0.2	0.1	0	0.1	0	128	186	156	136	302
2025/7/31 15:40	0.2	0.1	0	0.1	0	113	143	145	186	268
2025/7/31 15:50	0.2	0.1	0	0.1	0	113	153	131	154	253
2025/7/31 16:00	0.2	0.1	0	0.1	0	107	142	129	112	257
2025/7/31 16:10	0.2	0.1	0	0.1	0	111	155	140	70	244
2025/7/31 16:20	0.2	0.1	0	0.1	0	95	139	108	97	241
2025/7/31 16:30	0.2	0.1	0	0	0	95	140	142	65	263
2025/7/31 16:40	0.1	0.1	0	0	0	94	136	125	84	261
2025/7/31 16:50	0.1	0.1	0	0	0	106	138	144	77	316
2025/7/31 17:00	0.1	0.1	0	0	0	104	135	114	46	281
2025/7/31 17:10	0.1	0.1	0	0	0	95	129	160	79	280
2025/7/31 17:20	0.1	0.1	0	0	0	139	127	125	56	357
2025/7/31 17:30	0.1	0.1	0	0	0	103	120	112	36	284
2025/7/31 17:40	0.1	0.1	0	0	0	98	109	168	67	310
2025/7/31 17:50	0.1	0.1	0	0	0	100	101	167	97	309
2025/7/31 18:00	0.1	0.1	0	0	0	81	89	137	72	246
2025/7/31 18:10	0	0.1	0	0	0	81	99	165	131	323
2025/7/31 18:20	0	0.1	0	0	0	80	91	177	53	319
2025/7/31 18:30	0	0.1	0	0	0	85	89	167	32	382
2025/7/31 18:40	0	0	0	0	0	72	85	192	43	318
2025/7/31 18:50	0	0	0	0	0	75	85	193	61	359
2025/7/31 19:00	0	0	0	0	0	67	76	180	101	280
2025/7/31 19:10	0	0	0	0	0	64	90	153	59	273
2025/7/31 19:20	0	0	0	0	0	98	119	203	58	388
2025/7/31 19:30	0	0	0	0	0	70	76	181	62	300
2025/7/31 19:40	0	0	0	0	0	93	93	185	41	454
2025/7/31 19:50	0	0	0	0	0	53	61	157	122	258
2025/7/31 20:00	0	0	0	0	0	58	66	159	81	309
2025/7/31 20:10	0	0	0	0	0	71	67	204	93	368
2025/7/31 20:20	0	0	0	0	0	67	68	191	173	265
2025/7/31 20:30	0	0	0	0	0	63	63	204	87	399
2025/7/31 20:40	0	0	0	0	0	52	71	176	124	187
2025/7/31 20:50	0	0	0	0	0	50	58	174	175	257
2025/7/31 21:00	0	0	0	0	0	83	66	188	80	324
2025/7/31 21:10	0	0	0	0	0	65	63	213	117	341
2025/7/31 21:20	0	0	0	0	0	49	59	147	264	224
2025/7/31 21:30	0	0	0	0	0	49	58	124	189	120
2025/7/31 21:40	0	0	0	0	0	52	58	169	123	302
2025/7/31 21:50	0	0	0	0	0	67	85	178	153	321
2025/7/31 22:00	0	0	0	0	0	79	71	186	93	394

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/7/31 22:10	0	0	0	0	0	62	65	218	170	320
2025/7/31 22:20	0	0	0	0	0	59	66	208	155	320
2025/7/31 22:30	0	0	0	0	0	57	73	204	136	351
2025/7/31 22:40	0	0	0	0	0	75	70	180	92	313
2025/7/31 22:50	0	0	0	0	0	74	67	149	110	284
2025/7/31 23:00	0	0	0	0	0	62	75	188	122	248
2025/7/31 23:10	0	0	0	0	0	60	70	205	141	354
2025/7/31 23:20	0	0	0	0	0	66	63	150	215	241
2025/7/31 23:30	0	0	0	0	0	56	73	86	258	146
2025/7/31 23:40	0	0	0	0	0	57	68	129	205	243
2025/7/31 23:50	0	0	0	0	0	58	67	147	226	246
2025/8/1 0:00	0	0	0	0	0	55	72	73	286	133
2025/8/1 0:10	0	0	0	0	0	56	66	86	262	149
2025/8/1 0:20	0	0	0	0	0	55	69	79	184	141
2025/8/1 0:30	0	0	0	0	0	52	62	118	171	161
2025/8/1 0:40	0	0	0	0	0	50	61	60	263	94
2025/8/1 0:50	0	0	0	0	0	50	61	48	309	80
2025/8/1 1:00	0	0	0	0	0	49	59	47	351	86
2025/8/1 1:10	0	0	0	0	0	57	67	54	285	93
2025/8/1 1:20	0	0	0	0	0	61	69	55	288	93
2025/8/1 1:30	0	0	0	0	0	59	63	50	341	84
2025/8/1 1:40	0	0	0	0	0	55	67	45	322	100
2025/8/1 1:50	0	0	0	0	0	56	66	51	323	94
2025/8/1 2:00	0	0	0	0	0	57	70	69	272	83
2025/8/1 2:10	0	0	0	0	0	57	71	68	300	82
2025/8/1 2:20	0	0	0	0	0	55	65	52	268	88
2025/8/1 2:30	0	0	0	0	0	57	75	54	233	109
2025/8/1 2:40	0	0	0	0	0	58	66	57	246	81
2025/8/1 2:50	0	0	0	0	0	58	69	54	286	82
2025/8/1 3:00	0	0	0	0	0	60	75	64	217	115
2025/8/1 3:10	0	0	0	0	0	64	66	68	271	109
2025/8/1 3:20	0	0	0	0	0	60	63	93	192	111
2025/8/1 3:30	0	0	0	0	0	56	60	66	192	93
2025/8/1 3:40	0	0	0	0	0	56	66	60	216	167
2025/8/1 3:50	0	0	0	0	0	51	59	49	281	92
2025/8/1 4:00	0	0	0	0	0	54	61	77	242	118
2025/8/1 4:10	0	0	0	0	0	53	59	54	259	100
2025/8/1 4:20	0	0	0	0	0	54	65	59	251	116
2025/8/1 4:30	0	0	0	0	0	56	65	65	224	94
2025/8/1 4:40	0	0	0	0	0	54	64	52	274	105
2025/8/1 4:50	0	0	0	0	0	55	63	90	208	124
2025/8/1 5:00	0	0	0	0	0	60	70	80	183	86
2025/8/1 5:10	0	0	0	0	0	62	73	53	238	82
2025/8/1 5:20	0	0	0	0	0	60	72	63	234	85
2025/8/1 5:30	0	0	0	0	0	57	76	48	281	78
2025/8/1 5:40	0	0	0	0	0	63	74	58	275	128
2025/8/1 5:50	0	0	0	0	0	64	75	54	277	88
2025/8/1 6:00	0	0	0	0	0	64	74	53	229	95
2025/8/1 6:10	0	0	0	0	0	66	75	52	254	85
2025/8/1 6:20	0	0	0	0	0	67	80	55	250	90
2025/8/1 6:30	0	0	0	0	0	70	79	105	230	113
2025/8/1 6:40	0	0	0	0	0	68	79	98	293	95
2025/8/1 6:50	0	0	0	0	0	62	78	53	246	96
2025/8/1 7:00	0	0	0	0	0	59	81	57	263	84
2025/8/1 7:10	0	0	0	0	0	62	78	52	225	87
2025/8/1 7:20	0	0	0	0	0	62	78	52	242	90
2025/8/1 7:30	0	0	0	0	0	65	78	54	244	91
2025/8/1 7:40	0	0	0	0	0	66	77	56	222	99
2025/8/1 7:50	0	0	0	0	0	65	83	51	236	91
2025/8/1 8:00	0	0	0	0	0	64	82	56	249	90
2025/8/1 8:10	0	0	0	0	0	64	85	59	258	92
2025/8/1 8:20	0	0	0	0	0	64	82	51	285	91
2025/8/1 8:30	0	0	0	0	0	63	83	56	319	98
2025/8/1 8:40	0	0	0	0	0	68	82	68	229	162
2025/8/1 8:50	0	0	0	0	0	66	83	63	298	131
2025/8/1 9:00	0	0	0	0	0	63	79	66	189	113
2025/8/1 9:10	0	0	0	0	0	68	91	66	169	101
2025/8/1 9:20	0	0	0	0	0	88	120	105	216	127
2025/8/1 9:30	0	0	0	0	0	79	97	83	247	119
2025/8/1 9:40	0	0	0	0	0	84	92	75	240	121
2025/8/1 9:50	0	0	0	0	0	75	91	73	176	129
2025/8/1 10:00	0	0	0	0	0	78	89	71	153	120
2025/8/1 10:10	0	0	0	0	0	73	115	61	121	118

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/1 10:20	0	0	0	0	0	64	120	59	105	119
2025/8/1 10:30	0.1	0	0	0	0	60	163	58	100	119
2025/8/1 10:40	0.1	0	0	0	0	65	98	57	110	124
2025/8/1 10:50	0.1	0	0	0	0	66	136	60	133	127
2025/8/1 11:00	0.1	0	0	0	0	65	257	59	141	127
2025/8/1 11:10	0.1	0	0	0.1	0	71	237	55	197	131
2025/8/1 11:20	0.1	0	0	0.1	0	74	272	68	146	143
2025/8/1 11:30	0.1	0	0	0.1	0	83	139	79	167	156
2025/8/1 11:40	0.1	0	0	0.1	0	75	368	76	203	153
2025/8/1 11:50	0.1	0.6	0	0.1	0	106	292	112	310	224
2025/8/1 12:00	0.1	0	0	0.1	0	114	212	113	132	220
2025/8/1 12:10	0.1	0	0	0.1	0	77	131	74	176	150
2025/8/1 12:20	0.1	0	0	0.1	0	90	107	86	171	178
2025/8/1 12:30	0.1	0	0	0.1	0	69	193	60	204	143
2025/8/1 12:40	0.1	0	0	0.1	0	68	119	70	196	150
2025/8/1 12:50	0.1	0	0	0.1	0	78	158	72	148	161
2025/8/1 13:00	0.1	0.1	0	0.1	0	68	106	59	182	144
2025/8/1 13:10	0.1	0	0	0.1	0	97	140	97	254	170
2025/8/1 13:20	0.1	0	0	0.1	0	188	167	196	356	265
2025/8/1 13:30	0.1	0	0	0	0	141	169	185	309	255
2025/8/1 13:40	0.1	0	0	0	0	108	132	107	204	198
2025/8/1 13:50	0	0	0	0	0	93	132	85	126	168
2025/8/1 14:00	0	0	0	0	0	83	124	83	130	156
2025/8/1 14:10	0.1	0	0	0	0	77	126	74	198	143
2025/8/1 14:20	0.1	0	0	0	0	83	127	87	159	154
2025/8/1 14:30	0.1	0	0	0	0	79	128	74	165	142
2025/8/1 14:40	0.1	0	0	0	0	78	153	76	181	136
2025/8/1 14:50	0.1	0	0	0	0	87	133	97	246	156
2025/8/1 15:00	0	0	0	0	0	126	135	131	173	203
2025/8/1 15:10	0	0	0	0	0	84	136	72	151	150
2025/8/1 15:20	0	0	0	0	0	83	111	84	140	149
2025/8/1 15:30	0	0	0	0	0	79	112	58	188	137
2025/8/1 15:40	0	0	0	0	0	84	109	63	184	138
2025/8/1 15:50	0	0	0	0	0	88	116	71	169	144
2025/8/1 16:00	0	0	0	0	0	87	106	80	98	152
2025/8/1 16:10	0	0	0	0	0	79	104	120	152	160
2025/8/1 16:20	0	0	0	0	0	75	96	109	159	153
2025/8/1 16:30	0	0	0	0	0	76	92	128	134	201
2025/8/1 16:40	0	0	0	0	0	86	111	137	211	201
2025/8/1 16:50	0	0	0	0	0	75	102	89	146	148
2025/8/1 17:00	0	0	0	0	0	74	98	162	287	195
2025/8/1 17:10	0	0	0	0	0	71	89	131	369	196
2025/8/1 17:20	0	0	0	0	0	66	112	127	411	176
2025/8/1 17:30	0	0	0	0	0	67	96	111	559	207
2025/8/1 17:40	0	0	0	0	0	69	90	111	561	117
2025/8/1 17:50	0	0	0	0.1	0	71	90	93	528	153
2025/8/1 18:00	0	0	0	0	0	72	94	160	520	142
2025/8/1 18:10	0	0	0	0	0	72	85	100	538	134
2025/8/1 18:20	0	0	0	0	0	74	85	67	598	122
2025/8/1 18:30	0	0	0	0.1	0	73	86	78	556	115
2025/8/1 18:40	0	0	0	0	0	74	83	104	519	158
2025/8/1 18:50	0	0	0	0	0	73	80	105	577	165
2025/8/1 19:00	0	0	0	0	0	71	81	151	482	161
2025/8/1 19:10	0	0	0	0	0	72	82	81	520	120
2025/8/1 19:20	0	0	0	0	0	71	81	59	511	112
2025/8/1 19:30	0	0	0	0	0	71	82	57	601	112
2025/8/1 19:40	0	0	0	0	0	74	80	63	525	118
2025/8/1 19:50	0	0	0	0	0	72	86	57	480	114
2025/8/1 20:00	0	0	0	0	0	71	84	59	428	111
2025/8/1 20:10	0	0	0	0	0	72	83	66	489	113
2025/8/1 20:20	0	0	0	0	0	73	82	56	470	109
2025/8/1 20:30	0	0	0	0	0	72	84	57	574	165
2025/8/1 20:40	0	0	0	0	0	73	83	55	468	113
2025/8/1 20:50	0	0	0	0	0	69	78	59	481	110
2025/8/1 21:00	0	0	0	0	0	69	79	70	502	118
2025/8/1 21:10	0	0	0	0	0	68	75	57	518	113
2025/8/1 21:20	0	0	0	0	0	65	73	53	425	114
2025/8/1 21:30	0	0	0	0	0	65	71	60	335	100
2025/8/1 21:40	0	0	0	0	0	68	78	55	280	102
2025/8/1 21:50	0	0	0	0	0	66	73	53	245	104
2025/8/1 22:00	0	0	0	0	0	64	74	55	265	109
2025/8/1 22:10	0	0	0	0	0	64	72	58	312	98
2025/8/1 22:20	0	0	0	0	0	64	70	64	261	97

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/1 22:30	0	0	0	0	0	63	70	54	252	100
2025/8/1 22:40	0	0	0	0	0	64	70	55	318	98
2025/8/1 22:50	0	0	0	0	0	71	74	58	319	115
2025/8/1 23:00	0	0	0	0	0	78	87	63	316	110
2025/8/1 23:10	0	0	0	0	0	82	85	66	295	114
2025/8/1 23:20	0	0	0	0	0	74	77	63	282	105
2025/8/1 23:30	0	0	0	0	0	75	78	62	305	118
2025/8/1 23:40	0	0	0	0	0	74	76	62	252	111
2025/8/1 23:50	0	0	0	0	0	73	78	64	231	126
2025/8/2 0:00	0	0	0	0	0	72	76	66	223	121
2025/8/2 0:10	0	0	0	0	0	70	76	62	230	109
2025/8/2 0:20	0	0	0	0	0	74	79	56	225	108
2025/8/2 0:30	0	0	0	0	0	72	80	56	250	106
2025/8/2 0:40	0	0	0	0	0	72	78	60	212	110
2025/8/2 0:50	0	0	0	0	0	72	79	59	228	118
2025/8/2 1:00	0	0	0	0	0	73	80	56	214	107
2025/8/2 1:10	0	0	0	0	0	71	81	54	217	106
2025/8/2 1:20	0	0	0	0	0	71	81	56	230	119
2025/8/2 1:30	0	0	0	0	0	81	88	62	228	113
2025/8/2 1:40	0	0	0	0	0	74	85	60	221	109
2025/8/2 1:50	0	0	0	0	0	72	81	59	218	108
2025/8/2 2:00	0	0	0	0	0	73	83	60	215	108
2025/8/2 2:10	0	0	0	0	0	71	83	58	256	109
2025/8/2 2:20	0	0	0	0	0	69	81	58	259	114
2025/8/2 2:30	0	0	0	0	0	70	82	57	238	110
2025/8/2 2:40	0	0	0	0	0	70	81	57	226	108
2025/8/2 2:50	0	0	0	0	0	71	79	58	199	109
2025/8/2 3:00	0	0	0	0	0	68	77	55	198	106
2025/8/2 3:10	0	0	0	0	0	63	75	52	214	106
2025/8/2 3:20	0	0	0	0	0	65	76	51	224	102
2025/8/2 3:30	0	0	0	0	0	65	76	51	212	106
2025/8/2 3:40	0	0	0	0	0	66	76	52	180	102
2025/8/2 3:50	0	0	0	0	0	66	76	51	187	103
2025/8/2 4:00	0	0	0	0	0	65	76	50	220	103
2025/8/2 4:10	0	0	0	0	0	67	77	50	184	102
2025/8/2 4:20	0	0	0	0	0	71	79	52	169	103
2025/8/2 4:30	0	0	0	0	0	71	80	52	156	103
2025/8/2 4:40	0	0	0	0	0	69	77	52	154	105
2025/8/2 4:50	0	0	0	0	0	70	76	51	154	108
2025/8/2 5:00	0	0	0	0	0	65	74	50	148	103
2025/8/2 5:10	0	0	0	0	0	66	74	49	151	102
2025/8/2 5:20	0	0	0	0	0	64	73	49	137	102
2025/8/2 5:30	0	0	0	0	0	65	74	49	144	102
2025/8/2 5:40	0	0	0	0	0	65	74	50	132	102
2025/8/2 5:50	0	0	0	0	0	65	73	50	145	103
2025/8/2 6:00	0	0	0	0	0	64	69	50	145	100
2025/8/2 6:10	0	0	0	0	0	58	68	50	134	98
2025/8/2 6:20	0	0	0	0	0	59	68	50	133	95
2025/8/2 6:30	0	0	0	0	0	60	67	50	190	92
2025/8/2 6:40	0	0	0	0	0	59	68	51	171	92
2025/8/2 6:50	0	0	0	0	0	54	69	49	171	88
2025/8/2 7:00	0	0	0	0	0	57	67	49	248	115
2025/8/2 7:10	0	0	0	0	0	61	78	50	268	117
2025/8/2 7:20	0	0	0	0	0	60	92	52	277	96
2025/8/2 7:30	0	0	0	0	0	61	127	55	248	94
2025/8/2 7:40	0	0	0	0	0	60	111	55	294	94
2025/8/2 7:50	0	0	0	0	0	63	137	56	324	115
2025/8/2 8:00	0	0	0	0	0	92	276	58	221	99
2025/8/2 8:10	0	0	0	0	0	59	104	55	344	98
2025/8/2 8:20	0	0	0	0.1	0	60	108	58	478	108
2025/8/2 8:30	0	0	0	0.1	0	62	137	56	469	172
2025/8/2 8:40	0	0	0	0.1	0	72	190	61	201	128
2025/8/2 8:50	0	0	0	0.1	0	73	713	63	48	108
2025/8/2 9:00	0.1	0.2	0	0.1	0	80	492	71	55	117
2025/8/2 9:10	0.1	0	0	0.1	0	76	333	65	29	113
2025/8/2 9:20	0.1	0	0	0.1	0	78	357	63	30	112
2025/8/2 9:30	0.1	0	0	0.1	0	76	364	60	26	112
2025/8/2 9:40	0.1	0	0	0.1	0	69	384	58	30	109
2025/8/2 9:50	0.1	0	0	0.1	0	72	417	60	26	114
2025/8/2 10:00	0.1	0	0	0.1	0	73	507	60	25	119
2025/8/2 10:10	0.1	0	0.1	0.1	0	82	504	60	23	126
2025/8/2 10:20	0.1	0	0.1	0.1	0	83	421	59	22	131
2025/8/2 10:30	0.1	0	0.1	0.1	0	72	464	51	19	130

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/2 10:40	0.1	0	0.1	0.1	0	84	682	53	17	139
2025/8/2 10:50	0.1	0	0.1	0.1	0	75	503	52	19	147
2025/8/2 11:00	0.1	0	0.1	0.1	0.1	87	637	55	46	168
2025/8/2 11:10	0.1	0	0.1	0.1	0.1	90	554	58	43	163
2025/8/2 11:20	0.1	0	0.1	0.1	0.1	92	601	57	37	170
2025/8/2 11:30	0.1	0	0.1	0.1	0.1	88	689	60	35	163
2025/8/2 11:40	0.1	0	0.1	0.1	0.1	105	541	55	31	176
2025/8/2 11:50	0.1	0.1	0.1	0.1	0.1	102	566	69	35	200
2025/8/2 12:00	0.1	0.1	0.1	0.1	0.1	129	741	68	35	243
2025/8/2 12:10	0.1	0.1	0.1	0.1	0.1	115	745	67	33	215
2025/8/2 12:20	0.1	0.1	0.1	0.1	0.1	114	764	61	29	205
2025/8/2 12:30	0.1	0.1	0.1	0.1	0.1	117	705	61	25	203
2025/8/2 12:40	0.1	0.1	0.1	0.1	0.1	106	634	58	20	198
2025/8/2 12:50	0.1	0.1	0.1	0.1	0.1	111	534	56	18	197
2025/8/2 13:00	0.1	0.1	0.1	0.1	0.1	100	503	52	15	184
2025/8/2 13:10	0.1	0.1	0.1	0.1	0.1	102	376	50	22	185
2025/8/2 13:20	0.1	0.1	0.1	0.1	0.1	105	379	53	26	192
2025/8/2 13:30	0.2	0.1	0.1	0.1	0.1	110	532	61	22	202
2025/8/2 13:40	0.2	0.1	0.1	0.1	0.1	107	522	53	24	186
2025/8/2 13:50	0.2	0.1	0.1	0.1	0.1	117	375	60	20	221
2025/8/2 14:00	0.2	0.1	0.1	0.1	0.1	111	469	53	18	204
2025/8/2 14:10	0.2	0.1	0.1	0.1	0	112	488	55	18	228
2025/8/2 14:20	0.2	0.1	0.1	0.1	0	112	486	56	13	210
2025/8/2 14:30	0.2	0.1	0.1	0.1	0	104	370	48	11	193
2025/8/2 14:40	0.2	0.1	0.1	0.1	0	103	343	49	12	194
2025/8/2 14:50	0.2	0.1	0	0.1	0	114	324	51	15	216
2025/8/2 15:00	0.2	0.1	0	0.1	0	106	425	52	15	205
2025/8/2 15:10	0.2	0.1	0	0.1	0	107	427	52	14	201
2025/8/2 15:20	0.2	0.1	0	0.1	0	114	449	52	18	211
2025/8/2 15:30	0.2	0.1	0	0.1	0	124	475	54	19	236
2025/8/2 15:40	0.2	0.1	0	0.1	0.1	113	410	54	17	220
2025/8/2 15:50	0.2	0.1	0	0.1	0	113	353	51	14	213
2025/8/2 16:00	0.2	0.1	0	0.1	0	109	338	55	11	207
2025/8/2 16:10	0.2	0.1	0	0.1	0	116	278	47	17	224
2025/8/2 16:20	0.2	0.1	0	0.1	0	142	152	52	15	249
2025/8/2 16:30	0.1	0.1	0	0.1	0	130	152	53	14	264
2025/8/2 16:40	0.1	0.1	0	0.1	0	153	144	60	10	312
2025/8/2 16:50	0.1	0.1	0	0.1	0	180	162	48	25	255
2025/8/2 17:00	0.1	0.1	0	0.1	0	192	159	77	23	324
2025/8/2 17:10	0.1	0.1	0	0.1	0	233	941	75	31	326
2025/8/2 17:20	0.1	0.1	0	0.1	0	142	475	92	24	258
2025/8/2 17:30	0.1	0.1	0	0.1	0	151	151	121	28	366
2025/8/2 17:40	0.1	0	0	0.1	0	176	136	118	18	352
2025/8/2 17:50	0.1	0	0	0	0	231	136	96	16	363
2025/8/2 18:00	0.1	0	0	0	0	191	138	81	18	333
2025/8/2 18:10	0.1	0	0	0	0	217	137	83	16	338
2025/8/2 18:20	0	0	0	0	0	200	124	112	13	340
2025/8/2 18:30	0	0	0	0	0	178	138	140	17	354
2025/8/2 18:40	0	0	0	0	0	169	128	104	19	357
2025/8/2 18:50	0	0	0	0	0	177	142	102	31	344
2025/8/2 19:00	0	0	0	0	0	221	139	112	31	347
2025/8/2 19:10	0	0	0	0	0	206	145	95	28	332
2025/8/2 19:20	0	0	0	0	0	228	119	71	21	289
2025/8/2 19:30	0	0	0	0	0	194	132	81	20	322
2025/8/2 19:40	0	0	0	0	0	216	139	104	19	349
2025/8/2 19:50	0	0	0	0	0	276	133	133	20	354
2025/8/2 20:00	0	0	0	0	0	261	127	105	23	369
2025/8/2 20:10	0	0	0	0	0	226	113	69	21	315
2025/8/2 20:20	0	0	0	0	0	213	122	62	19	301
2025/8/2 20:30	0	0	0	0	0	217	106	92	18	327
2025/8/2 20:40	0	0	0	0	0	284	124	71	17	325
2025/8/2 20:50	0	0	0	0	0	216	124	79	15	402
2025/8/2 21:00	0	0	0	0	0	228	125	90	16	377
2025/8/2 21:10	0	0	0	0	0	280	124	91	18	385
2025/8/2 21:20	0	0	0	0	0	279	132	60	17	389
2025/8/2 21:30	0	0	0	0	0	343	145	138	19	428
2025/8/2 21:40	0	0	0	0	0	303	164	167	21	521
2025/8/2 21:50	0	0	0	0	0	308	149	171	22	541
2025/8/2 22:00	0	0	0	0	0	245	125	160	22	473
2025/8/2 22:10	0	0	0	0	0	315	122	117	21	420
2025/8/2 22:20	0	0	0	0	0	266	175	153	21	459
2025/8/2 22:30	0	0	0	0	0	249	167	166	22	486
2025/8/2 22:40	0	0	0	0	0	212	160	204	22	529

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/2 22:50	0	0	0	0	0	241	141	154	18	495
2025/8/2 23:00	0	0	0	0	0	260	126	144	19	416
2025/8/2 23:10	0	0	0	0	0	261	136	53	20	348
2025/8/2 23:20	0	0	0	0	0	237	146	97	19	378
2025/8/2 23:30	0	0	0	0	0	235	114	90	18	383
2025/8/2 23:40	0	0	0	0	0	230	119	74	19	362
2025/8/2 23:50	0	0	0	0	0	237	135	105	18	406
2025/8/3 0:00	0	0	0	0	0	265	130	126	17	440
2025/8/3 0:10	0	0	0	0	0	317	133	111	15	418
2025/8/3 0:20	0	0	0	0	0	304	127	110	15	395
2025/8/3 0:30	0	0	0	0	0	347	151	102	18	445
2025/8/3 0:40	0	0	0	0	0	270	155	174	18	524
2025/8/3 0:50	0	0	0	0	0.1	308	216	155	17	497
2025/8/3 1:00	0	0	0	0	0	199	174	203	20	551
2025/8/3 1:10	0	0	0	0	0	347	247	60	21	518
2025/8/3 1:20	0	0	0	0	0.1	400	383	107	22	532
2025/8/3 1:30	0	0	0	0	0	331	276	54	16	368
2025/8/3 1:40	0	0	0	0	0	404	239	70	16	422
2025/8/3 1:50	0	0	0	0	0	372	242	171	24	508
2025/8/3 2:00	0	0	0	0	0	393	295	94	25	523
2025/8/3 2:10	0	0	0	0	0	218	204	169	31	576
2025/8/3 2:20	0	0	0	0	0	201	129	142	29	638
2025/8/3 2:30	0	0	0	0	0	326	205	134	26	499
2025/8/3 2:40	0	0	0	0	0	332	211	107	28	461
2025/8/3 2:50	0	0	0	0	0	252	190	135	26	490
2025/8/3 3:00	0	0	0	0	0	287	201	110	28	439
2025/8/3 3:10	0	0	0	0	0	328	148	149	31	530
2025/8/3 3:20	0	0	0	0	0	258	121	132	29	592
2025/8/3 3:30	0	0	0	0	0	161	104	267	42	509
2025/8/3 3:40	0	0	0	0	0	149	109	225	40	632
2025/8/3 3:50	0	0	0	0	0.3	172	110	236	37	650
2025/8/3 4:00	0	0	0	0	0.3	102	112	342	65	508
2025/8/3 4:10	0	0	0	0	0.3	104	102	342	46	552
2025/8/3 4:20	0	0	0	0	1.4	96	104	283	43	639
2025/8/3 4:30	0	0	0	0	0.6	122	105	379	54	561
2025/8/3 4:40	0	0	0	0	0	131	104	307	48	634
2025/8/3 4:50	0	0	0	0	0.8	138	99	305	57	509
2025/8/3 5:00	0	0	0	0	0.1	89	89	267	96	435
2025/8/3 5:10	0	0	0	0	0	86	88	204	282	296
2025/8/3 5:20	0	0	0	0	0.1	81	86	179	437	268
2025/8/3 5:30	0	0	0	0	0	79	107	105	424	231
2025/8/3 5:40	0	0	0	0	0	79	107	56	318	183
2025/8/3 5:50	0	0	0	0	0	76	86	55	415	153
2025/8/3 6:00	0	0	0	0	0	76	85	54	344	149
2025/8/3 6:10	0	0	0	0	0	76	84	120	308	220
2025/8/3 6:20	0	0	0	0	0	75	83	149	298	308
2025/8/3 6:30	0	0	0	0	0.1	73	83	51	378	153
2025/8/3 6:40	0	0	0	0	0	73	82	91	327	149
2025/8/3 6:50	0	0	0	0	0	71	82	49	319	143
2025/8/3 7:00	0	0	0	0	0	72	76	49	217	139
2025/8/3 7:10	0	0	0	0.1	0	68	79	66	183	143
2025/8/3 7:20	0	0	0.1	0.1	0	66	77	102	148	177
2025/8/3 7:30	0	0	0.1	0.1	0	72	75	103	155	207
2025/8/3 7:40	0	0	0.1	0.2	0	82	77	153	79	317
2025/8/3 7:50	0	0	0.1	0.2	0	75	75	116	78	350
2025/8/3 8:00	0.1	0	0.1	0.2	0	73	74	133	84	379
2025/8/3 8:10	0.1	0	0.1	0.2	0	62	78	86	111	194
2025/8/3 8:20	0.1	0	0.1	0.2	0	65	88	123	154	238
2025/8/3 8:30	0.1	0	0.1	0.2	0	63	80	88	114	230
2025/8/3 8:40	0.1	0	0.1	0.2	0	64	76	70	132	173
2025/8/3 8:50	0.1	0	0.1	0.2	0	88	85	85	164	312
2025/8/3 9:00	0.1	0	0.1	0.2	0	82	97	161	84	369
2025/8/3 9:10	0.1	0	0.1	0.2	0.1	79	79	149	147	331
2025/8/3 9:20	0.1	0	0.1	0.2	0	66	91	118	94	357
2025/8/3 9:30	0.1	0	0.1	0.2	0	64	81	106	167	244
2025/8/3 9:40	0.1	0	0.1	0.2	0	64	80	72	223	211
2025/8/3 9:50	0.1	0	0.1	0.1	0	63	77	62	168	171
2025/8/3 10:00	0.1	0	0.1	0.1	0	66	77	99	158	260
2025/8/3 10:10	0.1	0	0.1	0.1	0	62	82	66	179	185
2025/8/3 10:20	0.1	0	0.1	0.1	0	78	80	109	124	325
2025/8/3 10:30	0.1	0	0.1	0.1	0	113	83	123	147	406
2025/8/3 10:40	0.1	0	0.1	0.1	0.1	80	86	117	141	369
2025/8/3 10:50	0.1	0	0.1	0.1	0	71	82	60	139	194

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/3 11:00	0.1	0	0.1	0.1	0.1	68	85	85	149	260
2025/8/3 11:10	0.1	0	0.1	0.1	0.1	67	85	68	185	191
2025/8/3 11:20	0.1	0	0.1	0.1	0.1	70	87	70	189	193
2025/8/3 11:30	0.1	0	0.1	0.1	0.1	77	98	117	135	359
2025/8/3 11:40	0.1	0	0.1	0.1	0.1	79	90	114	140	334
2025/8/3 11:50	0.1	0	0.1	0.1	0.1	70	86	97	161	237
2025/8/3 12:00	0.1	0	0.1	0.1	0.1	114	87	155	78	403
2025/8/3 12:10	0.1	0.1	0.1	0.1	0.1	90	87	146	57	373
2025/8/3 12:20	0.1	0.1	0.1	0.1	0.1	89	95	156	39	341
2025/8/3 12:30	0.1	0.1	0.1	0.1	0.1	101	94	168	48	389
2025/8/3 12:40	0.1	0.1	0.1	0.1	0.1	98	103	161	21	392
2025/8/3 12:50	0.1	0.1	0.1	0.1	0.1	95	110	153	83	456
2025/8/3 13:00	0.1	0.1	0.1	0.1	0.1	85	110	175	118	312
2025/8/3 13:10	0.1	0.1	0	0.1	0.1	86	104	116	148	256
2025/8/3 13:20	0.2	0.1	0	0.1	0.1	96	110	118	107	330
2025/8/3 13:30	0.2	0.1	0	0.1	0.1	117	111	159	25	385
2025/8/3 13:40	0.2	0.1	0	0.1	0.1	87	105	147	74	318
2025/8/3 13:50	0.2	0.1	0	0.1	0.1	105	103	126	124	328
2025/8/3 14:00	0.2	0.1	0	0.1	0.1	89	105	133	102	332
2025/8/3 14:10	0.2	0.1	0	0.1	0.1	100	108	151	21	387
2025/8/3 14:20	0.2	0.1	0	0.1	0	93	109	144	73	373
2025/8/3 14:30	0.2	0.1	0	0.1	0	98	116	162	42	322
2025/8/3 14:40	0.2	0.1	0	0.1	0	112	119	134	10	391
2025/8/3 14:50	0.2	0.1	0	0.1	0	96	109	168	55	378
2025/8/3 15:00	0.2	0.1	0	0.1	0	154	112	149	8	375
2025/8/3 15:10	0.2	0.1	0	0.1	0	167	122	140	12	376
2025/8/3 15:20	0.2	0.1	0	0.1	0	153	113	165	7	413
2025/8/3 15:30	0.2	0.1	0	0.1	0	126	115	150	13	401
2025/8/3 15:40	0.2	0.1	0	0.1	0	148	112	98	7	453
2025/8/3 15:50	0.2	0.1	0	0.1	0	171	125	118	7	430
2025/8/3 16:00	0.2	0.1	0	0.1	0	103	112	149	11	424
2025/8/3 16:10	0.2	0.1	0	0.1	0	103	109	152	7	403
2025/8/3 16:20	0.2	0.1	0	0.1	0	125	119	144	7	363
2025/8/3 16:30	0.2	0.1	0	0.1	0	160	110	122	3	418
2025/8/3 16:40	0.1	0.1	0	0.1	0	169	113	115	1	443
2025/8/3 16:50	0.1	0.1	0	0.1	0	117	97	135	1	474
2025/8/3 17:00	0.1	0.1	0	0.1	0	135	92	159	1	459
2025/8/3 17:10	0.1	0.1	0	0.1	0	99	92	193	5	391
2025/8/3 17:20	0.1	0.1	0	0.1	0	89	82	177	4	398
2025/8/3 17:30	0.1	0.1	0	0.1	0	95	79	229	3	483
2025/8/3 17:40	0.1	0.1	0	0	0	94	89	175	3	422
2025/8/3 17:50	0.1	0.1	0	0.1	0	146	86	139	6	447
2025/8/3 18:00	0.1	0.1	0	0	0	142	81	189	8	476
2025/8/3 18:10	0.1	0.1	0	0	0	103	81	127	8	470
2025/8/3 18:20	0.1	0	0	0	0	154	79	145	4	493
2025/8/3 18:30	0.1	0	0	0	0	70	77	235	15	387
2025/8/3 18:40	0	0	0	0	0	140	93	169	10	478
2025/8/3 18:50	0	0	0	0	0	151	81	159	8	453
2025/8/3 19:00	0	0	0	0	0	93	85	163	7	461
2025/8/3 19:10	0	0	0	0	0	166	141	186	10	496
2025/8/3 19:20	0	0	0	0	0	192	105	109	8	552
2025/8/3 19:30	0	0	0	0	0	152	85	152	8	550
2025/8/3 19:40	0	0	0	0	0	233	101	130	6	579
2025/8/3 19:50	0	0	0	0	0	286	217	138	6	504
2025/8/3 20:00	0	0	0	0	0	272	205	173	7	544
2025/8/3 20:10	0	0	0	0	0	274	241	124	6	478
2025/8/3 20:20	0	0	0	0	0	208	142	130	3	452
2025/8/3 20:30	0	0	0	0	0	208	139	87	1	396
2025/8/3 20:40	0	0	0	0	0	201	115	68	1	385
2025/8/3 20:50	0	0	0	0	0	262	160	60	4	410
2025/8/3 21:00	0	0	0	0	0	283	144	64	5	491
2025/8/3 21:10	0	0	0	0	0	305	173	58	6	423
2025/8/3 21:20	0	0	0	0	0	330	184	101	9	478
2025/8/3 21:30	0	0	0	0	0	351	247	150	8	538
2025/8/3 21:40	0	0	0	0	0	304	187	190	18	642
2025/8/3 21:50	0	0	0	0	0.1	480	306	192	21	686
2025/8/3 22:00	0	0	0	0	0.6	394	184	184	19	704
2025/8/3 22:10	0	0	0	0	0.3	376	190	167	16	574
2025/8/3 22:20	0	0	0	0	0	321	253	151	15	505
2025/8/3 22:30	0	0	0	0	0	304	201	165	17	543
2025/8/3 22:40	0	0	0	0	0	294	199	160	18	550
2025/8/3 22:50	0	0	0	0	0	299	207	150	19	539
2025/8/3 23:00	0	0	0	0	0	279	252	148	19	509

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/3 23:10	0	0	0	0	0	275	216	170	18	525
2025/8/3 23:20	0	0	0	0	0	261	267	151	19	615
2025/8/3 23:30	0	0	0	0	0	290	244	182	20	555
2025/8/3 23:40	0	0	0	0	0	323	259	179	19	563
2025/8/3 23:50	0	0	0	0	0	356	231	152	18	580
2025/8/4 0:00	0	0	0	0	0	393	240	192	20	606
2025/8/4 0:10	0	0	0	0	0	368	276	187	20	537
2025/8/4 0:20	0	0	0	0	0	454	382	169	21	581
2025/8/4 0:30	0	0	0	0	0	440	367	153	22	603
2025/8/4 0:40	0	0	0	0	0	398	308	100	23	496
2025/8/4 0:50	0	0	0	0	0	426	309	112	26	481
2025/8/4 1:00	0	0	0	0	0	388	265	159	22	534
2025/8/4 1:10	0	0	0	0	0	406	312	111	22	474
2025/8/4 1:20	0	0	0	0	0	362	296	124	24	530
2025/8/4 1:30	0	0	0	0	0	374	234	184	24	582
2025/8/4 1:40	0	0	0	0	0.1	389	384	192	22	597
2025/8/4 1:50	0	0	0	0	0	381	242	142	23	507
2025/8/4 2:00	0	0	0	0	0	343	258	121	25	496
2025/8/4 2:10	0	0	0	0	0	326	262	109	23	434
2025/8/4 2:20	0	0	0	0	0	321	263	105	23	407
2025/8/4 2:30	0	0	0	0	0	288	237	91	22	404
2025/8/4 2:40	0	0	0	0	0	255	186	103	21	412
2025/8/4 2:50	0	0	0	0	0	260	164	91	20	419
2025/8/4 3:00	0	0	0	0	0	280	188	57	18	333
2025/8/4 3:10	0	0	0	0	0	270	201	51	19	269
2025/8/4 3:20	0	0	0	0	0	275	205	57	21	430
2025/8/4 3:30	0	0	0	0	0	358	222	62	24	391
2025/8/4 3:40	0	0	0	0	0	328	175	59	24	400
2025/8/4 3:50	0	0	0	0	0	295	197	62	25	383
2025/8/4 4:00	0	0	0	0	0	280	182	70	22	403
2025/8/4 4:10	0	0	0	0	0	316	161	53	22	381
2025/8/4 4:20	0	0	0	0	0	291	174	54	24	330
2025/8/4 4:30	0	0	0	0	0	279	183	56	24	296
2025/8/4 4:40	0	0	0	0	0	314	185	54	23	323
2025/8/4 4:50	0	0	0	0	0	223	211	54	23	207
2025/8/4 5:00	0	0	0	0	0	176	266	52	24	152
2025/8/4 5:10	0	0	0	0	0	113	316	54	31	138
2025/8/4 5:20	0	0	0	0	0	98	419	58	59	137
2025/8/4 5:30	0	0	0	0	0	88	394	54	98	130
2025/8/4 5:40	0	0	0	0	0	89	304	52	44	128
2025/8/4 5:50	0	0	0	0	0	80	248	62	202	140
2025/8/4 6:00	0	0	0	0.1	0	82	317	61	178	142
2025/8/4 6:10	0	0	0.1	0.1	0	103	283	53	147	148
2025/8/4 6:20	0	0	0.1	0.1	0	67	275	53	221	136
2025/8/4 6:30	0	0	0.1	0.1	0	83	322	54	215	142
2025/8/4 6:40	0	0	0.1	0.1	0	82	338	55	148	140
2025/8/4 6:50	0	0	0.1	0.1	0	78	229	54	297	139
2025/8/4 7:00	0	0	0.1	0.1	0	76	248	52	215	139
2025/8/4 7:10	0	0	0.1	0.1	0	68	345	52	223	140
2025/8/4 7:20	0.1	0	0.1	0.1	0	78	294	48	312	137
2025/8/4 7:30	0.1	0	0.1	0.2	0	109	297	44	163	137
2025/8/4 7:40	0.1	0	0.1	0.2	0	201	297	74	19	288
2025/8/4 7:50	0.1	0	0.1	0.2	0	116	251	43	40	146
2025/8/4 8:00	0.1	0	0.1	0.2	0	162	273	42	47	146
2025/8/4 8:10	0.1	0	0.1	0.2	0	182	204	53	142	270
2025/8/4 8:20	0.1	0	0.1	0.2	0	93	326	44	186	147
2025/8/4 8:30	0.1	0	0.2	0.2	0	182	291	44	194	146
2025/8/4 8:40	0.1	0	0.2	0.2	0	63	542	46	186	149
2025/8/4 8:50	0.1	0.3	0.1	0.2	0	83	1008	46	47	153
2025/8/4 9:00	0.1	2.7	0.1	0.2	0	66	957	45	26	156
2025/8/4 9:10	0.1	2.8	0.1	0.2	0	136	844	48	9	190
2025/8/4 9:20	0.1	1.2	0.1	0.2	0	72	562	47	93	165
2025/8/4 9:30	0.1	0.4	0.1	0.2	0	119	724	49	3	196
2025/8/4 9:40	0.1	0.3	0.1	0.2	0	100	685	54	59	183
2025/8/4 9:50	0.1	0.2	0.1	0.2	0.1	66	454	56	38	224
2025/8/4 10:00	0.1	0	0.1	0.2	0.1	80	976	55	17	178
2025/8/4 10:10	0.1	1.4	0.1	0.2	0.1	97	1104	55	17	193
2025/8/4 10:20	0.1	3.4	0.1	0.2	0.1	116	1106	52	13	198
2025/8/4 10:30	0.1	3.5	0.1	0.2	0.1	92	987	52	18	206
2025/8/4 10:40	0.1	2.3	0.1	0.2	0.1	98	847	59	22	197
2025/8/4 10:50	0.1	1	0.1	0.1	0.1	115	1053	67	26	210
2025/8/4 11:00	0.1	2.8	0.1	0.1	0.1	110	976	64	25	219
2025/8/4 11:10	0.1	2	0.1	0.1	0.1	117	887	67	26	219

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/4 11:20	0.1	1.3	0.1	0.1	0.1	115	804	66	25	224
2025/8/4 11:30	0.1	0.9	0.1	0.1	0.1	115	1072	64	26	221
2025/8/4 11:40	0.1	3.2	0.1	0.1	0.1	118	916	62	32	214
2025/8/4 11:50	0.1	1.5	0.1	0.1	0.1	120	695	62	28	223
2025/8/4 12:00	0.1	0.3	0.1	0.1	0.1	121	785	67	27	225
2025/8/4 12:10	0.1	0.6	0.1	0.1	0.1	128	782	65	26	231
2025/8/4 12:20	0.1	0.3	0.1	0.1	0.1	122	776	65	26	226
2025/8/4 12:30	0.1	0.7	0.1	0.1	0.1	121	1005	62	24	220
2025/8/4 12:40	0.1	2.4	0.1	0.1	0.1	120	930	190	20	219
2025/8/4 12:50	0.1	1.5	0.1	0.1	0.1	121	915	88	21	222
2025/8/4 13:00	0.1	2	0.1	0.1	0.1	129	925	69	25	218
2025/8/4 13:10	0.1	1.8	0.1	0.1	0.1	124	782	74	27	224
2025/8/4 13:20	0.2	0.7	0.1	0.1	0.1	132	763	87	33	235
2025/8/4 13:30	0.2	0.7	0.1	0.1	0.1	130	849	108	29	242
2025/8/4 13:40	0.2	0.8	0.1	0.1	0.1	129	951	76	32	224
2025/8/4 13:50	0.2	1.4	0.1	0.1	0.1	120	707	61	24	228
2025/8/4 14:00	0.2	0.1	0	0.1	0.1	122	822	57	24	219
2025/8/4 14:10	0.2	0.3	0	0.1	0.1	126	613	63	30	221
2025/8/4 14:20	0.2	0.2	0	0.1	0	124	519	59	27	224
2025/8/4 14:30	0.2	0.1	0	0.1	0	120	589	56	26	218
2025/8/4 14:40	0.2	0.1	0	0.1	0	124	758	57	31	221
2025/8/4 14:50	0.2	0.2	0	0.1	0	126	873	61	30	226
2025/8/4 15:00	0.2	1	0	0.1	0	132	863	65	35	236
2025/8/4 15:10	0.2	1	0	0.1	0	128	860	60	30	220
2025/8/4 15:20	0.2	1.1	0	0.1	0	126	866	58	31	226
2025/8/4 15:30	0.2	1	0	0.1	0	128	790	58	30	219
2025/8/4 15:40	0.2	0.4	0	0.1	0	128	669	56	31	210
2025/8/4 15:50	0.2	0.2	0	0.1	0	161	368	56	40	242
2025/8/4 16:00	0.2	0.1	0	0.1	0	195	163	56	54	307
2025/8/4 16:10	0.2	0.1	0	0.1	0	211	174	58	38	314
2025/8/4 16:20	0.2	0.1	0	0.1	0	205	153	79	40	333
2025/8/4 16:30	0.1	0.1	0	0.1	0	207	182	59	44	233
2025/8/4 16:40	0.1	0.1	0	0.1	0	192	183	66	38	266
2025/8/4 16:50	0.1	0.1	0	0.1	0	224	201	52	21	229
2025/8/4 17:00	0.1	0.1	0	0.1	0	192	201	49	18	179
2025/8/4 17:10	0.1	0.1	0	0.1	0	241	195	66	18	320
2025/8/4 17:20	0.1	0.1	0	0.1	0	284	181	47	18	311
2025/8/4 17:30	0.1	0.1	0	0.1	0	219	200	44	16	223
2025/8/4 17:40	0.1	0.1	0	0.1	0	316	164	88	34	391
2025/8/4 17:50	0.1	0.1	0	0.1	0	272	167	45	26	230
2025/8/4 18:00	0.1	0.1	0	0.1	0	205	147	49	15	219
2025/8/4 18:10	0.1	0.1	0	0.1	0	247	145	51	13	253
2025/8/4 18:20	0.1	0.1	0	0.1	0	225	176	53	19	177
2025/8/4 18:30	0.1	0.1	0	0.1	0	189	216	50	17	156
2025/8/4 18:40	0	0	0	0	0	283	228	50	18	202
2025/8/4 18:50	0	0	0	0	0	351	187	67	26	503
2025/8/4 19:00	0	0	0	0	0	210	215	44	29	163
2025/8/4 19:10	0	0	0	0	0	281	214	44	54	186
2025/8/4 19:20	0	0	0	0	0	137	221	46	11	195
2025/8/4 19:30	0	0	0	0	0	191	160	46	11	171
2025/8/4 19:40	0	0	0	0	0	222	242	46	13	186
2025/8/4 19:50	0	0	0	0	0	230	240	45	9	210
2025/8/4 20:00	0	0	0	0	0	381	179	48	12	278
2025/8/4 20:10	0	0	0	0	0	299	233	48	13	241
2025/8/4 20:20	0	0	0	0	0	325	156	48	14	420
2025/8/4 20:30	0	0	0	0	0	288	209	51	14	387
2025/8/4 20:40	0	0	0	0	0	282	199	56	15	371
2025/8/4 20:50	0	0	0	0	0	324	189	51	14	302
2025/8/4 21:00	0	0	0	0	0	324	195	48	12	315
2025/8/4 21:10	0	0	0	0	0	325	220	53	12	301
2025/8/4 21:20	0	0	0	0	0	326	211	47	12	282
2025/8/4 21:30	0	0	0	0	0	208	218	46	41	119
2025/8/4 21:40	0	0	0	0	0	188	249	45	28	122
2025/8/4 21:50	0	0	0	0	0	201	293	45	14	118
2025/8/4 22:00	0	0	0	0	0	227	241	44	10	136
2025/8/4 22:10	0	0	0	0	0	338	265	48	13	185
2025/8/4 22:20	0	0	0	0	0	343	246	47	13	185
2025/8/4 22:30	0	0	0	0	0	238	265	46	11	111
2025/8/4 22:40	0	0	0	0	0	316	247	47	10	231
2025/8/4 22:50	0	0	0	0	0	237	328	46	43	111
2025/8/4 23:00	0	0	0	0	0	196	311	45	126	115
2025/8/4 23:10	0	0	0	0.1	0	148	299	44	47	111
2025/8/4 23:20	0	0	0	0	0	241	306	44	27	147

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/4 23:30	0	0	0	0	0	293	328	45	16	139
2025/8/4 23:40	0	0	0	0	0	256	296	44	13	157
2025/8/4 23:50	0	0	0	0	0	248	294	45	64	153
2025/8/5 0:00	0	0	0	0	0	246	267	46	9	110
2025/8/5 0:10	0	0	0	0	0	128	320	44	59	106
2025/8/5 0:20	0	0	0	0	0	191	345	44	19	106
2025/8/5 0:30	0	0	0	0	0	259	259	43	10	108
2025/8/5 0:40	0	0	0	0	0	231	246	42	10	156
2025/8/5 0:50	0	0	0	0	0	231	224	43	9	130
2025/8/5 1:00	0	0	0	0	0	181	258	43	52	102
2025/8/5 1:10	0	0	0	0	0	138	235	45	38	104
2025/8/5 1:20	0	0	0	0	0	173	297	46	82	102
2025/8/5 1:30	0	0	0	0	0	242	243	46	19	133
2025/8/5 1:40	0	0	0	0	0	168	308	44	39	114
2025/8/5 1:50	0	0	0	0	0	268	251	46	78	145
2025/8/5 2:00	0	0	0	0	0	223	234	46	7	107
2025/8/5 2:10	0	0	0	0	0	188	230	45	19	105
2025/8/5 2:20	0	0	0	0	0	138	256	45	16	100
2025/8/5 2:30	0	0	0	0	0	125	289	44	92	100
2025/8/5 2:40	0	0	0	0	0	156	320	46	92	102
2025/8/5 2:50	0	0	0	0	0	130	302	45	16	102
2025/8/5 3:00	0	0	0	0	0	164	326	44	103	101
2025/8/5 3:10	0	0	0	0	0	147	332	46	39	114
2025/8/5 3:20	0	0	0	0	0	201	350	46	8	101
2025/8/5 3:30	0	0	0	0	0	272	307	48	24	116
2025/8/5 3:40	0	0	0	0	0	155	249	47	22	103
2025/8/5 3:50	0	0	0	0	0	114	303	46	32	103
2025/8/5 4:00	0	0	0	0	0	132	260	45	11	104
2025/8/5 4:10	0	0	0	0	0	111	203	45	12	103
2025/8/5 4:20	0	0	0	0	0	120	190	45	19	103
2025/8/5 4:30	0	0	0	0	0	92	206	45	27	103
2025/8/5 4:40	0	0	0	0	0	124	229	46	55	102
2025/8/5 4:50	0	0	0	0	0	185	229	46	22	107
2025/8/5 5:00	0	0	0	0	0	186	318	48	141	141
2025/8/5 5:10	0	0	0	0	0	114	291	47	338	103
2025/8/5 5:20	0	0	0	0	0	317	311	49	192	165
2025/8/5 5:30	0	0	0	0	0	337	331	50	388	302
2025/8/5 5:40	0	0	0	0.1	0	625	426	139	659	713
2025/8/5 5:50	0	0	0	0.1	0.3	296	433	46	115	304
2025/8/5 6:00	0	0	0	0.1	0.1	218	256	46	57	119
2025/8/5 6:10	0	0	0	0.1	0	79	317	45	84	114
2025/8/5 6:20	0	0	0.1	0.1	0	129	295	48	120	117
2025/8/5 6:30	0	0	0.1	0.1	0	75	377	49	339	115
2025/8/5 6:40	0	0	0.1	0.2	0	103	294	50	102	116
2025/8/5 6:50	0	0	0.1	0.2	0	109	281	49	10	114
2025/8/5 7:00	0.1	0	0.1	0.2	0	243	226	65	21	305
2025/8/5 7:10	0.1	0	0.1	0.2	0	208	257	56	81	206
2025/8/5 7:20	0.1	0	0.2	0.2	0	136	312	50	19	133
2025/8/5 7:30	0.1	0	0.2	0.2	0	137	368	49	131	121
2025/8/5 7:40	0.1	0	0.2	0.2	0	258	321	59	17	250
2025/8/5 7:50	0.1	0	0.2	0.2	0	230	287	64	200	330
2025/8/5 8:00	0.1	0	0.2	0.2	0.2	136	399	50	253	137
2025/8/5 8:10	0.1	0	0.2	0.4	0	251	246	113	10	462
2025/8/5 8:20	0.1	0	0.2	0.2	0	239	347	57	56	303
2025/8/5 8:30	0.1	0	0.2	0.2	0	197	368	59	91	369
2025/8/5 8:40	0.1	0	0.2	0.2	0	393	307	65	61	401
2025/8/5 8:50	0.1	0	0.1	0.2	0.3	210	211	179	155	595
2025/8/5 9:00	0.1	0	0.1	0.2	1	216	267	50	113	148
2025/8/5 9:10	0.1	0	0.1	0.2	0	84	152	55	227	183
2025/8/5 9:20	0.1	0	0.1	0.2	0.1	137	205	56	194	155
2025/8/5 9:30	0.1	0	0.1	0.2	0.1	203	226	58	286	170
2025/8/5 9:40	0.1	0	0.1	0.2	0.1	284	217	60	144	194
2025/8/5 9:50	0.1	0	0.1	0.2	0.1	145	220	58	34	242
2025/8/5 10:00	0.1	0	0.1	0.2	0.1	146	229	59	170	374
2025/8/5 10:10	0.1	0	0.1	0.2	0.8	374	250	55	28	263
2025/8/5 10:20	0.1	0	0.1	0.2	0.1	430	234	72	22	429
2025/8/5 10:30	0.1	0	0.1	0.1	0.1	127	309	51	76	173
2025/8/5 10:40	0.1	0	0.1	0.1	0.1	426	214	77	98	416
2025/8/5 10:50	0.1	0	0.1	0.1	0.5	363	285	134	52	549
2025/8/5 11:00	0.1	0	0.1	0.1	0.4	425	207	83	53	604
2025/8/5 11:10	0.1	0	0.1	0.1	0.6	372	285	166	50	695
2025/8/5 11:20	0.1	0	0.1	0.1	0.7	431	250	110	43	542
2025/8/5 11:30	0.1	0	0.1	0.1	0.3	322	227	167	57	601

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/5 11:40	0.1	0.1	0.1	0.1	0.2	309	181	98	55	494
2025/8/5 11:50	0.1	0.1	0.1	0.1	0.4	252	171	155	58	557
2025/8/5 12:00	0.1	0.1	0.1	0.1	0.1	316	217	74	46	419
2025/8/5 12:10	0.1	0.1	0.1	0.1	0.1	295	187	100	45	570
2025/8/5 12:20	0.1	0.1	0.1	0.1	0.1	289	198	94	41	537
2025/8/5 12:30	0.1	0.1	0.1	0.1	0.1	289	215	219	40	628
2025/8/5 12:40	0.1	0.1	0.1	0.1	0.4	290	227	152	42	627
2025/8/5 12:50	0.1	0.1	0.1	0.1	0.1	333	250	150	40	626
2025/8/5 13:00	0.1	0.1	0.1	0.1	0.1	308	292	169	38	674
2025/8/5 13:10	0.2	0.1	0.1	0.1	0.2	269	234	199	44	586
2025/8/5 13:20	0.2	0.1	0.1	0.1	0.1	349	268	81	43	594
2025/8/5 13:30	0.2	0.1	0.1	0.1	0.2	300	259	115	38	577
2025/8/5 13:40	0.2	0.1	0.1	0.1	0.2	289	251	159	44	508
2025/8/5 13:50	0.2	0.1	0.1	0.1	0.1	209	167	109	38	483
2025/8/5 14:00	0.2	0.1	0.1	0.1	0.1	232	187	58	34	340
2025/8/5 14:10	0.2	0.1	0	0.1	0.1	268	195	81	45	421
2025/8/5 14:20	0.2	0.1	0	0.1	0	329	310	63	48	454
2025/8/5 14:30	0.2	0.1	0	0.1	0	342	229	116	47	576
2025/8/5 14:40	0.2	0.1	0	0.1	0	289	226	144	110	625
2025/8/5 14:50	0.2	0.1	0	0.1	0.1	351	230	57	44	457
2025/8/5 15:00	0.2	0.1	0	0.1	0.1	327	258	103	44	502
2025/8/5 15:10	0.2	0.1	0	0.1	0.2	337	202	72	52	583
2025/8/5 15:20	0.2	0.1	0	0.1	0.2	323	240	105	73	580
2025/8/5 15:30	0.2	0.1	0	0.1	0.1	311	305	221	57	699
2025/8/5 15:40	0.2	0.1	0	0.1	0.2	257	263	200	58	608
2025/8/5 15:50	0.2	0.1	0	0.1	0	265	222	126	51	523
2025/8/5 16:00	0.2	0.1	0	0.1	0	354	238	88	48	499
2025/8/5 16:10	0.2	0.1	0	0.1	0	276	245	96	48	375
2025/8/5 16:20	0.2	0.1	0	0.1	0	354	306	159	47	591
2025/8/5 16:30	0.1	0.1	0	0.1	0	475	260	139	55	708
2025/8/5 16:40	0.1	0.1	0	0.1	0.4	323	265	92	51	411
2025/8/5 16:50	0.1	0.1	0	0.1	0	373	250	101	42	516
2025/8/5 17:00	0.1	0.1	0	0.1	0	391	293	119	46	518
2025/8/5 17:10	0.1	0.1	0	0.1	0	381	308	116	49	454
2025/8/5 17:20	0.1	0.1	0	0.1	0	418	305	81	48	475
2025/8/5 17:30	0.1	0.1	0	0.1	0	453	422	133	37	568
2025/8/5 17:40	0.1	0.1	0	0.1	0	391	405	108	37	486
2025/8/5 17:50	0.1	0.1	0	0.1	0	396	314	95	35	460
2025/8/5 18:00	0.1	0.1	0	0.1	0	297	275	73	39	324
2025/8/5 18:10	0.1	0.1	0	0.1	0	305	253	155	34	439
2025/8/5 18:20	0.1	0.1	0	0.1	0	341	270	116	34	452
2025/8/5 18:30	0.1	0.1	0	0	0	311	315	88	33	378
2025/8/5 18:40	0.1	0	0	0	0	371	274	111	35	401
2025/8/5 18:50	0	0	0	0	0	331	259	127	35	414
2025/8/5 19:00	0	0	0	0	0	320	267	123	40	416
2025/8/5 19:10	0	0	0	0	0	313	257	131	47	435
2025/8/5 19:20	0	0	0	0	0	300	227	141	41	420
2025/8/5 19:30	0	0	0	0	0	338	274	125	39	509
2025/8/5 19:40	0	0	0	0	0	381	277	154	45	490
2025/8/5 19:50	0	0	0	0	0	349	295	190	49	480
2025/8/5 20:00	0	0	0	0	0	311	171	198	47	509
2025/8/5 20:10	0	0	0	0	0	444	294	102	46	445
2025/8/5 20:20	0	0	0	0	0	468	398	92	45	434
2025/8/5 20:30	0	0	0	0	0	507	401	187	44	564
2025/8/5 20:40	0	0	0	0	0	327	438	96	43	477
2025/8/5 20:50	0	0	0	0	0	614	437	214	41	638
2025/8/5 21:00	0	0	0	0	0.3	472	304	216	40	586
2025/8/5 21:10	0	0	0	0	0	420	356	148	40	532
2025/8/5 21:20	0	0	0	0	0	519	382	119	43	571
2025/8/5 21:30	0	0	0	0	0.1	405	317	115	45	474
2025/8/5 21:40	0	0	0	0	0	335	366	74	45	380
2025/8/5 21:50	0	0	0	0	0	539	415	108	41	516
2025/8/5 22:00	0	0	0	0	0	390	429	216	34	534
2025/8/5 22:10	0	0	0	0	0	480	279	226	37	687
2025/8/5 22:20	0	0	0	0	0.6	527	354	248	41	640
2025/8/5 22:30	0	0	0	0	0.6	587	420	339	44	767
2025/8/5 22:40	0	0	0	0	0.6	463	420	588	196	922
2025/8/5 22:50	0	0	0	0.2	3.1	141	173	620	921	681
2025/8/5 23:00	0	0	0.1	2.3	1.3	248	147	530	639	849
2025/8/5 23:10	0	0	0	1.5	1.7	331	204	475	175	810
2025/8/5 23:20	0	0	0	0	0.9	132	135	367	701	492
2025/8/5 23:30	0	0	0	1.5	0.2	305	172	574	417	867
2025/8/5 23:40	0	0	0	0	2.3	138	146	521	82	700

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/5 23:50	0	0	0	0	0.5	208	154	335	56	743
2025/8/6 0:00	0	0	0	0	0	364	200	186	47	706
2025/8/6 0:10	0	0	0	0	0.3	124	146	337	509	427
2025/8/6 0:20	0	0	0	0.1	0	94	179	289	687	676
2025/8/6 0:30	0	0	0	0.1	1.4	100	148	290	662	519
2025/8/6 0:40	0	0	0	0.3	1.2	99	107	377	472	407
2025/8/6 0:50	0	0	0	0	0.2	99	123	208	779	262
2025/8/6 1:00	0	0	0	1	0	99	120	58	778	196
2025/8/6 1:10	0	0	0	0.3	0	99	116	54	701	185
2025/8/6 1:20	0	0	0	0	0	97	110	78	424	194
2025/8/6 1:30	0	0	0	0	0	96	111	127	506	193
2025/8/6 1:40	0	0	0	0	0	96	153	170	674	278
2025/8/6 1:50	0	0	0	0.1	0	98	163	53	540	174
2025/8/6 2:00	0	0	0	0	0	99	115	61	517	168
2025/8/6 2:10	0	0	0	0	0	104	117	266	405	407
2025/8/6 2:20	0	0	0	0	0	127	116	316	275	453
2025/8/6 2:30	0	0	0	0	0	140	110	283	248	459
2025/8/6 2:40	0	0	0	0	0	168	111	328	54	594
2025/8/6 2:50	0	0	0	0	0	178	295	212	40	584
2025/8/6 3:00	0	0	0	0	0	357	206	292	181	652
2025/8/6 3:10	0	0	0	0	0.1	238	138	462	371	780
2025/8/6 3:20	0	0	0	0	1.4	271	122	432	253	676
2025/8/6 3:30	0	0	0	0	0.6	95	152	86	582	397
2025/8/6 3:40	0	0	0	0	0	94	119	51	497	210
2025/8/6 3:50	0	0	0	0	0	96	107	259	369	349
2025/8/6 4:00	0	0	0	0	0	95	101	170	416	245
2025/8/6 4:10	0	0	0	0	0	102	103	265	310	432
2025/8/6 4:20	0	0	0	0	0	155	153	221	315	526
2025/8/6 4:30	0	0	0	0	0	101	191	264	330	545
2025/8/6 4:40	0	0	0	0	0.3	98	106	224	525	351
2025/8/6 4:50	0	0	0	0	0.1	113	112	347	239	705
2025/8/6 5:00	0	0	0	0	0.5	104	111	282	251	456
2025/8/6 5:10	0	0	0	0	0	98	105	146	444	292
2025/8/6 5:20	0	0	0	0	0	116	120	334	152	419
2025/8/6 5:30	0	0	0	0	0	116	108	251	235	488
2025/8/6 5:40	0	0	0	0	0	112	104	233	484	495
2025/8/6 5:50	0	0	0	0	0	121	105	266	219	455
2025/8/6 6:00	0	0	0	0	0	249	167	231	140	459
2025/8/6 6:10	0	0	0	0.1	0	102	123	71	336	230
2025/8/6 6:20	0	0	0.1	0.1	0	97	126	61	342	188
2025/8/6 6:30	0	0	0.1	0.1	0	97	109	74	368	193
2025/8/6 6:40	0	0	0.1	0.1	0	97	111	59	154	177
2025/8/6 6:50	0	0	0.1	0.2	0	117	105	151	182	346
2025/8/6 7:00	0	0	0.1	0.2	0	119	114	244	99	441
2025/8/6 7:10	0.1	0	0.1	0.1	0	145	144	63	171	334
2025/8/6 7:20	0.1	0	0.1	0.1	0	108	147	185	191	431
2025/8/6 7:30	0.1	0	0.1	0.1	0	107	135	69	276	214
2025/8/6 7:40	0.1	0	0.1	0.1	0	135	190	89	191	244
2025/8/6 7:50	0.1	0	0.1	0.1	0	94	117	72	420	228
2025/8/6 8:00	0.1	0	0.1	0.1	0	99	143	53	219	215
2025/8/6 8:10	0.1	0	0.1	0.2	0	144	154	181	367	476
2025/8/6 8:20	0.1	0	0.1	0.1	0	273	193	189	97	492
2025/8/6 8:30	0.1	0	0.1	0.1	0	170	176	288	333	647
2025/8/6 8:40	0.1	0	0.1	0.1	1.1	171	194	201	287	604
2025/8/6 8:50	0.1	0	0.1	0.1	1.3	157	159	172	112	586
2025/8/6 9:00	0.1	0	0.1	0.2	0.1	325	489	95	94	385
2025/8/6 9:10	0.1	0.9	0.1	0.2	0	290	778	78	119	322
2025/8/6 9:20	0.1	2.2	0.1	0.2	0	169	1368	61	31	244
2025/8/6 9:30	0.1	7.6	0.1	0.2	0	287	750	88	40	368
2025/8/6 9:40	0.1	2.8	0.1	0.2	0	183	1116	69	37	294
2025/8/6 9:50	0.1	4.5	0.1	0.2	0.1	119	532	84	231	246
2025/8/6 10:00	0.1	0.8	0.1	0.2	0.1	157	594	107	125	327
2025/8/6 10:10	0.1	1.5	0.1	0.2	0.1	245	274	110	137	407
2025/8/6 10:20	0.1	0.2	0.1	0.2	0.1	102	455	66	177	249
2025/8/6 10:30	0.1	0.4	0.1	0.2	0.1	120	390	106	204	316
2025/8/6 10:40	0.1	0.7	0.1	0.1	0.1	120	358	86	104	269
2025/8/6 10:50	0.1	0.1	0.1	0.1	0.1	207	570	91	88	356
2025/8/6 11:00	0.1	0.8	0.1	0.1	0.1	113	533	74	108	253
2025/8/6 11:10	0.1	0.1	0.1	0.1	0.1	252	361	104	124	361
2025/8/6 11:20	0.1	0.2	0.1	0.1	0.1	160	568	94	175	274
2025/8/6 11:30	0.1	0.4	0.1	0.1	0.1	197	389	104	86	325
2025/8/6 11:40	0.1	0.2	0.1	0.1	0.1	209	664	93	63	319
2025/8/6 11:50	0.1	1.3	0.1	0.1	0.1	171	421	91	112	316

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/6 12:00	0.1	0.6	0.1	0.1	0.1	201	576	111	166	336
2025/8/6 12:10	0.1	0.9	0.1	0.1	0.1	204	469	126	137	343
2025/8/6 12:20	0.1	0.8	0.1	0.1	0.1	185	387	128	133	324
2025/8/6 12:30	0.1	0.6	0.1	0.1	0.1	164	252	119	215	300
2025/8/6 12:40	0.1	0.4	0.1	0.1	0.1	262	951	94	24	409
2025/8/6 12:50	0.1	4	0.1	0.1	0.1	281	1376	84	28	373
2025/8/6 13:00	0.1	7.3	0.1	0.1	0	239	1325	87	37	352
2025/8/6 13:10	0.1	6.4	0.1	0.1	0	278	870	173	135	444
2025/8/6 13:20	0.1	2.2	0	0.1	0	184	491	84	211	274
2025/8/6 13:30	0.1	0	0	0.1	0	157	875	68	43	232
2025/8/6 13:40	0.1	0.4	0	0.1	0	203	740	81	56	248
2025/8/6 13:50	0.1	0.2	0	0.1	0	410	544	104	48	379
2025/8/6 14:00	0.1	0.1	0	0.1	0	248	239	247	378	380
2025/8/6 14:10	0.1	0	0	0.1	0	227	207	272	319	420
2025/8/6 14:20	0.1	0	0	0.1	0	272	273	295	162	444
2025/8/6 14:30	0.1	0	0	0.1	0	192	199	172	128	316
2025/8/6 14:40	0.1	0	0	0.1	0	253	300	253	241	391
2025/8/6 14:50	0.1	0	0	0.1	0	203	253	249	292	348
2025/8/6 15:00	0.1	0	0	0.1	0	143	200	167	233	261
2025/8/6 15:10	0.1	0	0	0.1	0	197	369	165	256	284
2025/8/6 15:20	0.1	0	0	0	0	118	350	74	206	224
2025/8/6 15:30	0.1	0	0	0	0	115	519	72	295	218
2025/8/6 15:40	0.1	0.2	0	0	0	394	481	334	473	473
2025/8/6 15:50	0.1	0.3	0	0	0	406	278	396	437	538
2025/8/6 16:00	0.1	0	0	0.1	0	311	221	481	381	572
2025/8/6 16:10	0.1	0	0	0.2	0	342	250	379	137	507
2025/8/6 16:20	0.1	0.1	0	0	0	245	220	317	103	558
2025/8/6 16:30	0.1	0	0	0	0.2	189	233	442	163	745
2025/8/6 16:40	0.1	0	0	0.1	1.1	267	250	368	88	834
2025/8/6 16:50	0.1	0	0	0	1.2	222	213	448	95	817
2025/8/6 17:00	0.1	0	0.3	0	0.9	432	201	374	97	831
2025/8/6 17:10	0.1	0	0	0	1.2	834	268	305	49	1103
2025/8/6 17:20	0.1	0	0	0	4.4	687	277	271	41	981
2025/8/6 17:30	0.1	0	0	0	2.5	799	259	292	46	980
2025/8/6 17:40	0.1	0	0	0	3.1	203	180	684	329	1017
2025/8/6 17:50	0.1	0	0.9	0.3	3.9	248	165	681	372	993
2025/8/6 18:00	0.1	0	0.7	0.1	3.2	153	161	577	135	804
2025/8/6 18:10	0.1	0	0.3	0	1.6	98	141	176	963	251
2025/8/6 18:20	0	0	0	3.2	0	90	127	71	711	235
2025/8/6 18:30	0	0	0	0.7	0	80	119	123	650	212
2025/8/6 18:40	0	0	0	0.2	0	64	103	156	501	246
2025/8/6 18:50	0	0	0	0.1	0	77	106	195	269	316
2025/8/6 19:00	0	0	0	0	0	147	128	337	125	518
2025/8/6 19:10	0	0	0	0	0	78	110	305	169	399
2025/8/6 19:20	0	0	0	0	0	86	113	335	62	530
2025/8/6 19:30	0	0	0	0	0	136	115	261	69	579
2025/8/6 19:40	0	0	0	0	0	64	104	209	452	307
2025/8/6 19:50	0	0	0	0.5	0	70	105	162	663	281
2025/8/6 20:00	0	0	0	0.4	0	61	104	290	759	296
2025/8/6 20:10	0	0	0	0.5	0	100	108	475	432	608
2025/8/6 20:20	0	0	0	1	0.1	534	178	379	274	652
2025/8/6 20:30	0	0	0	0.7	0.5	366	227	161	985	541
2025/8/6 20:40	0	0	0	2.8	0.2	64	279	60	916	204
2025/8/6 20:50	0	0	0	2.4	0	502	113	505	890	936
2025/8/6 21:00	0	0	0.3	4	4.5	229	125	476	1263	917
2025/8/6 21:10	0	0	0	6.6	3.4	60	218	57	929	220
2025/8/6 21:20	0	0	0	3.1	0	58	317	45	1001	164
2025/8/6 21:30	0	0	0	3.1	0	69	220	119	1164	380
2025/8/6 21:40	0	0	0	5.3	0.7	73	120	298	1263	538
2025/8/6 21:50	0	0	0	6.3	1	75	100	290	984	339
2025/8/6 22:00	0	0	0	3.2	0.2	166	107	718	835	1073
2025/8/6 22:10	0	0	1.8	2.6	4.8	94	143	272	1271	405
2025/8/6 22:20	0	0	0	6.4	0.1	70	128	53	1101	177
2025/8/6 22:30	0	0	0	3.9	0	83	122	61	855	179
2025/8/6 22:40	0	0	0	1.3	0	78	136	59	730	165
2025/8/6 22:50	0	0	0	0.9	0	79	106	175	1124	287
2025/8/6 23:00	0	0	0	4.1	0	80	107	228	916	229
2025/8/6 23:10	0	0	0	2.3	0	84	110	208	739	240
2025/8/6 23:20	0	0	0	1	0	96	152	67	869	195
2025/8/6 23:30	0	0	0	1.3	0	93	135	114	969	326
2025/8/6 23:40	0	0	0	2.9	0.2	89	110	194	895	485
2025/8/6 23:50	0	0	0.2	2.1	1.3	253	122	576	682	771
2025/8/7 0:00	0	0	0	2	2.6	118	120	282	1068	470

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/7 0:10	0	0	0	3.8	0.3	197	109	488	879	516
2025/8/7 0:20	0	0	0.5	3.2	1.3	324	104	578	738	879
2025/8/7 0:30	0	0	0	2.5	3	435	101	478	920	880
2025/8/7 0:40	0	0	0	3.3	2.7	98	147	216	890	288
2025/8/7 0:50	0	0	0	1.6	0	92	113	67	1010	249
2025/8/7 1:00	0	0	0	2.4	0	715	113	496	717	934
2025/8/7 1:10	0	0	0	1.1	4.5	158	214	320	932	592
2025/8/7 1:20	0	0	0	1.8	0.9	372	178	436	526	928
2025/8/7 1:30	0	0	0	0	4.4	621	158	478	83	940
2025/8/7 1:40	0	0	0	0	3.3	376	143	362	356	715
2025/8/7 1:50	0	0	0	0.8	1.4	306	119	555	302	723
2025/8/7 2:00	0	0	0.1	0.2	2.2	721	152	184	58	827
2025/8/7 2:10	0	0	0	0	2	331	144	391	61	915
2025/8/7 2:20	0	0	0	0	3.3	476	149	143	52	735
2025/8/7 2:30	0	0	0	0	0.9	621	190	278	51	777
2025/8/7 2:40	0	0	0.1	0	2.4	131	125	523	547	657
2025/8/7 2:50	0	0	0	0.2	0.4	493	134	408	83	924
2025/8/7 3:00	0	0	0.1	0	3	128	129	323	637	537
2025/8/7 3:10	0	0	0	1.5	0.3	98	117	57	924	218
2025/8/7 3:20	0	0	0	1.2	0	213	113	403	652	806
2025/8/7 3:30	0	0	0	0.3	2.9	132	112	462	545	865
2025/8/7 3:40	0	0	0	0.5	2.8	122	110	458	545	718
2025/8/7 3:50	0	0	0	0.4	1.7	97	114	78	826	284
2025/8/7 4:00	0	0	0	0.3	0	96	109	67	812	217
2025/8/7 4:10	0	0	0	0.6	0	99	111	97	718	223
2025/8/7 4:20	0	0	0	0	0	109	119	287	545	385
2025/8/7 4:30	0	0	0	0	0	155	124	360	291	594
2025/8/7 4:40	0	0	0	0	0.2	110	121	188	596	298
2025/8/7 4:50	0	0	0	0	0	137	118	338	272	510
2025/8/7 5:00	0	0	0	0	0.2	107	116	187	486	356
2025/8/7 5:10	0	0	0	0	0	95	112	70	667	225
2025/8/7 5:20	0	0	0	0	0	97	110	58	713	236
2025/8/7 5:30	0	0	0	0	0	97	153	61	546	221
2025/8/7 5:40	0	0	0	0	0	97	111	105	743	285
2025/8/7 5:50	0	0	0	0.2	0	96	118	85	696	261
2025/8/7 6:00	0	0	0	0.1	0.1	93	114	62	644	171
2025/8/7 6:10	0	0	0	0	0	93	116	57	499	167
2025/8/7 6:20	0	0	0	0	0	91	113	65	599	166
2025/8/7 6:30	0	0	0	0	0	93	113	59	609	163
2025/8/7 6:40	0	0	0	0	0	94	110	57	417	161
2025/8/7 6:50	0	0	0	0	0	91	117	57	568	157
2025/8/7 7:00	0	0	0	0	0	90	112	80	522	158
2025/8/7 7:10	0	0	0	0	0	96	121	75	524	161
2025/8/7 7:20	0	0	0	0.3	0	89	110	62	409	160
2025/8/7 7:30	0	0	0	0.1	0	91	112	91	511	200
2025/8/7 7:40	0	0	0.1	0.1	0	175	129	148	429	302
2025/8/7 7:50	0	0	0.1	0.3	0	87	134	58	535	153
2025/8/7 8:00	0	0	0.1	0.2	0	89	123	83	604	158
2025/8/7 8:10	0	0	0.1	0.4	0	231	131	268	217	544
2025/8/7 8:20	0.1	0	0.1	0.2	0.2	81	120	102	581	197
2025/8/7 8:30	0.1	0	0.1	0.4	0	94	116	59	649	162
2025/8/7 8:40	0.1	0	0.1	0.2	0	106	128	68	602	175
2025/8/7 8:50	0.1	0	0.1	0.2	0	109	135	74	599	170
2025/8/7 9:00	0.1	0	0	0.1	0	99	126	69	503	164
2025/8/7 9:10	0.1	0	0	0.1	0	89	124	57	523	158
2025/8/7 9:20	0.1	0	0	0.1	0	90	114	63	487	169
2025/8/7 9:30	0.1	0	0	0.1	0	88	105	56	262	153
2025/8/7 9:40	0	0	0	0	0	76	105	53	463	145
2025/8/7 9:50	0	0	0	0	0	76	104	57	632	141
2025/8/7 10:00	0	0	0	0.2	0	79	111	82	549	143
2025/8/7 10:10	0	0	0	0.1	0	71	101	53	613	137
2025/8/7 10:20	0	0	0	0.2	0	70	93	50	320	132
2025/8/7 10:30	0	0	0	0	0	65	94	64	429	136
2025/8/7 10:40	0.1	0	0	0	0	63	94	48	398	132
2025/8/7 10:50	0.1	0	0	0.1	0	75	109	75	311	147
2025/8/7 11:00	0.1	0	0	0.1	0	76	123	65	527	145
2025/8/7 11:10	0.1	0	0	0.1	0	72	106	87	563	143
2025/8/7 11:20	0	0	0	0.1	0	69	109	108	315	190
2025/8/7 11:30	0	0	0	0	0	79	102	118	377	203
2025/8/7 11:40	0	0	0	0	0	55	80	44	142	128
2025/8/7 11:50	0	0	0	0	0	52	76	41	232	120
2025/8/7 12:00	0	0	0	0	0	82	107	64	433	142
2025/8/7 12:10	0	0	0	0	0	202	117	182	313	324

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/7 12:20	0	0	0	0.1	0	231	117	89	376	428
2025/8/7 12:30	0.1	0	0	0.5	0.1	190	121	166	318	368
2025/8/7 12:40	0.1	0	0	0.4	0	105	117	86	342	195
2025/8/7 12:50	0.1	0	0	0.1	0	187	132	160	359	232
2025/8/7 13:00	0.1	0	0	0.3	0	137	123	178	484	304
2025/8/7 13:10	0.1	0	0	0.2	0	152	116	138	544	300
2025/8/7 13:20	0.1	0	0	0.5	0	263	218	185	173	429
2025/8/7 13:30	0.1	0	0	0.1	0	206	348	54	36	249
2025/8/7 13:40	0.1	0	0	0.1	0	111	254	80	42	253
2025/8/7 13:50	0.1	0.1	0	0.1	0	309	308	97	52	412
2025/8/7 14:00	0.1	0.1	0	0.1	0.1	230	188	121	111	516
2025/8/7 14:10	0.1	0.1	0	0.1	0	173	423	51	288	242
2025/8/7 14:20	0.1	0.1	0	0.1	0	355	379	82	39	386
2025/8/7 14:30	0.1	0.1	0	0.1	0	407	252	110	36	594
2025/8/7 14:40	0.1	0.1	0	0.1	0.1	297	286	158	45	467
2025/8/7 14:50	0.1	0.1	0	0.1	0	276	324	63	37	310
2025/8/7 15:00	0.1	0.1	0	0.1	0	391	354	67	32	513
2025/8/7 15:10	0.1	0.1	0	0.1	0	412	353	45	34	323
2025/8/7 15:20	0.1	0.1	0	0.1	0	308	259	84	30	447
2025/8/7 15:30	0.1	0.1	0	0.1	0	359	373	84	157	462
2025/8/7 15:40	0.1	0.1	0	0.1	0.1	328	413	49	33	312
2025/8/7 15:50	0.1	0.1	0	0.1	0	327	361	55	42	430
2025/8/7 16:00	0.1	0.1	0	0.1	0	341	486	65	123	409
2025/8/7 16:10	0.1	0.3	0	0.1	0.1	149	398	69	155	234
2025/8/7 16:20	0.1	0	0	0.1	0	94	195	55	740	181
2025/8/7 16:30	0.1	0	0	0.4	0	86	314	51	547	200
2025/8/7 16:40	0.1	0	0	0.2	0	92	106	53	677	180
2025/8/7 16:50	0.1	0	0	0.9	0	97	110	52	585	182
2025/8/7 17:00	0.1	0	0	0.2	0	90	110	61	691	184
2025/8/7 17:10	0.1	0	0	0.2	0	82	97	65	585	173
2025/8/7 17:20	0.1	0	0	0.2	0	82	100	57	656	172
2025/8/7 17:30	0.1	0	0	0.3	0	83	109	72	709	177
2025/8/7 17:40	0.1	0	0	0.4	0	89	130	136	673	205
2025/8/7 17:50	0.1	0	0	0.4	0	86	110	116	623	182
2025/8/7 18:00	0	0	0	0.5	0	114	110	226	231	335
2025/8/7 18:10	0	0	0	0	0	83	93	79	402	198
2025/8/7 18:20	0	0	0	0.1	0	84	98	220	515	245
2025/8/7 18:30	0	0	0	0	0	85	102	284	375	343
2025/8/7 18:40	0	0	0	0	0	80	113	174	583	241
2025/8/7 18:50	0	0	0	0.1	0	86	141	245	312	333
2025/8/7 19:00	0	0	0	0	0	85	126	152	527	230
2025/8/7 19:10	0	0	0	0.2	0	85	104	90	560	168
2025/8/7 19:20	0	0	0	0	0	82	118	77	628	157
2025/8/7 19:30	0	0	0	0.3	0	87	123	285	604	294
2025/8/7 19:40	0	0	0	0.1	0	83	130	254	655	236
2025/8/7 19:50	0	0	0	0.3	0	87	118	262	564	376
2025/8/7 20:00	0	0	0	0.3	0	88	109	168	653	336
2025/8/7 20:10	0	0	0	1	0	87	104	155	704	221
2025/8/7 20:20	0	0	0	0.1	0	87	102	182	705	204
2025/8/7 20:30	0	0	0	0.3	0	85	94	197	804	255
2025/8/7 20:40	0	0	0	0.6	0	85	95	122	566	159
2025/8/7 20:50	0	0	0	0.1	0	86	94	103	947	156
2025/8/7 21:00	0	0	0	1.9	0	91	114	199	836	301
2025/8/7 21:10	0	0	0	1.5	0.2	88	96	120	860	328
2025/8/7 21:20	0	0	0	1.4	0	91	103	157	978	486
2025/8/7 21:30	0	0	0	2	1	90	94	117	978	270
2025/8/7 21:40	0	0	0	2	0	90	94	59	1080	176
2025/8/7 21:50	0	0	0	3.5	0	92	93	70	964	185
2025/8/7 22:00	0	0	0	2.1	0	92	93	54	1057	163
2025/8/7 22:10	0	0	0	3.2	0	97	95	57	1206	162
2025/8/7 22:20	0	0	0	5	0	97	97	70	908	170
2025/8/7 22:30	0	0	0	1.6	0	98	101	54	951	176
2025/8/7 22:40	0	0	0	2.2	0	101	100	61	908	273
2025/8/7 22:50	0	0	0	1.6	0	107	106	243	763	305
2025/8/7 23:00	0	0	0	0.6	0.1	267	102	614	531	959
2025/8/7 23:10	0	0	0.4	0.5	3.1	99	111	484	986	462
2025/8/7 23:20	0	0	0	2.9	0.2	104	217	258	1012	622
2025/8/7 23:30	0	0	0	2.7	1.4	102	111	560	1002	468
2025/8/7 23:40	0	0	0	3.1	0.3	105	110	504	626	581
2025/8/7 23:50	0	0	0.3	1.1	2.4	627	148	752	741	1165
2025/8/8 0:00	0	0	1	1.1	6.4	254	160	414	1032	783
2025/8/8 0:10	0	0	0	2.8	1.9	134	118	544	908	1210
2025/8/8 0:20	0	0	0.6	1.3	9	119	133	499	1125	588

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/8 0:30	0	0	0.1	4	0.4	127	124	88	819	279
2025/8/8 0:40	0	0	0	1	0	128	122	116	964	453
2025/8/8 0:50	0	0	0	1.8	1.8	816	222	470	730	1161
2025/8/8 1:00	0	0	0	0.5	6.2	524	305	388	1110	696
2025/8/8 1:10	0	0	0	3.7	0.5	156	122	92	902	299
2025/8/8 1:20	0	0	0	1.1	0	137	115	317	951	247
2025/8/8 1:30	0	0	0	2	0	138	122	168	1036	238
2025/8/8 1:40	0	0	0	3.3	0	121	109	123	785	211
2025/8/8 1:50	0	0	0	0.1	0	129	118	135	761	248
2025/8/8 2:00	0	0	0	0	0	130	128	85	721	206
2025/8/8 2:10	0	0	0	0	0	128	124	86	849	207
2025/8/8 2:20	0	0	0	1	0	132	133	380	888	1095
2025/8/8 2:30	0	0	0	0.9	5.4	133	138	699	883	1014
2025/8/8 2:40	0	0	1	2.1	5.3	149	155	825	224	1328
2025/8/8 2:50	0	0	2.8	0	9.7	157	168	877	703	963
2025/8/8 3:00	0	0	4.3	1.5	5.8	141	149	660	1070	773
2025/8/8 3:10	0	0	1.7	3.5	3.2	131	147	736	841	612
2025/8/8 3:20	0	0	1.5	1.5	0.7	129	129	322	990	357
2025/8/8 3:30	0	0	0	2.2	0	128	145	75	753	272
2025/8/8 3:40	0	0	0	0	0	127	127	80	763	366
2025/8/8 3:50	0	0	0	0.3	0	116	117	75	622	227
2025/8/8 4:00	0	0	0	0	0	105	104	66	591	194
2025/8/8 4:10	0	0	0	0	0	105	102	69	729	304
2025/8/8 4:20	0	0	0	0	0	103	114	69	927	282
2025/8/8 4:30	0	0	0	0.6	0	107	104	74	855	486
2025/8/8 4:40	0	0	0	0	0.3	105	116	72	813	228
2025/8/8 4:50	0	0	0	1.6	0	89	91	63	572	172
2025/8/8 5:00	0	0	0	0	0	87	93	65	606	157
2025/8/8 5:10	0	0	0	0	0	87	93	63	710	156
2025/8/8 5:20	0	0	0	0.2	0	89	102	62	725	168
2025/8/8 5:30	0	0	0	0	0	92	97	63	542	160
2025/8/8 5:40	0	0	0	0	0	95	113	65	414	158
2025/8/8 5:50	0	0	0	0	0	96	97	65	552	162
2025/8/8 6:00	0	0	0	0.1	0	94	93	62	496	164
2025/8/8 6:10	0	0	0	0.1	0	88	142	58	385	164
2025/8/8 6:20	0	0	0.1	0.1	0	83	104	53	442	148
2025/8/8 6:30	0	0	0.1	0.1	0	81	84	48	446	161
2025/8/8 6:40	0	0	0.1	0.1	0	80	94	47	370	137
2025/8/8 6:50	0	0	0.1	0.1	0	77	78	63	454	171
2025/8/8 7:00	0	0	0.1	0.1	0	73	75	53	438	162
2025/8/8 7:10	0	0	0.1	0.2	0	76	103	44	407	241
2025/8/8 7:20	0	0	0.1	0.2	0	75	100	49	427	162
2025/8/8 7:30	0	0	0.1	0.2	0	75	130	47	521	130
2025/8/8 7:40	0	0	0.1	0.2	0	74	83	47	540	157
2025/8/8 7:50	0	0	0.1	0.2	0	73	91	48	427	197
2025/8/8 8:00	0	0	0.1	0.2	0	79	80	62	464	186
2025/8/8 8:10	0.1	0	0.1	0.2	0	79	111	53	370	272
2025/8/8 8:20	0.1	0	0.1	0.2	0.1	81	138	49	340	263
2025/8/8 8:30	0.1	0	0.1	0.2	0.2	82	237	48	485	144
2025/8/8 8:40	0.1	0	0.1	0.2	0	76	90	44	604	144
2025/8/8 8:50	0.1	0	0.1	0.2	0	77	197	44	455	146
2025/8/8 9:00	0.1	0	0.1	0.2	0	80	115	43	440	150
2025/8/8 9:10	0.1	0	0.1	0.2	0	65	90	39	564	141
2025/8/8 9:20	0.1	0	0.1	0.2	0	73	122	38	495	149
2025/8/8 9:30	0.1	0	0.1	0.4	0	77	180	39	289	304
2025/8/8 9:40	0.1	0	0.1	0.1	0.1	71	226	34	271	132
2025/8/8 9:50	0.1	0	0.1	0.1	0	75	122	45	340	438
2025/8/8 10:00	0.1	0	0.1	0.1	1.4	80	133	61	390	311
2025/8/8 10:10	0.1	0	0.1	0.1	0.4	64	85	35	430	255
2025/8/8 10:20	0.1	0	0.1	0.1	0.1	63	85	60	296	176
2025/8/8 10:30	0.1	0	0.1	0.1	0.1	70	83	40	335	189
2025/8/8 10:40	0.1	0	0.1	0.1	0.1	69	73	32	338	159
2025/8/8 10:50	0.1	0	0.1	0.1	0.1	67	143	28	295	151
2025/8/8 11:00	0.1	0	0.1	0.1	0.1	69	124	67	247	325
2025/8/8 11:10	0.1	0	0.1	0.1	0.1	72	107	33	315	243
2025/8/8 11:20	0.1	0	0.1	0.1	0.1	73	133	34	333	168
2025/8/8 11:30	0.1	0	0.1	0.1	0.1	78	71	99	248	270
2025/8/8 11:40	0.1	0	0.1	0.1	0.1	75	141	46	297	212
2025/8/8 11:50	0.1	0	0.1	0.1	0.1	78	88	51	249	190
2025/8/8 12:00	0.1	0	0.1	0.1	0.1	94	112	28	361	167
2025/8/8 12:10	0.1	0	0.1	0.1	0.1	220	156	71	109	270
2025/8/8 12:20	0.1	0	0.1	0.1	0.1	218	117	113	66	386
2025/8/8 12:30	0.1	0	0.1	0.1	0.1	217	205	80	92	368

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/8 12:40	0.1	0.1	0.1	0.1	0.2	161	97	74	79	296
2025/8/8 12:50	0.1	0.1	0.1	0.1	0.1	152	110	217	129	624
2025/8/8 13:00	0.1	0.1	0.1	0.1	0.8	226	265	214	31	692
2025/8/8 13:10	0.1	0.1	0.1	0.1	0.2	213	234	85	73	373
2025/8/8 13:20	0.1	0	0	0.1	0	86	290	41	194	162
2025/8/8 13:30	0.1	0	0	0.1	0	65	90	42	401	141
2025/8/8 13:40	0.1	0	0	0.1	0	58	106	43	204	121
2025/8/8 13:50	0.1	0	0	0	0	69	230	51	45	119
2025/8/8 14:00	0	0	0	0	0	66	208	51	83	117
2025/8/8 14:10	0	0	0	0	0	66	160	47	645	119
2025/8/8 14:20	0	0	0	0	0	521	396	53	365	269
2025/8/8 14:30	0	0	0	0.2	0	185	345	51	628	133
2025/8/8 14:40	0	0	0	0.3	0	178	338	386	653	994
2025/8/8 14:50	0	0	0	0.4	4.1	320	369	244	197	943
2025/8/8 15:00	0.1	0	0	0	1.8	539	769	123	38	590
2025/8/8 15:10	0.1	0	0	0	0	588	477	185	39	722
2025/8/8 15:20	0.1	0	0	0	0	381	519	132	39	676
2025/8/8 15:30	0.1	0	0	0	0	454	387	126	36	542
2025/8/8 15:40	0.1	0	0	0	0	299	315	230	34	627
2025/8/8 15:50	0.1	0.1	0	0	0	373	383	156	33	681
2025/8/8 16:00	0.2	0.1	0	0	0.4	378	289	250	26	566
2025/8/8 16:10	0.2	0.1	0	0	0	275	321	138	26	506
2025/8/8 16:20	0.1	0.1	0	0.1	0.1	415	349	60	28	587
2025/8/8 16:30	0.1	0.1	0	0	0.2	357	397	144	34	586
2025/8/8 16:40	0.1	0.1	0	0	0.1	561	379	253	92	857
2025/8/8 16:50	0.1	0.2	0	0	2.2	608	471	100	35	827
2025/8/8 17:00	0.1	0.2	0	0	2.6	731	503	88	22	877
2025/8/8 17:10	0.1	0.1	0	0	2.6	500	566	191	19	870
2025/8/8 17:20	0.1	0.4	0	0	1.3	447	302	311	27	1035
2025/8/8 17:30	0.1	0.1	0	0	3.7	326	185	284	29	1200
2025/8/8 17:40	0.1	0.1	0	0	5.9	262	161	298	32	798
2025/8/8 17:50	0.1	0.1	0	0	1.4	78	102	277	28	655
2025/8/8 18:00	0	0.1	0	0	0.1	92	107	285	33	802
2025/8/8 18:10	0	0	0	0	0.8	74	86	334	29	566
2025/8/8 18:20	0	0	0	0	0	85	99	238	25	643
2025/8/8 18:30	0	0	0	0	0	81	95	250	13	560
2025/8/8 18:40	0	0	0	0	0	79	154	360	25	747
2025/8/8 18:50	0	0	0	0	0.4	81	152	308	30	635
2025/8/8 19:00	0	0	0	0	0.2	84	104	347	29	754
2025/8/8 19:10	0	0	0	0	0.7	71	113	293	57	693
2025/8/8 19:20	0	0	0	0	0.1	92	131	336	37	643
2025/8/8 19:30	0	0	0	0	0.3	65	60	252	116	493
2025/8/8 19:40	0	0	0	0	0	66	73	250	100	565
2025/8/8 19:50	0	0	0	0	0	88	83	298	46	702
2025/8/8 20:00	0	0	0	0	0.4	71	61	281	106	556
2025/8/8 20:10	0	0	0	0	0	77	106	375	73	735
2025/8/8 20:20	0	0	0	0	0.6	117	151	355	44	868
2025/8/8 20:30	0	0	0	0	1.2	81	78	291	60	580
2025/8/8 20:40	0	0	0	0	0.1	65	116	312	39	649
2025/8/8 20:50	0	0	0	0	0.1	115	147	304	86	591
2025/8/8 21:00	0	0	0	0	0	86	59	268	146	605
2025/8/8 21:10	0	0	0	0	0.5	107	120	346	89	756
2025/8/8 21:20	0	0	0	0	0.9	163	122	426	34	929
2025/8/8 21:30	0	0	0	0	2.5	60	110	407	37	869
2025/8/8 21:40	0	0	0	0	1.7	118	117	334	21	798
2025/8/8 21:50	0	0	0	0	1.2	66	71	360	25	631
2025/8/8 22:00	0	0	0	0	0.3	101	67	407	168	672
2025/8/8 22:10	0	0	0	0	1.4	48	81	149	498	350
2025/8/8 22:20	0	0	0	0	0.8	53	58	93	319	275
2025/8/8 22:30	0	0	0	0	0.4	46	70	44	385	171
2025/8/8 22:40	0	0	0	0	0	45	143	51	544	162
2025/8/8 22:50	0	0	0	0	0	50	58	152	319	217
2025/8/8 23:00	0	0	0	0	0.1	44	62	70	600	109
2025/8/8 23:10	0	0	0	0	0	50	86	47	552	417
2025/8/8 23:20	0	0	0	0	0.6	59	58	215	518	152
2025/8/8 23:30	0	0	0	0	0	59	95	95	579	175
2025/8/8 23:40	0	0	0	0	0	63	102	50	667	225
2025/8/8 23:50	0	0	0	0	0.1	62	93	45	696	302
2025/8/9 0:00	0	0	0	0	0.1	58	104	44	647	134
2025/8/9 0:10	0	0	0	0	0	59	88	43	572	121
2025/8/9 0:20	0	0	0	0	0	63	79	51	595	426
2025/8/9 0:30	0	0	0	0	0.7	67	76	64	592	140
2025/8/9 0:40	0	0	0	0	0	72	85	42	635	138

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/9 0:50	0	0	0	0	0	57	61	45	619	152
2025/8/9 1:00	0	0	0	0	0	55	70	45	577	135
2025/8/9 1:10	0	0	0	0	0	58	71	46	526	157
2025/8/9 1:20	0	0	0	0	0.1	64	66	50	525	133
2025/8/9 1:30	0	0	0	0	0	63	75	52	499	133
2025/8/9 1:40	0	0	0	0	0	60	75	87	395	144
2025/8/9 1:50	0	0	0	0	0	57	64	55	448	118
2025/8/9 2:00	0	0	0	0	0	62	67	65	486	240
2025/8/9 2:10	0	0	0	0	0.1	59	64	135	342	140
2025/8/9 2:20	0	0	0	0	0	256	65	323	249	694
2025/8/9 2:30	0	0	0	0	1.5	57	63	130	435	223
2025/8/9 2:40	0	0	0	0	0	53	64	131	388	269
2025/8/9 2:50	0	0	0	0	0.1	85	78	94	521	412
2025/8/9 3:00	0	0	0	0	0.7	63	112	250	523	397
2025/8/9 3:10	0	0	0	0	0.2	74	73	211	507	586
2025/8/9 3:20	0	0	0	0	1.2	61	63	96	496	122
2025/8/9 3:30	0	0	0	0	0	169	69	270	432	484
2025/8/9 3:40	0	0	0	0	1.1	68	80	109	597	387
2025/8/9 3:50	0	0	0	0	0.1	62	79	169	564	330
2025/8/9 4:00	0	0	0	0	0.1	84	80	108	543	123
2025/8/9 4:10	0	0	0	0	0	392	101	153	509	780
2025/8/9 4:20	0	0	0	0	4.2	935	86	454	307	1139
2025/8/9 4:30	0	0	0	0	5.3	307	68	515	145	1071
2025/8/9 4:40	0	0	0	0	4.9	264	71	443	314	827
2025/8/9 4:50	0	0	0	0	3.1	84	74	221	430	220
2025/8/9 5:00	0	0	0	0	0	79	114	84	525	568
2025/8/9 5:10	0	0	0	0	0.8	97	123	219	507	1087
2025/8/9 5:20	0	0	0	0	4.6	82	101	98	533	364
2025/8/9 5:30	0	0	0	0	0.5	77	69	146	398	165
2025/8/9 5:40	0	0	0	0	0	143	72	334	163	403
2025/8/9 5:50	0	0	0	0	0.4	86	89	274	337	300
2025/8/9 6:00	0	0	0	0	0	87	115	48	597	239
2025/8/9 6:10	0	0	0	0	0	75	101	93	428	260
2025/8/9 6:20	0	0	0	0	0	78	97	63	508	121
2025/8/9 6:30	0	0	0	0	0	74	100	55	453	159
2025/8/9 6:40	0	0	0	0	0	133	70	161	313	631
2025/8/9 6:50	0	0	0	0	1.3	83	93	273	139	516
2025/8/9 7:00	0	0	0	0.1	1	157	82	252	179	515
2025/8/9 7:10	0	0	0.1	0.1	0.6	94	114	108	249	292
2025/8/9 7:20	0	0	0.1	0.1	0.1	51	118	45	307	192
2025/8/9 7:30	0	0	0.1	0.2	0	59	67	160	134	306
2025/8/9 7:40	0	0	0.1	0.2	0.1	48	58	76	210	340
2025/8/9 7:50	0	0	0.1	0.2	0.4	95	61	165	154	540
2025/8/9 8:00	0	0	0.1	0.2	0.6	192	112	180	180	794
2025/8/9 8:10	0	0	0.1	0.2	2.5	69	67	224	200	663
2025/8/9 8:20	0.1	0	0.1	0.2	2.1	122	72	275	124	624
2025/8/9 8:30	0.1	0	0.1	0.2	1	146	128	218	219	541
2025/8/9 8:40	0.1	0	0.1	0.2	1.1	99	97	296	183	806
2025/8/9 8:50	0.1	0	0.1	0.2	1.4	67	76	273	90	663
2025/8/9 9:00	0.1	0	0.1	0.2	1.3	150	138	319	127	817
2025/8/9 9:10	0.1	0	0.1	0.2	1.4	129	83	92	205	265
2025/8/9 9:20	0.1	0	0.1	0.2	0.2	96	115	207	107	735
2025/8/9 9:30	0.1	0	0.1	0.2	0.8	104	100	272	99	575
2025/8/9 9:40	0.1	0	0.1	0.2	0.2	116	129	238	219	615
2025/8/9 9:50	0.1	0	0.1	0.1	0.4	156	121	228	25	675
2025/8/9 10:00	0.1	0	0.1	0.1	0.4	73	94	249	103	549
2025/8/9 10:10	0.1	0	0.1	0.1	0.3	242	282	146	24	754
2025/8/9 10:20	0.1	0	0.1	0.1	0.4	208	198	252	93	632
2025/8/9 10:30	0.1	0	0.1	0.1	0.5	206	189	204	94	596
2025/8/9 10:40	0.1	0	0.1	0.1	0.2	223	155	184	82	499
2025/8/9 10:50	0.1	0	0.1	0.1	0	197	216	151	15	566
2025/8/9 11:00	0.1	0	0.1	0.1	0.1	85	122	222	142	452
2025/8/9 11:10	0.1	0.1	0.1	0.1	0.1	137	170	168	71	572
2025/8/9 11:20	0.1	0.1	0.1	0.1	0.1	122	117	229	107	574
2025/8/9 11:30	0.1	0.1	0.1	0.1	0.2	72	114	199	184	391
2025/8/9 11:40	0.1	0.1	0.1	0.1	0.2	176	192	265	33	650
2025/8/9 11:50	0.1	0.1	0.1	0.1	0.4	89	84	267	162	652
2025/8/9 12:00	0.1	0.1	0.1	0.1	0.8	367	161	162	10	681
2025/8/9 12:10	0.1	0.1	0.1	0.1	0.9	249	177	187	8	747
2025/8/9 12:20	0.1	0.1	0.1	0.1	1.2	115	112	204	51	613
2025/8/9 12:30	0.1	0.1	0.1	0.1	0.4	377	173	150	20	658
2025/8/9 12:40	0.1	0.1	0	0.1	0.5	204	114	234	4	626
2025/8/9 12:50	0.1	0.1	0	0.1	0.4	283	165	144	7	759

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/9 13:00	0.1	0.1	0	0.1	1.1	451	153	82	8	690
2025/8/9 13:10	0.1	0	0	0.1	0.8	360	273	138	5	676
2025/8/9 13:20	0.1	0.1	0	0.1	0.8	232	130	152	5	730
2025/8/9 13:30	0.1	0	0	0.1	1.3	263	148	196	21	696
2025/8/9 13:40	0.1	0	0	0.1	0.9	209	90	207	15	653
2025/8/9 13:50	0.1	0.1	0	0.1	0.6	206	154	235	7	721
2025/8/9 14:00	0.1	0.1	0	0.1	1	347	113	183	7	775
2025/8/9 14:10	0.1	0.1	0	0.1	1.2	159	134	211	11	823
2025/8/9 14:20	0.1	0.1	0	0.1	1.8	251	202	90	7	575
2025/8/9 14:30	0.1	0.1	0	0.1	0.6	193	118	167	9	745
2025/8/9 14:40	0.1	0.1	0	0.1	0.9	293	217	71	10	610
2025/8/9 14:50	0.1	0.1	0	0.1	0.2	254	96	128	17	681
2025/8/9 15:00	0.1	0.1	0	0.1	0.6	123	96	257	17	611
2025/8/9 15:10	0.1	0.1	0	0.1	0.1	249	229	167	12	570
2025/8/9 15:20	0.2	0.1	0	0.1	0.2	256	201	144	13	572
2025/8/9 15:30	0.1	0.1	0	0.1	0.1	296	179	104	8	489
2025/8/9 15:40	0.1	0.1	0	0.1	0	283	241	24	1	290
2025/8/9 15:50	0.1	0.1	0	0.1	0	312	180	32	4	346
2025/8/9 16:00	0.1	0	0	0.1	0.1	320	198	101	3	523
2025/8/9 16:10	0.1	0	0	0.1	0	345	158	51	4	515
2025/8/9 16:20	0.1	0	0	0.1	0.2	297	207	95	4	626
2025/8/9 16:30	0.1	0	0	0.1	0.3	261	129	134	2	691
2025/8/9 16:40	0.1	0	0	0.1	0.6	243	233	144	1	625
2025/8/9 16:50	0.1	0.1	0	0	0.2	261	180	122	1	607
2025/8/9 17:00	0.1	0.1	0	0	0.1	238	246	146	1	618
2025/8/9 17:10	0.1	0.1	0	0	0	287.1	187.9	122.5	1.2	573.2
2025/8/9 17:20	0.1	0.1	0	0	0.1	310	201.4	131.1	1.2	624.9
2025/8/9 17:30	0.1	0.1	0	0	0.2	360.5	211.2	76.8	2.1	581.2
2025/8/9 17:40	0.1	0.1	0	0	0.2	337.7	291.7	71.3	1.1	478.9
2025/8/9 17:50	0.1	0.1	0	0	0	401.3	237.1	31.3	1.9	439.8
2025/8/9 18:00	0.1	0.1	0	0	0	410.7	248.7	64.5	3.6	638.9
2025/8/9 18:10	0.1	0	0	0	0.5	307	259	190.3	1.2	681.7
2025/8/9 18:20	0	0	0	0	0.1	328.2	258	169.2	1	692
2025/8/9 18:30	0	0	0	0	0.2	320.3	282.4	227.2	1.8	815.9
2025/8/9 18:40	0	0	0	0	1.1	373.2	262.4	163.9	1.7	781.4
2025/8/9 18:50	0	0	0	0	0.9	451.1	214.6	161.1	2.2	798.3
2025/8/9 19:00	0	0	0	0	0.9	124.3	105.5	327.3	5.7	919.9
2025/8/9 19:10	0	0	0	0	2	90.7	78.5	319.7	5.6	926.1
2025/8/9 19:20	0	0	0	0	2.1	164.7	117.2	130.6	6	808.3
2025/8/9 19:30	0	0	0	0	0.9	90.1	85.6	312.5	18.7	756.8
2025/8/9 19:40	0	0	0	0	0.8	200	183.7	101	13.7	791.2
2025/8/9 19:50	0	0	0	0	0.4	311.9	166.6	103	16.5	714.4
2025/8/9 20:00	0	0	0	0	0.3	353.2	192.9	118.4	14.1	530.9
2025/8/9 20:10	0	0	0	0	0.1	328.1	223.8	132.7	13.3	579.6
2025/8/9 20:20	0	0	0	0	0.1	389.1	146.8	135.4	15.3	788.3
2025/8/9 20:30	0	0	0	0	0.9	258.9	305.8	173.8	17.5	663.4
2025/8/9 20:40	0	0	0	0	0	394.4	317.8	139.5	16.8	627.6
2025/8/9 20:50	0	0	0	0	0.1	350.3	290.6	187.1	18.9	737.8
2025/8/9 21:00	0	0	0	0	0.6	444.3	294.8	158.1	17.8	776
2025/8/9 21:10	0	0	0	0	0.9	434	317.8	172.9	16.5	800.5
2025/8/9 21:20	0	0	0	0	1.3	428	401.7	192.6	19	879.8
2025/8/9 21:30	0	0	0	0	2.3	349.4	353	175	20	817.1
2025/8/9 21:40	0	0	0	0	1.6	302.4	355.5	221.1	18.7	757.2
2025/8/9 21:50	0	0	0	0	0.8	305.2	361.2	207.9	16.7	897.4
2025/8/9 22:00	0	0	0	0	2.4	432.1	323	221.7	19.9	793.1
2025/8/9 22:10	0	0	0	0	1.2	362.4	244.2	204.3	17.6	774.7
2025/8/9 22:20	0	0	0	0	1.1	406.6	278.9	175.9	15.9	695.4
2025/8/9 22:30	0	0	0	0	0.5	420.5	285.3	188.5	15.2	897.5
2025/8/9 22:40	0	0	0	0	2.5	425.8	323.5	197.3	15.1	861.9
2025/8/9 22:50	0	0	0	0	2	543	315.5	82.6	11	645.3
2025/8/9 23:00	0	0	0	0	0.3	474.9	296.3	77.2	9.1	712.6
2025/8/9 23:10	0	0	0	0	1	450.8	503.6	285.3	15.8	884.2
2025/8/9 23:20	0	0	0	0	2.4	709.8	512.4	94.3	17.4	809
2025/8/9 23:30	0	0	0	0	1.9	565.3	537.7	259.7	18.8	898.1
2025/8/9 23:40	0	0	0	0	2.8	475.6	394.6	192.1	18.9	831.4
2025/8/9 23:50	0	0	0	0	1.3	461.4	397.2	221.9	22.7	786.2
2025/8/10 0:00	0	0	0	0	1	558	509	234	19	768
2025/8/10 0:10	0	0	0	0	0.9	371	447	239	23	883
2025/8/10 0:20	0	0	0	0	2.3	387	376	235	26	881
2025/8/10 0:30	0	0	0	0	2.2	380	436	249	30	877
2025/8/10 0:40	0	0	0	0	2.6	393	428	225	33	886
2025/8/10 0:50	0	0	0	0	2.5	380	381	216	36	866
2025/8/10 1:00	0	0	0	0	2.3	393	403	194	36	744

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/10 1:10	0	0	0	0	0.8	450	338	210	38	805
2025/8/10 1:20	0	0	0	0	1.9	438	405	209	33	827
2025/8/10 1:30	0	0	0	0	1.9	484	376	182	34	657
2025/8/10 1:40	0	0	0	0	0.4	415	351	146	33	725
2025/8/10 1:50	0	0	0	0	1	436	346	159	32	642
2025/8/10 2:00	0	0	0	0	0.4	407	336	168	32	664
2025/8/10 2:10	0	0	0	0	0.1	500	454	128	36	723
2025/8/10 2:20	0	0	0	0	1.4	508	387	133	35	810
2025/8/10 2:30	0	0	0	0	1.5	659	513	56	208	960
2025/8/10 2:40	0	0	0	0	4.1	645	579	53	175	603
2025/8/10 2:50	0	0	0	0	2.4	612	572	44	137	319
2025/8/10 3:00	0	0	0	0	0.6	670	553	40	368	440
2025/8/10 3:10	0	0	0	0	2.3	714	664	42	1104	1097
2025/8/10 3:20	0	0	0	2.5	7.3	697	688	42	1022	1292
2025/8/10 3:30	0	0	0	2.1	8.6	777	745	53	1210	1276
2025/8/10 3:40	0	0	0	4.9	8.2	781	718	39	967	391
2025/8/10 3:50	0	0	0	3.1	1.8	911	728	39	913	1290
2025/8/10 4:00	0	0	0	1.9	9.7	799	739	63	1019	1415
2025/8/10 4:10	0	0	0	3.4	11.2	837	766	130	1152	1121
2025/8/10 4:20	0	0	0	4.5	7.4	1141	786	59	985	1091
2025/8/10 4:30	0	0	0	2.9	7.6	877	810	63	953	1196
2025/8/10 4:40	0	0	0	1.8	7.8	884	731	39	513	1160
2025/8/10 4:50	0	0	0	0.8	8.2	1163	808	618	1082	1359
2025/8/10 5:00	0	0	1.1	3.6	10.3	1403	932	844	846	1482
2025/8/10 5:10	0	2	3.8	0.8	12.8	1429	1211	717	908	1417
2025/8/10 5:20	0	5	2.2	1.3	11.8	880	851	121	801	745
2025/8/10 5:30	0	0.8	0	0.7	3.6	731	731	89	744	1058
2025/8/10 5:40	0	0	0	1	6.2	808	697	175	1100	1185
2025/8/10 5:50	0	0	0	3.9	6.7	755	796	55	960	1025
2025/8/10 6:00	0	0	0	2.3	6.4	925	796	52	1006	1331
2025/8/10 6:10	0	0	0	2.2	9.5	994	808	140	920	1263
2025/8/10 6:20	0	0	0	1.6	8.9	934	773	97	803	1174
2025/8/10 6:30	0	0	0	0.6	7.8	1188	754	426	787	1349
2025/8/10 6:40	0	0	0.4	0.8	9.6	1323	882	568	797	1282
2025/8/10 6:50	0	2	0.5	1.3	8.9	754	783	93	593	362
2025/8/10 7:00	0	0.6	0	0.1	0.6	751	647	42	554	410
2025/8/10 7:10	0	0	0	0.7	0.8	487	641	38	130	236
2025/8/10 7:20	0	0	0	0	0.7	204	466	35	35	136
2025/8/10 7:30	0	0	0	0	0	231	404	34	59	123
2025/8/10 7:40	0	0	0	0	0	221	475	36	53	122
2025/8/10 7:50	0	0	0	0	0	334	447	35	37	128
2025/8/10 8:00	0	0	0	0	0	400	384	37	56	216
2025/8/10 8:10	0	0	0	0	0	453	594	37	59	129
2025/8/10 8:20	0	0	0	0	0	402	485	37	37	143
2025/8/10 8:30	0	0	0	0	0	415	490	39	43	148
2025/8/10 8:40	0	0	0	0	0	355	479	38	37	182
2025/8/10 8:50	0	0	0	0	0	651	320	38	33	330
2025/8/10 9:00	0	0	0	0	0.1	501	253	40	30	515
2025/8/10 9:10	0	0	0	0	0.7	550	248	42	31	600
2025/8/10 9:20	0	0	0	0	0.6	543	239	57	31	433
2025/8/10 9:30	0	0	0	0	0	337	211	41	28	278
2025/8/10 9:40	0	0	0	0	0	408	218	39	27	258
2025/8/10 9:50	0	0	0	0	0	363	257	42	36	248
2025/8/10 10:00	0	0	0	0	0	294	207	53	31	270
2025/8/10 10:10	0	0	0	0	0	305	232	48	35	241
2025/8/10 10:20	0	0	0	0	0	369	183	62	43	433
2025/8/10 10:30	0	0	0	0	0	350	186	53	36	401
2025/8/10 10:40	0	0	0	0	0	345	177	49	33	307
2025/8/10 10:50	0	0	0	0	0	206	169	48	31	273
2025/8/10 11:00	0	0	0	0	0	251	163	50	36	228
2025/8/10 11:10	0	0	0	0	0	272	169	65	36	293
2025/8/10 11:20	0	0	0	0	0	274	159	48	27	252
2025/8/10 11:30	0	0	0	0	0	295	152	48	25	271
2025/8/10 11:40	0	0	0	0	0	331	168	45	29	388
2025/8/10 11:50	0	0	0	0	0	288	151	48	28	295
2025/8/10 12:00	0	0	0	0	0	318	154	46	29	322
2025/8/10 12:10	0	0	0	0	0	236	166	47	26	238
2025/8/10 12:20	0	0	0	0	0	184	146	43	23	195
2025/8/10 12:30	0	0	0	0	0	173	153	40	20	152
2025/8/10 12:40	0	0	0	0	0	173	143	39	19	154
2025/8/10 12:50	0	0	0	0	0	277	144	40	20	258
2025/8/10 13:00	0	0	0	0	0	270	137	41	23	203
2025/8/10 13:10	0	0	0	0	0	300	135	53	22	264

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/10 13:20	0	0	0	0	0	300	162	41	28	250
2025/8/10 13:30	0	0	0	0	0	213	152	39	22	178
2025/8/10 13:40	0	0	0	0	0	198	152	39	22	157
2025/8/10 13:50	0	0	0	0	0	223	150	38	19	167
2025/8/10 14:00	0	0	0	0	0	112	149	36	18	111
2025/8/10 14:10	0	0	0	0	0	126	163	35	16	112
2025/8/10 14:20	0	0	0	0	0	192	156	35	16	114
2025/8/10 14:30	0	0	0	0	0	181	139	35	15	165
2025/8/10 14:40	0	0	0	0	0	190	152	34	14	136
2025/8/10 14:50	0	0	0	0	0	215	137	33	14	110
2025/8/10 15:00	0	0	0	0	0	247	127	33	14	165
2025/8/10 15:10	0	0	0	0	0	226	130	34	14	188
2025/8/10 15:20	0	0	0	0	0	236	124	34	14	171
2025/8/10 15:30	0	0	0	0	0	261	122	35	14	253
2025/8/10 15:40	0	0	0	0	0	285	120	38	16	288
2025/8/10 15:50	0	0	0	0	0	255	140	47	17	295
2025/8/10 16:00	0	0	0	0	0	242	140	49	20	283
2025/8/10 16:10	0	0	0	0	0	257	135	37	17	220
2025/8/10 16:20	0	0	0	0	0	164	130	35	14	103
2025/8/10 16:30	0	0	0	0	0	210	142	36	16	145
2025/8/10 16:40	0	0	0	0	0	137	140	41	17	130
2025/8/10 16:50	0	0	0	0	0	100	153	35	17	109
2025/8/10 17:00	0	0	0	0	0	84	161	35	16	94
2025/8/10 17:10	0	0	0	0	0	96	167	37	19	96
2025/8/10 17:20	0	0	0	0	0	146	168	37	16	108
2025/8/10 17:30	0	0	0	0	0	188	145	37	17	146
2025/8/10 17:40	0	0	0	0	0	143	155	37	16	108
2025/8/10 17:50	0	0	0	0	0	137	154	37	16	103
2025/8/10 18:00	0	0	0	0	0	206	130	37	16	119
2025/8/10 18:10	0	0	0	0	0	223	138	39	18	157
2025/8/10 18:20	0	0	0	0	0	211	142	41	20	130
2025/8/10 18:30	0	0	0	0	0	121	163	41	22	115
2025/8/10 18:40	0	0	0	0	0	129	154	40	18	113
2025/8/10 18:50	0	0	0	0	0	185	163	40	19	109
2025/8/10 19:00	0	0	0	0	0	143	148	39	17	116
2025/8/10 19:10	0	0	0	0	0	97	176	40	18	104
2025/8/10 19:20	0	0	0	0	0	138	183	40	21	114
2025/8/10 19:30	0	0	0	0	0	108	206	38	17	99
2025/8/10 19:40	0	0	0	0	0	114	176	37	15	95
2025/8/10 19:50	0	0	0	0	0	147	199	37	17	99
2025/8/10 20:00	0	0	0	0	0	113	189	38	22	88
2025/8/10 20:10	0	0	0	0	0	162	174	38	17	119
2025/8/10 20:20	0	0	0	0	0	130	168	37	17	93
2025/8/10 20:30	0	0	0	0	0	230	155	39	17	138
2025/8/10 20:40	0	0	0	0	0	124	182	40	17	95
2025/8/10 20:50	0	0	0	0	0	154	148	41	20	104
2025/8/10 21:00	0	0	0	0	0	159	144	42	22	100
2025/8/10 21:10	0	0	0	0	0	100	184	42	24	102
2025/8/10 21:20	0	0	0	0	0	202	159	44	25	105
2025/8/10 21:30	0	0	0	0	0	236	157	55	25	157
2025/8/10 21:40	0	0	0	0	0	259	141	45	24	175
2025/8/10 21:50	0	0	0	0	0	252	160	47	24	136
2025/8/10 22:00	0	0	0	0	0	264	163	46	24	145
2025/8/10 22:10	0	0	0	0	0	293	143	48	22	238
2025/8/10 22:20	0	0	0	0	0	268	137	66	21	248
2025/8/10 22:30	0	0	0	0	0	299	140	44	21	256
2025/8/10 22:40	0	0	0	0	0	294	152	43	20	185
2025/8/10 22:50	0	0	0	0	0	162	174	43	20	126
2025/8/10 23:00	0	0	0	0	0	230	168	43	20	117
2025/8/10 23:10	0	0	0	0	0	219	152	42	19	117
2025/8/10 23:20	0	0	0	0	0	190	147	42	19	111
2025/8/10 23:30	0	0	0	0	0	118	151	42	20	98
2025/8/10 23:40	0	0	0	0	0	223	155	42	19	97
2025/8/10 23:50	0	0	0	0	0	230	147	42	21	107
2025/8/11 0:00	0	0	0	0	0	165	132	42	19	99
2025/8/11 0:10	0	0	0	0	0	220	161	42	20	125
2025/8/11 0:20	0	0	0	0	0	211	140	41	20	137
2025/8/11 0:30	0	0	0	0	0	177	137	39	17	101
2025/8/11 0:40	0	0	0	0	0	136	132	38	16	97
2025/8/11 0:50	0	0	0	0	0	195	126	38	17	92
2025/8/11 1:00	0	0	0	0	0	194	130	38	16	109
2025/8/11 1:10	0	0	0	0	0	190	120	39	17	109
2025/8/11 1:20	0	0	0	0	0	217	109	39	19	113

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/11 1:30	0	0	0	0	0	164	114	40	20	106
2025/8/11 1:40	0	0	0	0	0	178	121	40	17	114
2025/8/11 1:50	0	0	0	0	0	176	117	40	16	94
2025/8/11 2:00	0	0	0	0	0	133	133	40	16	92
2025/8/11 2:10	0	0	0	0	0	176	139	41	16	110
2025/8/11 2:20	0	0	0	0	0	210	123	41	18	96
2025/8/11 2:30	0	0	0	0	0	270	112	42	19	142
2025/8/11 2:40	0	0	0	0	0	288	118	42	17	196
2025/8/11 2:50	0	0	0	0	0	262	117	42	19	182
2025/8/11 3:00	0	0	0	0	0	229	117	42	18	148
2025/8/11 3:10	0	0	0	0	0	220	113	42	19	143
2025/8/11 3:20	0	0	0	0	0	231	109	41	19	177
2025/8/11 3:30	0	0	0	0	0	165	131	42	19	103
2025/8/11 3:40	0	0	0	0	0	232	115	43	20	140
2025/8/11 3:50	0	0	0	0	0	207	103	41	19	184
2025/8/11 4:00	0	0	0	0	0	217	115	42	19	134
2025/8/11 4:10	0	0	0	0	0	175	109	41	19	112
2025/8/11 4:20	0	0	0	0	0	205	111	40	19	108
2025/8/11 4:30	0	0	0	0	0	161	110	41	19	101
2025/8/11 4:40	0	0	0	0	0	136	119	41	20	105
2025/8/11 4:50	0	0	0	0	0	153	113	41	18	106
2025/8/11 5:00	0	0	0	0	0	173	116	39	16	115
2025/8/11 5:10	0	0	0	0	0	219	108	38	18	149
2025/8/11 5:20	0	0	0	0	0	221	105	38	17	175
2025/8/11 5:30	0	0	0	0	0	196	104	37	18	175
2025/8/11 5:40	0	0	0	0	0	216	100	39	16	168
2025/8/11 5:50	0	0	0	0	0	174	125	39	12	150
2025/8/11 6:00	0	0	0	0	0	229	107	39	15	135
2025/8/11 6:10	0	0	0	0	0	241	116	40	13	143
2025/8/11 6:20	0	0	0	0	0	232	101	39	14	172
2025/8/11 6:30	0	0	0	0	0	258	117	45	16	274
2025/8/11 6:40	0	0	0	0	0	206	116	60	18	341
2025/8/11 6:50	0	0	0	0	0	237	110	50	18	265
2025/8/11 7:00	0	0	0	0	0	238	96	48	19	254
2025/8/11 7:10	0	0	0	0	0	226	105	47	21	290
2025/8/11 7:20	0	0	0	0	0	225	107	44	20	204
2025/8/11 7:30	0	0	0	0	0	216	129	45	18	185
2025/8/11 7:40	0	0	0	0	0	253	129	42	17	216
2025/8/11 7:50	0	0	0	0	0	253	132	43	18	175
2025/8/11 8:00	0	0	0	0	0	269	153	41	17	203
2025/8/11 8:10	0	0	0	0	0	281	143	40	18	204
2025/8/11 8:20	0	0	0	0	0	321	130	40	16	189
2025/8/11 8:30	0	0	0	0	0	230	154	38	17	141
2025/8/11 8:40	0	0	0	0	0	143	185	36	18	100
2025/8/11 8:50	0	0	0	0	0	147	158	36	13	99
2025/8/11 9:00	0	0	0	0	0	159	145	36	13	140
2025/8/11 9:10	0	0	0	0	0	215	139	38	13	144
2025/8/11 9:20	0	0	0	0	0	189	141	38	15	112
2025/8/11 9:30	0	0	0	0	0	216	153	40	16	100
2025/8/11 9:40	0	0	0	0	0	166	163	40	16	106
2025/8/11 9:50	0	0	0	0	0	172	186	39	15	106
2025/8/11 10:00	0	0	0	0	0	237	158	38	16	214
2025/8/11 10:10	0	0	0	0	0	229	151	42	19	221
2025/8/11 10:20	0	0	0	0	0	155	155	39	19	89
2025/8/11 10:30	0	0	0	0	0	208	149	43	15	161
2025/8/11 10:40	0	0	0	0	0	172	162	38	17	122
2025/8/11 10:50	0	0	0	0	0	194	134	36	14	144
2025/8/11 11:00	0	0	0	0	0	167	156	37	16	121
2025/8/11 11:10	0	0	0	0	0	259	137	36	15	189
2025/8/11 11:20	0	0	0	0	0	191	157	38	17	141
2025/8/11 11:30	0	0	0	0	0	194	143	38	17	123
2025/8/11 11:40	0.1	0	0	0	0	158	132	37	15	151
2025/8/11 11:50	0.1	0	0	0.1	0	193	106	46	14	222
2025/8/11 12:00	0.1	0	0	0.1	0	157	129	38	14	192
2025/8/11 12:10	0.1	0	0	0.1	0	100	148	38	12	98
2025/8/11 12:20	0.1	0	0	0.1	0	119	139	34	13	111
2025/8/11 12:30	0.1	0	0	0.1	0	86	135	35	9	98
2025/8/11 12:40	0.1	0	0	0.1	0	63	130	35	9	86
2025/8/11 12:50	0.1	0	0	0.1	0	136	137	35	9	114
2025/8/11 13:00	0.1	0	0	0.1	0	99	130	34	8	102
2025/8/11 13:10	0.1	0	0	0.1	0	95	150	32	9	82
2025/8/11 13:20	0.1	0	0	0.1	0	112	153	32	9	102
2025/8/11 13:30	0.1	0.1	0	0.1	0	87	135	31	9	83

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/11 13:40	0.1	0	0	0.1	0	62	155	33	13	75
2025/8/11 13:50	0.1	0	0	0.1	0	115	167	33	8	84
2025/8/11 14:00	0.1	0	0	0.1	0	208	160	34	11	159
2025/8/11 14:10	0.1	0	0	0.1	0	156	140	34	11	97
2025/8/11 14:20	0.1	0	0	0.1	0	137	164	36	10	80
2025/8/11 14:30	0.1	0	0	0.1	0	168	174	36	11	90
2025/8/11 14:40	0.1	0	0	0.1	0	113	172	35	10	102
2025/8/11 14:50	0.1	0	0	0.1	0	78	179	34	15	90
2025/8/11 15:00	0.1	0	0	0.1	0	86	186	34	15	76
2025/8/11 15:10	0.1	0	0	0	0	72	175	33	9	72
2025/8/11 15:20	0.1	0	0	0.1	0	153	122	34	8	84
2025/8/11 15:30	0.1	0	0	0	0	109	141	33	8	75
2025/8/11 15:40	0.1	0	0	0.1	0	98	174	33	9	80
2025/8/11 15:50	0.1	0	0	0	0	114	141	35	10	84
2025/8/11 16:00	0.1	0	0	0	0	112	142	33	9	85
2025/8/11 16:10	0	0	0	0	0	121	137	33	9	79
2025/8/11 16:20	0	0	0	0	0	109	130	35	8	75
2025/8/11 16:30	0	0	0	0	0	69	151	35	12	71
2025/8/11 16:40	0	0	0	0	0	77	157	36	18	70
2025/8/11 16:50	0	0	0	0	0	153	137	37	13	72
2025/8/11 17:00	0	0	0	0	0	92	145	38	14	73
2025/8/11 17:10	0	0	0	0	0	105	143	39	15	75
2025/8/11 17:20	0	0	0	0	0	135	139	39	14	77
2025/8/11 17:30	0	0	0	0	0	109	175	38	15	71
2025/8/11 17:40	0	0	0	0	0	136	172	37	16	82
2025/8/11 17:50	0	0	0	0	0	161	158	39	16	74
2025/8/11 18:00	0	0	0	0	0	194	179	39	16	99
2025/8/11 18:10	0	0	0	0	0	182	179	40	16	74
2025/8/11 18:20	0	0	0	0	0	159	150	38	17	79
2025/8/11 18:30	0	0	0	0	0	179	145	38	17	79
2025/8/11 18:40	0	0	0	0	0	140	145	37	16	77
2025/8/11 18:50	0	0	0	0	0	120	147	37	12	74
2025/8/11 19:00	0	0	0	0	0	152	146	38	14	78
2025/8/11 19:10	0	0	0	0	0	99	162	36	14	74
2025/8/11 19:20	0	0	0	0	0	160	120	37	13	79
2025/8/11 19:30	0	0	0	0	0	104	150	36	12	78
2025/8/11 19:40	0	0	0	0	0	89	142	36	11	72
2025/8/11 19:50	0	0	0	0	0	160	119	36	13	78
2025/8/11 20:00	0	0	0	0	0	120	143	35	18	79
2025/8/11 20:10	0	0	0	0	0	122	157	36	12	74
2025/8/11 20:20	0	0	0	0	0	122	154	37	13	92
2025/8/11 20:30	0	0	0	0	0	86	172	38	12	80
2025/8/11 20:40	0	0	0	0	0	93	176	38	13	73
2025/8/11 20:50	0	0	0	0	0	76	188	37	21	80
2025/8/11 21:00	0	0	0	0	0	95	183	34	13	74
2025/8/11 21:10	0	0	0	0	0	123	176	34	11	86
2025/8/11 21:20	0	0	0	0	0	127	151	35	11	97
2025/8/11 21:30	0	0	0	0	0	98	160	35	11	73
2025/8/11 21:40	0	0	0	0	0	96	163	34	15	84
2025/8/11 21:50	0	0	0	0	0	111	174	33	12	76
2025/8/11 22:00	0	0	0	0	0	160	178	34	12	107
2025/8/11 22:10	0	0	0	0	0	168	154	34	11	92
2025/8/11 22:20	0	0	0	0	0	158	196	34	12	76
2025/8/11 22:30	0	0	0	0	0	192	170	34	11	92
2025/8/11 22:40	0	0	0	0	0	155	174	35	11	80
2025/8/11 22:50	0	0	0	0	0	147	176	35	12	81
2025/8/11 23:00	0	0	0	0	0	121	224	37	12	71
2025/8/11 23:10	0	0	0	0	0	152	166	38	11	90
2025/8/11 23:20	0	0	0	0	0	116	223	38	10	70
2025/8/11 23:30	0	0	0	0	0	221	179	38	11	87
2025/8/11 23:40	0	0	0	0	0	194	171	37	12	117
2025/8/11 23:50	0	0	0	0	0	307	139	38	11	164
2025/8/12 0:00	0	0	0	0	0	217	147	38	12	136
2025/8/12 0:10	0	0	0	0	0	192	154	37	11	99
2025/8/12 0:20	0	0	0	0	0	237	141	37	11	134
2025/8/12 0:30	0	0	0	0	0	179	194	37	12	84
2025/8/12 0:40	0	0	0	0	0	148	194	37	10	80
2025/8/12 0:50	0	0	0	0	0	164	162	36	11	92
2025/8/12 1:00	0	0	0	0	0	144	178	36	10	111
2025/8/12 1:10	0	0	0	0	0	144	164	36	11	74
2025/8/12 1:20	0	0	0	0	0	98	143	36	14	70
2025/8/12 1:30	0	0	0	0	0	125	147	35	13	80
2025/8/12 1:40	0	0	0	0	0	92	185	35	13	69

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/12 1:50	0	0	0	0	0	120	147	35	9	83
2025/8/12 2:00	0	0	0	0	0	123	131	34	9	90
2025/8/12 2:10	0	0	0	0	0	140	128	35	9	80
2025/8/12 2:20	0	0	0	0	0	105	136	35	9	70
2025/8/12 2:30	0	0	0	0	0	128	135	35	10	71
2025/8/12 2:40	0	0	0	0	0	95	142	36	16	70
2025/8/12 2:50	0	0	0	0	0	107	140	36	10	73
2025/8/12 3:00	0	0	0	0	0	109	145	36	10	71
2025/8/12 3:10	0	0	0	0	0	124	152	35	10	74
2025/8/12 3:20	0	0	0	0	0	106	152	35	8	68
2025/8/12 3:30	0	0	0	0	0	118	207	36	10	83
2025/8/12 3:40	0	0	0	0	0	139	139	36	9	74
2025/8/12 3:50	0	0	0	0	0	108	174	36	10	69
2025/8/12 4:00	0	0	0	0	0	107	176	36	23	77
2025/8/12 4:10	0	0	0	0	0	85	163	36	10	70
2025/8/12 4:20	0	0	0	0	0	132	151	35	14	78
2025/8/12 4:30	0	0	0	0	0	111	145	35	11	69
2025/8/12 4:40	0	0	0	0	0	112	139	34	17	70
2025/8/12 4:50	0	0	0	0	0	105	170	34	10	69
2025/8/12 5:00	0	0	0	0	0	133	185	34	11	93
2025/8/12 5:10	0	0	0	0	0	96	169	34	18	68
2025/8/12 5:20	0	0	0	0	0	70	169	34	10	66
2025/8/12 5:30	0	0	0	0	0	103	177	34	8	72
2025/8/12 5:40	0	0	0	0	0	70	208	36	9	67
2025/8/12 5:50	0	0	0	0	0	97	173	35	8	67
2025/8/12 6:00	0	0	0	0	0	96	162	33	8	66
2025/8/12 6:10	0	0	0	0	0	80	186	32	14	69
2025/8/12 6:20	0	0	0	0	0	155	149	33	8	78
2025/8/12 6:30	0	0	0	0	0	62	203	33	12	72
2025/8/12 6:40	0	0	0	0	0	90	201	33	11	73
2025/8/12 6:50	0	0	0	0	0	71	183	34	11	69
2025/8/12 7:00	0	0	0	0	0	106	202	35	15	69
2025/8/12 7:10	0	0	0	0	0	158	215	34	10	75
2025/8/12 7:20	0	0	0	0	0	134	222	35	10	69
2025/8/12 7:30	0	0	0	0	0	122	176	34	10	78
2025/8/12 7:40	0	0	0	0	0	93	204	35	11	70
2025/8/12 7:50	0	0	0	0	0	125	252	35	13	102
2025/8/12 8:00	0	0	0	0	0	97	246	36	17	69
2025/8/12 8:10	0	0	0	0	0	120	237	36	13	87
2025/8/12 8:20	0	0	0	0	0	179	228	37	11	74
2025/8/12 8:30	0	0	0	0	0	120	261	38	20	76
2025/8/12 8:40	0	0	0	0	0	128	280	37	12	72
2025/8/12 8:50	0	0	0	0	0	144	262	37	15	73
2025/8/12 9:00	0	0	0	0	0	109	276	38	16	74
2025/8/12 9:10	0	0	0	0	0	137	253	37	15	99
2025/8/12 9:20	0	0	0	0	0	123	260	38	21	79
2025/8/12 9:30	0	0	0	0	0	112	286	39	17	86
2025/8/12 9:40	0	0	0	0	0	118	208	38	37	78
2025/8/12 9:50	0	0	0	0	0	99	250	38	18	78
2025/8/12 10:00	0.1	0	0	0	0	120	318	39	18	79
2025/8/12 10:10	0.1	0	0	0	0	155	281	39	20	79
2025/8/12 10:20	0.1	0	0	0	0	74	345	38	33	76
2025/8/12 10:30	0.1	0	0	0	0	103	495	37	59	77
2025/8/12 10:40	0.1	0	0	0	0	236	346	38	29	97
2025/8/12 10:50	0.1	0	0	0	0	191	280	38	18	99
2025/8/12 11:00	0.1	0	0	0.1	0	219	248	40	29	137
2025/8/12 11:10	0.1	0	0	0.1	0	299	214	39	11	165
2025/8/12 11:20	0.1	0	0	0.1	0	239	182	39	12	115
2025/8/12 11:30	0.1	0	0	0.1	0	267	192	39	12	135
2025/8/12 11:40	0.1	0	0	0.1	0	373	235	41	13	250
2025/8/12 11:50	0.1	0	0	0.1	0	190	253	37	28	119
2025/8/12 12:00	0.1	0	0	0.1	0	125	289	38	15	84
2025/8/12 12:10	0.1	0	0	0.1	0	240	182	37	16	147
2025/8/12 12:20	0.1	0	0	0.1	0	154	190	37	11	87
2025/8/12 12:30	0.1	0	0	0.1	0	89	187	37	10	91
2025/8/12 12:40	0.1	0.1	0	0.1	0	60	302	37	27	82
2025/8/12 12:50	0.1	0	0	0.1	0	90	249	35	27	84
2025/8/12 13:00	0.1	0	0	0.1	0	81	285	35	39	82
2025/8/12 13:10	0.1	0	0	0.1	0	57	314	35	32	78
2025/8/12 13:20	0.1	0	0	0.1	0	48	330	35	71	77
2025/8/12 13:30	0.1	0	0	0.1	0	64	314	35	51	80
2025/8/12 13:40	0.1	0	0	0.1	0	90	363	37	36	91
2025/8/12 13:50	0.1	0	0	0.1	0	176	366	38	13	91

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/12 14:00	0.1	0	0	0.1	0	186	340	39	14	79
2025/8/12 14:10	0.1	0	0	0.1	0	108	379	38	18	79
2025/8/12 14:20	0.1	0	0	0.1	0	232	337	51	45	197
2025/8/12 14:30	0.1	0	0	0.1	0	259	386	38	142	181
2025/8/12 14:40	0.1	0	0	0.1	0	331	377	39	12	121
2025/8/12 14:50	0.1	0	0	0.1	0	168	405	37	31	94
2025/8/12 15:00	0.1	0	0	0.1	0	252	361	37	14	136
2025/8/12 15:10	0.1	0	0	0.1	0	197	329	37	14	124
2025/8/12 15:20	0.1	0	0	0.1	0	264	309	55	16	245
2025/8/12 15:30	0.1	0	0	0.1	0	394	325	121	23	535
2025/8/12 15:40	0.1	0	0	0.1	0	329	247	125	21	563
2025/8/12 15:50	0.1	0	0	0.1	0	331	217	103	22	524
2025/8/12 16:00	0.1	0	0	0.1	0	293	255	101	26	466
2025/8/12 16:10	0.1	0	0	0.1	0	310	252	121	28	495
2025/8/12 16:20	0.1	0	0	0	0	436	204	134	28	570
2025/8/12 16:30	0.1	0	0	0	0	298	200	166	32	503
2025/8/12 16:40	0.1	0	0	0	0	296	184	149	29	522
2025/8/12 16:50	0	0	0	0	0	343	219	141	27	463
2025/8/12 17:00	0	0	0	0	0	345	204	113	25	514
2025/8/12 17:10	0	0	0	0	0	327	211	124	25	468
2025/8/12 17:20	0	0	0	0	0	388	192	182	24	581
2025/8/12 17:30	0	0	0	0	0	310	212	161	25	504
2025/8/12 17:40	0	0	0	0	0	372	227	161	27	562
2025/8/12 17:50	0	0	0	0	0	345	212	167	29	556
2025/8/12 18:00	0	0	0	0	0	387	258	99	35	447
2025/8/12 18:10	0	0	0	0	0	346	189	106	33	502
2025/8/12 18:20	0	0	0	0	0	390	284	118	34	460
2025/8/12 18:30	0	0	0	0	0	307	194	100	31	421
2025/8/12 18:40	0	0	0	0	0	334	240	122	32	486
2025/8/12 18:50	0	0	0	0	0	381	227	94	34	444
2025/8/12 19:00	0	0	0	0	0	322	192	119	35	436
2025/8/12 19:10	0	0	0	0	0	368	240	84	33	415
2025/8/12 19:20	0	0	0	0	0	411	275	136	33	458
2025/8/12 19:30	0	0	0	0	0	387	232	79	32	440
2025/8/12 19:40	0	0	0	0	0	401	205	66	32	407
2025/8/12 19:50	0	0	0	0	0	440	217	58	31	441
2025/8/12 20:00	0	0	0	0	0	416	237	154	32	511
2025/8/12 20:10	0	0	0	0	0	363	244	169	31	530
2025/8/12 20:20	0	0	0	0	0	484	336	78	30	531
2025/8/12 20:30	0	0	0	0	0	422	308	60	31	345
2025/8/12 20:40	0	0	0	0	0	433	318	53	31	316
2025/8/12 20:50	0	0	0	0	0	405	529	53	578	322
2025/8/12 21:00	0	0	0	0.1	0.1	710	726	136	1162	847
2025/8/12 21:10	0	0	0	1.7	2.3	602	895	113	1122	496
2025/8/12 21:20	0	0	0	2.1	0.6	423	671	54	830	261
2025/8/12 21:30	0	0	0	0.4	0	431	635	56	833	334
2025/8/12 21:40	0	0	0	1.7	0	137	334	74	788	165
2025/8/12 21:50	0	0	0	0	0	92	216	77	611	137
2025/8/12 22:00	0	0	0	0	0	85	173	63	539	128
2025/8/12 22:10	0	0	0	0	0	81	162	57	631	127
2025/8/12 22:20	0	0	0	0	0	80	172	90	485	126
2025/8/12 22:30	0	0	0	0	0	77	141	58	427	122
2025/8/12 22:40	0	0	0	0	0	75	125	88	341	114
2025/8/12 22:50	0	0	0	0	0	75	130	60	597	111
2025/8/12 23:00	0	0	0	0	0	73	134	48	428	107
2025/8/12 23:10	0	0	0	0	0	73	132	49	469	105
2025/8/12 23:20	0	0	0	0	0	75	122	58	627	106
2025/8/12 23:30	0	0	0	0	0	71	125	63	461	109
2025/8/12 23:40	0	0	0	0	0	67	103	67	412	100
2025/8/12 23:50	0	0	0	0	0	69	89	273	195	150
2025/8/13 0:00	0	0	0	0	0	68	91	194	149	204
2025/8/13 0:10	0	0	0	0	0	67	88	246	145	190
2025/8/13 0:20	0	0	0	0	0	80	86	173	294	195
2025/8/13 0:30	0	0	0	0	0	61	83	199	217	129
2025/8/13 0:40	0	0	0	0	0	65	82	243	93	134
2025/8/13 0:50	0	0	0	0	0	70	87	330	94	287
2025/8/13 1:00	0	0	0	0	0.1	59	82	263	185	189
2025/8/13 1:10	0	0	0	0	0	78	98	336	99	250
2025/8/13 1:20	0	0	0	0	0	90	97	303	73	252
2025/8/13 1:30	0	0	0	0	0	86	96	312	75	334
2025/8/13 1:40	0	0	0	0	0	366	216	161	35	378
2025/8/13 1:50	0	0	0	0	0	383	207	54	31	308
2025/8/13 2:00	0	0	0	0	0	380	158	138	31	481

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/13 2:10	0	0	0	0	0	417	222	489	279	611
2025/8/13 2:20	0	0	0	0	0.1	566	320	460	172	557
2025/8/13 2:30	0	0	0	0	0.1	113	113	383	253	211
2025/8/13 2:40	0	0	0	0	0	103	111	416	274	230
2025/8/13 2:50	0	0	0	0	0	181	124	278	55	428
2025/8/13 3:00	0	0	0	0	0	94	93	317	120	275
2025/8/13 3:10	0	0	0	0	0	80	91	391	97	205
2025/8/13 3:20	0	0	0	0	0	80	85	355	122	300
2025/8/13 3:30	0	0	0	0	0	76	85	356	118	298
2025/8/13 3:40	0	0	0	0	0	72	82	304	126	254
2025/8/13 3:50	0	0	0	0	0	305	174	269	111	421
2025/8/13 4:00	0	0	0	0	0	349	177	254	42	551
2025/8/13 4:10	0	0	0	0	0	84	87	487	39	342
2025/8/13 4:20	0	0	0	0	0	62	80	331	123	238
2025/8/13 4:30	0	0	0	0	0	63	92	368	51	355
2025/8/13 4:40	0	0	0	0	0	91	76	400	91	415
2025/8/13 4:50	0	0	0	0	0	60	71	419	194	265
2025/8/13 5:00	0	0	0	0	0	150	82	268	38	608
2025/8/13 5:10	0	0	0	0	0	133	77	378	81	457
2025/8/13 5:20	0	0	0	0	0	180	71	415	71	503
2025/8/13 5:30	0	0	0	0	0	231	66	465	516	529
2025/8/13 5:40	0	0	0	0	0	135	82	348	642	523
2025/8/13 5:50	0	0	0	0	0.1	49	128	146	556	581
2025/8/13 6:00	0	0	0	0	0	354	230	449	619	748
2025/8/13 6:10	0	0	0	0	0.6	148	147	116	564	373
2025/8/13 6:20	0	0	0	0	0.2	407	100	344	325	733
2025/8/13 6:30	0	0	0	0	0.9	78	76	59	505	199
2025/8/13 6:40	0	0	0	0	0	46	92	33	597	197
2025/8/13 6:50	0	0	0	0	0	43	214	203	304	237
2025/8/13 7:00	0	0	0	0	0	57	401	36	429	112
2025/8/13 7:10	0	0	0	0.1	0	625	315	37	182	511
2025/8/13 7:20	0	0	0	0.1	0	396	87	163	35	625
2025/8/13 7:30	0	0	0	0.1	0.1	432	80	78	175	536
2025/8/13 7:40	0	0	0.1	0.1	0	165	75	183	12	610
2025/8/13 7:50	0	0	0.1	0.1	0	101	63	242	61	604
2025/8/13 8:00	0	0	0.1	0.1	0.1	237	59	250	24	545
2025/8/13 8:10	0.1	0	0.1	0.1	0.2	93	74	384	106	610
2025/8/13 8:20	0.1	0	0.1	0.1	0.7	116	67	296	34	658
2025/8/13 8:30	0.1	0	0.1	0.1	0.3	42	55	414	82	342
2025/8/13 8:40	0.1	0	0.1	0.1	0	127	106	322	73	655
2025/8/13 8:50	0.1	0	0.1	0.1	0.1	55	58	283	90	283
2025/8/13 9:00	0.1	0	0.1	0.1	0	82	87	228	170	366
2025/8/13 9:10	0.1	0	0.1	0.1	0	131	70	230	13	537
2025/8/13 9:20	0.1	0	0.1	0.1	0.1	66	55	248	96	391
2025/8/13 9:30	0.1	0	0.1	0.1	0.2	165	140	189	70	571
2025/8/13 9:40	0.1	0	0.1	0.1	0.1	125	74	246	8	440
2025/8/13 9:50	0.1	0	0.1	0.1	0	41	55	189	63	343
2025/8/13 10:00	0.1	0	0.1	0.1	0	67	65	194	85	411
2025/8/13 10:10	0.1	0	0.1	0.1	0	51	54	156	83	269
2025/8/13 10:20	0.1	0	0.1	0.1	0	93	69	228	14	491
2025/8/13 10:30	0.1	0	0.1	0.1	0.1	48	76	173	106	289
2025/8/13 10:40	0.1	0.1	0.1	0.1	0.1	35	69	175	87	259
2025/8/13 10:50	0.1	0.1	0.1	0.1	0	39	78	286	30	441
2025/8/13 11:00	0.1	0.1	0.1	0.1	0	46	55	217	103	369
2025/8/13 11:10	0.1	0	0.1	0.1	0	47	53	202	25	372
2025/8/13 11:20	0.1	0	0.1	0.1	0	50	76	248	61	353
2025/8/13 11:30	0.1	0	0.1	0.1	0	45	53	239	85	356
2025/8/13 11:40	0.1	0	0.1	0.1	0	31	106	182	46	213
2025/8/13 11:50	0.1	0.1	0	0.1	0	44	55	235	53	299
2025/8/13 12:00	0.1	0.1	0.1	0.1	0	52	52	226	22	298
2025/8/13 12:10	0.1	0.1	0.1	0.1	0	50	57	222	10	380
2025/8/13 12:20	0.1	0.1	0.1	0.1	0	115	77	204	11	446
2025/8/13 12:30	0.1	0.1	0.1	0.1	0	81	86	234	1	310
2025/8/13 12:40	0.1	0.1	0.1	0.1	0	54	58	190	8	291
2025/8/13 12:50	0.1	0.1	0.1	0.1	0	60	68	193	1	290
2025/8/13 13:00	0.1	0.1	0	0.1	0	90	93	241	1	332
2025/8/13 13:10	0.1	0.1	0.1	0.1	0	40	57	248	2	276
2025/8/13 13:20	0.1	0.1	0.1	0.1	0	88	66	191	34	376
2025/8/13 13:30	0.1	0.1	0	0.1	0	41	63	262	12	377
2025/8/13 13:40	0.1	0.1	0	0.1	0	133	114	153	14	401
2025/8/13 13:50	0.2	0.1	0	0.1	0	89	78	207	1	352
2025/8/13 14:00	0.2	0.1	0	0.1	0	166	75	125	1	420
2025/8/13 14:10	0.2	0.1	0	0.1	0	101	79	128	1	414

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/13 14:20	0.2	0.1	0	0.1	0	130	88	172	1	425
2025/8/13 14:30	0.2	0.1	0	0.1	0	105	78	173	12	332
2025/8/13 14:40	0.2	0.1	0	0.1	0	53	68	209	33	338
2025/8/13 14:50	0.2	0.1	0	0.1	0	73	66	216	20	283
2025/8/13 15:00	0.2	0.1	0	0.1	0	43	61	197	49	271
2025/8/13 15:10	0.2	0.1	0	0.1	0	51	66	175	6	249
2025/8/13 15:20	0.2	0.1	0	0.1	0	49	77	301	5	328
2025/8/13 15:30	0.2	0.1	0	0.1	0	42	65	211	69	271
2025/8/13 15:40	0.2	0.1	0	0.1	0	42	65	284	37	337
2025/8/13 15:50	0.2	0.1	0	0.1	0	111	67	218	1	460
2025/8/13 16:00	0.2	0.1	0	0.1	0	61	62	219	1	352
2025/8/13 16:10	0.1	0.1	0	0.1	0	37	61	338	11	267
2025/8/13 16:20	0.1	0.1	0	0.1	0.1	62	60	322	1	443
2025/8/13 16:30	0.1	0.1	0	0	0	86	63	238	1	509
2025/8/13 16:40	0.1	0.1	0	0	0	68	59	224	6	398
2025/8/13 16:50	0.1	0.1	0	0	0	51	66	235	5	380
2025/8/13 17:00	0.1	0.1	0	0	0	53	60	257	2	394
2025/8/13 17:10	0.1	0.1	0	0	0	47	56	301	1	330
2025/8/13 17:20	0.1	0.1	0	0	0	62	62	240	1	396
2025/8/13 17:30	0.1	0.1	0	0	0	53	66	248	1	399
2025/8/13 17:40	0.1	0	0	0	0	55	52	270	1	340
2025/8/13 17:50	0	0	0	0	0	67	55	257	1	312
2025/8/13 18:00	0	0	0	0	0	52	51	262	1	347
2025/8/13 18:10	0	0	0	0	0	64	70	239	1	462
2025/8/13 18:20	0	0	0	0	0	34	49	283	1	277
2025/8/13 18:30	0	0	0	0	0	92	54	244	1	379
2025/8/13 18:40	0	0	0	0	0	63	63	264	1	375
2025/8/13 18:50	0	0	0	0	0	39	60	312	1	380
2025/8/13 19:00	0	0	0	0	0	47	57	295	2	331
2025/8/13 19:10	0	0	0	0	0	57	60	289	5	382
2025/8/13 19:20	0	0	0	0	0	60	61	247	1	476
2025/8/13 19:30	0	0	0	0	0	59	52	327	8	503
2025/8/13 19:40	0	0	0	0	0	89	61	319	18	399
2025/8/13 19:50	0	0	0	0	0	49	63	315	21	403
2025/8/13 20:00	0	0	0	0	0	33	54	348	36	228
2025/8/13 20:10	0	0	0	0	0	65	77	282	13	415
2025/8/13 20:20	0	0	0	0	0	39	64	360	25	229
2025/8/13 20:30	0	0	0	0	0	46	59	310	14	360
2025/8/13 20:40	0	0	0	0	0	67	85	300	16	476
2025/8/13 20:50	0	0	0	0	0	49	70	322	9	392
2025/8/13 21:00	0	0	0	0	0	49	63	315	8	307
2025/8/13 21:10	0	0	0	0	0	53	62	297	6	347
2025/8/13 21:20	0	0	0	0	0	73	66	236	8	389
2025/8/13 21:30	0	0	0	0	0	95	70	205	8	492
2025/8/13 21:40	0	0	0	0	0	77	62	298	10	361
2025/8/13 21:50	0	0	0	0	0	46	59	241	6	403
2025/8/13 22:00	0	0	0	0	0	44	60	424	11	325
2025/8/13 22:10	0	0	0	0	0	71	64	272	4	547
2025/8/13 22:20	0	0	0	0	0	45	60	387	17	411
2025/8/13 22:30	0	0	0	0	0	61	62	383	14	491
2025/8/13 22:40	0	0	0	0	0	52	61	506	38	438
2025/8/13 22:50	0	0	0	0	0	64	67	424	31	610
2025/8/13 23:00	0	0	0	0	0.1	72	81	443	25	540
2025/8/13 23:10	0	0	0	0	0	66	61	461	88	450
2025/8/13 23:20	0	0	0	0	0	69	68	464	41	610
2025/8/13 23:30	0	0	0	0	0	60	55	516	245	469
2025/8/13 23:40	0	0	0	0	0.1	50	52	564	168	564
2025/8/13 23:50	0	0	0	0	0.1	212	60	435	21	705
2025/8/14 0:00	0	0	0	0	0.8	129	71	479	244	581
2025/8/14 0:10	0	0	0	0	0.3	76	95	433	128	516
2025/8/14 0:20	0	0	0	0	0.2	82	62	435	87	485
2025/8/14 0:30	0	0	0	0	0	67	68	364	29	616
2025/8/14 0:40	0	0	0	0	0	79	62	453	68	465
2025/8/14 0:50	0	0	0	0	0	132	70	336	16	564
2025/8/14 1:00	0	0	0	0	0	69	72	407	44	448
2025/8/14 1:10	0	0	0	0	0	78	79	380	22	452
2025/8/14 1:20	0	0	0	0	0	63	72	395	22	412
2025/8/14 1:30	0	0	0	0	0	161	64	260	27	623
2025/8/14 1:40	0	0	0	0	0	63	63	331	16	419
2025/8/14 1:50	0	0	0	0	0	65	65	394	32	370
2025/8/14 2:00	0	0	0	0	0	87	63	313	22	499
2025/8/14 2:10	0	0	0	0	0	50	58	370	53	374
2025/8/14 2:20	0	0	0	0	0	151	66	294	31	500

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/14 2:30	0	0	0	0	0	285	66	138	5	566
2025/8/14 2:40	0	0	0	0	0	293	80	272	7	568
2025/8/14 2:50	0	0	0	0	0	430	65	254	144	670
2025/8/14 3:00	0	0	0	0	0	454	191	252	66	691
2025/8/14 3:10	0	0	0	0	0	694	288	257	716	815
2025/8/14 3:20	0	0	0	0	0.4	312	68	523	94	789
2025/8/14 3:30	0	0	0	0	0.3	183	65	537	376	565
2025/8/14 3:40	0	0	0	0	0	235	68	504	59	655
2025/8/14 3:50	0	0	0	0	0	75	56	453	136	429
2025/8/14 4:00	0	0	0	0	0	71	50	387	249	400
2025/8/14 4:10	0	0	0	0	0	45	51	208	425	147
2025/8/14 4:20	0	0	0	0	0	45	50	222	286	114
2025/8/14 4:30	0	0	0	0	0	85	70	203	254	283
2025/8/14 4:40	0	0	0	0	0	44	54	115	403	197
2025/8/14 4:50	0	0	0	0	0	63	51	181	256	269
2025/8/14 5:00	0	0	0	0	0	48	56	332	223	266
2025/8/14 5:10	0	0	0	0	0	47	72	310	169	288
2025/8/14 5:20	0	0	0	0	0	47	57	244	142	209
2025/8/14 5:30	0	0	0	0	0	45	60	273	262	241
2025/8/14 5:40	0	0	0	0	0	45	62	238	254	148
2025/8/14 5:50	0	0	0	0	0	43	52	208	242	207
2025/8/14 6:00	0	0	0	0	0	46	61	158	239	178
2025/8/14 6:10	0	0	0	0	0	72	56	427	54	419
2025/8/14 6:20	0	0	0	0	0	48	51	317	113	233
2025/8/14 6:30	0	0	0	0	0	47	55	258	152	133
2025/8/14 6:40	0	0	0	0	0	47	50	231	113	229
2025/8/14 6:50	0	0	0	0	0	56	57	176	352	102
2025/8/14 7:00	0	0	0	0	0	47	52	128	229	184
2025/8/14 7:10	0	0	0	0	0	78	67	450	73	431
2025/8/14 7:20	0	0	0	0	0	60	51	404	43	474
2025/8/14 7:30	0	0	0	0	0	121	55	413	115	509
2025/8/14 7:40	0	0	0	0	0.1	44	51	383	185	423
2025/8/14 7:50	0	0	0	0	0	60	47	351	98	470
2025/8/14 8:00	0	0	0	0	0	61	50	361	23	446
2025/8/14 8:10	0	0	0	0	0	53	59	328	82	378
2025/8/14 8:20	0	0	0	0	0	48	45	274	105	387
2025/8/14 8:30	0	0	0	0	0.3	42	54	340	80	417
2025/8/14 8:40	0	0	0	0	0.1	40	50	298	56	363
2025/8/14 8:50	0.1	0	0	0.1	0	80	61	240	29	484
2025/8/14 9:00	0.1	0	0	0.1	0	102	44	275	39	489
2025/8/14 9:10	0.1	0	0	0.1	0	79	111	181	213	395
2025/8/14 9:20	0.1	0	0	0.1	0	18	56	88	197	136
2025/8/14 9:30	0.1	0	0	0.1	0	60	68	87	354	182
2025/8/14 9:40	0.1	0	0	0.1	0	157	45	205	107	491
2025/8/14 9:50	0.1	0	0	0.1	0	226	69	207	185	412
2025/8/14 10:00	0.1	0	0	0.1	0	28	101	134	162	277
2025/8/14 10:10	0.1	0	0	0.1	0.1	31	41	105	65	148
2025/8/14 10:20	0.1	0	0	0.1	0	51	48	193	50	525
2025/8/14 10:30	0.1	0	0	0.1	0	92	82	161	101	415
2025/8/14 10:40	0.1	0	0	0.1	0	68	45	138	63	419
2025/8/14 10:50	0.1	0	0	0.1	0	55	43	191	10	296
2025/8/14 11:00	0.1	0	0	0.1	0	27	43	207	34	302
2025/8/14 11:10	0.1	0	0.1	0.1	0	32	45	235	40	347
2025/8/14 11:20	0.1	0	0.1	0.1	0	41	81	148	165	233
2025/8/14 11:30	0.1	0	0.1	0.1	0	46	41	192	88	319
2025/8/14 11:40	0.1	0	0.1	0.1	0.1	143	37	136	1	338
2025/8/14 11:50	0.1	0	0.1	0.1	0.1	21	42	62	114	114
2025/8/14 12:00	0.1	0	0	0.1	0.1	89	98	88	82	232
2025/8/14 12:10	0.1	0	0	0.1	0.1	56	60	68	188	197
2025/8/14 12:20	0.1	0	0	0.1	0.1	55	60	80	73	356
2025/8/14 12:30	0.1	0	0	0.1	0	27	35	102	51	235
2025/8/14 12:40	0.1	0	0	0.1	0.1	31	69	66	157	178
2025/8/14 12:50	0.1	0	0	0.1	0.1	28	43	164	73	265
2025/8/14 13:00	0.1	0	0	0.1	0.1	33	65	169	115	348
2025/8/14 13:10	0.1	0	0	0.1	0.1	115	69	165	15	403
2025/8/14 13:20	0.2	0.1	0	0.1	0.1	50	77	55	189	133
2025/8/14 13:30	0.2	0.1	0	0.1	0.1	110	64	175	21	301
2025/8/14 13:40	0.2	0.1	0	0.1	0.1	158	95	208	1	488
2025/8/14 13:50	0.2	0.1	0	0.1	0.1	140	76	204	74	550
2025/8/14 14:00	0.2	0.1	0	0.1	0.1	36	72	169	99	257
2025/8/14 14:10	0.2	0.1	0	0.1	0.1	39	70	237	23	374
2025/8/14 14:20	0.2	0.1	0	0.1	0	141	69	135	1	466
2025/8/14 14:30	0.2	0.1	0	0.1	0	157	73	168	1	440

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/14 14:40	0.2	0.1	0	0.1	0	107	84	195	32	450
2025/8/14 14:50	0.2	0.1	0	0.1	0.1	207	92	116	1	339
2025/8/14 15:00	0.2	0.1	0	0.1	0	159	199	62	20	307
2025/8/14 15:10	0.2	0.1	0	0.1	0	151	116	148	83	506
2025/8/14 15:20	0.2	0.1	0	0.1	0.3	71	79	216	9	352
2025/8/14 15:30	0.1	0.1	0	0.1	0.1	179	120	70	1	378
2025/8/14 15:40	0.2	0.1	0	0.1	0	158	156	60	1	321
2025/8/14 15:50	0.2	0.1	0	0.1	0	176	137	58	1	328
2025/8/14 16:00	0.2	0.1	0	0.1	0	164	116	50	1	313
2025/8/14 16:10	0.1	0.1	0	0.1	0	156	179	70	1	302
2025/8/14 16:20	0.1	0.1	0	0.1	0	151	175	86	1	369
2025/8/14 16:30	0.1	0.1	0	0.1	0	183	123	93	1	357
2025/8/14 16:40	0.1	0.1	0	0.1	0	147	147	105	1	365
2025/8/14 16:50	0.1	0.1	0	0.1	0	187	162	116	1	406
2025/8/14 17:00	0.1	0.1	0	0.1	0	183	184	113	1	382
2025/8/14 17:10	0.1	0.1	0	0.1	0	196	159	103	1	351
2025/8/14 17:20	0.1	0.1	0	0.1	0	178	161	96	1	382
2025/8/14 17:30	0.1	0.1	0	0	0	172	143	116	1	401
2025/8/14 17:40	0.1	0.1	0	0	0	177	126	89	1	364
2025/8/14 17:50	0.1	0.1	0	0	0	185	126	74	5	339
2025/8/14 18:00	0.1	0.1	0	0	0	160	149	67	3	284
2025/8/14 18:10	0	0	0	0	0	169	149	85	5	311
2025/8/14 18:20	0	0	0	0	0	201	141	65	3	363
2025/8/14 18:30	0	0	0	0	0	144	134	79	3	367
2025/8/14 18:40	0	0	0	0	0	167	150	108	1	329
2025/8/14 18:50	0	0	0	0	0	140	125	87	2	342
2025/8/14 19:00	0	0	0	0	0	201	161	93	3	356
2025/8/14 19:10	0	0	0	0	0	246	174	66	3	348
2025/8/14 19:20	0	0	0	0	0	198	179	120	5	401
2025/8/14 19:30	0	0	0	0	0	246	202	113	5	422
2025/8/14 19:40	0	0	0	0	0	231	165	86	6	388
2025/8/14 19:50	0	0	0	0	0	228	198	52	3	339
2025/8/14 20:00	0	0	0	0	0	189	136	90	1	367
2025/8/14 20:10	0	0	0	0	0	228	141	48	2	302
2025/8/14 20:20	0	0	0	0	0	210	163	49	2	318
2025/8/14 20:30	0	0	0	0	0	253	140	88	4	376
2025/8/14 20:40	0	0	0	0	0	244	148	96	2	380
2025/8/14 20:50	0	0	0	0	0	234	144	48	1	314
2025/8/14 21:00	0	0	0	0	0	252	163	58	1	327
2025/8/14 21:10	0	0	0	0	0	236	157	49	2	306
2025/8/14 21:20	0	0	0	0	0	238	184	70	4	349
2025/8/14 21:30	0	0	0	0	0	223	154	56	3	343
2025/8/14 21:40	0	0	0	0	0	266	176	45	4	313
2025/8/14 21:50	0	0	0	0	0	236	171	61	4	361
2025/8/14 22:00	0	0	0	0	0	240	168	88	3	391
2025/8/14 22:10	0	0	0	0	0	297	181	63	5	388
2025/8/14 22:20	0	0	0	0	0	320	195	58	6	383
2025/8/14 22:30	0	0	0	0	0	294	168	64	5	435
2025/8/14 22:40	0	0	0	0	0	313	338	82	6	411
2025/8/14 22:50	0	0	0	0	0	417	361	153	8	504
2025/8/14 23:00	0	0	0	0	0	368	248	79	7	458
2025/8/14 23:10	0	0	0	0	0	433	284	81	8	465
2025/8/14 23:20	0	0	0	0	0	360	242	68	6	390
2025/8/14 23:30	0	0	0	0	0	476	266	37	8	469
2025/8/14 23:40	0	0	0	0	0	475	341	44	10	572
2025/8/14 23:50	0	0	0	0	0	401	372	40	10	514
2025/8/15 0:00	0	0	0	0	0	463	367	47	11	475
2025/8/15 0:10	0	0	0	0	0	417	310	71	12	482
2025/8/15 0:20	0	0	0	0	0	437	482	88	16	443
2025/8/15 0:30	0	0	0	0	0	417	281	104	15	450
2025/8/15 0:40	0	0	0	0	0	398	291	63	17	369
2025/8/15 0:50	0	0	0	0	0	359	209	60	16	400
2025/8/15 1:00	0	0	0	0	0	351	207	67	16	464
2025/8/15 1:10	0	0	0	0	0	381	278	56	16	379
2025/8/15 1:20	0	0	0	0	0	481	288	63	31	460
2025/8/15 1:30	0	0	0	0	0	447	491	88	30	562
2025/8/15 1:40	0	0	0	0	0	421	395	49	12	441
2025/8/15 1:50	0	0	0	0	0	347	407	36	466	356
2025/8/15 2:00	0	0	0	0	0	319	502	39	200	371
2025/8/15 2:10	0	0	0	0	0	350	445	35	309	163
2025/8/15 2:20	0	0	0	0	0	485	561	40	835	707
2025/8/15 2:30	0	0	0	1.5	0	481	678	37	1089	373
2025/8/15 2:40	0	0	0	2.1	0	527	701	38	1131	712

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/15 2:50	0	0	0	3.6	0	581	783	52	1199	784
2025/8/15 3:00	0	0	0	4.8	0.1	628	660	36	872	805
2025/8/15 3:10	0	0	0	2	1	550	776	64	1286	794
2025/8/15 3:20	0	0	0	5.4	0.3	515	806	43	1371	842
2025/8/15 3:30	0	0	0	7	0.9	460	790	69	1377	849
2025/8/15 3:40	0	0.3	0	7	0.5	586	908	93	1382	888
2025/8/15 3:50	0	0.2	0	7	1.2	698	520	503	1257	947
2025/8/15 4:00	0	0	0	5.7	3.3	679	727	488	1275	908
2025/8/15 4:10	0	0.6	0	5.8	2.2	703	986	482	1371	851
2025/8/15 4:20	0	0.5	0	6.8	0.6	669	817	556	1241	875
2025/8/15 4:30	0	0.7	0	5.5	1.5	730	893	319	1074	837
2025/8/15 4:40	0	0.3	0	3.5	1.4	696	862	293	1220	833
2025/8/15 4:50	0	0	0	4.8	0.5	737	877	315	1236	811
2025/8/15 5:00	0	0	0	5	0	628	790	357	1165	810
2025/8/15 5:10	0	0	0	4.2	0	752	942	451	1186	820
2025/8/15 5:20	0	0.1	0	4.4	0.2	715	929	425	1205	830
2025/8/15 5:30	0	0	0	4.6	0.6	761	936	426	1186	818
2025/8/15 5:40	0	0	0	4.3	0	639	905	207	1227	784
2025/8/15 5:50	0	0	0	4.8	0	593	795	55	1003	689
2025/8/15 6:00	0	0	0	2.8	0	416	610	43	677	223
2025/8/15 6:10	0	0	0.1	0.5	0	145	355	38	332	104
2025/8/15 6:20	0	0	0.1	0.1	0	115	358	36	252	98
2025/8/15 6:30	0	0	0.1	0.1	0	74	325	33	152	93
2025/8/15 6:40	0	0	0.1	0.2	0	57	339	31	177	93
2025/8/15 6:50	0	0	0.1	0.2	0	121	314	30	198	110
2025/8/15 7:00	0	0	0.1	0.2	0	64	314	31	95	95
2025/8/15 7:10	0	0	0.2	0.2	0	201	333	31	193	185
2025/8/15 7:20	0	0	0.1	0.2	0	174	323	31	99	187
2025/8/15 7:30	0	0	0.2	0.2	0	67	363	30	135	89
2025/8/15 7:40	0	0	0.2	0.2	0	36	228	32	384	90
2025/8/15 7:50	0	0	0.2	0.2	0	38	196	32	362	89
2025/8/15 8:00	0	0	0.2	0.2	0	103	130	32	339	220
2025/8/15 8:10	0	0	0.2	0.2	0	33	270	32	273	88
2025/8/15 8:20	0.1	0	0.2	0.2	0	73	195	32	270	105
2025/8/15 8:30	0.1	0	0.2	0.2	0	36	109	34	180	260
2025/8/15 8:40	0.1	0	0.1	0.2	0	120	287	32	40	122
2025/8/15 8:50	0.1	0	0.1	0.2	0	287	374	33	188	97
2025/8/15 9:00	0.1	0	0.1	0.2	0	23	129	34	345	138
2025/8/15 9:10	0.1	0	0.1	0.2	0	26	162	34	212	99
2025/8/15 9:20	0.1	0	0.1	0.2	0	205	358	53	20	345
2025/8/15 9:30	0.1	0	0.1	0.2	0.1	225	200	80	14	405
2025/8/15 9:40	0.1	0	0.1	0.2	0	17	277	35	119	107
2025/8/15 9:50	0.1	0	0.1	0.2	0	19	123	33	244	111
2025/8/15 10:00	0.1	0	0.1	0.2	0	128	108	79	101	291
2025/8/15 10:10	0.1	0	0.1	0.2	0	170	302	37	58	258
2025/8/15 10:20	0.1	0	0.1	0.2	0.1	140	154	44	72	194
2025/8/15 10:30	0.1	0	0.1	0.2	0.1	114	159	36	77	255
2025/8/15 10:40	0.1	0	0.1	0.1	0.1	96	112	105	63	291
2025/8/15 10:50	0.1	0	0.1	0.1	0.1	96	150	31	38	198
2025/8/15 11:00	0.1	0	0.1	0.1	0.1	67	173	53	124	211
2025/8/15 11:10	0.1	0	0.1	0.1	0.1	139	197	61	9	251
2025/8/15 11:20	0.1	0	0.1	0.1	0.1	119	103	84	26	312
2025/8/15 11:30	0.1	0	0.1	0.1	0.1	115	138	119	9	364
2025/8/15 11:40	0.1	0	0.1	0.1	0.1	108	122	107	8	328
2025/8/15 11:50	0.1	0	0.1	0.1	0.1	162	165	83	7	387
2025/8/15 12:00	0.1	0	0.1	0.1	0.1	155	145	41	8	274
2025/8/15 12:10	0.1	0.1	0.1	0.1	0.1	127	148	45	9	282
2025/8/15 12:20	0.1	0.1	0.1	0.1	0.1	162	133	29	9	295
2025/8/15 12:30	0.1	0.1	0.1	0.1	0.1	179	138	34	10	293
2025/8/15 12:40	0.1	0.1	0.1	0.1	0.1	132	116	54	8	342
2025/8/15 12:50	0.1	0.1	0.1	0.1	0.1	163	113	35	5	266
2025/8/15 13:00	0.1	0.1	0.1	0.1	0.1	122	104	71	5	330
2025/8/15 13:10	0.2	0.1	0	0.1	0.1	152	118	49	4	359
2025/8/15 13:20	0.2	0.1	0	0.1	0.1	172	155	34	6	349
2025/8/15 13:30	0.2	0.1	0	0.1	0.1	167	148	53	5	361
2025/8/15 13:40	0.2	0.1	0	0.1	0.1	181	175	25	3	193
2025/8/15 13:50	0.2	0.1	0	0.1	0.1	147	151	44	5	257
2025/8/15 14:00	0.2	0.1	0	0.1	0	183	136	62	7	343
2025/8/15 14:10	0.2	0.1	0	0.1	0.1	183	146	43	9	289
2025/8/15 14:20	0.2	0.1	0	0.1	0	184	153	52	10	317
2025/8/15 14:30	0.2	0.1	0	0.1	0	160	159	27	10	197
2025/8/15 14:40	0.2	0.1	0	0.1	0	168	147	58	8	293
2025/8/15 14:50	0.2	0.1	0	0.1	0	187	145	31	8	310

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/15 15:00	0.2	0.1	0	0.1	0	179	150	27	5	317
2025/8/15 15:10	0.2	0.1	0	0.1	0	197	165	56	4	340
2025/8/15 15:20	0.1	0.1	0	0.1	0	221	193	33	7	316
2025/8/15 15:30	0.1	0.1	0	0.1	0	155	162	30	12	138
2025/8/15 15:40	0.1	0.1	0	0.1	0	134	154	31	6	181
2025/8/15 15:50	0.1	0.1	0	0.1	0	209	119	46	6	356
2025/8/15 16:00	0.1	0.1	0	0.1	0	172	142	31	8	212
2025/8/15 16:10	0.1	0.1	0	0.1	0	110	193	30	9	143
2025/8/15 16:20	0.1	0.1	0	0.1	0	198	140	49	8	326
2025/8/15 16:30	0.1	0.1	0	0.1	0	183	178	70	12	442
2025/8/15 16:40	0.1	0.1	0	0.1	0	209	197	109	14	401
2025/8/15 16:50	0.1	0.1	0	0.1	0	212	178	77	13	412
2025/8/15 17:00	0.1	0.1	0	0.1	0	243	183	77	11	436
2025/8/15 17:10	0.1	0.1	0	0.1	0	244	182	100	10	400
2025/8/15 17:20	0.1	0.1	0	0	0	230	216	71	9	377
2025/8/15 17:30	0.1	0.1	0	0	0	185	184	126	10	444
2025/8/15 17:40	0.1	0.1	0	0	0	220	182	88	12	369
2025/8/15 17:50	0	0.1	0	0	0	237	164	60	11	372
2025/8/15 18:00	0	0.1	0	0	0	213	200	135	13	423
2025/8/15 18:10	0	0	0	0	0	190	188	107	12	376
2025/8/15 18:20	0	0	0	0	0	207	208	106	10	397
2025/8/15 18:30	0	0	0	0	0	231	165	102	12	391
2025/8/15 18:40	0	0	0	0	0	210	241	102	30	423
2025/8/15 18:50	0	0	0	0	0	218	194	114	32	363
2025/8/15 19:00	0	0	0	0	0	226	204	74	28	308
2025/8/15 19:10	0	0	0	0	0	216	212	115	27	346
2025/8/15 19:20	0	0	0	0	0	252	201	91	22	329
2025/8/15 19:30	0	0	0	0	0	219	211	77	25	336
2025/8/15 19:40	0	0	0	0	0	256	188	92	30	326
2025/8/15 19:50	0	0	0	0	0	220	158	37	18	312
2025/8/15 20:00	0	0	0	0	0	182	150	47	17	276
2025/8/15 20:10	0	0	0	0	0	178	137	49	14	276
2025/8/15 20:20	0	0	0	0	0	176	113	39	7	273
2025/8/15 20:30	0	0	0	0	0	176	108	32	5	283
2025/8/15 20:40	0	0	0	0	0	177	125	27	8	188
2025/8/15 20:50	0	0	0	0	0	208	141	29	11	142
2025/8/15 21:00	0	0	0	0	0	190	156	31	13	125
2025/8/15 21:10	0	0	0	0	0	235	140	34	17	246
2025/8/15 21:20	0	0	0	0	0	236	148	39	16	333
2025/8/15 21:30	0	0	0	0	0	264	168	61	15	348
2025/8/15 21:40	0	0	0	0	0	313	197	42	13	327
2025/8/15 21:50	0	0	0	0	0	371	181	151	13	565
2025/8/15 22:00	0	0	0	0	0	386	375	160	16	461
2025/8/15 22:10	0	0	0	0	0	294	220	126	16	453
2025/8/15 22:20	0	0	0	0	0	326	225	52	16	353
2025/8/15 22:30	0	0	0	0	0	295	192	97	16	342
2025/8/15 22:40	0	0	0	0	0	364	282	38	16	365
2025/8/15 22:50	0	0	0	0	0	322	220	33	15	340
2025/8/15 23:00	0	0	0	0	0	325	188	36	14	371
2025/8/15 23:10	0	0	0	0	0	364	224	70	15	415
2025/8/15 23:20	0	0	0	0	0	305	214	77	17	382
2025/8/15 23:30	0	0	0	0	0	378	249	37	21	356
2025/8/15 23:40	0	0	0	0	0	340	222	45	25	439
2025/8/15 23:50	0	0	0	0	0	433	298	124	26	483
2025/8/16 0:00	0	0	0	0	0	414	310	141	26	477
2025/8/16 0:10	0	0	0	0	0	493	343	177	31	559
2025/8/16 0:20	0	0	0	0	0	432	265	163	32	506
2025/8/16 0:30	0	0	0	0	0	399	422	233	33	569
2025/8/16 0:40	0	0	0	0	0	351	342	178	32	527
2025/8/16 0:50	0	0	0	0	0	321	296	213	32	480
2025/8/16 1:00	0	0	0	0	0	360	362	209	33	471
2025/8/16 1:10	0	0	0	0	0	341	415	200	33	499
2025/8/16 1:20	0	0	0	0	0	375	444	191	33	479
2025/8/16 1:30	0	0	0	0	0	376	250	190	34	497
2025/8/16 1:40	0	0	0	0	0	313	311	176	32	499
2025/8/16 1:50	0	0	0	0	0	398	353	148	31	487
2025/8/16 2:00	0	0	0	0	0	370	332	164	31	548
2025/8/16 2:10	0	0	0	0	0	509	234	206	31	619
2025/8/16 2:20	0	0	0	0	0	521	233	282	29	625
2025/8/16 2:30	0	0	0	0	0	386	148	178	28	520
2025/8/16 2:40	0	0	0	0	0	285	143	178	29	508
2025/8/16 2:50	0	0	0	0	0	345	274	169	28	506
2025/8/16 3:00	0	0	0	0	0	387	396	119	31	461

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/16 3:10	0	0	0	0	0	443	423	137	30	514
2025/8/16 3:20	0	0	0	0	0	421	334	153	29	477
2025/8/16 3:30	0	0	0	0	0	346	478	155	31	514
2025/8/16 3:40	0	0	0	0	0	433	315	114	31	476
2025/8/16 3:50	0	0	0	0	0	404	379	141	31	472
2025/8/16 4:00	0	0	0	0	0	328	368	163	32	496
2025/8/16 4:10	0	0	0	0	0	430	406	147	29	549
2025/8/16 4:20	0	0	0	0	0	438	437	147	29	532
2025/8/16 4:30	0	0	0	0	0	421	429	128	29	431
2025/8/16 4:40	0	0	0	0	0	410	484	127	28	525
2025/8/16 4:50	0	0	0	0	0	465	402	137	29	546
2025/8/16 5:00	0	0	0	0	0	426	340	121	30	489
2025/8/16 5:10	0	0	0	0	0	442	410	119	28	446
2025/8/16 5:20	0	0	0	0	0	435	471	71	536	523
2025/8/16 5:30	0	0	0	0	0	540	564	234	203	669
2025/8/16 5:40	0	0	0	0	0	480	533	186	34	490
2025/8/16 5:50	0	0	0	0	0	403	411	139	31	461
2025/8/16 6:00	0	0	0	0	0	451	485	119	28	378
2025/8/16 6:10	0	0	0	0	0	389	413	98	31	487
2025/8/16 6:20	0	0	0	0	0	378	331	61	28	402
2025/8/16 6:30	0	0	0	0	0	372	459	54	28	404
2025/8/16 6:40	0	0	0	0	0	362	378	45	26	341
2025/8/16 6:50	0	0	0	0	0	277	298	96	25	458
2025/8/16 7:00	0	0	0	0	0	260	243	112	23	382
2025/8/16 7:10	0	0	0	0	0	280	224	95	22	425
2025/8/16 7:20	0	0	0	0	0	272	130	86	22	432
2025/8/16 7:30	0	0	0	0.1	0	242	295	68	19	324
2025/8/16 7:40	0	0	0	0.1	0	211	233	86	18	329
2025/8/16 7:50	0.1	0	0.1	0.1	0	245	283	104	17	394
2025/8/16 8:00	0.1	0	0.1	0.1	0	222	310	46	17	265
2025/8/16 8:10	0.1	0	0.1	0.1	0	282	195	40	29	378
2025/8/16 8:20	0.1	0	0.1	0.1	0	255	251	77	14	451
2025/8/16 8:30	0.1	0	0.1	0.1	0	229	253	97	22	449
2025/8/16 8:40	0.1	0	0.1	0.1	0	169	201	156	10	463
2025/8/16 8:50	0.1	0	0.1	0.1	0	180	128	174	13	440
2025/8/16 9:00	0.1	0	0.1	0.2	0	174	156	140	10	459
2025/8/16 9:10	0.1	0	0.1	0.2	0	197	256	187	18	491
2025/8/16 9:20	0.1	0	0.1	0.1	0	258	283	72	119	295
2025/8/16 9:30	0.1	0	0.1	0.1	0	168	269	44	84	326
2025/8/16 9:40	0.1	0	0.1	0.1	0	261	233	115	8	409
2025/8/16 9:50	0.1	0	0.1	0.1	0	232	238	155	16	455
2025/8/16 10:00	0.1	0	0.1	0.1	0.1	362	85	169	10	694
2025/8/16 10:10	0.1	0	0.1	0.1	0.1	319	373	127	13	448
2025/8/16 10:20	0.1	0	0.1	0.1	0	267	193	119	11	532
2025/8/16 10:30	0.1	0	0.1	0.1	0	198	108	223	107	509
2025/8/16 10:40	0.1	0	0.1	0.1	0.1	110	112	231	81	480
2025/8/16 10:50	0.1	0	0.1	0.1	0	72	93	200	62	360
2025/8/16 11:00	0.1	0	0.1	0.1	0	65	131	157	90	392
2025/8/16 11:10	0.1	0	0	0.1	0.1	217	133	240	23	498
2025/8/16 11:20	0.1	0	0	0.1	0	80	97	39	285	235
2025/8/16 11:30	0.1	0	0	0.1	0	53	94	154	362	119
2025/8/16 11:40	0.1	0	0	0.1	0	50	86	36	349	138
2025/8/16 11:50	0.1	0	0	0.1	0	47	83	457	371	140
2025/8/16 12:00	0.1	0	0	0.1	0	53	73	393	119	304
2025/8/16 12:10	0.1	0	0	0.1	0	186	161	130	161	326
2025/8/16 12:20	0.1	0	0	0.1	0	205	133	287	1	317
2025/8/16 12:30	0.1	0	0	0.1	0	159	164	156	1	344
2025/8/16 12:40	0.1	0.1	0	0.1	0	199	154	303	2	409
2025/8/16 12:50	0.1	0.1	0	0.1	0	182	170	311	3	317
2025/8/16 13:00	0.1	0.1	0.1	0.1	0.1	199	162	311	3	387
2025/8/16 13:10	0.1	0.1	0	0.1	0.1	166	143	131	1	394
2025/8/16 13:20	0.1	0.1	0	0.1	0	224	193	108	2	473
2025/8/16 13:30	0.1	0.1	0	0.1	0	278	189	56	1	446
2025/8/16 13:40	0.1	0.1	0	0.1	0	253	174	75	1	448
2025/8/16 13:50	0.1	0	0	0.1	0	222	150	97	1	414
2025/8/16 14:00	0.1	0	0	0.1	0	225	166	119	2	448
2025/8/16 14:10	0.1	0	0	0.1	0	225	153	84	1	451
2025/8/16 14:20	0.1	0	0	0.1	0	294	150	33	1	377
2025/8/16 14:30	0.1	0	0	0	0	252	166	63	1	419
2025/8/16 14:40	0.1	0	0	0	0	269	175	112	10	424
2025/8/16 14:50	0.1	0	0	0	0	351	223	135	13	534
2025/8/16 15:00	0.1	0	0	0	0	366	220	103	7	475
2025/8/16 15:10	0.1	0	0	0	0	290	258	99	4	477

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/16 15:20	0.1	0	0	0	0	263	217	182	5	604
2025/8/16 15:30	0.1	0	0	0	0	237	176	181	1	517
2025/8/16 15:40	0.1	0	0	0	0	297	148	65	1	487
2025/8/16 15:50	0.1	0	0	0	0	302	171	72	1	473
2025/8/16 16:00	0.1	0	0	0	0	237	234	146	1	523
2025/8/16 16:10	0.1	0	0	0	0	257	201	124	5	559
2025/8/16 16:20	0.1	0	0	0	0	276	206	160	5	450
2025/8/16 16:30	0.1	0	0	0	0	336	247	96	5	483
2025/8/16 16:40	0.1	0.1	0	0	0	239	223	27	4	221
2025/8/16 16:50	0.1	0.1	0	0	0	245	129	25	5	246
2025/8/16 17:00	0.1	0.1	0	0	0	253	139	32	4	338
2025/8/16 17:10	0.1	0.1	0	0	0	205	103	45	4	308
2025/8/16 17:20	0.1	0.1	0	0	0	214	151	48	6	296
2025/8/16 17:30	0	0.1	0	0	0	249	140	42	8	405
2025/8/16 17:40	0	0.1	0	0	0	228	131	32	8	279
2025/8/16 17:50	0	0.1	0	0	0	221	110	41	10	316
2025/8/16 18:00	0	0.1	0	0	0	215	126	69	12	370
2025/8/16 18:10	0	0.1	0	0	0	232	157	102	12	424
2025/8/16 18:20	0	0	0	0	0	260	147	56	13	400
2025/8/16 18:30	0	0	0	0	0	282	150	88	13	450
2025/8/16 18:40	0	0	0	0	0	326	192	129	14	488
2025/8/16 18:50	0	0	0	0	0	280	180	100	15	493
2025/8/16 19:00	0	0	0	0	0	331	186	46	14	387
2025/8/16 19:10	0	0	0	0	0	286	163	43	11	417
2025/8/16 19:20	0	0	0	0	0	265	144	53	12	318
2025/8/16 19:30	0	0	0	0	0	335	181	51	14	364
2025/8/16 19:40	0	0	0	0	0	315	179	60	13	360
2025/8/16 19:50	0	0	0	0	0	262	207	109	13	497
2025/8/16 20:00	0	0	0	0	0	293	155	107	13	461
2025/8/16 20:10	0	0	0	0	0	320	175	109	14	458
2025/8/16 20:20	0	0	0	0	0	297	198	74	17	478
2025/8/16 20:30	0	0	0	0	0	298	176	88	19	446
2025/8/16 20:40	0	0	0	0	0	297	189	57	17	342
2025/8/16 20:50	0	0	0	0	0	329	192	76	18	466
2025/8/16 21:00	0	0	0	0	0	298	175	117	19	443
2025/8/16 21:10	0	0	0	0	0	340	179	97	20	424
2025/8/16 21:20	0	0	0	0	0	267	204	148	19	487
2025/8/16 21:30	0	0	0	0	0	292	198	133	18	465
2025/8/16 21:40	0	0	0	0	0	242	174	133	18	423
2025/8/16 21:50	0	0	0	0	0	183	178	131	20	401
2025/8/16 22:00	0	0	0	0	0	214	202	122	20	415
2025/8/16 22:10	0	0	0	0	0	242	185	153	23	481
2025/8/16 22:20	0	0	0	0	0	314	233	125	23	422
2025/8/16 22:30	0	0	0	0	0	336	217	90	22	437
2025/8/16 22:40	0	0	0	0	0	320	286	158	23	500
2025/8/16 22:50	0	0	0	0	0	278	238	168	23	492
2025/8/16 23:00	0	0	0	0	0	354	330	148	25	475
2025/8/16 23:10	0	0	0	0	0	248	242	157	24	484
2025/8/16 23:20	0	0	0	0	0	240	213	146	22	445
2025/8/16 23:30	0	0	0	0	0	257	214	135	21	420
2025/8/16 23:40	0	0	0	0	0	214	222	136	20	416
2025/8/16 23:50	0	0	0	0	0	242	159	112	20	385
2025/8/17 0:00	0	0	0	0	0	231	151	86	18	339
2025/8/17 0:10	0	0	0	0	0	260	167	85	19	349
2025/8/17 0:20	0	0	0	0	0	261	172	65	18	318
2025/8/17 0:30	0	0	0	0	0	246	188	54	20	316
2025/8/17 0:40	0	0	0	0	0	213	180	86	18	310
2025/8/17 0:50	0	0	0	0	0	197	142	85	17	346
2025/8/17 1:00	0	0	0	0	0	201	162	96	17	353
2025/8/17 1:10	0	0	0	0	0	193	145	53	15	277
2025/8/17 1:20	0	0	0	0	0	206	154	49	14	285
2025/8/17 1:30	0	0	0	0	0	221	162	45	16	273
2025/8/17 1:40	0	0	0	0	0	200	153	46	15	271
2025/8/17 1:50	0	0	0	0	0	219	152	41	15	247
2025/8/17 2:00	0	0	0	0	0	182	119	47	16	281
2025/8/17 2:10	0	0	0	0	0	185	114	55	15	249
2025/8/17 2:20	0	0	0	0	0	210	133	46	16	282
2025/8/17 2:30	0	0	0	0	0	202	135	58	17	255
2025/8/17 2:40	0	0	0	0	0	208	169	69	19	321
2025/8/17 2:50	0	0	0	0	0	224	194	89	20	322
2025/8/17 3:00	0	0	0	0	0	246	186	82	21	346
2025/8/17 3:10	0	0	0	0	0	248	219	103	22	338
2025/8/17 3:20	0	0	0	0	0	325	229	52	23	329

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/17 3:30	0	0	0	0	0	275	200	52	24	313
2025/8/17 3:40	0	0	0	0	0	217	155	52	23	255
2025/8/17 3:50	0	0	0	0	0	224	142	39	22	230
2025/8/17 4:00	0	0	0	0	0	264	145	39	23	274
2025/8/17 4:10	0	0	0	0	0	269	145	42	21	353
2025/8/17 4:20	0	0	0	0	0	340	227	45	332	444
2025/8/17 4:30	0	0	0	0	0	378	377	46	462	381
2025/8/17 4:40	0	0	0	0	0	243	361	43	501	154
2025/8/17 4:50	0	0	0	0	0	232	263	37	83	96
2025/8/17 5:00	0	0	0	0	0	160	243	33	58	86
2025/8/17 5:10	0	0	0	0	0	56	238	32	43	83
2025/8/17 5:20	0	0	0	0	0	63	254	33	80	83
2025/8/17 5:30	0	0	0	0	0	60	223	33	59	84
2025/8/17 5:40	0	0	0	0	0	64	237	33	96	84
2025/8/17 5:50	0	0	0	0	0	123	268	33	97	86
2025/8/17 6:00	0	0	0	0	0	51	245	31	57	84
2025/8/17 6:10	0	0	0	0	0	62	213	32	35	83
2025/8/17 6:20	0	0	0	0	0	44	199	31	19	82
2025/8/17 6:30	0	0	0	0	0	56	231	30	41	83
2025/8/17 6:40	0	0	0	0	0	48	205	28	25	83
2025/8/17 6:50	0	0	0	0.1	0	52	222	30	55	83
2025/8/17 7:00	0	0	0	0.1	0	41	258	28	77	83
2025/8/17 7:10	0	0	0	0.1	0	44	227	28	72	86
2025/8/17 7:20	0	0	0	0.1	0	55	233	29	25	85
2025/8/17 7:30	0	0	0.1	0.1	0	49	251	28	56	84
2025/8/17 7:40	0	0	0.1	0.1	0	93	222	28	47	110
2025/8/17 7:50	0.1	0	0.1	0.2	0	62	222	28	20	85
2025/8/17 8:00	0.1	0	0.1	0.2	0	99	260	28	48	105
2025/8/17 8:10	0.1	0	0.1	0.2	0	40	265	27	51	89
2025/8/17 8:20	0.1	0	0.1	0.2	0	62	262	27	77	113
2025/8/17 8:30	0.1	0	0.1	0.1	0	55	254	26	9	85
2025/8/17 8:40	0.1	0	0.1	0.1	0	202	278	26	5	145
2025/8/17 8:50	0.1	0	0.1	0.1	0	133	376	26	52	96
2025/8/17 9:00	0.1	0	0.1	0.1	0	35	297	27	322	83
2025/8/17 9:10	0.1	0	0.1	0.1	0	55	315	28	236	85
2025/8/17 9:20	0.1	0	0	0.1	0	61	327	27	43	85
2025/8/17 9:30	0.1	0	0	0.1	0	99	237	26	294	87
2025/8/17 9:40	0.1	0	0	0.1	0	37	153	25	239	87
2025/8/17 9:50	0.1	0	0	0.1	0	61	215	26	291	87
2025/8/17 10:00	0.1	0	0	0.1	0	108	213	27	147	170
2025/8/17 10:10	0.1	0	0	0.1	0	101	179	41	74	229
2025/8/17 10:20	0.1	0	0	0.1	0	55	234	29	154	98
2025/8/17 10:30	0.1	0	0.1	0.1	0	125	169	26	11	137
2025/8/17 10:40	0.1	0	0.1	0.1	0	181	161	65	4	301
2025/8/17 10:50	0.1	0	0.1	0.1	0	159	137	57	5	349
2025/8/17 11:00	0.1	0	0.1	0.1	0	134	115	145	12	305
2025/8/17 11:10	0.1	0	0.1	0.1	0	113	153	57	58	258
2025/8/17 11:20	0.1	0	0.1	0.1	0.1	148	167	87	15	292
2025/8/17 11:30	0.1	0	0.1	0.1	0.1	169	152	67	10	293
2025/8/17 11:40	0.1	0	0.1	0.1	0.1	223	152	51	11	331
2025/8/17 11:50	0.1	0.1	0.1	0.1	0.1	142	108	67	9	333
2025/8/17 12:00	0.1	0.1	0.1	0.1	0.1	132	149	67	14	285
2025/8/17 12:10	0.1	0.1	0.1	0.1	0.1	145	116	83	11	390
2025/8/17 12:20	0.1	0.1	0.1	0.1	0.1	182	142	62	13	354
2025/8/17 12:30	0.1	0.1	0.1	0.1	0.1	188	129	102	12	400
2025/8/17 12:40	0.1	0.1	0.1	0.1	0.1	217	153	83	9	410
2025/8/17 12:50	0.1	0.1	0.1	0.1	0.1	196	126	49	9	386
2025/8/17 13:00	0.2	0.1	0.1	0.1	0.1	117	143	149	11	438
2025/8/17 13:10	0.2	0.1	0.1	0.1	0.1	221	136	42	11	377
2025/8/17 13:20	0.2	0.1	0.1	0.1	0.1	179	128	56	10	400
2025/8/17 13:30	0.2	0.1	0	0.1	0.1	178	171	101	10	426
2025/8/17 13:40	0.2	0.1	0	0.1	0.1	152	189	129	11	444
2025/8/17 13:50	0.2	0.1	0	0.1	0.1	130	132	138	12	438
2025/8/17 14:00	0.2	0.1	0	0.1	0.1	146	127	92	14	417
2025/8/17 14:10	0.2	0.1	0	0.1	0.1	179	158	84	17	422
2025/8/17 14:20	0.2	0.1	0	0.1	0.1	238	149	46	26	332
2025/8/17 14:30	0.2	0.1	0	0.1	0	232	142	49	13	380
2025/8/17 14:40	0.2	0.1	0	0.1	0	156	139	48	9	377
2025/8/17 14:50	0.2	0.1	0	0.1	0	178	144	38	8	350
2025/8/17 15:00	0.2	0.1	0	0.1	0	196	132	92	7	417
2025/8/17 15:10	0.2	0.1	0	0.1	0	206	129	34	8	263
2025/8/17 15:20	0.2	0.1	0	0.1	0	196	161	65	8	418
2025/8/17 15:30	0.2	0.1	0	0.1	0	165	128	86	7	438

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/17 15:40	0.2	0.1	0	0.1	0	185	175	101	8	432
2025/8/17 15:50	0.2	0.1	0	0.1	0	251	133	87	6	445
2025/8/17 16:00	0.2	0.1	0	0.1	0	196	144	80	6	398
2025/8/17 16:10	0.1	0.1	0	0.1	0	196	140	78	7	384
2025/8/17 16:20	0.1	0.1	0	0.1	0	200	140	56	4	394
2025/8/17 16:30	0.1	0.1	0	0.1	0	216	170	44	6	360
2025/8/17 16:40	0.1	0.1	0	0.1	0	209	139	91	6	422
2025/8/17 16:50	0.1	0.1	0	0.1	0	204	145	105	8	472
2025/8/17 17:00	0.1	0.1	0	0.1	0	224	143	82	4	369
2025/8/17 17:10	0.1	0.1	0	0.1	0	190	149	107	6	397
2025/8/17 17:20	0.1	0.1	0	0	0	195	143	80	6	408
2025/8/17 17:30	0.1	0.1	0	0	0	230	130	63	8	360
2025/8/17 17:40	0.1	0.1	0	0	0	239	128	74	8	341
2025/8/17 17:50	0.1	0.1	0	0	0	220	150	81	10	405
2025/8/17 18:00	0	0.1	0	0	0	194	138	101	11	365
2025/8/17 18:10	0	0.1	0	0	0	162	172	111	11	392
2025/8/17 18:20	0	0	0	0	0	179	146	114	13	379
2025/8/17 18:30	0	0	0	0	0	172	146	101	14	383
2025/8/17 18:40	0	0	0	0	0	178	164	112	13	365
2025/8/17 18:50	0	0	0	0	0	194	176	91	16	364
2025/8/17 19:00	0	0	0	0	0	230	144	61	14	352
2025/8/17 19:10	0	0	0	0	0	246	163	72	14	344
2025/8/17 19:20	0	0	0	0	0	260	176	93	14	354
2025/8/17 19:30	0	0	0	0	0	217	149	87	18	362
2025/8/17 19:40	0	0	0	0	0	217	149	76	18	324
2025/8/17 19:50	0	0	0	0	0	219	178	67	17	293
2025/8/17 20:00	0	0	0	0	0	229	146	58	17	322
2025/8/17 20:10	0	0	0	0	0	209	151	88	17	354
2025/8/17 20:20	0	0	0	0	0	228	200	92	17	376
2025/8/17 20:30	0	0	0	0	0	245	201	88	21	372
2025/8/17 20:40	0	0	0	0	0	290	181	66	22	328
2025/8/17 20:50	0	0	0	0	0	283	285	115	20	410
2025/8/17 21:00	0	0	0	0	0	351	251	145	20	479
2025/8/17 21:10	0	0	0	0	0	302	272	112	18	424
2025/8/17 21:20	0	0	0	0	0	307	219	113	20	440
2025/8/17 21:30	0	0	0	0	0	347	279	129	19	451
2025/8/17 21:40	0	0	0	0	0	333	237	114	16	421
2025/8/17 21:50	0	0	0	0	0	330	285	156	19	481
2025/8/17 22:00	0	0	0	0	0	352	251	107	17	540
2025/8/17 22:10	0	0	0	0	0	427	301	86	18	517
2025/8/17 22:20	0	0	0	0	0	502	436	78	19	508
2025/8/17 22:30	0	0	0	0	0	455	302	84	19	388
2025/8/17 22:40	0	0	0	0	0	500	369	185	18	508
2025/8/17 22:50	0	0	0	0	0	448	305	164	19	517
2025/8/17 23:00	0	0	0	0	0	440	404	121	20	489
2025/8/17 23:10	0	0	0	0	0	374	284	157	21	532
2025/8/17 23:20	0	0	0	0	0	450	361	107	26	465
2025/8/17 23:30	0	0	0	0	0	422	401	60	28	469
2025/8/17 23:40	0	0	0	0	0	371	304	48	41	396
2025/8/17 23:50	0	0	0	0	0	587	333	97	29	581
2025/8/18 0:00	0	0	0	0	0	587	495	236	33	782
2025/8/18 0:10	0	0	0	0	0.2	568	656	86	209	673
2025/8/18 0:20	0	0	0	0.2	0	599	666	89	41	671
2025/8/18 0:30	0	0	0	0	0	601	641	319	354	780
2025/8/18 0:40	0	0	0	0.1	0.4	553	585	211	49	615
2025/8/18 0:50	0	0	0	0	0	509	509	241	146	670
2025/8/18 1:00	0	0	0	0	0	576	644	203	44	567
2025/8/18 1:10	0	0	0	0	0	489	572	176	45	573
2025/8/18 1:20	0	0	0	0	0	543	595	180	141	663
2025/8/18 1:30	0	0	0	0	0	491	667	273	679	738
2025/8/18 1:40	0	0	0	0.5	0	587	670	191	56	614
2025/8/18 1:50	0	0	0	0	0	519	238	357	781	694
2025/8/18 2:00	0	0	0	1.5	0	506	243	509	1051	672
2025/8/18 2:10	0	0	0	2.7	0	374	289	518	810	695
2025/8/18 2:20	0	0	0	1.2	0	107	152	513	416	568
2025/8/18 2:30	0	0	0	0	0	539	181	395	687	697
2025/8/18 2:40	0	0	0	0.8	0	620	653	236	369	701
2025/8/18 2:50	0	0	0	0.3	0	538	719	195	1131	695
2025/8/18 3:00	0	0	0	4.3	0	567	760	368	1340	736
2025/8/18 3:10	0	0	0	5.9	0	712	870	446	1329	777
2025/8/18 3:20	0	0	0	6.4	0.2	631	728	236	1302	717
2025/8/18 3:30	0	0	0	6.1	0	722	544	605	1342	808
2025/8/18 3:40	0	0	0	6.2	1.5	757	988	579	1372	805

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/18 3:50	0	2	0	6.8	1.1	681	830	422	1370	787
2025/8/18 4:00	0	0	0	7	0.2	343	269	581	745	678
2025/8/18 4:10	0	0	0	0.5	0.3	121	235	440	575	714
2025/8/18 4:20	0	0	0	0	0.2	82	249	237	592	203
2025/8/18 4:30	0	0	0	0	0	79	170	140	473	167
2025/8/18 4:40	0	0	0	0	0	86	148	310	464	262
2025/8/18 4:50	0	0	0	0	0	143	194	307	484	533
2025/8/18 5:00	0	0	0	0	0	135	177	415	484	545
2025/8/18 5:10	0	0	0	0	0	223	136	452	577	620
2025/8/18 5:20	0	0	0	0	0	201	235	408	549	558
2025/8/18 5:30	0	0	0	0	0	150	217	394	523	554
2025/8/18 5:40	0	0	0	0	0	77	264	392	506	354
2025/8/18 5:50	0	0	0	0	0	72	195	260	508	403
2025/8/18 6:00	0	0	0	0	0	107	210	126	494	249
2025/8/18 6:10	0	0	0	0	0	311	309	165	511	604
2025/8/18 6:20	0	0	0	0.1	0	62	126	245	399	162
2025/8/18 6:30	0	0	0	0.1	0	63	120	132	375	188
2025/8/18 6:40	0	0	0.1	0.1	0	61	137	61	417	130
2025/8/18 6:50	0	0	0.1	0.1	0	63	120	94	338	193
2025/8/18 7:00	0	0	0.1	0.1	0	55	103	37	338	99
2025/8/18 7:10	0	0	0.1	0.2	0	55	97	43	272	133
2025/8/18 7:20	0	0	0.1	0.2	0	50	84	38	284	101
2025/8/18 7:30	0	0	0.1	0.2	0	42	96	31	489	83
2025/8/18 7:40	0	0	0.1	0.2	0	39	78	27	417	83
2025/8/18 7:50	0.1	0	0.1	0.2	0	36	66	27	375	90
2025/8/18 8:00	0.1	0	0.1	0.2	0	37	60	28	350	88
2025/8/18 8:10	0.1	0	0.1	0.2	0	38	67	28	388	90
2025/8/18 8:20	0.1	0	0.1	0.2	0	39	58	28	221	98
2025/8/18 8:30	0.1	0	0.1	0.2	0	38	68	31	367	90
2025/8/18 8:40	0.1	0	0.1	0.2	0	37	61	28	347	93
2025/8/18 8:50	0.1	0	0.1	0.2	0	37	59	28	247	107
2025/8/18 9:00	0.1	0	0.1	0.2	0	37	69	31	245	101
2025/8/18 9:10	0.1	0	0.1	0.2	0	37	52	33	280	102
2025/8/18 9:20	0.1	0	0.1	0.2	0	75	86	60	148	311
2025/8/18 9:30	0.1	0	0.1	0.2	0	43	68	76	184	152
2025/8/18 9:40	0.1	0	0.1	0.2	0.1	50	72	53	178	139
2025/8/18 9:50	0.1	0	0.1	0.2	0.1	42	63	58	92	169
2025/8/18 10:00	0.1	0	0.1	0.2	0.1	90	54	145	121	396
2025/8/18 10:10	0.1	0	0.1	0.2	0.1	38	75	46	117	154
2025/8/18 10:20	0.1	0	0.1	0.2	0.1	65	58	76	81	300
2025/8/18 10:30	0.1	0	0.1	0.2	0.1	46	88	46	256	130
2025/8/18 10:40	0.1	0	0.1	0.1	0.1	47	77	57	182	192
2025/8/18 10:50	0.1	0	0.1	0.1	0.1	93	123	104	88	311
2025/8/18 11:00	0.1	0	0.1	0.1	0.1	177	160	105	98	338
2025/8/18 11:10	0.1	0	0.1	0.1	0.1	98	228	107	120	225
2025/8/18 11:20	0.1	0	0.1	0.1	0.1	78	82	46	238	168
2025/8/18 11:30	0.1	0	0.1	0.1	0.1	56	127	132	136	263
2025/8/18 11:40	0.1	0	0.1	0.1	0.1	189	123	130	61	393
2025/8/18 11:50	0.1	0.1	0.1	0.1	0.1	57	95	118	99	229
2025/8/18 12:00	0.1	0.1	0.1	0.1	0.1	106	112	96	80	296
2025/8/18 12:10	0.1	0.1	0.1	0.1	0.1	179	137	60	38	225
2025/8/18 12:20	0.1	0.1	0.1	0.1	0.1	115	92	215	58	381
2025/8/18 12:30	0.1	0.1	0.1	0.1	0.1	55	95	126	198	278
2025/8/18 12:40	0.1	0.1	0.1	0.1	0.1	127	132	224	27	402
2025/8/18 12:50	0.2	0.1	0.1	0.1	0.1	82	99	146	128	375
2025/8/18 13:00	0.2	0.1	0.1	0.1	0.1	181	147	184	25	491
2025/8/18 13:10	0.2	0.1	0.1	0.1	0.1	153	164	162	87	423
2025/8/18 13:20	0.2	0.1	0.1	0.1	0.1	198	233	130	77	385
2025/8/18 13:30	0.2	0.1	0.1	0.1	0.1	167	121	147	92	376
2025/8/18 13:40	0.2	0.1	0.1	0.1	0.1	162	242	262	100	442
2025/8/18 13:50	0.2	0.1	0.1	0.1	0.1	84	141	186	149	269
2025/8/18 14:00	0.2	0.1	0.1	0.1	0.1	159	188	198	90	337
2025/8/18 14:10	0.1	0.1	0.1	0.1	0	168	295	174	84	364
2025/8/18 14:20	0.1	0.1	0.1	0.1	0	170	223	190	68	409
2025/8/18 14:30	0.1	0.1	0.1	0.1	0	167	223	190	82	427
2025/8/18 14:40	0.2	0.1	0.1	0.1	0	144	165	194	91	370
2025/8/18 14:50	0.1	0.1	0.1	0.1	0	145	173	183	53	408
2025/8/18 15:00	0.2	0.1	0.1	0.1	0	151	171	163	50	346
2025/8/18 15:10	0.2	0.1	0.1	0.1	0	166	210	145	36	351
2025/8/18 15:20	0.1	0.1	0	0.1	0	170	192	101	34	366
2025/8/18 15:30	0.1	0.1	0	0.1	0	151	180	124	28	398
2025/8/18 15:40	0.1	0.1	0	0.1	0	133	172	112	35	374
2025/8/18 15:50	0.1	0.1	0	0.1	0	150	182	87	34	316

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/18 16:00	0.1	0.1	0	0.1	0	185	188	151	58	398
2025/8/18 16:10	0.1	0	0	0.1	0	159	157	190	57	421
2025/8/18 16:20	0.1	0	0	0.1	0	170	160	97	39	432
2025/8/18 16:30	0.1	0	0	0.1	0	176	147	86	35	368
2025/8/18 16:40	0.1	0	0	0.1	0	118	137	159	54	348
2025/8/18 16:50	0.1	0	0	0	0	146	137	119	31	377
2025/8/18 17:00	0.1	0	0	0	0	148	164	91	33	330
2025/8/18 17:10	0.1	0	0	0	0	163	180	129	28	310
2025/8/18 17:20	0.1	0	0	0	0	210	288	102	33	371
2025/8/18 17:30	0	0	0	0	0	294	125	113	33	410
2025/8/18 17:40	0	0	0	0	0	245	269	119	22	431
2025/8/18 17:50	0	0	0	0	0	238	124	112	23	426
2025/8/18 18:00	0	0	0	0	0	224	126	131	19	416
2025/8/18 18:10	0	0	0	0	0	142	149	199	24	455
2025/8/18 18:20	0	0	0	0	0	144	138	250	29	414
2025/8/18 18:30	0	0	0	0	0	314	256	102	33	388
2025/8/18 18:40	0	0	0	0	0	247	172	159	34	488
2025/8/18 18:50	0	0	0	0	0	92	107	344	39	468
2025/8/18 19:00	0	0	0	0	0	74	102	309	33	418
2025/8/18 19:10	0	0	0	0	0	114	107	270	24	435
2025/8/18 19:20	0	0	0	0	0	73	95	271	29	323
2025/8/18 19:30	0	0	0	0	0	150	93	217	49	411
2025/8/18 19:40	0	0	0	0	0	69	88	309	34	258
2025/8/18 19:50	0	0	0	0	0	142	100	195	29	416
2025/8/18 20:00	0	0	0	0	0	233	104	122	30	500
2025/8/18 20:10	0	0	0	0	0	131	96	243	36	479
2025/8/18 20:20	0	0	0	0	0	82	94	329	38	474
2025/8/18 20:30	0	0	0	0	0	121	101	280	43	460
2025/8/18 20:40	0	0	0	0	0	182	84	295	123	529
2025/8/18 20:50	0	0	0	0	0	67	87	372	116	429
2025/8/18 21:00	0	0	0	0	0	227	99	284	62	605
2025/8/18 21:10	0	0	0	0	0	381	118	187	20	610
2025/8/18 21:20	0	0	0	0	0	158	122	423	100	735
2025/8/18 21:30	0	0	0	0	0	75	100	482	74	693
2025/8/18 21:40	0	0	0	0	0.2	171	91	351	71	767
2025/8/18 21:50	0	0	0	0	0.1	77	83	408	306	433
2025/8/18 22:00	0	0	0	0	0.3	323	153	427	198	867
2025/8/18 22:10	0	0	0	0	1.4	162	87	506	165	663
2025/8/18 22:20	0	0	0	0	0.2	102	109	524	201	667
2025/8/18 22:30	0	0	0	0	0	71	81	470	203	626
2025/8/18 22:40	0	0	0	0	0	86	84	518	224	484
2025/8/18 22:50	0	0	0	0	0	250	112	377	92	723
2025/8/18 23:00	0	0	0	0	0.5	162	95	522	154	656
2025/8/18 23:10	0	0	0	0	0.2	179	134	452	109	690
2025/8/18 23:20	0	0	0	0	0.1	123	96	446	57	686
2025/8/18 23:30	0	0	0	0	0.1	77	99	539	121	518
2025/8/18 23:40	0	0	0	0	0	111	107	468	42	727
2025/8/18 23:50	0	0	0	0	0.3	78	98	448	55	640
2025/8/19 0:00	0	0	0	0	0	119	99	449	118	574
2025/8/19 0:10	0	0	0	0	0	141	152	440	67	480
2025/8/19 0:20	0	0	0	0	0	136	103	400	98	610
2025/8/19 0:30	0	0	0	0	0	87	90	450	300	470
2025/8/19 0:40	0	0	0	0	0	80	98	434	151	536
2025/8/19 0:50	0	0	0	0	0	128	91	447	118	543
2025/8/19 1:00	0	0	0	0	0	91	93	383	422	301
2025/8/19 1:10	0	0	0	0	0	317	130	331	332	650
2025/8/19 1:20	0	0	0	0	0	366	112	308	136	665
2025/8/19 1:30	0	0	0	0	0	108	101	301	570	447
2025/8/19 1:40	0	0	0	0	0	523	90	266	674	668
2025/8/19 1:50	0	0	0	0	0	581	95	358	786	735
2025/8/19 2:00	0	0	0	0	0	173	273	415	747	664
2025/8/19 2:10	0	0	0	0	0.2	84	144	89	677	372
2025/8/19 2:20	0	0	0	0	0	79	114	68	612	256
2025/8/19 2:30	0	0	0	0	0	306	102	442	410	726
2025/8/19 2:40	0	0	0	0	0.2	642	141	424	458	763
2025/8/19 2:50	0	0	0	0	0.3	191	164	68	793	389
2025/8/19 3:00	0	0	0	0	0	125	119	44	642	320
2025/8/19 3:10	0	0	0	0	0	82	114	118	572	177
2025/8/19 3:20	0	0	0	0	0	75	101	159	571	157
2025/8/19 3:30	0	0	0	0	0	74	98	55	657	133
2025/8/19 3:40	0	0	0	0	0	73	98	56	564	130
2025/8/19 3:50	0	0	0	0	0	75	100	52	581	130
2025/8/19 4:00	0	0	0	0	0	79	116	56	513	130

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/19 4:10	0	0	0	0	0	82	108	66	454	137
2025/8/19 4:20	0	0	0	0	0	78	114	80	425	126
2025/8/19 4:30	0	0	0	0	0	80	100	211	406	164
2025/8/19 4:40	0	0	0	0	0	82	100	56	541	122
2025/8/19 4:50	0	0	0	0	0	81	111	59	548	120
2025/8/19 5:00	0	0	0	0	0	75	100	57	438	118
2025/8/19 5:10	0	0	0	0	0	78	104	56	532	116
2025/8/19 5:20	0	0	0	0	0	77	105	57	501	112
2025/8/19 5:30	0	0	0	0	0	78	97	56	476	115
2025/8/19 5:40	0	0	0	0	0	79	114	74	425	110
2025/8/19 5:50	0	0	0	0	0	75	102	90	379	112
2025/8/19 6:00	0	0	0	0	0	241	98	223	241	445
2025/8/19 6:10	0	0	0	0	0	159	126	230	313	445
2025/8/19 6:20	0	0	0	0	0	99	98	386	338	435
2025/8/19 6:30	0	0	0	0	0	321	110	175	103	591
2025/8/19 6:40	0	0	0	0	0	349	140	268	78	561
2025/8/19 6:50	0	0	0	0	0	383	227	189	146	483
2025/8/19 7:00	0	0	0	0	0	339	192	53	42	341
2025/8/19 7:10	0	0	0	0.1	0	341	318	47	87	384
2025/8/19 7:20	0	0	0	0.1	0	358	234	135	35	565
2025/8/19 7:30	0	0	0	0.1	0	363	283	99	120	517
2025/8/19 7:40	0	0	0.1	0.1	0	403	323	182	320	654
2025/8/19 7:50	0.1	0	0.1	0.1	0.3	225	321	207	130	563
2025/8/19 8:00	0.1	0	0.1	0.2	0.1	287	365	58	35	502
2025/8/19 8:10	0.1	0	0.1	0.2	0.2	198	263	64	87	281
2025/8/19 8:20	0.1	0	0.1	0.2	0	230	234	94	28	464
2025/8/19 8:30	0.1	0	0.1	0.2	0	238	254	83	36	312
2025/8/19 8:40	0.1	0	0.1	0.2	0	81	354	43	233	158
2025/8/19 8:50	0.1	0	0.1	0.2	0	172	327	42	198	130
2025/8/19 9:00	0.1	0	0.1	0.1	0	265	294	43	193	340
2025/8/19 9:10	0.1	0	0.1	0.1	0.2	257	255	74	32	389
2025/8/19 9:20	0.1	0	0.1	0.1	0	191	262	112	35	434
2025/8/19 9:30	0.1	0	0.1	0.1	0	199	218	68	62	422
2025/8/19 9:40	0.1	0	0.1	0.1	0	203	243	115	189	354
2025/8/19 9:50	0.1	0	0.1	0.1	0	207	242	101	38	293
2025/8/19 10:00	0.1	0	0.1	0.1	0	168	209	57	185	220
2025/8/19 10:10	0.1	0	0.1	0.1	0	169	205	71	35	286
2025/8/19 10:20	0.1	0	0.1	0.1	0	139	204	70	45	232
2025/8/19 10:30	0.1	0	0.1	0.1	0	155	153	95	32	308
2025/8/19 10:40	0.1	0	0.1	0.1	0	128	186	76	44	227
2025/8/19 10:50	0.1	0.1	0.1	0.1	0	160	178	87	36	291
2025/8/19 11:00	0.1	0.1	0.1	0.1	0	172	225	88	35	338
2025/8/19 11:10	0.1	0.1	0.1	0.1	0	183	183	92	36	442
2025/8/19 11:20	0.1	0.1	0.1	0.1	0.1	190	200	85	32	336
2025/8/19 11:30	0.1	0.1	0.1	0.1	0.1	127	188	76	33	355
2025/8/19 11:40	0.1	0.1	0.1	0.1	0.1	171	174	77	32	354
2025/8/19 11:50	0.1	0.1	0.1	0.1	0.1	177	146	81	37	379
2025/8/19 12:00	0.1	0.1	0.1	0.1	0.1	155	203	63	34	298
2025/8/19 12:10	0.1	0.1	0.1	0.1	0	127	148	75	30	346
2025/8/19 12:20	0.1	0.1	0.1	0.1	0.1	178	153	72	29	352
2025/8/19 12:30	0.1	0.1	0.1	0.1	0.1	171	194	80	29	337
2025/8/19 12:40	0.1	0.1	0.1	0.1	0.1	197	165	61	27	317
2025/8/19 12:50	0.1	0.1	0.1	0.1	0.1	187	153	75	29	387
2025/8/19 13:00	0.2	0.1	0.1	0.1	0.1	198	203	52	27	266
2025/8/19 13:10	0.2	0.1	0.1	0.1	0.1	178	188	70	36	368
2025/8/19 13:20	0.2	0.1	0.1	0.1	0.1	204	182	83	37	449
2025/8/19 13:30	0.2	0.1	0.1	0.1	0.1	195	255	99	35	407
2025/8/19 13:40	0.2	0.1	0	0.1	0.1	139	191	110	31	391
2025/8/19 13:50	0.2	0.1	0	0.1	0.1	234	220	47	36	263
2025/8/19 14:00	0.2	0.1	0	0.1	0.1	209	195	39	30	260
2025/8/19 14:10	0.2	0.1	0	0.1	0.1	185	182	43	27	294
2025/8/19 14:20	0.2	0.1	0	0.1	0.1	187	203	50	29	364
2025/8/19 14:30	0.2	0.1	0	0.1	0	195	181	74	31	414
2025/8/19 14:40	0.2	0.1	0	0.1	0	191	186	74	39	405
2025/8/19 14:50	0.2	0.1	0	0.1	0	185	197	96	27	395
2025/8/19 15:00	0.2	0.1	0	0.1	0	196	179	51	27	388
2025/8/19 15:10	0.2	0.1	0	0.1	0	264	216	56	26	354
2025/8/19 15:20	0.2	0.1	0	0.1	0	246	205	65	24	347
2025/8/19 15:30	0.2	0.1	0	0.1	0	242	185	66	31	424
2025/8/19 15:40	0.2	0.1	0	0.1	0	224	199	98	28	393
2025/8/19 15:50	0.2	0.1	0	0.1	0	216	187	62	24	421
2025/8/19 16:00	0.2	0.1	0	0.1	0	167	175	89	22	479
2025/8/19 16:10	0.1	0.1	0	0.1	0	264	206	123	24	530

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/19 16:20	0.1	0.1	0	0.1	0	262	318	123	25	543
2025/8/19 16:30	0.1	0.1	0	0.1	0	242	245	75	35	392
2025/8/19 16:40	0.1	0.1	0	0.1	0	193	197	128	36	418
2025/8/19 16:50	0.1	0.1	0	0.1	0	218	217	111	43	410
2025/8/19 17:00	0.1	0.1	0	0.1	0	203	209	89	38	435
2025/8/19 17:10	0.1	0.1	0	0.1	0	237	170	80	21	353
2025/8/19 17:20	0.1	0.1	0	0.1	0	224	155	71	27	341
2025/8/19 17:30	0.1	0.1	0	0	0	223	160	82	25	369
2025/8/19 17:40	0.1	0.1	0	0	0	262	170	76	26	341
2025/8/19 17:50	0.1	0.1	0	0	0	256	201	95	43	396
2025/8/19 18:00	0	0.1	0	0	0	254	178	68	43	331
2025/8/19 18:10	0	0.1	0	0	0	259	207	64	39	315
2025/8/19 18:20	0	0	0	0	0	266	197	99	31	415
2025/8/19 18:30	0	0	0	0	0	271	225	71	43	364
2025/8/19 18:40	0	0	0	0	0	298	230	56	43	386
2025/8/19 18:50	0	0	0	0	0	276	208	113	33	409
2025/8/19 19:00	0	0	0	0	0	235	181	77	29	381
2025/8/19 19:10	0	0	0	0	0	252	252	65	27	372
2025/8/19 19:20	0	0	0	0	0	303	233	93	27	366
2025/8/19 19:30	0	0	0	0	0	243	184	81	24	317
2025/8/19 19:40	0	0	0	0	0	255	186	73	26	330
2025/8/19 19:50	0	0	0	0	0	261	178	86	26	368
2025/8/19 20:00	0	0	0	0	0	278	213	77	26	305
2025/8/19 20:10	0	0	0	0	0	266	238	106	26	372
2025/8/19 20:20	0	0	0	0	0	262	227	104	26	351
2025/8/19 20:30	0	0	0	0	0	249	192	122	29	409
2025/8/19 20:40	0	0	0	0	0	267	164	103	31	321
2025/8/19 20:50	0	0	0	0	0	264	246	109	30	391
2025/8/19 21:00	0	0	0	0	0	240	217	112	27	392
2025/8/19 21:10	0	0	0	0	0	284	280	61	25	296
2025/8/19 21:20	0	0	0	0	0	270	223	43	24	287
2025/8/19 21:30	0	0	0	0	0	251	292	41	90	265
2025/8/19 21:40	0	0	0	0	0	266	227	56	29	258
2025/8/19 21:50	0	0	0	0	0	486	366	116	25	411
2025/8/19 22:00	0	0	0	0	0	548	439	171	28	551
2025/8/19 22:10	0	0	0	0	0	433	418	206	29	586
2025/8/19 22:20	0	0	0	0	0	449	335	152	29	531
2025/8/19 22:30	0	0	0	0	0	556	364	131	29	470
2025/8/19 22:40	0	0	0	0	0	515	405	171	30	544
2025/8/19 22:50	0	0	0	0	0	581	672	132	27	524
2025/8/19 23:00	0	0	0	0	0	629	530	162	31	666
2025/8/19 23:10	0	0	0	0	0.5	720	567	237	33	681
2025/8/19 23:20	0	0	0	0	1	547	614	316	37	852
2025/8/19 23:30	0	0	0	0	2.8	646	593	143	35	718
2025/8/19 23:40	0	0	0	0	0.9	575	609	60	34	487
2025/8/19 23:50	0	0	0	0	0	558	451	95	30	489
2025/8/20 0:00	0	0	0	0	0	484	324	77	28	466
2025/8/20 0:10	0	0	0	0	0	495	432	168	30	460
2025/8/20 0:20	0	0	0	0	0	589	432	208	31	601
2025/8/20 0:30	0	0	0	0	0	498	483	147	28	537
2025/8/20 0:40	0	0	0	0	0	503	440	115	29	414
2025/8/20 0:50	0	0	0	0	0	464	423	72	63	521
2025/8/20 1:00	0	0	0	0.1	0	522	454	193	658	748
2025/8/20 1:10	0	0	0	1.4	0.8	613	683	71	610	745
2025/8/20 1:20	0	0	0	1.4	0.7	602	594	228	911	786
2025/8/20 1:30	0	0	0	1.9	0.6	548	533	108	595	750
2025/8/20 1:40	0	0	0	1.9	0.5	311	495	151	1189	736
2025/8/20 1:50	0	0	0	4.6	1.5	494	406	128	1211	809
2025/8/20 2:00	0	0	0	4.5	1.7	438	717	113	1195	706
2025/8/20 2:10	0	0	0	4.8	0.7	269	218	54	830	590
2025/8/20 2:20	0	0	0	0.5	1.1	481	492	288	1171	778
2025/8/20 2:30	0	0	0	4	1.4	150	191	465	706	604
2025/8/20 2:40	0	0	0	0.1	0	112	172	313	640	421
2025/8/20 2:50	0	0	0	0	0	99	172	151	614	219
2025/8/20 3:00	0	0	0	0	0	107	161	100	664	188
2025/8/20 3:10	0	0	0	0	0	127	154	116	567	202
2025/8/20 3:20	0	0	0	0	0	118	147	132	647	182
2025/8/20 3:30	0	0	0	0	0	95	124	108	587	184
2025/8/20 3:40	0	0	0	0	0	205	119	288	389	459
2025/8/20 3:50	0	0	0	0	0	84	131	85	623	200
2025/8/20 4:00	0	0	0	0	0	81	121	62	539	181
2025/8/20 4:10	0	0	0	0	0	76	127	60	543	174
2025/8/20 4:20	0	0	0	0	0	75	110	89	413	172

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/20 4:30	0	0	0	0	0	100	102	335	354	451
2025/8/20 4:40	0	0	0	0	0	82	104	243	375	240
2025/8/20 4:50	0	0	0	0	0	84	109	199	364	205
2025/8/20 5:00	0	0	0	0	0	86	109	200	453	245
2025/8/20 5:10	0	0	0	0	0	84	135	113	539	193
2025/8/20 5:20	0	0	0	0	0	83	128	153	491	235
2025/8/20 5:30	0	0	0	0	0	143	106	298	549	384
2025/8/20 5:40	0	0	0	0	0	128	106	388	322	482
2025/8/20 5:50	0	0	0	0	0	144	110	242	511	513
2025/8/20 6:00	0	0	0	0	0	512	212	100	461	558
2025/8/20 6:10	0	0	0	0.6	0	295	522	71	819	462
2025/8/20 6:20	0	0	0	0.5	0	97	247	61	653	167
2025/8/20 6:30	0	0	0	0.1	0	337	159	56	500	280
2025/8/20 6:40	0	0	0.1	0.1	0	81	302	51	389	128
2025/8/20 6:50	0	0	0.1	0.1	0	104	172	57	463	133
2025/8/20 7:00	0	0	0.1	0.2	0	84	218	61	483	377
2025/8/20 7:10	0	0	0.1	0.2	0.3	86	191	57	505	226
2025/8/20 7:20	0	0	0.1	0.2	0	149	330	57	395	180
2025/8/20 7:30	0	0	0.1	0.2	0	401	406	183	46	502
2025/8/20 7:40	0	0	0.1	0.2	0	88	337	139	572	261
2025/8/20 7:50	0.1	0.1	0.1	0.4	0	92	215	45	420	125
2025/8/20 8:00	0.1	0	0.1	0.2	0	65	154	57	383	125
2025/8/20 8:10	0.1	0	0.1	0.2	0	194	241	52	536	245
2025/8/20 8:20	0.1	0	0.1	0.7	0.1	59	170	46	579	126
2025/8/20 8:30	0.1	0	0.1	0.2	0	110	288	52	292	246
2025/8/20 8:40	0.1	0	0.1	0.2	0.1	190	329	260	156	661
2025/8/20 8:50	0.1	0	0.1	0.2	0.3	58	148	42	427	134
2025/8/20 9:00	0.1	0	0.1	0.2	0	197	288	53	65	247
2025/8/20 9:10	0.1	0	0.1	0.2	0	92	360	77	127	149
2025/8/20 9:20	0.1	0	0.1	0.2	0	125	333	47	46	288
2025/8/20 9:30	0.1	0	0.1	0.2	0	150	426	51	76	268
2025/8/20 9:40	0.1	0	0.1	0.2	0	224	328	77	132	350
2025/8/20 9:50	0.1	0	0.1	0.2	0	197	278	137	40	461
2025/8/20 10:00	0.1	0	0.1	0.2	0	115	114	136	120	373
2025/8/20 10:10	0.1	0	0.1	0.2	0.1	134	227	78	125	314
2025/8/20 10:20	0.1	0	0.1	0.2	0.1	164	210	98	53	343
2025/8/20 10:30	0.1	0	0.1	0.1	0.1	153	119	90	131	317
2025/8/20 10:40	0.1	0	0.1	0.1	0.1	172	232	113	38	411
2025/8/20 10:50	0.1	0	0.1	0.1	0.1	154	237	171	86	391
2025/8/20 11:00	0.1	0	0.1	0.1	0.1	232	212	87	45	365
2025/8/20 11:10	0.1	0	0.1	0.1	0.1	156	197	97	44	252
2025/8/20 11:20	0.1	0	0.1	0.1	0.1	168	260	66	41	272
2025/8/20 11:30	0.1	0	0.1	0.1	0.1	215	250	69	46	345
2025/8/20 11:40	0.1	0.1	0.1	0.1	0.1	208	192	74	41	389
2025/8/20 11:50	0.1	0.1	0.1	0.1	0.1	190	217	79	40	306
2025/8/20 12:00	0.1	0.1	0.1	0.1	0.1	155	182	109	38	394
2025/8/20 12:10	0.1	0.1	0.1	0.1	0.1	169	204	85	36	352
2025/8/20 12:20	0.1	0.1	0.1	0.1	0.1	154	155	80	31	381
2025/8/20 12:30	0.1	0.1	0.1	0.1	0.1	175	155	90	31	388
2025/8/20 12:40	0.1	0.1	0.1	0.1	0.1	146	144	86	30	366
2025/8/20 12:50	0.2	0.1	0.1	0.1	0.1	151	179	99	28	385
2025/8/20 13:00	0.2	0.1	0.1	0.1	0.1	142	170	77	32	316
2025/8/20 13:10	0.2	0.1	0.1	0.1	0.1	170	171	44	31	328
2025/8/20 13:20	0.2	0.1	0.1	0.1	0.1	129	231	73	33	305
2025/8/20 13:30	0.2	0.1	0.1	0.1	0.1	121	323	67	35	303
2025/8/20 13:40	0.2	0.1	0.1	0.1	0.1	135	319	71	37	264
2025/8/20 13:50	0.2	0.1	0.1	0.1	0.1	127	207	47	39	254
2025/8/20 14:00	0.2	0.1	0.1	0.1	0.1	134	292	47	37	256
2025/8/20 14:10	0.2	0.1	0.1	0.1	0.1	139	302	66	38	274
2025/8/20 14:20	0.2	0.1	0.1	0.1	0.1	129	201	54	36	260
2025/8/20 14:30	0.2	0.1	0	0.1	0.1	128	183	38	35	252
2025/8/20 14:40	0.2	0.1	0	0.1	0	126	193	39	29	239
2025/8/20 14:50	0.2	0.1	0	0.1	0	114	261	34	25	190
2025/8/20 15:00	0.2	0.1	0	0.1	0	114	197	35	20	181
2025/8/20 15:10	0.2	0.1	0	0.1	0	109	149	52	20	240
2025/8/20 15:20	0.1	0.1	0	0.1	0	133	180	37	18	214
2025/8/20 15:30	0.1	0.1	0	0.1	0	129	821	51	23	224
2025/8/20 15:40	0.1	0.1	0	0.1	0	143	284	55	27	266
2025/8/20 15:50	0.1	0.1	0	0.1	0	160	219	59	32	291
2025/8/20 16:00	0.1	0.1	0	0.1	0	145	179	94	33	274
2025/8/20 16:10	0.1	0.1	0	0.1	0	172	218	67	36	326
2025/8/20 16:20	0.1	0.1	0	0.1	0	154	195	86	31	286
2025/8/20 16:30	0.1	0	0	0.1	0	147	233	84	35	302

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/20 16:40	0.1	0	0	0.1	0	143	221	89	33	276
2025/8/20 16:50	0.1	0	0	0.1	0	151	172	53	30	266
2025/8/20 17:00	0.1	0.1	0	0.1	0	153	172	55	35	251
2025/8/20 17:10	0.1	0.1	0	0.1	0	147	183	54	34	239
2025/8/20 17:20	0.1	0.1	0	0.1	0	170	202	51	36	240
2025/8/20 17:30	0.1	0.1	0	0	0	158	170	54	34	232
2025/8/20 17:40	0.1	0.1	0	0	0	150	152	49	28	229
2025/8/20 17:50	0	0.1	0	0	0	139	150	48	36	206
2025/8/20 18:00	0	0	0	0	0	155	193	57	48	200
2025/8/20 18:10	0	0	0	0	0	144	182	48	53	177
2025/8/20 18:20	0	0	0	0	0	153	201	55	40	195
2025/8/20 18:30	0	0	0	0	0	169	228	72	36	221
2025/8/20 18:40	0	0	0	0	0	151	280	54	37	181
2025/8/20 18:50	0	0	0	0	0	198	230	65	35	245
2025/8/20 19:00	0	0	0	0	0	212	305	68	39	252
2025/8/20 19:10	0	0	0	0	0	181	300	68	37	230
2025/8/20 19:20	0	0	0	0	0	201	281	57	40	221
2025/8/20 19:30	0	0	0	0	0	201	301	85	41	274
2025/8/20 19:40	0	0	0	0	0	200	331	76	39	217
2025/8/20 19:50	0	0	0	0	0	203	232	81	39	263
2025/8/20 20:00	0	0	0	0	0	239	333	114	44	312
2025/8/20 20:10	0	0	0	0	0	245	383	107	44	305
2025/8/20 20:20	0	0	0	0	0	261	386	106	46	335
2025/8/20 20:30	0	0	0	0	0	228	307	100	37	296
2025/8/20 20:40	0	0	0	0	0	267	402	105	39	332
2025/8/20 20:50	0	0	0	0	0	264	301	97	35	301
2025/8/20 21:00	0	0	0	0	0	246	370	79	30	261
2025/8/20 21:10	0	0	0	0	0	226	309	72	29	220
2025/8/20 21:20	0	0	0	0	0	252	345	81	32	260
2025/8/20 21:30	0	0	0	0	0	252	343	79	31	260
2025/8/20 21:40	0	0	0	0	0	309	519	98	32	287
2025/8/20 21:50	0	0	0	0	0	321	479	121	31	372
2025/8/20 22:00	0	0	0	0	0	437	498	136	34	375
2025/8/20 22:10	0	0	0	0	0	551	305	203	37	524
2025/8/20 22:20	0	0	0	0	0	582	384	227	239	645
2025/8/20 22:30	0	0	0	0	0.3	442	199	211	61	634
2025/8/20 22:40	0	0	0	0	0	387	671	142	49	454
2025/8/20 22:50	0	0.1	0	0	0	481	553	161	38	512
2025/8/20 23:00	0	0	0	0	0	418	496	194	35	537
2025/8/20 23:10	0	0.1	0	0	0	452	746	186	36	618
2025/8/20 23:20	0	0.9	0	0	0	486	859	202	54	587
2025/8/20 23:30	0	1.1	0	0	0	564	953	255	163	650
2025/8/20 23:40	0	2.5	0	0	0.1	487	906	185	56	564
2025/8/20 23:50	0	2.3	0	0	0	428	751	174	66	517
2025/8/21 0:00	0	0.3	0	0	0	455	560	167	41	503
2025/8/21 0:10	0	0	0	0	0	465	321	185	48	536
2025/8/21 0:20	0	0	0	0	0	341	560	120	49	416
2025/8/21 0:30	0	0	0	0	0	347	548	134	202	456
2025/8/21 0:40	0	0	0	0	0	404	717	137	148	358
2025/8/21 0:50	0	0	0	0	0	390	719	201	356	578
2025/8/21 1:00	0	0	0	0	0	391	728	138	279	476
2025/8/21 1:10	0	0	0	0	0	202	744	145	610	463
2025/8/21 1:20	0	0	0	0	0.1	438	827	114	512	775
2025/8/21 1:30	0	0	0	0	1.9	429	753	207	498	691
2025/8/21 1:40	0	0	0	0	1.1	280	698	226	701	599
2025/8/21 1:50	0	0	0	0	0.6	132	273	55	398	252
2025/8/21 2:00	0	0	0	0	0	87	188	57	184	166
2025/8/21 2:10	0	0	0	0	0	82	140	56	335	146
2025/8/21 2:20	0	0	0	0	0	77	143	53	345	138
2025/8/21 2:30	0	0	0	0	0	71	188	52	383	129
2025/8/21 2:40	0	0	0	0	0	72	199	51	488	129
2025/8/21 2:50	0	0	0	0	0	76	254	54	558	156
2025/8/21 3:00	0	0	0	0	0	101	149	54	584	475
2025/8/21 3:10	0	0	0	0	0.7	162	276	52	615	465
2025/8/21 3:20	0	0	0	0	0.6	68	250	49	357	154
2025/8/21 3:30	0	0	0	0	0	63	124	45	267	126
2025/8/21 3:40	0	0	0	0	0	63	143	45	354	123
2025/8/21 3:50	0	0	0	0	0	66	153	47	368	124
2025/8/21 4:00	0	0	0	0	0	68	190	48	448	125
2025/8/21 4:10	0	0	0	0	0	70	239	49	528	121
2025/8/21 4:20	0	0	0	0	0	73	187	48	523	119
2025/8/21 4:30	0	0	0	0	0	71	170	47	467	118
2025/8/21 4:40	0	0	0	0	0	89	144	45	477	185

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/21 4:50	0	0	0	0	0	69	164	47	555	272
2025/8/21 5:00	0	0	0	0	0	75	172	47	559	180
2025/8/21 5:10	0	0	0	0	0	121	151	60	583	610
2025/8/21 5:20	0	0	0	0	0	143	212	64	539	560
2025/8/21 5:30	0	0	0	0	0.4	197	186	124	596	658
2025/8/21 5:40	0	0	0	0	0.5	101	199	58	553	405
2025/8/21 5:50	0	0	0	0	0.1	298	301	58	553	506
2025/8/21 6:00	0	0	0	0	0.4	67	267	52	534	136
2025/8/21 6:10	0	0	0	0.1	0	67	261	48	439	125
2025/8/21 6:20	0	0	0	0.1	0	65	182	44	287	119
2025/8/21 6:30	0	0	0.1	0.1	0	63	154	43	267	116
2025/8/21 6:40	0	0	0.1	0.1	0	62	150	41	342	115
2025/8/21 6:50	0	0	0.1	0.1	0	64	115	42	348	127
2025/8/21 7:00	0	0	0.1	0.2	0	64	105	43	315	123
2025/8/21 7:10	0	0	0.1	0.2	0	65	112	42	222	121
2025/8/21 7:20	0	0	0.1	0.1	0	66	125	42	239	124
2025/8/21 7:30	0.1	0	0.1	0.2	0	67	108	43	286	127
2025/8/21 7:40	0.1	0	0.1	0.2	0	64	155	46	166	126
2025/8/21 7:50	0.1	0	0.1	0.1	0	66	161	47	225	132
2025/8/21 8:00	0.1	0	0.1	0.2	0	67	174	46	258	131
2025/8/21 8:10	0.1	0	0.1	0.2	0	136	89	55	267	166
2025/8/21 8:20	0.1	0	0.1	0.2	0	277	138	210	375	286
2025/8/21 8:30	0.1	0	0.1	0.2	0	98	96	387	221	318
2025/8/21 8:40	0.1	0	0.1	0.2	0	161	197	128	251	208
2025/8/21 8:50	0.1	0	0.1	0.2	0	85	97	158	269	270
2025/8/21 9:00	0.1	0	0.1	0.2	0	95	166	159	197	401
2025/8/21 9:10	0.1	0	0.1	0.2	0	205	100	117	157	360
2025/8/21 9:20	0.1	0	0.1	0.2	0	116	137	168	393	244
2025/8/21 9:30	0.1	0	0.1	0.2	0	115	337	101	250	213
2025/8/21 9:40	0.1	0	0.1	0.2	0.1	125	160	98	196	274
2025/8/21 9:50	0.1	0	0.1	0.2	0.1	100	185	91	247	226
2025/8/21 10:00	0.1	0	0.1	0.2	0.1	82	158	90	215	188
2025/8/21 10:10	0.1	0	0.1	0.2	0.1	95	96	111	178	301
2025/8/21 10:20	0.1	0	0.1	0.2	0.1	85	138	65	208	178
2025/8/21 10:30	0.1	0	0.1	0.2	0.1	106	244	47	96	163
2025/8/21 10:40	0.1	0	0.1	0.1	0.1	77	135	54	125	182
2025/8/21 10:50	0.1	0	0.1	0.1	0.1	97	149	59	95	232
2025/8/21 11:00	0.1	0	0.1	0.1	0.1	133	151	97	95	297
2025/8/21 11:10	0.1	0	0.1	0.1	0.1	105	191	77	212	229
2025/8/21 11:20	0.1	0	0.1	0.1	0.1	83	102	53	128	174
2025/8/21 11:30	0.1	0	0.1	0.1	0.1	77	137	64	196	191
2025/8/21 11:40	0.1	0	0.1	0.1	0.1	76	103	61	138	211
2025/8/21 11:50	0.1	0	0.1	0.1	0.1	74	83	62	218	174
2025/8/21 12:00	0.1	0	0.1	0.1	0.1	80	105	49	102	202
2025/8/21 12:10	0.1	0	0.1	0.1	0.1	121	146	60	85	298
2025/8/21 12:20	0.1	0.1	0.1	0.1	0.1	96	84	55	239	189
2025/8/21 12:30	0.1	0.1	0.1	0.1	0.1	82	83	100	159	251
2025/8/21 12:40	0.1	0.1	0.1	0.1	0.1	80	110	85	202	271
2025/8/21 12:50	0.1	0.1	0.1	0.1	0.1	104	162	75	146	240
2025/8/21 13:00	0.1	0.1	0.1	0.1	0.1	84	134	80	147	261
2025/8/21 13:10	0.1	0.1	0.1	0.1	0.1	95	114	170	157	329
2025/8/21 13:20	0.2	0.1	0.1	0.1	0.1	130	197	186	231	369
2025/8/21 13:30	0.2	0.1	0.1	0.1	0.1	100	172	106	232	272
2025/8/21 13:40	0.2	0.1	0.1	0.1	0.1	145	163	196	221	458
2025/8/21 13:50	0.1	0.1	0	0.1	0.1	174	219	196	156	528
2025/8/21 14:00	0.1	0.1	0	0.1	0	157	314	121	111	356
2025/8/21 14:10	0.1	0.1	0	0.1	0	172	260	46	61	249
2025/8/21 14:20	0.2	0.1	0	0.1	0	155	293	99	84	314
2025/8/21 14:30	0.2	0.1	0	0.1	0	163	328	46	73	243
2025/8/21 14:40	0.2	0.1	0	0.1	0	191	257	70	70	305
2025/8/21 14:50	0.1	0.1	0	0.1	0	161	350	53	68	293
2025/8/21 15:00	0.2	0.1	0	0.1	0	141	321	30	58	216
2025/8/21 15:10	0.2	0.1	0.1	0.1	0	179	280	31	70	220
2025/8/21 15:20	0.1	0.1	0	0.1	0	134	267	33	64	240
2025/8/21 15:30	0.1	0.1	0	0.1	0	76	345	26	63	176
2025/8/21 15:40	0.1	0.1	0	0.1	0	85	313	31	71	171
2025/8/21 15:50	0.1	0.1	0	0.1	0	143	396	29	51	204
2025/8/21 16:00	0.1	0.1	0	0.1	0	175	236	36	51	242
2025/8/21 16:10	0.1	0.1	0	0.1	0	126	208	29	51	166
2025/8/21 16:20	0.1	0.1	0	0.1	0	93	273	40	82	165
2025/8/21 16:30	0.1	0.1	0	0.1	0	81	274	42	105	161
2025/8/21 16:40	0.1	0.1	0	0.1	0	80	272	45	99	157
2025/8/21 16:50	0.1	0.1	0	0.1	0	84	337	46	72	154

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/21 17:00	0.1	0.1	0	0.1	0	90	338	37	70	150
2025/8/21 17:10	0.1	0.1	0	0.1	0	79	419	38	80	147
2025/8/21 17:20	0.1	0.1	0	0.1	0	179	429	38	53	148
2025/8/21 17:30	0.1	0.1	0	0.1	0	198	419	37	256	257
2025/8/21 17:40	0.1	0.2	0	0.1	0	289	498	114	63	377
2025/8/21 17:50	0.1	0.4	0	0.1	0	230	352	102	70	355
2025/8/21 18:00	0.1	0	0	0.1	0	204	284	105	64	346
2025/8/21 18:10	0.1	0	0	0.1	0	228	330	114	60	346
2025/8/21 18:20	0.1	0	0	0	0	236	343	105	67	367
2025/8/21 18:30	0.1	0	0	0	0	191	351	82	59	297
2025/8/21 18:40	0.1	0	0	0	0	219	307	95	57	332
2025/8/21 18:50	0	0	0	0	0	245	408	93	57	367
2025/8/21 19:00	0	0	0	0	0	218	381	91	50	370
2025/8/21 19:10	0	0	0	0	0	232	279	58	36	268
2025/8/21 19:20	0	0	0	0	0	231	318	44	35	269
2025/8/21 19:30	0	0	0	0	0	270	283	75	36	292
2025/8/21 19:40	0	0	0	0	0	278	533	124	37	481
2025/8/21 19:50	0	0.1	0	0	0	212	587	102	45	364
2025/8/21 20:00	0	0.2	0	0	0	226	425	116	64	375
2025/8/21 20:10	0	0	0	0	0	247	299	78	67	285
2025/8/21 20:20	0	0	0	0	0	285	435	97	38	325
2025/8/21 20:30	0	0	0	0	0	355	700	102	44	499
2025/8/21 20:40	0	0.5	0	0	0	321	553	214	45	618
2025/8/21 20:50	0	0.7	0	0	0	323	179	259	106	701
2025/8/21 21:00	0	0.1	0	0	0.1	418	575	143	153	601
2025/8/21 21:10	0	0.4	0	0	0	448	258	270	89	744
2025/8/21 21:20	0	0	0	0	0.3	192	185	350	50	774
2025/8/21 21:30	0	0	0	0	0.2	113	251	341	83	677
2025/8/21 21:40	0	0	0	0	0	185	196	251	84	736
2025/8/21 21:50	0	0	0	0	0	227	93	339	156	646
2025/8/21 22:00	0	0	0	0	0.1	111	215	411	164	583
2025/8/21 22:10	0	0	0	0	0.3	92	96	279	162	379
2025/8/21 22:20	0	0	0	0	0	106	187	300	245	566
2025/8/21 22:30	0	0	0	0	0	141	104	349	137	514
2025/8/21 22:40	0	0	0	0	0	189	178	331	327	743
2025/8/21 22:50	0	0	0	0	0.5	409	222	299	334	866
2025/8/21 23:00	0	0	0	0	1.2	192	137	327	49	673
2025/8/21 23:10	0	0	0	0	0	88	96	386	95	712
2025/8/21 23:20	0	0	0	0	0.5	201	122	341	150	603
2025/8/21 23:30	0	0	0	0	0	381	118	262	38	678
2025/8/21 23:40	0	0	0	0	0	255	99	262	67	709
2025/8/21 23:50	0	0	0	0	0	173	114	343	102	656
2025/8/22 0:00	0	0	0	0	0.3	295	190	264	47	720
2025/8/22 0:10	0	0	0	0	0	114	88	391	139	721
2025/8/22 0:20	0	0	0	0	0.3	352	94	343	112	740
2025/8/22 0:30	0	0	0	0	0	407	122	312	178	684
2025/8/22 0:40	0	0	0	0	0.2	518	188	269	229	714
2025/8/22 0:50	0	0	0	0	0	299	291	329	442	744
2025/8/22 1:00	0	0	0	0	0.5	109	284	264	463	553
2025/8/22 1:10	0	0	0	0	0	107	196	263	322	585
2025/8/22 1:20	0	0	0	0	0	115	244	285	164	493
2025/8/22 1:30	0	0	0	0	0	123	233	270	71	560
2025/8/22 1:40	0	0	0	0	0	164	274	288	133	603
2025/8/22 1:50	0	0	0	0	0	112	206	313	155	535
2025/8/22 2:00	0	0	0	0	0	77	126	82	414	210
2025/8/22 2:10	0	0	0	0	0	113	120	198	369	275
2025/8/22 2:20	0	0	0	0	0	162	210	255	422	500
2025/8/22 2:30	0	0	0	0	0	116	120	250	312	458
2025/8/22 2:40	0	0	0	0	0	86	177	164	383	279
2025/8/22 2:50	0	0	0	0	0.2	146	101	250	326	521
2025/8/22 3:00	0	0	0	0	0	97	98	150	497	426
2025/8/22 3:10	0	0	0	0	0	183	216	203	466	375
2025/8/22 3:20	0	0	0	0	0	121	105	206	448	364
2025/8/22 3:30	0	0	0	0	0	159	106	187	351	286
2025/8/22 3:40	0	0	0	0	0	85	157	271	415	378
2025/8/22 3:50	0	0	0	0	0	75	99	151	394	209
2025/8/22 4:00	0	0	0	0	0	74	131	73	412	141
2025/8/22 4:10	0	0	0	0	0	77	128	54	407	136
2025/8/22 4:20	0	0	0	0	0	76	127	153	317	187
2025/8/22 4:30	0	0	0	0	0	69	90	50	379	145
2025/8/22 4:40	0	0	0	0	0	66	149	169	298	223
2025/8/22 4:50	0	0	0	0	0	124	202	112	398	256
2025/8/22 5:00	0	0	0	0	0	69	227	46	436	120

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/22 5:10	0	0	0	0	0	76	128	50	449	118
2025/8/22 5:20	0	0	0	0	0	68	100	45	390	112
2025/8/22 5:30	0	0	0	0	0	62	87	64	385	114
2025/8/22 5:40	0	0	0	0	0	77	142	78	394	157
2025/8/22 5:50	0	0	0	0	0	82	164	58	393	127
2025/8/22 6:00	0	0	0	0	0	83	104	56	439	124
2025/8/22 6:10	0	0	0	0	0	78	114	52	291	171
2025/8/22 6:20	0	0	0	0	0	76	102	49	332	121
2025/8/22 6:30	0	0	0	0	0	74	118	46	384	115
2025/8/22 6:40	0	0	0	0	0	76	112	46	349	117
2025/8/22 6:50	0	0	0	0	0	71	128	46	314	118
2025/8/22 7:00	0	0	0	0.1	0	74	80	93	240	163
2025/8/22 7:10	0	0	0	0.1	0	70	102	48	305	116
2025/8/22 7:20	0	0	0	0.1	0	68	97	40	369	138
2025/8/22 7:30	0	0	0.1	0.1	0	70	139	42	238	120
2025/8/22 7:40	0	0	0.1	0.1	0	69	127	49	279	119
2025/8/22 7:50	0	0	0.1	0.1	0	67	104	65	196	147
2025/8/22 8:00	0	0	0.1	0.2	0	65	113	50	194	124
2025/8/22 8:10	0	0	0.1	0.2	0	95	76	174	194	480
2025/8/22 8:20	0.1	0	0.1	0.2	0.5	181	261	151	292	447
2025/8/22 8:30	0.1	0	0.1	0.2	0.7	105	166	169	246	496
2025/8/22 8:40	0.1	0	0.1	0.2	0.6	99	136	140	183	387
2025/8/22 8:50	0.1	0	0.1	0.2	0.1	251	325	123	79	577
2025/8/22 9:00	0.1	0	0.1	0.2	0.4	326	243	102	43	556
2025/8/22 9:10	0.1	0	0.1	0.2	0.1	181	171	168	97	604
2025/8/22 9:20	0.1	0	0.1	0.1	0.6	231	187	76	128	318
2025/8/22 9:30	0.1	0	0.1	0.1	0	57	167	32	384	138
2025/8/22 9:40	0.1	0	0.1	0.1	0	211	234	118	137	476
2025/8/22 9:50	0.1	0	0.1	0.1	0.8	157	153	196	167	598
2025/8/22 10:00	0.1	0	0.1	0.1	0.1	71	100	45	127	262
2025/8/22 10:10	0.1	0	0.1	0.1	0.1	101	147	165	100	450
2025/8/22 10:20	0.1	0	0.1	0.1	0.3	90	177	113	165	439
2025/8/22 10:30	0.1	0	0.1	0.1	0.1	128	219	148	224	331
2025/8/22 10:40	0.1	0	0.1	0.1	0	139	106	99	170	250
2025/8/22 10:50	0.1	0.1	0.1	0.1	0.1	120	164	118	167	283
2025/8/22 11:00	0.1	0.1	0.1	0.1	0.1	133	183	96	79	256
2025/8/22 11:10	0.1	0.1	0.1	0.1	0.1	106	177	36	80	249
2025/8/22 11:20	0.1	0.1	0.1	0.1	0.1	152	151	75	43	336
2025/8/22 11:30	0.1	0.1	0.1	0.1	0.1	162	159	82	62	345
2025/8/22 11:40	0.1	0.1	0.1	0.1	0.1	127	119	74	62	346
2025/8/22 11:50	0.1	0.1	0.1	0.1	0.1	100	81	74	115	280
2025/8/22 12:00	0.1	0.1	0.1	0.1	0	165	95	70	69	343
2025/8/22 12:10	0.1	0.1	0.1	0.1	0	115	89	65	57	261
2025/8/22 12:20	0.1	0.1	0.1	0.1	0	123	114	93	45	317
2025/8/22 12:30	0.1	0.1	0.1	0.1	0.1	121	180	32	47	218
2025/8/22 12:40	0.1	0.1	0.1	0.1	0	98	113	72	117	287
2025/8/22 12:50	0.1	0.1	0.1	0.1	0.1	119	189	43	78	241
2025/8/22 13:00	0.1	0.1	0.1	0.1	0	68	80	76	170	275
2025/8/22 13:10	0.1	0.1	0.1	0.1	0	132	101	110	68	358
2025/8/22 13:20	0.1	0.1	0.1	0.1	0	153	172	96	55	399
2025/8/22 13:30	0.1	0.1	0.1	0.1	0	130	143	107	114	317
2025/8/22 13:40	0.1	0.1	0	0.1	0	115	150	136	113	334
2025/8/22 13:50	0.1	0.1	0	0.1	0	153	174	160	183	404
2025/8/22 14:00	0.1	0.1	0	0.1	0	146	181	121	91	322
2025/8/22 14:10	0.1	0.1	0	0.1	0	130	257	62	83	257
2025/8/22 14:20	0.1	0.1	0	0.1	0	101	161	62	106	223
2025/8/22 14:30	0.1	0.1	0	0.1	0	107	143	73	91	215
2025/8/22 14:40	0.1	0.1	0	0.1	0	150	170	93	98	252
2025/8/22 14:50	0.1	0.1	0	0.1	0	173	239	66	77	261
2025/8/22 15:00	0.1	0.1	0	0.1	0	183	250	102	99	307
2025/8/22 15:10	0.1	0.1	0	0.1	0	223	285	117	143	307
2025/8/22 15:20	0.1	0.1	0	0.1	0	174	204	110	163	323
2025/8/22 15:30	0.1	0.1	0	0.1	0	170	251	90	101	275
2025/8/22 15:40	0.2	0.1	0	0.1	0	151	216	91	103	268
2025/8/22 15:50	0.1	0.1	0	0.1	0	128	164	117	89	264
2025/8/22 16:00	0.1	0.1	0	0.1	0	159	182	87	93	298
2025/8/22 16:10	0.1	0.1	0	0.1	0	133	175	47	60	214
2025/8/22 16:20	0.1	0.1	0	0.1	0	128	143	53	68	255
2025/8/22 16:30	0.1	0.1	0	0.1	0	128	149	39	53	230
2025/8/22 16:40	0.1	0.1	0	0.1	0	136	154	39	45	233
2025/8/22 16:50	0.1	0.1	0	0.1	0	114	131	39	41	244
2025/8/22 17:00	0.1	0.1	0	0.1	0	122	162	37	43	219
2025/8/22 17:10	0.1	0.1	0	0.1	0	134	153	45	43	245

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/22 17:20	0.1	0.1	0	0.1	0	116	139	35	45	213
2025/8/22 17:30	0.1	0.1	0	0.1	0	123	132	45	47	223
2025/8/22 17:40	0.1	0.1	0	0.1	0	118	151	26	40	185
2025/8/22 17:50	0.1	0.1	0	0.1	0	135	166	30	44	208
2025/8/22 18:00	0.1	0.1	0	0	0	177	183	42	50	215
2025/8/22 18:10	0.1	0	0	0	0	220	195	57	81	238
2025/8/22 18:20	0.1	0	0	0	0	291	474	75	97	294
2025/8/22 18:30	0.1	0	0	0	0	302	279	107	84	380
2025/8/22 18:40	0	0	0	0	0	263	315	120	73	421
2025/8/22 18:50	0	0.1	0	0	0	281	385	133	94	435
2025/8/22 19:00	0	0	0	0	0	271	233	119	93	423
2025/8/22 19:10	0	0	0	0	0	267	396	128	77	369
2025/8/22 19:20	0	0	0	0	0	281	330	138	78	401
2025/8/22 19:30	0	0	0	0	0	264	324	131	68	363
2025/8/22 19:40	0	0	0	0	0	263	320	111	70	341
2025/8/22 19:50	0	0	0	0	0	196	371	108	51	382
2025/8/22 20:00	0	0	0	0	0	217	292	106	44	333
2025/8/22 20:10	0	0	0	0	0	207	293	87	49	305
2025/8/22 20:20	0	0	0	0	0	256	344	107	48	369
2025/8/22 20:30	0	0	0	0	0	297	347	86	50	356
2025/8/22 20:40	0	0	0	0	0	277	448	82	50	320
2025/8/22 20:50	0	0	0	0	0	251	310	123	42	425
2025/8/22 21:00	0	0	0	0	0	297	317	109	42	413
2025/8/22 21:10	0	0	0	0	0	265	396	135	43	456
2025/8/22 21:20	0	0	0	0	0	375	270	138	59	470
2025/8/22 21:30	0	0	0	0	0	303	197	129	55	475
2025/8/22 21:40	0	0	0	0	0	302	291	131	52	391
2025/8/22 21:50	0	0	0	0	0	282	273	141	40	430
2025/8/22 22:00	0	0	0	0	0	311	409	120	40	431
2025/8/22 22:10	0	0	0	0	0	340	365	146	41	456
2025/8/22 22:20	0	0	0	0	0	451	412	147	39	554
2025/8/22 22:30	0	0	0	0	0	399	571	188	40	532
2025/8/22 22:40	0	0	0	0	0	421	224	170	40	482
2025/8/22 22:50	0	0	0	0	0	523	368	172	41	609
2025/8/22 23:00	0	0	0	0	0	418	440	162	41	453
2025/8/22 23:10	0	0	0	0	0	421	647	146	40	443
2025/8/22 23:20	0	0	0	0	0	458	353	154	39	527
2025/8/22 23:30	0	0	0	0	0	441	165	196	41	588
2025/8/22 23:40	0	0	0	0	0.1	363	150	190	43	620
2025/8/22 23:50	0	0	0	0	0.2	457	323	150	42	526
2025/8/23 0:00	0	0	0	0	0	499	326	181	44	563
2025/8/23 0:10	0	0	0	0	0	445	148	261	41	632
2025/8/23 0:20	0	0	0	0	0.2	303	379	246	41	638
2025/8/23 0:30	0	0	0	0	0	468	311	203	44	608
2025/8/23 0:40	0	0	0	0	0	447	348	141	42	458
2025/8/23 0:50	0	0	0	0	0	456	216	164	43	513
2025/8/23 1:00	0	0	0	0	0	453	214	138	44	500
2025/8/23 1:10	0	0	0	0	0	398	394	120	43	396
2025/8/23 1:20	0	0	0	0	0	267	341	140	46	440
2025/8/23 1:30	0	0	0	0	0	439	282	177	48	506
2025/8/23 1:40	0	0	0	0	0	528	380	166	49	480
2025/8/23 1:50	0	0	0	0	0	499	277	179	53	528
2025/8/23 2:00	0	0	0	0	0	488	269	233	53	507
2025/8/23 2:10	0	0	0	0	0	449	144	337	124	602
2025/8/23 2:20	0	0	0	0	0	591	366	238	121	603
2025/8/23 2:30	0	0	0	0	0	582	326	307	454	722
2025/8/23 2:40	0	0	0	0	1.6	610	417	293	185	645
2025/8/23 2:50	0	0	0	0	0.4	447	252	414	443	824
2025/8/23 3:00	0	0	0	0	1.6	251	411	411	335	782
2025/8/23 3:10	0	0.4	0	0	0.8	685	565	325	239	683
2025/8/23 3:20	0	0	0	0	0	609	929	244	217	685
2025/8/23 3:30	0	1.2	0	0	0.1	580	507	253	65	554
2025/8/23 3:40	0	0.2	0	0	0	547	670	290	347	640
2025/8/23 3:50	0	0.3	0	0	0.9	489	990	367	731	881
2025/8/23 4:00	0	0.9	0	0	3.3	480	1068	463	750	930
2025/8/23 4:10	0	3.2	0	0	4.3	593	1085	485	715	858
2025/8/23 4:20	0	3.6	0	0	2.5	582	699	428	551	780
2025/8/23 4:30	0	0.9	0	0	1.8	602	1081	446	545	827
2025/8/23 4:40	0	3.2	0	0	1.8	139	613	187	732	445
2025/8/23 4:50	0	1	0	0	0.1	117	263	70	602	363
2025/8/23 5:00	0	0	0	0	0	105	230	66	537	188
2025/8/23 5:10	0	0	0	0	0	91	230	59	478	171
2025/8/23 5:20	0	0	0	0	0	85	194	56	470	180

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/23 5:30	0	0	0	0	0	86	180	59	408	166
2025/8/23 5:40	0	0	0	0	0	88	204	62	450	211
2025/8/23 5:50	0	0	0	0	0	87	209	62	409	207
2025/8/23 6:00	0	0	0	0	0	85	265	59	384	163
2025/8/23 6:10	0	0	0	0	0	83	168	57	489	148
2025/8/23 6:20	0	0	0	0	0	81	159	57	405	169
2025/8/23 6:30	0	0	0	0.1	0	81	162	61	316	146
2025/8/23 6:40	0	0	0	0.1	0	86	132	65	382	148
2025/8/23 6:50	0	0	0.1	0.1	0	82	164	61	288	144
2025/8/23 7:00	0	0	0.1	0.1	0	75	264	53	102	131
2025/8/23 7:10	0	0	0.1	0.1	0	75	173	52	259	131
2025/8/23 7:20	0	0	0.1	0.1	0	78	203	51	272	146
2025/8/23 7:30	0	0	0.1	0.2	0	72	154	52	268	176
2025/8/23 7:40	0.1	0	0.1	0.2	0	72	273	50	236	131
2025/8/23 7:50	0	0	0.1	0.2	0	70	178	52	290	178
2025/8/23 8:00	0.1	0	0.1	0.2	0	72	237	49	182	132
2025/8/23 8:10	0.1	0	0.1	0.2	0	160	292	57	123	313
2025/8/23 8:20	0.1	0	0.1	0.2	0	65	192	48	399	135
2025/8/23 8:30	0.1	0	0.1	0.2	0	97	212	45	328	134
2025/8/23 8:40	0.1	0	0.1	0.1	0	78	120	100	492	232
2025/8/23 8:50	0.1	0	0.1	0.1	0	93	221	141	60	359
2025/8/23 9:00	0.1	0	0.1	0.1	0	121	390	52	278	292
2025/8/23 9:10	0.1	0	0.1	0.2	0	84	477	38	184	141
2025/8/23 9:20	0.1	0	0.1	0.1	0	60	144	54	981	175
2025/8/23 9:30	0.1	0	0.1	0.1	0	71	147	68	785	156
2025/8/23 9:40	0.1	0	0.1	0.2	0	264	294	75	105	282
2025/8/23 9:50	0.1	0	0.1	0.1	0.1	51	294	39	780	145
2025/8/23 10:00	0.1	0	0.1	0.1	0	54	151	40	422	149
2025/8/23 10:10	0.1	0	0.1	0.1	0.1	57	259	46	419	167
2025/8/23 10:20	0.1	0	0.1	0.1	0.1	61	168	35	491	145
2025/8/23 10:30	0.1	0	0.1	0.6	0	274	101	106	46	544
2025/8/23 10:40	0.1	0	0.1	0.1	0.3	385	140	116	40	495
2025/8/23 10:50	0.1	0	0.1	0.1	0	197	156	66	101	266
2025/8/23 11:00	0.1	0	0.1	0.1	0	286	236	154	78	419
2025/8/23 11:10	0.1	0	0.1	0.1	0.1	239	286	75	286	275
2025/8/23 11:20	0.1	0	0.1	0.5	0.1	285	306	49	61	310
2025/8/23 11:30	0.1	0.1	0.1	0.1	0.1	286	148	51	43	417
2025/8/23 11:40	0.1	0.1	0.1	0.1	0.1	298	241	42	46	249
2025/8/23 11:50	0.1	0.1	0.1	0.1	0.1	225	275	66	48	374
2025/8/23 12:00	0.1	0.1	0.1	0.1	0.1	149	339	35	54	185
2025/8/23 12:10	0.1	0.1	0.1	0.1	0.1	300	148	52	48	441
2025/8/23 12:20	0.1	0.1	0.1	0.1	0.1	292	278	37	49	241
2025/8/23 12:30	0.2	0.1	0.1	0.1	0.1	155	261	32	46	189
2025/8/23 12:40	0.2	0.1	0.1	0.1	0.1	193	271	32	56	201
2025/8/23 12:50	0.2	0.1	0.1	0.1	0.1	181	273	32	75	241
2025/8/23 13:00	0.2	0.1	0.1	0.1	0.1	150	339	39	59	252
2025/8/23 13:10	0.2	0.1	0.1	0.1	0.1	248	237	37	45	283
2025/8/23 13:20	0.2	0.1	0.1	0.1	0.1	228	223	32	48	258
2025/8/23 13:30	0.2	0.1	0.1	0.1	0.1	190	255	38	45	224
2025/8/23 13:40	0.2	0.1	0.1	0.1	0.1	222	242	27	45	218
2025/8/23 13:50	0.2	0.1	0.1	0.1	0.1	108	241	27	47	170
2025/8/23 14:00	0.2	0.1	0.1	0.1	0.1	116	231	28	45	185
2025/8/23 14:10	0.2	0.1	0.1	0.1	0.1	83	229	26	47	174
2025/8/23 14:20	0.2	0.1	0.1	0.1	0.1	176	214	28	49	223
2025/8/23 14:30	0.2	0.1	0.1	0.1	0.1	172	172	32	54	272
2025/8/23 14:40	0.2	0.1	0.1	0.1	0.1	214	205	47	45	346
2025/8/23 14:50	0.2	0.1	0	0.1	0	197	214	41	48	254
2025/8/23 15:00	0.2	0.1	0	0.1	0	275	218	29	46	294
2025/8/23 15:10	0.2	0.1	0	0.1	0	197	223	41	41	271
2025/8/23 15:20	0.2	0.1	0	0.1	0	241	244	34	42	287
2025/8/23 15:30	0.2	0.1	0	0.1	0	288	233	37	40	392
2025/8/23 15:40	0.2	0.1	0	0.1	0	130	265	27	40	220
2025/8/23 15:50	0.2	0.1	0	0.1	0	230	216	32	40	332
2025/8/23 16:00	0.1	0.1	0	0.1	0	365	265	72	36	485
2025/8/23 16:10	0.1	0.1	0	0.1	0	320	267	47	34	368
2025/8/23 16:20	0.1	0.1	0	0.1	0	430	272	76	39	544
2025/8/23 16:30	0.1	0.1	0	0.1	0	320	220	53	33	307
2025/8/23 16:40	0.1	0.1	0	0.1	0	258	193	46	32	297
2025/8/23 16:50	0.1	0.1	0	0.1	0	252	260	62	32	341
2025/8/23 17:00	0.1	0.1	0	0.1	0	235	353	38	33	222
2025/8/23 17:10	0.1	0.1	0	0.1	0	322	598	72	35	365
2025/8/23 17:20	0.1	0.1	0	0.1	0	328	535	98	36	383
2025/8/23 17:30	0.1	0.1	0	0.1	0	221	284	126	36	397

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/23 17:40	0.1	0.1	0	0.1	0	203	305	110	39	342
2025/8/23 17:50	0.1	0.1	0	0.1	0	206	260	92	117	341
2025/8/23 18:00	0.1	0.1	0	0	0	213	289	100	80	303
2025/8/23 18:10	0	0.1	0	0	0	179	297	64	41	256
2025/8/23 18:20	0	0	0	0	0	197	196	53	31	259
2025/8/23 18:30	0	0	0	0	0	218	256	69	32	299
2025/8/23 18:40	0	0	0	0	0	221	301	54	31	279
2025/8/23 18:50	0	0	0	0	0	197	246	58	27	257
2025/8/23 19:00	0	0	0	0	0	173	259	53	26	264
2025/8/23 19:10	0	0	0	0	0	181	254	63	26	265
2025/8/23 19:20	0	0	0	0	0	194	242	55	25	252
2025/8/23 19:30	0	0	0	0	0	201	284	63	26	315
2025/8/23 19:40	0	0	0	0	0	205	238	48	27	272
2025/8/23 19:50	0	0	0	0	0	208	268	55	25	258
2025/8/23 20:00	0	0	0	0	0	201	223	59	25	247
2025/8/23 20:10	0	0	0	0	0	211	281	62	25	283
2025/8/23 20:20	0	0	0	0	0	207	243	74	24	268
2025/8/23 20:30	0	0	0	0	0	230	237	45	25	245
2025/8/23 20:40	0	0	0	0	0	217	260	62	25	229
2025/8/23 20:50	0	0	0	0	0	217	314	92	28	267
2025/8/23 21:00	0	0	0	0	0	235	430	76	30	322
2025/8/23 21:10	0	0	0	0	0	243	506	134	32	376
2025/8/23 21:20	0	0	0	0	0	232	309	119	32	379
2025/8/23 21:30	0	0	0	0	0	293	357	63	35	327
2025/8/23 21:40	0	0	0	0	0	291	383	94	37	338
2025/8/23 21:50	0	0	0	0	0	274	389	96	35	278
2025/8/23 22:00	0	0	0	0	0	294	374	85	37	294
2025/8/23 22:10	0	0	0	0	0	241	344	97	37	293
2025/8/23 22:20	0	0	0	0	0	290	338	98	40	301
2025/8/23 22:30	0	0	0	0	0	288	323	90	42	269
2025/8/23 22:40	0	0	0	0	0	244	329	83	49	262
2025/8/23 22:50	0	0	0	0	0	273	358	72	39	305
2025/8/23 23:00	0	0	0	0	0	303	405	104	42	370
2025/8/23 23:10	0	0	0	0	0	301	558	126	43	347
2025/8/23 23:20	0	0	0	0	0	271	364	120	42	315
2025/8/23 23:30	0	0	0	0	0	264	364	106	42	326
2025/8/23 23:40	0	0	0	0	0	346	501	88	44	332
2025/8/23 23:50	0	0	0	0	0	261	460	112	47	335
2025/8/24 0:00	0	0	0	0	0	312	383	128	47	330
2025/8/24 0:10	0	0	0	0	0	380	440	113	47	327
2025/8/24 0:20	0	0	0	0	0	372	573	145	47	396
2025/8/24 0:30	0	0	0	0	0	384	612	218	129	510
2025/8/24 0:40	0	0	0	0	0	415	828	174	174	497
2025/8/24 0:50	0	0.6	0	0	0	479	361	237	53	512
2025/8/24 1:00	0	0	0	0	0	521	239	321	270	586
2025/8/24 1:10	0	0	0	0	0	568	176	224	46	595
2025/8/24 1:20	0	0	0	0	0	474	164	220	45	546
2025/8/24 1:30	0	0	0	0	0	521	253	206	57	461
2025/8/24 1:40	0	0	0	0	0	601	436	238	213	567
2025/8/24 1:50	0	0	0	0	0.1	586	602	224	65	530
2025/8/24 2:00	0	0	0	0	0	550	349	245	214	571
2025/8/24 2:10	0	0	0	0	0	498	888	269	528	715
2025/8/24 2:20	0	0	0	0	0.6	549	627	347	469	800
2025/8/24 2:30	0	0	0	0	1.2	626	309	223	155	570
2025/8/24 2:40	0	0	0	0	0	531	730	165	247	488
2025/8/24 2:50	0	0	0	0	0.4	530	857	214	579	719
2025/8/24 3:00	0	0.1	0	0	0.6	426	937	289	627	835
2025/8/24 3:10	0	0.2	0	0	2.4	204	974	310	740	869
2025/8/24 3:20	0	1.7	0	0	3.4	529	963	291	633	803
2025/8/24 3:30	0	1.1	0	0	1.9	386	928	413	670	758
2025/8/24 3:40	0	0.2	0	0	1.6	174	964	321	759	860
2025/8/24 3:50	0	0.9	0	0	3.5	201	960	345	724	845
2025/8/24 4:00	0	0.5	0	0	2.5	101	638	149	666	324
2025/8/24 4:10	0	0.4	0	0	0	91	297	150	473	204
2025/8/24 4:20	0	0	0	0	0	178	248	61	542	449
2025/8/24 4:30	0	0	0	0	0.2	88	220	138	509	579
2025/8/24 4:40	0	0	0	0	0.2	87	400	150	531	336
2025/8/24 4:50	0	0	0	0	0	84	191	61	534	177
2025/8/24 5:00	0	0	0	0	0	87	161	60	517	178
2025/8/24 5:10	0	0	0	0	0	87	225	78	498	404
2025/8/24 5:20	0	0	0	0	0	209	193	165	426	649
2025/8/24 5:30	0	0	0	0	0.4	400	621	264	504	744
2025/8/24 5:40	0	0	0	0	1.7	446	338	213	463	701

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/24 5:50	0	0	0	0	0.1	107	301	114	517	258
2025/8/24 6:00	0	0	0	0	0	90	181	106	317	198
2025/8/24 6:10	0	0	0	0	0	84	133	79	325	186
2025/8/24 6:20	0	0	0.1	0.1	0	79	134	61	276	144
2025/8/24 6:30	0	0	0.1	0.1	0	79	121	52	358	159
2025/8/24 6:40	0	0	0.1	0.1	0	78	125	51	354	136
2025/8/24 6:50	0	0	0.1	0.2	0	82	110	58	286	136
2025/8/24 7:00	0	0	0.1	0.2	0	73	101	48	254	132
2025/8/24 7:10	0	0	0.1	0.2	0	72	112	44	293	133
2025/8/24 7:20	0	0	0.1	0.2	0	70	125	89	151	289
2025/8/24 7:30	0	0	0.1	0.2	0	104	133	146	106	285
2025/8/24 7:40	0.1	0	0.1	0.2	0	71	85	86	146	190
2025/8/24 7:50	0.1	0	0.1	0.2	0	64	101	83	197	168
2025/8/24 8:00	0.1	0	0.1	0.2	0	64	97	57	228	143
2025/8/24 8:10	0.1	0	0.1	0.2	0	65	104	73	223	154
2025/8/24 8:20	0.1	0	0.1	0.2	0	74	135	70	209	224
2025/8/24 8:30	0.1	0	0.1	0.2	0	92	99	69	185	269
2025/8/24 8:40	0.1	0	0.1	0.2	0	58	81	82	94	177
2025/8/24 8:50	0.1	0	0.1	0.2	0	121	97	52	163	273
2025/8/24 9:00	0.1	0	0.1	0.2	0	65	92	55	222	207
2025/8/24 9:10	0.1	0	0.1	0.2	0	58	147	35	309	144
2025/8/24 9:20	0.1	0	0.1	0.2	0.1	57	82	36	143	165
2025/8/24 9:30	0.1	0	0.1	0.2	0.1	57	128	49	145	156
2025/8/24 9:40	0.1	0	0.1	0.2	0.1	61	147	93	175	284
2025/8/24 9:50	0.1	0	0.1	0.2	0.1	68	111	72	129	224
2025/8/24 10:00	0.1	0	0.1	0.2	0.1	88	84	117	85	340
2025/8/24 10:10	0.1	0	0.1	0.2	0.1	76	95	97	146	277
2025/8/24 10:20	0.1	0	0.1	0.2	0.1	61	84	60	129	195
2025/8/24 10:30	0.1	0	0.1	0.2	0.1	95	93	44	108	281
2025/8/24 10:40	0.1	0	0.1	0.1	0.1	72	94	60	116	271
2025/8/24 10:50	0.1	0	0.1	0.1	0.1	96	132	59	46	272
2025/8/24 11:00	0.1	0	0.1	0.1	0.1	55	90	72	153	181
2025/8/24 11:10	0.1	0	0.1	0.1	0.1	59	82	28	129	173
2025/8/24 11:20	0.1	0	0.1	0.1	0.1	61	84	55	106	217
2025/8/24 11:30	0.1	0	0.1	0.1	0.1	70	111	36	86	191
2025/8/24 11:40	0.1	0	0.1	0.1	0.1	79	120	48	108	217
2025/8/24 11:50	0.1	0	0.1	0.1	0.1	62	180	26	46	173
2025/8/24 12:00	0.1	0	0.1	0.1	0.1	70	121	31	100	177
2025/8/24 12:10	0.1	0	0.1	0.1	0.1	77	99	29	117	186
2025/8/24 12:20	0.1	0	0.1	0.1	0.1	78	66	59	114	213
2025/8/24 12:30	0.1	0.1	0.1	0.1	0.1	65	72	36	138	200
2025/8/24 12:40	0.2	0.1	0.1	0.1	0.1	72	76	85	113	227
2025/8/24 12:50	0.2	0.1	0.1	0.1	0.1	131	163	53	84	245
2025/8/24 13:00	0.2	0.1	0.1	0.1	0.1	94	134	78	111	283
2025/8/24 13:10	0.2	0.1	0.1	0.1	0.1	149	245	48	37	289
2025/8/24 13:20	0.2	0.1	0.1	0.1	0.1	95	114	87	105	258
2025/8/24 13:30	0.2	0.1	0.1	0.1	0.1	104	188	42	69	231
2025/8/24 13:40	0.2	0.1	0.1	0.1	0.1	122	96	89	50	342
2025/8/24 13:50	0.2	0.1	0.1	0.1	0.1	129	131	93	59	294
2025/8/24 14:00	0.2	0.1	0.1	0.1	0.1	99	160	86	88	263
2025/8/24 14:10	0.2	0.1	0.1	0.1	0.1	125	260	31	69	232
2025/8/24 14:20	0.2	0.1	0.1	0.1	0.1	163	222	50	55	296
2025/8/24 14:30	0.2	0.1	0.1	0.1	0.1	144	218	72	55	333
2025/8/24 14:40	0.2	0.1	0.1	0.1	0.1	105	263	31	64	228
2025/8/24 14:50	0.2	0.1	0.1	0.1	0.1	148	244	26	53	223
2025/8/24 15:00	0.2	0.1	0.1	0.1	0.1	155	195	56	52	319
2025/8/24 15:10	0.2	0.1	0.1	0.1	0.1	130	159	51	52	300
2025/8/24 15:20	0.2	0.1	0.1	0.1	0.1	118	236	49	53	240
2025/8/24 15:30	0.2	0.1	0.1	0.1	0	125	197	25	51	217
2025/8/24 15:40	0.2	0.1	0.1	0.1	0	158	193	33	48	287
2025/8/24 15:50	0.2	0.1	0.1	0.1	0	116	254	23	57	198
2025/8/24 16:00	0.1	0.1	0	0.1	0	149	168	36	46	289
2025/8/24 16:10	0.1	0.1	0	0.1	0	135	192	40	44	254
2025/8/24 16:20	0.1	0.1	0	0.1	0	136	217	69	39	292
2025/8/24 16:30	0.1	0.1	0	0.1	0	148	202	45	45	296
2025/8/24 16:40	0.1	0.1	0	0.1	0	191	300	46	40	271
2025/8/24 16:50	0.1	0.1	0	0.1	0	182	228	38	45	269
2025/8/24 17:00	0.1	0.1	0	0.1	0	189	229	52	63	304
2025/8/24 17:10	0.1	0.1	0	0.1	0	174	221	84	53	345
2025/8/24 17:20	0.1	0.1	0	0.1	0	180	280	64	46	346
2025/8/24 17:30	0.1	0.1	0	0.1	0	190	260	53	44	326
2025/8/24 17:40	0.1	0.1	0	0.1	0	196	302	68	48	333
2025/8/24 17:50	0.1	0.1	0	0.1	0	206	216	80	60	334

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/24 18:00	0.1	0.1	0	0.1	0	203	443	79	70	317
2025/8/24 18:10	0.1	0.1	0	0.1	0	181	304	91	57	323
2025/8/24 18:20	0.1	0	0	0.1	0	170	428	78	42	304
2025/8/24 18:30	0.1	0	0	0	0	191	189	78	39	308
2025/8/24 18:40	0	0	0	0	0	196	274	86	46	316
2025/8/24 18:50	0	0	0	0	0	171	220	107	59	331
2025/8/24 19:00	0	0	0	0	0	197	234	67	48	266
2025/8/24 19:10	0	0	0	0	0	192	246	71	57	293
2025/8/24 19:20	0	0	0	0	0	194	300	108	43	309
2025/8/24 19:30	0	0	0	0	0	194	151	119	37	393
2025/8/24 19:40	0	0	0	0	0	237	231	70	33	321
2025/8/24 19:50	0	0	0	0	0	174	263	91	28	300
2025/8/24 20:00	0	0	0	0	0	166	259	90	29	308
2025/8/24 20:10	0	0	0	0	0	178	179	82	29	347
2025/8/24 20:20	0	0	0	0	0	170	122	85	29	339
2025/8/24 20:30	0	0	0	0	0	164	153	98	28	343
2025/8/24 20:40	0	0	0	0	0	157	107	80	29	347
2025/8/24 20:50	0	0	0	0	0	231	207	85	29	345
2025/8/24 21:00	0	0	0	0	0	172	232	158	31	437
2025/8/24 21:10	0	0	0	0	0	83	91	219	54	418
2025/8/24 21:20	0	0	0	0	0	89	95	155	36	379
2025/8/24 21:30	0	0	0	0	0	87	98	189	38	273
2025/8/24 21:40	0	0	0	0	0	90	96	229	86	314
2025/8/24 21:50	0	0	0	0	0	76	104	226	84	349
2025/8/24 22:00	0	0	0	0	0	86	130	194	53	399
2025/8/24 22:10	0	0	0	0	0	73	84	113	173	209
2025/8/24 22:20	0	0	0	0	0	72	78	127	137	224
2025/8/24 22:30	0	0	0	0	0	80	127	186	56	287
2025/8/24 22:40	0	0	0	0	0	81	81	214	103	312
2025/8/24 22:50	0	0	0	0	0	78	88	157	154	262
2025/8/24 23:00	0	0	0	0	0	106	161	221	41	418
2025/8/24 23:10	0	0	0	0	0	84	118	249	61	393
2025/8/24 23:20	0	0	0	0	0	86	111	225	37	413
2025/8/24 23:30	0	0	0	0	0	78	205	217	54	280
2025/8/24 23:40	0	0	0	0	0	82	131	219	54	290
2025/8/24 23:50	0	0	0	0	0	88	141	212	49	333
2025/8/25 0:00	0	0	0	0	0	69	87	163	167	300
2025/8/25 0:10	0	0	0	0	0	103	140	252	45	335
2025/8/25 0:20	0	0	0	0	0	74	130	223	37	286
2025/8/25 0:30	0	0	0	0	0	70	134	189	61	266
2025/8/25 0:40	0	0	0	0	0	67	140	175	122	236
2025/8/25 0:50	0	0	0	0	0	70	154	203	55	339
2025/8/25 1:00	0	0	0	0	0	71	122	205	69	286
2025/8/25 1:10	0	0	0	0	0	77	118	203	57	280
2025/8/25 1:20	0	0	0	0	0	89	114	187	44	384
2025/8/25 1:30	0	0	0	0	0	72	96	198	100	302
2025/8/25 1:40	0	0	0	0	0	79	81	222	273	299
2025/8/25 1:50	0	0	0	0	0	71	82	191	86	299
2025/8/25 2:00	0	0	0	0	0	66	70	157	225	232
2025/8/25 2:10	0	0	0	0	0	73	72	164	174	250
2025/8/25 2:20	0	0	0	0	0	81	82	180	170	342
2025/8/25 2:30	0	0	0	0	0	104	174	169	84	451
2025/8/25 2:40	0	0	0	0	0	73	86	242	43	347
2025/8/25 2:50	0	0	0	0	0	93	79	193	129	345
2025/8/25 3:00	0	0	0	0	0	67	77	194	276	317
2025/8/25 3:10	0	0	0	0	0	79	84	234	147	360
2025/8/25 3:20	0	0	0	0	0	80	88	217	58	467
2025/8/25 3:30	0	0	0	0	0	88	78	166	139	337
2025/8/25 3:40	0	0	0	0	0	94	141	198	118	322
2025/8/25 3:50	0	0	0	0	0	68	102	183	104	288
2025/8/25 4:00	0	0	0	0	0	64	83	153	149	248
2025/8/25 4:10	0	0	0	0	0	61	73	139	170	215
2025/8/25 4:20	0	0	0	0	0	70	73	203	193	319
2025/8/25 4:30	0	0	0	0	0	64	80	149	206	203
2025/8/25 4:40	0	0	0	0	0	84	153	161	43	335
2025/8/25 4:50	0	0	0	0	0	84	100	183	33	322
2025/8/25 5:00	0	0	0	0	0	99	112	132	107	265
2025/8/25 5:10	0	0	0	0	0	68	84	180	126	254
2025/8/25 5:20	0	0	0	0	0	66	104	149	113	256
2025/8/25 5:30	0	0	0	0	0	75	111	184	70	274
2025/8/25 5:40	0	0	0	0	0	72	104	176	105	223
2025/8/25 5:50	0	0	0	0	0	75	83	124	70	230
2025/8/25 6:00	0	0	0	0	0	62	84	86	121	160

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/25 6:10	0	0	0	0	0	67	75	126	174	173
2025/8/25 6:20	0	0	0	0	0	74	75	130	126	257
2025/8/25 6:30	0	0	0	0	0	70	81	128	104	211
2025/8/25 6:40	0	0	0	0.1	0	57	94	91	123	144
2025/8/25 6:50	0	0	0.1	0.1	0	68	159	93	129	186
2025/8/25 7:00	0	0	0.1	0.1	0	59	136	152	142	232
2025/8/25 7:10	0	0	0.1	0.1	0	66	111	174	87	258
2025/8/25 7:20	0	0	0	0.1	0	69	89	172	70	279
2025/8/25 7:30	0	0	0	0.1	0	62	83	143	146	224
2025/8/25 7:40	0	0	0	0.1	0	52	80	36	255	124
2025/8/25 7:50	0	0	0	0.1	0	63	86	124	182	237
2025/8/25 8:00	0	0	0	0.1	0	55	161	94	230	266
2025/8/25 8:10	0	0	0	0.1	0	59	106	65	292	208
2025/8/25 8:20	0	0	0	0.1	0	58	75	139	288	259
2025/8/25 8:30	0	0	0	0.1	0	65	99	192	550	275
2025/8/25 8:40	0.1	0	0	0.1	0	60	89	190	760	492
2025/8/25 8:50	0.1	0	0	0.1	0.3	88	163	233	421	469
2025/8/25 9:00	0.1	0	0	0.1	0.1	70	109	191	557	461
2025/8/25 9:10	0.1	0	0.1	0.1	0	61	85	123	681	342
2025/8/25 9:20	0.1	0	0.1	0.1	0	69	113	170	587	376
2025/8/25 9:30	0.1	0	0.1	0.2	0	72	98	87	808	225
2025/8/25 9:40	0.1	0	0.1	0.2	0	76	149	110	593	312
2025/8/25 9:50	0.1	0	0.1	0.1	0	148	279	96	680	252
2025/8/25 10:00	0.1	0	0.1	0.1	0	61	290	68	767	249
2025/8/25 10:10	0.1	0	0.1	0.1	0	84	320	99	343	223
2025/8/25 10:20	0.1	0	0.1	0.1	0.1	76	220	123	283	250
2025/8/25 10:30	0.1	0	0.1	0.1	0.1	50	262	53	218	161
2025/8/25 10:40	0.1	0	0.1	0.1	0.1	65	173	108	200	274
2025/8/25 10:50	0.1	0	0.1	0.1	0.1	74	217	66	143	218
2025/8/25 11:00	0.1	0	0.1	0.1	0	61	161	77	136	237
2025/8/25 11:10	0.1	0	0.1	0.1	0.1	54	291	39	167	174
2025/8/25 11:20	0.1	0	0.1	0.1	0.1	55	332	46	175	180
2025/8/25 11:30	0.1	0	0.1	0.1	0	60	324	60	198	202
2025/8/25 11:40	0.1	0	0.1	0.1	0	70	203	53	140	219
2025/8/25 11:50	0.1	0	0.1	0.1	0.1	53	230	43	159	184
2025/8/25 12:00	0.1	0	0.1	0.1	0.1	59	143	81	125	242
2025/8/25 12:10	0.1	0	0.1	0.1	0.1	56	156	74	168	262
2025/8/25 12:20	0.1	0	0.1	0.1	0.1	59	70	76	176	277
2025/8/25 12:30	0.1	0	0.1	0.1	0.1	60	71	69	228	260
2025/8/25 12:40	0.1	0.1	0.1	0.1	0.1	71	93	63	153	294
2025/8/25 12:50	0.1	0	0.1	0.1	0.1	81	69	135	140	468
2025/8/25 13:00	0.1	0.1	0.1	0.1	0.1	128	148	112	77	445
2025/8/25 13:10	0.2	0.1	0.1	0.1	0.1	79	174	119	98	262
2025/8/25 13:20	0.2	0.1	0.1	0.1	0.1	71	215	132	165	274
2025/8/25 13:30	0.2	0.1	0.1	0.1	0.1	127	228	139	118	314
2025/8/25 13:40	0.2	0.1	0.1	0.1	0.1	144	234	161	118	315
2025/8/25 13:50	0.2	0.1	0.1	0.1	0.1	123	231	153	158	291
2025/8/25 14:00	0.2	0.1	0.1	0.1	0.1	118	187	147	227	284
2025/8/25 14:10	0.2	0.1	0.1	0.1	0.1	155	239	159	129	300
2025/8/25 14:20	0.2	0.1	0	0.1	0.1	173	257	159	192	291
2025/8/25 14:30	0.2	0.1	0.1	0.1	0.1	133	198	139	96	334
2025/8/25 14:40	0.2	0.1	0	0.1	0.1	136	177	172	120	339
2025/8/25 14:50	0.2	0.1	0	0.1	0	216	323	171	117	313
2025/8/25 15:00	0.2	0.1	0	0.1	0	200	245	178	97	357
2025/8/25 15:10	0.2	0.1	0	0.1	0	141	214	188	179	320
2025/8/25 15:20	0.2	0.1	0	0.1	0	160	233	145	151	300
2025/8/25 15:30	0.2	0.1	0	0.1	0	215	318	178	132	380
2025/8/25 15:40	0.2	0.1	0	0.1	0	211	347	190	118	369
2025/8/25 15:50	0.1	0.1	0	0.1	0	154	239	112	116	345
2025/8/25 16:00	0.1	0.1	0	0.1	0	200	288	155	73	357
2025/8/25 16:10	0.1	0.1	0	0.1	0	130	173	168	94	328
2025/8/25 16:20	0.1	0.1	0	0.1	0	95	169	146	118	278
2025/8/25 16:30	0.1	0.1	0	0.1	0	99	141	171	101	281
2025/8/25 16:40	0.1	0.1	0	0.1	0	112	156	153	68	279
2025/8/25 16:50	0.1	0.1	0	0.1	0	85	152	153	107	273
2025/8/25 17:00	0.1	0.1	0	0.1	0	93	134	160	89	287
2025/8/25 17:10	0.1	0.1	0	0.1	0	120	151	168	78	297
2025/8/25 17:20	0.1	0.1	0	0.1	0	102	144	172	92	290
2025/8/25 17:30	0.1	0.1	0	0	0	92	158	170	78	271
2025/8/25 17:40	0.1	0.1	0	0	0	103	130	148	54	309
2025/8/25 17:50	0.1	0.1	0	0	0	83	113	171	66	227
2025/8/25 18:00	0	0	0	0	0	77	161	178	73	266
2025/8/25 18:10	0	0	0	0	0	73	100	178	87	262

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/25 18:20	0	0	0	0	0	74	97	171	71	277
2025/8/25 18:30	0	0	0	0	0	80	101	156	65	243
2025/8/25 18:40	0	0	0	0	0	66	94	177	74	234
2025/8/25 18:50	0	0	0	0	0	78	105	153	55	276
2025/8/25 19:00	0	0	0	0	0	86	99	170	64	267
2025/8/25 19:10	0	0	0	0	0	78	94	177	61	218
2025/8/25 19:20	0	0	0	0	0	85	94	182	52	251
2025/8/25 19:30	0	0	0	0	0	68	83	164	50	193
2025/8/25 19:40	0	0	0	0	0	76	97	169	47	217
2025/8/25 19:50	0	0	0	0	0	92	103	120	37	260
2025/8/25 20:00	0	0	0	0	0	78	92	146	40	217
2025/8/25 20:10	0	0	0	0	0	76	98	138	43	225
2025/8/25 20:20	0	0	0	0	0	84	108	123	43	264
2025/8/25 20:30	0	0	0	0	0	81	84	153	40	267
2025/8/25 20:40	0	0	0	0	0	102	91	128	32	300
2025/8/25 20:50	0	0	0	0	0	107	87	159	36	264
2025/8/25 21:00	0	0	0	0	0	75	83	169	35	266
2025/8/25 21:10	0	0	0	0	0	80	86	192	32	282
2025/8/25 21:20	0	0	0	0	0	90	90	216	34	336
2025/8/25 21:30	0	0	0	0	0	103	96	188	35	342
2025/8/25 21:40	0	0	0	0	0	143	92	214	35	432
2025/8/25 21:50	0	0	0	0	0	92	99	221	33	394
2025/8/25 22:00	0	0	0	0	0	86	89	185	34	388
2025/8/25 22:10	0	0	0	0	0	82	95	262	36	374
2025/8/25 22:20	0	0	0	0	0	117	97	233	41	447
2025/8/25 22:30	0	0	0	0	0	88	99	266	50	374
2025/8/25 22:40	0	0	0	0	0	101	89	198	40	444
2025/8/25 22:50	0	0	0	0	0	114	94	236	36	407
2025/8/25 23:00	0	0	0	0	0	91	88	232	41	364
2025/8/25 23:10	0	0	0	0	0	76	96	269	39	350
2025/8/25 23:20	0	0	0	0	0	116	101	219	37	334
2025/8/25 23:30	0	0	0	0	0	87	95	288	48	332
2025/8/25 23:40	0	0	0	0	0	86	96	231	36	376
2025/8/25 23:50	0	0	0	0	0	76	91	293	55	313
2025/8/26 0:00	0	0	0	0	0	80	94	286	41	308
2025/8/26 0:10	0	0	0	0	0	96	112	253	35	374
2025/8/26 0:20	0	0	0	0	0	106	99	259	42	390
2025/8/26 0:30	0	0	0	0	0	103	97	252	50	422
2025/8/26 0:40	0	0	0	0	0	122	96	129	33	457
2025/8/26 0:50	0	0	0	0	0	88	84	261	37	349
2025/8/26 1:00	0	0	0	0	0	97	103	187	36	366
2025/8/26 1:10	0	0	0	0	0	127	99	199	44	343
2025/8/26 1:20	0	0	0	0	0	98	89	191	35	402
2025/8/26 1:30	0	0	0	0	0	76	89	258	41	305
2025/8/26 1:40	0	0	0	0	0	104	96	168	36	358
2025/8/26 1:50	0	0	0	0	0	107	101	168	35	417
2025/8/26 2:00	0	0	0	0	0	104	99	186	36	363
2025/8/26 2:10	0	0	0	0	0	90	97	264	57	273
2025/8/26 2:20	0	0	0	0	0	92	100	297	66	334
2025/8/26 2:30	0	0	0	0	0	128	89	284	102	323
2025/8/26 2:40	0	0	0	0	0	86	85	278	61	435
2025/8/26 2:50	0	0	0	0	0	144	95	177	37	441
2025/8/26 3:00	0	0	0	0	0	92	110	239	45	386
2025/8/26 3:10	0	0	0	0	0	82	99	252	41	359
2025/8/26 3:20	0	0	0	0	0	110	103	239	39	361
2025/8/26 3:30	0	0	0	0	0	93	111	195	38	338
2025/8/26 3:40	0	0	0	0	0	95	102	217	39	338
2025/8/26 3:50	0	0	0	0	0	101	105	228	40	304
2025/8/26 4:00	0	0	0	0	0	90	98	218	44	339
2025/8/26 4:10	0	0	0	0	0	84	100	208	41	364
2025/8/26 4:20	0	0	0	0	0	92	92	212	43	334
2025/8/26 4:30	0	0	0	0	0	104	102	159	40	375
2025/8/26 4:40	0	0	0	0	0	104	116	179	41	318
2025/8/26 4:50	0	0	0	0	0	95	104	199	39	321
2025/8/26 5:00	0	0	0	0	0	77	93	186	89	217
2025/8/26 5:10	0	0	0	0	0	109	93	176	48	289
2025/8/26 5:20	0	0	0	0	0	98	104	194	42	277
2025/8/26 5:30	0	0	0	0	0	97	103	189	43	275
2025/8/26 5:40	0	0	0	0	0	128	107	104	40	284
2025/8/26 5:50	0	0	0	0	0	89	106	193	43	235
2025/8/26 6:00	0	0	0	0	0	113	104	126	46	278
2025/8/26 6:10	0	0	0	0	0	120	111	132	48	318
2025/8/26 6:20	0	0	0	0	0	184	107	68	47	310

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/26 6:30	0	0	0	0.1	0	175	163	101	49	304
2025/8/26 6:40	0	0	0	0.1	0	129	107	169	54	301
2025/8/26 6:50	0	0	0	0.1	0	148	156	165	64	337
2025/8/26 7:00	0	0	0	0.1	0	137	121	173	53	386
2025/8/26 7:10	0	0	0.1	0.1	0	78	104	201	62	218
2025/8/26 7:20	0	0	0.1	0.1	0	98	115	221	82	287
2025/8/26 7:30	0	0	0.1	0.1	0	151	103	180	55	365
2025/8/26 7:40	0	0	0.1	0.1	0	234	176	140	88	439
2025/8/26 7:50	0.1	0	0.1	0.1	0	191	189	134	52	347
2025/8/26 8:00	0.1	0	0.1	0.1	0	164	172	184	65	396
2025/8/26 8:10	0.1	0	0.1	0.1	0	223	366	195	45	413
2025/8/26 8:20	0.1	0	0.1	0.1	0	224	333	104	43	296
2025/8/26 8:30	0.1	0	0.1	0.1	0	196	279	157	58	459
2025/8/26 8:40	0.1	0	0.1	0.1	0	241	282	92	51	395
2025/8/26 8:50	0.1	0	0.1	0.1	0	243	314	76	54	330
2025/8/26 9:00	0.1	0	0.1	0.1	0	220	300	69	45	351
2025/8/26 9:10	0.1	0	0.1	0.1	0	216	254	103	43	379
2025/8/26 9:20	0.1	0	0.1	0.1	0	245	362	67	50	327
2025/8/26 9:30	0.1	0	0.1	0.1	0	232	314	49	55	251
2025/8/26 9:40	0.1	0	0.1	0.1	0	162	290	105	56	340
2025/8/26 9:50	0.1	0	0.1	0.1	0	160	315	71	51	271
2025/8/26 10:00	0.1	0	0.1	0.1	0	135	275	48	44	215
2025/8/26 10:10	0.1	0.1	0.1	0.1	0	165	269	54	48	320
2025/8/26 10:20	0.1	0.1	0.1	0.1	0	137	256	39	51	174
2025/8/26 10:30	0.1	0.1	0.1	0.1	0.1	141	217	70	52	249
2025/8/26 10:40	0.1	0.1	0.1	0.1	0.1	136	215	51	54	219
2025/8/26 10:50	0.1	0.1	0.1	0.1	0.1	124	200	45	52	198
2025/8/26 11:00	0.1	0.1	0.1	0.1	0	129	173	59	55	258
2025/8/26 11:10	0.1	0.1	0.1	0.1	0	140	199	45	62	209
2025/8/26 11:20	0.1	0.1	0.1	0.1	0	130	198	49	81	234
2025/8/26 11:30	0.1	0.1	0.1	0.1	0.1	136	179	41	62	197
2025/8/26 11:40	0.1	0.1	0.1	0.1	0.1	124	188	39	60	206
2025/8/26 11:50	0.1	0.1	0.1	0.1	0.1	140	188	55	57	253
2025/8/26 12:00	0.1	0.1	0.1	0.1	0.1	144	212	66	93	301
2025/8/26 12:10	0.1	0.1	0.1	0.1	0.1	140	179	49	68	261
2025/8/26 12:20	0.1	0.1	0.1	0.1	0.1	127	208	77	63	290
2025/8/26 12:30	0.1	0.1	0.1	0.1	0.1	133	208	57	59	251
2025/8/26 12:40	0.1	0.1	0.1	0.1	0.1	158	182	37	56	210
2025/8/26 12:50	0.2	0.1	0.1	0.1	0.1	127	155	58	56	254
2025/8/26 13:00	0.2	0.1	0.1	0.1	0.1	120	159	62	54	256
2025/8/26 13:10	0.2	0.1	0.1	0.1	0.1	136	178	50	51	277
2025/8/26 13:20	0.2	0.1	0.1	0.1	0.1	154	177	46	50	250
2025/8/26 13:30	0.2	0.1	0.1	0.1	0.1	123	174	42	48	211
2025/8/26 13:40	0.2	0.1	0.1	0.1	0.1	126	180	45	50	229
2025/8/26 13:50	0.2	0.1	0	0.1	0.1	156	186	52	52	279
2025/8/26 14:00	0.2	0.1	0.1	0.1	0.1	160	222	47	79	273
2025/8/26 14:10	0.2	0.1	0	0.1	0.1	231	170	84	67	566
2025/8/26 14:20	0.2	0.1	0	0.1	0.1	181	177	72	65	396
2025/8/26 14:30	0.2	0.1	0	0.1	0.1	132	208	65	74	277
2025/8/26 14:40	0.2	0.1	0	0.1	0.1	146	179	47	74	269
2025/8/26 14:50	0.2	0.1	0	0.1	0	135	220	41	50	248
2025/8/26 15:00	0.2	0.1	0	0.1	0	134	170	54	46	281
2025/8/26 15:10	0.2	0.1	0	0.1	0	144	173	51	45	262
2025/8/26 15:20	0.2	0.1	0	0.1	0	131	192	51	44	274
2025/8/26 15:30	0.2	0.1	0	0.1	0	152	228	51	45	261
2025/8/26 15:40	0.2	0.1	0	0.1	0	153	225	37	44	226
2025/8/26 15:50	0.1	0.1	0	0.1	0	167	254	49	57	250
2025/8/26 16:00	0.1	0.1	0	0.1	0	157	233	44	47	226
2025/8/26 16:10	0.1	0.1	0	0.1	0	150	187	47	41	258
2025/8/26 16:20	0.1	0.1	0	0.1	0	156	192	36	39	255
2025/8/26 16:30	0.1	0.1	0	0.1	0	132	199	47	36	237
2025/8/26 16:40	0.1	0.1	0	0.1	0	140	186	62	37	223
2025/8/26 16:50	0.1	0.1	0	0.1	0	153	216	45	43	247
2025/8/26 17:00	0.1	0.1	0	0.1	0	157	202	49	62	229
2025/8/26 17:10	0.1	0.1	0	0.1	0	165	219	43	69	249
2025/8/26 17:20	0.1	0.1	0	0	0	176	224	39	58	237
2025/8/26 17:30	0.1	0.1	0	0	0	179	190	58	57	271
2025/8/26 17:40	0	0.1	0	0	0	176	187	44	49	209
2025/8/26 17:50	0	0.1	0	0	0	187	232	52	41	210
2025/8/26 18:00	0	0.1	0	0	0	171	154	44	34	232
2025/8/26 18:10	0	0	0	0	0	181	159	40	27	209
2025/8/26 18:20	0	0	0	0	0	161	209	44	30	205
2025/8/26 18:30	0	0	0	0	0	162	315	38	44	174

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/26 18:40	0	0	0	0	0	151	172	37	38	209
2025/8/26 18:50	0	0	0	0	0	163	179	46	40	232
2025/8/26 19:00	0	0	0	0	0	147	156	45	32	189
2025/8/26 19:10	0	0	0	0	0	161	187	41	31	216
2025/8/26 19:20	0	0	0	0	0	148	179	50	28	216
2025/8/26 19:30	0	0	0	0	0	178	205	49	27	211
2025/8/26 19:40	0	0	0	0	0	182	205	55	28	240
2025/8/26 19:50	0	0	0	0	0	175	204	49	29	220
2025/8/26 20:00	0	0	0	0	0	186	217	50	32	198
2025/8/26 20:10	0	0	0	0	0	175	196	45	32	196
2025/8/26 20:20	0	0	0	0	0	185	204	44	32	181
2025/8/26 20:30	0	0	0	0	0	214	205	53	31	234
2025/8/26 20:40	0	0	0	0	0	188	199	50	32	201
2025/8/26 20:50	0	0	0	0	0	176	193	48	32	194
2025/8/26 21:00	0	0	0	0	0	176	181	45	29	234
2025/8/26 21:10	0	0	0	0	0	200	219	45	29	249
2025/8/26 21:20	0	0	0	0	0	211	246	58	29	230
2025/8/26 21:30	0	0	0	0	0	238	256	58	30	229
2025/8/26 21:40	0	0	0	0	0	277	263	76	32	295
2025/8/26 21:50	0	0	0	0	0	279	336	75	31	295
2025/8/26 22:00	0	0	0	0	0	233	265	87	32	311
2025/8/26 22:10	0	0	0	0	0	233	259	47	34	266
2025/8/26 22:20	0	0	0	0	0	258	351	65	35	302
2025/8/26 22:30	0	0	0	0	0	252	247	69	35	313
2025/8/26 22:40	0	0	0	0	0	250	291	69	35	292
2025/8/26 22:50	0	0	0	0	0	238	226	66	33	274
2025/8/26 23:00	0	0	0	0	0	218	230	46	33	210
2025/8/26 23:10	0	0	0	0	0	253	225	45	31	321
2025/8/26 23:20	0	0	0	0	0	251	291	55	33	275
2025/8/26 23:30	0	0	0	0	0	235	235	44	32	304
2025/8/26 23:40	0	0	0	0	0	234	216	48	32	259
2025/8/26 23:50	0	0	0	0	0	217	207	56	31	244
2025/8/27 0:00	0	0	0	0	0	192	195	42	32	207
2025/8/27 0:10	0	0	0	0	0	197	235	43	34	171
2025/8/27 0:20	0	0	0	0	0	287	299	43	33	276
2025/8/27 0:30	0	0	0	0	0	199	265	42	39	159
2025/8/27 0:40	0	0	0	0	0	234	231	56	30	209
2025/8/27 0:50	0	0	0	0	0	158	235	35	28	137
2025/8/27 1:00	0	0	0	0	0	192	199	34	28	144
2025/8/27 1:10	0	0	0	0	0	129	179	34	28	127
2025/8/27 1:20	0	0	0	0	0	155	176	33	27	118
2025/8/27 1:30	0	0	0	0	0	128	212	33	28	103
2025/8/27 1:40	0	0	0	0	0	132	204	34	26	98
2025/8/27 1:50	0	0	0	0	0	91	219	32	27	108
2025/8/27 2:00	0	0	0	0	0	87	175	32	29	94
2025/8/27 2:10	0	0	0	0	0	95	238	31	38	91
2025/8/27 2:20	0	0	0	0	0	91	236	30	30	91
2025/8/27 2:30	0	0	0	0	0	93	228	32	34	90
2025/8/27 2:40	0	0	0	0	0	94	270	32	37	93
2025/8/27 2:50	0	0	0	0	0	76	272	31	38	90
2025/8/27 3:00	0	0	0	0	0	64	320	33	61	89
2025/8/27 3:10	0	0	0	0	0	79	312	32	45	96
2025/8/27 3:20	0	0	0	0	0	79	316	35	47	89
2025/8/27 3:30	0	0	0	0	0	63	320	37	94	90
2025/8/27 3:40	0	0	0	0	0	84	322	34	73	89
2025/8/27 3:50	0	0	0	0	0	79	374	33	86	90
2025/8/27 4:00	0	0	0	0	0	52	296	31	41	88
2025/8/27 4:10	0	0	0	0	0	53	297	31	70	88
2025/8/27 4:20	0	0	0	0	0	94	371	32	131	88
2025/8/27 4:30	0	0	0	0	0	72	374	32	261	86
2025/8/27 4:40	0	0	0	0	0	92	334	33	143	87
2025/8/27 4:50	0	0	0	0	0	120	370	33	305	88
2025/8/27 5:00	0	0	0	0	0	132	369	34	185	89
2025/8/27 5:10	0	0	0	0	0	79	442	33	176	87
2025/8/27 5:20	0	0	0	0	0	98	418	34	199	88
2025/8/27 5:30	0	0	0	0	0	171	360	34	122	87
2025/8/27 5:40	0	0	0	0	0	211	281	36	25	110
2025/8/27 5:50	0	0	0	0	0	108	256	36	52	91
2025/8/27 6:00	0	0	0	0	0	53	331	33	94	87
2025/8/27 6:10	0	0	0	0.1	0	153	294	34	64	90
2025/8/27 6:20	0	0	0.1	0.1	0	108	213	32	28	106
2025/8/27 6:30	0	0	0.1	0.1	0	105	312	32	31	105
2025/8/27 6:40	0	0	0.1	0.1	0	87	302	34	32	108

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/27 6:50	0	0	0.1	0.2	0	65	264	31	55	96
2025/8/27 7:00	0	0	0.1	0.2	0	56	310	30	74	94
2025/8/27 7:10	0	0	0.1	0.2	0	50	351	29	73	101
2025/8/27 7:20	0	0	0.1	0.2	0	77	350	29	39	105
2025/8/27 7:30	0	0	0.1	0.2	0	70	339	29	42	100
2025/8/27 7:40	0.1	0	0.1	0.2	0	73	325	30	88	105
2025/8/27 7:50	0.1	0	0.1	0.2	0	65	411	31	100	111
2025/8/27 8:00	0.1	0	0.1	0.2	0	58	356	30	58	110
2025/8/27 8:10	0.1	0	0.1	0.2	0	96	415	31	122	115
2025/8/27 8:20	0.1	0	0.1	0.2	0	125	365	32	46	128
2025/8/27 8:30	0.1	0	0.1	0.2	0	169	342	37	44	166
2025/8/27 8:40	0.1	0	0.1	0.2	0	131	304	41	43	167
2025/8/27 8:50	0.1	0	0.1	0.2	0	69	332	33	69	122
2025/8/27 9:00	0.1	0	0.1	0.2	0	152	299	48	42	195
2025/8/27 9:10	0.1	0	0.1	0.2	0	160	217	51	38	227
2025/8/27 9:20	0.1	0	0.1	0.2	0	120	293	33	44	143
2025/8/27 9:30	0.1	0	0.1	0.2	0	180	279	57	42	234
2025/8/27 9:40	0.1	0	0.1	0.2	0	142	268	35	44	205
2025/8/27 9:50	0.1	0	0.1	0.2	0.1	110	316	37	48	165
2025/8/27 10:00	0.1	0	0.1	0.2	0.1	164	287	50	51	256
2025/8/27 10:10	0.1	0	0.1	0.2	0.1	133	229	65	57	295
2025/8/27 10:20	0.1	0	0.1	0.2	0.1	136	277	79	61	290
2025/8/27 10:30	0.1	0	0.1	0.2	0.1	173	237	75	54	315
2025/8/27 10:40	0.1	0	0.1	0.1	0.1	146	274	51	55	255
2025/8/27 10:50	0.1	0	0.1	0.1	0.1	123	228	64	55	292
2025/8/27 11:00	0.1	0	0.1	0.1	0.1	138	222	55	54	237
2025/8/27 11:10	0.1	0	0.1	0.1	0.1	128	250	70	58	283
2025/8/27 11:20	0.1	0	0.1	0.1	0	125	235	50	62	217
2025/8/27 11:30	0.1	0	0.1	0.1	0	118	258	42	60	182
2025/8/27 11:40	0.1	0	0.1	0.1	0	135	279	49	67	230
2025/8/27 11:50	0.1	0	0.1	0.1	0.1	152	257	60	72	284
2025/8/27 12:00	0.1	0	0.1	0.1	0.1	153	210	56	73	251
2025/8/27 12:10	0.1	0	0.1	0.1	0.1	152	228	56	76	261
2025/8/27 12:20	0.1	0	0.1	0.1	0.1	134	230	49	70	230
2025/8/27 12:30	0.1	0.1	0.1	0.1	0.1	133	257	43	66	249
2025/8/27 12:40	0.2	0.1	0.1	0.1	0.1	149	206	62	78	287
2025/8/27 12:50	0.2	0.1	0.1	0.1	0.1	145	181	43	60	246
2025/8/27 13:00	0.2	0.1	0.1	0.1	0.1	145	221	62	75	308
2025/8/27 13:10	0.2	0.1	0.1	0.1	0.1	157	230	50	76	260
2025/8/27 13:20	0.2	0.1	0.1	0.1	0.1	139	186	65	76	288
2025/8/27 13:30	0.2	0.1	0.1	0.1	0.1	144	233	57	68	265
2025/8/27 13:40	0.2	0.1	0.1	0.1	0.1	144	238	53	63	275
2025/8/27 13:50	0.2	0.1	0.1	0.1	0.1	146	202	47	56	293
2025/8/27 14:00	0.2	0.1	0.1	0.1	0.1	149	228	47	53	259
2025/8/27 14:10	0.2	0.1	0	0.1	0.1	182	313	58	72	289
2025/8/27 14:20	0.2	0.1	0	0.1	0.1	170	252	70	102	297
2025/8/27 14:30	0.2	0.1	0	0.1	0.1	185	288	67	97	319
2025/8/27 14:40	0.2	0.1	0	0.1	0	155	338	78	97	322
2025/8/27 14:50	0.2	0.1	0	0.1	0	173	254	93	101	322
2025/8/27 15:00	0.2	0.1	0	0.1	0	164	241	67	74	326
2025/8/27 15:10	0.2	0.1	0	0.1	0	163	208	76	85	314
2025/8/27 15:20	0.2	0.1	0	0.1	0	172	212	51	62	280
2025/8/27 15:30	0.2	0.1	0	0.1	0	163	225	54	57	293
2025/8/27 15:40	0.1	0.1	0	0.1	0	162	247	61	57	321
2025/8/27 15:50	0.1	0.1	0	0.1	0	161	234	53	62	304
2025/8/27 16:00	0.1	0.1	0	0.1	0	160	205	55	49	278
2025/8/27 16:10	0.1	0.1	0	0.1	0	170	236	63	51	279
2025/8/27 16:20	0.1	0.1	0	0.1	0	191	229	51	71	285
2025/8/27 16:30	0.1	0.1	0	0.1	0	178	213	50	57	293
2025/8/27 16:40	0.1	0.1	0	0.1	0	173	255	42	53	244
2025/8/27 16:50	0.1	0.1	0	0.1	0	156	244	59	52	304
2025/8/27 17:00	0.1	0.1	0	0.1	0	170	207	38	44	275
2025/8/27 17:10	0.1	0.1	0	0	0	175	200	37	52	226
2025/8/27 17:20	0.1	0	0	0	0	156	268	57	40	258
2025/8/27 17:30	0.1	0	0	0	0	171	244	44	42	232
2025/8/27 17:40	0	0	0	0	0	170	249	52	43	257
2025/8/27 17:50	0	0	0	0	0	205	196	55	40	291
2025/8/27 18:00	0	0	0	0	0	198	269	70	36	311
2025/8/27 18:10	0	0	0	0	0	206	324	53	40	262
2025/8/27 18:20	0	0	0	0	0	171	324	37	43	216
2025/8/27 18:30	0	0	0	0	0	245	388	42	53	248
2025/8/27 18:40	0	0	0	0	0	127	418	37	106	116
2025/8/27 18:50	0	0	0	0	0	126	327	40	82	124

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/27 19:00	0	0	0	0	0	65	224	41	378	111
2025/8/27 19:10	0	0	0	0	0	73	79	37	203	125
2025/8/27 19:20	0	0	0	0	0	72	73	35	250	124
2025/8/27 19:30	0	0	0	0	0	72	59	37	257	124
2025/8/27 19:40	0	0	0	0	0	73	65	46	261	125
2025/8/27 19:50	0	0	0	0	0	80	108	42	292	131
2025/8/27 20:00	0	0	0	0	0	78	66	41	310	130
2025/8/27 20:10	0	0	0	0	0	82	74	54	297	182
2025/8/27 20:20	0	0	0	0	0	78	86	107	290	198
2025/8/27 20:30	0	0	0	0	0	73	71	43	334	128
2025/8/27 20:40	0	0	0	0	0	79	158	109	328	207
2025/8/27 20:50	0	0	0	0	0	112	112	92	453	373
2025/8/27 21:00	0	0	0	0	0.3	240	155	218	99	633
2025/8/27 21:10	0	0	0	0	0	235	232	82	49	322
2025/8/27 21:20	0	0	0	0	0	139	89	157	61	316
2025/8/27 21:30	0	0	0	0	0	140	85	282	93	414
2025/8/27 21:40	0	0	0	0	0	81	102	242	141	387
2025/8/27 21:50	0	0	0	0	0	184	113	262	123	423
2025/8/27 22:00	0	0	0	0	0	72	85	242	249	283
2025/8/27 22:10	0	0	0	0	0	86	115	307	132	397
2025/8/27 22:20	0	0	0	0	0	88	178	245	100	403
2025/8/27 22:30	0	0	0	0	0	82	174	247	104	291
2025/8/27 22:40	0	0	0	0	0	74	123	215	245	308
2025/8/27 22:50	0	0	0	0	0	65	65	248	230	378
2025/8/27 23:00	0	0	0	0	0	64	67	204	174	320
2025/8/27 23:10	0	0	0	0	0	63	70	146	270	237
2025/8/27 23:20	0	0	0	0	0	85	91	214	80	407
2025/8/27 23:30	0	0	0	0	0	68	69	139	223	233
2025/8/27 23:40	0	0	0	0	0	67	77	144	207	240
2025/8/27 23:50	0	0	0	0	0	66	67	161	225	243
2025/8/28 0:00	0	0	0	0	0	68	70	146	183	277
2025/8/28 0:10	0	0	0	0	0	59	135	127	176	211
2025/8/28 0:20	0	0	0	0	0	59	59	134	240	214
2025/8/28 0:30	0	0	0	0	0	119	87	185	253	289
2025/8/28 0:40	0	0	0	0	0	63	66	82	325	224
2025/8/28 0:50	0	0	0	0	0	62	66	141	239	185
2025/8/28 1:00	0	0	0	0	0	62	58	100	180	187
2025/8/28 1:10	0	0	0	0	0	66	63	55	370	302
2025/8/28 1:20	0	0	0	0	0	256	64	206	287	558
2025/8/28 1:30	0	0	0	0	0.1	310	103	178	470	635
2025/8/28 1:40	0	0	0	0	0.2	54	81	30	543	147
2025/8/28 1:50	0	0	0	0	0	57	80	31	494	222
2025/8/28 2:00	0	0	0	0	0	62	62	34	404	147
2025/8/28 2:10	0	0	0	0	0	75	91	55	400	143
2025/8/28 2:20	0	0	0	0	0	129	92	87	388	509
2025/8/28 2:30	0	0	0	0	0	77	124	58	473	407
2025/8/28 2:40	0	0	0	0	0.1	300	229	79	524	782
2025/8/28 2:50	0	0	0	0	1.8	200	102	236	534	663
2025/8/28 3:00	0	0	0	0	0.9	267	72	270	395	690
2025/8/28 3:10	0	0	0	0	0.7	92	64	252	376	490
2025/8/28 3:20	0	0	0	0	0	248	61	281	204	611
2025/8/28 3:30	0	0	0	0	0	92	64	201	285	469
2025/8/28 3:40	0	0	0	0	0	87	59	230	316	556
2025/8/28 3:50	0	0	0	0	0	146	68	225	147	495
2025/8/28 4:00	0	0	0	0	0	126	127	227	444	496
2025/8/28 4:10	0	0	0	0	0.1	198	169	88	512	518
2025/8/28 4:20	0	0	0	0	0.3	261	235	250	527	712
2025/8/28 4:30	0	0	0	0	0.4	62	106	41	547	290
2025/8/28 4:40	0	0	0	0	0.1	129	176	38	538	355
2025/8/28 4:50	0	0	0	0	0.3	541	86	257	409	812
2025/8/28 5:00	0	0	0	0	0.8	146	72	199	537	536
2025/8/28 5:10	0	0	0	0	0.3	93	178	160	507	652
2025/8/28 5:20	0	0	0	0	1.4	60	69	118	459	208
2025/8/28 5:30	0	0	0	0	0	61	64	49	379	222
2025/8/28 5:40	0	0	0	0	0	116	72	206	192	394
2025/8/28 5:50	0	0	0	0	0	74	93	172	204	264
2025/8/28 6:00	0	0	0	0	0	139	62	190	254	408
2025/8/28 6:10	0	0	0	0	0	145	114	200	193	456
2025/8/28 6:20	0	0	0	0	0	75	75	172	258	354
2025/8/28 6:30	0	0	0	0	0	89	112	174	244	348
2025/8/28 6:40	0	0	0	0	0	56	73	138	203	278
2025/8/28 6:50	0	0	0	0	0	54	54	122	197	289
2025/8/28 7:00	0	0	0	0	0	65	70	135	200	256

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/28 7:10	0	0	0	0	0	67	83	125	242	266
2025/8/28 7:20	0	0	0	0	0	66	59	162	144	351
2025/8/28 7:30	0	0	0	0.1	0	57	77	148	134	262
2025/8/28 7:40	0	0	0	0.1	0	61	92	151	97	255
2025/8/28 7:50	0	0	0	0.1	0	62	96	139	141	292
2025/8/28 8:00	0	0	0	0.1	0	87	155	165	133	231
2025/8/28 8:10	0	0	0	0.1	0	91	105	165	131	293
2025/8/28 8:20	0.1	0	0	0.1	0	151	252	221	277	344
2025/8/28 8:30	0.1	0	0	0.1	0	259	385	193	174	412
2025/8/28 8:40	0.1	0	0.1	0.1	0	240	334	178	150	377
2025/8/28 8:50	0.1	0	0.1	0.1	0	227	327	202	96	406
2025/8/28 9:00	0.1	0	0.1	0.1	0	113	174	184	205	265
2025/8/28 9:10	0.1	0	0.1	0.1	0	247	347	180	94	366
2025/8/28 9:20	0.1	0	0.1	0.1	0	209	259	107	75	323
2025/8/28 9:30	0.1	0	0.1	0.1	0	188	316	69	54	297
2025/8/28 9:40	0.1	0	0.1	0.1	0	188	237	139	77	299
2025/8/28 9:50	0.1	0	0.1	0.1	0	202	284	86	67	287
2025/8/28 10:00	0.1	0	0.1	0.1	0	149	179	66	54	291
2025/8/28 10:10	0.1	0	0.1	0.1	0	99	116	99	133	193
2025/8/28 10:20	0.1	0	0.1	0.1	0	86	116	101	208	217
2025/8/28 10:30	0.1	0	0	0.1	0	114	140	104	133	241
2025/8/28 10:40	0.1	0	0	0.1	0	155	191	59	69	234
2025/8/28 10:50	0.1	0	0	0.1	0	133	152	88	105	219
2025/8/28 11:00	0.1	0	0.1	0.1	0	125	182	95	84	206
2025/8/28 11:10	0.1	0	0.1	0.1	0	147	272	54	77	226
2025/8/28 11:20	0.1	0	0.1	0.1	0	215	326	78	70	232
2025/8/28 11:30	0.1	0	0.1	0.1	0	149	223	84	102	203
2025/8/28 11:40	0.1	0	0.1	0.1	0	125	178	88	125	211
2025/8/28 11:50	0.1	0	0	0.1	0	94	89	103	121	184
2025/8/28 12:00	0.1	0	0	0.1	0	93	283	54	92	175
2025/8/28 12:10	0.1	0	0	0.1	0	130	380	48	66	191
2025/8/28 12:20	0.1	0.1	0.1	0.1	0	125	441	37	56	165
2025/8/28 12:30	0.1	0.1	0.1	0.1	0	128	382	59	69	188
2025/8/28 12:40	0.1	0.1	0	0.1	0	91	139	77	117	187
2025/8/28 12:50	0.1	0.1	0	0.1	0	124	226	68	54	210
2025/8/28 13:00	0.1	0.1	0	0.1	0	180	230	57	56	244
2025/8/28 13:10	0.1	0.1	0	0.1	0	170	278	126	151	258
2025/8/28 13:20	0.1	0.1	0	0.1	0	192	407	114	117	259
2025/8/28 13:30	0.2	0.1	0	0.1	0	154	317	116	293	253
2025/8/28 13:40	0.2	0.1	0	0.1	0	205	360	117	128	292
2025/8/28 13:50	0.2	0.1	0	0.1	0	125	184	140	214	265
2025/8/28 14:00	0.2	0.1	0	0.1	0	172	233	128	136	258
2025/8/28 14:10	0.2	0.1	0	0.1	0	200	271	151	147	288
2025/8/28 14:20	0.2	0.1	0	0.1	0	178	273	99	99	248
2025/8/28 14:30	0.2	0.1	0	0.1	0	126	146	117	105	237
2025/8/28 14:40	0.2	0.1	0	0.1	0	146	196	138	129	252
2025/8/28 14:50	0.2	0.1	0	0.1	0	136	204	102	164	233
2025/8/28 15:00	0.2	0.1	0	0.1	0	150	199	131	190	274
2025/8/28 15:10	0.2	0.1	0	0.1	0	138	185	94	163	239
2025/8/28 15:20	0.2	0.1	0	0.1	0	162	194	98	89	252
2025/8/28 15:30	0.2	0.1	0	0.1	0	151	173	70	64	231
2025/8/28 15:40	0.2	0.1	0	0.1	0	124	149	87	92	212
2025/8/28 15:50	0.1	0.1	0	0.1	0	115	127	98	80	231
2025/8/28 16:00	0.1	0.1	0	0.1	0	134	128	67	59	227
2025/8/28 16:10	0.1	0.1	0	0.1	0	106	147	94	64	213
2025/8/28 16:20	0.1	0.1	0	0.1	0	100	189	124	116	234
2025/8/28 16:30	0.1	0.1	0	0.1	0	135	155	114	116	236
2025/8/28 16:40	0.1	0.1	0	0	0	129	143	186	151	308
2025/8/28 16:50	0.1	0.1	0	0	0	124	153	163	115	323
2025/8/28 17:00	0.1	0.1	0	0	0	125	142	141	73	303
2025/8/28 17:10	0.1	0.1	0	0	0	127	130	125	60	335
2025/8/28 17:20	0.1	0.1	0	0	0	122	116	149	61	262
2025/8/28 17:30	0	0.1	0	0	0	99	114	149	50	314
2025/8/28 17:40	0	0.1	0	0	0	152	98	234	41	451
2025/8/28 17:50	0	0	0	0	0	325	95	111	31	537
2025/8/28 18:00	0	0	0	0	0	224	83	180	36	525
2025/8/28 18:10	0	0	0	0	0	247	111	155	35	495
2025/8/28 18:20	0	0	0	0	0	188	60	147	33	571
2025/8/28 18:30	0	0	0	0	0	245	61	87	26	591
2025/8/28 18:40	0	0	0	0	0	344	82	132	34	585
2025/8/28 18:50	0	0	0	0	0	253	58	122	25	525
2025/8/28 19:00	0	0	0	0	0	323	164	63	21	533
2025/8/28 19:10	0	0	0	0	0	286	59	238	24	564

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/28 19:20	0	0	0	0	0	291	60	233	47	526
2025/8/28 19:30	0	0	0	0	0	57	56	349	36	480
2025/8/28 19:40	0	0	0	0	0	108	80	275	31	573
2025/8/28 19:50	0	0	0	0	0	242	55	111	17	646
2025/8/28 20:00	0	0	0	0	0	341	71	134	19	639
2025/8/28 20:10	0	0	0	0	0	332	77	140	21	638
2025/8/28 20:20	0	0	0	0	0	370	108	231	79	787
2025/8/28 20:30	0	0	0	0	0.2	207	59	173	21	814
2025/8/28 20:40	0	0	0	0	0.1	73	53	321	62	736
2025/8/28 20:50	0	0	0	0	0	51	48	458	80	533
2025/8/28 21:00	0	0	0	0	0.2	89	56	352	43	659
2025/8/28 21:10	0	0	0	0	0.1	192	51	278	29	809
2025/8/28 21:20	0	0	0	0	0.2	119	45	407	141	666
2025/8/28 21:30	0	0	0	0	0.7	85	48	411	100	637
2025/8/28 21:40	0	0	0	0	0.3	132	50	340	34	773
2025/8/28 21:50	0	0	0	0	0.3	98	55	366	39	632
2025/8/28 22:00	0	0	0	0	0	166	58	343	75	618
2025/8/28 22:10	0	0	0	0	0.3	182	106	336	73	810
2025/8/28 22:20	0	0	0	0	1.3	211	66	315	74	841
2025/8/28 22:30	0	0	0	0	1.6	101	60	473	64	715
2025/8/28 22:40	0	0	0	0	0.9	95	67	418	22	747
2025/8/28 22:50	0	0	0	0	0.3	177	64	338	50	728
2025/8/28 23:00	0	0	0	0	0.1	136	66	358	38	683
2025/8/28 23:10	0	0	0	0	0	158	59	281	30	800
2025/8/28 23:20	0	0	0	0	1	145	57	351	23	894
2025/8/28 23:30	0	0	0	0	1.5	136	57	511	51	921
2025/8/28 23:40	0	0	0	0	2.5	105	62	488	114	781
2025/8/28 23:50	0	0	0	0	1.8	80	82	426	80	665
2025/8/29 0:00	0	0	0	0	0.6	123	61	455	50	631
2025/8/29 0:10	0	0	0	0	0.2	134	65	410	59	643
2025/8/29 0:20	0	0	0	0	0	77	81	512	110	527
2025/8/29 0:30	0	0	0	0	0	94	69	389	322	602
2025/8/29 0:40	0	0	0	0.2	0.5	45	62	280	778	320
2025/8/29 0:50	0	0	0	0.5	0	54	67	391	342	387
2025/8/29 1:00	0	0	0	0	0	69	61	452	83	515
2025/8/29 1:10	0	0	0	0	0.4	65	73	467	104	623
2025/8/29 1:20	0	0	0	0	0.1	74	69	376	98	536
2025/8/29 1:30	0	0	0	0	0.1	66	76	387	91	438
2025/8/29 1:40	0	0	0	0	0	83	76	333	61	538
2025/8/29 1:50	0	0	0	0	0	61	105	264	294	214
2025/8/29 2:00	0	0	0	0	0	54	66	305	317	345
2025/8/29 2:10	0	0	0	0	0	162	69	326	202	424
2025/8/29 2:20	0	0	0	0	0	255	76	368	141	451
2025/8/29 2:30	0	0	0	0	0	372	99	342	285	573
2025/8/29 2:40	0	0	0	0	0.1	296	73	430	424	586
2025/8/29 2:50	0	0	0	0.3	0	291	66	416	228	686
2025/8/29 3:00	0	0	0	0	0.2	114	66	392	607	374
2025/8/29 3:10	0	0	0	0.4	0	508	123	377	69	696
2025/8/29 3:20	0	0	0	0	0	282	87	337	119	626
2025/8/29 3:30	0	0	0	0	0	521	114	264	41	671
2025/8/29 3:40	0	0	0	0	0.3	577	95	214	48	708
2025/8/29 3:50	0	0	0	0	0.2	408	110	245	46	595
2025/8/29 4:00	0	0	0	0	0	517	94	329	141	557
2025/8/29 4:10	0	0	0	0	0	242	74	446	225	588
2025/8/29 4:20	0	0	0	0	0	318	66	281	59	759
2025/8/29 4:30	0	0	0	0	1.3	709	93	189	44	682
2025/8/29 4:40	0	0	0	0	0	712	152	138	43	674
2025/8/29 4:50	0	0	0	0	0.1	386	201	373	373	628
2025/8/29 5:00	0	0	0	0	0.4	500	72	480	373	665
2025/8/29 5:10	0	0	0	0	0.5	497	107	399	461	637
2025/8/29 5:20	0	0	0	0	0.4	266	66	408	549	536
2025/8/29 5:30	0	0	0	0.4	0.1	135	63	332	791	494
2025/8/29 5:40	0	0	0	0.4	0.2	587	74	366	276	643
2025/8/29 5:50	0	0	0	0	0	402	252	292	55	541
2025/8/29 6:00	0	0	0	0	0	391	154	231	99	543
2025/8/29 6:10	0	0	0	0	0	54	76	86	626	276
2025/8/29 6:20	0	0	0	0.2	0	123	109	151	559	405
2025/8/29 6:30	0	0	0	0.1	0.1	47	81	47	839	127
2025/8/29 6:40	0	0	0	0.4	0	51	99	108	452	192
2025/8/29 6:50	0	0	0	0.2	0	51	86	35	825	134
2025/8/29 7:00	0	0	0	0.7	0	62	90	104	821	213
2025/8/29 7:10	0	0	0	0.7	0	119	108	37	807	268
2025/8/29 7:20	0	0	0	1.2	0	45	103	49	869	162

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/29 7:30	0	0	0	1.9	0	252	239	76	414	484
2025/8/29 7:40	0	0	0	0.5	0.8	517	200	85	76	544
2025/8/29 7:50	0	0	0.1	0.1	0	162	87	179	402	389
2025/8/29 8:00	0	0	0.1	0.4	0.2	217	120	94	546	431
2025/8/29 8:10	0	0	0.1	0.9	0.2	49	268	49	770	114
2025/8/29 8:20	0.1	0	0.1	1.3	0	33	71	34	818	101
2025/8/29 8:30	0.1	0	0.1	0.9	0	74	92	111	606	273
2025/8/29 8:40	0.1	0	0.1	0.3	0	39	233	84	207	470
2025/8/29 8:50	0.1	0	0.1	0.2	0.2	623	576	214	56	444
2025/8/29 9:00	0.1	0.3	0.1	0.2	0	289	804	309	50	186
2025/8/29 9:10	0.1	0.6	0.1	0.2	0	172	697	35	136	106
2025/8/29 9:20	0.1	0.4	0.1	0.1	0	210	621	35	54	119
2025/8/29 9:30	0.1	0	0.1	0.2	0	217	659	34	52	125
2025/8/29 9:40	0.1	0	0.1	0.2	0	161	587	36	61	133
2025/8/29 9:50	0.1	0	0.1	0.2	0	217	571	36	70	123
2025/8/29 10:00	0.1	0	0.1	0.1	0	325	453	38	133	153
2025/8/29 10:10	0.1	0	0.1	0.1	0	227	649	49	51	189
2025/8/29 10:20	0.1	0	0.1	0.1	0	87	691	107	50	157
2025/8/29 10:30	0.1	0	0.1	0.1	0	38	755	38	58	129
2025/8/29 10:40	0.1	0	0.1	0.1	0	75	618	42	60	151
2025/8/29 10:50	0.1	0	0.1	0.1	0	91	456	40	84	147
2025/8/29 11:00	0.1	0	0.1	0.1	0	76	498	43	60	156
2025/8/29 11:10	0.1	0	0.1	0.1	0	55	543	36	51	135
2025/8/29 11:20	0.1	0	0.1	0.1	0	36	437	34	54	133
2025/8/29 11:30	0.1	0	0.1	0.1	0	66	236	38	63	159
2025/8/29 11:40	0.1	0	0.1	0.1	0	96	354	41	77	173
2025/8/29 11:50	0.1	0	0.1	0.1	0	76	267	36	57	162
2025/8/29 12:00	0.1	0	0.1	0.1	0	49	385	35	70	142
2025/8/29 12:10	0.1	0	0.1	0.1	0.1	95	145	37	76	177
2025/8/29 12:20	0.1	0	0.1	0.1	0.1	73	271	45	63	165
2025/8/29 12:30	0.1	0	0.1	0.1	0.1	85	325	38	62	173
2025/8/29 12:40	0.1	0	0.1	0.1	0.1	65	341	31	55	168
2025/8/29 12:50	0.1	0.1	0.1	0.1	0.1	61	370	33	56	159
2025/8/29 13:00	0.1	0.1	0.1	0.1	0.1	61	323	30	56	166
2025/8/29 13:10	0.2	0.1	0.1	0.1	0.1	73	313	25	67	160
2025/8/29 13:20	0.2	0.1	0.1	0.1	0.1	91	320	22	58	173
2025/8/29 13:30	0.2	0.1	0.1	0.1	0.1	93	352	32	83	197
2025/8/29 13:40	0.2	0.1	0	0.1	0.1	69	367	23	63	168
2025/8/29 13:50	0.2	0.1	0	0.1	0.1	86	431	21	62	170
2025/8/29 14:00	0.2	0.1	0	0.1	0.1	121	343	31	73	202
2025/8/29 14:10	0.2	0.1	0	0.1	0.1	90	342	23	62	178
2025/8/29 14:20	0.2	0.1	0	0.1	0.1	121	266	27	69	191
2025/8/29 14:30	0.2	0.1	0	0.1	0.1	107	337	34	66	207
2025/8/29 14:40	0.2	0.1	0	0.1	0.1	107	305	36	66	196
2025/8/29 14:50	0.2	0.1	0	0.1	0	116	250	42	75	211
2025/8/29 15:00	0.2	0.1	0	0.1	0	103	335	32	68	192
2025/8/29 15:10	0.2	0.1	0	0.1	0	108	319	30	59	194
2025/8/29 15:20	0.2	0.1	0	0.1	0	98	328	27	59	175
2025/8/29 15:30	0.2	0.1	0	0.1	0	104	352	31	58	191
2025/8/29 15:40	0.2	0.1	0	0.1	0	102	334	29	66	169
2025/8/29 15:50	0.1	0.1	0	0.1	0	95	395	33	68	179
2025/8/29 16:00	0.1	0.1	0	0.1	0	89	357	31	60	179
2025/8/29 16:10	0.1	0.1	0	0.1	0	117	267	31	70	207
2025/8/29 16:20	0.1	0.1	0	0.1	0	88	355	33	76	170
2025/8/29 16:30	0.1	0.1	0	0.1	0	72	408	31	49	152
2025/8/29 16:40	0.1	0.1	0	0.1	0	110	383	33	62	164
2025/8/29 16:50	0.1	0.1	0	0.1	0	164	140	37	49	204
2025/8/29 17:00	0.1	0.1	0	0.1	0	221	147	46	48	272
2025/8/29 17:10	0.1	0.1	0	0.1	0	230	251	46	44	189
2025/8/29 17:20	0.1	0.1	0	0	0	314	317	46	51	306
2025/8/29 17:30	0.1	0.1	0	0	0	372	292	55	62	360
2025/8/29 17:40	0.1	0.1	0	0	0	385	239	71	54	373
2025/8/29 17:50	0	0.1	0	0	0	310	259	43	40	252
2025/8/29 18:00	0	0	0	0	0	239	373	31	46	167
2025/8/29 18:10	0	0	0	0	0	327	288	34	43	225
2025/8/29 18:20	0	0	0	0	0	377	225	41	43	301
2025/8/29 18:30	0	0	0	0	0	427	333	43	42	261
2025/8/29 18:40	0	0	0	0	0	461	475	53	47	352
2025/8/29 18:50	0	0	0	0	0	451	332	70	71	420
2025/8/29 19:00	0	0	0	0	0	457	279	76	54	375
2025/8/29 19:10	0	0	0	0	0	417	356	53	47	341
2025/8/29 19:20	0	0	0	0	0	413	280	73	52	318
2025/8/29 19:30	0	0	0	0	0	452	246	39	60	267

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/29 19:40	0	0	0	0	0	371	283	63	42	357
2025/8/29 19:50	0	0	0	0	0	429	279	58	40	313
2025/8/29 20:00	0	0	0	0	0	365	250	61	41	282
2025/8/29 20:10	0	0	0	0	0	296	238	47	44	191
2025/8/29 20:20	0	0	0	0	0	456	263	61	43	323
2025/8/29 20:30	0	0	0	0	0	348	322	64	40	286
2025/8/29 20:40	0	0	0	0	0	400	251	70	41	302
2025/8/29 20:50	0	0	0	0	0	332	301	52	41	228
2025/8/29 21:00	0	0	0	0	0	491	233	65	43	334
2025/8/29 21:10	0	0	0	0	0	431	267	81	40	360
2025/8/29 21:20	0	0	0	0	0	443	303	66	42	331
2025/8/29 21:30	0	0	0	0	0	410	259	49	45	304
2025/8/29 21:40	0	0	0	0	0	502	335	43	42	360
2025/8/29 21:50	0	0	0	0	0	452	335	47	42	292
2025/8/29 22:00	0	0	0	0	0	584	407	41	41	311
2025/8/29 22:10	0	0	0	0	0	612	302	51	40	415
2025/8/29 22:20	0	0	0	0	0	723	406	110	43	455
2025/8/29 22:30	0	0	0	0	0.2	671	418	158	49	599
2025/8/29 22:40	0	0	0	0	0.6	777	457	160	44	587
2025/8/29 22:50	0	0	0	0	0.6	826	783	138	46	569
2025/8/29 23:00	0	0	0	0	0.6	592	668	227	53	787
2025/8/29 23:10	0	0	0	0	2.4	932	465	203	51	774
2025/8/29 23:20	0	0	0	0	1.9	909	618	205	49	706
2025/8/29 23:30	0	0	0	0	1.7	906	359	242	46	760
2025/8/29 23:40	0	0	0	0	1.8	1078	183	301	54	841
2025/8/29 23:50	0	0	0	0	3.4	950	536	258	51	817
2025/8/30 0:00	0	0	0	0	3.6	975	766	292	55	930
2025/8/30 0:10	0	0.4	0	0	4.3	831	590	221	56	858
2025/8/30 0:20	0	0	0	0	3.5	891	619	236	56	816
2025/8/30 0:30	0	0	0	0	3.2	792	217	254	58	854
2025/8/30 0:40	0	0	0	0	3	707	388	144	58	670
2025/8/30 0:50	0	0	0	0	0.5	674	456	150	61	663
2025/8/30 1:00	0	0	0	0	0.9	796	531	162	57	730
2025/8/30 1:10	0	0	0	0	1.1	780	512	236	341	762
2025/8/30 1:20	0	0	0	0	2.2	774	630	323	113	695
2025/8/30 1:30	0	0	0	0	1.3	751	202	509	293	789
2025/8/30 1:40	0	0	0.4	0.1	2.6	934	812	259	57	683
2025/8/30 1:50	0	0.4	0	0	0.5	821	851	277	229	751
2025/8/30 2:00	0	0	0	0.1	1.7	867	516	535	362	769
2025/8/30 2:10	0	0.2	0.2	0	2.1	412	1179	643	1294	984
2025/8/30 2:20	0	4.3	0.4	5.6	5.5	847	1202	594	1213	972
2025/8/30 2:30	0	4.4	0.3	5.6	5.8	710	1130	613	1380	1000
2025/8/30 2:40	0	4.1	0.5	7.4	5.8	397	927	708	1366	1064
2025/8/30 2:50	0	3	1.2	7.6	7	260	966	586	1365	1027
2025/8/30 3:00	0	3.3	0	7.3	6.3	116	667	536	1344	971
2025/8/30 3:10	0	1.4	0	7	6	610	1137	435	1248	916
2025/8/30 3:20	0	4.4	0	5.8	5.3	508	861	540	1280	901
2025/8/30 3:30	0	2.2	0.3	6.2	4.6	161	497	386	1352	732
2025/8/30 3:40	0	0.6	0	7	2	247	360	184	1211	396
2025/8/30 3:50	0	0.1	0	5.4	0.3	150	437	54	1139	330
2025/8/30 4:00	0	0.4	0	4.5	0.1	299	334	225	1188	600
2025/8/30 4:10	0	0	0	4.9	1.2	115	178	174	1168	490
2025/8/30 4:20	0	0	0	4.5	0.9	611	474	342	1202	857
2025/8/30 4:30	0	0.1	0	4.8	3.3	183	300	208	1214	712
2025/8/30 4:40	0	0	0	5.4	2.7	99	380	75	1137	405
2025/8/30 4:50	0	0	0	4.5	0	68	173	141	1172	302
2025/8/30 5:00	0	0	0	4.6	0.2	71	205	188	1027	461
2025/8/30 5:10	0	0	0	3	0.3	68	293	55	1036	236
2025/8/30 5:20	0	0	0	2.8	0	70	167	249	926	499
2025/8/30 5:30	0	0	0	1.1	0.6	93	176	345	829	449
2025/8/30 5:40	0	0	0	0.3	0.4	79	280	96	881	331
2025/8/30 5:50	0	0	0	0.8	0	71	136	140	928	219
2025/8/30 6:00	0	0	0	1.3	0	65	144	72	731	151
2025/8/30 6:10	0	0	0	0	0	65	143	163	718	369
2025/8/30 6:20	0	0	0	0.1	0	71	157	122	688	243
2025/8/30 6:30	0	0	0	0.6	0	65	150	46	523	134
2025/8/30 6:40	0	0	0	0.1	0	65	153	48	589	133
2025/8/30 6:50	0	0	0.1	0.2	0	67	162	59	920	179
2025/8/30 7:00	0	0	0.1	2	0	66	177	54	541	176
2025/8/30 7:10	0	0	0.1	0.3	0	69	150	58	742	240
2025/8/30 7:20	0	0	0.1	0.5	0	106	104	160	430	315
2025/8/30 7:30	0	0	0.1	0.2	0	180	96	153	305	387
2025/8/30 7:40	0	0	0.1	0.2	0	197	114	133	381	411

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/30 7:50	0	0	0.1	0.3	0	136	146	156	644	425
2025/8/30 8:00	0	0	0.1	0.9	0.3	117	107	106	484	329
2025/8/30 8:10	0.1	0	0.1	0.5	0	103	105	55	292	263
2025/8/30 8:20	0.1	0	0.1	0.2	0	61	100	56	305	196
2025/8/30 8:30	0.1	0	0.1	0.2	0	115	93	96	211	292
2025/8/30 8:40	0.1	0	0.1	0.2	0	52	157	41	216	139
2025/8/30 8:50	0.1	0	0.1	0.2	0	65	115	48	194	181
2025/8/30 9:00	0.1	0	0.1	0.2	0	49	485	41	161	141
2025/8/30 9:10	0.1	0	0.1	0.2	0	48	587	42	94	140
2025/8/30 9:20	0.1	0	0.1	0.2	0	92	773	39	60	158
2025/8/30 9:30	0.1	0.8	0.1	0.2	0	105	535	49	166	228
2025/8/30 9:40	0.1	0.4	0.1	0.2	0.1	180	706	54	219	279
2025/8/30 9:50	0.1	0.4	0.1	0.2	0.1	40	356	43	134	154
2025/8/30 10:00	0.1	0	0.1	0.2	0.1	47	567	42	113	164
2025/8/30 10:10	0.1	0	0.1	0.2	0.1	48	333	43	175	170
2025/8/30 10:20	0.1	0	0.1	0.2	0.1	98	284	66	117	232
2025/8/30 10:30	0.1	0	0.1	0.2	0.1	131	274	57	232	260
2025/8/30 10:40	0.1	0	0.1	0.1	0.1	40	349	49	113	167
2025/8/30 10:50	0.1	0.2	0.1	0.1	0.1	40	465	41	66	160
2025/8/30 11:00	0.1	0	0.1	0.1	0.1	40	368	40	95	160
2025/8/30 11:10	0.1	0	0.1	0.1	0.1	38	360	34	73	161
2025/8/30 11:20	0.1	0	0.1	0.1	0.1	39	306	33	111	163
2025/8/30 11:30	0.1	0	0.1	0.1	0.1	40	238	34	100	164
2025/8/30 11:40	0.1	0	0.1	0.1	0.1	38	325	31	103	160
2025/8/30 11:50	0.1	0	0.1	0.1	0.1	44	468	31	56	159
2025/8/30 12:00	0.1	0	0.1	0.1	0.1	48	478	34	69	163
2025/8/30 12:10	0.1	0	0.1	0.1	0.1	60	231	52	113	208
2025/8/30 12:20	0.1	0	0.1	0.1	0.1	53	460	29	156	162
2025/8/30 12:30	0.1	0	0.1	0.1	0.1	50	241	27	168	171
2025/8/30 12:40	0.2	0	0.1	0.1	0.1	92	144	58	152	247
2025/8/30 12:50	0.2	0	0.1	0.1	0.1	89	313	34	183	219
2025/8/30 13:00	0.2	0.2	0.1	0.1	0.1	93	462	41	138	246
2025/8/30 13:10	0.2	0.1	0.1	0.1	0.1	53	471	24	78	200
2025/8/30 13:20	0.2	0.2	0.1	0.1	0.1	72	561	43	149	221
2025/8/30 13:30	0.2	0.5	0.1	0.1	0.1	56	555	26	71	184
2025/8/30 13:40	0.2	0.2	0.1	0.1	0.1	56	487	26	172	190
2025/8/30 13:50	0.2	0.2	0.1	0.1	0.1	105	398	74	341	253
2025/8/30 14:00	0.2	0.1	0.1	0.1	0.1	162	179	185	257	393
2025/8/30 14:10	0.2	0.1	0.1	0.1	0.1	85	267	66	211	251
2025/8/30 14:20	0.2	0.2	0.1	0.1	0.1	116	358	113	209	267
2025/8/30 14:30	0.2	0.4	0.1	0.1	0.1	137	518	82	194	269
2025/8/30 14:40	0.2	0.8	0.1	0.1	0.1	107	369	72	140	254
2025/8/30 14:50	0.2	0.1	0.1	0.1	0.1	143	852	47	71	283
2025/8/30 15:00	0.2	1.9	0.1	0.1	0.1	354	571	220	295	521
2025/8/30 15:10	0.2	2.2	0.1	0.1	0.1	154	1015	112	312	385
2025/8/30 15:20	0.2	6.9	0.1	0.1	0.1	66	1272	37	160	229
2025/8/30 15:30	0.2	7.2	0	0.1	0.1	408	601	215	184	610
2025/8/30 15:40	0.2	1.7	0	0.1	0.1	238	542	55	128	300
2025/8/30 15:50	0.2	0.1	0	0.1	0.1	157	152	257	187	601
2025/8/30 16:00	0.1	0.1	0	0.1	0.2	150	136	271	199	576
2025/8/30 16:10	0.1	0.1	0	0.1	0	329	336	128	148	471
2025/8/30 16:20	0.1	0.1	0	0.1	0.1	462	276	153	73	580
2025/8/30 16:30	0.1	0.1	0	0.1	0	366	303	115	95	520
2025/8/30 16:40	0.1	0.1	0	0.1	0	344	508	47	75	417
2025/8/30 16:50	0.1	0.1	0	0.1	0	366	526	31	80	308
2025/8/30 17:00	0.1	0.1	0	0.1	0	361	438	54	72	342
2025/8/30 17:10	0.1	0.1	0	0.1	0	475	1204	99	98	515
2025/8/30 17:20	0.1	0.1	0	0.1	0	415	943	56	86	387
2025/8/30 17:30	0.1	0.1	0	0.1	0	439	513	84	76	467
2025/8/30 17:40	0.1	0.1	0	0.1	0	419	484	67	67	418
2025/8/30 17:50	0.1	0	0	0.1	0	349	461	51	71	378
2025/8/30 18:00	0.1	0	0	0.1	0	397	350	67	70	439
2025/8/30 18:10	0.1	0	0	0.1	0	375	383	81	53	402
2025/8/30 18:20	0.1	0	0	0.1	0	337	277	78	45	386
2025/8/30 18:30	0.1	0	0	0.1	0	289	247	36	33	267
2025/8/30 18:40	0	0	0	0	0	380	279	27	29	311
2025/8/30 18:50	0	0	0	0	0	516	280	51	33	454
2025/8/30 19:00	0	0	0	0	0	423	365	30	53	332
2025/8/30 19:10	0	0	0	0	0	328	333	33	47	254
2025/8/30 19:20	0	0	0	0	0	402	295	56	49	330
2025/8/30 19:30	0	0	0	0	0	299	349	38	55	303
2025/8/30 19:40	0	0	0	0	0	232	318	28	50	187
2025/8/30 19:50	0	0	0	0	0	328	345	39	38	234

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/30 20:00	0	0	0	0	0	344	439	26	100	187
2025/8/30 20:10	0	0	0	0.1	0	230	583	18	170	146
2025/8/30 20:20	0	0	0	0.2	0	224	282	13	24	151
2025/8/30 20:30	0	0	0	0	0	324	380	15	57	247
2025/8/30 20:40	0	0	0	0	0	425	423	16	26	174
2025/8/30 20:50	0	0	0	0	0	587	423	20	26	398
2025/8/30 21:00	0	0	0	0	0	642	520	21	29	336
2025/8/30 21:10	0	0	0	0	0	745	508	90	36	582
2025/8/30 21:20	0	0.2	0	0	0.1	775	653	189	45	611
2025/8/30 21:30	0	0	0	0	0.3	785	685	82	44	531
2025/8/30 21:40	0	0.5	0	0	0	715	678	93	170	457
2025/8/30 21:50	0	0.3	0	0	0.3	861	687	178	50	781
2025/8/30 22:00	0	0.7	0	0	0.9	799	570	207	51	826
2025/8/30 22:10	0	0	0	0	1.5	802	755	202	54	804
2025/8/30 22:20	0	0.1	0	0	2	757	813	222	58	932
2025/8/30 22:30	0	0.6	0	0	2.3	839	716	184	57	719
2025/8/30 22:40	0	0.8	0	0	0.6	750	688	172	55	589
2025/8/30 22:50	0	0.4	0	0	0	692	560	155	55	692
2025/8/30 23:00	0	0	0	0	0.1	609	348	189	56	872
2025/8/30 23:10	0	0	0	0	2.2	621	273	199	53	952
2025/8/30 23:20	0	0	0	0	3.1	750	564	143	51	620
2025/8/30 23:30	0	0	0	0	0.2	710	534	128	61	612
2025/8/30 23:40	0	0	0	0	0.1	756	475	146	59	643
2025/8/30 23:50	0	0	0	0	0.1	670	545	130	59	651
2025/8/31 0:00	0	0	0	0	0.8	621	604	152	53	585
2025/8/31 0:10	0	0	0	0	0.1	1074	349	162	51	833
2025/8/31 0:20	0	0	0	0	2.7	1048	502	248	54	973
2025/8/31 0:30	0	0.1	0	0	3.8	861	764	131	56	697
2025/8/31 0:40	0	0.1	0	0	0.7	649	583	143	60	628
2025/8/31 0:50	0	0	0	0	0.4	600	572	208	62	748
2025/8/31 1:00	0	0	0	0	1.1	738	449	201	59	756
2025/8/31 1:10	0	0	0	0	1.4	737	655	160	62	826
2025/8/31 1:20	0	0	0	0	2.5	807	255	188	59	842
2025/8/31 1:30	0	0	0	0	2.8	870	416	232	58	793
2025/8/31 1:40	0	0	0	0	2.4	621	172	407	61	939
2025/8/31 1:50	0	0	0	0	3.8	757	407	376	58	864
2025/8/31 2:00	0	0	0	0	2.9	721	324	273	61	866
2025/8/31 2:10	0	0	0	0	3.2	795	312	193	61	723
2025/8/31 2:20	0	0	0	0	1.1	863	698	266	64	867
2025/8/31 2:30	0	0	0	0	3.8	355	191	397	56	1001
2025/8/31 2:40	0	0	0	0	5	459	145	553	270	938
2025/8/31 2:50	0	0	0.2	0	4.1	360	138	414	48	801
2025/8/31 3:00	0	0	0.1	0	1.5	610	219	120	48	673
2025/8/31 3:10	0	0	0	0	0.8	594	387	258	101	627
2025/8/31 3:20	0	0	0	0	0.1	606	386	316	98	670
2025/8/31 3:30	0	0	0	0	0.8	829	379	173	85	686
2025/8/31 3:40	0	0	0	0	0.8	830	391	452	354	854
2025/8/31 3:50	0	0.6	0	0	3.2	493	325	556	238	848
2025/8/31 4:00	0	0	0.5	0	2.6	725	284	203	60	816
2025/8/31 4:10	0	0	0	0	2.3	257	198	569	267	719
2025/8/31 4:20	0	0	0.3	0	0.6	248	154	314	96	734
2025/8/31 4:30	0	0	0	0	1.1	104	121	545	190	471
2025/8/31 4:40	0	0	0	0	0	112	129	538	175	531
2025/8/31 4:50	0	0	0	0	0.4	187	119	585	333	599
2025/8/31 5:00	0	0	0.1	0	1	238	114	488	234	751
2025/8/31 5:10	0	0	0	0	1	218	116	490	130	769
2025/8/31 5:20	0	0	0.1	0	2.1	100	104	592	83	673
2025/8/31 5:30	0	0	0.1	0	0.6	129	114	407	136	634
2025/8/31 5:40	0	0	0	0	1	105	108	540	284	576
2025/8/31 5:50	0	0	0	0	0.4	72	95	515	180	351
2025/8/31 6:00	0	0	0	0	0	149	100	388	189	552
2025/8/31 6:10	0	0	0	0	0.5	85	90	361	607	314
2025/8/31 6:20	0	0	0	0.8	0	82	91	597	400	538
2025/8/31 6:30	0	0	0.4	0.1	0.5	333	84	494	368	733
2025/8/31 6:40	0	0	0	0.4	1	625	87	525	154	908
2025/8/31 6:50	0	0	0.4	0	2.6	154	82	469	982	606
2025/8/31 7:00	0	0	0	2.3	0.1	111	85	446	371	466
2025/8/31 7:10	0	0	0	0.7	0.5	208	122	326	630	470
2025/8/31 7:20	0	0	0.1	1.3	0.5	61	105	252	1001	249
2025/8/31 7:30	0	0	0	2.5	0	229	122	336	621	547
2025/8/31 7:40	0	0	0.1	1.7	0.1	119	159	244	969	336
2025/8/31 7:50	0	0	0.1	2.7	0.1	419	122	338	274	643
2025/8/31 8:00	0	0	0.1	0.6	0.8	339	77	254	240	587

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/31 8:10	0.1	0	0.1	0.5	0.5	268	136	281	512	549
2025/8/31 8:20	0.1	0	0.1	1.4	0.2	276	104	268	99	692
2025/8/31 8:30	0.1	0	0.1	0.2	0.9	158	84	225	341	425
2025/8/31 8:40	0.1	0	0.1	0.5	0.1	399	151	188	37	746
2025/8/31 8:50	0.1	0	0.1	0.2	0.6	357	313	238	313	575
2025/8/31 9:00	0.1	0	0.1	0.2	0.6	346	134	181	61	565
2025/8/31 9:10	0.1	0	0.1	0.2	0	392	329	172	39	601
2025/8/31 9:20	0.1	0	0.1	0.2	0.2	225	54	272	171	520
2025/8/31 9:30	0.1	0	0.1	0.2	0.1	358	81	167	37	651
2025/8/31 9:40	0.1	0	0.1	0.2	0.5	216	108	187	310	377
2025/8/31 9:50	0.1	0	0.1	0.3	0	98	71	283	218	534
2025/8/31 10:00	0.1	0	0.1	0.2	0.1	153	88	300	440	557
2025/8/31 10:10	0.1	0	0.1	0.4	0.3	176	66	157	309	418
2025/8/31 10:20	0.1	0	0.1	0.2	0.1	263	118	184	34	558
2025/8/31 10:30	0.1	0	0.1	0.1	0.1	321	146	160	183	473
2025/8/31 10:40	0.1	0	0.1	0.3	0.1	385	212	106	41	492
2025/8/31 10:50	0.1	0	0.1	0.1	0.1	221	213	52	97	291
2025/8/31 11:00	0.1	0	0.1	0.1	0.1	246	257	63	51	281
2025/8/31 11:10	0.1	0	0.1	0.1	0.1	291	132	99	53	479
2025/8/31 11:20	0.1	0	0.1	0.1	0.1	267	266	48	57	373
2025/8/31 11:30	0.1	0	0.1	0.1	0.1	368	166	75	59	443
2025/8/31 11:40	0.1	0	0.1	0.1	0.1	226	226	75	71	363
2025/8/31 11:50	0.1	0	0.1	0.1	0.1	248	296	37	87	234
2025/8/31 12:00	0.1	0	0.1	0.1	0.1	278	160	53	59	385
2025/8/31 12:10	0.1	0	0.1	0.1	0.1	240	124	54	61	377
2025/8/31 12:20	0.1	0	0.1	0.1	0.1	117	271	41	63	235
2025/8/31 12:30	0.2	0.1	0.1	0.1	0.1	148	175	42	65	239
2025/8/31 12:40	0.2	0.1	0.1	0.1	0.1	90	309	38	88	168
2025/8/31 12:50	0.2	0.1	0.1	0.1	0.1	217	249	43	67	313
2025/8/31 13:00	0.2	0.1	0.1	0.1	0.1	257	142	103	67	391
2025/8/31 13:10	0.2	0.1	0.1	0.1	0.1	220	209	43	70	279
2025/8/31 13:20	0.2	0.1	0.1	0.1	0.1	166	273	39	76	259
2025/8/31 13:30	0.2	0.1	0.1	0.1	0.1	220	213	51	84	363
2025/8/31 13:40	0.2	0.1	0.1	0.1	0.1	270	187	62	70	373
2025/8/31 13:50	0.2	0.1	0.1	0.1	0.1	226	184	72	72	436
2025/8/31 14:00	0.2	0.1	0.1	0.1	0.1	309	188	69	73	379
2025/8/31 14:10	0.2	0.1	0.1	0.1	0.1	257	160	63	71	351
2025/8/31 14:20	0.2	0.1	0.1	0.1	0.1	338	140	63	67	365
2025/8/31 14:30	0.2	0.1	0.1	0.1	0.1	321	138	86	65	522
2025/8/31 14:40	0.2	0.1	0.1	0.1	0	357	155	81	66	502
2025/8/31 14:50	0.2	0.1	0.1	0.1	0	267	162	43	66	362
2025/8/31 15:00	0.2	0.1	0.1	0.1	0	240	211	84	74	450
2025/8/31 15:10	0.2	0.1	0.1	0.1	0	345	186	77	74	406
2025/8/31 15:20	0.2	0.1	0.1	0.1	0	258	203	61	63	336
2025/8/31 15:30	0.2	0.1	0.1	0.1	0	214	235	45	63	236
2025/8/31 15:40	0.2	0.1	0.1	0.1	0	262	176	57	59	345
2025/8/31 15:50	0.1	0.1	0	0.1	0	214	227	34	56	266
2025/8/31 16:00	0.1	0.1	0	0.1	0	301	197	36	54	371
2025/8/31 16:10	0.1	0.1	0	0.1	0	275	201	29	49	287
2025/8/31 16:20	0.1	0.1	0	0.1	0	144	203	36	44	206
2025/8/31 16:30	0.1	0.1	0	0.1	0	184	205	28	42	201
2025/8/31 16:40	0.1	0.1	0	0.1	0	258	187	27	41	254
2025/8/31 16:50	0.1	0.1	0	0.1	0	267	179	29	40	268
2025/8/31 17:00	0.1	0.1	0	0.1	0	297	179	38	41	329
2025/8/31 17:10	0.1	0.1	0	0.1	0	224	317	31	43	206
2025/8/31 17:20	0.1	0.1	0	0.1	0	187	211	29	40	152
2025/8/31 17:30	0.1	0.1	0	0.1	0	168	199	25	36	146
2025/8/31 17:40	0.1	0.1	0	0.1	0	328	242	27	34	292
2025/8/31 17:50	0.1	0.1	0	0.1	0	376	249	31	35	307
2025/8/31 18:00	0.1	0.1	0	0.1	0	390	245	33	33	183
2025/8/31 18:10	0	0	0	0	0	105	395	24	35	102
2025/8/31 18:20	0	0	0	0	0	104	289	26	32	100
2025/8/31 18:30	0	0	0	0	0	375	194	31	28	313
2025/8/31 18:40	0	0	0	0	0	320	215	36	28	301
2025/8/31 18:50	0	0	0	0	0	343	284	34	31	279
2025/8/31 19:00	0	0	0	0	0	321	219	50	36	316
2025/8/31 19:10	0	0	0	0	0	387	275	66	40	338
2025/8/31 19:20	0	0	0	0	0	506	311	44	41	304
2025/8/31 19:30	0	0	0	0	0	491	260	69	39	337
2025/8/31 19:40	0	0	0	0	0	418	247	87	38	403
2025/8/31 19:50	0	0	0	0	0	376	273	52	38	387
2025/8/31 20:00	0	0	0	0	0	464	314	91	40	450
2025/8/31 20:10	0	0	0	0	0	449	255	108	39	437

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/8/31 20:20	0	0	0	0	0	332	263	74	39	301
2025/8/31 20:30	0	0	0	0	0	412	262	74	39	338
2025/8/31 20:40	0	0	0	0	0	446	305	72	42	326
2025/8/31 20:50	0	0	0	0	0	416	291	87	40	353
2025/8/31 21:00	0	0	0	0	0	418	363	85	39	378
2025/8/31 21:10	0	0	0	0	0	446	254	78	39	339
2025/8/31 21:20	0	0	0	0	0	369	265	61	39	258
2025/8/31 21:30	0	0	0	0	0	425	303	76	42	357
2025/8/31 21:40	0	0	0	0	0	511	353	84	42	409
2025/8/31 21:50	0	0	0	0	0	598	307	100	43	434
2025/8/31 22:00	0	0	0	0	0	604	359	103	40	441
2025/8/31 22:10	0	0	0	0	0	607	549	88	38	435
2025/8/31 22:20	0	0	0	0	0	601	331	116	38	598
2025/8/31 22:30	0	0	0	0	0	640	325	148	37	536
2025/8/31 22:40	0	0	0	0	0	606	269	137	39	583
2025/8/31 22:50	0	0	0	0	0	521	288	78	37	412
2025/8/31 23:00	0	0	0	0	0	558	344	62	36	402
2025/8/31 23:10	0	0	0	0	0	410	302	71	38	348
2025/8/31 23:20	0	0	0	0	0	356	323	36	34	231
2025/8/31 23:30	0	0	0	0	0	430	276	71	33	404
2025/8/31 23:40	0	0	0	0	0	418	291	37	31	266
2025/8/31 23:50	0	0	0	0	0	526	301	71	33	298
2025/9/1 0:00	0	0	0	0	0	192	383	34	33	125
2025/9/1 0:10	0	0	0	0	0	384	345	52	29	278
2025/9/1 0:20	0	0	0	0	0	388	404	65	30	276
2025/9/1 0:30	0	0	0	0	0	375	261	40	29	265
2025/9/1 0:40	0	0	0	0	0	623	306	36	28	294
2025/9/1 0:50	0	0	0	0	0	544	384	41	28	251
2025/9/1 1:00	0	0	0	0	0	432	386	37	29	234
2025/9/1 1:10	0	0	0	0	0	431	390	40	31	260
2025/9/1 1:20	0	0	0	0	0	437	316	40	31	298
2025/9/1 1:30	0	0	0	0	0	400	393	63	38	364
2025/9/1 1:40	0	0	0	0	0	427	305	84	38	368
2025/9/1 1:50	0	0	0	0	0	402	270	64	36	324
2025/9/1 2:00	0	0	0	0	0	333	308	56	37	284
2025/9/1 2:10	0	0	0	0	0	354	242	44	34	285
2025/9/1 2:20	0	0	0	0	0	287	257	34	33	212
2025/9/1 2:30	0	0	0	0	0	404	341	41	32	315
2025/9/1 2:40	0	0	0	0	0	536	303	59	34	329
2025/9/1 2:50	0	0	0	0	0	591	377	58	35	332
2025/9/1 3:00	0	0	0	0	0	544	339	75	38	458
2025/9/1 3:10	0	0	0	0	0	497	324	65	37	388
2025/9/1 3:20	0	0	0	0	0	473	370	70	37	368
2025/9/1 3:30	0	0	0	0	0	505	412	67	39	423
2025/9/1 3:40	0	0	0	0	0	530	440	66	36	398
2025/9/1 3:50	0	0	0	0	0	469	410	50	36	353
2025/9/1 4:00	0	0	0	0	0	383	372	50	34	276
2025/9/1 4:10	0	0	0	0	0	497	375	52	36	345
2025/9/1 4:20	0	0	0	0	0	329	279	42	52	203
2025/9/1 4:30	0	0	0	0	0	468	252	38	36	297
2025/9/1 4:40	0	0	0	0	0	328	316	39	36	230
2025/9/1 4:50	0	0	0	0	0	470	331	51	36	368
2025/9/1 5:00	0	0	0	0	0	393	317	50	36	274
2025/9/1 5:10	0	0	0	0	0	374	375	51	36	300
2025/9/1 5:20	0	0	0	0	0	508	326	48	38	309
2025/9/1 5:30	0	0	0	0	0	413	351	75	49	344
2025/9/1 5:40	0	0	0	0	0	379	308	61	50	292
2025/9/1 5:50	0	0	0	0	0	349	292	45	40	271
2025/9/1 6:00	0	0	0	0	0	317	226	45	40	260
2025/9/1 6:10	0	0	0	0.1	0	487	241	65	40	277
2025/9/1 6:20	0	0	0	0.1	0	388	288	52	39	347
2025/9/1 6:30	0	0	0.1	0.1	0	423	286	49	40	375
2025/9/1 6:40	0	0	0.1	0.1	0	269	349	55	42	257
2025/9/1 6:50	0	0	0.1	0.1	0	313	451	70	42	340
2025/9/1 7:00	0	0	0.1	0.1	0	317	502	43	47	263
2025/9/1 7:10	0	0	0.1	0.2	0	288	498	28	56	195
2025/9/1 7:20	0	0	0.1	0.2	0	492	268	60	30	478
2025/9/1 7:30	0.1	0	0.1	0.2	0	446	387	36	30	367
2025/9/1 7:40	0.1	0	0.1	0.1	0	223	423	31	124	185
2025/9/1 7:50	0.1	0	0.1	0.1	0	35	488	29	225	108
2025/9/1 8:00	0.1	0	0.1	0.3	0	39	581	25	378	109
2025/9/1 8:10	0.1	0.1	0.1	0.1	0	47	585	27	375	108
2025/9/1 8:20	0.1	0	0.1	0.3	0	210	469	25	58	113

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/9/1 8:30	0.1	0	0.1	0.1	0	256	252	31	28	225
2025/9/1 8:40	0.1	0	0.1	0.1	0	262	296	32	37	267
2025/9/1 8:50	0.1	0	0.1	0.1	0	50	582	26	159	111
2025/9/1 9:00	0.1	0.7	0.1	0.1	0	68	922	27	30	123
2025/9/1 9:10	0.1	2.1	0.1	0.1	0	63	1044	26	37	126
2025/9/1 9:20	0.1	2.3	0.1	0.2	0	53	811	28	112	126
2025/9/1 9:30	0.1	0.6	0.1	0.2	0	123	1016	32	39	190
2025/9/1 9:40	0.1	2.6	0.1	0.2	0	93	1146	41	43	174
2025/9/1 9:50	0.1	4	0.1	0.2	0	96	1028	31	42	178
2025/9/1 10:00	0.1	2.8	0.1	0.1	0	49	930	26	41	134
2025/9/1 10:10	0.1	1.6	0.1	0.1	0	51	733	24	54	135
2025/9/1 10:20	0.1	0.2	0.1	0.1	0	75	836	25	56	160
2025/9/1 10:30	0.1	0.6	0.1	0.1	0	96	703	37	48	189
2025/9/1 10:40	0.1	0.1	0.1	0.1	0.1	73	770	32	52	157
2025/9/1 10:50	0.1	0	0.1	0.1	0.1	93	783	32	50	167
2025/9/1 11:00	0.1	0	0.1	0.1	0.1	94	718	35	52	180
2025/9/1 11:10	0.1	0	0.1	0.1	0.1	108	740	41	59	197
2025/9/1 11:20	0.1	0.3	0.1	0.1	0.1	86	809	38	59	177
2025/9/1 11:30	0.1	0.5	0.1	0.1	0.1	118	551	49	66	221
2025/9/1 11:40	0.1	0.4	0.1	0.1	0.1	82	832	42	67	184
2025/9/1 11:50	0.1	0.4	0.1	0.1	0.1	84	555	38	56	183
2025/9/1 12:00	0.1	0	0.1	0.1	0.1	94	704	38	61	197
2025/9/1 12:10	0.1	0.1	0.1	0.1	0.1	93	714	35	58	186
2025/9/1 12:20	0.1	0.1	0.1	0.1	0.1	103	797	36	58	201
2025/9/1 12:30	0.1	0.3	0.1	0.1	0.1	79	696	35	57	180
2025/9/1 12:40	0.2	0.4	0.1	0.1	0.1	73	553	35	55	173
2025/9/1 12:50	0.2	0	0.1	0.1	0.1	78	645	36	57	177
2025/9/1 13:00	0.2	0.1	0.1	0.1	0.1	80	552	38	59	188
2025/9/1 13:10	0.2	0.1	0.1	0.1	0.1	88	448	46	68	204
2025/9/1 13:20	0.2	0.1	0.1	0.1	0.1	117	349	45	79	212
2025/9/1 13:30	0.2	0.1	0.1	0.1	0.1	77	491	30	66	174
2025/9/1 13:40	0.2	0.1	0.1	0.1	0.1	107	550	34	70	227
2025/9/1 13:50	0.2	0.1	0	0.1	0.1	124	543	34	93	203
2025/9/1 14:00	0.2	0.1	0.1	0.1	0.1	104	418	36	77	196
2025/9/1 14:10	0.2	0.1	0.1	0.1	0.1	91	409	39	65	199
2025/9/1 14:20	0.2	0.1	0	0.1	0.1	89	344	33	82	175
2025/9/1 14:30	0.2	0.1	0	0.1	0.1	83	462	31	69	165
2025/9/1 14:40	0.2	0.1	0	0.1	0.1	76	379	28	56	163
2025/9/1 14:50	0.2	0.1	0	0.1	0.1	107	197	34	54	200
2025/9/1 15:00	0.2	0.1	0	0.1	0.1	122	94	42	52	223
2025/9/1 15:10	0.2	0.1	0	0.1	0	142	96	42	51	232
2025/9/1 15:20	0.2	0.1	0	0.1	0	103	92	40	46	185
2025/9/1 15:30	0.2	0.1	0	0.1	0	109	99	43	46	180
2025/9/1 15:40	0.1	0.1	0	0.1	0	92	98	75	44	176
2025/9/1 15:50	0.1	0.1	0	0.1	0	166	94	54	44	231
2025/9/1 16:00	0.1	0.1	0	0.1	0	129	99	51	42	196
2025/9/1 16:10	0.1	0.1	0	0.1	0	118	98	50	41	182
2025/9/1 16:20	0.1	0.1	0	0.1	0	138	125	47	46	184
2025/9/1 16:30	0.1	0.1	0	0.1	0	157	124	52	46	176
2025/9/1 16:40	0.1	0.1	0	0.1	0	190	159	60	52	210
2025/9/1 16:50	0.1	0.1	0	0.1	0	179	129	47	48	217
2025/9/1 17:00	0.1	0.1	0	0	0	170	118	47	42	192
2025/9/1 17:10	0.1	0.1	0	0	0	162	102	53	39	222
2025/9/1 17:20	0.1	0.1	0	0	0	163	101	45	36	212
2025/9/1 17:30	0	0.1	0	0	0	186	79	46	32	213
2025/9/1 17:40	0	0.1	0	0	0	111	99	41	33	143
2025/9/1 17:50	0	0.1	0	0	0	176	112	44	31	179
2025/9/1 18:00	0	0	0	0	0	147	104	39	31	147
2025/9/1 18:10	0	0	0	0	0	205	110	50	30	220
2025/9/1 18:20	0	0	0	0	0	144	101	36	31	144
2025/9/1 18:30	0	0	0	0	0	173	86	37	30	149
2025/9/1 18:40	0	0	0	0	0	147	92	42	29	157
2025/9/1 18:50	0	0	0	0	0	171	113	39	31	182
2025/9/1 19:00	0	0	0	0	0	124	185	35	32	134
2025/9/1 19:10	0	0	0	0	0	115	175	39	32	137
2025/9/1 19:20	0	0	0	0	0	180	135	38	31	147
2025/9/1 19:30	0	0	0	0	0	166	112	41	32	196
2025/9/1 19:40	0	0	0	0	0	178	147	43	34	162
2025/9/1 19:50	0	0	0	0	0	150	100	39	34	148
2025/9/1 20:00	0	0	0	0	0	182	128	41	34	171
2025/9/1 20:10	0	0	0	0	0	191	115	42	34	172
2025/9/1 20:20	0	0	0	0	0	177	171	40	34	155
2025/9/1 20:30	0	0	0	0	0	187	143	41	37	144

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/9/1 20:40	0	0	0	0	0	196	127	43	36	149
2025/9/1 20:50	0	0	0	0	0	218	124	53	38	180
2025/9/1 21:00	0	0	0	0	0	198	145	51	38	163
2025/9/1 21:10	0	0	0	0	0	229	186	50	38	176
2025/9/1 21:20	0	0	0	0	0	224	168	48	39	168
2025/9/1 21:30	0	0	0	0	0	378	202	55	40	231
2025/9/1 21:40	0	0	0	0	0	335	247	59	41	245
2025/9/1 21:50	0	0	0	0	0	318	189	60	39	279
2025/9/1 22:00	0	0	0	0	0	323	208	62	41	223
2025/9/1 22:10	0	0	0	0	0	256	186	50	40	145
2025/9/1 22:20	0	0	0	0	0	242	255	47	39	180
2025/9/1 22:30	0	0	0	0	0	190	259	40	36	135
2025/9/1 22:40	0	0	0	0	0	170	320	37	34	123
2025/9/1 22:50	0	0	0	0	0	202	280	34	32	133
2025/9/1 23:00	0	0	0	0	0	231	231	35	33	142
2025/9/1 23:10	0	0	0	0	0	271	226	35	33	129
2025/9/1 23:20	0	0	0	0	0	160	170	33	32	136
2025/9/1 23:30	0	0	0	0	0	225	238	33	32	148
2025/9/1 23:40	0	0	0	0	0	211	244	33	32	112
2025/9/1 23:50	0	0	0	0	0	269	264	36	33	167
2025/9/2 0:00	0	0	0	0	0	229	177	35	33	131
2025/9/2 0:10	0	0	0	0	0	139	211	34	31	120
2025/9/2 0:20	0	0	0	0	0	185	265	34	33	113
2025/9/2 0:30	0	0	0	0	0	111	253	34	30	107
2025/9/2 0:40	0	0	0	0	0	154	212	33	30	131
2025/9/2 0:50	0	0	0	0	0	230	197	33	30	117
2025/9/2 1:00	0	0	0	0	0	163	183	33	32	124
2025/9/2 1:10	0	0	0	0	0	189	173	43	32	159
2025/9/2 1:20	0	0	0	0	0	208	181	38	33	127
2025/9/2 1:30	0	0	0	0	0	287	130	40	35	148
2025/9/2 1:40	0	0	0	0	0	155	243	33	87	111
2025/9/2 1:50	0	0	0	0	0	199	308	34	142	112
2025/9/2 2:00	0	0	0	0	0	163	221	37	29	128
2025/9/2 2:10	0	0	0	0	0	208	203	37	31	135
2025/9/2 2:20	0	0	0	0	0	143	204	37	47	100
2025/9/2 2:30	0	0	0	0	0	97	402	36	309	95
2025/9/2 2:40	0	0	0	0	0	51	236	35	125	94
2025/9/2 2:50	0	0	0	0	0	43	224	34	81	91
2025/9/2 3:00	0	0	0	0	0	39	357	34	245	91
2025/9/2 3:10	0	0	0	0	0	42	204	33	41	91
2025/9/2 3:20	0	0	0	0	0	38	324	33	227	90
2025/9/2 3:30	0	0	0	0	0	61	327	34	310	92
2025/9/2 3:40	0	0	0	0	0	146	354	35	252	91
2025/9/2 3:50	0	0	0	0	0	42	278	34	99	93
2025/9/2 4:00	0	0	0	0	0	38	332	34	290	93
2025/9/2 4:10	0	0	0	0	0	43	265	34	71	93
2025/9/2 4:20	0	0	0	0	0	60	306	35	393	93
2025/9/2 4:30	0	0	0	0	0	50	387	35	331	93
2025/9/2 4:40	0	0	0	0	0	53	355	35	345	94
2025/9/2 4:50	0	0	0	0	0	62	417	38	571	94
2025/9/2 5:00	0	0	0	0	0	56	407	37	423	94
2025/9/2 5:10	0	0	0	0	0	42	312	37	248	94
2025/9/2 5:20	0	0	0	0	0	86	449	39	454	94
2025/9/2 5:30	0	0	0	0	0	144	440	40	549	95
2025/9/2 5:40	0	0	0	0	0	62	411	40	480	95
2025/9/2 5:50	0	0	0	0	0	83	414	39	477	94
2025/9/2 6:00	0	0	0	0	0	130	396	38	560	94
2025/9/2 6:10	0	0	0	0	0	49	267	34	165	94
2025/9/2 6:20	0	0	0.1	0.1	0	39	378	31	335	94
2025/9/2 6:30	0	0	0.1	0.1	0	89	270	30	213	101
2025/9/2 6:40	0	0	0.1	0.1	0	38	258	29	195	96
2025/9/2 6:50	0	0	0.1	0.1	0	79	203	30	38	100
2025/9/2 7:00	0	0	0.1	0.1	0	54	280	30	66	99
2025/9/2 7:10	0	0	0.1	0.1	0	58	251	30	113	102
2025/9/2 7:20	0	0	0.1	0.1	0	53	282	30	95	102
2025/9/2 7:30	0	0	0.1	0.1	0	52	270	30	110	104
2025/9/2 7:40	0	0	0.2	0.1	0	43	261	31	97	105
2025/9/2 7:50	0	0	0.2	0.1	0	41	304	32	78	108
2025/9/2 8:00	0.1	0	0.1	0.1	0	69	202	31	98	117
2025/9/2 8:10	0.1	0	0.1	0.1	0	48	292	30	131	112
2025/9/2 8:20	0.1	0	0.1	0.1	0	45	318	29	185	114
2025/9/2 8:30	0.1	0	0.1	0.2	0	53	170	29	43	112
2025/9/2 8:40	0.1	0	0.1	0.2	0	47	81	28	41	112

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/9/2 8:50	0.1	0	0.1	0.2	0	44	126	27	87	112
2025/9/2 9:00	0.1	0	0.1	0.2	0	43	93	30	52	115
2025/9/2 9:10	0.1	0	0.1	0.2	0	49	126	32	56	119
2025/9/2 9:20	0.1	0	0.1	0.2	0	81	139	34	68	136
2025/9/2 9:30	0.1	0	0.1	0.2	0	69	117	33	50	132
2025/9/2 9:40	0.1	0	0.1	0.2	0	96	90	39	52	180
2025/9/2 9:50	0.1	0	0.1	0.2	0	88	152	33	53	149
2025/9/2 10:00	0.1	0	0.1	0.2	0	93	138	35	53	166
2025/9/2 10:10	0.1	0	0.1	0.2	0	60	134	32	104	138
2025/9/2 10:20	0.1	0	0.1	0.2	0.1	65	100	34	55	145
2025/9/2 10:30	0.1	0	0.1	0.1	0.1	91	97	37	58	169
2025/9/2 10:40	0.1	0	0.1	0.1	0.1	47	116	33	76	142
2025/9/2 10:50	0.1	0	0.1	0.1	0.1	99	149	40	58	187
2025/9/2 11:00	0.1	0	0.1	0.1	0.1	59	158	38	68	149
2025/9/2 11:10	0.1	0	0.1	0.1	0.1	63	101	35	61	147
2025/9/2 11:20	0.1	0	0.1	0.1	0.1	76	163	34	69	159
2025/9/2 11:30	0.1	0	0.1	0.1	0.1	99	122	51	74	201
2025/9/2 11:40	0.1	0	0.1	0.1	0.1	120	190	53	79	223
2025/9/2 11:50	0.1	0	0.1	0.1	0.1	120	125	49	77	201
2025/9/2 12:00	0.1	0	0.1	0.1	0.1	143	96	52	88	216
2025/9/2 12:10	0.1	0	0.1	0.1	0.1	114	99	43	67	192
2025/9/2 12:20	0.1	0.1	0.1	0.1	0.1	103	81	44	64	190
2025/9/2 12:30	0.1	0.1	0.1	0.1	0.1	96	102	41	70	172
2025/9/2 12:40	0.2	0.1	0.1	0.1	0.1	129	85	48	71	220
2025/9/2 12:50	0.2	0.1	0.1	0.1	0.1	105	95	47	66	196
2025/9/2 13:00	0.2	0.1	0.1	0.1	0.1	114	159	44	65	214
2025/9/2 13:10	0.2	0.1	0.1	0.1	0.1	119	152	43	66	213
2025/9/2 13:20	0.2	0.1	0.1	0.1	0.1	107	134	39	65	176
2025/9/2 13:30	0.2	0.1	0	0.1	0.1	112	94	39	65	193
2025/9/2 13:40	0.2	0.1	0.1	0.1	0.1	119	129	41	61	203
2025/9/2 13:50	0.2	0.1	0	0.1	0.1	117	153	38	59	204
2025/9/2 14:00	0.2	0.1	0	0.1	0.1	96	130	38	56	185
2025/9/2 14:10	0.2	0.1	0	0.1	0.1	122	100	41	65	186
2025/9/2 14:20	0.2	0.1	0	0.1	0.1	107	103	39	60	191
2025/9/2 14:30	0.2	0.1	0	0.1	0.1	126	118	41	67	198
2025/9/2 14:40	0.2	0.1	0	0.1	0.1	122	146	44	59	222
2025/9/2 14:50	0.2	0.1	0	0.1	0.1	117	108	43	59	195
2025/9/2 15:00	0.2	0.1	0	0.1	0	111	98	51	66	193
2025/9/2 15:10	0.2	0.1	0	0.1	0	116	98	44	67	205
2025/9/2 15:20	0.2	0.1	0	0.1	0	113	109	41	67	183
2025/9/2 15:30	0.1	0.1	0	0.1	0	135	121	44	80	212
2025/9/2 15:40	0.1	0.1	0	0.1	0	108	146	41	61	173
2025/9/2 15:50	0.1	0.1	0	0.1	0	109	114	42	63	168
2025/9/2 16:00	0.1	0.1	0	0.1	0	147	116	42	75	204
2025/9/2 16:10	0.1	0.1	0	0.1	0	121	108	45	79	171
2025/9/2 16:20	0.1	0.1	0	0.1	0	126	123	41	56	165
2025/9/2 16:30	0.1	0.1	0	0.1	0	105	98	40	51	146
2025/9/2 16:40	0.1	0.1	0	0.1	0	136	86	47	48	194
2025/9/2 16:50	0.1	0.1	0	0	0	155	131	48	53	198
2025/9/2 17:00	0.1	0.1	0	0	0	145	153	54	54	189
2025/9/2 17:10	0.1	0.1	0	0	0	232	148	59	61	271
2025/9/2 17:20	0.1	0.1	0	0	0	210	115	49	56	201
2025/9/2 17:30	0.1	0.1	0	0	0	166	118	48	50	173
2025/9/2 17:40	0	0.1	0	0	0	193	109	52	57	187
2025/9/2 17:50	0	0	0	0	0	166	97	46	62	149
2025/9/2 18:00	0	0	0	0	0	168	126	45	57	164
2025/9/2 18:10	0	0	0	0	0	160	176	47	48	185
2025/9/2 18:20	0	0	0	0	0	164	176	55	45	215
2025/9/2 18:30	0	0	0	0	0	150	157	48	44	160
2025/9/2 18:40	0	0	0	0	0	296	201	48	43	237
2025/9/2 18:50	0	0	0	0	0	278	165	54	46	197
2025/9/2 19:00	0	0	0	0	0	233	259	45	45	167
2025/9/2 19:10	0	0	0	0	0	112	160	39	41	130
2025/9/2 19:20	0	0	0	0	0	154	207	43	39	158
2025/9/2 19:30	0	0	0	0	0	155	151	41	37	154
2025/9/2 19:40	0	0	0	0	0	87	86	38	36	117
2025/9/2 19:50	0	0	0	0	0	135	103	42	38	148
2025/9/2 20:00	0	0	0	0	0	201	115	51	44	182
2025/9/2 20:10	0	0	0	0	0	158	123	48	41	152
2025/9/2 20:20	0	0	0	0	0	171	119	48	39	168
2025/9/2 20:30	0	0	0	0	0	161	138	48	41	174
2025/9/2 20:40	0	0	0	0	0	154	119	41	38	132
2025/9/2 20:50	0	0	0	0	0	270	182	41	33	196

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/9/2 21:00	0	0	0	0	0	244	260	42	31	217
2025/9/2 21:10	0	0	0	0	0	363	522	46	35	275
2025/9/2 21:20	0	0	0	0	0	480	278	94	47	497
2025/9/2 21:30	0	0	0	0	0	481	522	161	189	495
2025/9/2 21:40	0	0	0	0	0	525	891	192	1035	578
2025/9/2 21:50	0	1	0	3	0.1	619	806	173	966	789
2025/9/2 22:00	0	0.3	0	1.8	0.2	337	781	31	935	375
2025/9/2 22:10	0	0	0	0.9	0	215	453	48	991	442
2025/9/2 22:20	0	0	0	2.1	0	263	90	455	867	552
2025/9/2 22:30	0	0	0	1.6	0	55	84	199	863	158
2025/9/2 22:40	0	0	0	1.3	0	61	85	42	297	120
2025/9/2 22:50	0	0	0	0	0	58	78	41	186	113
2025/9/2 23:00	0	0	0	0	0	46	54	27	316	96
2025/9/2 23:10	0	0	0	0	0	45	53	36	362	93
2025/9/2 23:20	0	0	0	0	0	39	47	27	442	87
2025/9/2 23:30	0	0	0	0	0	45	44	87	251	156
2025/9/2 23:40	0	0	0	0	0	40	44	30	409	91
2025/9/2 23:50	0	0	0	0	0	121	61	32	284	180
2025/9/3 0:00	0	0	0	0	0	195	241	61	324	186
2025/9/3 0:10	0	0	0	0	0	39	45	28	148	88
2025/9/3 0:20	0	0	0	0	0	35	35	24	91	81
2025/9/3 0:30	0	0	0	0	0	39	33	25	176	80
2025/9/3 0:40	0	0	0	0	0	41	38	27	338	82
2025/9/3 0:50	0	0	0	0	0	40	56	30	234	81
2025/9/3 1:00	0	0	0	0	0	38	35	30	316	80
2025/9/3 1:10	0	0	0	0	0	78	149	27	256	96
2025/9/3 1:20	0	0	0	0	0	35	58	26	274	76
2025/9/3 1:30	0	0	0	0	0	35	45	30	103	87
2025/9/3 1:40	0	0	0	0	0	31	126	24	169	79
2025/9/3 1:50	0	0	0	0	0	38	154	30	272	72
2025/9/3 2:00	0	0	0	0	0	41	56	33	315	75
2025/9/3 2:10	0	0	0	0	0	39	54	31	200	75
2025/9/3 2:20	0	0	0	0	0	45	104	32	291	77
2025/9/3 2:30	0	0	0	0	0	43	69	31	206	77
2025/9/3 2:40	0	0	0	0	0	44	162	30	191	75
2025/9/3 2:50	0	0	0	0	0	46	161	36	178	78
2025/9/3 3:00	0	0	0	0	0	62	209	44	372	82
2025/9/3 3:10	0	0	0	0	0	52	100	45	311	82
2025/9/3 3:20	0	0	0	0	0	231	218	42	380	260
2025/9/3 3:30	0	0	0	0	0	182	274	38	444	158
2025/9/3 3:40	0	0	0	0	0	261	368	38	537	297
2025/9/3 3:50	0	0	0	0	0	383	437	60	616	481
2025/9/3 4:00	0	0	0	0	0	387	419	175	430	425
2025/9/3 4:10	0	0	0	0	0	314	403	96	470	365
2025/9/3 4:20	0	0	0	0	0	125	242	223	659	277
2025/9/3 4:30	0	0	0	0	0	111	92	237	301	323
2025/9/3 4:40	0	0	0	0	0	87	98	229	252	292
2025/9/3 4:50	0	0	0	0	0	67	79	142	484	205
2025/9/3 5:00	0	0	0	0	0	118	161	135	490	235
2025/9/3 5:10	0	0	0	0	0	65	89	73	493	149
2025/9/3 5:20	0	0	0	0	0	59	68	49	478	101
2025/9/3 5:30	0	0	0	0	0	57	64	49	283	95
2025/9/3 5:40	0	0	0	0	0	65	70	118	204	123
2025/9/3 5:50	0	0	0	0	0	81	84	82	259	147
2025/9/3 6:00	0	0	0	0	0	102	99	185	201	210
2025/9/3 6:10	0	0	0	0	0	62	68	46	305	99
2025/9/3 6:20	0	0	0	0	0	68	66	49	331	101
2025/9/3 6:30	0	0	0.1	0.1	0	67	68	50	271	100
2025/9/3 6:40	0	0	0.1	0.1	0	98	67	129	173	251
2025/9/3 6:50	0	0	0.1	0.1	0	61	59	59	314	112
2025/9/3 7:00	0	0	0.1	0.1	0	60	58	47	281	99
2025/9/3 7:10	0	0	0.1	0.1	0	60	61	53	220	110
2025/9/3 7:20	0	0	0.1	0.1	0	73	54	95	294	226
2025/9/3 7:30	0	0	0.1	0.1	0	54	52	38	296	142
2025/9/3 7:40	0	0	0.1	0.1	0	82	55	103	227	269
2025/9/3 7:50	0	0	0.1	0.1	0	142	55	132	138	300
2025/9/3 8:00	0	0	0.1	0.1	0	50	55	37	271	102
2025/9/3 8:10	0.1	0	0.1	0.1	0	54	53	44	244	109
2025/9/3 8:20	0.1	0	0.1	0.1	0	55	53	40	190	108
2025/9/3 8:30	0.1	0	0.1	0.1	0	58	56	40	185	111
2025/9/3 8:40	0.1	0	0.1	0.2	0	56	61	40	251	114
2025/9/3 8:50	0.1	0	0.1	0.2	0	59	56	58	166	150
2025/9/3 9:00	0.1	0	0.1	0.2	0	59	55	56	117	157

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/9/3 9:10	0.1	0	0.1	0.2	0	56	89	42	181	124
2025/9/3 9:20	0.1	0	0.1	0.2	0	103	114	54	100	187
2025/9/3 9:30	0.1	0	0.1	0.2	0	85	69	54	179	156
2025/9/3 9:40	0.1	0	0.1	0.2	0	59	99	60	147	151
2025/9/3 9:50	0.1	0	0.1	0.2	0	50	52	32	108	132
2025/9/3 10:00	0.1	0	0.1	0.2	0.1	51	47	35	91	138
2025/9/3 10:10	0.1	0	0.1	0.2	0.1	55	66	58	133	170
2025/9/3 10:20	0.1	0	0.1	0.1	0.1	50	53	37	126	145
2025/9/3 10:30	0.1	0	0.1	0.1	0.1	50	54	32	127	146
2025/9/3 10:40	0.1	0	0.1	0.1	0.1	49	64	31	120	156
2025/9/3 10:50	0.1	0	0.1	0.1	0.1	57	72	50	129	162
2025/9/3 11:00	0.1	0	0.1	0.1	0.1	87	125	43	97	186
2025/9/3 11:10	0.1	0	0.1	0.1	0.1	130	163	40	80	212
2025/9/3 11:20	0.1	0	0.1	0.1	0.1	65	60	57	206	188
2025/9/3 11:30	0.1	0	0.1	0.1	0.1	59	71	57	162	194
2025/9/3 11:40	0.1	0	0.1	0.1	0.1	58	77	43	129	182
2025/9/3 11:50	0.1	0	0.1	0.1	0.1	74	57	70	132	192
2025/9/3 12:00	0.1	0	0.1	0.1	0.1	86	88	42	68	188
2025/9/3 12:10	0.1	0	0.1	0.1	0.1	97	105	35	75	201
2025/9/3 12:20	0.1	0	0.1	0.1	0.1	97	81	42	73	210
2025/9/3 12:30	0.1	0	0.1	0.1	0.1	80	94	28	73	159
2025/9/3 12:40	0.1	0	0.1	0.1	0.1	72	93	29	70	152
2025/9/3 12:50	0.1	0	0.1	0.1	0.1	88	100	33	69	162
2025/9/3 13:00	0.1	0.1	0.1	0.1	0.1	81	105	31	70	152
2025/9/3 13:10	0.1	0.1	0.1	0.1	0.1	81	91	27	73	154
2025/9/3 13:20	0.1	0.1	0.1	0.1	0.1	117	108	26	75	169
2025/9/3 13:30	0.1	0.1	0.1	0.1	0	106	112	29	75	170
2025/9/3 13:40	0.1	0.1	0.1	0.1	0	117	120	28	71	161
2025/9/3 13:50	0.1	0.1	0.1	0.1	0	92	180	28	71	151
2025/9/3 14:00	0.1	0.1	0.1	0.1	0	147	229	28	68	192
2025/9/3 14:10	0.1	0.1	0.1	0.1	0	345	233	57	106	332
2025/9/3 14:20	0.1	0.1	0	0.1	0	281	273	41	89	234
2025/9/3 14:30	0.1	0.1	0	0.1	0	306	244	46	79	329
2025/9/3 14:40	0.1	0.1	0	0.1	0	313	176	53	71	299
2025/9/3 14:50	0.1	0.1	0	0.1	0	321	249	49	99	338
2025/9/3 15:00	0.1	0.1	0	0.1	0	279	248	46	96	240
2025/9/3 15:10	0.1	0.1	0	0.1	0	108	122	37	69	140
2025/9/3 15:20	0.1	0.1	0	0.1	0	135	142	41	75	153
2025/9/3 15:30	0.1	0.1	0	0.1	0	114	120	43	69	143
2025/9/3 15:40	0.1	0	0	0.1	0	56	118	34	60	117
2025/9/3 15:50	0.1	0	0	0.1	0	70	98	33	60	117
2025/9/3 16:00	0.1	0	0	0.1	0	93	126	41	75	124
2025/9/3 16:10	0.1	0	0	0.1	0	67	163	38	63	118
2025/9/3 16:20	0.1	0	0	0.1	0	73	109	42	64	122
2025/9/3 16:30	0.1	0	0	0.1	0	93	127	40	58	119
2025/9/3 16:40	0.1	0	0	0.1	0	76	150	42	67	121
2025/9/3 16:50	0.1	0	0	0.1	0	127	137	43	74	149
2025/9/3 17:00	0.1	0	0	0.1	0	480	323	102	90	498
2025/9/3 17:10	0.1	0	0	0.1	0	443	401	118	87	452
2025/9/3 17:20	0.1	0	0	0.1	0	323	166	80	87	363
2025/9/3 17:30	0.1	0	0	0	0	593	324	120	132	559
2025/9/3 17:40	0.1	0	0	0	0	601	313	117	121	510
2025/9/3 17:50	0	0	0	0	0	353	210	95	126	369
2025/9/3 18:00	0	0	0	0	0	269	210	74	92	313
2025/9/3 18:10	0	0	0	0	0	252	162	65	86	233
2025/9/3 18:20	0	0	0	0	0	372	239	65	84	234
2025/9/3 18:30	0	0	0	0	0	411	260	71	94	327
2025/9/3 18:40	0	0	0	0	0	752	215	184	90	658
2025/9/3 18:50	0	0	0	0	2.3	342	94	582	744	664
2025/9/3 19:00	0	0	1.3	3.6	1.1	116	89	380	283	427
2025/9/3 19:10	0	0	0	0	0	115	94	317	107	529
2025/9/3 19:20	0	0	0	0	0.1	182	97	117	68	336
2025/9/3 19:30	0	0	0	0	0	106	86	202	100	331
2025/9/3 19:40	0	0	0	0	0	232	133	54	62	231
2025/9/3 19:50	0	0	0	0	0	313	161	65	65	333
2025/9/3 20:00	0	0	0	0	0	412	98	114	63	462
2025/9/3 20:10	0	0	0	0	0	461	85	470	57	770
2025/9/3 20:20	0	0	0.3	0	1.4	100	82	465	209	537
2025/9/3 20:30	0	0	0.2	0	0.5	217	86	160	78	328
2025/9/3 20:40	0	0	0	0	0	163	83	197	60	430
2025/9/3 20:50	0	0	0	0	0	97	81	333	85	487
2025/9/3 21:00	0	0	0	0	0	108	89	304	65	444
2025/9/3 21:10	0	0	0	0	0	200	90	190	58	594

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/9/3 21:20	0	0	0	0	0	448	94	173	58	497
2025/9/3 21:30	0	0	0	0	0.1	423	262	136	56	490
2025/9/3 21:40	0	0	0	0	0	390	126	164	56	540
2025/9/3 21:50	0	0	0	0	0	360	162	105	65	386
2025/9/3 22:00	0	0	0	0	0	467	299	136	62	542
2025/9/3 22:10	0	0	0	0	0	466	242	80	56	404
2025/9/3 22:20	0	0	0	0	0	459	246	155	54	603
2025/9/3 22:30	0	0	0	0	0.2	491	297	92	56	408
2025/9/3 22:40	0	0	0	0	0	557	227	132	58	506
2025/9/3 22:50	0	0	0	0	0	197	100	450	57	595
2025/9/3 23:00	0	0	0	0	0.2	153	86	431	86	608
2025/9/3 23:10	0	0	0	0	0.3	99	91	377	86	500
2025/9/3 23:20	0	0	0	0	0	96	86	239	60	364
2025/9/3 23:30	0	0	0	0	0	104	87	239	56	472
2025/9/3 23:40	0	0	0	0	0	163	91	223	60	475
2025/9/3 23:50	0	0	0	0	0	102	87	273	67	394
2025/9/4 0:00	0	0	0	0	0	66	82	232	74	282
2025/9/4 0:10	0	0	0	0	0	63	88	215	71	235
2025/9/4 0:20	0	0	0	0	0	85	84	190	65	276
2025/9/4 0:30	0	0	0	0	0	79	90	177	60	252
2025/9/4 0:40	0	0	0	0	0	65	81	244	56	233
2025/9/4 0:50	0	0	0	0	0	70	80	178	72	268
2025/9/4 1:00	0	0	0	0	0	72	74	205	128	216
2025/9/4 1:10	0	0	0	0	0	92	77	161	66	241
2025/9/4 1:20	0	0	0	0	0	58	74	172	147	192
2025/9/4 1:30	0	0	0	0	0	64	77	163	66	246
2025/9/4 1:40	0	0	0	0	0	56	73	139	132	175
2025/9/4 1:50	0	0	0	0	0	65	77	124	61	197
2025/9/4 2:00	0	0	0	0	0	68	78	157	60	199
2025/9/4 2:10	0	0	0	0	0	96	84	129	54	251
2025/9/4 2:20	0	0	0	0	0	66	83	130	63	207
2025/9/4 2:30	0	0	0	0	0	73	78	133	72	214
2025/9/4 2:40	0	0	0	0	0	66	80	141	60	220
2025/9/4 2:50	0	0	0	0	0	72	83	142	60	207
2025/9/4 3:00	0	0	0	0	0	60	76	122	141	183
2025/9/4 3:10	0	0	0	0	0	49	70	98	221	146
2025/9/4 3:20	0	0	0	0	0	55	70	109	212	164
2025/9/4 3:30	0	0	0	0	0	56	68	113	143	167
2025/9/4 3:40	0	0	0	0	0	56	67	83	209	147
2025/9/4 3:50	0	0	0	0	0	50	62	46	236	126
2025/9/4 4:00	0	0	0	0	0	48	62	41	281	123
2025/9/4 4:10	0	0	0	0	0	48	65	55	201	123
2025/9/4 4:20	0	0	0	0	0	49	62	64	144	125
2025/9/4 4:30	0	0	0	0	0	48	64	37	226	121
2025/9/4 4:40	0	0	0	0	0	48	62	41	217	118
2025/9/4 4:50	0	0	0	0	0	47	63	37	234	117
2025/9/4 5:00	0	0	0	0	0	47	64	36	269	117
2025/9/4 5:10	0	0	0	0	0	48	65	48	214	118
2025/9/4 5:20	0	0	0	0	0	48	64	51	237	117
2025/9/4 5:30	0	0	0	0	0	47	63	53	167	117
2025/9/4 5:40	0	0	0	0	0	42	57	48	180	108
2025/9/4 5:50	0	0	0	0	0	39	55	82	132	132
2025/9/4 6:00	0	0	0	0	0	32	55	89	140	123
2025/9/4 6:10	0	0	0	0	0	57	58	113	55	172
2025/9/4 6:20	0	0	0	0	0	32	51	64	137	110
2025/9/4 6:30	0	0	0	0	0	42	58	101	50	158
2025/9/4 6:40	0	0	0	0	0	32	50	77	138	98
2025/9/4 6:50	0	0	0	0	0	27	45	70	97	98
2025/9/4 7:00	0	0	0	0	0	29	47	86	148	104
2025/9/4 7:10	0	0	0	0	0	40	53	125	98	157
2025/9/4 7:20	0	0	0	0	0	38	52	104	135	153
2025/9/4 7:30	0	0	0	0	0	40	51	100	155	144
2025/9/4 7:40	0	0	0	0	0	44	56	110	109	168
2025/9/4 7:50	0	0	0	0	0	50	67	123	55	166
2025/9/4 8:00	0	0	0	0	0	56	75	129	108	170
2025/9/4 8:10	0	0	0	0	0	60	97	114	105	179
2025/9/4 8:20	0	0	0	0	0	79	118	140	105	192
2025/9/4 8:30	0	0	0	0	0	55	80	120	76	168
2025/9/4 8:40	0	0	0	0	0	53	82	101	179	190
2025/9/4 8:50	0	0	0	0	0	101	176	113	138	209
2025/9/4 9:00	0	0	0	0	0	130	154	177	217	273
2025/9/4 9:10	0	0	0	0	0	59	90	163	348	204
2025/9/4 9:20	0	0	0	0	0	75	85	180	253	281

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/9/4 9:30	0	0	0	0	0	73	95	173	176	365
2025/9/4 9:40	0	0	0	0	0	113	127	152	214	254
2025/9/4 9:50	0	0	0	0	0	88	105	165	235	224
2025/9/4 10:00	0	0	0	0	0	59	122	69	291	142
2025/9/4 10:10	0	0	0	0	0	44	65	34	352	102
2025/9/4 10:20	0	0	0	0	0	64	58	50	243	114
2025/9/4 10:30	0	0	0	0	0	71	62	57	185	117
2025/9/4 10:40	0	0	0	0	0	78	76	70	97	132
2025/9/4 10:50	0	0	0	0	0	63	69	52	103	117
2025/9/4 11:00	0	0	0	0	0	64	75	48	67	121
2025/9/4 11:10	0	0	0	0	0	58	68	44	48	116
2025/9/4 11:20	0	0	0	0	0	83	93	65	93	137
2025/9/4 11:30	0	0	0	0	0	70	102	54	83	130
2025/9/4 11:40	0	0	0	0	0	64	82	47	56	122
2025/9/4 11:50	0	0	0	0	0	61	79	45	53	119
2025/9/4 12:00	0	0	0	0	0	64	102	50	59	117
2025/9/4 12:10	0	0	0	0	0	66	89	52	82	124
2025/9/4 12:20	0	0	0	0	0	66	75	52	101	125
2025/9/4 12:30	0	0	0	0	0	53	90	44	128	116
2025/9/4 12:40	0	0	0	0	0	49	106	42	193	106
2025/9/4 12:50	0	0	0	0	0	56	105	49	58	109
2025/9/4 13:00	0	0	0	0	0	51	113	46	284	108
2025/9/4 13:10	0	0	0	0	0	59	68	45	152	111
2025/9/4 13:20	0	0	0	0	0	59	72	42	97	111
2025/9/4 13:30	0	0	0	0	0	53	57	41	240	111
2025/9/4 13:40	0	0	0	0	0	52	80	41	85	110
2025/9/4 13:50	0.1	0	0	0	0	47	58	40	185	108
2025/9/4 14:00	0.1	0	0	0	0	48	55	38	262	112
2025/9/4 14:10	0.1	0	0	0	0	45	52	35	162	114
2025/9/4 14:20	0.1	0	0	0	0	48	63	52	230	118
2025/9/4 14:30	0.1	0	0	0	0	43	56	38	252	111
2025/9/4 14:40	0.1	0	0	0	0	35	49	56	260	124
2025/9/4 14:50	0.1	0	0	0	0	70	74	43	220	120
2025/9/4 15:00	0.1	0	0	0	0	56	65	86	281	146
2025/9/4 15:10	0.1	0	0	0	0	42	58	31	353	117
2025/9/4 15:20	0.1	0	0	0	0	40	55	32	282	113
2025/9/4 15:30	0.1	0	0	0	0	32	45	24	331	111
2025/9/4 15:40	0.1	0	0	0	0	81	60	53	332	217
2025/9/4 15:50	0.1	0	0	0	0	32	60	27	410	98
2025/9/4 16:00	0.1	0	0	0	0	74	56	67	384	208
2025/9/4 16:10	0	0	0	0	0	53	56	56	693	251
2025/9/4 16:20	0	0	0	0.2	0	36	166	45	1215	105
2025/9/4 16:30	0	0	0	4.1	0	56	717	34	823	103
2025/9/4 16:40	0	0	0	2	0	411	683	50	1396	143
2025/9/4 16:50	0	0.1	0	6.8	0	726	755	157	1422	664
2025/9/4 17:00	0	0.4	0	7.9	0.5	349	156	484	1069	704
2025/9/4 17:10	0	0	0	3.5	0	553	305	416	890	826
2025/9/4 17:20	0	0	0	2.9	0.7	405	146	441	206	784
2025/9/4 17:30	0	0	0	0	0.5	502	255	353	116	734
2025/9/4 17:40	0	0	0	0	0.4	699	266	130	98	568
2025/9/4 17:50	0	0	0	0	0.1	889	239	216	102	884
2025/9/4 18:00	0	0	0	0	1.7	848	406	148	103	768
2025/9/4 18:10	0	0	0	0	1.2	627	394	205	165	683
2025/9/4 18:20	0	0	0	0	0.5	519	334	162	109	657
2025/9/4 18:30	0	0	0	0	0.1	233	120	458	237	655
2025/9/4 18:40	0	0	0	0	0	97	116	440	294	316
2025/9/4 18:50	0	0	0	0	0	88	103	346	548	240
2025/9/4 19:00	0	0	0	0.8	0	108	101	389	285	340
2025/9/4 19:10	0	0	0	0	0	89	98	354	495	256
2025/9/4 19:20	0	0	0	0.1	0	80	94	118	840	165
2025/9/4 19:30	0	0	0	0.8	0	97	86	348	410	292
2025/9/4 19:40	0	0	0	0	0	103	85	468	103	448
2025/9/4 19:50	0	0	0	0	0.1	75	77	434	224	202
2025/9/4 20:00	0	0	0	0	0	90	77	502	353	414
2025/9/4 20:10	0	0	0	0.3	0	77	74	342	761	308
2025/9/4 20:20	0	0	0	0.7	0	76	76	286	714	210
2025/9/4 20:30	0	0	0	0.7	0	110	80	404	466	287
2025/9/4 20:40	0	0	0	0	0	109	83	438	552	279
2025/9/4 20:50	0	0	0	0.1	0	114	91	490	414	375
2025/9/4 21:00	0	0	0	0	0	160	84	468	93	447
2025/9/4 21:10	0	0	0	0	0	353	79	443	101	500
2025/9/4 21:20	0	0	0	0	0	184	82	478	461	365
2025/9/4 21:30	0	0	0	0.7	0	593	79	521	183	584

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/9/4 21:40	0	0	0.1	0	0.8	390	89	289	67	677
2025/9/4 21:50	0	0	0	0	1	585	111	197	64	574
2025/9/4 22:00	0	0	0	0	0.2	696	422	185	63	575
2025/9/4 22:10	0	0	0	0	0.4	648	149	307	59	695
2025/9/4 22:20	0	0	0	0	1.5	964	219	86	62	676
2025/9/4 22:30	0	0	0	0	1.7	488	152	522	63	790
2025/9/4 22:40	0	0	0.1	0	2.9	805	382	183	59	644
2025/9/4 22:50	0	0	0	0	1.2	797	336	473	66	758
2025/9/4 23:00	0	0	0.8	0	2.2	370	144	513	179	863
2025/9/4 23:10	0	0	0.2	0	3.3	840	170	535	301	830
2025/9/4 23:20	0	0	0	0.2	2.5	691	605	625	1073	876
2025/9/4 23:30	0	0	1.2	3.7	4	465	181	637	747	688
2025/9/4 23:40	0	0	1.1	1.4	1.8	219	198	424	1241	435
2025/9/4 23:50	0	0	0.7	5.2	0.1	209	236	399	1331	596
2025/9/5 0:00	0	0	0	6.4	1.1	182	105	234	1293	460
2025/9/5 0:10	0	0	0	5.8	0	89	140	141	1258	280
2025/9/5 0:20	0	0	0	5.2	0	74	132	43	1108	280
2025/9/5 0:30	0	0	0	3.5	0	74	164	44	1204	167
2025/9/5 0:40	0	0	0	4.5	0	76	159	44	1195	261
2025/9/5 0:50	0	0	0	4.5	0	69	145	43	1150	178
2025/9/5 1:00	0	0	0	4	0	69	243	48	1006	150
2025/9/5 1:10	0	0	0	2.6	0	100	309	124	1110	262
2025/9/5 1:20	0	0	0	3.5	0	69	142	138	969	201
2025/9/5 1:30	0	0	0	1.8	0	120	103	313	1090	293
2025/9/5 1:40	0	0	0	3.2	0	340	95	688	644	594
2025/9/5 1:50	0	0	0.5	1.1	0	313	393	360	1122	572
2025/9/5 2:00	0	0	0	3.7	0.1	541	447	354	1148	716
2025/9/5 2:10	0	0	0	4.3	0.2	603	704	254	1166	772
2025/9/5 2:20	0	0	0	4.4	0.5	324	541	118	1106	384
2025/9/5 2:30	0	0	0	3.4	0	144	308	66	874	241
2025/9/5 2:40	0	0	0	0.3	0	549	659	70	996	588
2025/9/5 2:50	0	0	0	1.5	0.2	299	729	63	1016	194
2025/9/5 3:00	0	0	0	2	0	221	643	64	1020	166
2025/9/5 3:10	0	0	0	2	0	500	728	65	996	175
2025/9/5 3:20	0	0	0	1.5	0	260	533	61	1055	234
2025/9/5 3:30	0	0	0	2.1	0	717	393	59	1017	620
2025/9/5 3:40	0	0	0	1.3	0	807	690	250	934	626
2025/9/5 3:50	0	0	0	2.7	0.2	260	695	49	774	205
2025/9/5 4:00	0	0	0	0.7	0	356	424	46	553	260
2025/9/5 4:10	0	0	0	0	0	342	503	88	882	216
2025/9/5 4:20	0	0	0	1.3	0	290	468	47	285	221
2025/9/5 4:30	0	0	0	0	0	356	541	50	392	255
2025/9/5 4:40	0	0	0	0	0	447	458	319	436	441
2025/9/5 4:50	0	0	0	0	0.2	483	314	114	72	324
2025/9/5 5:00	0	0	0	0	0	99	219	102	660	216
2025/9/5 5:10	0	0	0	1.1	0	310	185	70	403	283
2025/9/5 5:20	0	0	0	0	0	390	173	171	82	325
2025/9/5 5:30	0	0	0	0	0	325	274	52	63	255
2025/9/5 5:40	0	0	0	0	0	286	222	51	58	208
2025/9/5 5:50	0	0	0	0	0	257	227	49	97	153
2025/9/5 6:00	0	0	0	0	0	216	326	49	84	141
2025/9/5 6:10	0	0	0	0	0	509	359	69	58	300
2025/9/5 6:20	0	0	0	0	0	465	293	73	60	299
2025/9/5 6:30	0	0	0	0	0	550	239	104	58	401
2025/9/5 6:40	0	0	0	0	0	332	228	48	49	241
2025/9/5 6:50	0	0	0	0	0	566	286	65	48	362
2025/9/5 7:00	0	0	0	0	0	687	329	101	63	433
2025/9/5 7:10	0	0	0	0	0	557	210	184	62	585
2025/9/5 7:20	0	0	0	0	0.2	259	130	218	64	712
2025/9/5 7:30	0	0	0	0	1.7	624	142	109	67	580
2025/9/5 7:40	0	0	0	0	0.3	656	167	96	49	527
2025/9/5 7:50	0	0	0	0	0.3	595	252	81	46	546
2025/9/5 8:00	0	0	0	0	0	523	223	103	50	494
2025/9/5 8:10	0	0	0	0	0	588	266	87	62	465
2025/9/5 8:20	0	0	0	0	0	414	308	94	73	458
2025/9/5 8:30	0	0	0	0	0	462	396	107	59	383
2025/9/5 8:40	0	0	0	0	0	448	348	70	52	354
2025/9/5 8:50	0	0	0	0	0	445	293	76	61	366
2025/9/5 9:00	0	0	0	0	0	379	256	87	62	354
2025/9/5 9:10	0	0	0	0	0	357	315	74	70	274
2025/9/5 9:20	0	0	0	0	0	384	334	91	74	314
2025/9/5 9:30	0	0	0	0	0	652	386	98	59	616
2025/9/5 9:40	0	0	0	0	0.4	533	391	67	64	378

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/9/5 9:50	0	0	0	0	0	361	375	86	64	430
2025/9/5 10:00	0	0	0	0	0	428	261	70	51	384
2025/9/5 10:10	0	0	0	0	0	438	211	69	51	415
2025/9/5 10:20	0	0	0	0	0	396	248	89	78	417
2025/9/5 10:30	0	0	0	0	0	291	251	160	129	465
2025/9/5 10:40	0	0	0	0	0	354	281	173	87	515
2025/9/5 10:50	0	0	0	0	0	428	246	75	43	338
2025/9/5 11:00	0	0	0	0	0	289	284	65	49	224
2025/9/5 11:10	0	0	0	0	0	279	178	55	40	228
2025/9/5 11:20	0	0	0	0	0	411	234	66	48	289
2025/9/5 11:30	0	0	0	0	0	237	281	49	39	196
2025/9/5 11:40	0	0	0	0	0	226	153	44	31	201
2025/9/5 11:50	0	0	0	0	0	174	160	44	27	157
2025/9/5 12:00	0	0	0	0	0	149	167	43	29	122
2025/9/5 12:10	0	0	0	0	0	110	186	43	30	102
2025/9/5 12:20	0	0	0	0	0	135	244	42	29	104
2025/9/5 12:30	0	0	0	0	0	175	221	44	28	112
2025/9/5 12:40	0	0	0	0	0	169	174	45	28	124
2025/9/5 12:50	0	0	0	0	0	187	171	44	28	133
2025/9/5 13:00	0	0	0	0	0	208	185	44	53	184
2025/9/5 13:10	0	0	0	0	0	41	186	55	41	109
2025/9/5 13:20	0	0	0	0	0	63	224	54	140	111
2025/9/5 13:30	0	0	0	0	0	52	263	54	147	109
2025/9/5 13:40	0	0	0	0	0	53	243	58	73	108
2025/9/5 13:50	0	0	0	0	0	65	206	63	222	118
2025/9/5 14:00	0	0	0	0	0	97	200	61	245	121
2025/9/5 14:10	0	0	0	0	0	67	281	64	471	120
2025/9/5 14:20	0	0	0	0	0	317	264	70	63	133
2025/9/5 14:30	0	0	0	0	0	397	144	64	44	254
2025/9/5 14:40	0	0	0	0	0	320	196	63	45	199
2025/9/5 14:50	0	0	0	0	0	68	295	67	195	130
2025/9/5 15:00	0	0	0	0	0	66	313	71	203	128
2025/9/5 15:10	0	0	0	0	0	72	317	74	438	131
2025/9/5 15:20	0	0	0	0	0	75	104	74	648	133
2025/9/5 15:30	0	0	0	0	0	84	101	78	641	135
2025/9/5 15:40	0	0	0	0	0	110	125	103	347	161
2025/9/5 15:50	0	0	0	0	0	84	145	84	292	144
2025/9/5 16:00	0	0	0	0	0	66	136	66	373	129
2025/9/5 16:10	0	0	0	0	0	75	123	76	202	133
2025/9/5 16:20	0	0	0	0	0	91	117	92	205	148
2025/9/5 16:30	0	0	0	0	0	66	131	67	269	130
2025/9/5 16:40	0	0	0	0	0	78	121	77	160	137
2025/9/5 16:50	0	0	0	0	0	76	97	76	155	136
2025/9/5 17:00	0	0	0	0	0	71	89	72	142	130
2025/9/5 17:10	0	0	0	0	0	48	71	51	122	116
2025/9/5 17:20	0	0	0	0	0	39	65	44	149	105
2025/9/5 17:30	0	0	0	0	0	39	54	44	142	96
2025/9/5 17:40	0	0	0	0	0	40	49	47	56	85
2025/9/5 17:50	0	0	0	0	0	46	51	50	81	87
2025/9/5 18:00	0	0	0	0	0	45	46	55	122	87
2025/9/5 18:10	0	0	0	0	0	45	43	55	208	85
2025/9/5 18:20	0	0	0	0	0	66	46	68	147	98
2025/9/5 18:30	0	0	0	0	0	78	66	67	163	107
2025/9/5 18:40	0	0	0	0	0	46	50	47	76	77
2025/9/5 18:50	0	0	0	0	0	46	45	48	74	76
2025/9/5 19:00	0	0	0	0	0	39	38	46	32	73
2025/9/5 19:10	0	0	0	0	0	39	36	45	35	70
2025/9/5 19:20	0	0	0	0	0	40	38	46	56	71
2025/9/5 19:30	0	0	0	0	0	41	42	47	72	73
2025/9/5 19:40	0	0	0	0	0	43	43	49	262	74
2025/9/5 19:50	0	0	0	0	0	40	41	46	124	73
2025/9/5 20:00	0	0	0	0	0	40	74	48	130	74
2025/9/5 20:10	0	0	0	0	0	40	63	48	255	75
2025/9/5 20:20	0	0	0	0	0	42	41	46	233	75
2025/9/5 20:30	0	0	0	0	0	48	44	51	432	81
2025/9/5 20:40	0	0	0	0	0	48	47	52	332	81
2025/9/5 20:50	0	0	0	0	0	49	43	51	566	80
2025/9/5 21:00	0	0	0	0	0	136	54	128	500	253
2025/9/5 21:10	0	0	0	0	0	178	46	107	515	320
2025/9/5 21:20	0	0	0	0	0	79	70	83	567	173
2025/9/5 21:30	0	0	0	0	0	336	55	282	191	532
2025/9/5 21:40	0	0	0	0	0	327	329	124	628	482
2025/9/5 21:50	0	0	0	0	0	506	488	76	321	518

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/9/6 22:20	0	0	0	0	0	103	68	27	15	97
2025/9/6 22:30	0	0	0	0	0	109	60	25	15	107
2025/9/6 22:40	0	0	0	0	0	87	64	25	15	85
2025/9/6 22:50	0	0	0	0	0	107	67	24	14	84
2025/9/6 23:00	0	0	0	0	0	101	77	26	13	86
2025/9/6 23:10	0	0	0	0	0	85	76	26	14	85
2025/9/6 23:20	0	0	0	0	0	90	79	28	15	88
2025/9/6 23:30	0	0	0	0	0	115	74	28	15	74
2025/9/6 23:40	0	0	0	0	0	127	89	27	15	72
2025/9/6 23:50	0	0	0	0	0	91	74	27	15	81
2025/9/7 0:00	0	0	0	0	0	116	88	27	16	80
2025/9/7 0:10	0	0	0	0	0	150	131	29	14	89
2025/9/7 0:20	0	0	0	0	0	131	110	29	14	87
2025/9/7 0:30	0	0	0	0	0	149	86	29	17	111
2025/9/7 0:40	0	0	0	0	0	101	64	28	15	95
2025/9/7 0:50	0	0	0	0	0	132	71	30	18	88
2025/9/7 1:00	0	0	0	0	0	91	73	26	15	84
2025/9/7 1:10	0	0	0	0	0	71	70	24	14	72
2025/9/7 1:20	0	0	0	0	0	86	66	24	12	69
2025/9/7 1:30	0	0	0	0	0	94	65	26	12	75
2025/9/7 1:40	0	0	0	0	0	114	68	27	12	81
2025/9/7 1:50	0	0	0	0	0	133	93	26	12	77
2025/9/7 2:00	0	0	0	0	0	113	84	27	13	75
2025/9/7 2:10	0	0	0	0	0	84	95	28	13	72
2025/9/7 2:20	0	0	0	0	0	149	99	30	54	72
2025/9/7 2:30	0	0	0	0	0	175	179	31	125	93
2025/9/7 2:40	0	0	0	0	0	68	118	30	56	74
2025/9/7 2:50	0	0	0	0	0	70	103	27	11	71
2025/9/7 3:00	0	0	0	0	0	79	115	26	8	70
2025/9/7 3:10	0	0	0	0	0	101	91	27	9	75
2025/9/7 3:20	0	0	0	0	0	84	106	27	12	74
2025/9/7 3:30	0	0	0	0	0	44	141	26	37	65
2025/9/7 3:40	0	0	0	0	0	34	145	27	132	64
2025/9/7 3:50	0	0	0	0	0	38	192	28	207	64
2025/9/7 4:00	0	0	0	0	0	104	228	29	259	65
2025/9/7 4:10	0	0	0	0	0	46	187	29	160	65
2025/9/7 4:20	0	0	0	0	0	17	143	26	55	64
2025/9/7 4:30	0	0	0	0	0	17	155	25	136	63
2025/9/7 4:40	0	0	0	0	0	20	131	25	36	63
2025/9/7 4:50	0	0	0	0	0	19	139	26	60	63
2025/9/7 5:00	0	0	0	0	0	23	118	24	25	63
2025/9/7 5:10	0	0	0	0	0	16	122	24	57	61
2025/9/7 5:20	0	0	0	0	0	18	148	25	89	60
2025/9/7 5:30	0	0	0	0	0	20	137	26	43	60
2025/9/7 5:40	0	0	0	0	0	21	184	30	144	62
2025/9/7 5:50	0	0	0	0	0	24	147	27	72	62
2025/9/7 6:00	0	0	0	0	0	22	130	27	21	62
2025/9/7 6:10	0	0	0	0	0	18	111	26	10	65
2025/9/7 6:20	0	0	0	0	0	20	145	25	86	64
2025/9/7 6:30	0	0	0	0	0	16	128	22	85	66
2025/9/7 6:40	0	0	0.1	0.1	0	17	120	23	74	63
2025/9/7 6:50	0	0	0.1	0.1	0	19	129	21	14	66
2025/9/7 7:00	0	0	0.1	0.1	0	21	155	21	41	67
2025/9/7 7:10	0	0	0	0.1	0	41	132	20	37	66
2025/9/7 7:20	0	0	0	0.1	0	58	139	22	60	65
2025/9/7 7:30	0	0	0.1	0.1	0	16	142	20	25	64
2025/9/7 7:40	0	0	0.1	0.1	0	16	133	20	33	65
2025/9/7 7:50	0	0	0.1	0.1	0	16	180	20	37	69
2025/9/7 8:00	0	0	0.1	0.1	0	16	151	20	2	68
2025/9/7 8:10	0	0	0.1	0.1	0	37	93	19	1	74
2025/9/7 8:20	0	0	0.1	0.1	0	84	61	18	2	82
2025/9/7 8:30	0	0	0.1	0.1	0	52	120	20	1	81
2025/9/7 8:40	0	0	0.1	0.1	0	24	197	17	31	74
2025/9/7 8:50	0	0	0.1	0.1	0	101	127	17	37	79
2025/9/7 9:00	0	0	0.1	0.1	0	101	97	16	1	93
2025/9/7 9:10	0	0	0.1	0.1	0	56	160	15	1	83
2025/9/7 9:20	0	0	0.1	0.1	0	70	102	15	9	78
2025/9/7 9:30	0	0	0.1	0.1	0	8	164	14	1	71
2025/9/7 9:40	0	0	0	0.1	0	12	227	15	91	70
2025/9/7 9:50	0	0	0	0.1	0	10	284	17	71	72
2025/9/7 10:00	0	0	0	0.1	0	117	127	24	1	132
2025/9/7 10:10	0.1	0	0	0.1	0	178	78	31	1	193
2025/9/7 10:20	0.1	0	0	0.1	0	129	103	34	1	146

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/9/9 23:20	0	0	0	0	0	185	77	98	26	371
2025/9/9 23:30	0	0	0	0	0	91	71	178	26	358
2025/9/9 23:40	0	0	0	0	0	356	152	99	28	408
2025/9/9 23:50	0	0	0	0	0	302	154	73	18	316
2025/9/10 0:00	0	0	0	0	0	293	235	46	16	249
2025/9/10 0:10	0	0	0	0	0	301	314	37	15	260
2025/9/10 0:20	0	0	0	0	0	341	327	51	17	292
2025/9/10 0:30	0	0	0	0	0	404	301	73	18	297
2025/9/10 0:40	0	0	0	0	0	250	186	77	17	267
2025/9/10 0:50	0	0	0	0	0	271	155	63	19	261
2025/9/10 1:00	0	0	0	0	0	276	199	51	20	234
2025/9/10 1:10	0	0	0	0	0	233	200	45	20	199
2025/9/10 1:20	0	0	0	0	0	191	280	37	21	163
2025/9/10 1:30	0	0	0	0	0	340	196	58	22	246
2025/9/10 1:40	0	0	0	0	0	293	224	54	21	228
2025/9/10 1:50	0	0	0	0	0	310	203	52	21	248
2025/9/10 2:00	0	0	0	0	0	293	205	62	21	264
2025/9/10 2:10	0	0	0	0	0	400	275	67	22	282
2025/9/10 2:20	0	0	0	0	0	312	310	48	23	220
2025/9/10 2:30	0	0	0	0	0	320	288	49	24	174
2025/9/10 2:40	0	0	0	0	0	321	307	67	23	213
2025/9/10 2:50	0	0	0	0	0	405	257	91	25	305
2025/9/10 3:00	0	0	0	0	0	468	284	110	25	328
2025/9/10 3:10	0	0	0	0	0	509	335	113	29	397
2025/9/10 3:20	0	0	0	0	0	440	250	110	31	379
2025/9/10 3:30	0	0	0	0	0	402	375	82	30	265
2025/9/10 3:40	0	0	0	0	0	393	302	72	30	312
2025/9/10 3:50	0	0	0	0	0	363	515	49	144	316
2025/9/10 4:00	0	0	0	0	0	425	486	198	210	432
2025/9/10 4:10	0	0	0	0	0	398	572	138	668	328
2025/9/10 4:20	0	0	0	0	0	390	603	41	819	322
2025/9/10 4:30	0	0	0	0	0	363	560	41	718	229
2025/9/10 4:40	0	0	0	0	0	367	483	40	591	157
2025/9/10 4:50	0	0	0	0	0	154	429	32	473	99
2025/9/10 5:00	0	0	0	0	0	115	444	31	516	99
2025/9/10 5:10	0	0	0	0	0	325	477	35	586	200
2025/9/10 5:20	0	0	0	0	0	345	462	35	528	222
2025/9/10 5:30	0	0	0	0	0	375	525	38	682	387
2025/9/10 5:40	0	0	0	0	0	349	529	36	609	287
2025/9/10 5:50	0	0	0	0	0	166	509	40	664	134
2025/9/10 6:00	0	0	0	0	0	169	423	38	519	109
2025/9/10 6:10	0	0	0	0	0	126	466	37	569	103
2025/9/10 6:20	0	0	0	0	0	58	462	37	651	107
2025/9/10 6:30	0	0	0	0	0	54	318	40	492	104
2025/9/10 6:40	0	0	0	0	0	44	203	42	292	106
2025/9/10 6:50	0	0	0	0	0	45	205	41	459	108
2025/9/10 7:00	0	0	0.1	0.1	0	48	172	42	155	110
2025/9/10 7:10	0	0	0.1	0.1	0	47	139	42	307	112
2025/9/10 7:20	0	0	0.1	0.1	0	46	193	41	237	111
2025/9/10 7:30	0	0	0.1	0.1	0	47	168	40	207	115
2025/9/10 7:40	0	0	0.1	0.1	0	48	128	46	391	139
2025/9/10 7:50	0	0	0.1	0.1	0	47	332	44	525	117
2025/9/10 8:00	0	0	0.1	0.1	0	46	93	41	491	120
2025/9/10 8:10	0	0	0.1	0.1	0	40	128	36	352	141
2025/9/10 8:20	0.1	0	0.1	0.1	0	40	73	35	151	119
2025/9/10 8:30	0.1	0	0.1	0.1	0	44	64	56	224	152
2025/9/10 8:40	0.1	0	0.1	0.1	0	44	64	45	177	124
2025/9/10 8:50	0.1	0	0.1	0.1	0	38	62	35	113	119
2025/9/10 9:00	0.1	0	0.1	0.1	0	42	56	36	87	127
2025/9/10 9:10	0.1	0	0.1	0.1	0	41	68	35	83	116
2025/9/10 9:20	0.1	0	0.1	0.1	0	36	72	33	128	118
2025/9/10 9:30	0.1	0	0.1	0.1	0	41	70	38	201	128
2025/9/10 9:40	0.1	0	0.1	0.1	0	42	60	57	87	148
2025/9/10 9:50	0.1	0	0.1	0.1	0	37	65	50	159	146
2025/9/10 10:00	0.1	0	0.1	0.1	0.1	35	52	37	107	127
2025/9/10 10:10	0.1	0	0.1	0.1	0	36	59	58	135	135
2025/9/10 10:20	0.1	0	0.1	0.1	0	39	57	37	69	162
2025/9/10 10:30	0.1	0	0.1	0.1	0	38	54	40	109	127
2025/9/10 10:40	0.1	0	0.1	0.1	0	143	168	139	166	244
2025/9/10 10:50	0.1	0	0.1	0.1	0	106	153	167	244	202
2025/9/10 11:00	0.1	0	0	0.1	0	266	345	145	136	322
2025/9/10 11:10	0.1	0	0	0.1	0	236	347	155	96	332
2025/9/10 11:20	0.1	0	0	0	0	272	347	116	79	309

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/9/10 11:30	0.1	0	0	0	0	287	297	127	92	317
2025/9/10 11:40	0.1	0	0	0	0	234	280	155	93	298
2025/9/10 11:50	0	0	0	0	0	138	169	121	110	237
2025/9/10 12:00	0.1	0	0	0	0	71	98	88	90	160
2025/9/10 12:10	0.1	0	0	0	0	55	85	79	70	138
2025/9/10 12:20	0.1	0	0	0	0	54	84	87	61	142
2025/9/10 12:30	0.1	0	0	0	0	84	100	60	34	168
2025/9/10 12:40	0.1	0	0	0	0	70	90	72	35	159
2025/9/10 12:50	0.1	0	0	0	0	59	76	75	57	139
2025/9/10 13:00	0.1	0	0	0	0	95	117	102	94	167
2025/9/10 13:10	0.1	0	0	0	0	199	283	131	98	251
2025/9/10 13:20	0.1	0	0	0	0	149	224	202	215	232
2025/9/10 13:30	0.1	0	0	0	0	154	216	167	178	244
2025/9/10 13:40	0.1	0	0	0	0	141	170	134	181	225
2025/9/10 13:50	0.1	0	0	0	0	164	250	196	222	287
2025/9/10 14:00	0.1	0	0	0	0	245	348	147	183	272
2025/9/10 14:10	0.1	0	0	0	0	179	235	141	192	232
2025/9/10 14:20	0.1	0	0	0	0	190	262	137	163	235
2025/9/10 14:30	0	0	0	0	0	187	227	101	65	232
2025/9/10 14:40	0	0	0	0	0	191	232	100	65	248
2025/9/10 14:50	0.1	0	0	0	0	220	241	137	69	271
2025/9/10 15:00	0	0	0	0	0	208	235	114	67	260
2025/9/10 15:10	0	0	0	0	0	184	211	66	40	233
2025/9/10 15:20	0.1	0	0	0	0	142	177	123	70	223
2025/9/10 15:30	0.1	0	0	0	0	123	155	133	128	195
2025/9/10 15:40	0	0	0	0	0	182	223	81	52	233
2025/9/10 15:50	0	0	0	0	0	160	223	130	78	244
2025/9/10 16:00	0	0	0	0	0	152	174	127	78	238
2025/9/10 16:10	0	0	0	0	0	119	163	144	111	216
2025/9/10 16:20	0	0	0	0	0	126	146	113	68	215
2025/9/10 16:30	0	0	0	0	0	119	134	115	61	204
2025/9/10 16:40	0	0	0	0	0	80	110	161	155	175
2025/9/10 16:50	0	0	0	0	0	146	138	139	78	289
2025/9/10 17:00	0	0	0	0	0	199	151	84	54	281
2025/9/10 17:10	0	0	0	0	0	122	121	89	50	247
2025/9/10 17:20	0	0	0	0	0	174	130	111	50	264
2025/9/10 17:30	0	0	0	0	0	176	102	65	45	236
2025/9/10 17:40	0	0	0	0	0	245	106	68	42	249
2025/9/10 17:50	0	0	0	0	0	178	95	128	42	227
2025/9/10 18:00	0	0	0	0	0	224	121	84	45	234
2025/9/10 18:10	0	0	0	0	0	149	80	99	52	217
2025/9/10 18:20	0	0	0	0	0	133	76	90	52	212
2025/9/10 18:30	0	0	0	0	0	88	78	145	56	201
2025/9/10 18:40	0	0	0	0	0	103	79	141	67	181
2025/9/10 18:50	0	0	0	0	0	73	75	152	54	184
2025/9/10 19:00	0	0	0	0	0	90	75	115	50	195
2025/9/10 19:10	0	0	0	0	0	91	75	128	66	207
2025/9/10 19:20	0	0	0	0	0	83	71	111	44	207
2025/9/10 19:30	0	0	0	0	0	65	71	129	38	176
2025/9/10 19:40	0	0	0	0	0	78	73	127	39	193
2025/9/10 19:50	0	0	0	0	0	63	66	143	36	183
2025/9/10 20:00	0	0	0	0	0	75	70	99	35	190
2025/9/10 20:10	0	0	0	0	0	144	72	93	33	198
2025/9/10 20:20	0	0	0	0	0	186	71	53	33	215
2025/9/10 20:30	0	0	0	0	0	177	72	69	34	200
2025/9/10 20:40	0	0	0	0	0	204	107	66	37	182
2025/9/10 20:50	0	0	0	0	0	231	166	86	38	236
2025/9/10 21:00	0	0	0	0	0	207	95	68	37	238
2025/9/10 21:10	0	0	0	0	0	205	148	71	39	216
2025/9/10 21:20	0	0	0	0	0	223	146	74	36	221
2025/9/10 21:30	0	0	0	0	0	200	153	65	33	176
2025/9/10 21:40	0	0	0	0	0	195	217	59	33	170
2025/9/10 21:50	0	0	0	0	0	200	195	63	34	182
2025/9/10 22:00	0	0	0	0	0	246	165	75	35	226
2025/9/10 22:10	0	0	0	0	0	241	247	60	34	206
2025/9/10 22:20	0	0	0	0	0	203	231	43	63	155
2025/9/10 22:30	0	0	0	0	0	146	224	44	33	156
2025/9/10 22:40	0	0	0	0	0	146	212	48	33	139
2025/9/10 22:50	0	0	0	0	0	69	236	40	39	105
2025/9/10 23:00	0	0	0	0	0	128	200	39	30	102
2025/9/10 23:10	0	0	0	0	0	107	211	39	30	108
2025/9/10 23:20	0	0	0	0	0	152	208	39	29	102
2025/9/10 23:30	0	0	0	0	0	115	265	39	32	102

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/9/10 23:40	0	0	0	0	0	77	235	39	29	92
2025/9/10 23:50	0	0	0	0	0	151	314	39	122	98
2025/9/11 0:00	0	0	0	0	0	119	262	39	27	93
2025/9/11 0:10	0	0	0	0	0	102	294	38	62	91
2025/9/11 0:20	0	0	0	0	0	39	284	35	42	83
2025/9/11 0:30	0	0	0	0	0	72	249	36	35	83
2025/9/11 0:40	0	0	0	0	0	103	282	34	24	85
2025/9/11 0:50	0	0	0	0	0	95	212	33	23	86
2025/9/11 1:00	0	0	0	0	0	89	218	32	24	83
2025/9/11 1:10	0	0	0	0	0	69	220	33	25	78
2025/9/11 1:20	0	0	0	0	0	73	215	34	26	82
2025/9/11 1:30	0	0	0	0	0	80	156	34	25	80
2025/9/11 1:40	0	0	0	0	0	66	188	34	26	80
2025/9/11 1:50	0	0	0	0	0	47	201	34	25	78
2025/9/11 2:00	0	0	0	0	0	80	191	34	26	78
2025/9/11 2:10	0	0	0	0	0	78	171	34	24	79
2025/9/11 2:20	0	0	0	0	0	130	187	35	24	95
2025/9/11 2:30	0	0	0	0	0	69	188	34	24	79
2025/9/11 2:40	0	0	0	0	0	57	227	34	26	76
2025/9/11 2:50	0	0	0	0	0	42	222	36	26	76
2025/9/11 3:00	0	0	0	0	0	47	246	36	76	76
2025/9/11 3:10	0	0	0	0	0	44	278	37	43	76
2025/9/11 3:20	0	0	0	0	0	157	289	37	65	86
2025/9/11 3:30	0	0	0	0	0	173	285	38	36	105
2025/9/11 3:40	0	0	0	0	0	108	353	38	160	78
2025/9/11 3:50	0	0	0	0	0	131	337	38	256	91
2025/9/11 4:00	0	0	0	0	0	216	300	39	236	120
2025/9/11 4:10	0	0	0	0	0	139	346	39	407	115
2025/9/11 4:20	0	0	0	0	0	213	451	40	430	167
2025/9/11 4:30	0	0	0	0	0	90	427	39	436	83
2025/9/11 4:40	0	0	0	0	0	190	406	40	297	155
2025/9/11 4:50	0	0	0	0	0	286	488	89	543	322
2025/9/11 5:00	0	0	0	0	0	393	509	192	512	412
2025/9/11 5:10	0	0	0	0	0	260	543	107	400	286
2025/9/11 5:20	0	0	0	0	0	204	518	106	507	217
2025/9/11 5:30	0	0	0	0	0	149	441	40	447	147
2025/9/11 5:40	0	0	0	0	0	189	407	43	316	161
2025/9/11 5:50	0	0	0	0	0	37	240	36	170	76
2025/9/11 6:00	0	0	0	0	0	32	312	35	167	75
2025/9/11 6:10	0	0	0	0	0	31	250	35	47	74
2025/9/11 6:20	0	0	0	0	0	57	306	34	89	73
2025/9/11 6:30	0	0	0	0	0	53	284	31	73	71
2025/9/11 6:40	0	0	0	0	0	45	328	32	164	68
2025/9/11 6:50	0	0	0	0	0	29	404	32	55	67
2025/9/11 7:00	0	0	0	0	0	27	319	30	78	67
2025/9/11 7:10	0	0	0	0	0	28	384	30	82	65
2025/9/11 7:20	0	0	0	0	0	27	324	31	165	67
2025/9/11 7:30	0	0	0.1	0	0	43	240	31	162	68
2025/9/11 7:40	0	0	0.1	0.1	0	31	227	32	125	72
2025/9/11 7:50	0	0	0.1	0.1	0	49	85	53	300	105
2025/9/11 8:00	0	0	0.1	0.1	0	43	105	42	252	89
2025/9/11 8:10	0	0	0.1	0.1	0	32	319	30	272	75
2025/9/11 8:20	0.1	0	0.1	0.1	0	39	66	38	280	107
2025/9/11 8:30	0.1	0	0.1	0.1	0	33	167	36	98	81
2025/9/11 8:40	0.1	0	0.1	0.1	0	32	196	33	68	82
2025/9/11 8:50	0.1	0	0.1	0.1	0	37	100	34	60	85
2025/9/11 9:00	0.1	0	0.1	0.1	0	32	88	34	60	86
2025/9/11 9:10	0.1	0	0.1	0.1	0	39	110	38	63	97
2025/9/11 9:20	0.1	0	0.1	0.1	0	38	72	39	106	101
2025/9/11 9:30	0.1	0	0.1	0.1	0.1	50	70	48	121	120
2025/9/11 9:40	0.1	0	0.1	0.1	0	51	124	44	106	115
2025/9/11 9:50	0.1	0	0.1	0.1	0.1	40	54	50	86	122
2025/9/11 10:00	0.1	0	0.1	0.1	0.1	32	56	33	49	103
2025/9/11 10:10	0.1	0	0.1	0.1	0.1	34	46	32	74	105
2025/9/11 10:20	0.1	0	0.1	0.1	0.1	31	47	26	61	102
2025/9/11 10:30	0.1	0	0.1	0.1	0.1	28	42	28	81	101
2025/9/11 10:40	0.1	0	0.1	0.1	0.1	28	75	28	66	107
2025/9/11 10:50	0.1	0	0.1	0.1	0.1	32	46	140	94	117
2025/9/11 11:00	0.1	0	0.1	0.1	0.1	28	81	202	73	220
2025/9/11 11:10	0.1	0	0.1	0.1	0.1	33	49	226	194	300
2025/9/11 11:20	0.1	0	0.1	0.1	0.1	27	40	447	109	133
2025/9/11 11:30	0.1	0	0.1	0.1	0.1	63	128	126	181	195
2025/9/11 11:40	0.1	0	0.1	0.1	0.1	132	216	126	117	247

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/9/11 11:50	0.1	0	0.1	0.1	0.1	71	103	93	92	176
2025/9/11 12:00	0.1	0	0.1	0.1	0.1	63	81	61	69	157
2025/9/11 12:10	0.1	0	0	0.1	0.1	56	73	73	46	157
2025/9/11 12:20	0.1	0	0	0.1	0.1	51	74	75	43	170
2025/9/11 12:30	0.1	0	0	0.1	0.1	69	74	64	52	177
2025/9/11 12:40	0.2	0	0	0.1	0.1	63	81	84	44	165
2025/9/11 12:50	0.2	0	0	0.1	0.1	52	77	68	46	151
2025/9/11 13:00	0.2	0.1	0	0.1	0.1	146	192	79	42	200
2025/9/11 13:10	0.2	0.1	0	0.1	0.1	164	207	135	104	258
2025/9/11 13:20	0.2	0.1	0	0.1	0.1	198	275	155	208	266
2025/9/11 13:30	0.2	0.1	0	0.1	0.1	205	308	196	243	314
2025/9/11 13:40	0.2	0.1	0	0.1	0.1	215	301	220	237	361
2025/9/11 13:50	0.2	0.1	0	0.1	0.1	224	294	156	165	327
2025/9/11 14:00	0.2	0.1	0	0.1	0.1	284	424	189	182	359
2025/9/11 14:10	0.1	0	0	0	0	152	226	167	164	276
2025/9/11 14:20	0.1	0	0	0	0	207	227	178	206	260
2025/9/11 14:30	0.1	0	0	0	0	160	263	81	90	202
2025/9/11 14:40	0.1	0	0	0	0	182	246	93	77	232
2025/9/11 14:50	0.1	0	0	0	0	191	243	121	87	225
2025/9/11 15:00	0.1	0	0	0	0	106	162	133	165	166
2025/9/11 15:10	0	0	0	0	0	140	162	154	176	200
2025/9/11 15:20	0	0	0	0	0	74	126	115	245	135
2025/9/11 15:30	0	0	0	0	0	142	181	127	153	156
2025/9/11 15:40	0	0	0	0	0	257	249	112	96	225
2025/9/11 15:50	0	0	0	0	0	264	226	111	88	208
2025/9/11 16:00	0	0	0	0	0	144	190	127	85	224
2025/9/11 16:10	0	0	0	0	0	165	174	142	79	210
2025/9/11 16:20	0	0	0	0	0	180	166	164	100	216
2025/9/11 16:30	0	0	0	0	0	219	174	75	57	189
2025/9/11 16:40	0	0	0	0	0	139	122	135	69	177
2025/9/11 16:50	0	0	0	0	0	117	117	174	104	175
2025/9/11 17:00	0	0	0	0	0	113	120	134	89	153
2025/9/11 17:10	0	0	0	0	0	80	103	169	98	148
2025/9/11 17:20	0	0	0	0	0	95	95	128	75	149
2025/9/11 17:30	0	0	0	0	0	86	99	136	90	162
2025/9/11 17:40	0	0	0	0	0	68	84	151	73	141
2025/9/11 17:50	0	0	0	0	0	58	75	136	144	113
2025/9/11 18:00	0	0	0	0	0	51	70	112	70	105
2025/9/11 18:10	0	0	0	0	0	69	78	137	64	140
2025/9/11 18:20	0	0	0	0	0	92	75	110	45	138
2025/9/11 18:30	0	0	0	0	0	159	75	58	31	147
2025/9/11 18:40	0	0	0	0	0	108	73	83	41	142
2025/9/11 18:50	0	0	0	0	0	88	69	106	41	144
2025/9/11 19:00	0	0	0	0	0	82	70	89	37	165
2025/9/11 19:10	0	0	0	0	0	60	61	119	50	135
2025/9/11 19:20	0	0	0	0	0	51	56	129	56	130
2025/9/11 19:30	0	0	0	0	0	52	60	164	62	135
2025/9/11 19:40	0	0	0	0	0	58	64	155	68	121
2025/9/11 19:50	0	0	0	0	0	117	61	119	39	156
2025/9/11 20:00	0	0	0	0	0	47	55	170	36	149
2025/9/11 20:10	0	0	0	0	0	48	57	169	40	149
2025/9/11 20:20	0	0	0	0	0	86	51	129	93	127
2025/9/11 20:30	0	0	0	0	0	192	50	90	28	211
2025/9/11 20:40	0	0	0	0	0	100	63	102	307	133
2025/9/11 20:50	0	0	0	0	0	47	47	135	125	151
2025/9/11 21:00	0	0	0	0	0	32	58	177	187	111
2025/9/11 21:10	0	0	0	0	0	34	47	148	197	139
2025/9/11 21:20	0	0	0	0	0	47	44	164	73	151
2025/9/11 21:30	0	0	0	0	0	42	54	179	72	167
2025/9/11 21:40	0	0	0	0	0	43	53	171	247	132
2025/9/11 21:50	0	0	0	0	0	31	47	147	228	108
2025/9/11 22:00	0	0	0	0	0	47	53	161	136	161
2025/9/11 22:10	0	0	0	0	0	67	52	155	66	161
2025/9/11 22:20	0	0	0	0	0	127	48	136	212	197
2025/9/11 22:30	0	0	0	0	0	125	159	101	384	136
2025/9/11 22:40	0	0	0	0	0	27	50	43	291	83
2025/9/11 22:50	0	0	0	0	0	28	42	80	329	82
2025/9/11 23:00	0	0	0	0	0	24	46	56	308	68
2025/9/11 23:10	0	0	0	0	0	30	49	102	231	71
2025/9/11 23:20	0	0	0	0	0	67	60	131	159	87
2025/9/11 23:30	0	0	0	0	0	147	81	154	17	167
2025/9/11 23:40	0	0	0	0	0	97	55	143	14	157
2025/9/11 23:50	0	0	0	0	0	43	48	177	160	107

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/9/12 0:00	0	0	0	0	0	43	54	205	109	113
2025/9/12 0:10	0	0	0	0	0	46	64	192	127	110
2025/9/12 0:20	0	0	0	0	0	43	48	142	77	102
2025/9/12 0:30	0	0	0	0	0	31	49	103	225	82
2025/9/12 0:40	0	0	0	0	0	28	41	92	285	73
2025/9/12 0:50	0	0	0	0	0	35	42	182	191	90
2025/9/12 1:00	0	0	0	0	0	30	41	76	189	74
2025/9/12 1:10	0	0	0	0	0	29	42	132	132	82
2025/9/12 1:20	0	0	0	0	0	26	38	47	259	72
2025/9/12 1:30	0	0	0	0	0	39	37	143	157	90
2025/9/12 1:40	0	0	0	0	0	37	40	142	266	89
2025/9/12 1:50	0	0	0	0	0	121	42	214	65	134
2025/9/12 2:00	0	0	0	0	0	36	41	196	167	91
2025/9/12 2:10	0	0	0	0	0	26	37	106	347	77
2025/9/12 2:20	0	0	0	0	0	29	39	115	219	74
2025/9/12 2:30	0	0	0	0	0	28	34	31	280	72
2025/9/12 2:40	0	0	0	0	0	28	31	33	301	72
2025/9/12 2:50	0	0	0	0	0	27	30	34	394	73
2025/9/12 3:00	0	0	0	0	0	29	30	36	399	71
2025/9/12 3:10	0	0	0	0	0	28	32	84	240	71
2025/9/12 3:20	0	0	0	0	0	36	40	206	165	95
2025/9/12 3:30	0	0	0	0	0	37	38	153	133	95
2025/9/12 3:40	0	0	0	0	0	63	36	142	259	99
2025/9/12 3:50	0	0	0	0	0	90	35	219	59	143
2025/9/12 4:00	0	0	0	0	0	40	42	233	27	133
2025/9/12 4:10	0	0	0	0	0	37	38	179	123	102
2025/9/12 4:20	0	0	0	0	0	39	35	140	110	98
2025/9/12 4:30	0	0	0	0	0	55	35	186	52	132
2025/9/12 4:40	0	0	0	0	0	37	34	147	130	97
2025/9/12 4:50	0	0	0	0	0	33	35	115	251	79
2025/9/12 5:00	0	0	0	0	0	32	34	68	341	73
2025/9/12 5:10	0	0	0	0	0	28	35	41	329	67
2025/9/12 5:20	0	0	0	0	0	33	31	43	339	71
2025/9/12 5:30	0	0	0	0	0	35	30	42	360	70
2025/9/12 5:40	0	0	0	0	0	34	33	44	381	71
2025/9/12 5:50	0	0	0	0	0	34	33	44	344	72
2025/9/12 6:00	0	0	0	0	0	33	33	50	232	71
2025/9/12 6:10	0	0	0	0	0	35	34	83	181	77
2025/9/12 6:20	0	0	0	0	0	35	33	93	189	89
2025/9/12 6:30	0	0	0	0	0	37	36	101	102	103
2025/9/12 6:40	0	0	0	0	0	29	37	84	144	112
2025/9/12 6:50	0	0	0	0	0	26	35	114	96	103
2025/9/12 7:00	0	0	0	0	0	32	37	124	108	122
2025/9/12 7:10	0	0	0	0	0	51	42	147	62	201
2025/9/12 7:20	0	0	0	0	0	58	46	124	46	216
2025/9/12 7:30	0	0	0	0	0	37	53	104	75	138
2025/9/12 7:40	0	0	0	0	0	36	54	159	50	214
2025/9/12 7:50	0	0	0	0	0	59	69	178	19	238
2025/9/12 8:00	0	0	0	0	0	41	51	144	140	168
2025/9/12 8:10	0	0	0	0	0	62	69	142	88	174
2025/9/12 8:20	0	0	0	0	0	23	33	80	257	101
2025/9/12 8:30	0	0	0	0	0	33	36	100	214	146
2025/9/12 8:40	0	0	0	0	0	59	58	115	202	140
2025/9/12 8:50	0	0	0	0	0	142	71	97	142	209
2025/9/12 9:00	0	0	0	0	0	210	165	112	78	243
2025/9/12 9:10	0	0	0	0	0	215	219	97	142	232
2025/9/12 9:20	0	0	0	0	0	124	133	144	203	200
2025/9/12 9:30	0	0	0	0	0	169	263	71	52	177
2025/9/12 9:40	0	0	0	0	0	45	60	41	87	96
2025/9/12 9:50	0	0	0	0	0	19	34	30	104	76
2025/9/12 10:00	0.1	0	0	0	0	16	36	27	115	72
2025/9/12 10:10	0.1	0	0	0	0	13	32	20	63	70
2025/9/12 10:20	0.1	0	0	0	0	17	36	29	76	80
2025/9/12 10:30	0.1	0	0	0	0	11	31	20	50	70
2025/9/12 10:40	0.1	0	0	0	0	26	72	38	88	92
2025/9/12 10:50	0.1	0	0	0	0	8	45	20	108	72
2025/9/12 11:00	0.1	0	0	0.1	0	62	98	53	93	133
2025/9/12 11:10	0.1	0	0	0	0	48	86	87	234	151
2025/9/12 11:20	0.1	0	0	0	0	37	80	105	198	115
2025/9/12 11:30	0.1	0	0	0	0	49	88	100	206	130
2025/9/12 11:40	0	0	0	0	0	53	88	100	226	154
2025/9/12 11:50	0	0	0	0	0	46	80	115	162	135
2025/9/12 12:00	0	0	0	0	0	46	65	86	80	134

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/9/12 12:10	0	0	0	0	0	39	51	84	52	107
2025/9/12 12:20	0	0	0	0	0	36	47	75	43	114
2025/9/12 12:30	0	0	0	0	0	32	43	70	79	99
2025/9/12 12:40	0	0	0	0	0	34	49	75	53	104
2025/9/12 12:50	0	0	0	0	0	48	89	76	42	129
2025/9/12 13:00	0	0	0	0	0	151	203	40	27	134
2025/9/12 13:10	0	0	0	0	0	101	111	83	81	141
2025/9/12 13:20	0	0	0	0	0	77	99	147	176	144
2025/9/12 13:30	0	0	0	0	0	76	150	152	190	155
2025/9/12 13:40	0	0	0	0	0	92	150	126	179	160
2025/9/12 13:50	0	0	0	0	0	85	160	146	212	157
2025/9/12 14:00	0	0	0	0	0	221	216	102	74	220
2025/9/12 14:10	0	0	0	0	0	287	295	151	127	303
2025/9/12 14:20	0	0	0	0	0	188	259	54	44	177
2025/9/12 14:30	0	0	0	0	0	171	285	52	37	155
2025/9/12 14:40	0	0	0	0	0	161	167	57	34	150
2025/9/12 14:50	0	0	0	0	0	135	142	81	55	155
2025/9/12 15:00	0	0	0	0	0	205	208	73	45	184
2025/9/12 15:10	0	0	0	0	0	125	127	135	155	183
2025/9/12 15:20	0	0	0	0	0	79	107	142	205	167
2025/9/12 15:30	0	0	0	0	0	144	151	69	48	175
2025/9/12 15:40	0	0	0	0	0	127	117	125	97	184
2025/9/12 15:50	0	0	0	0	0	109	143	127	87	195
2025/9/12 16:00	0	0	0	0	0	132	178	89	60	206
2025/9/12 16:10	0	0	0	0	0	84	101	112	99	156
2025/9/12 16:20	0	0	0	0	0	86	112	114	62	197
2025/9/12 16:30	0	0	0	0	0	94	121	114	82	183
2025/9/12 16:40	0	0	0	0	0	149	217	91	52	193
2025/9/12 16:50	0	0	0	0	0	162	225	131	89	221
2025/9/12 17:00	0	0	0	0	0	193	278	122	61	230
2025/9/12 17:10	0	0	0	0	0	137	188	133	109	222
2025/9/12 17:20	0	0	0	0	0	105	154	130	68	183
2025/9/12 17:30	0	0	0	0	0	111	129	101	42	192
2025/9/12 17:40	0	0	0	0	0	146	129	75	30	206
2025/9/12 17:50	0	0	0	0	0	116	110	91	73	205
2025/9/12 18:00	0	0	0	0	0	79	88	126	83	175
2025/9/12 18:10	0	0	0	0	0	85	88	113	80	179
2025/9/12 18:20	0	0	0	0	0	55	46	121	151	144
2025/9/12 18:30	0	0	0	0	0	39	39	101	61	117
2025/9/12 18:40	0	0	0	0	0	41	57	101	59	115
2025/9/12 18:50	0	0	0	0	0	36	69	132	89	116
2025/9/12 19:00	0	0	0	0	0	64	57	97	88	146
2025/9/12 19:10	0	0	0	0	0	35	40	100	135	103
2025/9/12 19:20	0	0	0	0	0	34	39	122	94	102
2025/9/12 19:30	0	0	0	0	0	31	36	105	121	90
2025/9/12 19:40	0	0	0	0	0	36	39	102	55	100
2025/9/12 19:50	0	0	0	0	0	45	42	119	103	112
2025/9/12 20:00	0	0	0	0	0	49	45	105	193	134
2025/9/12 20:10	0	0	0	0	0	52	50	138	139	120
2025/9/12 20:20	0	0	0	0	0	44	47	146	65	119
2025/9/12 20:30	0	0	0	0	0	33	44	93	205	84
2025/9/12 20:40	0	0	0	0	0	36	44	130	165	96
2025/9/12 20:50	0	0	0	0	0	34	43	94	140	87
2025/9/12 21:00	0	0	0	0	0	39	43	101	214	91
2025/9/12 21:10	0	0	0	0	0	38	40	121	236	94
2025/9/12 21:20	0	0	0	0	0	36	42	121	254	95
2025/9/12 21:30	0	0	0	0	0	55	47	146	122	116
2025/9/12 21:40	0	0	0	0	0	50	51	171	133	110
2025/9/12 21:50	0	0	0	0	0	59	51	180	63	119
2025/9/12 22:00	0	0	0	0	0	44	47	120	217	93
2025/9/12 22:10	0	0	0	0	0	37	48	121	233	90
2025/9/12 22:20	0	0	0	0	0	34	38	43	318	73
2025/9/12 22:30	0	0	0	0	0	32	37	36	304	72
2025/9/12 22:40	0	0	0	0	0	30	36	34	256	70
2025/9/12 22:50	0	0	0	0	0	30	37	41	228	74
2025/9/12 23:00	0	0	0	0	0	33	44	87	155	74
2025/9/12 23:10	0	0	0	0	0	33	42	81	181	76
2025/9/12 23:20	0	0	0	0	0	31	39	70	165	72
2025/9/12 23:30	0	0	0	0	0	34	45	88	143	78
2025/9/12 23:40	0	0	0	0	0	35	44	99	172	82
2025/9/12 23:50	0	0	0	0	0	32	42	64	165	74
2025/9/13 0:00	0	0	0	0	0	31	38	52	298	71
2025/9/13 0:10	0	0	0	0	0	30	36	38	180	72

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/9/13 0:20	0	0	0	0	0	33	36	54	197	78
2025/9/13 0:30	0	0	0	0	0	34	41	69	176	76
2025/9/13 0:40	0	0	0	0	0	39	40	46	237	77
2025/9/13 0:50	0	0	0	0	0	40	42	56	211	77
2025/9/13 1:00	0	0	0	0	0	40	40	49	290	76
2025/9/13 1:10	0	0	0	0	0	48	43	89	146	79
2025/9/13 1:20	0	0	0	0	0	51	40	85	189	86
2025/9/13 1:30	0	0	0	0	0	37	35	47	216	77
2025/9/13 1:40	0	0	0	0	0	34	40	64	199	75
2025/9/13 1:50	0	0	0	0	0	30	37	33	139	71
2025/9/13 2:00	0	0	0	0	0	33	35	37	166	72
2025/9/13 2:10	0	0	0	0	0	35	36	48	197	74
2025/9/13 2:20	0	0	0	0	0	33	37	42	255	75
2025/9/13 2:30	0	0	0	0	0	33	37	41	208	73
2025/9/13 2:40	0	0	0	0	0	32	35	37	195	74
2025/9/13 2:50	0	0	0	0	0	31	35	35	178	74
2025/9/13 3:00	0	0	0	0	0	34	38	38	131	75
2025/9/13 3:10	0	0	0	0	0	49	41	66	196	83
2025/9/13 3:20	0	0	0	0	0	36	40	67	80	79
2025/9/13 3:30	0	0	0	0	0	33	38	45	147	74
2025/9/13 3:40	0	0	0	0	0	34	40	50	110	73
2025/9/13 3:50	0	0	0	0	0	37	41	88	153	80
2025/9/13 4:00	0	0	0	0	0	38	38	118	174	81
2025/9/13 4:10	0	0	0	0	0	62	40	85	146	86
2025/9/13 4:20	0	0	0	0	0	43	41	127	46	94
2025/9/13 4:30	0	0	0	0	0	42	45	98	44	83
2025/9/13 4:40	0	0	0	0	0	41	42	108	61	89
2025/9/13 4:50	0	0	0	0	0	39	41	93	72	87
2025/9/13 5:00	0	0	0	0	0	37	47	102	121	82
2025/9/13 5:10	0	0	0	0	0	41	46	131	39	97
2025/9/13 5:20	0	0	0	0	0	40	48	96	39	98
2025/9/13 5:30	0	0	0	0	0	43	46	109	29	108
2025/9/13 5:40	0	0	0	0	0	38	40	100	33	96
2025/9/13 5:50	0	0	0	0	0	47	43	99	29	101
2025/9/13 6:00	0	0	0	0	0	47	45	117	27	105
2025/9/13 6:10	0	0	0	0	0	41	40	111	53	92
2025/9/13 6:20	0	0	0	0	0	52	39	106	25	108
2025/9/13 6:30	0	0	0	0	0	39	41	124	41	89
2025/9/13 6:40	0	0	0	0	0	46	44	129	36	109
2025/9/13 6:50	0	0	0	0	0	39	42	105	35	102
2025/9/13 7:00	0	0	0	0	0	65	45	84	23	118
2025/9/13 7:10	0	0	0	0	0	52	40	82	23	121
2025/9/13 7:20	0	0	0	0	0	56	43	56	22	147
2025/9/13 7:30	0	0	0	0	0	52	49	110	20	148
2025/9/13 7:40	0	0	0	0	0	97	42	129	23	157
2025/9/13 7:50	0	0	0	0	0	56	40	134	27	159
2025/9/13 8:00	0	0	0	0	0	56	43	136	22	147
2025/9/13 8:10	0	0	0	0	0	59	56	103	30	150
2025/9/13 8:20	0	0	0	0	0	154	54	51	25	135
2025/9/13 8:30	0	0	0	0	0	167	64	50	23	141
2025/9/13 8:40	0	0	0	0	0	179	48	52	22	147
2025/9/13 8:50	0	0	0	0	0	122	50	51	23	160
2025/9/13 9:00	0	0	0	0	0	117	53	38	25	118
2025/9/13 9:10	0	0	0	0	0	72	55	34	23	87
2025/9/13 9:20	0	0	0	0	0	67	62	33	23	91
2025/9/13 9:30	0	0	0	0	0	96	57	39	27	121
2025/9/13 9:40	0	0	0	0	0	41	80	33	21	86
2025/9/13 9:50	0.1	0	0	0	0	73	64	33	23	100
2025/9/13 10:00	0.1	0	0	0	0	90	67	36	25	112
2025/9/13 10:10	0.1	0	0	0	0	51	63	30	20	92
2025/9/13 10:20	0.1	0	0	0	0	44	54	31	19	94
2025/9/13 10:30	0.1	0	0	0	0	38	55	24	11	85
2025/9/13 10:40	0.1	0	0	0	0	48	49	28	14	93
2025/9/13 10:50	0.1	0	0	0	0	51	54	27	17	89
2025/9/13 11:00	0.1	0	0	0	0	27	57	24	15	77
2025/9/13 11:10	0.1	0	0	0	0	40	53	25	12	84
2025/9/13 11:20	0.1	0	0	0	0	45	51	26	14	87
2025/9/13 11:30	0.1	0	0	0.1	0	30	61	25	8	76
2025/9/13 11:40	0.1	0	0	0	0	45	53	27	13	86
2025/9/13 11:50	0.1	0	0	0.1	0	36	62	25	8	84
2025/9/13 12:00	0.1	0	0	0.1	0	36	65	27	9	84
2025/9/13 12:10	0.1	0	0	0.1	0	32	65	26	11	87
2025/9/13 12:20	0.1	0	0	0.1	0	46	53	30	7	98

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/9/13 12:30	0.1	0	0	0.1	0	39	57	27	8	92
2025/9/13 12:40	0.1	0	0	0.1	0	26	66	25	5	80
2025/9/13 12:50	0.1	0	0	0.1	0	26	64	21	5	80
2025/9/13 13:00	0.1	0	0	0.1	0	19	65	20	6	75
2025/9/13 13:10	0.1	0	0	0.1	0	28	62	24	7	80
2025/9/13 13:20	0.1	0	0	0.1	0	43	52	27	10	87
2025/9/13 13:30	0.1	0	0	0.1	0	50	58	27	10	86
2025/9/13 13:40	0.1	0	0	0.1	0	26	61	26	8	80
2025/9/13 13:50	0.1	0	0	0.1	0	32	52	25	7	79
2025/9/13 14:00	0.1	0	0	0.1	0	23	57	24	8	80
2025/9/13 14:10	0.1	0.1	0	0.1	0	22	66	23	9	76
2025/9/13 14:20	0.1	0.1	0	0.1	0	26	71	24	19	77
2025/9/13 14:30	0.1	0.1	0	0.1	0	34	69	22	24	80
2025/9/13 14:40	0.1	0.1	0	0.1	0	32	66	22	10	79
2025/9/13 14:50	0.1	0.1	0	0.1	0	37	72	23	15	79
2025/9/13 15:00	0.1	0	0	0.1	0	23	60	24	8	73
2025/9/13 15:10	0.1	0	0	0.1	0	34	48	24	8	72
2025/9/13 15:20	0.1	0	0	0	0	25	44	23	5	70
2025/9/13 15:30	0.1	0	0	0	0	24	51	24	6	68
2025/9/13 15:40	0.1	0	0	0	0	26	53	25	8	68
2025/9/13 15:50	0.1	0	0	0	0	34	52	25	9	68
2025/9/13 16:00	0.1	0	0	0	0	33	71	25	10	68
2025/9/13 16:10	0	0	0	0	0	36	60	27	11	69
2025/9/13 16:20	0.1	0	0	0	0	28	78	29	8	69
2025/9/13 16:30	0	0	0	0	0	34	57	26	8	69
2025/9/13 16:40	0	0	0	0	0	31	66	27	8	68
2025/9/13 16:50	0	0	0	0	0	38	96	27	8	70
2025/9/13 17:00	0	0	0	0	0	34	88	28	5	67
2025/9/13 17:10	0	0	0	0	0	29	70	29	11	64
2025/9/13 17:20	0	0	0	0	0	26	77	27	6	63
2025/9/13 17:30	0	0	0	0	0	29	93	30	7	60
2025/9/13 17:40	0	0	0	0	0	25	82	29	10	59
2025/9/13 17:50	0	0	0	0	0	22	58	29	8	60
2025/9/13 18:00	0	0	0	0	0	21	91	29	9	60
2025/9/13 18:10	0	0	0	0	0	31	93	29	6	60
2025/9/13 18:20	0	0	0	0	0	40	116	31	12	61
2025/9/13 18:30	0	0	0	0	0	46	87	30	11	63
2025/9/13 18:40	0	0	0	0	0	31	65	29	9	59
2025/9/13 18:50	0	0	0	0	0	30	68	31	11	60
2025/9/13 19:00	0	0	0	0	0	25	88	32	12	61
2025/9/13 19:10	0	0	0	0	0	28	127	32	11	60
2025/9/13 19:20	0	0	0	0	0	32	116	32	13	59
2025/9/13 19:30	0	0	0	0	0	46	112	30	11	65
2025/9/13 19:40	0	0	0	0	0	34	92	30	11	57
2025/9/13 19:50	0	0	0	0	0	33	97	29	11	57
2025/9/13 20:00	0	0	0	0	0	28	118	29	9	55
2025/9/13 20:10	0	0	0	0	0	27	112	30	10	55
2025/9/13 20:20	0	0	0	0	0	25	148	31	10	56
2025/9/13 20:30	0	0	0	0	0	24	156	30	9	55
2025/9/13 20:40	0	0	0	0	0	23	134	28	7	55
2025/9/13 20:50	0	0	0	0	0	24	155	28	7	55
2025/9/13 21:00	0	0	0	0	0	27	134	29	8	56
2025/9/13 21:10	0	0	0	0	0	28	145	31	10	58
2025/9/13 21:20	0	0	0	0	0	27	211	31	13	58
2025/9/13 21:30	0	0	0	0	0	30	173	33	10	58
2025/9/13 21:40	0	0	0	0	0	29	165	32	11	59
2025/9/13 21:50	0	0	0	0	0	23	162	30	12	59
2025/9/13 22:00	0	0	0	0	0	23	224	29	12	60
2025/9/13 22:10	0	0	0	0	0	23	235	29	19	60
2025/9/13 22:20	0	0	0	0	0	25	314	32	19	61
2025/9/13 22:30	0	0	0	0	0	30	284	32	23	60
2025/9/13 22:40	0	0	0	0	0	27	212	30	18	59
2025/9/13 22:50	0	0	0	0	0	25	224	29	13	61
2025/9/13 23:00	0	0	0	0	0	33	198	31	11	62
2025/9/13 23:10	0	0	0	0	0	28	198	31	11	59
2025/9/13 23:20	0	0	0	0	0	42	167	31	10	60
2025/9/13 23:30	0	0	0	0	0	35	151	31	10	60
2025/9/13 23:40	0	0	0	0	0	39	114	31	10	61
2025/9/13 23:50	0	0	0	0	0	43	113	32	11	60
2025/9/14 0:00	0	0	0	0	0	34	129	31	11	60
2025/9/14 0:10	0	0	0	0	0	31	168	31	10	60
2025/9/14 0:20	0	0	0	0	0	29	193	31	11	58
2025/9/14 0:30	0	0	0	0	0	27	305	31	19	58

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/9/14 0:40	0	0	0	0	0	28	269	32	14	57
2025/9/14 0:50	0	0	0	0	0	28	429	33	113	57
2025/9/14 1:00	0	0	0	0	0	39	440	33	187	58
2025/9/14 1:10	0	0	0	0	0	27	204	31	9	57
2025/9/14 1:20	0	0	0	0	0	35	201	33	17	59
2025/9/14 1:30	0	0	0	0	0	40	167	32	15	58
2025/9/14 1:40	0	0	0	0	0	38	166	31	9	58
2025/9/14 1:50	0	0	0	0	0	89	183	33	12	65
2025/9/14 2:00	0	0	0	0	0	52	97	35	12	62
2025/9/14 2:10	0	0	0	0	0	37	102	33	13	60
2025/9/14 2:20	0	0	0	0	0	28	94	33	11	59
2025/9/14 2:30	0	0	0	0	0	31	83	33	13	57
2025/9/14 2:40	0	0	0	0	0	33	84	33	11	57
2025/9/14 2:50	0	0	0	0	0	29	131	32	13	59
2025/9/14 3:00	0	0	0	0	0	28	142	31	14	56
2025/9/14 3:10	0	0	0	0	0	26	150	31	17	56
2025/9/14 3:20	0	0	0	0	0	39	163	30	11	58
2025/9/14 3:30	0	0	0	0	0	69	215	32	17	67
2025/9/14 3:40	0	0	0	0	0	29	166	32	47	57
2025/9/14 3:50	0	0	0	0	0	36	176	32	12	58
2025/9/14 4:00	0	0	0	0	0	34	214	32	11	57
2025/9/14 4:10	0	0	0	0	0	35	223	31	13	57
2025/9/14 4:20	0	0	0	0	0	27	231	30	18	58
2025/9/14 4:30	0	0	0	0	0	26	263	30	18	56
2025/9/14 4:40	0	0	0	0	0	80	209	31	32	60
2025/9/14 4:50	0	0	0	0	0	32	370	34	124	58
2025/9/14 5:00	0	0	0	0	0	32	365	36	105	58
2025/9/14 5:10	0	0	0	0	0	71	325	36	82	65
2025/9/14 5:20	0	0	0	0	0	50	242	36	60	60
2025/9/14 5:30	0	0	0	0	0	48	77	54	174	75
2025/9/14 5:40	0	0	0	0	0	51	61	51	169	80
2025/9/14 5:50	0	0	0	0	0	98	63	83	198	123
2025/9/14 6:00	0	0	0	0	0	52	72	52	138	82
2025/9/14 6:10	0	0	0	0	0	53	57	62	164	85
2025/9/14 6:20	0	0	0	0	0	56	58	59	117	84
2025/9/14 6:30	0	0	0	0	0	67	63	69	190	90
2025/9/14 6:40	0	0	0	0	0	67	93	64	99	91
2025/9/14 6:50	0	0	0	0	0	58	58	60	114	86
2025/9/14 7:00	0	0	0	0	0	53	52	53	109	85
2025/9/14 7:10	0	0	0	0	0	60	55	65	158	101
2025/9/14 7:20	0	0	0	0	0	61	56	62	186	92
2025/9/14 7:30	0	0	0	0	0	63	54	60	166	92
2025/9/14 7:40	0	0	0	0	0	60	53	60	138	91
2025/9/14 7:50	0	0	0	0	0	69	61	65	119	96
2025/9/14 8:00	0	0	0	0	0	59	62	54	82	91
2025/9/14 8:10	0	0	0	0	0	50	70	51	82	86
2025/9/14 8:20	0	0	0	0	0	48	49	47	110	82
2025/9/14 8:30	0	0	0	0	0	59	48	57	137	94
2025/9/14 8:40	0	0	0	0	0	51	46	94	150	100
2025/9/14 8:50	0	0	0	0	0	56	48	86	144	144
2025/9/14 9:00	0	0	0	0	0	57	64	48	109	95
2025/9/14 9:10	0	0	0	0	0	69	53	60	179	131
2025/9/14 9:20	0	0	0	0	0	72	171	50	165	100
2025/9/14 9:30	0	0	0	0	0	42	99	44	165	94
2025/9/14 9:40	0	0	0	0	0	40	179	42	77	78
2025/9/14 9:50	0	0	0	0	0	59	38	47	101	181
2025/9/14 10:00	0.1	0	0	0	0	38	368	42	79	81
2025/9/14 10:10	0.1	0	0	0	0	32	103	36	74	73
2025/9/14 10:20	0.1	0	0	0.1	0	32	160	35	40	75
2025/9/14 10:30	0.1	0	0.1	0.1	0	30	60	35	44	79
2025/9/14 10:40	0.1	0	0.1	0.1	0	29	164	33	87	77
2025/9/14 10:50	0.1	0	0.1	0.1	0	31	147	35	26	75
2025/9/14 11:00	0.1	0	0.1	0.1	0	28	201	32	28	77
2025/9/14 11:10	0.1	0	0.1	0.1	0	28	197	30	17	79
2025/9/14 11:20	0.1	0	0.1	0.1	0	27	117	33	53	79
2025/9/14 11:30	0.1	0	0.1	0.1	0	30	132	32	20	78
2025/9/14 11:40	0.1	0	0	0.1	0	31	200	31	42	78
2025/9/14 11:50	0.1	0.1	0	0.1	0	27	208	31	29	78
2025/9/14 12:00	0.1	0	0	0.1	0	32	319	29	50	77
2025/9/14 12:10	0.1	0	0	0.1	0	27	142	34	63	77
2025/9/14 12:20	0.1	0.1	0	0.1	0	21	110	30	22	75
2025/9/14 12:30	0.1	0.1	0.1	0.1	0	28	158	25	39	75
2025/9/14 12:40	0.1	0.1	0.1	0.1	0	22	192	25	55	76

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/9/15 1:00	0	0	0	0	0	29	30	72	14	106
2025/9/15 1:10	0	0	0	0	0	37	30	53	8	117
2025/9/15 1:20	0	0	0	0	0	54	25	93	32	122
2025/9/15 1:30	0	0	0	0	0	26	20	62	20	101
2025/9/15 1:40	0	0	0	0	0	19	18	45	74	75
2025/9/15 1:50	0	0	0	0	0	13	14	26	158	66
2025/9/15 2:00	0	0	0	0	0	11	12	23	146	66
2025/9/15 2:10	0	0	0	0	0	9	8	15	151	63
2025/9/15 2:20	0	0	0	0	0	8	9	21	152	64
2025/9/15 2:30	0	0	0	0	0	44	17	68	140	112
2025/9/15 2:40	0	0	0	0	0	18	17	70	147	81
2025/9/15 2:50	0	0	0	0	0	27	24	69	126	88
2025/9/15 3:00	0	0	0	0	0	27	22	85	139	94
2025/9/15 3:10	0	0	0	0	0	38	28	59	208	117
2025/9/15 3:20	0	0	0	0	0	14	19	21	114	57
2025/9/15 3:30	0	0	0	0	0	31	15	50	175	75
2025/9/15 3:40	0	0	0	0	0	15	15	56	231	63
2025/9/15 3:50	0	0	0	0	0	12	13	43	161	62
2025/9/15 4:00	0	0	0	0	0	11	14	42	82	56
2025/9/15 4:10	0	0	0	0	0	13	16	84	91	71
2025/9/15 4:20	0	0	0	0	0	13	17	54	170	65
2025/9/15 4:30	0	0	0	0	0	12	16	18	95	54
2025/9/15 4:40	0	0	0	0	0	13	20	19	109	54
2025/9/15 4:50	0	0	0	0	0	14	17	24	172	55
2025/9/15 5:00	0	0	0	0	0	12	13	34	175	52
2025/9/15 5:10	0	0	0	0	0	13	14	21	179	51
2025/9/15 5:20	0	0	0	0	0	26	20	19	120	58
2025/9/15 5:30	0	0	0	0	0	18	14	33	244	93
2025/9/15 5:40	0	0	0	0	0	27	17	26	250	105
2025/9/15 5:50	0	0	0	0	0	32	24	34	238	94
2025/9/15 6:00	0	0	0	0	0	22	30	31	161	57
2025/9/15 6:10	0	0	0	0	0	22	21	45	166	61
2025/9/15 6:20	0	0	0	0	0	24	27	75	102	63
2025/9/15 6:30	0	0	0	0	0	21	23	62	109	67
2025/9/15 6:40	0	0	0	0	0	23	20	47	65	76
2025/9/15 6:50	0	0	0	0	0	17	18	49	102	65
2025/9/15 7:00	0	0	0.1	0.1	0	28	13	73	33	113
2025/9/15 7:10	0	0	0.1	0.1	0	38	18	65	28	107
2025/9/15 7:20	0	0	0.1	0.1	0	17	14	63	70	91
2025/9/15 7:30	0	0	0.1	0.1	0	23	16	48	79	85
2025/9/15 7:40	0	0	0.1	0.1	0	21	11	74	124	112
2025/9/15 7:50	0	0	0.1	0.1	0	8	11	33	137	62
2025/9/15 8:00	0	0	0	0	0	6	16	20	169	57
2025/9/15 8:10	0	0	0	0.1	0	15	15	42	105	82
2025/9/15 8:20	0	0	0	0.1	0	73	13	86	83	135
2025/9/15 8:30	0	0	0	0	0	26	14	51	63	103
2025/9/15 8:40	0	0	0	0.1	0	63	15	60	53	118
2025/9/15 8:50	0.1	0	0	0.1	0	39	17	68	6	138
2025/9/15 9:00	0.1	0	0	0.1	0	69	17	59	11	145
2025/9/15 9:10	0.1	0	0	0.1	0	80	19	36	31	149
2025/9/15 9:20	0.1	0	0	0	0	27	16	60	132	114
2025/9/15 9:30	0.1	0	0	0	0	27	15	88	106	139
2025/9/15 9:40	0.1	0	0	0	0	13	13	45	140	92
2025/9/15 9:50	0.1	0	0	0.1	0	43	17	76	41	180
2025/9/15 10:00	0.1	0	0	0.1	0	192	12	53	118	150
2025/9/15 10:10	0.1	0	0	0.1	0	35	18	57	47	132
2025/9/15 10:20	0.1	0	0	0.1	0	38	18	75	41	156
2025/9/15 10:30	0.1	0	0	0.1	0	12	15	28	115	75
2025/9/15 10:40	0.1	0	0	0.1	0	11	18	40	130	92
2025/9/15 10:50	0.1	0	0	0.1	0	31	16	48	98	107
2025/9/15 11:00	0.1	0	0	0.1	0	25	16	21	55	82
2025/9/15 11:10	0.1	0.1	0	0.1	0	12	17	32	56	95
2025/9/15 11:20	0.1	0	0.1	0.1	0	57	21	19	51	105
2025/9/15 11:30	0.1	0.1	0.1	0.1	0.1	45	19	43	45	109
2025/9/15 11:40	0.1	0.1	0.1	0.1	0.1	55	23	38	16	119
2025/9/15 11:50	0.1	0	0.1	0.1	0.1	52	23	34	45	123
2025/9/15 12:00	0.1	0.1	0.1	0.1	0.1	33	24	55	48	130
2025/9/15 12:10	0.1	0.1	0.1	0.1	0.1	37	22	58	30	128
2025/9/15 12:20	0.1	0.1	0.1	0.1	0.1	26	20	71	43	138
2025/9/15 12:30	0.1	0.1	0.1	0.1	0.1	15	16	52	142	113
2025/9/15 12:40	0.1	0.1	0.1	0.1	0	71	18	48	23	148
2025/9/15 12:50	0.1	0.1	0	0.1	0	22	19	52	73	114
2025/9/15 13:00	0.1	0.1	0.1	0.1	0	85	23	39	19	103

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/9/18 14:10	0.1	0.1	0.1	0.1	0	80	119	45	71	138
2025/9/18 14:20	0.1	0.1	0.1	0.1	0	86	124	51	63	138
2025/9/18 14:30	0.1	0.1	0.1	0.1	0	81	127	46	61	132
2025/9/18 14:40	0.1	0.1	0.1	0.1	0	57	84	43	83	121
2025/9/18 14:50	0.1	0.1	0	0.1	0	36	37	27	45	101
2025/9/18 15:00	0.1	0	0	0.1	0	35	37	33	41	97
2025/9/18 15:10	0.1	0	0	0.1	0	26	21	25	42	86
2025/9/18 15:20	0.1	0	0	0.1	0	25	21	25	53	84
2025/9/18 15:30	0.1	0	0	0.1	0	18	32	24	91	77
2025/9/18 15:40	0.1	0	0	0.1	0	15	31	26	86	75
2025/9/18 15:50	0.1	0	0	0	0	21	49	29	67	76
2025/9/18 16:00	0.1	0	0	0	0	24	56	37	115	78
2025/9/18 16:10	0.1	0	0	0	0	26	60	40	109	82
2025/9/18 16:20	0.1	0	0	0	0	32	57	56	133	91
2025/9/18 16:30	0	0	0	0	0	47	64	81	114	119
2025/9/18 16:40	0	0	0	0	0	52	72	77	106	123
2025/9/18 16:50	0	0	0	0	0	39	65	59	86	100
2025/9/18 17:00	0	0	0	0	0	35	55	60	64	98
2025/9/18 17:10	0	0	0	0	0	42	66	75	58	106
2025/9/18 17:20	0	0	0	0	0	54	66	81	55	112
2025/9/18 17:30	0	0	0	0	0	43	56	72	56	96
2025/9/18 17:40	0	0	0	0	0	29	44	47	54	79
2025/9/18 17:50	0	0	0	0	0	30	37	53	61	81
2025/9/18 18:00	0	0	0	0	0	31	61	64	44	85
2025/9/18 18:10	0	0	0	0	0	39	171	54	47	87
2025/9/18 18:20	0	0	0	0	0	39	125	61	53	91
2025/9/18 18:30	0	0	0	0	0	36	54	57	46	89
2025/9/18 18:40	0	0	0	0	0	38	52	68	43	96
2025/9/18 18:50	0	0	0	0	0	31	46	62	41	75
2025/9/18 19:00	0	0	0	0	0	35	42	60	42	82
2025/9/18 19:10	0	0	0	0	0	28	37	67	40	75
2025/9/18 19:20	0	0	0	0	0	28	219	63	38	76
2025/9/18 19:30	0	0	0	0	0	25	665	72	43	82
2025/9/18 19:40	0	0	0	0	0	31	485	71	33	97
2025/9/18 19:50	0	0	0	0	0	29	481	85	31	101
2025/9/18 20:00	0	0	0	0	0	27	459	62	31	91
2025/9/18 20:10	0	0	0	0	0	45	78	87	33	124
2025/9/18 20:20	0	0	0	0	0	27	43	108	52	109
2025/9/18 20:30	0	0	0	0	0	27	36	109	43	121
2025/9/18 20:40	0	0	0	0	0	29	36	77	32	95
2025/9/18 20:50	0	0	0	0	0	36	38	88	27	125
2025/9/18 21:00	0	0	0	0	0	38	42	71	26	133
2025/9/18 21:10	0	0	0	0	0	19	33	77	43	72
2025/9/18 21:20	0	0	0	0	0	29	32	148	92	130
2025/9/18 21:30	0	0	0	0	0	35	34	86	22	120
2025/9/18 21:40	0	0	0	0	0	32	30	129	86	123
2025/9/18 21:50	0	0	0	0	0	46	28	112	44	117
2025/9/18 22:00	0	0	0	0	0	50	31	111	20	180
2025/9/18 22:10	0	0	0	0	0	68	37	141	17	228
2025/9/18 22:20	0	0	0	0	0	29	33	177	24	179
2025/9/18 22:30	0	0	0	0	0	53	36	135	22	181
2025/9/18 22:40	0	0	0	0	0	52	33	148	27	215
2025/9/18 22:50	0	0	0	0	0	46	28	159	25	190
2025/9/18 23:00	0	0	0	0	0	26	28	170	46	174
2025/9/18 23:10	0	0	0	0	0	27	26	113	24	135
2025/9/18 23:20	0	0	0	0	0	26	34	93	17	121
2025/9/18 23:30	0	0	0	0	0	72	36	125	14	224
2025/9/18 23:40	0	0	0	0	0	33	24	153	28	140
2025/9/18 23:50	0	0	0	0	0	26	21	121	34	120
2025/9/19 0:00	0	0	0	0	0	18	22	68	23	91
2025/9/19 0:10	0	0	0	0	0	35	25	108	27	150
2025/9/19 0:20	0	0	0	0	0	23	26	87	18	98
2025/9/19 0:30	0	0	0	0	0	16	21	94	29	88
2025/9/19 0:40	0	0	0	0	0	14	18	67	24	80
2025/9/19 0:50	0	0	0	0	0	36	25	86	27	149
2025/9/19 1:00	0	0	0	0	0	19	24	63	20	85
2025/9/19 1:10	0	0	0	0	0	23	26	157	26	162
2025/9/19 1:20	0	0	0	0	0	28	24	123	45	124
2025/9/19 1:30	0	0	0	0	0	20	27	55	37	78
2025/9/19 1:40	0	0	0	0	0	13	26	43	45	52
2025/9/19 1:50	0	0	0	0	0	16	30	59	83	56
2025/9/19 2:00	0	0	0	0	0	13	29	48	206	52
2025/9/19 2:10	0	0	0	0	0	9	31	32	36	40

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/9/19 2:20	0	0	0	0	0	12	29	37	27	44
2025/9/19 2:30	0	0	0	0	0	8	22	30	42	37
2025/9/19 2:40	0	0	0	0	0	10	25	63	104	51
2025/9/19 2:50	0	0	0	0	0	8	27	37	53	40
2025/9/19 3:00	0	0	0	0	0	16	29	53	28	48
2025/9/19 3:10	0	0	0	0	0	11	24	46	27	44
2025/9/19 3:20	0	0	0	0	0	12	22	50	16	54
2025/9/19 3:30	0	0	0	0	0	9	19	53	13	53
2025/9/19 3:40	0	0	0	0	0	8	16	55	27	50
2025/9/19 3:50	0	0	0	0	0	8	16	47	14	49
2025/9/19 4:00	0	0	0	0	0	7	15	46	21	44
2025/9/19 4:10	0	0	0	0	0	4	13	51	31	50
2025/9/19 4:20	0	0	0	0	0	12	17	77	15	60
2025/9/19 4:30	0	0	0	0	0	13	17	70	30	55
2025/9/19 4:40	0	0	0	0	0	13	19	67	31	54
2025/9/19 4:50	0	0	0	0	0	18	20	71	17	70
2025/9/19 5:00	0	0	0	0	0	17	24	68	24	54
2025/9/19 5:10	0	0	0	0	0	17	35	67	25	49
2025/9/19 5:20	0	0	0	0	0	22	34	72	22	64
2025/9/19 5:30	0	0	0	0	0	20	30	77	61	60
2025/9/19 5:40	0	0	0	0	0	18	26	57	73	46
2025/9/19 5:50	0	0	0	0	0	23	22	76	64	53
2025/9/19 6:00	0	0	0	0	0	29	27	76	39	59
2025/9/19 6:10	0	0	0	0	0	27	27	78	49	64
2025/9/19 6:20	0	0	0	0	0	43	33	64	71	86
2025/9/19 6:30	0	0	0	0	0	96	26	58	24	101
2025/9/19 6:40	0	0	0	0	0	116	26	73	65	130
2025/9/19 6:50	0	0	0	0	0	84	33	67	16	82
2025/9/19 7:00	0	0	0	0	0	61	26	36	120	57
2025/9/19 7:10	0	0	0	0	0	21	18	30	69	39
2025/9/19 7:20	0	0	0	0	0	18	22	25	59	40
2025/9/19 7:30	0	0	0	0	0	23	23	30	71	45
2025/9/19 7:40	0	0	0	0	0	26	27	35	93	46
2025/9/19 7:50	0	0	0	0	0	24	31	33	68	43
2025/9/19 8:00	0	0	0	0	0	23	27	33	53	41
2025/9/19 8:10	0	0	0	0	0	31	37	37	66	47
2025/9/19 8:20	0	0	0	0	0	39	32	40	94	48
2025/9/19 8:30	0	0	0	0	0	36	30	40	134	48
2025/9/19 8:40	0	0	0	0	0	37	45	42	89	54
2025/9/19 8:50	0	0	0	0	0	36	28	39	98	55
2025/9/19 9:00	0	0	0	0	0	29	16	32	57	44
2025/9/19 9:10	0	0	0	0	0	23	21	31	36	44
2025/9/19 9:20	0	0	0	0	0	28	22	32	60	46
2025/9/19 9:30	0	0	0	0	0	32	19	32	86	49
2025/9/19 9:40	0	0	0	0	0	36	30	30	64	49
2025/9/19 9:50	0	0	0	0	0	32	50	30	60	49
2025/9/19 10:00	0	0	0	0	0	44	52	42	77	62
2025/9/19 10:10	0	0	0	0	0	37	37	42	82	60
2025/9/19 10:20	0	0	0	0	0	28	36	34	84	56
2025/9/19 10:30	0	0	0	0	0	21	26	37	78	54
2025/9/19 10:40	0	0	0	0	0	27	20	35	87	58
2025/9/19 10:50	0	0	0	0	0	23	24	34	67	56
2025/9/19 11:00	0	0	0	0	0	20	21	35	63	57
2025/9/19 11:10	0	0	0	0	0	13	19	29	58	49
2025/9/19 11:20	0	0	0	0	0	13	20	27	76	53
2025/9/19 11:30	0	0	0	0	0	20	19	27	76	57
2025/9/19 11:40	0	0	0	0	0	23	29	28	90	58
2025/9/19 11:50	0	0	0	0	0	13	18	23	62	52
2025/9/19 12:00	0	0	0	0	0	19	24	36	83	59
2025/9/19 12:10	0	0	0	0	0	15	18	30	94	56
2025/9/19 12:20	0	0	0	0	0	9	21	40	69	60
2025/9/19 12:30	0	0	0	0	0	14	18	43	61	63
2025/9/19 12:40	0.1	0	0	0	0	10	12	25	63	67
2025/9/19 12:50	0.1	0	0	0	0	28	16	49	54	83
2025/9/19 13:00	0.1	0	0	0	0	33	28	42	71	87
2025/9/19 13:10	0.1	0	0	0	0	59	56	68	77	114
2025/9/19 13:20	0.1	0	0	0	0	50	65	73	86	107
2025/9/19 13:30	0.1	0	0	0	0	103	117	108	135	184
2025/9/19 13:40	0.1	0	0	0	0	93	116	141	175	158
2025/9/19 13:50	0.1	0	0	0	0	16	39	67	152	85
2025/9/19 14:00	0.1	0	0	0	0	62	109	156	194	147
2025/9/19 14:10	0.1	0	0	0	0	73	119	136	217	156
2025/9/19 14:20	0.1	0	0	0	0	119	173	136	195	196

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/9/19 14:30	0.1	0	0	0	0	35	62	82	117	111
2025/9/19 14:40	0.1	0	0	0	0	27	60	82	105	109
2025/9/19 14:50	0.1	0	0	0	0	49	120	106	171	122
2025/9/19 15:00	0.1	0	0	0	0	89	198	157	180	182
2025/9/19 15:10	0	0	0	0	0	142	186	121	106	194
2025/9/19 15:20	0.1	0	0	0	0	125	158	88	64	174
2025/9/19 15:30	0	0	0	0	0	114	135	96	80	163
2025/9/19 15:40	0	0	0	0	0	77	93	96	92	134
2025/9/19 15:50	0	0	0	0	0	93	137	125	156	167
2025/9/19 16:00	0	0	0	0	0	68	88	112	103	139
2025/9/19 16:10	0	0	0	0	0	75	104	120	98	159
2025/9/19 16:20	0	0	0	0	0	48	74	111	80	115
2025/9/19 16:30	0	0	0	0	0	49	79	120	59	126
2025/9/19 16:40	0	0	0	0	0	70	98	91	71	138
2025/9/19 16:50	0	0	0	0	0	37	60	85	59	116
2025/9/19 17:00	0	0	0	0	0	68	54	86	43	177
2025/9/19 17:10	0	0	0	0	0	60	52	103	47	156
2025/9/19 17:20	0	0	0	0	0	63	53	80	32	136
2025/9/19 17:30	0	0	0	0	0	37	47	126	72	114
2025/9/19 17:40	0	0	0	0	0	27	34	81	45	98
2025/9/19 17:50	0	0	0	0	0	31	31	88	42	112
2025/9/19 18:00	0	0	0	0	0	26	32	101	41	89
2025/9/19 18:10	0	0	0	0	0	35	37	83	31	111
2025/9/19 18:20	0	0	0	0	0	34	33	88	40	103
2025/9/19 18:30	0	0	0	0	0	24	35	102	43	98
2025/9/19 18:40	0	0	0	0	0	77	89	177	142	192
2025/9/19 18:50	0	0	0	0	0	58	57	172	120	201
2025/9/19 19:00	0	0	0	0	0	23	34	114	51	131
2025/9/19 19:10	0	0	0	0	0	35	26	112	58	142
2025/9/19 19:20	0	0	0	0	0	21	27	96	53	135
2025/9/19 19:30	0	0	0	0	0	35	32	139	79	185
2025/9/19 19:40	0	0	0	0	0	29	25	145	76	140
2025/9/19 19:50	0	0	0	0	0	36	32	110	33	191
2025/9/19 20:00	0	0	0	0	0	20	26	128	40	157
2025/9/19 20:10	0	0	0	0	0	26	21	159	49	190
2025/9/19 20:20	0	0	0	0	0	21	16	140	156	143
2025/9/19 20:30	0	0	0	0	0	21	20	155	64	154
2025/9/19 20:40	0	0	0	0	0	61	25	174	66	207
2025/9/19 20:50	0	0	0	0	0	54	26	169	37	216
2025/9/19 21:00	0	0	0	0	0	15	21	184	102	128
2025/9/19 21:10	0	0	0	0	0	44	22	196	59	226
2025/9/19 21:20	0	0	0	0	0	26	21	157	51	166
2025/9/19 21:30	0	0	0	0	0	34	23	172	36	197
2025/9/19 21:40	0	0	0	0	0	44	23	151	116	219
2025/9/19 21:50	0	0	0	0	0	58	24	133	72	209
2025/9/19 22:00	0	0	0	0	0	71	17	173	242	207
2025/9/19 22:10	0	0	0	0	0	17	16	145	272	161
2025/9/19 22:20	0	0	0	0	0	39	19	159	186	203
2025/9/19 22:30	0	0	0	0	0	19	24	140	206	141
2025/9/19 22:40	0	0	0	0	0	65	24	168	163	213
2025/9/19 22:50	0	0	0	0	0	104	28	236	91	316
2025/9/19 23:00	0	0	0	0	0	86	20	248	36	300
2025/9/19 23:10	0	0	0	0	0	90	35	241	48	288
2025/9/19 23:20	0	0	0	0	0	56	30	139	22	251
2025/9/19 23:30	0	0	0	0	0	42	31	188	49	236
2025/9/19 23:40	0	0	0	0	0	41	22	136	122	196
2025/9/19 23:50	0	0	0	0	0	35	19	183	53	247
2025/9/20 0:00	0	0	0	0	0	44	27	191	17	278
2025/9/20 0:10	0	0	0	0	0	47	16	170	109	206
2025/9/20 0:20	0	0	0	0	0	54	19	204	171	225
2025/9/20 0:30	0	0	0	0	0	30	13	178	165	204
2025/9/20 0:40	0	0	0	0	0	99	13	176	327	243
2025/9/20 0:50	0	0	0	0	0	155	39	262	229	407
2025/9/20 1:00	0	0	0	0	0	27	19	189	329	227
2025/9/20 1:10	0	0	0	0	0	95	24	164	26	274
2025/9/20 1:20	0	0	0	0	0	19	21	135	14	163
2025/9/20 1:30	0	0	0	0	0	34	21	128	16	165
2025/9/20 1:40	0	0	0	0	0	33	17	113	27	134
2025/9/20 1:50	0	0	0	0	0	2	15	143	39	95
2025/9/20 2:00	0	0	0	0	0	9	16	134	22	130
2025/9/20 2:10	0	0	0	0	0	8	17	105	22	115
2025/9/20 2:20	0	0	0	0	0	5	14	114	26	77
2025/9/20 2:30	0	0	0	0	0	4	14	140	79	103

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/9/20 14:50	0	0	0	0	0	32	51	47	120	89
2025/9/20 15:00	0	0	0	0	0	30	39	38	101	78
2025/9/20 15:10	0	0	0	0	0	31	46	50	103	104
2025/9/20 15:20	0	0	0	0	0	36	48	47	148	89
2025/9/20 15:30	0	0	0	0	0	43	63	51	91	94
2025/9/20 15:40	0	0	0	0	0	29	46	47	99	82
2025/9/20 15:50	0	0	0	0	0	25	44	51	95	88
2025/9/20 16:00	0	0	0	0	0	36	57	49	114	92
2025/9/20 16:10	0	0	0	0	0	45	57	55	158	106
2025/9/20 16:20	0	0	0	0	0	37	52	51	168	85
2025/9/20 16:30	0	0	0	0	0	36	95	78	180	109
2025/9/20 16:40	0	0	0	0	0	43	67	169	172	128
2025/9/20 16:50	0	0	0	0	0	36	59	75	120	122
2025/9/20 17:00	0	0	0	0	0	31	59	87	143	90
2025/9/20 17:10	0	0	0	0	0	69	444	150	121	139
2025/9/20 17:20	0	0	0	0	0	118	266	120	205	115
2025/9/20 17:30	0	0	0	0	0	166	162	107	206	135
2025/9/20 17:40	0	0	0	0	0	57	171	91	270	98
2025/9/20 17:50	0	0	0	0	0	34	61	49	310	85
2025/9/20 18:00	0	0	0	0	0	39	55	111	203	108
2025/9/20 18:10	0	0	0	0	0	62	52	105	212	139
2025/9/20 18:20	0	0	0	0	0	48	60	101	155	151
2025/9/20 18:30	0	0	0	0	0	49	52	93	184	116
2025/9/20 18:40	0	0	0	0	0	46	56	75	239	109
2025/9/20 18:50	0	0	0	0	0	60	49	132	204	170
2025/9/20 19:00	0	0	0	0	0	180	66	114	212	143
2025/9/20 19:10	0	0	0	0	0	226	99	159	194	184
2025/9/20 19:20	0	0	0	0	0	116	73	175	381	140
2025/9/20 19:30	0	0	0	0	0	135	58	142	319	187
2025/9/20 19:40	0	0	0	0	0	157	259	137	349	191
2025/9/20 19:50	0	0	0	0	0	104	73	145	306	167
2025/9/20 20:00	0	0	0	0	0	60	69	66	183	96
2025/9/20 20:10	0	0	0	0	0	72	93	63	204	114
2025/9/20 20:20	0	0	0	0	0	46	65	57	195	88
2025/9/20 20:30	0	0	0	0	0	44	55	53	209	83
2025/9/20 20:40	0	0	0	0	0	40	61	51	240	80
2025/9/20 20:50	0	0	0	0	0	42	57	56	281	83
2025/9/20 21:00	0	0	0	0	0	48	53	64	204	89
2025/9/20 21:10	0	0	0	0	0	39	57	54	110	80
2025/9/20 21:20	0	0	0	0	0	36	46	56	152	75
2025/9/20 21:30	0	0	0	0	0	37	77	55	143	73
2025/9/20 21:40	0	0	0	0	0	43	128	58	109	74
2025/9/20 21:50	0	0	0	0	0	155	138	82	59	122
2025/9/20 22:00	0	0	0	0	0	70	62	109	399	112
2025/9/20 22:10	0	0	0	0	0	37	48	52	179	76
2025/9/20 22:20	0	0	0	0	0	33	45	48	259	73
2025/9/20 22:30	0	0	0	0	0	35	53	48	267	89
2025/9/20 22:40	0	0	0	0	0	43	53	60	233	108
2025/9/20 22:50	0	0	0	0	0	44	80	66	306	145
2025/9/20 23:00	0	0	0	0	0	39	47	57	297	110
2025/9/20 23:10	0	0	0	0	0	33	43	73	291	101
2025/9/20 23:20	0	0	0	0	0	30	37	45	225	68
2025/9/20 23:30	0	0	0	0	0	41	47	52	317	75
2025/9/20 23:40	0	0	0	0	0	85	66	50	257	95
2025/9/20 23:50	0	0	0	0	0	273	99	171	264	153
2025/9/21 0:00	0	0	0	0	0	47	66	94	184	135
2025/9/21 0:10	0	0	0	0	0	31	56	118	396	136
2025/9/21 0:20	0	0	0	0	0	25	40	57	228	83
2025/9/21 0:30	0	0	0	0	0	25	39	43	235	74
2025/9/21 0:40	0	0	0	0	0	29	39	47	294	69
2025/9/21 0:50	0	0	0	0	0	38	46	54	328	73
2025/9/21 1:00	0	0	0	0	0	35	54	50	214	76
2025/9/21 1:10	0	0	0	0	0	46	51	90	184	98
2025/9/21 1:20	0	0	0	0	0	118	52	196	253	156
2025/9/21 1:30	0	0	0	0	0	59	48	167	140	131
2025/9/21 1:40	0	0	0	0	0	134	71	176	180	158
2025/9/21 1:50	0	0	0	0	0	51	78	60	264	94
2025/9/21 2:00	0	0	0	0	0	37	48	69	295	115
2025/9/21 2:10	0	0	0	0	0	40	49	64	287	108
2025/9/21 2:20	0	0	0	0	0	42	51	56	313	87
2025/9/21 2:30	0	0	0	0	0	49	82	59	238	83
2025/9/21 2:40	0	0	0	0	0	48	167	64	155	85
2025/9/21 2:50	0	0	0	0	0	40	76	56	194	79

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/9/21 3:00	0	0	0	0	0	35	66	53	104	73
2025/9/21 3:10	0	0	0	0	0	33	51	50	166	70
2025/9/21 3:20	0	0	0	0	0	30	43	48	297	68
2025/9/21 3:30	0	0	0	0	0	25	39	42	234	69
2025/9/21 3:40	0	0	0	0	0	36	43	42	264	73
2025/9/21 3:50	0	0	0	0	0	190	116	42	159	104
2025/9/21 4:00	0	0	0	0	0	239	111	96	54	157
2025/9/21 4:10	0	0	0	0	0	140	130	50	203	83
2025/9/21 4:20	0	0	0	0	0	53	66	60	544	89
2025/9/21 4:30	0	0	0	0	0	33	46	51	229	81
2025/9/21 4:40	0	0	0	0	0	28	40	44	285	70
2025/9/21 4:50	0	0	0	0	0	29	44	44	221	75
2025/9/21 5:00	0	0	0	0	0	26	40	42	250	66
2025/9/21 5:10	0	0	0	0	0	28	43	43	228	66
2025/9/21 5:20	0	0	0	0	0	27	53	44	165	67
2025/9/21 5:30	0	0	0	0	0	26	77	45	195	67
2025/9/21 5:40	0	0	0	0	0	28	101	46	264	75
2025/9/21 5:50	0	0	0	0	0	41	50	46	340	106
2025/9/21 6:00	0	0	0	0	0	37	56	64	281	143
2025/9/21 6:10	0	0	0	0	0	36	58	54	267	94
2025/9/21 6:20	0	0	0	0	0	31	86	51	130	69
2025/9/21 6:30	0	0	0	0	0	32	88	49	249	76
2025/9/21 6:40	0	0	0	0	0	31	135	47	278	74
2025/9/21 6:50	0	0	0	0	0	31	66	48	355	71
2025/9/21 7:00	0	0	0	0	0	49	58	51	300	113
2025/9/21 7:10	0	0	0	0	0	68	54	54	267	264
2025/9/21 7:20	0	0	0	0	0	33	58	64	378	139
2025/9/21 7:30	0	0	0	0	0	33	49	48	293	72
2025/9/21 7:40	0	0	0	0	0	26	36	42	237	66
2025/9/21 7:50	0	0	0	0	0	16	33	35	195	84
2025/9/21 8:00	0	0	0	0	0	12	25	28	192	59
2025/9/21 8:10	0	0	0.1	0.1	0	11	34	25	204	61
2025/9/21 8:20	0	0	0.1	0.1	0	10	26	24	127	60
2025/9/21 8:30	0	0	0.1	0.1	0	7	22	22	122	60
2025/9/21 8:40	0	0	0.1	0.1	0	7	24	23	155	59
2025/9/21 8:50	0	0	0.1	0	0	1	37	19	133	72
2025/9/21 9:00	0	0	0.1	0	0	1	15	17	118	82
2025/9/21 9:10	0	0	0.1	0	0	1	14	15	136	64
2025/9/21 9:20	0	0	0.1	0	0	1	9	14	130	64
2025/9/21 9:30	0	0	0.1	0.1	0	1	26	12	107	66
2025/9/21 9:40	0	0	0.1	0.1	0	1	20	11	120	67
2025/9/21 9:50	0	0	0.1	0.1	0	1	18	11	125	64
2025/9/21 10:00	0	0	0.1	0.1	0	1	32	19	177	89
2025/9/21 10:10	0	0	0.1	0.1	0	1	11	27	168	157
2025/9/21 10:20	0	0	0.1	0.1	0	1	9	16	152	94
2025/9/21 10:30	0.1	0	0.1	0.1	0.1	1	13	12	128	76
2025/9/21 10:40	0.1	0	0.1	0.1	0.1	1	13	8	67	70
2025/9/21 10:50	0.1	0	0.1	0.1	0.1	1	1	11	87	78
2025/9/21 11:00	0.1	0	0.1	0.1	0.1	1	5	9	118	76
2025/9/21 11:10	0.1	0	0.1	0.1	0.1	1	5	8	74	84
2025/9/21 11:20	0.1	0	0	0.1	0.1	1	9	5	39	78
2025/9/21 11:30	0.1	0	0	0.1	0.1	1	2	5	57	80
2025/9/21 11:40	0.1	0	0	0.1	0.1	1	1	5	73	88
2025/9/21 11:50	0.1	0	0	0.1	0.1	1	1	5	91	99
2025/9/21 12:00	0.1	0	0	0.1	0.1	1	16	9	89	84
2025/9/21 12:10	0.1	0	0	0.1	0.1	1	17	9	106	85
2025/9/21 12:20	0.1	0	0	0.1	0.1	1	6	7	58	78
2025/9/21 12:30	0.1	0	0	0.1	0.1	1	1	2	57	72
2025/9/21 12:40	0.1	0	0	0.1	0.1	1	8	1	11	72
2025/9/21 12:50	0.1	0	0	0.1	0.1	1	1	5	80	75
2025/9/21 13:00	0.1	0	0.1	0.1	0.1	1	1	5	94	79
2025/9/21 13:10	0.1	0	0.1	0.1	0.1	1	16	10	40	77
2025/9/21 13:20	0.1	0	0.1	0.1	0.1	1	10	1	49	70
2025/9/21 13:30	0.1	0	0	0.1	0	1	28	1	39	66
2025/9/21 13:40	0.1	0	0	0.1	0	1	1	3	73	65
2025/9/21 13:50	0.1	0	0	0.1	0	1	1	2	65	64
2025/9/21 14:00	0.1	0	0	0.1	0	1	1	1	52	60
2025/9/21 14:10	0.1	0	0	0.1	0	1	1	1	65	59
2025/9/21 14:20	0.1	0	0	0.1	0	1	31	3	66	64
2025/9/21 14:30	0.1	0	0	0.1	0	1	2	2	74	64
2025/9/21 14:40	0.1	0	0	0.1	0	1	1	3	67	69
2025/9/21 14:50	0.1	0	0	0.1	0	1	1	2	71	62
2025/9/21 15:00	0.1	0	0	0.1	0	1	1	1	94	59

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/9/21 15:10	0.1	0	0	0	0	1	1	3	49	57
2025/9/21 15:20	0.1	0	0	0	0	1	14	5	39	55
2025/9/21 15:30	0.1	0	0	0	0	1	1	3	18	53
2025/9/21 15:40	0.1	0	0	0	0	1	1	4	88	49
2025/9/21 15:50	0.1	0	0	0	0	1	1	2	74	50
2025/9/21 16:00	0.1	0	0	0	0	1	1	4	190	73
2025/9/21 16:10	0	0	0	0	0	1	1	5	88	58
2025/9/21 16:20	0	0	0	0	0	5	1	45	60	136
2025/9/21 16:30	0	0	0	0	0	31	16	128	12	179
2025/9/21 16:40	0	0	0	0	0	23	14	113	12	167
2025/9/21 16:50	0	0	0	0	0	4	1	98	35	99
2025/9/21 17:00	0	0	0	0	0	13	8	75	2	136
2025/9/21 17:10	0	0	0	0	0	34	11	69	4	149
2025/9/21 17:20	0	0	0	0	0	26	13	83	10	132
2025/9/21 17:30	0	0	0	0	0	17	14	106	3	149
2025/9/21 17:40	0	0	0	0	0	25	7	120	29	132
2025/9/21 17:50	0	0	0	0	0	25	5	137	16	184
2025/9/21 18:00	0	0	0	0	0	5	6	102	17	102
2025/9/21 18:10	0	0	0	0	0	10	3	125	19	129
2025/9/21 18:20	0	0	0	0	0	10	3	104	9	129
2025/9/21 18:30	0	0	0	0	0	13	6	71	1	122
2025/9/21 18:40	0	0	0	0	0	7	6	105	1	159
2025/9/21 18:50	0	0	0	0	0	6	8	131	10	112
2025/9/21 19:00	0	0	0	0	0	4	7	160	11	115
2025/9/21 19:10	0	0	0	0	0	12	8	183	22	127
2025/9/21 19:20	0	0	0	0	0	31	11	146	32	174
2025/9/21 19:30	0	0	0	0	0	25	9	112	3	147
2025/9/21 19:40	0	0	0	0	0	27	5	106	1	166
2025/9/21 19:50	0	0	0	0	0	22	5	87	2	119
2025/9/21 20:00	0	0	0	0	0	38	8	68	1	184
2025/9/21 20:10	0	0	0	0	0	41	7	113	3	177
2025/9/21 20:20	0	0	0	0	0	90	18	47	1	146
2025/9/21 20:30	0	0	0	0	0	119	22	32	1	194
2025/9/21 20:40	0	0	0	0	0	154	26	91	72	244
2025/9/21 20:50	0	0	0	0	0	52	18	92	5	137
2025/9/21 21:00	0	0	0	0	0	27	18	97	14	127
2025/9/21 21:10	0	0	0	0	0	69	16	145	11	158
2025/9/21 21:20	0	0	0	0	0	40	15	161	17	204
2025/9/21 21:30	0	0	0	0	0	13	4	193	23	147
2025/9/21 21:40	0	0	0	0	0	30	1	132	98	192
2025/9/21 21:50	0	0	0	0	0	1	1	18	165	49
2025/9/21 22:00	0	0	0	0	0	1	7	20	144	40
2025/9/21 22:10	0	0	0	0	0	1	16	19	87	38
2025/9/21 22:20	0	0	0	0	0	1	61	23	50	36
2025/9/21 22:30	0	0	0	0	0	1	64	23	136	41
2025/9/21 22:40	0	0	0	0	0	4	36	24	212	40
2025/9/21 22:50	0	0	0	0	0	3	10	24	215	37
2025/9/21 23:00	0	0	0	0	0	7	11	26	330	42
2025/9/21 23:10	0	0	0	0	0	2	3	21	280	44
2025/9/21 23:20	0	0	0	0	0	1	2	20	274	37
2025/9/21 23:30	0	0	0	0	0	2	7	22	170	61
2025/9/21 23:40	0	0	0	0	0	1	1	15	168	34
2025/9/21 23:50	0	0	0	0	0	1	1	13	225	33
2025/9/22 0:00	0	0	0	0	0	1	1	18	191	48
2025/9/22 0:10	0	0	0	0	0	1	1	21	298	41
2025/9/22 0:20	0	0	0	0	0	1	1	19	343	35
2025/9/22 0:30	0	0	0	0	0	7	9	25	251	55
2025/9/22 0:40	0	0	0	0	0	12	4	123	87	168
2025/9/22 0:50	0	0	0	0	0	15	6	205	49	210
2025/9/22 1:00	0	0	0	0	0	25	26	159	18	198
2025/9/22 1:10	0	0	0	0	0	38	26	77	11	150
2025/9/22 1:20	0	0	0	0	0	22	14	175	18	159
2025/9/22 1:30	0	0	0	0	0	1	3	161	26	124
2025/9/22 1:40	0	0	0	0	0	13	1	181	47	237
2025/9/22 1:50	0	0	0	0	0	17	3	179	44	232
2025/9/22 2:00	0	0	0	0	0	9	14	200	47	228
2025/9/22 2:10	0	0	0	0	0	60	15	192	72	309
2025/9/22 2:20	0	0	0	0	0	41	7	227	257	339
2025/9/22 2:30	0	0	0	0	0	3	15	134	400	354
2025/9/22 2:40	0	0	0	0	0	22	180	62	397	261
2025/9/22 2:50	0	0	0	0	0	10	175	51	341	347
2025/9/22 3:00	0	0	0	0	0	12	14	114	287	371
2025/9/22 3:10	0	0	0	0	0	17	15	128	298	401

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/9/22 3:20	0	0	0	0	0	13	119	46	366	206
2025/9/22 3:30	0	0	0	0	0	7	17	22	318	174
2025/9/22 3:40	0	0	0	0	0	11	19	30	333	98
2025/9/22 3:50	0	0	0	0	0	22	17	42	270	151
2025/9/22 4:00	0	0	0	0	0	24	32	49	321	244
2025/9/22 4:10	0	0	0	0	0	25	14	80	324	375
2025/9/22 4:20	0	0	0	0	0	19	26	62	341	280
2025/9/22 4:30	0	0	0	0	0	15	19	32	355	59
2025/9/22 4:40	0	0	0	0	0	14	12	32	279	55
2025/9/22 4:50	0	0	0	0	0	11	12	31	227	41
2025/9/22 5:00	0	0	0	0	0	8	8	28	204	45
2025/9/22 5:10	0	0	0	0	0	15	11	31	285	58
2025/9/22 5:20	0	0	0	0	0	18	14	35	201	104
2025/9/22 5:30	0	0	0	0	0	20	16	37	315	75
2025/9/22 5:40	0	0	0	0	0	22	16	39	289	53
2025/9/22 5:50	0	0	0	0	0	23	18	40	262	52
2025/9/22 6:00	0	0	0	0	0	24	20	40	288	64
2025/9/22 6:10	0	0	0	0	0	27	21	42	292	44
2025/9/22 6:20	0	0	0	0	0	28	20	42	238	60
2025/9/22 6:30	0	0	0	0	0	19	18	36	270	56
2025/9/22 6:40	0	0	0	0	0	19	14	35	282	58
2025/9/22 6:50	0	0	0	0	0	20	18	36	276	95
2025/9/22 7:00	0	0	0	0	0	19	22	69	170	178
2025/9/22 7:10	0	0	0	0	0	11	10	33	209	77
2025/9/22 7:20	0	0	0	0	0	6	10	29	179	62
2025/9/22 7:30	0	0	0	0	0	9	7	22	218	44
2025/9/22 7:40	0	0	0	0	0	23	7	22	198	61
2025/9/22 7:50	0	0	0	0	0	8	6	19	163	41
2025/9/22 8:00	0	0	0	0.1	0	1	1	14	192	42
2025/9/22 8:10	0	0	0.1	0.1	0	2	1	14	120	104
2025/9/22 8:20	0	0	0.1	0.1	0	1	11	69	128	194
2025/9/22 8:30	0	0	0.1	0.1	0	2	16	44	128	123
2025/9/22 8:40	0	0	0.1	0.1	0	1	10	57	139	138
2025/9/22 8:50	0	0	0.1	0	0	1	2	8	217	53
2025/9/22 9:00	0	0	0	0	0	6	62	113	267	368
2025/9/22 9:10	0	0	0	0	0	1	58	116	383	307
2025/9/22 9:20	0	0	0	0	0	16	66	125	255	278
2025/9/22 9:30	0	0	0	0	0	6	41	72	197	112
2025/9/22 9:40	0	0	0	0	0	9	90	95	307	124
2025/9/22 9:50	0	0	0	0.1	0	64	111	145	173	159
2025/9/22 10:00	0	0	0	0.1	0	13	43	73	125	123
2025/9/22 10:10	0	0	0	0.1	0	1	16	37	145	127
2025/9/22 10:20	0	0	0	0.1	0	4	26	55	221	135
2025/9/22 10:30	0	0	0	0.1	0	1	1	3	146	55
2025/9/22 10:40	0	0	0	0.1	0	1	2	14	109	76
2025/9/22 10:50	0	0	0	0.1	0	1	29	82	139	132
2025/9/22 11:00	0	0	0	0.1	0	5	43	84	176	147
2025/9/22 11:10	0	0	0	0.1	0	1	29	63	145	118
2025/9/22 11:20	0.1	0	0	0.1	0	1	36	44	171	113
2025/9/22 11:30	0.1	0	0	0.1	0	10	27	88	148	155
2025/9/22 11:40	0.1	0	0	0	0	1	23	62	137	132
2025/9/22 11:50	0.1	0	0	0	0	14	23	86	59	148
2025/9/22 12:00	0.1	0	0	0	0.1	1	4	46	73	114
2025/9/22 12:10	0.1	0	0	0	0.1	1	1	43	73	145
2025/9/22 12:20	0.1	0	0	0	0.1	1	1	39	56	119
2025/9/22 12:30	0.1	0	0	0	0.1	1	5	75	48	187
2025/9/22 12:40	0.1	0	0	0	0.1	26	34	71	32	160
2025/9/22 12:50	0.1	0	0	0	0	56	11	83	26	171
2025/9/22 13:00	0.1	0	0	0	0	2	10	87	81	120
2025/9/22 13:10	0.1	0	0	0	0	35	74	61	76	149
2025/9/22 13:20	0.1	0	0	0	0	39	78	93	81	167
2025/9/22 13:30	0.1	0	0	0	0	71	98	79	28	168
2025/9/22 13:40	0.1	0	0	0	0	45	83	124	99	146
2025/9/22 13:50	0.1	0	0	0	0	44	69	102	73	151
2025/9/22 14:00	0.1	0	0	0	0	124	156	103	41	200
2025/9/22 14:10	0.1	0	0	0	0	118	183	111	77	205
2025/9/22 14:20	0.1	0	0	0	0	162	263	78	36	217
2025/9/22 14:30	0.1	0	0	0	0	63	97	104	99	156
2025/9/22 14:40	0.1	0	0	0	0	83	102	91	63	180
2025/9/22 14:50	0.1	0	0	0	0	95	115	111	89	181
2025/9/22 15:00	0.1	0	0	0	0	90	155	129	87	179
2025/9/22 15:10	0.1	0	0	0	0	92	138	170	154	193
2025/9/22 15:20	0.1	0	0	0	0	140	175	136	123	263

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/9/22 15:30	0.1	0	0	0	0	172	188	83	35	209
2025/9/22 15:40	0	0	0	0	0	198	273	114	63	263
2025/9/22 15:50	0	0	0	0	0	183	193	77	52	256
2025/9/22 16:00	0	0	0	0	0	142	189	97	44	244
2025/9/22 16:10	0	0	0	0	0	97	121	98	63	204
2025/9/22 16:20	0	0	0	0	0	106	116	98	39	211
2025/9/22 16:30	0	0	0	0	0	106	128	136	76	214
2025/9/22 16:40	0	0	0	0	0	80	92	139	72	179
2025/9/22 16:50	0	0	0	0	0	75	79	99	26	191
2025/9/22 17:00	0	0	0	0	0	58	66	153	110	174
2025/9/22 17:10	0	0	0	0	0	63	57	143	108	183
2025/9/22 17:20	0	0	0	0	0	88	79	127	35	194
2025/9/22 17:30	0	0	0	0	0	73	65	135	35	165
2025/9/22 17:40	0	0	0	0	0	69	49	133	41	173
2025/9/22 17:50	0	0	0	0	0	49	47	183	51	174
2025/9/22 18:00	0	0	0	0	0	96	47	301	93	270
2025/9/22 18:10	0	0	0	0	0	174	53	248	52	463
2025/9/22 18:20	0	0	0	0	0	167	83	256	71	451
2025/9/22 18:30	0	0	0	0	0	164	54	253	99	458
2025/9/22 18:40	0	0	0	0	0	137	46	385	115	449
2025/9/22 18:50	0	0	0	0	0	121	36	254	81	434
2025/9/22 19:00	0	0	0	0	0	165	43	268	47	436
2025/9/22 19:10	0	0	0	0	0	248	360	237	38	503
2025/9/22 19:20	0	0	0	0	0	167	846	391	44	477
2025/9/22 19:30	0	0	0	0	0	79	853	411	74	511
2025/9/22 19:40	0	0	0	0	0	194	846	365	156	584
2025/9/22 19:50	0	0	0	0	0	115	249	405	82	553
2025/9/22 20:00	0	0	0	0	0	169	107	297	36	593
2025/9/22 20:10	0	0	0	0	0	98	74	330	51	579
2025/9/22 20:20	0	0	0	0	0	195	50	307	52	618
2025/9/22 20:30	0	0	0	0	0	135	50	357	84	500
2025/9/22 20:40	0	0	0	0	0	111	11	342	35	451
2025/9/22 20:50	0	0	0	0	0	100	37	342	44	576
2025/9/22 21:00	0	0	0	0	0	65	37	402	116	438
2025/9/22 21:10	0	0	0	0	0	81	48	365	283	406
2025/9/22 21:20	0	0	0	0	0	168	13	395	568	473
2025/9/22 21:30	0	0	0	0.1	0	38	68	82	961	691
2025/9/22 21:40	0	0	0	1.7	0.2	1	31	29	880	341
2025/9/22 21:50	0	0	0	0.7	0	1	40	87	913	504
2025/9/22 22:00	0	0	0	1.2	0.8	1	104	20	1053	353
2025/9/22 22:10	0	0	0	2.3	0	1	24	20	861	248
2025/9/22 22:20	0	0	0	0	0.1	1	18	22	680	155
2025/9/22 22:30	0	0	0	0	0	3	1	60	703	479
2025/9/22 22:40	0	0	0	0	0	4	59	24	812	170
2025/9/22 22:50	0	0	0	0	0	6	5	52	659	312
2025/9/22 23:00	0	0	0	0	0	6	8	27	608	176
2025/9/22 23:10	0	0	0	0	0	6	3	37	686	590
2025/9/22 23:20	0	0	0	0	0	16	5	118	680	490
2025/9/22 23:30	0	0	0	0	0	30	17	163	709	552
2025/9/22 23:40	0	0	0	0	0	126	12	291	677	607
2025/9/22 23:50	0	0	0	0	0.1	14	151	74	808	250
2025/9/23 0:00	0	0	0	0	0	40	113	29	794	299
2025/9/23 0:10	0	0	0	0	0	31	63	31	788	345
2025/9/23 0:20	0	0	0	0	0	31	27	34	791	451
2025/9/23 0:30	0	0	0	0	0	16	21	29	695	396
2025/9/23 0:40	0	0	0	0	0	24	30	99	677	478
2025/9/23 0:50	0	0	0	0	0	35	34	43	778	435
2025/9/23 1:00	0	0	0	0	0	42	92	76	748	507
2025/9/23 1:10	0	0	0	0	0	43	26	208	859	639
2025/9/23 1:20	0	0	0	0	0	27	66	124	814	611
2025/9/23 1:30	0	0	0	0	0	26	22	124	812	469
2025/9/23 1:40	0	0	0	0	0	19	2	73	733	167
2025/9/23 1:50	0	0	0	0	0	10	3	47	482	227
2025/9/23 2:00	0	0	0	0	0	5	1	29	511	220
2025/9/23 2:10	0	0	0	0	0	4	1	23	595	108
2025/9/23 2:20	0	0	0	0	0	6	5	29	583	131
2025/9/23 2:30	0	0	0	0	0	9	13	26	526	58
2025/9/23 2:40	0	0	0	0	0	13	15	31	537	72
2025/9/23 2:50	0	0	0	0	0	17	10	33	555	59
2025/9/23 3:00	0	0	0	0	0	18	14	35	553	73
2025/9/23 3:10	0	0	0	0	0	24	24	44	575	210
2025/9/23 3:20	0	0	0	0	0	22	38	82	610	297
2025/9/23 3:30	0	0	0	0	0	24	28	41	594	143

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/9/25 4:20	0	0	0	0	0	98	248	331	825	487
2025/9/25 4:30	0	0	0	0	0	304	267	313	804	545
2025/9/25 4:40	0	0	0	0	0	432	532	462	850	597
2025/9/25 4:50	0	0	0	0	0	232	470	393	813	592
2025/9/25 5:00	0	0	0	0	0	529	418	460	796	675
2025/9/25 5:10	0	0	0	0	0	377	131	473	829	602
2025/9/25 5:20	0	0	0	0	0	471	324	519	822	646
2025/9/25 5:30	0	0	0	0	0	676	604	483	908	752
2025/9/25 5:40	0	0	0	0	0	725	549	450	1043	772
2025/9/25 5:50	0	0	0	1.5	0	648	589	511	982	798
2025/9/25 6:00	0	0	0	0.9	0	845	823	222	893	859
2025/9/25 6:10	0	0	0	0	0.2	847	849	301	945	899
2025/9/25 6:20	0	0	0	0.5	0.7	705	360	505	765	879
2025/9/25 6:30	0	0	0	0.2	0.5	92	336	341	1217	811
2025/9/25 6:40	0	0	0	4.1	0.1	67	310	41	1080	124
2025/9/25 6:50	0	0	0	2.9	0	792	725	187	667	786
2025/9/25 7:00	0	0.7	0	1	1.7	995	878	106	1177	694
2025/9/25 7:10	0	1.8	0	4.2	1.3	159	225	255	1151	1129
2025/9/25 7:20	0	0	0	3.8	4.1	30	148	66	837	449
2025/9/25 7:30	0	0	0.1	1.4	0.1	253	203	187	486	712
2025/9/25 7:40	0	0	0.1	0.4	0.6	147	133	305	707	693
2025/9/25 7:50	0	0	0.1	1.3	1.4	21	201	23	991	207
2025/9/25 8:00	0	0	0.1	2.8	0	55	566	29	503	86
2025/9/25 8:10	0	0	0.1	1	0	30	316	30	234	88
2025/9/25 8:20	0	0	0.1	0.3	0	42	84	30	256	142
2025/9/25 8:30	0	0	0.1	0.1	0	43	68	46	228	145
2025/9/25 8:40	0	0	0.1	0.1	0	120	95	63	111	298
2025/9/25 8:50	0	0	0.1	0.1	0	38	58	39	167	126
2025/9/25 9:00	0	0	0.1	0	0	41	92	37	157	87
2025/9/25 9:10	0	0	0.1	0	0	43	125	36	114	88
2025/9/25 9:20	0	0	0.1	0	0	71	130	40	65	122
2025/9/25 9:30	0	0	0.1	0	0	61	132	33	53	93
2025/9/25 9:40	0	0	0.1	0.1	0	59	97	34	100	153
2025/9/25 9:50	0	0	0.1	0.1	0	27	132	33	96	94
2025/9/25 10:00	0	0	0.1	0.1	0	64	87	32	39	118
2025/9/25 10:10	0	0	0.1	0.1	0.1	44	86	32	69	116
2025/9/25 10:20	0	0	0.1	0.1	0.1	57	129	34	45	124
2025/9/25 10:30	0	0	0.1	0.1	0.1	48	116	45	38	143
2025/9/25 10:40	0	0	0.1	0.1	0.1	64	54	36	38	166
2025/9/25 10:50	0	0	0.1	0.1	0.1	54	121	34	37	153
2025/9/25 11:00	0	—	0.1	0.1	0.1	71	97	33	35	161
2025/9/25 11:10	0.1	—	0	0.1	0.1	43	49	31	32	141
2025/9/25 11:20	0.1	0	0	0.1	0.1	49	58	31	30	179
2025/9/25 11:30	0.1	0	0	0.1	0.1	53	40	24	31	107
2025/9/25 11:40	0.1	0	0	0.1	0.1	54	84	29	30	145
2025/9/25 11:50	0.1	0	0	0.1	0.1	61	83	40	35	186
2025/9/25 12:00	0.1	0	0	0.1	0.1	63	55	28	33	163
2025/9/25 12:10	0.1	0	0	0.1	0.1	44	85	30	30	118
2025/9/25 12:20	0.1	0	0	0.1	0.1	50	59	30	26	150
2025/9/25 12:30	0.1	0	0	0.1	0.1	54	58	33	56	161
2025/9/25 12:40	0.1	0	0	0.1	0.1	56	62	28	37	124
2025/9/25 12:50	0.1	0	0	0.1	0.1	59	52	35	40	162
2025/9/25 13:00	0.1	0	0	0.1	0.1	83	45	33	88	165
2025/9/25 13:10	0.1	0	0	0.1	0.1	81	64	32	59	142
2025/9/25 13:20	0.1	0	0	0	0.1	38	39	22	22	127
2025/9/25 13:30	0.2	0	0	0	0.1	38	29	23	20	113
2025/9/25 13:40	0.2	0	0	0	0.1	61	42	22	25	129
2025/9/25 13:50	0.1	0	0	0	0.1	55	47	22	22	101
2025/9/25 14:00	0.1	0	0	0	0	65	83	31	32	139
2025/9/25 14:10	0.1	0	0	0	0	57	44	22	21	110
2025/9/25 14:20	0.1	0	0	0	0	53	62	21	19	116
2025/9/25 14:30	0.1	0	0	0	0	73	50	22	36	122
2025/9/25 14:40	0.1	0	0	0	0	57	56	19	25	104
2025/9/25 14:50	0.1	0	0	0	0	55	54	21	23	104
2025/9/25 15:00	0.1	0	0	0	0	67	43	25	21	135
2025/9/25 15:10	0.1	0	0	0	0	67	43	24	17	124
2025/9/25 15:20	0.1	0	0	0	0	76	47	25	24	141
2025/9/25 15:30	0.1	0	0	0	0	75	50	26	25	133
2025/9/25 15:40	0.1	0	0	0	0	43	61	20	21	103
2025/9/25 15:50	0.1	0	0	0	0	69	43	22	21	99
2025/9/25 16:00	0	0	0	0	0	63	41	21	21	110
2025/9/25 16:10	0	0	0	0	0	80	33	22	21	104
2025/9/25 16:20	0	0	0	0	0	61	55	21	14	122

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/9/26 4:40	0	0	0	0	0	199	193	394	624	491
2025/9/26 4:50	0	0	0	0	0	159	182	267	497	400
2025/9/26 5:00	0	0	0	0	0	294	166	382	423	484
2025/9/26 5:10	0	0	0	0	0	104	140	377	368	463
2025/9/26 5:20	0	0	0	0	0	81	236	202	446	400
2025/9/26 5:30	0	0	0	0	0	149	114	255	272	385
2025/9/26 5:40	0	0	0	0	0	90	122	238	367	385
2025/9/26 5:50	0	0	0	0	0	99	127	215	352	318
2025/9/26 6:00	0	0	0	0	0	232	126	249	285	415
2025/9/26 6:10	0	0	0	0	0	192	118	358	292	535
2025/9/26 6:20	0	0	0	0	0	219	100	483	193	717
2025/9/26 6:30	0	0	0	0	0	243	94	527	861	767
2025/9/26 6:40	0	0	0	0.4	0	643	449	513	1194	840
2025/9/26 6:50	0	0	0	4.1	0.2	517	335	570	1326	996
2025/9/26 7:00	0	0.3	0	5.9	2.3	764	937	333	1444	1134
2025/9/26 7:10	0	2.7	0	7.5	4.6	100	454	159	1388	1159
2025/9/26 7:20	0	0.2	0	6.9	4.8	60	383	73	1294	458
2025/9/26 7:30	0	0	0	5.4	0.3	58	125	89	895	696
2025/9/26 7:40	0	0	0	1.6	0.7	50	101	63	474	134
2025/9/26 7:50	0	0	0	0.1	0	52	89	133	301	456
2025/9/26 8:00	0	0	0.1	0.1	0	48	78	138	261	262
2025/9/26 8:10	0	0	0.1	0.1	0	48	76	81	88	313
2025/9/26 8:20	0	0	0.1	0.1	0	42	70	56	207	148
2025/9/26 8:30	0	0	0.1	0.1	0	39	66	53	199	156
2025/9/26 8:40	0	0	0.1	0.1	0	36	62	52	105	159
2025/9/26 8:50	0	0	0.1	0	0	40	69	60	114	174
2025/9/26 9:00	0	0	0.1	0	0	38	71	77	162	201
2025/9/26 9:10	0	0	0.1	0	0	30	60	45	159	127
2025/9/26 9:20	0	0	0.1	0	0	29	64	45	92	107
2025/9/26 9:30	0	0	0.1	0.1	0	38	72	66	173	159
2025/9/26 9:40	0	0	0.1	0.1	0.1	29	67	55	92	140
2025/9/26 9:50	0	0	0.1	0.1	0.1	24	56	47	105	122
2025/9/26 10:00	0	0	0.1	0.1	0.1	26	71	53	94	172
2025/9/26 10:10	0	0	0.1	0.1	0.1	47	55	57	112	175
2025/9/26 10:20	0	0	0.1	0.1	0.1	26	62	61	104	182
2025/9/26 10:30	0	0	0.1	0.1	0.1	19	62	63	154	156
2025/9/26 10:40	0	0	0.1	0.1	0.1	6	58	41	96	126
2025/9/26 10:50	0	0	0.1	0.1	0.1	5	50	42	77	134
2025/9/26 11:00	0.1	0	0.1	0.1	0.1	15	72	52	127	149
2025/9/26 11:10	0.1	0	0.1	0.1	0.1	42	171	95	120	188
2025/9/26 11:20	0.1	0	0	0.1	0.1	85	152	69	139	197
2025/9/26 11:30	0.1	0	0	0.1	0.1	60	108	67	91	193
2025/9/26 11:40	0.1	0	0	0.1	0.1	135	221	70	49	228
2025/9/26 11:50	0.1	0	0	0.1	0.1	70	82	65	63	188
2025/9/26 12:00	0.1	0	0	0.1	0.1	27	52	60	70	163
2025/9/26 12:10	0.1	0	0	0.1	0.1	37	52	59	84	187
2025/9/26 12:20	0.1	0	0	0.1	0.1	22	55	58	72	166
2025/9/26 12:30	0.2	0	0	0.1	0.1	17	51	61	72	158
2025/9/26 12:40	0.2	0	0	0.1	0.1	28	58	70	32	175
2025/9/26 12:50	0.2	0	0	0.1	0.1	66	66	54	27	195
2025/9/26 13:00	0.2	0	0	0.1	0.1	103	152	54	31	176
2025/9/26 13:10	0.2	0	0	0.1	0.1	89	193	40	31	165
2025/9/26 13:20	0.2	0	0	0.1	0.1	98	191	111	89	219
2025/9/26 13:30	0.2	0	0	0.1	0.1	101	181	75	73	202
2025/9/26 13:40	0.2	0	0	0.1	0.1	75	210	65	83	190
2025/9/26 13:50	0.2	0	0	0.1	0.1	98	196	106	113	229
2025/9/26 14:00	0.2	0	0	0.1	0.1	131	190	62	53	226
2025/9/26 14:10	0.2	0	0	0.1	0.1	116	257	75	47	213
2025/9/26 14:20	0.2	0	0	0.1	0.1	82	134	87	85	208
2025/9/26 14:30	0.2	0	0	0.1	0.1	80	95	58	31	198
2025/9/26 14:40	0.1	0	0	0.1	0.1	62	82	30	24	160
2025/9/26 14:50	0.1	0	0	0.1	0.1	110	179	116	146	261
2025/9/26 15:00	0.1	0	0	0.1	0	119	188	90	101	236
2025/9/26 15:10	0.1	0	0	0.1	0	87	130	101	88	210
2025/9/26 15:20	0.1	0	0	0.1	0	95	151	117	120	253
2025/9/26 15:30	0.1	0	0	0.1	0	56	105	94	105	204
2025/9/26 15:40	0.1	0.1	0	0	0	93	174	131	118	230
2025/9/26 15:50	0.1	0.1	0	0	0	76	120	97	65	260
2025/9/26 16:00	0.1	0.1	0	0	0	137	130	49	40	235
2025/9/26 16:10	0.1	0	0	0	0	180	147	38	39	205
2025/9/26 16:20	0.1	0	0	0	0	148	146	64	34	317
2025/9/26 16:30	0.1	0	0	0	0	171	180	50	32	235
2025/9/26 16:40	0	0	0	0	0	139	168	51	27	244

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/9/26 16:50	0	0	0	0	0	165	142	55	42	232
2025/9/26 17:00	0	0	0	0	0	141	119	58	60	261
2025/9/26 17:10	0	0	0	0	0	173	130	41	59	220
2025/9/26 17:20	0	0	0	0	0	194	120	50	44	232
2025/9/26 17:30	0	0	0	0	0	140	97	57	57	246
2025/9/26 17:40	0	0	0	0	0	128	96	51	51	278
2025/9/26 17:50	0	0	0	0	0	204	101	41	45	248
2025/9/26 18:00	0	0	0	0	0	324	125	94	36	478
2025/9/26 18:10	0	0	0	0	0	533	233	108	32	582
2025/9/26 18:20	0	0	0	0	0	391	102	176	33	720
2025/9/26 18:30	0	0	0	0	0	289	81	108	19	666
2025/9/26 18:40	0	0	0	0	0	345	160	116	16	627
2025/9/26 18:50	0	0	0	0	0	461	245	124	18	598
2025/9/26 19:00	0	0	0	0	0	477	191	92	19	567
2025/9/26 19:10	0	0	0	0	0	525	140	180	31	686
2025/9/26 19:20	0	0	0	0	0	385	121	132	23	580
2025/9/26 19:30	0	0	0	0	0	432	156	170	20	614
2025/9/26 19:40	0	0	0	0	0	381	96	288	25	796
2025/9/26 19:50	0	0	0	0	0.7	268	54	227	20	924
2025/9/26 20:00	0	0	0	0	0.9	113	54	455	28	861
2025/9/26 20:10	0	0	0	0	0.8	142	57	528	37	878
2025/9/26 20:20	0	0	0	0	1.2	93	47	535	133	738
2025/9/26 20:30	0	0	0	0	0.2	86	49	468	40	703
2025/9/26 20:40	0	0	0	0	0.2	108	56	349	35	612
2025/9/26 20:50	0	0	0	0	0	290	55	193	27	724
2025/9/26 21:00	0	0	0	0	0	240	57	350	56	650
2025/9/26 21:10	0	0	0	0	0	128	61	467	85	632
2025/9/26 21:20	0	0	0	0	0.1	224	64	533	110	655
2025/9/26 21:30	0	0	0	0	0.1	214	82	594	60	829
2025/9/26 21:40	0	0	0	0	0.9	155	76	517	87	750
2025/9/26 21:50	0	0	0	0	0	185	71	589	50	775
2025/9/26 22:00	0	0	0.1	0	0.8	125	82	430	45	661
2025/9/26 22:10	0	0	0	0	0.2	155	93	258	73	698
2025/9/26 22:20	0	0	0	0	0	129	87	422	61	588
2025/9/26 22:30	0	0	0	0	0	96	88	370	58	514
2025/9/26 22:40	0	0	0	0	0	63	86	287	50	411
2025/9/26 22:50	0	0	0	0	0	72	79	421	62	432
2025/9/26 23:00	0	0	0	0	0	135	77	365	195	436
2025/9/26 23:10	0	0	0	0	0	21	73	437	140	426
2025/9/26 23:20	0	0	0	0	0	34	73	417	98	389
2025/9/26 23:30	0	0	0	0	0	92	68	479	83	623
2025/9/26 23:40	0	0	0	0	0.1	97	74	406	92	534
2025/9/26 23:50	0	0	0	0	0	297	95	286	204	487
2025/9/27 0:00	0	0	0	0	0	52	67	444	475	264
2025/9/27 0:10	0	0	0	0	0	54	70	492	311	444
2025/9/27 0:20	0	0	0	0	0	23	68	361	300	409
2025/9/27 0:30	0	0	0	0	0	29	65	340	275	396
2025/9/27 0:40	0	0	0	0	0	72	64	369	371	437
2025/9/27 0:50	0	0	0	0	0	27	62	328	489	429
2025/9/27 1:00	0	0	0	0	0	70	66	324	155	383
2025/9/27 1:10	0	0	0	0	0	24	67	239	365	326
2025/9/27 1:20	0	0	0	0	0	25	57	221	380	369
2025/9/27 1:30	0	0	0	0	0	10	56	232	536	287
2025/9/27 1:40	0	0	0	0	0	11	57	229	407	246
2025/9/27 1:50	0	0	0	0	0	5	57	174	371	245
2025/9/27 2:00	0	0	0	0	0	9	61	107	341	307
2025/9/27 2:10	0	0	0	0	0	16	54	197	459	399
2025/9/27 2:20	0	0	0	0	0	10	53	171	430	282
2025/9/27 2:30	0	0	0	0	0	13	56	209	420	309
2025/9/27 2:40	0	0	0	0	0	7	55	107	568	315
2025/9/27 2:50	0	0	0	0	0	15	53	314	558	443
2025/9/27 3:00	0	0	0	0	0	7	66	66	709	155
2025/9/27 3:10	0	0	0	0	0	6	49	67	583	193
2025/9/27 3:20	0	0	0	0	0	5	48	64	584	209
2025/9/27 3:30	0	0	0	0	0	8	47	67	559	266
2025/9/27 3:40	0	0	0	0	0	7	46	70	579	137
2025/9/27 3:50	0	0	0	0	0	6	45	75	517	235
2025/9/27 4:00	0	0	0	0	0	5	40	81	534	209
2025/9/27 4:10	0	0	0	0	0	5	59	73	685	293
2025/9/27 4:20	0	0	0	0	0	7	49	66	581	144
2025/9/27 4:30	0	0	0	0	0	6	37	58	589	255
2025/9/27 4:40	0	0	0	0	0	18	35	146	470	423
2025/9/27 4:50	0	0	0	0	0	1	47	65	505	224

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/9/29 5:40	0	0	0	0	0	18	159	28	44	58
2025/9/29 5:50	0	0	0	0	0	83	140	29	19	64
2025/9/29 6:00	0	0	0	0	0	64	177	30	19	58
2025/9/29 6:10	0	0	0	0	0	34	181	30	19	59
2025/9/29 6:20	0	0	0	0	0	27	202	28	21	58
2025/9/29 6:30	0	0	0	0	0	22	265	28	31	63
2025/9/29 6:40	0	0	0	0	0	1	397	28	204	59
2025/9/29 6:50	0	0	0	0	0	1	320	29	61	57
2025/9/29 7:00	0	0	0	0	0	1	410	27	37	58
2025/9/29 7:10	0	0	0	0	0	1	331	28	202	58
2025/9/29 7:20	0	0	0	0	0	1	440	32	108	60
2025/9/29 7:30	0	0	0	0	0	1	444	31	239	62
2025/9/29 7:40	0	0	0	0	0	17	71	44	140	67
2025/9/29 7:50	0	0	0	0	0	16	49	41	199	67
2025/9/29 8:00	0	0	0	0	0	13	85	38	64	67
2025/9/29 8:10	0	0	0	0	0	14	52	39	97	66
2025/9/29 8:20	0	0	0	0	0	13	150	37	88	64
2025/9/29 8:30	0	0	0	0	0	7	39	34	201	72
2025/9/29 8:40	0	0	0	0	0	8	95	36	107	68
2025/9/29 8:50	0	0	0	0	0	9	79	36	162	70
2025/9/29 9:00	0	0	0	0	0	11	34	36	152	70
2025/9/29 9:10	0	0	0	0	0	12	26	34	196	69
2025/9/29 9:20	0	0	0	0	0	11	39	35	77	72
2025/9/29 9:30	0	0	0	0	0	9	117	36	71	71
2025/9/29 9:40	0	0	0	0.1	0	6	43	33	135	87
2025/9/29 9:50	0	0	0	0.1	0	5	81	32	137	85
2025/9/29 10:00	0	0	0	0.1	0	2	61	27	74	70
2025/9/29 10:10	0	0	0	0.1	0	1	102	25	90	71
2025/9/29 10:20	0	0	0.1	0.1	0	1	101	25	84	74
2025/9/29 10:30	0	0	0.1	0.1	0	12	47	23	139	75
2025/9/29 10:40	0.1	0	0.1	0.1	0	5	173	25	51	77
2025/9/29 10:50	0.1	0	0.1	0.1	0	4	198	25	72	78
2025/9/29 11:00	0.1	0	0.1	0.1	0	25	148	27	43	79
2025/9/29 11:10	0.1	0	0.1	0.1	0	12	179	26	53	81
2025/9/29 11:20	0.1	0	0.1	0.1	0	19	186	24	54	83
2025/9/29 11:30	0.1	0	0.1	0.1	0	55	159	26	33	99
2025/9/29 11:40	0.1	0	0.1	0.1	0.1	78	172	29	59	101
2025/9/29 11:50	0.1	0	0.1	0.1	0.1	21	157	25	123	89
2025/9/29 12:00	0.1	0	0.1	0.1	0	60	121	37	24	112
2025/9/29 12:10	0.1	0.1	0.1	0.1	0.1	42	137	47	97	107
2025/9/29 12:20	0.1	0.1	0.1	0.1	0	9	132	32	43	92
2025/9/29 12:30	0.1	0.1	0.1	0.1	0	39	121	37	66	142
2025/9/29 12:40	0.1	0.1	0.1	0.1	0.1	43	101	31	41	108
2025/9/29 12:50	0.1	0.1	0.1	0.1	0	11	163	35	78	90
2025/9/29 13:00	0.1	0.1	0.1	0.1	0	10	117	53	129	165
2025/9/29 13:10	0.1	0.1	0.1	0.1	0	64	139	41	35	111
2025/9/29 13:20	0.1	0.1	0	0.1	0	95	107	63	21	179
2025/9/29 13:30	0.1	0.1	0	0.1	0	101	180	41	187	121
2025/9/29 13:40	0.1	0	0	0.1	0	79	164	71	82	142
2025/9/29 13:50	0.1	0	0	0.1	0	43	173	189	156	157
2025/9/29 14:00	0.1	0	0	0.1	0	77	155	81	228	170
2025/9/29 14:10	0.1	0	0	0.1	0	144	178	60	69	195
2025/9/29 14:20	0.1	0.1	0	0.1	0	164	245	76	34	246
2025/9/29 14:30	0.1	0.1	0	0.1	0	116	222	61	34	233
2025/9/29 14:40	0.1	0.1	0	0.1	0	187	189	56	36	245
2025/9/29 14:50	0.1	0.1	0	0.1	0	102	141	94	38	357
2025/9/29 15:00	0.1	0.1	0	0.1	0	164	103	98	35	311
2025/9/29 15:10	0.1	0.1	0	0.1	0	189	156	41	37	204
2025/9/29 15:20	0.1	0.1	0	0.1	0	190	136	46	47	251
2025/9/29 15:30	0.1	0	0	0.1	0	320	181	86	226	409
2025/9/29 15:40	0.1	0.1	0	0	0	179	196	72	35	284
2025/9/29 15:50	0.1	0	0	0.1	0	151	99	37	32	162
2025/9/29 16:00	0.1	0	0	0.1	0	145	133	68	41	283
2025/9/29 16:10	0.1	0.1	0	0	0	153	130	61	62	248
2025/9/29 16:20	0.1	0	0	0	0	165	155	74	78	247
2025/9/29 16:30	0.1	0	0	0	0	172	168	61	56	178
2025/9/29 16:40	0.1	0	0	0	0	164	169	82	73	266
2025/9/29 16:50	0.1	0	0	0	0	187	200	127	59	276
2025/9/29 17:00	0	0	0	0	0	277	243	80	51	256
2025/9/29 17:10	0	0	0	0	0	293	279	156	92	431
2025/9/29 17:20	0	0	0	0	0	267	229	161	52	498
2025/9/29 17:30	0	0	0	0	0	179	202	179	58	489
2025/9/29 17:40	0	0	0	0	0	268	450	61	475	267

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/9/29 17:50	0	0	0	0	0	237	571	52	464	237
2025/9/29 18:00	0	0	0	0	0	244	146	710	128	955
2025/9/29 18:10	0	0	1.1	0	2.1	169	95	875	471	854
2025/9/29 18:20	0	0	3.3	0.9	3.4	322	269	771	1172	1271
2025/9/29 18:30	0	0.2	1.8	3.8	6.4	285	194	776	1195	1283
2025/9/29 18:40	0	0	2.2	4	6.9	36	62	463	563	600
2025/9/29 18:50	0	0	0	0.3	0.4	25	47	309	392	463
2025/9/29 19:00	0	0	0	0.1	0.1	16	46	230	457	332
2025/9/29 19:10	0	0	0	0	0	28	40	358	129	448
2025/9/29 19:20	0	0	0	0	0	56	34	396	89	516
2025/9/29 19:30	0	0	0	0	0	147	65	452	69	738
2025/9/29 19:40	0	0	0	0	0.4	59	57	464	161	564
2025/9/29 19:50	0	0	0	0	0	5	24	392	533	431
2025/9/29 20:00	0	0	0	0.2	0	108	54	547	408	698
2025/9/29 20:10	0	0	0	0.3	0.6	218	67	626	139	825
2025/9/29 20:20	0	0	0	0	1	120	60	691	77	889
2025/9/29 20:30	0	0	0.2	0	1.6	617	460	461	136	845
2025/9/29 20:40	0	0	0.2	0	1.4	693	689	235	43	766
2025/9/29 20:50	0	0	0	0	0.5	274	129	349	30	639
2025/9/29 21:00	0	0	0	0	0	133	62	571	50	702
2025/9/29 21:10	0	0	0	0	0.2	88	54	592	28	818
2025/9/29 21:20	0	0	0.1	0	0.6	160	45	591	205	837
2025/9/29 21:30	0	0	0.1	0	1.5	205	59	591	40	1039
2025/9/29 21:40	0	0	0.1	0	3	502	56	483	21	1116
2025/9/29 21:50	0	0	0	0	4.2	275	46	455	44	799
2025/9/29 22:00	0	0	0	0	0.3	136	41	503	27	713
2025/9/29 22:10	0	0	0	0	0.2	176	43	517	112	808
2025/9/29 22:20	0	0	0	0	0.9	119	39	671	95	811
2025/9/29 22:30	0	0	0.5	0	1.1	146	90	601	164	780
2025/9/29 22:40	0	0	0.1	0	0.9	209	88	570	278	771
2025/9/29 22:50	0	0	0	0	1.2	382	174	603	70	1017
2025/9/29 23:00	0	0	0.4	0	2.9	356	77	444	41	809
2025/9/29 23:10	0	0	0	0	0.9	198	55	406	33	785
2025/9/29 23:20	0	0	0	0	0.5	176	60	516	43	780
2025/9/29 23:30	0	0	0	0	0.4	222	51	542	143	718
2025/9/29 23:40	0	0	0	0	0.3	85	43	446	80	598
2025/9/29 23:50	0	0	0	0	0	183	54	352	60	619
2025/9/30 0:00	0	0	0	0	0	144	49	310	50	583
2025/9/30 0:10	0	0	0	0	0	126	44	487	78	570
2025/9/30 0:20	0	0	0	0	0.1	63	32	425	54	499
2025/9/30 0:30	0	0	0	0	0.3	97	35	420	41	514
2025/9/30 0:40	0	0	0	0	0	120	31	371	46	521
2025/9/30 0:50	0	0	0	0	0	139	44	371	26	647
2025/9/30 1:00	0	0	0	0	0	96	41	377	22	553
2025/9/30 1:10	0	0	0	0	0	120	35	367	29	510
2025/9/30 1:20	0	0	0	0	0	184	54	306	29	532
2025/9/30 1:30	0	0	0	0	0	104	36	303	19	562
2025/9/30 1:40	0	0	0	0	0	192	37	394	36	625
2025/9/30 1:50	0	0	0	0	0.1	112	40	307	21	638
2025/9/30 2:00	0	0	0	0	0	319	41	267	57	658
2025/9/30 2:10	0	0	0	0	0	168	42	530	101	586
2025/9/30 2:20	0	0	0	0	0	164	44	562	32	662
2025/9/30 2:30	0	0	0	0	0	457	147	388	25	722
2025/9/30 2:40	0	0	0	0	0.4	532	181	324	44	867
2025/9/30 2:50	0	0	0	0	1.8	469	352	312	30	640
2025/9/30 3:00	0	0	0	0	0	455	154	442	28	740
2025/9/30 3:10	0	0	0	0	0.6	363	74	427	182	784
2025/9/30 3:20	0	0	0	0	0.7	306	73	477	110	692
2025/9/30 3:30	0	0	0	0	0.3	281	77	440	30	730
2025/9/30 3:40	0	0	0	0	0.1	366	44	483	144	704
2025/9/30 3:50	0	0	0	0	0	181	47	595	130	646
2025/9/30 4:00	0	0	0	0	0.4	121	29	511	147	591
2025/9/30 4:10	0	0	0	0	0	53	32	476	199	505
2025/9/30 4:20	0	0	0	0	0	86	30	411	363	445
2025/9/30 4:30	0	0	0	0	0	41	28	372	313	393
2025/9/30 4:40	0	0	0	0	0	40	37	398	247	434
2025/9/30 4:50	0	0	0	0	0	11	31	346	259	395
2025/9/30 5:00	0	0	0	0	0	15	32	358	278	425
2025/9/30 5:10	0	0	0	0	0	1	17	274	416	307
2025/9/30 5:20	0	0	0	0	0	3	16	316	324	434
2025/9/30 5:30	0	0	0	0	0	11	10	239	166	335
2025/9/30 5:40	0	0	0	0	0	10	11	281	138	388
2025/9/30 5:50	0	0	0	0	0	1	6	247	271	261

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/9/30 6:00	0	0	0	0	0	1	8	325	275	404
2025/9/30 6:10	0	0	0	0	0	22	12	199	461	336
2025/9/30 6:20	0	0	0	0	0	16	15	249	438	358
2025/9/30 6:30	0	0	0	0	0	99	15	389	216	555
2025/9/30 6:40	0	0	0	0	0	34	12	341	348	503
2025/9/30 6:50	0	0	0	0	0	12	16	262	240	388
2025/9/30 7:00	0	0	0	0	0	11	22	236	200	341
2025/9/30 7:10	0	0	0	0	0	127	53	396	76	592
2025/9/30 7:20	0	0	0	0	0	113	137	338	80	499
2025/9/30 7:30	0	0	0	0.1	0	57	130	272	249	376
2025/9/30 7:40	0	0	0	0.1	0	16	20	223	278	283
2025/9/30 7:50	0	0	0.1	0.1	0	1	8	140	220	233
2025/9/30 8:00	0	0	0.1	0.1	0	42	51	154	30	289
2025/9/30 8:10	0	0	0.1	0.1	0	10	38	130	71	172
2025/9/30 8:20	0	0	0.1	0.1	0	4	23	119	144	211
2025/9/30 8:30	0	0	0.1	0	0	1	14	74	164	182
2025/9/30 8:40	0	0	0.1	0	0	71	96	177	144	345
2025/9/30 8:50	0	0	0	0	0	1	13	93	253	208
2025/9/30 9:00	0	0	0	0	0	1	3	115	128	237
2025/9/30 9:10	0	0	0	0	0	1	13	111	159	255
2025/9/30 9:20	0	0	0	0	0	4	81	113	246	204
2025/9/30 9:30	0	0	0	0	0	15	32	91	202	183
2025/9/30 9:40	0	0	0	0	0	2	44	84	181	195
2025/9/30 9:50	0	0	0	0	0	14	26	102	196	196
2025/9/30 10:00	0	0	0	0	0	1	33	156	178	192
2025/9/30 10:10	0	0	0	0	0	1	33	103	164	186
2025/9/30 10:20	0	0	0	0	0	3	13	76	140	140
2025/9/30 10:30	0	0	0	0.1	0	4	1	40	111	175
2025/9/30 10:40	0	0	0	0.1	0	59	137	83	121	243
2025/9/30 10:50	0	0	0	0.1	0.1	159	249	115	37	268
2025/9/30 11:00	0.1	0	0	0.1	0.1	73	86	74	53	197
2025/9/30 11:10	0.1	0	0	0.1	0.1	72	107	89	100	191
2025/9/30 11:20	0.1	0	0	0.1	0.1	1	29	62	144	137
2025/9/30 11:30	0.1	0	0	0.1	0.1	1	26	54	105	146
2025/9/30 11:40	0.1	0	0	0.1	0.1	3	23	72	121	175
2025/9/30 11:50	0.1	0	0	0.1	0.1	4	15	72	140	176
2025/9/30 12:00	0.1	0	0	0.1	0.1	1	9	76	102	182
2025/9/30 12:10	0.1	0	0	0.1	0	34	28	91	11	202
2025/9/30 12:20	0.1	0	0	0.1	0	9	12	87	92	158
2025/9/30 12:30	0.1	0	0	0.1	0.1	8	14	103	66	196
2025/9/30 12:40	0.1	0	0	0	0.1	1	7	92	87	162
2025/9/30 12:50	0.1	0	0	0	0	31	2	73	3	221
2025/9/30 13:00	0.1	0	0	0	0	66	46	58	38	151
2025/9/30 13:10	0.1	0	0	0	0.1	81	113	111	39	211
2025/9/30 13:20	0.1	0	0	0	0.1	95	163	81	61	184
2025/9/30 13:30	0.2	0	0	0	0.1	72	148	96	66	184
2025/9/30 13:40	0.1	0	0	0	0.1	37	63	96	129	157
2025/9/30 13:50	0.1	0	0	0	0.1	34	100	120	119	175
2025/9/30 14:00	0.1	0	0	0	0	57	78	99	59	207
2025/9/30 14:10	0.1	0	0	0	0	23	70	104	42	159
2025/9/30 14:20	0.1	0	0	0	0	62	153	50	50	159
2025/9/30 14:30	0.1	0	0	0	0.1	92	72	27	10	171
2025/9/30 14:40	0.1	0	0	0	0.1	66	58	41	11	152
2025/9/30 14:50	0.1	0	0	0	0.1	98	96	43	11	154
2025/9/30 15:00	0.1	0	0	0	0.1	74	88	50	7	155
2025/9/30 15:10	0.1	0	0	0	0.1	100	138	40	8	182
2025/9/30 15:20	0.1	0	0	0	0	76	123	87	37	195
2025/9/30 15:30	0	0	0	0	0	109	162	53	14	215
2025/9/30 15:40	0	0	0	0	0	139	160	54	14	201
2025/9/30 15:50	0	0	0	0	0	141	240	23	5	114
2025/9/30 16:00	0	0	0	0	0	112	221	71	12	196
2025/9/30 16:10	0	0	0	0	0	211	269	163	54	310
2025/9/30 16:20	0	0	0	0	0	169	351	128	32	265
2025/9/30 16:30	0	0	0	0	0	136	298	81	27	206
2025/9/30 16:40	0	0	0	0	0	146	178	148	67	256
2025/9/30 16:50	0	0	0	0	0	135	177	108	37	238
2025/9/30 17:00	0	0	0	0	0	115	179	103	39	195
2025/9/30 17:10	0	0	0	0	0	185	304	65	33	223
2025/9/30 17:20	0	0	0	0	0	142	217	98	42	236
2025/9/30 17:30	0	0	0	0	0	97	129	151	69	239
2025/9/30 17:40	0	0	0	0	0	84	120	177	102	238
2025/9/30 17:50	0	0	0	0	0	121	154	144	90	270
2025/9/30 18:00	0	0	0	0	0	84	118	283	107	318

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/9/30 18:10	0	0	0	0	0	50	76	342	70	314
2025/9/30 18:20	0	0	0	0	0	84	95	273	35	397
2025/9/30 18:30	0	0	0	0	0	75	71	220	29	429
2025/9/30 18:40	0	0	0	0	0	70	53	256	24	411
2025/9/30 18:50	0	0	0	0	0	84	47	343	29	513
2025/9/30 19:00	0	0	0	0	0	86	51	347	25	525
2025/9/30 19:10	0	0	0	0	0	116	47	263	13	419
2025/9/30 19:20	0	0	0	0	0	67	43	235	11	398
2025/9/30 19:30	0	0	0	0	0	123	37	183	10	359
2025/9/30 19:40	0	0	0	0	0	53	35	273	15	361
2025/9/30 19:50	0	0	0	0	0	69	32	344	37	462
2025/9/30 20:00	0	0	0	0	0	38	26	352	86	375
2025/9/30 20:10	0	0	0	0	0	37	25	399	49	415
2025/9/30 20:20	0	0	0	0	0	36	22	435	62	388
2025/9/30 20:30	0	0	0	0	0	106	27	383	56	570
2025/9/30 20:40	0	0	0	0	0	217	48	220	13	611
2025/9/30 20:50	0	0	0	0	0	108	38	215	15	446
2025/9/30 21:00	0	0	0	0	0	147	41	218	18	514
2025/9/30 21:10	0	0	0	0	0	105	37	224	27	530
2025/9/30 21:20	0	0	0	0	0	142	43	342	25	499
2025/9/30 21:30	0	0	0	0	0	118	44	367	27	499
2025/9/30 21:40	0	0	0	0	0	66	43	280	25	434
2025/9/30 21:50	0	0	0	0	0	72	52	275	20	488
2025/9/30 22:00	0	0	0	0	0	97	44	259	36	482
2025/9/30 22:10	0	0	0	0	0	101	42	340	26	533
2025/9/30 22:20	0	0	0	0	0	160	43	382	22	646
2025/9/30 22:30	0	0	0	0	0	103	40	517	26	643
2025/9/30 22:40	0	0	0	0	0.1	144	43	511	81	629
2025/9/30 22:50	0	0	0	0	0	183	46	561	69	778
2025/9/30 23:00	0	0	0	0	0.4	448	64	337	25	779
2025/9/30 23:10	0	0	0	0	0.2	226	48	497	127	833
2025/9/30 23:20	0	0	0	0	0.9	233	66	547	353	745
2025/9/30 23:30	0	0	0	0	0.6	682	73	265	191	876
2025/9/30 23:40	0	0	0	0	1	734	174	380	531	916
2025/9/30 23:50	0	0	0	0	1.8	519	159	391	512	854
2025/10/1 0:00	0	0	0	0	1.8	233	67	608	341	886
2025/10/1 0:10	0	0	0	0	1.8	323	45	568	467	870
2025/10/1 0:20	0	0	0	0	1.3	114	40	644	300	818
2025/10/1 0:30	0	0	0	0	0.7	137	66	634	351	813
2025/10/1 0:40	0	0	0	0	0.8	218	52	545	652	756
2025/10/1 0:50	0	0	0	0.1	0.3	116	33	489	660	602
2025/10/1 1:00	0	0	0	0.1	0	209	27	409	901	690
2025/10/1 1:10	0	0	0	0.5	0	86	239	371	937	711
2025/10/1 1:20	0	0	0	2.3	0	35	201	72	857	535
2025/10/1 1:30	0	0	0	0.5	0	29	54	196	1018	648
2025/10/1 1:40	0	0	0	1.8	0	40	111	116	850	530
2025/10/1 1:50	0	0	0	0.3	0	55	136	122	796	419
2025/10/1 2:00	0	0	0	0.2	0	32	129	156	699	409
2025/10/1 2:10	0	0	0	0.4	0	49	84	151	857	606
2025/10/1 2:20	0	0	0	0	0	23	263	89	653	306
2025/10/1 2:30	0	0	0	0	0	20	49	69	864	465
2025/10/1 2:40	0	0	0	0.3	0	31	39	149	697	416
2025/10/1 2:50	0	0	0	0	0.1	48	36	118	875	532
2025/10/1 3:00	0	0	0	0.5	0	41	33	186	901	628
2025/10/1 3:10	0	0	0	0.1	0	24	34	108	858	319
2025/10/1 3:20	0	0	0	0	0	82	37	180	840	583
2025/10/1 3:30	0	0	0	0	0	62	57	342	810	584
2025/10/1 3:40	0	0	0	0.1	0	24	119	71	531	127
2025/10/1 3:50	0	0	0	0	0	144	63	166	793	464
2025/10/1 4:00	0	0	0	0	0	299	56	461	811	704
2025/10/1 4:10	0	0	0	0.1	0	272	53	369	928	597
2025/10/1 4:20	0	0	0	0.5	0	95	57	546	605	599
2025/10/1 4:30	0	0	0	0	0	81	83	477	425	456
2025/10/1 4:40	0	0	0	0	0	34	57	346	670	237
2025/10/1 4:50	0	0	0	0	0	36	53	224	584	234
2025/10/1 5:00	0	0	0	0	0	95	62	227	579	390
2025/10/1 5:10	0	0	0	0	0	59	50	415	352	445
2025/10/1 5:20	0	0	0	0	0	29	79	93	469	141
2025/10/1 5:30	0	0	0	0	0	44	88	86	250	123
2025/10/1 5:40	0	0	0	0	0	48	83	88	460	128
2025/10/1 5:50	0	0	0	0	0	43	87	89	464	139
2025/10/1 6:00	0	0	0	0	0	47	96	88	360	193
2025/10/1 6:10	0	0	0	0	0	95	70	94	571	244

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/1 6:20	0	0	0	0	0	58	74	141	676	364
2025/10/1 6:30	0	0	0	0	0	39	62	113	538	134
2025/10/1 6:40	0	0	0	0	0	33	57	84	543	121
2025/10/1 6:50	0	0	0	0	0	36	57	89	543	123
2025/10/1 7:00	0	0	0	0	0	33	56	135	718	136
2025/10/1 7:10	0	0	0	0	0	46	55	228	679	202
2025/10/1 7:20	0	0	0	0	0	28	51	152	632	146
2025/10/1 7:30	0	0	0	0	0	31	61	86	617	98
2025/10/1 7:40	0	0	0	0	0	35	60	92	632	146
2025/10/1 7:50	0	0	0	0	0	74	53	197	377	268
2025/10/1 8:00	0	0	0	0	0	67	60	144	327	216
2025/10/1 8:10	0	0	0	0	0	27	57	80	282	117
2025/10/1 8:20	0	0	0	0	0	25	57	77	302	133
2025/10/1 8:30	0	0	0	0	0	23	54	73	299	96
2025/10/1 8:40	0	0	0	0	0	148	53	144	235	295
2025/10/1 8:50	0	0	0	0	0	26	44	136	246	293
2025/10/1 9:00	0	0	0	0	0	21	45	107	298	224
2025/10/1 9:10	0	0	0	0	0	44	54	197	170	297
2025/10/1 9:20	0	0	0	0	0	23	46	102	168	143
2025/10/1 9:30	0	0	0	0	0	23	42	69	208	87
2025/10/1 9:40	0	0	0	0	0	26	54	88	274	112
2025/10/1 9:50	0	0	0	0	0	28	54	100	227	132
2025/10/1 10:00	0	0	0	0	0	29	51	110	226	173
2025/10/1 10:10	0	0	0	0	0	23	49	73	173	94
2025/10/1 10:20	0	0	0	0	0	53	67	99	221	111
2025/10/1 10:30	0	0	0	0	0	65	92	100	254	119
2025/10/1 10:40	0	0	0	0	0	84	103	109	229	133
2025/10/1 10:50	0	0	0	0	0	74	77	111	154	126
2025/10/1 11:00	0	0	0	0	0	58	64	99	113	110
2025/10/1 11:10	0	0	0	0	0	41	61	84	135	90
2025/10/1 11:20	0	0	0	0	0	44	65	89	121	90
2025/10/1 11:30	0	0	0	0	0	62	77	100	116	102
2025/10/1 11:40	0	0	0	0	0	52	61	95	80	96
2025/10/1 11:50	0	0	0	0	0	36	59	86	124	85
2025/10/1 12:00	0	0	0	0	0	34	60	86	116	82
2025/10/1 12:10	0	0	0	0	0	32	60	91	85	82
2025/10/1 12:20	0	0	0	0	0	32	57	94	118	81
2025/10/1 12:30	0	0	0	0	0	37	60	106	107	86
2025/10/1 12:40	0	0	0	0	0	27	51	112	105	83
2025/10/1 12:50	0	0	0	0	0	22	51	109	91	78
2025/10/1 13:00	0	0	0	0	0	34	44	118	144	83
2025/10/1 13:10	0	0	0	0	0	39	57	102	163	91
2025/10/1 13:20	0	0	0	0	0	29	54	92	93	79
2025/10/1 13:30	0	0	0	0	0	22	49	84	77	75
2025/10/1 13:40	0	0	0	0	0	30	53	89	86	78
2025/10/1 13:50	0	0	0	0	0	49	53	91	142	84
2025/10/1 14:00	0	0	0	0	0	35	47	86	155	80
2025/10/1 14:10	0	0	0	0	0	34	43	81	138	76
2025/10/1 14:20	0	0	0	0	0	26	50	79	54	70
2025/10/1 14:30	0	0	0	0	0	32	50	79	60	70
2025/10/1 14:40	0	0	0	0	0	22	40	77	68	68
2025/10/1 14:50	0	0	0	0	0	23	41	79	65	69
2025/10/1 15:00	0	0	0	0	0	32	51	90	108	79
2025/10/1 15:10	0	0	0	0	0	42	70	92	139	92
2025/10/1 15:20	0	0	0	0	0	28	45	88	105	83
2025/10/1 15:30	0	0	0	0	0	20	46	83	91	79
2025/10/1 15:40	0	0	0	0	0	23	46	83	134	79
2025/10/1 15:50	0	0	0	0	0	30	49	90	136	80
2025/10/1 16:00	0	0	0	0	0	23	43	82	113	75
2025/10/1 16:10	0	0	0	0	0	16	43	81	109	71
2025/10/1 16:20	0	0	0	0	0	19	51	84	92	70
2025/10/1 16:30	0	0	0	0	0	21	52	86	69	75
2025/10/1 16:40	0	0	0	0	0	16	47	83	95	67
2025/10/1 16:50	0	0	0	0	0	17	45	87	83	68
2025/10/1 17:00	0	0	0	0	0	14	48	89	69	66
2025/10/1 17:10	0	0	0	0	0	15	44	107	48	76
2025/10/1 17:20	0	0	0	0	0	10	38	101	68	77
2025/10/1 17:30	0	0	0	0	0	14	46	99	121	68
2025/10/1 17:40	0	0	0	0	0	24	54	106	98	72
2025/10/1 17:50	0	0	0	0	0	28	56	105	145	75
2025/10/1 18:00	0	0	0	0	0	21	46	101	232	69
2025/10/1 18:10	0	0	0	0	0	18	45	114	257	73
2025/10/1 18:20	0	0	0	0	0	22	47	244	165	137

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/1 18:30	0	0	0	0	0	21	62	202	235	139
2025/10/1 18:40	0	0	0	0	0	23	52	236	272	123
2025/10/1 18:50	0	0	0	0	0	17	39	157	367	119
2025/10/1 19:00	0	0	0	0	0	14	31	116	472	75
2025/10/1 19:10	0	0	0	0	0	66	35	105	444	106
2025/10/1 19:20	0	0	0	0	0	92	67	173	794	206
2025/10/1 19:30	0	0	0	0	0	100	52	302	447	305
2025/10/1 19:40	0	0	0	0	0	117	62	182	681	277
2025/10/1 19:50	0	0	0	0	0	518	240	183	944	435
2025/10/1 20:00	0	0	0	0	0	455	205	535	894	471
2025/10/1 20:10	0	0	0	0	0	395	698	297	602	260
2025/10/1 20:20	0	0	0	0	0	645	593	115	860	372
2025/10/1 20:30	0	0	0	0.5	0	154	403	113	625	171
2025/10/1 20:40	0	0	0	0	0	49	157	106	490	110
2025/10/1 20:50	0	0	0	0	0	45	129	103	823	99
2025/10/1 21:00	0	0	0	0.2	0	49	106	105	701	95
2025/10/1 21:10	0	0	0	0.2	0	45	82	104	942	93
2025/10/1 21:20	0	0	0	0.2	0	45	80	103	897	154
2025/10/1 21:30	0	0	0	0.6	0	64	73	195	744	311
2025/10/1 21:40	0	0	0	0.2	0	132	68	548	604	401
2025/10/1 21:50	0	0	0	0	0	153	76	556	433	363
2025/10/1 22:00	0	0	0	0	0	248	76	572	616	346
2025/10/1 22:10	0	0	0	0	0	421	348	508	858	369
2025/10/1 22:20	0	0	0	0.1	0	900	802	277	906	429
2025/10/1 22:30	0	0	0	0.2	0.2	625	675	149	839	554
2025/10/1 22:40	0	0	0	0.3	0.7	834	829	117	703	330
2025/10/1 22:50	0	0	0	0.1	0	465	690	117	604	363
2025/10/1 23:00	0	0	0	0	0	388	487	109	544	302
2025/10/1 23:10	0	0	0	0	0	414	388	112	959	471
2025/10/1 23:20	0	0	0	0.6	0	64	228	104	691	181
2025/10/1 23:30	0	0	0	0.2	0	331	164	103	1087	347
2025/10/1 23:40	0	0	0	2	0	60	165	104	971	135
2025/10/1 23:50	0	0	0	1.4	0	68	131	242	1244	136
2025/10/2 0:00	0	0	0	3.9	0	63	120	145	1239	121
2025/10/2 0:10	0	0	0	3.8	0	630	240	248	1220	538
2025/10/2 0:20	0	0	0	3.9	0.5	1177	910	219	1110	644
2025/10/2 0:30	0	0	0	2.1	2	793	708	150	1001	648
2025/10/2 0:40	0	0	0	2.2	1.8	437	784	121	512	193
2025/10/2 0:50	0	0	0	0	0	714	729	122	239	167
2025/10/2 1:00	0	0	0	0	0	433	699	123	679	143
2025/10/2 1:10	0	0	0	0	0	660	601	124	169	211
2025/10/2 1:20	0	0	0	0	0	610	626	125	677	339
2025/10/2 1:30	0	0	0	0.6	0	788	471	469	1235	731
2025/10/2 1:40	0	0	0	3.7	2.8	1058	846	138	607	401
2025/10/2 1:50	0	0	0	0	0	902	865	145	469	528
2025/10/2 2:00	0	0	0	0	0.3	889	974	134	726	657
2025/10/2 2:10	0	0	0	0	1.9	726	760	121	868	335
2025/10/2 2:20	0	0	0	0.6	0	649	752	121	519	206
2025/10/2 2:30	0	0	0	0.1	0	897	674	161	708	544
2025/10/2 2:40	0	0	0	0.2	1.6	797	586	745	1104	691
2025/10/2 2:50	0	0	0	2.4	1.6	979	446	542	531	794
2025/10/2 3:00	0	0	0	0	3.7	420	258	645	342	550
2025/10/2 3:10	0	0	0	0	0	487	244	589	869	477
2025/10/2 3:20	0	0	0	0.9	0	581	230	408	905	452
2025/10/2 3:30	0	0	0	0	0	438	233	746	713	491
2025/10/2 3:40	0	0	0	0	0	215	187	427	767	360
2025/10/2 3:50	0	0	0	0	0	230	182	589	816	437
2025/10/2 4:00	0	0	0	0	0	131	152	324	762	280
2025/10/2 4:10	0	0	0	0	0	329	301	262	717	230
2025/10/2 4:20	0	0	0	0	0	647	588	332	625	310
2025/10/2 4:30	0	0	0	0	0	570	409	627	849	518
2025/10/2 4:40	0	0	0	0	0	366	287	445	830	404
2025/10/2 4:50	0	0	0	0	0	243	197	360	748	323
2025/10/2 5:00	0	0	0	0	0	186	169	376	613	320
2025/10/2 5:10	0	0	0	0	0	101	129	190	428	185
2025/10/2 5:20	0	0	0	0	0	94	123	211	508	191
2025/10/2 5:30	0	0	0	0	0	91	120	218	440	164
2025/10/2 5:40	0	0	0	0	0	71	107	120	443	143
2025/10/2 5:50	0	0	0	0	0	69	104	117	667	133
2025/10/2 6:00	0	0	0	0	0	84	120	170	269	151
2025/10/2 6:10	0	0	0	0	0	101	128	202	471	174
2025/10/2 6:20	0	0	0	0	0	90	119	136	630	147
2025/10/2 6:30	0	0	0	0	0	86	114	168	457	145

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/2 6:40	0	0	0	0	0	97	108	170	202	170
2025/10/2 6:50	0	0	0	0	0	77	96	126	146	169
2025/10/2 7:00	0	0	0	0	0	72	98	122	400	131
2025/10/2 7:10	0	0	0	0	0	69	93	195	418	177
2025/10/2 7:20	0	0	0	0	0	60	82	147	570	163
2025/10/2 7:30	0	0	0	0	0	52	69	118	534	220
2025/10/2 7:40	0	0	0	0	0	59	146	116	511	200
2025/10/2 7:50	0	0	0	0	0	55	77	80	452	94
2025/10/2 8:00	0	0	0	0	0	48	117	70	426	80
2025/10/2 8:10	0	0	0	0	0	55	64	72	238	84
2025/10/2 8:20	0	0	0	0	0	47	60	67	236	69
2025/10/2 8:30	0	0	0	0	0	36	58	62	171	92
2025/10/2 8:40	0	0	0	0	0	30	68	73	165	89
2025/10/2 8:50	0	0	0	0	0	33	107	60	246	64
2025/10/2 9:00	0	0	0	0	0	28	33	61	144	90
2025/10/2 9:10	0	0	0	0	0	22	27	50	140	53
2025/10/2 9:20	0	0	0	0	0	26	47	50	95	57
2025/10/2 9:30	0	0	0	0	0	13	32	43	56	44
2025/10/2 9:40	0	0	0	0	0	15	37	43	41	44
2025/10/2 9:50	0	0	0	0	0	18	31	46	51	49
2025/10/2 10:00	0	0	0	0	0	20	33	47	53	51
2025/10/2 10:10	0	0	0	0	0	25	26	55	74	58
2025/10/2 10:20	0	0	0	0	0	35	38	66	53	56
2025/10/2 10:30	0	0	0	0	0	21	27	47	58	55
2025/10/2 10:40	0	0	0	0	0	13	26	45	46	52
2025/10/2 10:50	0	0	0	0	0.1	13	21	47	76	64
2025/10/2 11:00	0	0	0	0	0.1	17	39	59	37	90
2025/10/2 11:10	0	0	0	0	0.1	1	67	44	69	63
2025/10/2 11:20	0	0	0	0	0.1	2	77	56	84	78
2025/10/2 11:30	0	0	0	0	0.1	5	33	51	58	92
2025/10/2 11:40	0	0	0	0	0.1	5	71	48	80	94
2025/10/2 11:50	0.1	0	0	0	0.1	36	52	79	55	153
2025/10/2 12:00	0.1	0	0	0	0.1	34	20	79	75	125
2025/10/2 12:10	0.1	0	0	0	0.1	8	9	84	37	129
2025/10/2 12:20	0.1	0	0	0	0.1	7	4	99	122	130
2025/10/2 12:30	0.1	0	0	0	0.1	6	1	72	33	120
2025/10/2 12:40	0.1	0	0	0	0.1	12	1	73	72	143
2025/10/2 12:50	0.1	0	0	0	0.1	1	1	52	103	163
2025/10/2 13:00	0.1	0	0	0	0.1	30	21	57	165	165
2025/10/2 13:10	0.1	0	0	0	0.1	74	114	66	209	180
2025/10/2 13:20	0.1	0	0	0	0.1	64	178	25	114	86
2025/10/2 13:30	0.2	0	0	0	0.1	50	74	85	57	156
2025/10/2 13:40	0.2	0	0	0	0.1	52	285	64	30	146
2025/10/2 13:50	0.2	0	0	0	0.1	7	55	39	92	100
2025/10/2 14:00	0.2	0	0	0	0.1	1	2	31	24	71
2025/10/2 14:10	0.2	0	0	0	0.1	10	103	89	90	135
2025/10/2 14:20	0.2	0	0	0	0.1	1	4	51	32	85
2025/10/2 14:30	0.1	0	0	0	0.1	1	43	70	113	145
2025/10/2 14:40	0.1	0	0	0	0.1	53	122	34	107	104
2025/10/2 14:50	0.1	0	0	0	0.1	48	106	25	70	96
2025/10/2 15:00	0.1	0	0	0	0.1	66	92	49	58	130
2025/10/2 15:10	0.1	0	0	0	0	11	49	42	8	108
2025/10/2 15:20	0.1	0	0	0	0	63	120	19	37	109
2025/10/2 15:30	0.1	0	0	0	0	129	268	57	124	206
2025/10/2 15:40	0.1	0	0	0	0	229	252	106	29	296
2025/10/2 15:50	0	0	0	0	0	127	156	129	11	288
2025/10/2 16:00	0	0	0	0	0	96	103	124	67	226
2025/10/2 16:10	0	0	0	0	0	107	124	30	35	156
2025/10/2 16:20	0	0	0	0	0	112	130	55	24	206
2025/10/2 16:30	0	0	0	0	0	136	168	39	1	169
2025/10/2 16:40	0	0	0	0	0	106	128	50	5	185
2025/10/2 16:50	0	0	0	0	0	141	205	52	15	144
2025/10/2 17:00	0	0	0	0	0	164	380	77	29	226
2025/10/2 17:10	0	0	0	0	0	166	217	59	23	260
2025/10/2 17:20	0	0	0	0	0	277	264	69	30	255
2025/10/2 17:30	0	0	0	0	0	312	129	131	24	420
2025/10/2 17:40	0	0	0	0	0	259	131	196	81	577
2025/10/2 17:50	0	0	0	0	0	297	104	173	35	584
2025/10/2 18:00	0	0	0	0	0	526	139	295	470	810
2025/10/2 18:10	0	0	0	1	0.9	677	617	342	61	867
2025/10/2 18:20	0	0.3	0	0	0.9	646	555	213	33	760
2025/10/2 18:30	0	0	0	0	0.3	664	272	104	39	449
2025/10/2 18:40	0	0	0	0	0	742	493	232	137	672

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/2 18:50	0	0	0	0	0.3	716	473	157	41	459
2025/10/2 19:00	0	0	0	0	0	771	412	195	54	673
2025/10/2 19:10	0	0	0	0	0.2	771	852	223	211	642
2025/10/2 19:20	0	0.5	0	0.1	0	742	639	216	28	640
2025/10/2 19:30	0	0.5	0	0	0.2	667	700	119	27	417
2025/10/2 19:40	0	0.5	0	0	0	775	887	186	34	608
2025/10/2 19:50	0	0.4	0	0	0.1	905	1062	417	665	865
2025/10/2 20:00	0	2.3	0	1.3	0.6	947	1172	397	182	819
2025/10/2 20:10	0	3.8	0	0	0.8	813	574	266	37	993
2025/10/2 20:20	0	0	0	0	1.9	702	525	381	38	1054
2025/10/2 20:30	0	0	0	0	3	762	710	198	103	848
2025/10/2 20:40	0	0	0	0	0.7	819	964	269	581	907
2025/10/2 20:50	0	0.7	0	0.9	1.8	726	1012	173	1178	604
2025/10/2 21:00	0	2.1	0	3.3	0.3	862	1006	363	434	827
2025/10/2 21:10	0	2.2	0	0.4	0.4	1012	1246	407	864	955
2025/10/2 21:20	0	4.7	0	2.7	1.7	1063	1271	332	1427	982
2025/10/2 21:30	0	4.7	0	6.3	2.9	779	1083	186	703	561
2025/10/2 21:40	0	3	0	1.8	0	760	860	223	231	584
2025/10/2 21:50	0	0.6	0	0	0	837	1090	333	958	862
2025/10/2 22:00	0	2.9	0	2.7	0.9	1018	1191	513	1454	983
2025/10/2 22:10	0	4.6	0	7.2	2.1	1077	1194	800	1572	1207
2025/10/2 22:20	0	4.6	0.8	8.6	5	816	1021	801	1729	1045
2025/10/2 22:30	0	3.9	0.7	11.8	3.2	146	150	662	1531	842
2025/10/2 22:40	0	0	0	8.1	0.1	664	637	666	1642	907
2025/10/2 22:50	0	1.3	0	10	0.5	896	1093	897	1761	1106
2025/10/2 23:00	0	4	2.5	12.8	4.1	434	263	840	696	1021
2025/10/2 23:10	0	0	2.1	2.4	3.2	122	133	810	207	871
2025/10/2 23:20	0	0	1	0	1.3	153	165	711	927	770
2025/10/2 23:30	0	0	0	1.5	0.5	167	152	732	241	856
2025/10/2 23:40	0	0	0	0	1.1	119	155	734	506	707
2025/10/2 23:50	0	0	0	0.1	0	132	108	726	837	702
2025/10/3 0:00	0	0	0	1.3	0.2	337	132	793	629	903
2025/10/3 0:10	0	0	0.6	0.9	1.6	334	102	749	286	988
2025/10/3 0:20	0	0	0.1	0	2.6	153	97	672	170	917
2025/10/3 0:30	0	0	0	0	1.6	284	98	705	182	947
2025/10/3 0:40	0	0	0	0	2.1	176	107	779	134	772
2025/10/3 0:50	0	0	0.5	0	0.5	220	88	744	114	910
2025/10/3 1:00	0	0	0.2	0	1.8	231	79	790	385	1039
2025/10/3 1:10	0	0	0.4	0	3.6	313	259	865	756	961
2025/10/3 1:20	0	0	1.8	0.9	2.4	624	425	878	608	983
2025/10/3 1:30	0	0	2.2	0.9	2.9	346	170	882	842	975
2025/10/3 1:40	0	0	2.4	0.9	2.4	217	120	800	989	845
2025/10/3 1:50	0	0	0.7	2	0.7	163	137	743	361	854
2025/10/3 2:00	0	0	0	0.2	1.1	281	93	706	852	799
2025/10/3 2:10	0	0	0	1.8	0	488	185	810	379	1012
2025/10/3 2:20	0	0	0.4	0.1	2.9	499	209	873	1052	965
2025/10/3 2:30	0	0	1.7	3.7	2.4	713	516	954	775	1018
2025/10/3 2:40	0	0.4	3.7	1.7	3.4	540	255	864	1453	954
2025/10/3 2:50	0	0	1.4	6.9	2.2	482	731	625	1614	792
2025/10/3 3:00	0	1.6	0	9.7	0.8	209	346	134	1482	553
2025/10/3 3:10	0	0	0	7.5	0	63	152	77	1348	313
2025/10/3 3:20	0	0	0	5.7	0	63	161	84	1149	148
2025/10/3 3:30	0	0	0	3.8	0	60	94	82	1125	154
2025/10/3 3:40	0	0	0	3.2	0	64	162	89	693	122
2025/10/3 3:50	0	0	0	0.8	0	61	92	86	833	125
2025/10/3 4:00	0	0	0	0.5	0	68	93	86	872	120
2025/10/3 4:10	0	0	0	1	0	57	95	82	784	274
2025/10/3 4:20	0	0	0	0	0.2	59	88	83	884	119
2025/10/3 4:30	0	0	0	0.9	0	56	92	80	706	108
2025/10/3 4:40	0	0	0	1	0	63	77	76	850	102
2025/10/3 4:50	0	0	0	0.6	0	107	145	74	714	230
2025/10/3 5:00	0	0	0	0.7	0	46	69	69	890	107
2025/10/3 5:10	0	0	0	1.1	0	48	66	77	1031	371
2025/10/3 5:20	0	0	0	1.5	0	51	67	87	795	110
2025/10/3 5:30	0	0	0	0.3	0	187	125	329	1111	680
2025/10/3 5:40	0	0	0	2.5	0	71	165	190	1144	498
2025/10/3 5:50	0	0	0	2.9	0	64	91	107	1087	397
2025/10/3 6:00	0	0	0	2.3	0	48	61	93	943	171
2025/10/3 6:10	0	0	0	0.8	0	164	127	159	1110	601
2025/10/3 6:20	0	0	0	2.6	0	62	74	93	1232	448
2025/10/3 6:30	0	0	0	3.9	0	52	81	88	908	179
2025/10/3 6:40	0	0	0	1.1	0	45	100	83	708	97
2025/10/3 6:50	0	0	0	0.6	0	45	51	76	846	199

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/3 7:00	0	0	0	0.9	0	44	50	68	924	100
2025/10/3 7:10	0	0	0	1.3	0	45	84	60	796	71
2025/10/3 7:20	0	0	0	1.4	0	39	58	59	867	150
2025/10/3 7:30	0	0	0	1.4	0	41	45	60	679	122
2025/10/3 7:40	0	0	0	0.2	0	42	44	60	527	174
2025/10/3 7:50	0	0	0.1	0	0	41	72	56	285	80
2025/10/3 8:00	0	0	0.1	0	0	37	49	56	331	83
2025/10/3 8:10	0	0	0.1	0	0	35	68	66	191	138
2025/10/3 8:20	0	0	0.1	0	0	27	33	108	172	170
2025/10/3 8:30	0	0	0.1	0	0	24	34	104	135	209
2025/10/3 8:40	0	0	0.1	0	0	26	32	45	179	69
2025/10/3 8:50	0	0	0.1	0	0	27	32	59	254	136
2025/10/3 9:00	0	0	0.1	0	0	23	33	46	131	78
2025/10/3 9:10	0	0	0	0	0	19	31	43	160	75
2025/10/3 9:20	0	0	0	0	0	23	31	46	129	85
2025/10/3 9:30	0	0	0	0	0	24	27	47	110	90
2025/10/3 9:40	0	0	0	0	0	26	28	53	110	88
2025/10/3 9:50	0	0	0	0	0	22	32	63	97	122
2025/10/3 10:00	0	0	0	0.1	0	21	31	52	104	99
2025/10/3 10:10	0	0	0	0.1	0	20	28	50	106	81
2025/10/3 10:20	0	0	0	0.1	0	12	36	44	92	80
2025/10/3 10:30	0	0	0	0.1	0	18	24	67	151	138
2025/10/3 10:40	0	0	0	0.1	0	7	19	41	131	119
2025/10/3 10:50	0	0	0	0	0	10	40	39	162	96
2025/10/3 11:00	0	0	0	0	0	13	24	42	130	83
2025/10/3 11:10	0	0	0	0	0	12	24	43	148	76
2025/10/3 11:20	0	0	0	0	0	9	39	43	118	74
2025/10/3 11:30	0	0	0	0	0	8	33	40	69	64
2025/10/3 11:40	0	0	0	0	0	18	30	47	92	71
2025/10/3 11:50	0	0	0	0	0	19	25	53	122	73
2025/10/3 12:00	0	0	0	0	0	9	17	46	121	96
2025/10/3 12:10	0	0	0	0	0	8	14	45	212	109
2025/10/3 12:20	0	0	0	0	0	4	13	38	126	66
2025/10/3 12:30	0	0	0	0	0	4	18	40	185	93
2025/10/3 12:40	0	0	0	0	0	96	19	69	144	181
2025/10/3 12:50	0	0	0	0	0	45	14	88	163	215
2025/10/3 13:00	0	0	0	0	0	13	13	86	216	186
2025/10/3 13:10	0	0	0	0	0	6	38	93	132	213
2025/10/3 13:20	0	0	0	0	0	3	25	63	150	130
2025/10/3 13:30	0.1	0	0	0	0	41	24	53	161	176
2025/10/3 13:40	0	0	0	0	0	19	37	104	146	204
2025/10/3 13:50	0	0	0	0	0	17	49	94	216	179
2025/10/3 14:00	0	0	0	0	0	92	97	126	187	231
2025/10/3 14:10	0	0	0	0	0	12	36	53	224	115
2025/10/3 14:20	0	0	0	0	0	22	51	85	144	169
2025/10/3 14:30	0	0	0	0	0	38	26	81	111	160
2025/10/3 14:40	0	0	0	0	0	22	43	79	199	144
2025/10/3 14:50	0	0	0	0	0	25	50	108	146	174
2025/10/3 15:00	0	0	0	0	0	16	53	106	156	120
2025/10/3 15:10	0	0	0	0	0	32	48	120	90	184
2025/10/3 15:20	0	0	0	0	0	97	93	116	75	200
2025/10/3 15:30	0	0	0	0	0	47	88	165	178	200
2025/10/3 15:40	0	0	0	0	0	48	75	126	120	153
2025/10/3 15:50	0	0	0	0	0	90	100	109	80	215
2025/10/3 16:00	0	0	0	0	0	84	115	148	94	195
2025/10/3 16:10	0	0	0	0	0	123	108	104	63	214
2025/10/3 16:20	0	0	0	0	0	124	124	90	53	239
2025/10/3 16:30	0	0	0	0	0	83	107	163	79	222
2025/10/3 16:40	0	0	0	0	0	62	98	198	112	180
2025/10/3 16:50	0	0	0	0	0	58	88	166	156	169
2025/10/3 17:00	0	0	0	0	0	58	86	168	72	186
2025/10/3 17:10	0	0	0	0	0	56	65	141	54	197
2025/10/3 17:20	0	0	0	0	0	62	70	165	51	256
2025/10/3 17:30	0	0	0	0	0	90	83	197	115	253
2025/10/3 17:40	0	0	0	0	0	67	71	228	112	255
2025/10/3 17:50	0	0	0	0	0	55	56	216	94	263
2025/10/3 18:00	0	0	0	0	0	75	49	275	66	430
2025/10/3 18:10	0	0	0	0	0	110	57	350	103	676
2025/10/3 18:20	0	0	0	0	0	138	43	475	204	492
2025/10/3 18:30	0	0	0	0	0	89	52	425	97	468
2025/10/3 18:40	0	0	0	0	0	43	43	427	140	374
2025/10/3 18:50	0	0	0	0	0	78	37	381	209	381
2025/10/3 19:00	0	0	0	0	0	137	63	414	93	464

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/3 19:10	0	0	0	0	0	73	81	404	288	439
2025/10/3 19:20	0	0	0	0	0	325	360	402	343	602
2025/10/3 19:30	0	0	0	0	0	563	717	427	955	654
2025/10/3 19:40	0	0	0	0	0	426	631	528	1085	636
2025/10/3 19:50	0	0	0	0.2	0	467	485	448	797	718
2025/10/3 20:00	0	0	0	0	0	478	494	513	728	674
2025/10/3 20:10	0	0	0	0	0	562	840	582	1236	703
2025/10/3 20:20	0	0	0	3.3	0	313	670	526	1246	700
2025/10/3 20:30	0	0	0	3.6	0	301	582	420	1192	635
2025/10/3 20:40	0	0	0	3.2	0	422	737	434	1213	646
2025/10/3 20:50	0	0	0	3.6	0	521	520	470	1187	656
2025/10/3 21:00	0	0	0	3.4	0	477	539	485	1197	641
2025/10/3 21:10	0	0	0	3.4	0	447	422	446	1218	673
2025/10/3 21:20	0	0	0	3.6	0	590	463	595	1343	707
2025/10/3 21:30	0	0	0	5	0	589	814	475	1428	718
2025/10/3 21:40	0	0	0	6	0	479	619	550	1415	857
2025/10/3 21:50	0	0.1	0	6	0	106	275	333	1466	730
2025/10/3 22:00	0	0	0	6.5	0	403	542	463	1309	803
2025/10/3 22:10	0	0.2	0	4.9	0	731	382	685	1471	904
2025/10/3 22:20	0	0	0.1	6.6	1.2	519	506	630	1532	842
2025/10/3 22:30	0	0	0	7.6	0.1	201	621	446	1497	807
2025/10/3 22:40	0	0	0	7.1	0	443	575	523	1521	842
2025/10/3 22:50	0	0.3	0	7.6	0.8	100	185	392	1436	800
2025/10/3 23:00	0	0	0	6.5	0.7	242	420	549	1372	750
2025/10/3 23:10	0	0	0	5.8	0.5	229	522	446	1403	703
2025/10/3 23:20	0	0.2	0	6.2	0	221	627	382	1453	653
2025/10/3 23:30	0	0.2	0	6.7	0	64	287	215	1475	600
2025/10/3 23:40	0	0	0	7	0	129	171	146	1472	680
2025/10/3 23:50	0	0	0	6.9	0.1	146	607	337	1471	750
2025/10/4 0:00	0	0	0	7	0	58	409	361	1477	787
2025/10/4 0:10	0	0	0	7	0.2	59	383	116	1444	678
2025/10/4 0:20	0	0	0	6.5	0	125	251	95	1381	330
2025/10/4 0:30	0	0	0	5.9	0.2	138	217	423	1422	753
2025/10/4 0:40	0	0	0	6.6	1.5	62	159	98	1211	264
2025/10/4 0:50	0	0	0	3.9	0	77	120	148	1236	483
2025/10/4 1:00	0	0	0	4	0.2	82	98	112	1145	350
2025/10/4 1:10	0	0	0	3	0	81	97	201	1289	464
2025/10/4 1:20	0	0	0	4.8	0	66	95	109	1076	252
2025/10/4 1:30	0	0	0	2.3	0	52	66	94	892	172
2025/10/4 1:40	0	0	0	1	0	47	57	124	1152	565
2025/10/4 1:50	0	0	0	2.9	0	44	57	109	953	318
2025/10/4 2:00	0	0	0	1.3	0	44	61	82	890	171
2025/10/4 2:10	0	0	0	0.9	0	46	75	89	883	275
2025/10/4 2:20	0	0	0	0.5	0	45	68	87	1003	295
2025/10/4 2:30	0	0	0	0.7	0	46	56	90	955	210
2025/10/4 2:40	0	0	0	1	0	50	64	97	1066	376
2025/10/4 2:50	0	0	0	1.8	0	84	145	255	1231	736
2025/10/4 3:00	0	0	0	3.9	0	91	189	143	1286	723
2025/10/4 3:10	0	0	0	4.5	0	102	154	122	1284	680
2025/10/4 3:20	0	0	0	4.5	0.1	113	233	106	1261	699
2025/10/4 3:30	0	0	0	4.4	0.1	207	204	95	1151	439
2025/10/4 3:40	0	0	0	3.2	0	62	133	88	1130	437
2025/10/4 3:50	0	0	0	3	0	81	70	397	1222	684
2025/10/4 4:00	0	0	0	3.6	0	84	74	420	1207	668
2025/10/4 4:10	0	0	0	3.7	0	104	67	445	846	616
2025/10/4 4:20	0	0	0	0.5	0	119	63	428	894	697
2025/10/4 4:30	0	0	0	0.2	0	84	65	460	727	697
2025/10/4 4:40	0	0	0	0	0	69	76	275	883	520
2025/10/4 4:50	0	0	0	0	0	47	71	92	749	155
2025/10/4 5:00	0	0	0	0	0	46	61	94	691	128
2025/10/4 5:10	0	0	0	0	0	45	58	87	711	141
2025/10/4 5:20	0	0	0	0	0	52	64	100	635	150
2025/10/4 5:30	0	0	0	0	0	54	64	92	869	272
2025/10/4 5:40	0	0	0	0	0	55	63	99	851	300
2025/10/4 5:50	0	0	0	0	0	78	78	172	793	266
2025/10/4 6:00	0	0	0	0	0	69	76	113	880	389
2025/10/4 6:10	0	0	0	0	0	71	77	145	849	381
2025/10/4 6:20	0	0	0	0	0	68	79	116	756	415
2025/10/4 6:30	0	0	0	0	0	70	98	205	559	329
2025/10/4 6:40	0	0	0	0	0	55	71	192	510	258
2025/10/4 6:50	0	0	0	0	0	103	63	260	337	336
2025/10/4 7:00	0	0	0	0	0	45	75	91	418	224
2025/10/4 7:10	0	0	0	0	0	50	50	258	746	460

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/4 7:20	0	0	0	0.4	0	32	53	92	823	189
2025/10/4 7:30	0	0	0	0.7	0	26	48	80	692	255
2025/10/4 7:40	0	0	0	0.2	0	24	38	70	693	84
2025/10/4 7:50	0	0	0	0	0	27	34	96	338	202
2025/10/4 8:00	0	0	0	0	0	29	31	76	231	236
2025/10/4 8:10	0	0	0	0	0	15	29	57	172	119
2025/10/4 8:20	0	0	0	0	0	14	26	79	142	165
2025/10/4 8:30	0	0	0.1	0	0	27	31	83	178	221
2025/10/4 8:40	0	0	0	0	0	15	30	56	145	132
2025/10/4 8:50	0	0	0	0	0	12	31	87	112	184
2025/10/4 9:00	0	0	0	0	0	11	33	71	170	152
2025/10/4 9:10	0	0	0	0	0	12	28	50	217	119
2025/10/4 9:20	0	0	0	0	0	8	28	44	116	84
2025/10/4 9:30	0	0	0	0	0	5	27	44	148	103
2025/10/4 9:40	0	0	0	0	0	6	35	49	161	121
2025/10/4 9:50	0	0	0	0	0	7	33	58	199	171
2025/10/4 10:00	0	0	0	0	0	11	29	61	229	179
2025/10/4 10:10	0	0	0	0	0	6	25	43	135	121
2025/10/4 10:20	0	0	0	0	0	5	17	47	207	116
2025/10/4 10:30	0	0	0	0	0	1	37	42	114	67
2025/10/4 10:40	0	0	0	0	0	1	65	42	129	85
2025/10/4 10:50	0	0	0	0	0	64	66	40	193	123
2025/10/4 11:00	0	0	0	0	0	20	41	48	297	304
2025/10/4 11:10	0	0	0	0	0	3	20	53	250	100
2025/10/4 11:20	0	0	0	0	0	1	16	62	166	155
2025/10/4 11:30	0	0	0	0	0	2	23	41	229	89
2025/10/4 11:40	0	0	0	0	0	30	21	44	131	201
2025/10/4 11:50	0	0	0	0	0	87	85	72	79	166
2025/10/4 12:00	0	0	0	0	0	87	88	70	79	110
2025/10/4 12:10	0	0	0	0	0	99	80	70	70	105
2025/10/4 12:20	0	0	0	0	0	93	82	73	64	93
2025/10/4 12:30	0	0	0	0	0	80	86	72	62	91
2025/10/4 12:40	0	0	0	0	0	63	129	69	137	85
2025/10/4 12:50	0	0	0	0	0	15	148	67	93	75
2025/10/4 13:00	0	0	0	0	0	9	56	65	93	76
2025/10/4 13:10	0	0	0	0	0	11	44	61	165	80
2025/10/4 13:20	0	0	0	0	0	11	42	60	175	78
2025/10/4 13:30	0	0	0	0	0	24	47	67	168	84
2025/10/4 13:40	0	0	0	0	0	45	80	88	163	106
2025/10/4 13:50	0	0	0	0	0	28	77	85	150	119
2025/10/4 14:00	0	0	0	0	0	19	84	98	107	99
2025/10/4 14:10	0	0	0	0	0	44	82	159	89	122
2025/10/4 14:20	0	0	0	0	0	19	82	72	119	98
2025/10/4 14:30	0	0	0	0	0	37	94	84	121	93
2025/10/4 14:40	0	0	0	0	0	34	77	115	119	104
2025/10/4 14:50	0	0	0	0	0	21	80	97	144	98
2025/10/4 15:00	0	0	0	0	0	16	62	103	141	95
2025/10/4 15:10	0	0	0	0	0	14	77	103	114	90
2025/10/4 15:20	0	0	0	0	0	14	65	103	124	90
2025/10/4 15:30	0	0	0	0	0	24	54	136	97	105
2025/10/4 15:40	0	0	0	0	0	14	53	100	97	95
2025/10/4 15:50	0	0	0	0	0	13	51	79	116	83
2025/10/4 16:00	0	0	0	0	0	13	46	65	132	81
2025/10/4 16:10	0	0	0	0	0	13	45	67	128	78
2025/10/4 16:20	0	0	0	0	0	20	68	75	114	80
2025/10/4 16:30	0	0	0	0	0	35	76	123	89	130
2025/10/4 16:40	0	0	0	0	0	16	58	80	128	105
2025/10/4 16:50	0	0	0	0	0	16	54	91	155	85
2025/10/4 17:00	0	0	0	0	0	18	54	73	133	83
2025/10/4 17:10	0	0	0	0	0	19	992	69	162	93
2025/10/4 17:20	0	0	0	0	0	23	838	96	205	120
2025/10/4 17:30	0	0	0	0	0	19	144	71	284	84
2025/10/4 17:40	0	0	0	0	0	21	60	76	352	77
2025/10/4 17:50	0	0	0	0	0	22	58	76	328	78
2025/10/4 18:00	0	0	0	0	0	22	63	77	169	75
2025/10/4 18:10	0	0	0	0	0	36	69	87	242	83
2025/10/4 18:20	0	0	0	0	0	33	61	91	360	87
2025/10/4 18:30	0	0	0	0	0	22	56	75	330	79
2025/10/4 18:40	0	0	0	0	0	27	55	86	255	82
2025/10/4 18:50	0	0	0	0	0	18	52	78	290	78
2025/10/4 19:00	0	0	0	0	0	19	53	75	257	76
2025/10/4 19:10	0	0	0	0	0	19	52	88	202	81
2025/10/4 19:20	0	0	0	0	0	18	50	79	220	86

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/4 19:30	0	0	0	0	0	20	50	76	256	80
2025/10/4 19:40	0	0	0	0	0	26	57	80	286	78
2025/10/4 19:50	0	0	0	0	0	27	56	78	177	76
2025/10/4 20:00	0	0	0	0	0	19	50	71	312	88
2025/10/4 20:10	0	0	0	0	0	18	52	69	282	75
2025/10/4 20:20	0	0	0	0	0	27	54	103	315	93
2025/10/4 20:30	0	0	0	0	0	22	49	99	603	81
2025/10/4 20:40	0	0	0	0	0	14	45	71	543	76
2025/10/4 20:50	0	0	0	0	0	14	42	69	550	70
2025/10/4 21:00	0	0	0	0	0	17	46	72	521	77
2025/10/4 21:10	0	0	0	0	0	17	46	73	594	91
2025/10/4 21:20	0	0	0	0	0	67	45	330	622	239
2025/10/4 21:30	0	0	0	0	0	186	46	559	450	436
2025/10/4 21:40	0	0	0	0	0	108	251	286	583	263
2025/10/4 21:50	0	0	0	0	0	22	74	84	823	110
2025/10/4 22:00	0	0	0	0	0	22	56	83	531	92
2025/10/4 22:10	0	0	0	0	0	34	94	88	280	88
2025/10/4 22:20	0	0	0	0	0	27	55	85	559	118
2025/10/4 22:30	0	0	0	0	0	33	58	298	547	220
2025/10/4 22:40	0	0	0	0	0	26	49	81	690	93
2025/10/4 22:50	0	0	0	0	0	26	47	80	750	85
2025/10/4 23:00	0	0	0	0	0	22	47	79	765	91
2025/10/4 23:10	0	0	0	0	0	20	51	80	609	77
2025/10/4 23:20	0	0	0	0	0	23	51	81	590	75
2025/10/4 23:30	0	0	0	0	0	22	46	82	739	78
2025/10/4 23:40	0	0	0	0	0	25	48	79	944	82
2025/10/4 23:50	0	0	0	0.4	0	27	52	93	785	89
2025/10/5 0:00	0	0	0	0.1	0	27	43	204	782	172
2025/10/5 0:10	0	0	0	0	0	24	62	104	597	102
2025/10/5 0:20	0	0	0	0	0	22	103	78	763	83
2025/10/5 0:30	0	0	0	0.1	0	168	48	255	760	248
2025/10/5 0:40	0	0	0	0	0	26	41	204	994	159
2025/10/5 0:50	0	0	0	1.1	0	10	36	87	788	90
2025/10/5 1:00	0	0	0	0	0	13	39	287	746	222
2025/10/5 1:10	0	0	0	0.2	0	17	45	516	414	313
2025/10/5 1:20	0	0	0	0	0	13	39	228	556	142
2025/10/5 1:30	0	0	0	0	0	18	36	234	812	136
2025/10/5 1:40	0	0	0	0	0	13	34	132	676	119
2025/10/5 1:50	0	0	0	0	0	15	48	138	768	147
2025/10/5 2:00	0	0	0	0	0	14	34	75	804	86
2025/10/5 2:10	0	0	0	0	0	14	42	75	777	76
2025/10/5 2:20	0	0	0	0	0	15	60	76	677	74
2025/10/5 2:30	0	0	0	0	0	23	76	82	683	75
2025/10/5 2:40	0	0	0	0	0	19	63	80	733	86
2025/10/5 2:50	0	0	0	0	0	139	44	370	724	344
2025/10/5 3:00	0	0	0	0	0	298	64	572	703	480
2025/10/5 3:10	0	0	0	0	0	39	98	273	966	212
2025/10/5 3:20	0	0	0	0.2	0	26	65	164	946	280
2025/10/5 3:30	0	0	0	0.1	0	24	50	198	843	283
2025/10/5 3:40	0	0	0	0.8	0	20	43	103	764	193
2025/10/5 3:50	0	0	0	0	0	21	56	77	861	119
2025/10/5 4:00	0	0	0	0.1	0	24	40	159	901	226
2025/10/5 4:10	0	0	0	0.2	0	18	45	190	829	118
2025/10/5 4:20	0	0	0	0	0	18	44	77	769	136
2025/10/5 4:30	0	0	0	0	0	21	44	82	691	86
2025/10/5 4:40	0	0	0	0	0	32	68	89	641	84
2025/10/5 4:50	0	0	0	0	0	31	52	89	635	83
2025/10/5 5:00	0	0	0	0	0	25	52	85	379	78
2025/10/5 5:10	0	0	0	0	0	22	45	82	373	75
2025/10/5 5:20	0	0	0	0	0	20	42	83	604	122
2025/10/5 5:30	0	0	0	0	0	85	43	360	683	296
2025/10/5 5:40	0	0	0	0	0	216	56	548	565	411
2025/10/5 5:50	0	0	0	0	0	132	156	208	589	272
2025/10/5 6:00	0	0	0	0	0	37	119	101	744	168
2025/10/5 6:10	0	0	0	0	0	107	102	89	593	220
2025/10/5 6:20	0	0	0	0	0	223	106	231	748	416
2025/10/5 6:30	0	0	0	0	0	27	69	82	575	139
2025/10/5 6:40	0	0	0	0	0	22	56	73	451	93
2025/10/5 6:50	0	0	0	0	0	20	54	67	327	75
2025/10/5 7:00	0	0	0	0	0	17	41	56	346	69
2025/10/5 7:10	0	0	0	0	0	17	52	52	231	68
2025/10/5 7:20	0	0	0	0	0	13	49	47	328	77
2025/10/5 7:30	0	0	0	0	0	10	175	46	398	61

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/5 7:40	0	0	0	0	0	10	41	45	646	61
2025/10/5 7:50	0	0	0	0.1	0	8	34	43	460	58
2025/10/5 8:00	0	0	0	0	0	9	31	44	376	275
2025/10/5 8:10	0	0	0	0	0	7	25	42	274	73
2025/10/5 8:20	0	0	0	0	0	6	25	46	223	98
2025/10/5 8:30	0	0	0	0	0	4	26	45	182	111
2025/10/5 8:40	0	0	0	0	0	6	77	42	173	55
2025/10/5 8:50	0	0	0	0	0	6	44	42	128	54
2025/10/5 9:00	0	0	0	0	0	4	79	41	178	63
2025/10/5 9:10	0	0	0	0	0	3	74	41	202	58
2025/10/5 9:20	0	0	0	0	0	1	55	38	259	79
2025/10/5 9:30	0	0	0	0.1	0	1	41	70	210	176
2025/10/5 9:40	0	0	0	0.1	0	1	192	37	82	57
2025/10/5 9:50	0	0	0.1	0.1	0.1	1	39	40	304	109
2025/10/5 10:00	0	0	0.1	0.1	0	31	19	148	293	413
2025/10/5 10:10	0	0	0	0.1	0	39	30	45	275	155
2025/10/5 10:20	0	0	0	0.1	0	72	49	72	132	254
2025/10/5 10:30	0	0	0	0	0	50	158	61	321	144
2025/10/5 10:40	0	0	0	0	0	1	42	35	85	62
2025/10/5 10:50	0	0	0	0.1	0.1	71	93	93	31	230
2025/10/5 11:00	0	0	0	0.1	0.1	22	25	49	80	135
2025/10/5 11:10	0	0	0	0.1	0.1	114	30	55	91	213
2025/10/5 11:20	0.1	0	0	0.1	0.1	6	42	34	122	126
2025/10/5 11:30	0.1	0	0	0.1	0.1	45	147	34	51	105
2025/10/5 11:40	0.1	0	0	0.1	0.1	51	62	39	31	165
2025/10/5 11:50	0.1	0	0	0.1	0.1	89	93	29	80	119
2025/10/5 12:00	0.1	0	0	0.1	0.1	27	120	34	165	81
2025/10/5 12:10	0.1	0	0	0.1	0.1	1	163	35	57	67
2025/10/5 12:20	0.1	0	0	0.1	0.1	1	143	28	34	69
2025/10/5 12:30	0.1	0	0	0.1	0.1	72	131	27	35	102
2025/10/5 12:40	0.1	0	0	0.1	0.1	148	61	53	48	203
2025/10/5 12:50	0.1	0	0	0	0.1	57	120	24	22	89
2025/10/5 13:00	0.1	0	0	0.1	0.1	93	88	26	30	130
2025/10/5 13:10	0.1	0	0	0.1	0.1	118	80	40	22	163
2025/10/5 13:20	0.1	0	0	0.1	0.1	120	63	32	23	129
2025/10/5 13:30	0.2	0	0	0.1	0.1	108	32	27	26	140
2025/10/5 13:40	0.2	0	0	0.1	0.1	37	109	24	22	76
2025/10/5 13:50	0.1	0	0	0.1	0.1	46	82	22	49	89
2025/10/5 14:00	0.1	0	0	0.1	0.1	32	128	22	26	97
2025/10/5 14:10	0.1	0	0	0.1	0	137	75	24	20	129
2025/10/5 14:20	0.1	0	0	0	0	172	29	34	17	210
2025/10/5 14:30	0.1	0	0	0	0	105	94	27	18	111
2025/10/5 14:40	0.1	0	0	0	0	93	51	22	20	109
2025/10/5 14:50	0.1	0	0	0.1	0	92	52	24	17	108
2025/10/5 15:00	0.1	0	0	0	0	96	60	25	16	152
2025/10/5 15:10	0.1	0	0	0	0	133	51	27	16	158
2025/10/5 15:20	0.1	0	0	0	0	94	56	24	18	106
2025/10/5 15:30	0.1	0	0	0	0	90	64	28	25	124
2025/10/5 15:40	0.1	0	0	0	0	96	99	26	23	118
2025/10/5 15:50	0.1	0	0	0	0	109	80	26	25	97
2025/10/5 16:00	0	0	0	0	0	95	116	25	24	92
2025/10/5 16:10	0	0	0	0	0	115	66	25	29	111
2025/10/5 16:20	0	0	0	0	0	105	117	26	27	73
2025/10/5 16:30	0	0	0	0	0	97	124	26	24	97
2025/10/5 16:40	0	0	0	0	0	83	112	24	39	96
2025/10/5 16:50	0	0	0	0	0	3	141	23	36	51
2025/10/5 17:00	0	0	0	0	0	82	195	27	106	50
2025/10/5 17:10	0	0	0	0	0	154	159	36	42	88
2025/10/5 17:20	0	0	0	0	0	128	180	30	53	126
2025/10/5 17:30	0	0	0	0	0	79	168	30	32	88
2025/10/5 17:40	0	0	0	0	0	78	178	30	39	91
2025/10/5 17:50	0	0	0	0	0	45	321	32	101	60
2025/10/5 18:00	0	0	0	0	0	210	207	33	28	118
2025/10/5 18:10	0	0	0	0	0	209	532	32	543	156
2025/10/5 18:20	0	0	0	0.2	0	218	838	32	573	72
2025/10/5 18:30	0	1.2	0	0.6	0	587	544	34	29	212
2025/10/5 18:40	0	0	0	0	0	523	780	36	517	331
2025/10/5 18:50	0	0.8	0	0	0	536	531	56	26	371
2025/10/5 19:00	0	0	0	0	0	344	288	34	50	230
2025/10/5 19:10	0	0	0	0	0	219	455	32	262	88
2025/10/5 19:20	0	0	0	0	0	308	1029	35	607	109
2025/10/5 19:30	0	2.3	0	0.3	0	432	550	40	181	250
2025/10/5 19:40	0	0	0	0	0	559	666	42	112	378

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/5 19:50	0	0.1	0	0	0	437	370	86	33	295
2025/10/5 20:00	0	0	0	0	0	481	546	76	41	342
2025/10/5 20:10	0	0	0	0	0	542	644	72	50	387
2025/10/5 20:20	0	0	0	0	0	670	914	63	49	374
2025/10/5 20:30	0	1.4	0	0	0	592	472	118	57	403
2025/10/5 20:40	0	0	0	0	0	599	770	59	584	290
2025/10/5 20:50	0	0.5	0	1.2	0	719	806	58	525	379
2025/10/5 21:00	0	1	0	0.6	0	774	948	52	676	377
2025/10/5 21:10	0	1.9	0	1.3	0.4	774	618	69	254	539
2025/10/5 21:20	0	0.1	0	0.3	0	835	403	163	59	624
2025/10/5 21:30	0	0	0	0	0.3	606	548	93	55	334
2025/10/5 21:40	0	0.5	0	0	0	600	467	57	49	388
2025/10/5 21:50	0	0	0	0	0	532	695	76	271	354
2025/10/5 22:00	0	0	0	0.3	0	690	764	78	159	369
2025/10/5 22:10	0	1	0	0	0	620	566	51	47	343
2025/10/5 22:20	0	0.3	0	0	0	174	644	44	139	94
2025/10/5 22:30	0	0.2	0	0	0	517	434	43	40	166
2025/10/5 22:40	0	0	0	0	0	317	616	43	579	179
2025/10/5 22:50	0	0.1	0	0.9	0	589	629	40	82	142
2025/10/5 23:00	0	0.1	0	0	0	379	660	40	143	96
2025/10/5 23:10	0	0.4	0	0	0	121	700	39	418	71
2025/10/5 23:20	0	0.3	0	0.1	0	127	1005	38	932	68
2025/10/5 23:30	0	2	0	1.5	0	173	1235	38	1146	67
2025/10/5 23:40	0	4.9	0	2.7	0	63	1038	39	877	66
2025/10/5 23:50	0	2.9	0	1.5	0	35	961	38	864	73
2025/10/6 0:00	0	2	0	1.2	0	76	1024	39	748	72
2025/10/6 0:10	0	2.6	0	1.2	0	119	252	383	1264	737
2025/10/6 0:20	0	0	0	4.1	1.5	163	531	243	1570	1003
2025/10/6 0:30	0	0.7	0	8.7	3.1	41	143	233	1480	531
2025/10/6 0:40	0	0	0	7.6	0.3	38	106	102	1347	599
2025/10/6 0:50	0	0	0	5.3	0.4	73	98	386	968	753
2025/10/6 1:00	0	0	0	1.8	0.8	36	91	223	1173	515
2025/10/6 1:10	0	0	0	3.1	0.2	35	84	79	1164	253
2025/10/6 1:20	0	0	0	3.3	0	34	80	55	1133	186
2025/10/6 1:30	0	0	0	3	0	34	82	60	896	255
2025/10/6 1:40	0	0	0	1.2	0	35	78	56	1123	151
2025/10/6 1:50	0	0	0	3	0	52	117	65	1252	553
2025/10/6 2:00	0	0	0	4.5	0.5	33	151	79	1152	482
2025/10/6 2:10	0	0	0	3.3	0.3	33	240	258	1223	622
2025/10/6 2:20	0	0	0	4.2	0.5	168	84	575	845	778
2025/10/6 2:30	0	0	0	1.1	1.1	38	77	306	1177	530
2025/10/6 2:40	0	0	0	3.4	0	35	93	65	1178	168
2025/10/6 2:50	0	0	0	3.7	0	40	115	141	1100	313
2025/10/6 3:00	0	0	0	2.5	0	33	98	92	1185	179
2025/10/6 3:10	0	0	0	3.7	0	47	81	56	1149	264
2025/10/6 3:20	0	0	0	3.5	0	721	541	200	1058	768
2025/10/6 3:30	0	0	0	2.7	1.2	181	260	72	1239	417
2025/10/6 3:40	0	0	0	4.2	0.5	51	132	198	1270	522
2025/10/6 3:50	0	0	0	4.6	0.1	39	302	87	1127	243
2025/10/6 4:00	0	0	0	3.6	0	38	102	52	903	124
2025/10/6 4:10	0	0	0	1	0	59	161	56	1276	112
2025/10/6 4:20	0	0	0	4.7	0	81	171	57	1246	288
2025/10/6 4:30	0	0	0	4.3	0	91	201	57	1254	389
2025/10/6 4:40	0	0	0	4.5	0	430	339	216	1368	796
2025/10/6 4:50	0	0	0	5.7	1	223	245	59	1457	504
2025/10/6 5:00	0	0	0	6.7	0.1	469	434	64	1367	599
2025/10/6 5:10	0	0	0	5.7	0.4	929	806	57	1124	801
2025/10/6 5:20	0	1.4	0	2.9	1.9	1082	1057	309	1113	926
2025/10/6 5:30	0	3.1	0	2.1	4.6	259	461	236	1359	500
2025/10/6 5:40	0	0.3	0	5.6	0.3	118	625	75	1182	583
2025/10/6 5:50	0	0.3	0	3.7	0.2	202	429	63	1049	305
2025/10/6 6:00	0	0	0	2.4	0	243	551	62	1034	457
2025/10/6 6:10	0	0	0	1.6	0.1	846	1008	302	748	696
2025/10/6 6:20	0	1.1	0	0.1	0.5	875	1242	299	1128	662
2025/10/6 6:30	0	4.5	0	4	0.7	933	1191	102	1464	842
2025/10/6 6:40	0	4.7	0	6.9	2.4	718	1152	86	859	354
2025/10/6 6:50	0	3.9	0	1.8	0	720	985	76	1011	901
2025/10/6 7:00	0	3	0	3	2.9	459	825	93	1181	872
2025/10/6 7:10	0	2.1	0	4.3	3.6	192	465	62	1192	433
2025/10/6 7:20	0	0	0	4.6	0.3	83	639	54	1384	300
2025/10/6 7:30	0	0.6	0	6.1	0	57	659	55	1538	382
2025/10/6 7:40	0	1.1	0	8.3	0.4	43	225	78	1289	356
2025/10/6 7:50	0	0	0	4.9	0	84	178	88	1129	682

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/6 8:00	0	0	0	2.7	0.5	257	328	132	868	669
2025/10/6 8:10	0	0.2	0	0.8	0.2	60	112	202	659	380
2025/10/6 8:20	0	0	0	0	0	38	104	129	482	373
2025/10/6 8:30	0	0	0	0	0	52	90	112	479	375
2025/10/6 8:40	0	0	0	0	0	46	69	110	510	266
2025/10/6 8:50	0	0	0	0	0	34	64	55	330	91
2025/10/6 9:00	0	0	0	0	0	39	76	55	234	94
2025/10/6 9:10	0	0	0	0	0	33	63	109	173	223
2025/10/6 9:20	0	0	0	0.1	0	31	61	61	211	156
2025/10/6 9:30	0	0	0	0.1	0	24	52	45	213	80
2025/10/6 9:40	0	0	0	0.1	0	32	56	58	134	98
2025/10/6 9:50	0	0	0.1	0.1	0	34	58	54	132	90
2025/10/6 10:00	0	0	0.1	0.1	0	30	49	56	93	101
2025/10/6 10:10	0	0	0	0.1	0	27	49	59	118	122
2025/10/6 10:20	0	0	0.1	0.1	0	31	49	55	131	120
2025/10/6 10:30	0	0	0	0.1	0	27	43	53	96	100
2025/10/6 10:40	0	0	0	0.1	0	23	37	44	111	77
2025/10/6 10:50	0	0	0	0.1	0	40	49	65	131	110
2025/10/6 11:00	0	0	0	0	0	29	42	48	113	98
2025/10/6 11:10	0	0	0	0	0	27	41	44	136	85
2025/10/6 11:20	0	0	0	0	0	31	45	69	134	125
2025/10/6 11:30	0	0	0	0	0	26	51	64	141	139
2025/10/6 11:40	0	0	0	0	0	22	45	44	128	73
2025/10/6 11:50	0	0	0	0	0	23	46	44	106	104
2025/10/6 12:00	0	0	0	0	0	25	51	51	113	115
2025/10/6 12:10	0	0	0	0	0	23	50	79	90	141
2025/10/6 12:20	0	0	0	0	0	20	46	55	109	101
2025/10/6 12:30	0	0	0	0	0	24	51	81	115	133
2025/10/6 12:40	0	0	0	0	0	20	58	79	87	111
2025/10/6 12:50	0	0	0	0	0	18	42	68	107	117
2025/10/6 13:00	0	0	0	0	0	24	58	81	173	128
2025/10/6 13:10	0	0	0	0	0	17	49	91	191	129
2025/10/6 13:20	0	0	0	0	0	12	44	71	183	104
2025/10/6 13:30	0.1	0	0	0	0	22	62	107	251	119
2025/10/6 13:40	0.1	0	0	0	0	33	114	154	331	153
2025/10/6 13:50	0.1	0	0	0	0	54	130	168	308	166
2025/10/6 14:00	0.1	0	0	0	0	153	253	206	128	251
2025/10/6 14:10	0.1	0	0	0	0	121	213	202	201	273
2025/10/6 14:20	0	0	0	0	0	38	130	131	264	142
2025/10/6 14:30	0	0	0	0	0	86	210	168	232	198
2025/10/6 14:40	0	0	0	0	0	57	126	131	205	139
2025/10/6 14:50	0	0	0	0	0	29	81	98	139	116
2025/10/6 15:00	0	0	0	0	0	29	71	103	107	106
2025/10/6 15:10	0	0	0	0	0	9	54	59	95	89
2025/10/6 15:20	0	0	0	0	0	10	57	67	93	90
2025/10/6 15:30	0	0	0	0	0	21	83	90	173	98
2025/10/6 15:40	0	0	0	0	0	46	107	121	141	130
2025/10/6 15:50	0	0	0	0	0	65	114	129	111	155
2025/10/6 16:00	0	0	0	0	0	60	98	117	144	141
2025/10/6 16:10	0	0	0	0	0	67	116	147	111	154
2025/10/6 16:20	0	0	0	0	0	29	71	83	113	92
2025/10/6 16:30	0	0	0	0	0	49	96	94	117	112
2025/10/6 16:40	0	0	0	0	0	30	71	84	86	106
2025/10/6 16:50	0	0	0	0	0	20	56	70	71	84
2025/10/6 17:00	0	0	0	0	0	30	65	70	79	99
2025/10/6 17:10	0	0	0	0	0	24	51	70	86	84
2025/10/6 17:20	0	0	0	0	0	16	38	63	56	80
2025/10/6 17:30	0	0	0	0	0	25	49	68	52	96
2025/10/6 17:40	0	0	0	0	0	27	54	74	46	97
2025/10/6 17:50	0	0	0	0	0	16	39	73	50	101
2025/10/6 18:00	0	0	0	0	0	25	38	130	46	163
2025/10/6 18:10	0	0	0	0	0	72	49	180	47	242
2025/10/6 18:20	0	0	0	0	0	10	31	213	71	201
2025/10/6 18:30	0	0	0	0	0	24	36	202	118	214
2025/10/6 18:40	0	0	0	0	0	26	26	165	60	193
2025/10/6 18:50	0	0	0	0	0	21	31	150	74	187
2025/10/6 19:00	0	0	0	0	0	15	35	162	61	210
2025/10/6 19:10	0	0	0	0	0	4	22	149	67	126
2025/10/6 19:20	0	0	0	0	0	2	28	159	82	153
2025/10/6 19:30	0	0	0	0	0	10	27	181	47	198
2025/10/6 19:40	0	0	0	0	0	2	34	180	68	173
2025/10/6 19:50	0	0	0	0	0	11	31	249	197	312
2025/10/6 20:00	0	0	0	0	0	7	21	204	290	199

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/6 20:10	0	0	0	0	0	43	32	215	145	290
2025/10/6 20:20	0	0	0	0	0	3	20	135	178	121
2025/10/6 20:30	0	0	0	0	0	6	29	171	141	208
2025/10/6 20:40	0	0	0	0	0	3	27	137	214	142
2025/10/6 20:50	0	0	0	0	0	1	23	170	256	152
2025/10/6 21:00	0	0	0	0	0	1	22	162	236	195
2025/10/6 21:10	0	0	0	0	0	23	27	229	95	290
2025/10/6 21:20	0	0	0	0	0	1	19	225	341	280
2025/10/6 21:30	0	0	0	0	0	1	16	196	339	214
2025/10/6 21:40	0	0	0	0	0	1	13	279	293	307
2025/10/6 21:50	0	0	0	0	0	1	25	187	512	221
2025/10/6 22:00	0	0	0	0	0	33	36	460	328	475
2025/10/6 22:10	0	0	0	0	0	20	23	278	259	313
2025/10/6 22:20	0	0	0	0	0	7	28	263	300	311
2025/10/6 22:30	0	0	0	0	0	21	24	275	259	318
2025/10/6 22:40	0	0	0	0	0	34	23	314	113	372
2025/10/6 22:50	0	0	0	0	0	34	26	372	165	452
2025/10/6 23:00	0	0	0	0	0	44	23	321	184	365
2025/10/6 23:10	0	0	0	0	0	36	19	360	260	383
2025/10/6 23:20	0	0	0	0	0	1	27	239	564	296
2025/10/6 23:30	0	0	0	0	0	11	10	217	420	326
2025/10/6 23:40	0	0	0	0	0	17	16	313	378	374
2025/10/6 23:50	0	0	0	0	0	10	12	379	616	366
2025/10/7 0:00	0	0	0	0	0	76	1024	39	748	72
2025/10/7 0:10	0	0	0	0	0	119	252	383	1264	737
2025/10/7 0:20	0	0	0	0	0	163	531	243	1570	1003
2025/10/7 0:30	0	0	0	0	0	41	143	233	1480	531
2025/10/7 0:40	0	0	0	0	0	38	106	102	1347	599
2025/10/7 0:50	0	0	0	0	0	73	98	386	968	753
2025/10/7 1:00	0	0	0	0	0	36	91	223	1173	515
2025/10/7 1:10	0	0	0	0	0	35	84	79	1164	253
2025/10/7 1:20	0	0	0	0	0	34	80	55	1133	186
2025/10/7 1:30	0	0	0	0	0	34	82	60	896	255
2025/10/7 1:40	0	0	0	0	0	35	78	56	1123	151
2025/10/7 1:50	0	0	0	0	0	52	117	65	1252	553
2025/10/7 2:00	0	0	0	0	0	33	151	79	1152	482
2025/10/7 2:10	0	0	0	0	0	33	240	258	1223	622
2025/10/7 2:20	0	0	0	0	0	168	84	575	845	778
2025/10/7 2:30	0	0	0	0	0	38	77	306	1177	530
2025/10/7 2:40	0	0	0	0	0	35	93	65	1178	168
2025/10/7 2:50	0	0	0	0	0	40	115	141	1100	313
2025/10/7 3:00	0	0	0	0	0	33	98	92	1185	179
2025/10/7 3:10	0	0	0	0	0	47	81	56	1149	264
2025/10/7 3:20	0	0	0	0	0	721	541	200	1058	768
2025/10/7 3:30	0	0	0	0	0	181	260	72	1239	417
2025/10/7 3:40	0	0	0	0	0	51	132	198	1270	522
2025/10/7 3:50	0	0	0	0	0	39	302	87	1127	243
2025/10/7 4:00	0	0	0	0	0	38	102	52	903	124
2025/10/7 4:10	0	0	0	0	0	59	161	56	1276	112
2025/10/7 4:20	0	0	0	0	0	81	171	57	1246	288
2025/10/7 4:30	0	0	0	0	0	91	201	57	1254	389
2025/10/7 4:40	0	0	0	0	0	430	339	216	1368	796
2025/10/7 4:50	0	0	0	0	0	223	245	59	1457	504
2025/10/7 5:00	0	0	0	0	0	469	434	64	1367	599
2025/10/7 5:10	0	0	0	0	0	929	806	57	1124	801
2025/10/7 5:20	0	0	0	0	0	1082	1057	309	1113	926
2025/10/7 5:30	0	0	0	0	0	259	461	236	1359	500
2025/10/7 5:40	0	0	0	0	0	118	625	75	1182	583
2025/10/7 5:50	0	0	0	0	0	202	429	63	1049	305
2025/10/7 6:00	0	0	0	0	0	243	551	62	1034	457
2025/10/7 6:10	0	0	0	0	0	846	1008	302	748	696
2025/10/7 6:20	0	0	0	0	0	875	1242	299	1128	662
2025/10/7 6:30	0	0	0	0	0	933	1191	102	1464	842
2025/10/7 6:40	0	0	0	0	0	718	1152	86	859	354
2025/10/7 6:50	0	0	0	0	0	720	985	76	1011	901
2025/10/7 7:00	0	0	0	0	0	459	825	93	1181	872
2025/10/7 7:10	0	0	0	0	0	192	465	62	1192	433
2025/10/7 7:20	0	0	0	0	0	83	639	54	1384	300
2025/10/7 7:30	0	0	0	0	0	57	659	55	1538	382
2025/10/7 7:40	0	0	0	0	0	43	225	78	1289	356
2025/10/7 7:50	0	0	0	0	0	84	178	88	1129	682
2025/10/7 8:00	0	0	0	0	0	257	328	132	868	669
2025/10/7 8:10	0	0	0	0	0	60	112	202	659	380

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/7 8:20	0	0	0	0	0	38	104	129	482	373
2025/10/7 8:30	0	0	0	0	0	52	90	112	479	375
2025/10/7 8:40	0	0	0	0	0	46	69	110	510	266
2025/10/7 8:50	0	0	0	0	0	34	64	55	330	91
2025/10/7 9:00	0	0	0	0	0	39	76	55	234	94
2025/10/7 9:10	0	0	0	0	0	33	63	109	173	223
2025/10/7 9:20	0	0	0	0	0	31	61	61	211	156
2025/10/7 9:30	0	0	0	0	0	24	52	45	213	80
2025/10/7 9:40	0	0	0	0	0	32	56	58	134	98
2025/10/7 9:50	0	0	0	0	0	34	58	54	132	90
2025/10/7 10:00	0	0	0	0	0	30	49	56	93	101
2025/10/7 10:10	0	0	0	0	0	27	49	59	118	122
2025/10/7 10:20	0	0	0	0	0	31	49	55	131	120
2025/10/7 10:30	0	0	0	0	0	27	43	53	96	100
2025/10/7 10:40	0	0	0	0	0	23	37	44	111	77
2025/10/7 10:50	0	0	0	0	0	40	49	65	131	110
2025/10/7 11:00	0	0	0	0	0	29	42	48	113	98
2025/10/7 11:10	0	0	0	0	0	27	41	44	136	85
2025/10/7 11:20	0	0	0	0	0	31	45	69	134	125
2025/10/7 11:30	0	0	0	0	0	26	51	64	141	139
2025/10/7 11:40	0	0	0	0	0	22	45	44	128	73
2025/10/7 11:50	0	0	0	0	0	23	46	44	106	104
2025/10/7 12:00	0	0	0	0	0	25	51	51	113	115
2025/10/7 12:10	0	0	0	0	0	23	50	79	90	141
2025/10/7 12:20	0	0	0	0	0	20	46	55	109	101
2025/10/7 12:30	0	0	0	0	0	24	51	81	115	133
2025/10/7 12:40	0	0	0	0	0	20	58	79	87	111
2025/10/7 12:50	0	0	0	0	0	18	42	68	107	117
2025/10/7 13:00	0	0	0	0	0	24	58	81	173	128
2025/10/7 13:10	0	0	0	0	0	17	49	91	191	129
2025/10/7 13:20	0	0	0	0	0	12	44	71	183	104
2025/10/7 13:30	0	0	0	0	0	22	62	107	251	119
2025/10/7 13:40	0	0	0	0	0	33	114	154	331	153
2025/10/7 13:50	0	0	0	0	0	54	130	168	308	166
2025/10/7 14:00	0	0	0	0	0	153	253	206	128	251
2025/10/7 14:10	0	0	0	0	0	121	213	202	201	273
2025/10/7 14:20	0	0	0	0	0	38	130	131	264	142
2025/10/7 14:30	0	0	0	0	0	86	210	168	232	198
2025/10/7 14:40	0	0	0	0	0	57	126	131	205	139
2025/10/7 14:50	0	0	0	0	0	29	81	98	139	116
2025/10/7 15:00	0	0	0	0	0	29	71	103	107	106
2025/10/7 15:10	0	0	0	0	0	9	54	59	95	89
2025/10/7 15:20	0	0	0	0	0	10	57	67	93	90
2025/10/7 15:30	0	0	0	0	0	21	83	90	173	98
2025/10/7 15:40	0	0	0	0	0	46	107	121	141	130
2025/10/7 15:50	0	0	0	0	0	65	114	129	111	155
2025/10/7 16:00	0	0	0	0	0	60	98	117	144	141
2025/10/7 16:10	0	0	0	0	0	67	116	147	111	154
2025/10/7 16:20	0	0	0	0	0	29	71	83	113	92
2025/10/7 16:30	0	0	0	0	0	49	96	94	117	112
2025/10/7 16:40	0	0	0	0	0	30	71	84	86	106
2025/10/7 16:50	0	0	0	0	0	20	56	70	71	84
2025/10/7 17:00	0	0	0	0	0	30	27	84	54	95
2025/10/7 17:10	0	0	0	0	0	24	37	68	76	75
2025/10/7 17:20	0	0	0	0	0	1	36	76	127	91
2025/10/7 17:30	0	0	0	0	0	12	42	94	75	109
2025/10/7 17:40	0	0	0	0	0	1	37	98	75	99
2025/10/7 17:50	0	0	0	0	0	1	28	66	155	91
2025/10/7 18:00	0	0	0	0	0	4	16	167	153	132
2025/10/7 18:10	0	0	0	0	0	1	11	159	414	219
2025/10/7 18:20	0	0	0	0	0	1	14	135	173	178
2025/10/7 18:30	0	0	0	0	0	2	11	149	338	250
2025/10/7 18:40	0	0	0	0	0	3	19	137	334	141
2025/10/7 18:50	0	0	0	0	0	1	19	124	376	172
2025/10/7 19:00	0	0	0	0	0	3	13	92	338	162
2025/10/7 19:10	0	0	0	0	0	1	5	126	316	250
2025/10/7 19:20	0	0	0	0	0	1	2	119	368	167
2025/10/7 19:30	0	0	0	0	0	1	1	79	275	155
2025/10/7 19:40	0	0	0	0	0	1	3	70	162	89
2025/10/7 19:50	0	0	0	0	0	1	1	75	226	122
2025/10/7 20:00	0	0	0	0	0	1	1	44	204	108
2025/10/7 20:10	0	0	0	0	0	1	3	145	209	175
2025/10/7 20:20	0	0	0	0	0	1	1	84	373	163

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/7 20:30	0	0	0	0	0	1	1	86	378	174
2025/10/7 20:40	0	0	0	0	0	1	1	166	436	219
2025/10/7 20:50	0	0	0	0	0	1	1	110	366	272
2025/10/7 21:00	0	0	0	0	0	1	1	72	323	156
2025/10/7 21:10	0	0	0	0	0	1	1	36	387	127
2025/10/7 21:20	0	0	0	0	0	1	1	30	615	69
2025/10/7 21:30	0	0	0	0	0	3	7	33	607	155
2025/10/7 21:40	0	0	0	0	0	9	12	36	607	77
2025/10/7 21:50	0	0	0	0	0	8	7	37	804	382
2025/10/7 22:00	0	0	0	0	0	13	38	39	616	110
2025/10/7 22:10	0	0	0	0	0	14	16	40	837	204
2025/10/7 22:20	0	0	0	0	0	17	23	41	957	60
2025/10/7 22:30	0	0	0	0.3	0	20	43	43	682	52
2025/10/7 22:40	0	0	0	0.2	0	20	30	41	469	51
2025/10/7 22:50	0	0	0	0	0	18	24	38	611	70
2025/10/7 23:00	0	0	0	0	0	19	24	40	658	143
2025/10/7 23:10	0	0	0	0	0	19	25	42	474	112
2025/10/7 23:20	0	0	0	0	0	14	20	36	437	58
2025/10/7 23:30	0	0	0	0	0	16	18	40	729	63
2025/10/7 23:40	0	0	0	0	0	12	20	34	570	65
2025/10/7 23:50	0	0	0	0	0	12	22	34	710	98
2025/10/8 0:00	0	0	0	0	0	17	27	39	728	137
2025/10/8 0:10	0	0	0	0	0	14	25	37	439	63
2025/10/8 0:20	0	0	0	0	0	14	22	37	591	74
2025/10/8 0:30	0	0	0	0.1	0	19	26	39	595	130
2025/10/8 0:40	0	0	0	0	0	25	23	49	876	316
2025/10/8 0:50	0	0	0	0.1	0	20	20	51	731	277
2025/10/8 1:00	0	0	0	0	0	15	18	46	587	265
2025/10/8 1:10	0	0	0	0	0	15	19	42	683	126
2025/10/8 1:20	0	0	0	0	0	17	18	50	603	113
2025/10/8 1:30	0	0	0	0	0	18	20	46	660	121
2025/10/8 1:40	0	0	0	0	0	28	27	52	721	149
2025/10/8 1:50	0	0	0	0	0	33	41	52	620	271
2025/10/8 2:00	0	0	0	0	0	28	34	51	426	85
2025/10/8 2:10	0	0	0	0	0	27	32	50	534	83
2025/10/8 2:20	0	0	0	0	0	29	36	51	698	211
2025/10/8 2:30	0	0	0	0	0	39	42	54	689	243
2025/10/8 2:40	0	0	0	0	0	30	36	49	756	186
2025/10/8 2:50	0	0	0	0	0	26	37	48	759	113
2025/10/8 3:00	0	0	0	0	0	25	32	47	466	105
2025/10/8 3:10	0	0	0	0	0	26	34	48	717	119
2025/10/8 3:20	0	0	0	0	0	23	36	46	593	199
2025/10/8 3:30	0	0	0	0	0	24	32	46	597	99
2025/10/8 3:40	0	0	0	0	0	30	28	44	665	186
2025/10/8 3:50	0	0	0	0	0	25	41	44	772	427
2025/10/8 4:00	0	0	0	0	0	59	50	146	836	618
2025/10/8 4:10	0	0	0	0	0	36	39	153	779	526
2025/10/8 4:20	0	0	0	0	0	40	49	69	620	338
2025/10/8 4:30	0	0	0	0	0	44	54	63	552	265
2025/10/8 4:40	0	0	0	0	0	45	66	63	533	96
2025/10/8 4:50	0	0	0	0	0	44	53	66	524	138
2025/10/8 5:00	0	0	0	0	0	48	51	71	530	285
2025/10/8 5:10	0	0	0	0	0	52	58	74	434	259
2025/10/8 5:20	0	0	0	0	0	54	61	75	433	208
2025/10/8 5:30	0	0	0	0	0	54	62	75	503	168
2025/10/8 5:40	0	0	0	0	0	56	64	74	538	239
2025/10/8 5:50	0	0	0	0	0	65	70	166	505	343
2025/10/8 6:00	0	0	0	0	0	61	75	77	508	192
2025/10/8 6:10	0	0	0	0	0	59	63	91	501	317
2025/10/8 6:20	0	0	0	0	0	53	59	72	545	86
2025/10/8 6:30	0	0	0	0	0	49	57	71	374	75
2025/10/8 6:40	0	0	0	0	0	49	61	73	409	227
2025/10/8 6:50	0	0	0	0	0	54	67	76	595	186
2025/10/8 7:00	0	0	0	0	0	50	55	66	537	81
2025/10/8 7:10	0	0	0	0	0	40	48	58	380	62
2025/10/8 7:20	0	0	0	0	0	32	37	49	398	55
2025/10/8 7:30	0	0	0	0	0	21	55	41	182	48
2025/10/8 7:40	0	0	0.1	0	0	22	41	39	180	76
2025/10/8 7:50	0	0	0.1	0	0	16	22	39	246	88
2025/10/8 8:00	0	0	0.1	0	0	17	29	35	143	47
2025/10/8 8:10	0	0	0.1	0	0	9	30	32	127	52
2025/10/8 8:20	0	0	0.1	0	0	10	14	32	182	65
2025/10/8 8:30	0	0	0.1	0	0	10	45	35	114	56

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/8 8:40	0	0	0.1	0	0	20	35	64	131	191
2025/10/8 8:50	0	0	0.1	0	0	14	63	47	179	170
2025/10/8 9:00	0	0	0.1	0	0	13	92	37	99	68
2025/10/8 9:10	0	0	0.1	0	0	31	17	101	177	194
2025/10/8 9:20	0	0	0	0.1	0	6	33	72	109	158
2025/10/8 9:30	0	0	0	0.1	0.1	23	32	70	114	176
2025/10/8 9:40	0	0	0	0.1	0.1	32	26	50	137	94
2025/10/8 9:50	0	0	0	0.1	0.1	3	36	36	131	91
2025/10/8 10:00	0	0	0	0.1	0.1	52	74	75	67	151
2025/10/8 10:10	0	0	0	0.1	0.1	1	33	28	81	68
2025/10/8 10:20	0	0	0	0.1	0.1	1	54	24	73	85
2025/10/8 10:30	0	0	0	0.1	0.1	4	41	41	190	125
2025/10/8 10:40	0	0	0	0.1	0.1	1	12	30	135	107
2025/10/8 10:50	0	0	0	0.1	0.1	1	19	30	104	89
2025/10/8 11:00	0	0	0	0.1	0.1	1	19	43	98	92
2025/10/8 11:10	0	0	0	0.1	0.1	1	26	70	100	130
2025/10/8 11:20	0	0	0	0.1	0.1	36	39	62	55	119
2025/10/8 11:30	0	0	0	0.1	0.1	38	36	65	57	145
2025/10/8 11:40	0	0	0	0.1	0.1	55	38	39	77	110
2025/10/8 11:50	0.1	0	0	0.1	0.1	5	25	46	89	114
2025/10/8 12:00	0.1	0	0	0.1	0.1	11	14	59	62	161
2025/10/8 12:10	0.1	0	0	0	0.1	34	28	49	56	138
2025/10/8 12:20	0.1	0	0	0	0.1	13	19	56	85	115
2025/10/8 12:30	0.1	0	0	0	0.1	1	1	52	98	132
2025/10/8 12:40	0.1	0	0	0	0.1	11	7	61	67	170
2025/10/8 12:50	0.2	0	0	0	0.1	1	1	40	55	126
2025/10/8 13:00	0.2	0	0	0	0.1	29	50	38	31	127
2025/10/8 13:10	0.2	0	0	0	0.1	16	47	23	32	107
2025/10/8 13:20	0.2	0	0	0	0.1	8	67	24	52	103
2025/10/8 13:30	0.2	0	0	0	0.1	48	112	56	93	150
2025/10/8 13:40	0.1	0	0	0	0.1	32	45	65	103	149
2025/10/8 13:50	0.1	0	0	0	0.1	45	113	147	135	174
2025/10/8 14:00	0.1	0	0	0	0	106	185	134	128	204
2025/10/8 14:10	0.1	0	0	0	0	59	145	34	62	125
2025/10/8 14:20	0.1	0	0	0	0	68	100	28	47	130
2025/10/8 14:30	0.1	0	0	0	0	76	138	51	40	148
2025/10/8 14:40	0.1	0	0	0	0	59	109	28	47	127
2025/10/8 14:50	0.1	0	0	0	0	102	146	41	51	150
2025/10/8 15:00	0.1	0	0	0	0	81	125	35	35	128
2025/10/8 15:10	0.1	0	0	0	0	87	78	31	36	148
2025/10/8 15:20	0.1	0	0	0	0	56	83	29	41	106
2025/10/8 15:30	0.1	0	0	0	0	143	197	56	41	177
2025/10/8 15:40	0.1	0	0	0	0	126	178	71	43	190
2025/10/8 15:50	0.1	0	0	0	0	54	113	65	127	167
2025/10/8 16:00	0	0	0	0	0	30	85	153	200	216
2025/10/8 16:10	0	0	0	0	0	71	116	136	100	206
2025/10/8 16:20	0	0	0	0	0	127	234	87	46	238
2025/10/8 16:30	0	0	0	0	0	102	102	167	93	245
2025/10/8 16:40	0	0	0	0	0	83	89	204	140	225
2025/10/8 16:50	0	0	0	0	0	47	95	237	467	213
2025/10/8 17:00	0	0	0	0	0	89	113	284	385	272
2025/10/8 17:10	0	0	0	0	0	86	100	301	249	294
2025/10/8 17:20	0	0	0	0	0	114	97	242	209	335
2025/10/8 17:30	0	0	0	0	0	68	73	243	165	237
2025/10/8 17:40	0	0	0	0	0	57	69	218	164	255
2025/10/8 17:50	0	0	0	0	0	107	88	191	102	311
2025/10/8 18:00	0	0	0	0	0	101	93	145	63	296
2025/10/8 18:10	0	0	0	0	0	89	92	157	64	270
2025/10/8 18:20	0	0	0	0	0	80	88	171	74	261
2025/10/8 18:30	0	0	0	0	0	90	76	166	84	281
2025/10/8 18:40	0	0	0	0	0	73	74	171	83	272
2025/10/8 18:50	0	0	0	0	0	59	71	209	148	242
2025/10/8 19:00	0	0	0	0	0	61	70	174	72	193
2025/10/8 19:10	0	0	0	0	0	77	73	139	63	266
2025/10/8 19:20	0	0	0	0	0	75	65	193	124	290
2025/10/8 19:30	0	0	0	0	0	100	73	197	121	297
2025/10/8 19:40	0	0	0	0	0	195	85	143	101	333
2025/10/8 19:50	0	0	0	0	0	167	73	184	181	376
2025/10/8 20:00	0	0	0	0	0	170	114	137	69	291
2025/10/8 20:10	0	0	0	0	0	170	98	135	57	296
2025/10/8 20:20	0	0	0	0	0	116	104	168	78	314
2025/10/8 20:30	0	0	0	0	0	244	101	199	144	344
2025/10/8 20:40	0	0	0	0	0	325	311	151	222	353

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/8 20:50	0	0	0	0	0	195	178	181	354	371
2025/10/8 21:00	0	0	0	0	0	346	300	189	305	370
2025/10/8 21:10	0	0	0	0	0	246	226	147	125	360
2025/10/8 21:20	0	0	0	0	0	190	74	279	93	439
2025/10/8 21:30	0	0	0	0	0	55	69	278	236	421
2025/10/8 21:40	0	0	0	0	0	39	62	235	666	280
2025/10/8 21:50	0	0	0	0	0	218	47	320	609	643
2025/10/8 22:00	0	0	0	0	0	142	46	253	641	564
2025/10/8 22:10	0	0	0	0	0	30	49	317	654	561
2025/10/8 22:20	0	0	0	0	0	49	49	273	407	513
2025/10/8 22:30	0	0	0	0	0	89	52	219	302	434
2025/10/8 22:40	0	0	0	0	0	38	52	201	354	380
2025/10/8 22:50	0	0	0	0	0	98	60	268	182	425
2025/10/8 23:00	0	0	0	0	0	70	52	250	118	342
2025/10/8 23:10	0	0	0	0	0	51	60	248	80	328
2025/10/8 23:20	0	0	0	0	0	40	46	250	127	238
2025/10/8 23:30	0	0	0	0	0	51	42	213	77	304
2025/10/8 23:40	0	0	0	0	0	41	39	182	313	291
2025/10/8 23:50	0	0	0	0	0	20	33	176	193	215
2025/10/9 0:00	0	0	0	0	0	22	34	181	203	245
2025/10/9 0:10	0	0	0	0	0	22	29	121	272	307
2025/10/9 0:20	0	0	0	0	0	13	23	102	182	194
2025/10/9 0:30	0	0	0	0	0	10	23	96	188	259
2025/10/9 0:40	0	0	0	0	0	14	30	89	346	294
2025/10/9 0:50	0	0	0	0	0	17	34	81	270	159
2025/10/9 1:00	0	0	0	0	0	22	39	96	271	192
2025/10/9 1:10	0	0	0	0	0	23	42	80	283	174
2025/10/9 1:20	0	0	0	0	0	20	33	93	285	240
2025/10/9 1:30	0	0	0	0	0	20	26	97	205	153
2025/10/9 1:40	0	0	0	0	0	21	29	148	80	210
2025/10/9 1:50	0	0	0	0	0	17	30	119	113	139
2025/10/9 2:00	0	0	0	0	0	11	30	113	85	131
2025/10/9 2:10	0	0	0	0	0	14	29	93	73	111
2025/10/9 2:20	0	0	0	0	0	10	24	76	66	95
2025/10/9 2:30	0	0	0	0	0	10	26	99	64	112
2025/10/9 2:40	0	0	0	0	0	11	24	80	69	101
2025/10/9 2:50	0	0	0	0	0	6	25	75	74	91
2025/10/9 3:00	0	0	0	0	0	7	25	73	59	88
2025/10/9 3:10	0	0	0	0	0	6	23	84	62	93
2025/10/9 3:20	0	0	0	0	0	9	25	81	53	96
2025/10/9 3:30	0	0	0	0	0	17	25	88	47	112
2025/10/9 3:40	0	0	0	0	0	10	26	91	51	106
2025/10/9 3:50	0	0	0	0	0	9	23	89	64	94
2025/10/9 4:00	0	0	0	0	0	1	22	74	51	77
2025/10/9 4:10	0	0	0	0	0	2	22	65	55	69
2025/10/9 4:20	0	0	0	0	0	6	20	73	46	82
2025/10/9 4:30	0	0	0	0	0	5	22	74	49	80
2025/10/9 4:40	0	0	0	0	0	1	27	66	59	73
2025/10/9 4:50	0	0	0	0	0	3	24	75	82	76
2025/10/9 5:00	0	0	0	0	0	1	26	65	61	67
2025/10/9 5:10	0	0	0	0	0	1	24	60	53	72
2025/10/9 5:20	0	0	0	0	0	1	22	61	62	78
2025/10/9 5:30	0	0	0	0	0	1	19	58	65	71
2025/10/9 5:40	0	0	0	0	0	1	17	54	52	61
2025/10/9 5:50	0	0	0	0	0	1	21	53	65	59
2025/10/9 6:00	0	0	0	0	0	1	22	52	58	58
2025/10/9 6:10	0	0	0	0	0	1	20	53	56	61
2025/10/9 6:20	0	0	0	0	0	1	19	41	72	52
2025/10/9 6:30	0	0	0	0	0	1	16	39	71	48
2025/10/9 6:40	0	0	0	0	0	1	13	56	61	50
2025/10/9 6:50	0	0	0	0	0	1	17	67	51	63
2025/10/9 7:00	0	0	0	0	0	1	19	65	59	64
2025/10/9 7:10	0	0	0	0	0	4	18	69	49	71
2025/10/9 7:20	0	0	0	0	0	1	7	58	69	51
2025/10/9 7:30	0	0	0	0	0	1	3	50	72	50
2025/10/9 7:40	0	0	0	0	0	1	4	46	73	49
2025/10/9 7:50	0	0	0	0	0	1	18	57	70	56
2025/10/9 8:00	0	0	0	0	0	1	19	52	86	53
2025/10/9 8:10	0	0	0	0	0	1	11	52	83	60
2025/10/9 8:20	0	0	0	0	0	1	4	38	76	46
2025/10/9 8:30	0	0	0	0	0	1	3	34	74	45
2025/10/9 8:40	0	0	0	0	0	1	6	35	88	52
2025/10/9 8:50	0	0	0	0	0	1	8	31	95	52

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/9 9:00	0	0	0	0	0	1	5	32	110	50
2025/10/9 9:10	0	0	0	0	0	1	12	34	78	48
2025/10/9 9:20	0	0	0	0	0	2	35	57	123	68
2025/10/9 9:30	0	0	0	0	0	5	60	54	106	64
2025/10/9 9:40	0	0	0	0	0	4	40	54	108	67
2025/10/9 9:50	0	0	0	0	0	3	39	54	121	67
2025/10/9 10:00	0	0	0	0	0	1	14	29	67	50
2025/10/9 10:10	0	0	0	0	0	1	24	50	90	69
2025/10/9 10:20	0	0	0	0	0	1	16	40	110	56
2025/10/9 10:30	0	0	0	0	0	1	7	26	103	49
2025/10/9 10:40	0	0	0	0	0	1	16	33	126	55
2025/10/9 10:50	0	0	0	0	0	1	10	51	78	70
2025/10/9 11:00	0	0	0	0	0	1	7	24	92	50
2025/10/9 11:10	0	0	0	0	0	1	5	31	75	54
2025/10/9 11:20	0	0	0	0	0	1	11	37	92	65
2025/10/9 11:30	0	0	0	0	0	1	18	41	71	67
2025/10/9 11:40	0	0	0	0	0	1	17	26	68	59
2025/10/9 11:50	0	0	0	0	0	1	5	34	61	60
2025/10/9 12:00	0	0	0	0	0	1	1	27	63	53
2025/10/9 12:10	0	0	0	0	0	1	1	21	65	50
2025/10/9 12:20	0	0	0	0	0	1	8	45	61	71
2025/10/9 12:30	0	0	0	0	0	1	3	34	78	54
2025/10/9 12:40	0	0	0	0	0	1	4	41	50	67
2025/10/9 12:50	0	0	0	0	0	1	1	36	49	48
2025/10/9 13:00	0	0	0	0	0	1	8	48	71	60
2025/10/9 13:10	0	0	0	0	0	1	23	55	105	61
2025/10/9 13:20	0	0	0	0	0	1	32	47	135	63
2025/10/9 13:30	0	0	0	0	0	1	48	48	162	61
2025/10/9 13:40	0	0	0	0	0	1	38	46	131	53
2025/10/9 13:50	0	0	0	0	0	1	35	49	144	61
2025/10/9 14:00	0	0	0	0	0	8	47	77	160	91
2025/10/9 14:10	0	0	0	0	0	1	35	60	126	71
2025/10/9 14:20	0	0	0	0	0	1	38	63	140	75
2025/10/9 14:30	0	0	0	0	0	8	45	66	107	86
2025/10/9 14:40	0	0	0	0	0	8	51	69	110	81
2025/10/9 14:50	0	0	0	0	0	1	25	34	78	46
2025/10/9 15:00	0	0	0	0	0	1	20	43	62	52
2025/10/9 15:10	0	0	0	0	0	1	16	45	62	52
2025/10/9 15:20	0	0	0	0	0	7	31	67	94	77
2025/10/9 15:30	0	0	0	0	0	1	22	47	116	58
2025/10/9 15:40	0	0	0	0	0	4	47	87	140	91
2025/10/9 15:50	0	0	0	0	0	1	26	48	82	65
2025/10/9 16:00	0	0	0	0	0	1	18	42	83	59
2025/10/9 16:10	0	0	0	0	0	3	42	58	74	74
2025/10/9 16:20	0	0	0	0	0	1	18	45	84	60
2025/10/9 16:30	0	0	0	0	0	1	23	59	130	60
2025/10/9 16:40	0	0	0	0	0	1	18	82	74	72
2025/10/9 16:50	0	0	0	0	0	10	21	81	60	98
2025/10/9 17:00	0	0	0	0	0	6	29	84	63	92
2025/10/9 17:10	0	0	0	0	0	19	23	88	58	102
2025/10/9 17:20	0	0	0	0	0	1	31	70	90	79
2025/10/9 17:30	0	0	0	0	0	8	36	86	63	77
2025/10/9 17:40	0	0	0	0	0	3	28	67	53	74
2025/10/9 17:50	0	0	0	0	0	1	10	67	40	75
2025/10/9 18:00	0	0	0	0	0	1	1	119	69	135
2025/10/9 18:10	0	0	0	0	0	3	1	145	140	157
2025/10/9 18:20	0	0	0	0	0	1	1	137	165	162
2025/10/9 18:30	0	0	0	0	0	15	3	202	43	216
2025/10/9 18:40	0	0	0	0	0	13	1	183	113	202
2025/10/9 18:50	0	0	0	0	0	1	1	163	65	146
2025/10/9 19:00	0	0	0	0	0	2	1	137	109	121
2025/10/9 19:10	0	0	0	0	0	1	5	224	88	213
2025/10/9 19:20	0	0	0	0	0	30	10	223	173	284
2025/10/9 19:30	0	0	0	0	0	6	4	260	162	274
2025/10/9 19:40	0	0	0	0	0	3	3	232	130	229
2025/10/9 19:50	0	0	0	0	0	10	3	270	224	306
2025/10/9 20:00	0	0	0	0	0	22	4	314	334	395
2025/10/9 20:10	0	0	0	0	0	6	5	367	654	341
2025/10/9 20:20	0	0	0	0	0	13	6	219	503	234
2025/10/9 20:30	0	0	0	0	0	4	6	161	728	250
2025/10/9 20:40	0	0	0	0	0	3	6	79	695	104
2025/10/9 20:50	0	0	0	0	0	6	6	179	459	222
2025/10/9 21:00	0	0	0	0	0	3	7	159	622	220

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/9 21:10	0	0	0	0	0	3	6	55	759	196
2025/10/9 21:20	0	0	0	0	0	3	6	35	812	224
2025/10/9 21:30	0	0	0	0	0	3	6	19	1036	164
2025/10/9 21:40	0	0	0	0.5	0	3	6	30	984	96
2025/10/9 21:50	0	0	0	0.3	0	3	7	30	900	162
2025/10/9 22:00	0	0	0	0.3	0	3	5	37	898	247
2025/10/9 22:10	0	0	0	0.1	0	14	39	257	906	564
2025/10/9 22:20	0	0	0	0.3	0	3	23	33	974	239
2025/10/9 22:30	0	0	0	0.8	0	3	3	37	930	260
2025/10/9 22:40	0	0	0	0.1	0	3	3	252	617	453
2025/10/9 22:50	0	0	0	0	0	3	3	58	836	108
2025/10/9 23:00	0	0	0	0	0	5	3	46	861	170
2025/10/9 23:10	0	0	0	0.2	0	4	3	30	662	125
2025/10/9 23:20	0	0	0	0	0	4	7	29	761	61
2025/10/9 23:30	0	0	0	0.3	0	17	12	41	945	127
2025/10/9 23:40	0	0	0	1.2	0	13	6	38	609	232
2025/10/9 23:50	0	0	0	0	0	17	28	39	894	138
2025/10/10 0:00	0	0	0	0.7	0	11	23	38	837	216
2025/10/10 0:10	0	0	0	0.2	0	7	14	32	808	37
2025/10/10 0:20	0	0	0	0.6	0	8	12	32	301	34
2025/10/10 0:30	0	0	0	0	0	6	6	71	866	196
2025/10/10 0:40	0	0	0	0.5	0	12	19	34	370	40
2025/10/10 0:50	0	0	0	0	0	7	16	30	655	77
2025/10/10 1:00	0	0	0	0	0	6	10	30	527	37
2025/10/10 1:10	0	0	0	0.2	0	4	7	28	565	117
2025/10/10 1:20	0	0	0	0	0	4	6	28	720	91
2025/10/10 1:30	0	0	0	0.1	0	4	8	28	559	106
2025/10/10 1:40	0	0	0	0	0	6	11	30	515	47
2025/10/10 1:50	0	0	0	0	0	8	11	36	561	252
2025/10/10 2:00	0	0	0	0	0	8	12	32	605	51
2025/10/10 2:10	0	0	0	0	0	12	14	32	811	108
2025/10/10 2:20	0	0	0	0	0	9	33	33	506	67
2025/10/10 2:30	0	0	0	0	0	11	10	39	702	36
2025/10/10 2:40	0	0	0	0	0	14	12	36	937	96
2025/10/10 2:50	0	0	0	0.1	0	15	20	37	1010	40
2025/10/10 3:00	0	0	0	0.2	0	25	41	38	1082	42
2025/10/10 3:10	0	0	0	0.4	0	18	22	39	1093	123
2025/10/10 3:20	0	0	0	1.1	0	13	14	36	836	71
2025/10/10 3:30	0	0	0	0.1	0	14	23	40	818	55
2025/10/10 3:40	0	0	0	0	0	15	11	36	898	33
2025/10/10 3:50	0	0	0	0	0	17	15	38	885	142
2025/10/10 4:00	0	0	0	0	0	20	15	57	647	147
2025/10/10 4:10	0	0	0	0	0	16	12	52	594	99
2025/10/10 4:20	0	0	0	0	0	12	16	38	578	137
2025/10/10 4:30	0	0	0	0	0	17	15	42	460	50
2025/10/10 4:40	0	0	0	0	0	14	18	38	560	69
2025/10/10 4:50	0	0	0	0	0	20	23	43	514	81
2025/10/10 5:00	0	0	0	0	0	20	16	50	538	150
2025/10/10 5:10	0	0	0	0	0	21	15	45	515	47
2025/10/10 5:20	0	0	0	0	0	26	21	49	483	39
2025/10/10 5:30	0	0	0	0	0	30	29	50	343	58
2025/10/10 5:40	0	0	0	0	0	28	23	49	465	128
2025/10/10 5:50	0	0	0	0	0	29	20	52	327	105
2025/10/10 6:00	0	0	0	0	0	31	26	58	490	167
2025/10/10 6:10	0	0	0	0	0	25	21	57	532	116
2025/10/10 6:20	0	0	0	0	0	22	17	53	570	173
2025/10/10 6:30	0	0	0	0	0	26	20	63	517	263
2025/10/10 6:40	0	0	0	0	0	28	20	57	520	72
2025/10/10 6:50	0	0	0	0	0	28	17	52	592	145
2025/10/10 7:00	0	0	0	0	0	20	17	48	621	130
2025/10/10 7:10	0	0	0	0	0	18	22	66	672	83
2025/10/10 7:20	0	0	0	0	0	29	22	57	892	83
2025/10/10 7:30	0	0	0	0.2	0	29	62	50	685	52
2025/10/10 7:40	0	0	0	0.4	0	17	169	44	275	41
2025/10/10 7:50	0	0	0	0	0	19	15	39	425	48
2025/10/10 8:00	0	0	0	0	0	13	7	36	347	52
2025/10/10 8:10	0	0	0	0	0	13	9	37	292	108
2025/10/10 8:20	0	0	0	0	0	10	108	36	270	29
2025/10/10 8:30	0	0	0	0	0	9	50	39	189	30
2025/10/10 8:40	0	0	0	0	0	13	65	38	201	62
2025/10/10 8:50	0	0	0	0	0	14	76	38	172	42
2025/10/10 9:00	0	0	0	0	0	15	25	43	161	62
2025/10/10 9:10	0	0	0	0	0	89	20	51	115	129

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/10 9:20	0	0	0	0	0	23	22	74	210	109
2025/10/10 9:30	0	0	0	0	0	1	13	38	120	61
2025/10/10 9:40	0	0	0	0	0	1	20	48	130	80
2025/10/10 9:50	0	0	0	0	0	1	6	66	121	78
2025/10/10 10:00	0	0	0	0.1	0	7	18	72	94	114
2025/10/10 10:10	0	0	0	0.1	0	3	2	54	135	117
2025/10/10 10:20	0	0	0	0.1	0	1	9	70	146	95
2025/10/10 10:30	0	0	0	0.1	0.1	1	1	25	94	50
2025/10/10 10:40	0	0	0	0.1	0.1	1	1	31	155	58
2025/10/10 10:50	0	0	0	0.1	0.1	1	8	40	71	87
2025/10/10 11:00	0	0	0	0.1	0.1	1	7	18	54	56
2025/10/10 11:10	0	0	0	0.1	0.1	1	58	22	81	74
2025/10/10 11:20	0	0	0	0.1	0.1	74	83	60	67	125
2025/10/10 11:30	0	0	0	0	0.1	33	67	19	36	78
2025/10/10 11:40	0	0	0	0	0.1	20	159	13	35	84
2025/10/10 11:50	0	0	0	0	0.1	3	24	37	103	103
2025/10/10 12:00	0.1	0	0	0	0.1	31	18	55	33	103
2025/10/10 12:10	0.1	0	0	0	0.1	1	1	74	73	97
2025/10/10 12:20	0.1	0	0	0	0.1	1	1	71	80	120
2025/10/10 12:30	0.1	0	0	0	0	1	1	56	98	114
2025/10/10 12:40	0.1	0	0	0	0	1	1	56	99	64
2025/10/10 12:50	0.1	0	0	0	0	1	1	33	92	180
2025/10/10 13:00	0.1	0	0	0	0	64	71	126	160	149
2025/10/10 13:10	0.1	0	0	0	0	81	152	125	166	163
2025/10/10 13:20	0.1	0	0	0	0	11	22	117	153	134
2025/10/10 13:30	0.1	0	0	0	0	1	33	64	179	124
2025/10/10 13:40	0.1	0	0	0	0	1	14	26	179	85
2025/10/10 13:50	0.1	0	0	0	0	57	183	67	39	112
2025/10/10 14:00	0.1	0	0	0	0	125	196	60	67	170
2025/10/10 14:10	0.1	0	0	0	0	67	91	34	45	130
2025/10/10 14:20	0.1	0	0	0	0	1	26	40	220	79
2025/10/10 14:30	0.1	0	0	0	0	1	1	53	172	129
2025/10/10 14:40	0	0	0	0	0	1	11	73	151	119
2025/10/10 14:50	0	0	0	0	0	68	79	50	63	112
2025/10/10 15:00	0	0	0	0	0	12	54	91	109	94
2025/10/10 15:10	0	0	0	0	0	46	35	55	45	148
2025/10/10 15:20	0	0	0	0	0	68	55	56	54	152
2025/10/10 15:30	0	0	0	0	0	105	111	53	31	156
2025/10/10 15:40	0	0	0	0	0	146	253	29	25	196
2025/10/10 15:50	0	0	0	0	0	76	122	14	78	98
2025/10/10 16:00	0	0	0	0	0	123	61	27	16	118
2025/10/10 16:10	0	0	0	0	0	114	120	20	28	154
2025/10/10 16:20	0	0	0	0	0	130	262	36	23	150
2025/10/10 16:30	0	0	0	0	0	158	149	49	33	185
2025/10/10 16:40	0	0	0	0	0	129	125	46	48	163
2025/10/10 16:50	0	0	0	0	0	105	74	49	47	150
2025/10/10 17:00	0	0	0	0	0	130	75	50	61	139
2025/10/10 17:10	0	0	0	0	0	160	70	59	73	186
2025/10/10 17:20	0	0	0	0	0	153	84	50	60	158
2025/10/10 17:30	0	0	0	0	0	157	80	55	53	197
2025/10/10 17:40	0	0	0	0	0	116	62	57	49	210
2025/10/10 17:50	0	0	0	0	0	125	55	51	35	175
2025/10/10 18:00	0	0	0	0	0	161	72	61	31	157
2025/10/10 18:10	0	0	0	0	0	167	52	74	19	285
2025/10/10 18:20	0	0	0	0	0	213	46	94	24	275
2025/10/10 18:30	0	0	0	0	0	172	37	107	22	341
2025/10/10 18:40	0	0	0	0	0	89	175	133	24	335
2025/10/10 18:50	0	0	0	0	0	137	128	76	29	367
2025/10/10 19:00	0	0	0	0	0	145	55	103	39	336
2025/10/10 19:10	0	0	0	0	0	170	53	62	46	283
2025/10/10 19:20	0	0	0	0	0	165	49	84	39	271
2025/10/10 19:30	0	0	0	0	0	155	42	86	32	210
2025/10/10 19:40	0	0	0	0	0	141	34	76	37	260
2025/10/10 19:50	0	0	0	0	0	169	42	63	26	224
2025/10/10 20:00	0	0	0	0	0	229	62	80	29	305
2025/10/10 20:10	0	0	0	0	0	246	117	73	31	275
2025/10/10 20:20	0	0	0	0	0	327	178	89	37	262
2025/10/10 20:30	0	0	0	0	0	350	180	73	38	313
2025/10/10 20:40	0	0	0	0	0	420	190	142	38	499
2025/10/10 20:50	0	0	0	0	0	416	231	275	581	722
2025/10/10 21:00	0	0	0	0	0	360	145	297	98	732
2025/10/10 21:10	0	0	0	0	0	441	69	291	363	800
2025/10/10 21:20	0	0	0	0	0	557	80	178	33	641

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/10 21:30	0	0	0	0	0	644	120	248	140	823
2025/10/10 21:40	0	0	0	0	0	501	54	441	178	925
2025/10/10 21:50	0	0	0	0	0.3	689	51	332	159	889
2025/10/10 22:00	0	0	0	0	0.7	219	37	499	446	955
2025/10/10 22:10	0	0	0	0	1.2	156	36	581	237	932
2025/10/10 22:20	0	0	0	0	1.1	83	33	688	344	943
2025/10/10 22:30	0	0	0	0	1.8	60	43	580	497	668
2025/10/10 22:40	0	0	0	0	0.2	321	48	426	126	808
2025/10/10 22:50	0	0	0	0	0	214	57	473	283	861
2025/10/10 23:00	0	0	0	0	0.6	59	33	601	513	501
2025/10/10 23:10	0	0	0	0	0	282	37	508	108	781
2025/10/10 23:20	0	0	0	0	0	97	30	564	308	895
2025/10/10 23:30	0	0	0	0	0.9	131	22	582	756	762
2025/10/10 23:40	0	0	0	0	1.1	51	21	483	350	551
2025/10/10 23:50	0	0	0	0	0	84	24	533	607	576
2025/10/11 0:00	0	0	0	0	0	54	34	508	927	697
2025/10/11 0:10	0	0	0	0.1	0	45	24	611	960	687
2025/10/11 0:20	0	0	0	0.1	0.5	32	23	638	563	512
2025/10/11 0:30	0	0	0	0	0	194	41	565	330	610
2025/10/11 0:40	0	0	0	0	0.2	228	27	486	90	812
2025/10/11 0:50	0	0	0	0	0	320	24	420	177	797
2025/10/11 1:00	0	0	0	0	0	211	37	479	474	770
2025/10/11 1:10	0	0	0	0	0.1	80	74	439	576	629
2025/10/11 1:20	0	0	0	0	0	78	18	499	268	754
2025/10/11 1:30	0	0	0	0	0	126	15	490	181	630
2025/10/11 1:40	0	0	0	0	0	44	19	419	869	679
2025/10/11 1:50	0	0	0	0	0	26	17	246	699	378
2025/10/11 2:00	0	0	0	0	0	30	18	374	550	446
2025/10/11 2:10	0	0	0	0	0	42	19	228	583	491
2025/10/11 2:20	0	0	0	0	0	244	67	381	393	718
2025/10/11 2:30	0	0	0	0	0	267	25	505	355	830
2025/10/11 2:40	0	0	0	0	0	43	38	425	910	585
2025/10/11 2:50	0	0	0	0	0	290	36	569	514	724
2025/10/11 3:00	0	0	0	0	0	46	20	403	643	478
2025/10/11 3:10	0	0	0	0	0	538	31	392	412	784
2025/10/11 3:20	0	0	0	0	0	556	449	304	766	804
2025/10/11 3:30	0	0	0	0	0	112	48	565	912	685
2025/10/11 3:40	0	0	0	0	0	60	29	367	566	594
2025/10/11 3:50	0	0	0	0	0	123	47	419	570	664
2025/10/11 4:00	0	0	0	0	0	36	28	332	681	515
2025/10/11 4:10	0	0	0	0	0	218	29	361	445	690
2025/10/11 4:20	0	0	0	0	0	372	54	273	528	613
2025/10/11 4:30	0	0	0	0	0	341	142	364	596	773
2025/10/11 4:40	0	0	0	0	0	49	23	284	824	452
2025/10/11 4:50	0	0	0	0	0	26	21	166	750	428
2025/10/11 5:00	0	0	0	0	0	25	36	102	659	295
2025/10/11 5:10	0	0	0	0	0	24	22	67	661	205
2025/10/11 5:20	0	0	0	0	0	21	20	108	504	136
2025/10/11 5:30	0	0	0	0	0	18	16	80	488	153
2025/10/11 5:40	0	0	0	0	0	17	12	75	295	155
2025/10/11 5:50	0	0	0	0	0	21	15	123	328	204
2025/10/11 6:00	0	0	0	0	0	17	17	62	388	142
2025/10/11 6:10	0	0	0	0	0	17	20	102	300	171
2025/10/11 6:20	0	0	0	0	0	20	25	133	243	150
2025/10/11 6:30	0	0	0	0	0	25	28	170	343	269
2025/10/11 6:40	0	0	0	0	0	27	36	126	290	158
2025/10/11 6:50	0	0	0	0	0	24	32	132	224	162
2025/10/11 7:00	0	0	0	0	0	49	32	216	53	267
2025/10/11 7:10	0	0	0	0	0	45	24	178	62	198
2025/10/11 7:20	0	0	0	0	0	90	23	193	113	313
2025/10/11 7:30	0	0	0	0	0	57	20	238	215	279
2025/10/11 7:40	0	0	0	0	0	23	21	204	145	179
2025/10/11 7:50	0	0	0	0	0	28	21	155	80	173
2025/10/11 8:00	0	0	0	0	0	14	24	117	69	106
2025/10/11 8:10	0	0	0	0	0	18	29	102	84	99
2025/10/11 8:20	0	0	0	0	0	20	33	98	146	82
2025/10/11 8:30	0	0	0	0	0	21	37	115	78	88
2025/10/11 8:40	0	0	0	0	0	20	36	89	102	82
2025/10/11 8:50	0	0	0	0	0	17	40	82	120	71
2025/10/11 9:00	0	0	0	0	0	17	36	73	132	60
2025/10/11 9:10	0	0	0	0	0	20	38	87	101	67
2025/10/11 9:20	0	0	0	0	0	21	41	89	128	65
2025/10/11 9:30	0	0	0	0	0	19	40	85	110	59

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/11 9:40	0	0	0	0	0	21	42	79	123	61
2025/10/11 9:50	0	0	0	0	0	21	49	88	129	65
2025/10/11 10:00	0	0	0	0	0	25	46	90	105	67
2025/10/11 10:10	0	0	0	0	0	25	43	86	140	66
2025/10/11 10:20	0	0	0	0	0	22	41	86	136	65
2025/10/11 10:30	0	0	0	0	0	21	41	80	112	61
2025/10/11 10:40	0	0	0	0	0	19	41	82	107	60
2025/10/11 10:50	0	0	0	0	0	18	41	74	105	58
2025/10/11 11:00	0	0	0	0	0	17	37	78	91	57
2025/10/11 11:10	0	0	0	0	0	21	40	86	75	58
2025/10/11 11:20	0	0	0	0	0	19	42	77	94	58
2025/10/11 11:30	0	0	0	0	0	14	40	67	91	56
2025/10/11 11:40	0	0	0	0	0	14	35	66	103	52
2025/10/11 11:50	0	0	0	0	0	17	37	69	91	53
2025/10/11 12:00	0	0	0	0	0	13	31	65	88	52
2025/10/11 12:10	0	0	0	0	0	9	25	62	90	48
2025/10/11 12:20	0	0	0	0	0	9	26	67	69	51
2025/10/11 12:30	0	0	0	0	0	8	24	65	80	50
2025/10/11 12:40	0	0	0	0	0	7	24	64	81	50
2025/10/11 12:50	0	0	0	0	0	7	27	76	85	50
2025/10/11 13:00	0	0	0	0	0	8	26	77	85	57
2025/10/11 13:10	0	0	0	0	0	7	28	62	95	49
2025/10/11 13:20	0	0	0	0	0	8	32	64	102	50
2025/10/11 13:30	0	0	0	0	0	8	30	63	84	48
2025/10/11 13:40	0	0	0	0	0	8	33	66	79	49
2025/10/11 13:50	0	0	0	0	0	10	33	66	109	48
2025/10/11 14:00	0	0	0	0	0	11	32	72	109	51
2025/10/11 14:10	0	0	0	0	0	12	35	82	102	55
2025/10/11 14:20	0	0	0	0	0	8	32	67	103	48
2025/10/11 14:30	0	0	0	0	0	8	31	60	127	45
2025/10/11 14:40	0	0	0	0	0	7	31	65	98	48
2025/10/11 14:50	0	0	0	0	0	6	28	58	119	44
2025/10/11 15:00	0	0	0	0	0	6	27	60	116	46
2025/10/11 15:10	0	0	0	0	0	6	23	61	115	45
2025/10/11 15:20	0	0	0	0	0	6	22	59	102	45
2025/10/11 15:30	0	0	0	0	0	6	21	60	76	46
2025/10/11 15:40	0	0	0	0	0	8	25	61	121	45
2025/10/11 15:50	0	0	0	0	0	12	25	59	109	45
2025/10/11 16:00	0	0	0	0	0	11	24	59	108	46
2025/10/11 16:10	0	0	0	0	0	12	24	61	98	45
2025/10/11 16:20	0	0	0	0	0	13	24	68	94	45
2025/10/11 16:30	0	0	0	0	0	14	25	71	92	45
2025/10/11 16:40	0	0	0	0	0	16	24	73	94	46
2025/10/11 16:50	0	0	0	0	0	15	24	71	78	44
2025/10/11 17:00	0	0	0	0	0	17	24	71	86	45
2025/10/11 17:10	0	0	0	0	0	20	25	74	105	46
2025/10/11 17:20	0	0	0	0	0	17	27	71	107	49
2025/10/11 17:30	0	0	0	0	0	14	23	70	83	45
2025/10/11 17:40	0	0	0	0	0	15	25	70	85	46
2025/10/11 17:50	0	0	0	0	0	17	25	72	92	48
2025/10/11 18:00	0	0	0	0	0	20	28	74	132	48
2025/10/11 18:10	0	0	0	0	0	23	32	79	166	52
2025/10/11 18:20	0	0	0	0	0	23	33	75	126	49
2025/10/11 18:30	0	0	0	0	0	21	27	77	140	51
2025/10/11 18:40	0	0	0	0	0	22	27	75	167	52
2025/10/11 18:50	0	0	0	0	0	15	22	69	98	46
2025/10/11 19:00	0	0	0	0	0	12	22	67	131	43
2025/10/11 19:10	0	0	0	0	0	12	19	65	124	43
2025/10/11 19:20	0	0	0	0	0	15	23	70	95	47
2025/10/11 19:30	0	0	0	0	0	18	24	71	137	48
2025/10/11 19:40	0	0	0	0	0	15	20	68	116	47
2025/10/11 19:50	0	0	0	0	0	13	20	67	109	45
2025/10/11 20:00	0	0	0	0	0	16	22	71	118	45
2025/10/11 20:10	0	0	0	0	0	21	25	75	136	47
2025/10/11 20:20	0	0	0	0	0	23	26	75	126	49
2025/10/11 20:30	0	0	0	0	0	19	27	75	99	45
2025/10/11 20:40	0	0	0	0	0	18	25	73	126	46
2025/10/11 20:50	0	0	0	0	0	19	25	72	79	47
2025/10/11 21:00	0	0	0	0	0	21	27	72	100	48
2025/10/11 21:10	0	0	0	0	0	19	26	71	125	51
2025/10/11 21:20	0	0	0	0	0	19	25	71	84	48
2025/10/11 21:30	0	0	0	0	0	19	24	71	125	47
2025/10/11 21:40	0	0	0	0	0	18	24	70	149	48

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/11 21:50	0	0	0	0	0	18	26	71	107	48
2025/10/11 22:00	0	0	0	0	0	18	26	71	112	47
2025/10/11 22:10	0	0	0	0	0	19	28	80	101	48
2025/10/11 22:20	0	0	0	0	0	18	23	70	132	47
2025/10/11 22:30	0	0	0	0	0	16	22	104	153	47
2025/10/11 22:40	0	0	0	0	0	16	23	76	207	46
2025/10/11 22:50	0	0	0	0	0	17	22	73	273	45
2025/10/11 23:00	0	0	0	0	0	17	22	72	244	46
2025/10/11 23:10	0	0	0	0	0	16	21	70	246	47
2025/10/11 23:20	0	0	0	0	0	15	22	68	253	47
2025/10/11 23:30	0	0	0	0	0	16	22	68	427	49
2025/10/11 23:40	0	0	0	0	0	19	26	68	570	69
2025/10/11 23:50	0	0	0	0	0	20	28	67	385	54
2025/10/12 0:00	0	0	0	0	0	15	22	67	397	49
2025/10/12 0:10	0	0	0	0	0	15	22	69	604	61
2025/10/12 0:20	0	0	0	0	0	17	22	64	599	51
2025/10/12 0:30	0	0	0	0	0	19	22	66	683	67
2025/10/12 0:40	0	0	0	0	0	19	22	65	590	55
2025/10/12 0:50	0	0	0	0	0	18	21	65	593	55
2025/10/12 1:00	0	0	0	0	0	18	18	62	664	54
2025/10/12 1:10	0	0	0	0	0	19	17	64	519	60
2025/10/12 1:20	0	0	0	0	0	17	16	65	644	51
2025/10/12 1:30	0	0	0	0	0	18	15	65	602	63
2025/10/12 1:40	0	0	0	0	0	21	19	64	677	51
2025/10/12 1:50	0	0	0	0	0	20	16	63	667	59
2025/10/12 2:00	0	0	0	0	0	16	16	64	749	65
2025/10/12 2:10	0	0	0	0	0	15	15	60	727	48
2025/10/12 2:20	0	0	0	0	0	12	14	59	408	43
2025/10/12 2:30	0	0	0	0	0	11	11	57	349	43
2025/10/12 2:40	0	0	0	0	0	12	11	57	491	101
2025/10/12 2:50	0	0	0	0	0	14	13	58	433	48
2025/10/12 3:00	0	0	0	0	0	15	28	60	398	48
2025/10/12 3:10	0	0	0	0	0	17	23	60	696	45
2025/10/12 3:20	0	0	0	0	0	19	29	62	797	45
2025/10/12 3:30	0	0	0	0	0	19	19	63	635	65
2025/10/12 3:40	0	0	0	0	0	19	19	66	791	59
2025/10/12 3:50	0	0	0	0	0	21	21	77	599	95
2025/10/12 4:00	0	0	0	0	0	23	29	70	545	71
2025/10/12 4:10	0	0	0	0	0	31	28	235	410	113
2025/10/12 4:20	0	0	0	0	0	24	24	70	612	105
2025/10/12 4:30	0	0	0	0	0	22	23	95	496	102
2025/10/12 4:40	0	0	0	0	0	24	22	167	503	136
2025/10/12 4:50	0	0	0	0	0	29	26	72	390	78
2025/10/12 5:00	0	0	0	0	0	31	29	74	477	57
2025/10/12 5:10	0	0	0	0	0	24	91	70	366	53
2025/10/12 5:20	0	0	0	0	0	25	53	68	428	75
2025/10/12 5:30	0	0	0	0	0	26	35	360	361	146
2025/10/12 5:40	0	0	0	0	0	26	25	243	386	171
2025/10/12 5:50	0	0	0	0	0	26	23	69	466	119
2025/10/12 6:00	0	0	0	0	0	25	22	97	432	102
2025/10/12 6:10	0	0	0	0	0	24	22	134	448	167
2025/10/12 6:20	0	0	0	0	0	26	22	71	407	86
2025/10/12 6:30	0	0	0	0	0	23	22	65	369	54
2025/10/12 6:40	0	0	0	0	0	24	28	64	485	58
2025/10/12 6:50	0	0	0	0	0	21	20	60	395	56
2025/10/12 7:00	0	0	0	0	0	15	16	54	347	52
2025/10/12 7:10	0	0	0	0	0	12	14	48	346	55
2025/10/12 7:20	0	0	0	0	0	11	13	44	352	49
2025/10/12 7:30	0	0	0	0	0	6	9	47	372	159
2025/10/12 7:40	0	0	0	0	0	6	4	41	419	125
2025/10/12 7:50	0	0	0	0	0	7	4	175	365	346
2025/10/12 8:00	0	0	0	0	0	50	8	206	193	243
2025/10/12 8:10	0	0	0	0	0	6	79	55	159	53
2025/10/12 8:20	0	0	0	0	0	1	75	91	85	188
2025/10/12 8:30	0	0	0	0	0	37	12	49	70	217
2025/10/12 8:40	0	0	0	0	0	63	37	33	53	217
2025/10/12 8:50	0	0	0	0	0	45	12	35	103	198
2025/10/12 9:00	0	0	0	0	0	16	118	29	165	55
2025/10/12 9:10	0	0	0	0	0	10	70	30	115	142
2025/10/12 9:20	0	0	0	0	0	16	63	25	159	93
2025/10/12 9:30	0	0	0	0	0	30	105	76	57	134
2025/10/12 9:40	0	0	0	0	0	5	1	98	201	240
2025/10/12 9:50	0	0	0	0	0	135	1	36	94	284

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/12 10:00	0	0	0	0	0	117	1	110	90	272
2025/10/12 10:10	0	0	0	0	0	167	1	75	70	317
2025/10/12 10:20	0	0	0	0	0	25	1	181	159	271
2025/10/12 10:30	0	0	0	0	0	44	1	56	227	225
2025/10/12 10:40	0	0	0	0	0	1	1	30	151	128
2025/10/12 10:50	0	0	0	0	0	1	34	24	98	67
2025/10/12 11:00	0	0	0	0	0	11	12	85	133	107
2025/10/12 11:10	0	0	0	0	0	43	1	75	86	198
2025/10/12 11:20	0	0	0	0	0	84	1	80	177	179
2025/10/12 11:30	0	0	0	0	0.1	1	1	70	140	116
2025/10/12 11:40	0	0	0	0	0.1	43	1	108	25	229
2025/10/12 11:50	0.1	0	0	0	0.1	110	55	34	19	153
2025/10/12 12:00	0.1	0	0	0	0.1	39	6	77	26	167
2025/10/12 12:10	0.1	0	0	0	0.1	99	126	23	12	95
2025/10/12 12:20	0.1	0	0	0	0.1	77	59	32	75	114
2025/10/12 12:30	0.1	0	0	0	0.1	1	120	21	40	45
2025/10/12 12:40	0.1	0	0	0	0.1	1	216	19	128	43
2025/10/12 12:50	0.1	0	0	0	0	9	86	16	123	87
2025/10/12 13:00	0.1	0	0	0	0.1	98	9	51	5	168
2025/10/12 13:10	0.1	0	0	0	0.1	30	82	27	9	81
2025/10/12 13:20	0.1	0	0	0	0.1	89	45	52	6	134
2025/10/12 13:30	0.1	0	0	0	0	42	39	22	10	104
2025/10/12 13:40	0.1	0	0	0	0	67	65	18	12	71
2025/10/12 13:50	0.1	0	0	0	0	126	36	28	12	130
2025/10/12 14:00	0.1	0	0	0	0	94	30	23	14	101
2025/10/12 14:10	0.1	0	0	0	0	88	68	30	32	127
2025/10/12 14:20	0.1	0	0	0	0	68	35	22	11	92
2025/10/12 14:30	0.1	0	0	0	0	103	54	28	11	114
2025/10/12 14:40	0.1	0	0	0	0	90	19	32	13	132
2025/10/12 14:50	0.1	0	0	0	0	113	37	21	14	84
2025/10/12 15:00	0.1	0	0	0	0	112	36	35	13	140
2025/10/12 15:10	0.1	0	0	0	0	129	77	37	43	152
2025/10/12 15:20	0	0	0	0	0	131	82	37	16	145
2025/10/12 15:30	0	0	0	0	0	106	107	30	24	96
2025/10/12 15:40	0	0	0	0	0	97	63	58	13	142
2025/10/12 15:50	0	0	0	0	0	120	107	27	21	113
2025/10/12 16:00	0	0	0	0	0	82	101	25	21	83
2025/10/12 16:10	0	0	0	0	0	120	87	23	65	75
2025/10/12 16:20	0	0	0	0	0	154	151	74	127	230
2025/10/12 16:30	0	0	0	0	0	209	208	57	75	226
2025/10/12 16:40	0	0	0	0	0	299	163	95	30	427
2025/10/12 16:50	0	0	0	0	0	187	275	170	62	398
2025/10/12 17:00	0	0	0	0	0	214	238	73	51	348
2025/10/12 17:10	0	0	0	0	0	218	144	67	36	195
2025/10/12 17:20	0	0	0	0	0	187	244	38	263	335
2025/10/12 17:30	0	0	0	0	0	266	276	88	239	392
2025/10/12 17:40	0	0	0	0	0	273	350	45	228	294
2025/10/12 17:50	0	0	0	0	0	270	225	138	233	327
2025/10/12 18:00	0	0	0	0	0	402	624	322	876	814
2025/10/12 18:10	0	0	0	0	0.4	553	454	876	1388	1190
2025/10/12 18:20	0	0	0.4	4	3.5	492	132	664	1173	1159
2025/10/12 18:30	0	0	0	2.2	4.1	80	237	346	1368	912
2025/10/12 18:40	0	0	0	4.8	2.1	48	97	468	792	777
2025/10/12 18:50	0	0	0	0.1	0.8	44	56	280	489	433
2025/10/12 19:00	0	0	0	0	0	38	54	216	683	387
2025/10/12 19:10	0	0	0	0	0	37	50	260	682	292
2025/10/12 19:20	0	0	0	0.1	0	30	47	265	670	252
2025/10/12 19:30	0	0	0	0	0	34	40	223	426	265
2025/10/12 19:40	0	0	0	0	0	24	33	204	466	345
2025/10/12 19:50	0	0	0	0	0	36	31	354	296	343
2025/10/12 20:00	0	0	0	0	0	54	34	350	111	393
2025/10/12 20:10	0	0	0	0	0	78	46	378	100	422
2025/10/12 20:20	0	0	0	0	0	66	33	391	70	445
2025/10/12 20:30	0	0	0	0	0	226	42	265	52	521
2025/10/12 20:40	0	0	0	0	0	410	82	135	46	457
2025/10/12 20:50	0	0	0	0	0	211	42	286	101	549
2025/10/12 21:00	0	0	0	0	0	247	41	277	62	567
2025/10/12 21:10	0	0	0	0	0	453	41	287	51	588
2025/10/12 21:20	0	0	0	0	0	240	45	310	54	626
2025/10/12 21:30	0	0	0	0	0	76	33	487	518	293
2025/10/12 21:40	0	0	0	0	0	70	29	579	265	454
2025/10/12 21:50	0	0	0	0	0	120	27	468	612	563
2025/10/12 22:00	0	0	0	0.9	0.1	26	73	82	1111	468

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/12 22:10	0	0	0	1.7	0	39	26	431	1106	763
2025/10/12 22:20	0	0	0	1.6	0.6	26	27	106	1215	300
2025/10/12 22:30	0	0	0	3.2	0	23	32	66	785	170
2025/10/12 22:40	0	0	0	0.2	0	22	25	95	927	349
2025/10/12 22:50	0	0	0	0.4	0	20	24	79	1147	410
2025/10/12 23:00	0	0	0	2.2	0	20	24	68	1030	159
2025/10/12 23:10	0	0	0	2	0	21	24	60	935	182
2025/10/12 23:20	0	0	0	0.5	0	23	25	71	962	232
2025/10/12 23:30	0	0	0	0.5	0	23	25	109	1066	398
2025/10/12 23:40	0	0	0	1.6	0	20	24	207	765	438
2025/10/12 23:50	0	0	0	0.2	0	27	23	299	741	550
2025/10/13 0:00	0	0	0	0.1	0.2	83	21	604	526	689
2025/10/13 0:10	0	0	0	0	0	19	21	383	558	597
2025/10/13 0:20	0	0	0	0	0.1	18	20	332	1029	432
2025/10/13 0:30	0	0	0	2.3	0	128	21	606	1084	574
2025/10/13 0:40	0	0	0	1.7	0.5	20	38	105	1289	323
2025/10/13 0:50	0	0	0	4.3	0	18	38	65	1336	158
2025/10/13 1:00	0	0	0	4.7	0	82	27	99	989	390
2025/10/13 1:10	0	0	0	2.2	0.7	273	215	358	1175	606
2025/10/13 1:20	0	0	0	3.7	0.8	38	32	307	949	392
2025/10/13 1:30	0	0	0	1.9	0	88	28	435	848	619
2025/10/13 1:40	0	0	0	0.6	1.3	195	37	316	1230	590
2025/10/13 1:50	0	0	0	3.7	0.2	30	43	76	1019	169
2025/10/13 2:00	0	0	0	1.9	0	30	36	74	940	177
2025/10/13 2:10	0	0	0	0.7	0	27	44	70	815	155
2025/10/13 2:20	0	0	0	0.7	0	29	29	61	964	315
2025/10/13 2:30	0	0	0	0.6	0	24	30	79	875	243
2025/10/13 2:40	0	0	0	0.5	0	24	29	208	828	228
2025/10/13 2:50	0	0	0	0.2	0	27	26	61	867	290
2025/10/13 3:00	0	0	0	0.8	0	19	25	70	976	139
2025/10/13 3:10	0	0	0	0.7	0	173	29	275	664	395
2025/10/13 3:20	0	0	0	0.2	0	71	32	490	709	367
2025/10/13 3:30	0	0	0	0.5	0	111	37	525	333	526
2025/10/13 3:40	0	0	0	0	0	75	47	495	156	427
2025/10/13 3:50	0	0	0	0	0	240	50	524	136	611
2025/10/13 4:00	0	0	0	0	0.1	75	47	240	897	311
2025/10/13 4:10	0	0	0	0.6	0	29	35	78	1139	330
2025/10/13 4:20	0	0	0	2.2	0	29	41	79	811	141
2025/10/13 4:30	0	0	0	0	0	34	40	81	789	214
2025/10/13 4:40	0	0	0	0	0	35	38	81	716	123
2025/10/13 4:50	0	0	0	0	0	35	38	81	599	114
2025/10/13 5:00	0	0	0	0	0	38	39	79	510	141
2025/10/13 5:10	0	0	0	0	0	39	34	125	608	176
2025/10/13 5:20	0	0	0	0	0	35	35	99	641	198
2025/10/13 5:30	0	0	0	0	0	55	38	137	484	198
2025/10/13 5:40	0	0	0	0	0	65	39	168	679	189
2025/10/13 5:50	0	0	0	0	0	34	37	83	585	123
2025/10/13 6:00	0	0	0	0	0	35	38	81	462	91
2025/10/13 6:10	0	0	0	0	0	36	40	81	387	89
2025/10/13 6:20	0	0	0	0	0	35	39	78	450	113
2025/10/13 6:30	0	0	0	0	0	33	38	69	443	99
2025/10/13 6:40	0	0	0	0	0	33	37	83	437	84
2025/10/13 6:50	0	0	0	0	0	33	38	84	473	129
2025/10/13 7:00	0	0	0	0	0	32	37	82	494	120
2025/10/13 7:10	0	0	0	0	0	32	37	152	520	159
2025/10/13 7:20	0	0	0	0	0	32	35	80	591	94
2025/10/13 7:30	0	0	0	0	0	32	34	76	702	130
2025/10/13 7:40	0	0	0	0	0	32	34	80	416	127
2025/10/13 7:50	0	0	0	0	0	33	34	79	431	150
2025/10/13 8:00	0	0	0	0	0	33	33	62	262	78
2025/10/13 8:10	0	0	0	0	0	30	32	85	195	93
2025/10/13 8:20	0	0	0	0	0	26	27	78	164	100
2025/10/13 8:30	0	0	0	0	0	28	30	67	160	67
2025/10/13 8:40	0	0	0	0	0	26	29	57	160	111
2025/10/13 8:50	0	0	0	0	0	24	25	76	147	146
2025/10/13 9:00	0	0	0	0	0	18	23	72	137	91
2025/10/13 9:10	0	0	0	0	0	15	21	49	137	70
2025/10/13 9:20	0	0	0	0	0	15	18	58	165	75
2025/10/13 9:30	0	0	0	0	0	15	19	66	140	89
2025/10/13 9:40	0	0	0	0	0	10	19	50	206	98
2025/10/13 9:50	0	0	0	0	0	6	13	49	136	70
2025/10/13 10:00	0	0	0	0	0	9	14	42	117	68
2025/10/13 10:10	0	0	0	0	0	5	9	46	95	66

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/13 10:20	0	0	0	0	0	4	10	42	113	83
2025/10/13 10:30	0	0	0	0	0	5	10	44	79	84
2025/10/13 10:40	0	0	0	0	0	4	10	39	88	63
2025/10/13 10:50	0	0	0	0	0	3	9	36	74	61
2025/10/13 11:00	0	0	0	0	0	4	9	34	66	57
2025/10/13 11:10	0	0	0	0	0	3	10	33	76	61
2025/10/13 11:20	0	0	0	0	0	1	9	35	107	66
2025/10/13 11:30	0	0	0	0	0	4	8	33	115	70
2025/10/13 11:40	0	0	0	0	0	4	11	47	97	92
2025/10/13 11:50	0	0	0	0	0	5	11	48	83	87
2025/10/13 12:00	0	0	0	0	0	1	13	51	97	85
2025/10/13 12:10	0	0	0	0	0	4	13	56	62	107
2025/10/13 12:20	0	0	0	0	0	8	14	66	54	97
2025/10/13 12:30	0	0	0	0	0	13	17	84	44	99
2025/10/13 12:40	0	0	0	0	0	15	19	70	39	92
2025/10/13 12:50	0	0	0	0	0	10	13	77	67	95
2025/10/13 13:00	0	0	0	0	0	10	16	82	42	92
2025/10/13 13:10	0	0	0	0	0	12	17	93	42	103
2025/10/13 13:20	0	0	0	0	0	16	24	84	44	93
2025/10/13 13:30	0	0	0	0	0	24	28	86	60	111
2025/10/13 13:40	0	0	0	0	0	8	23	75	94	93
2025/10/13 13:50	0	0	0	0	0	7	17	80	48	90
2025/10/13 14:00	0	0	0	0	0	13	21	75	38	81
2025/10/13 14:10	0	0	0	0	0	3	13	68	62	73
2025/10/13 14:20	0	0	0	0	0	6	11	79	51	93
2025/10/13 14:30	0	0	0	0	0	1	13	62	62	74
2025/10/13 14:40	0	0	0	0	0	1	8	53	47	66
2025/10/13 14:50	0	0	0	0	0	1	7	55	62	68
2025/10/13 15:00	0	0	0	0	0	5	10	65	44	75
2025/10/13 15:10	0	0	0	0	0	11	12	85	33	112
2025/10/13 15:20	0	0	0	0	0	7	11	75	40	81
2025/10/13 15:30	0	0	0	0	0	7	12	73	32	81
2025/10/13 15:40	0	0	0	0	0	9	10	65	49	74
2025/10/13 15:50	0	0	0	0	0	13	13	65	32	83
2025/10/13 16:00	0	0	0	0	0	7	10	73	37	85
2025/10/13 16:10	0	0	0	0	0	1	8	57	50	59
2025/10/13 16:20	0	0	0	0	0	3	6	56	55	62
2025/10/13 16:30	0	0	0	0	0	4	8	65	38	69
2025/10/13 16:40	0	0	0	0	0	10	12	90	35	97
2025/10/13 16:50	0	0	0	0	0	3	11	71	34	77
2025/10/13 17:00	0	0	0	0	0	3	8	68	42	81
2025/10/13 17:10	0	0	0	0	0	6	17	73	38	87
2025/10/13 17:20	0	0	0	0	0	2	10	82	40	82
2025/10/13 17:30	0	0	0	0	0	4	17	86	34	89
2025/10/13 17:40	0	0	0	0	0	7	14	91	30	93
2025/10/13 17:50	0	0	0	0	0	12	21	79	31	94
2025/10/13 18:00	0	0	0	0	0	14	22	83	36	91
2025/10/13 18:10	0	0	0	0	0	7	12	155	50	154
2025/10/13 18:20	0	0	0	0	0	10	10	207	36	213
2025/10/13 18:30	0	0	0	0	0	21	7	154	40	180
2025/10/13 18:40	0	0	0	0	0	1	7	153	50	121
2025/10/13 18:50	0	0	0	0	0	2	7	164	73	147
2025/10/13 19:00	0	0	0	0	0	8	2	159	70	173
2025/10/13 19:10	0	0	0	0	0	1	8	176	74	158
2025/10/13 19:20	0	0	0	0	0	2	4	202	125	223
2025/10/13 19:30	0	0	0	0	0	2	2	210	96	170
2025/10/13 19:40	0	0	0	0	0	9	8	240	159	229
2025/10/13 19:50	0	0	0	0	0	17	15	184	132	190
2025/10/13 20:00	0	0	0	0	0	21	11	237	124	264
2025/10/13 20:10	0	0	0	0	0	7	15	236	150	192
2025/10/13 20:20	0	0	0	0	0	6	2	146	247	194
2025/10/13 20:30	0	0	0	0	0	13	5	209	230	279
2025/10/13 20:40	0	0	0	0	0	8	14	209	224	146
2025/10/13 20:50	0	0	0	0	0	5	7	302	253	262
2025/10/13 21:00	0	0	0	0	0	2	9	167	223	138
2025/10/13 21:10	0	0	0	0	0	1	6	157	214	163
2025/10/13 21:20	0	0	0	0	0	1	4	99	226	164
2025/10/13 21:30	0	0	0	0	0	1	5	128	258	114
2025/10/13 21:40	0	0	0	0	0	1	7	164	254	160
2025/10/13 21:50	0	0	0	0	0	8	8	236	136	227
2025/10/13 22:00	0	0	0	0	0	1	10	212	296	183
2025/10/13 22:10	0	0	0	0	0	2	9	205	302	164
2025/10/13 22:20	0	0	0	0	0	17	12	420	482	351

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/13 22:30	0	0	0	0	0	9	20	374	419	215
2025/10/13 22:40	0	0	0	0	0	9	21	434	383	234
2025/10/13 22:50	0	0	0	0	0	8	10	248	380	205
2025/10/13 23:00	0	0	0	0	0	8	8	274	297	245
2025/10/13 23:10	0	0	0	0	0	22	8	327	165	353
2025/10/13 23:20	0	0	0	0	0	27	14	388	207	390
2025/10/13 23:30	0	0	0	0	0	44	29	396	84	378
2025/10/13 23:40	0	0	0	0	0	18	12	439	281	318
2025/10/13 23:50	0	0	0	0	0	13	13	415	305	377
2025/10/14 0:00	0	0	0	0	0	18	9	354	253	289
2025/10/14 0:10	0	0	0	0	0	11	15	364	259	347
2025/10/14 0:20	0	0	0	0	0	3	11	325	200	281
2025/10/14 0:30	0	0	0	0	0	2	8	270	372	222
2025/10/14 0:40	0	0	0	0	0	1	3	256	326	286
2025/10/14 0:50	0	0	0	0	0	2	7	282	158	308
2025/10/14 1:00	0	0	0	0	0	3	6	230	149	276
2025/10/14 1:10	0	0	0	0	0	4	4	259	232	255
2025/10/14 1:20	0	0	0	0	0	3	3	210	407	203
2025/10/14 1:30	0	0	0	0	0	4	16	254	331	258
2025/10/14 1:40	0	0	0	0	0	5	4	268	238	388
2025/10/14 1:50	0	0	0	0	0	6	7	278	417	256
2025/10/14 2:00	0	0	0	0	0	11	8	277	199	297
2025/10/14 2:10	0	0	0	0	0	6	12	296	454	347
2025/10/14 2:20	0	0	0	0	0	44	40	411	154	406
2025/10/14 2:30	0	0	0	0	0	20	24	320	80	365
2025/10/14 2:40	0	0	0	0	0	33	9	296	231	212
2025/10/14 2:50	0	0	0	0	0	10	8	273	224	333
2025/10/14 3:00	0	0	0	0	0	5	9	209	400	267
2025/10/14 3:10	0	0	0	0	0	3	6	219	485	234
2025/10/14 3:20	0	0	0	0	0	3	6	252	281	269
2025/10/14 3:30	0	0	0	0	0	3	7	248	340	246
2025/10/14 3:40	0	0	0	0	0	9	33	289	379	361
2025/10/14 3:50	0	0	0	0	0	3	12	154	506	331
2025/10/14 4:00	0	0	0	0	0	12	6	291	417	371
2025/10/14 4:10	0	0	0	0	0	10	6	316	487	469
2025/10/14 4:20	0	0	0	0	0	6	6	288	390	344
2025/10/14 4:30	0	0	0	0	0	6	10	272	367	304
2025/10/14 4:40	0	0	0	0	0	7	6	255	248	315
2025/10/14 4:50	0	0	0	0	0	14	16	233	301	402
2025/10/14 5:00	0	0	0	0	0	7	20	182	404	264
2025/10/14 5:10	0	0	0	0	0	10	24	318	483	453
2025/10/14 5:20	0	0	0	0	0	17	86	182	696	480
2025/10/14 5:30	0	0	0	0	0	10	93	182	709	192
2025/10/14 5:40	0	0	0	0	0	9	19	120	484	219
2025/10/14 5:50	0	0	0	0	0	8	11	155	385	281
2025/10/14 6:00	0	0	0	0	0	23	9	299	246	406
2025/10/14 6:10	0	0	0	0	0	11	14	254	447	287
2025/10/14 6:20	0	0	0	0	0	7	12	191	373	263
2025/10/14 6:30	0	0	0	0	0	7	9	173	293	311
2025/10/14 6:40	0	0	0	0	0	6	6	194	365	361
2025/10/14 6:50	0	0	0	0	0	5	7	183	482	362
2025/10/14 7:00	0	0	0	0	0	5	6	223	415	367
2025/10/14 7:10	0	0	0	0	0	9	14	194	381	347
2025/10/14 7:20	0	0	0	0	0	3	6	160	363	309
2025/10/14 7:30	0	0	0	0	0	6	6	253	273	395
2025/10/14 7:40	0	0	0	0	0	1	3	141	234	251
2025/10/14 7:50	0	0	0	0	0	1	5	189	264	341
2025/10/14 8:00	0	0	0	0	0	8	3	171	236	346
2025/10/14 8:10	0	0	0	0	0	2	1	76	109	176
2025/10/14 8:20	0	0	0	0	0	1	3	86	98	142
2025/10/14 8:30	0	0	0	0	0	1	8	98	89	104
2025/10/14 8:40	0	0	0	0	0	8	13	120	102	140
2025/10/14 8:50	0	0	0	0	0	7	8	93	127	117
2025/10/14 9:00	0	0	0	0	0	2	24	93	125	90
2025/10/14 9:10	0	0	0	0	0	6	63	116	152	132
2025/10/14 9:20	0	0	0	0	0	22	61	159	123	143
2025/10/14 9:30	0	0	0	0	0	5	32	113	162	114
2025/10/14 9:40	0	0	0	0	0	8	44	105	140	123
2025/10/14 9:50	0	0	0	0	0	17	89	113	161	166
2025/10/14 10:00	0	0	0	0	0	1	36	106	106	141
2025/10/14 10:10	0	0	0	0	0	1	31	90	151	112
2025/10/14 10:20	0	0	0	0	0	9	50	137	178	154
2025/10/14 10:30	0	0	0	0	0	7	37	106	184	101

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/14 22:50	0	0	0	0	0	9	14	83	622	76
2025/10/14 23:00	0	0	0	0	0	10	18	75	721	118
2025/10/14 23:10	0	0	0	0	0	15	15	350	407	283
2025/10/14 23:20	0	0	0	0	0	37	15	488	307	237
2025/10/14 23:30	0	0	0	0	0	24	16	389	347	152
2025/10/14 23:40	0	0	0	0	0	13	14	281	466	168
2025/10/14 23:50	0	0	0	0	0	13	16	323	365	234
2025/10/15 0:00	0	0	0	0	0	12	15	179	514	94
2025/10/15 0:10	0	0	0	0	0	9	13	93	344	65
2025/10/15 0:20	0	0	0	0	0	9	12	151	320	143
2025/10/15 0:30	0	0	0	0	0	9	12	313	298	162
2025/10/15 0:40	0	0	0	0	0	9	12	153	376	175
2025/10/15 0:50	0	0	0	0	0	9	12	60	518	172
2025/10/15 1:00	0	0	0	0	0	9	12	63	604	73
2025/10/15 1:10	0	0	0	0	0	9	13	61	436	140
2025/10/15 1:20	0	0	0	0	0	9	13	65	391	127
2025/10/15 1:30	0	0	0	0	0	9	13	89	287	127
2025/10/15 1:40	0	0	0	0	0	11	12	83	210	144
2025/10/15 1:50	0	0	0	0	0	12	12	95	251	100
2025/10/15 2:00	0	0	0	0	0	12	13	99	281	165
2025/10/15 2:10	0	0	0	0	0	12	13	70	344	82
2025/10/15 2:20	0	0	0	0	0	12	12	58	352	92
2025/10/15 2:30	0	0	0	0	0	13	13	66	475	91
2025/10/15 2:40	0	0	0	0	0	14	19	69	552	75
2025/10/15 2:50	0	0	0	0	0	13	14	112	439	229
2025/10/15 3:00	0	0	0	0	0	12	12	172	226	165
2025/10/15 3:10	0	0	0	0	0	12	12	129	273	165
2025/10/15 3:20	0	0	0	0	0	12	12	102	310	56
2025/10/15 3:30	0	0	0	0	0	12	14	81	327	55
2025/10/15 3:40	0	0	0	0	0	12	17	72	501	50
2025/10/15 3:50	0	0	0	0	0	17	23	76	483	89
2025/10/15 4:00	0	0	0	0	0	19	25	76	540	61
2025/10/15 4:10	0	0	0	0	0	17	24	79	496	94
2025/10/15 4:20	0	0	0	0	0	20	24	83	443	84
2025/10/15 4:30	0	0	0	0	0	22	32	82	489	76
2025/10/15 4:40	0	0	0	0	0	30	35	89	449	73
2025/10/15 4:50	0	0	0	0	0	33	44	113	418	96
2025/10/15 5:00	0	0	0	0	0	35	44	96	453	102
2025/10/15 5:10	0	0	0	0	0	33	41	115	358	123
2025/10/15 5:20	0	0	0	0	0	31	38	92	481	57
2025/10/15 5:30	0	0	0	0	0	30	35	91	299	67
2025/10/15 5:40	0	0	0	0	0	28	33	89	314	64
2025/10/15 5:50	0	0	0	0	0	30	34	98	302	55
2025/10/15 6:00	0	0	0	0	0	32	38	103	269	53
2025/10/15 6:10	0	0	0	0	0	38	39	98	305	64
2025/10/15 6:20	0	0	0	0	0	43	44	100	279	71
2025/10/15 6:30	0	0	0	0	0	45	44	100	384	56
2025/10/15 6:40	0	0	0	0	0	49	48	102	377	92
2025/10/15 6:50	0	0	0	0	0	47	43	102	401	81
2025/10/15 7:00	0	0	0	0	0	45	42	97	442	61
2025/10/15 7:10	0	0	0	0	0	47	49	99	479	129
2025/10/15 7:20	0	0	0	0	0	43	43	101	440	133
2025/10/15 7:30	0	0	0	0	0	39	38	91	489	95
2025/10/15 7:40	0	0	0	0	0	41	39	93	388	72
2025/10/15 7:50	0	0	0	0	0	44	43	92	320	101
2025/10/15 8:00	0	0	0	0	0	41	36	91	305	60
2025/10/15 8:10	0	0	0	0	0	40	38	94	242	97
2025/10/15 8:20	0	0	0	0	0	33	33	82	236	63
2025/10/15 8:30	0	0	0	0	0	38	44	85	195	73
2025/10/15 8:40	0	0	0	0	0	58	70	96	216	88
2025/10/15 8:50	0	0	0	0	0	38	41	83	152	78
2025/10/15 9:00	0	0	0	0	0	68	76	93	212	93
2025/10/15 9:10	0	0	0	0	0	42	56	83	210	77
2025/10/15 9:20	0	0	0	0	0	22	31	80	116	82
2025/10/15 9:30	0	0	0	0	0	22	23	77	132	96
2025/10/15 9:40	0	0	0	0	0	13	23	68	100	79
2025/10/15 9:50	0	0	0	0	0	16	24	71	124	74
2025/10/15 10:00	0	0	0	0	0	15	25	73	107	63
2025/10/15 10:10	0	0	0	0	0	15	28	73	94	81
2025/10/15 10:20	0	0	0	0	0	15	24	72	109	63
2025/10/15 10:30	0	0	0	0	0	15	25	89	68	119
2025/10/15 10:40	0	0	0	0	0	15	27	120	66	154
2025/10/15 10:50	0	0	0	0	0	15	24	96	116	68

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/15 23:10	0	0	0	0	0	1	3	114	332	229
2025/10/15 23:20	0	0	0	0	0	1	3	197	313	267
2025/10/15 23:30	0	0	0	0	0	1	3	210	262	486
2025/10/15 23:40	0	0	0	0	0	1	6	98	528	329
2025/10/15 23:50	0	0	0	0	0	1	22	61	468	399
2025/10/16 0:00	0	0	0	0	0	211	35	65	503	598
2025/10/16 0:10	0	0	0	0	0	14	19	77	534	218
2025/10/16 0:20	0	0	0	0	0	15	22	75	374	98
2025/10/16 0:30	0	0	0	0	0	20	26	79	353	79
2025/10/16 0:40	0	0	0	0	0	18	24	80	344	70
2025/10/16 0:50	0	0	0	0	0	17	24	81	358	67
2025/10/16 1:00	0	0	0	0	0	19	25	82	363	61
2025/10/16 1:10	0	0	0	0	0	19	28	84	263	57
2025/10/16 1:20	0	0	0	0	0	20	72	86	239	58
2025/10/16 1:30	0	0	0	0	0	19	43	86	332	57
2025/10/16 1:40	0	0	0	0	0	20	32	89	264	63
2025/10/16 1:50	0	0	0	0	0	28	39	95	238	62
2025/10/16 2:00	0	0	0	0	0	23	34	93	258	59
2025/10/16 2:10	0	0	0	0	0	18	25	91	156	57
2025/10/16 2:20	0	0	0	0	0	10	20	79	192	48
2025/10/16 2:30	0	0	0	0	0	11	22	78	260	50
2025/10/16 2:40	0	0	0	0	0	15	29	84	244	51
2025/10/16 2:50	0	0	0	0	0	19	32	85	215	51
2025/10/16 3:00	0	0	0	0	0	12	23	79	254	46
2025/10/16 3:10	0	0	0	0	0	14	27	132	139	54
2025/10/16 3:20	0	0	0	0	0	16	26	119	157	52
2025/10/16 3:30	0	0	0	0	0	17	27	86	181	45
2025/10/16 3:40	0	0	0	0	0	16	24	83	159	45
2025/10/16 3:50	0	0	0	0	0	18	24	84	205	46
2025/10/16 4:00	0	0	0	0	0	21	27	89	168	54
2025/10/16 4:10	0	0	0	0	0	20	27	101	94	58
2025/10/16 4:20	0	0	0	0	0	17	21	83	239	44
2025/10/16 4:30	0	0	0	0	0	16	21	84	214	43
2025/10/16 4:40	0	0	0	0	0	16	24	88	228	45
2025/10/16 4:50	0	0	0	0	0	22	28	94	162	50
2025/10/16 5:00	0	0	0	0	0	24	29	97	168	57
2025/10/16 5:10	0	0	0	0	0	21	30	96	160	50
2025/10/16 5:20	0	0	0	0	0	23	29	92	190	46
2025/10/16 5:30	0	0	0	0	0	30	36	98	188	50
2025/10/16 5:40	0	0	0	0	0	42	48	105	170	62
2025/10/16 5:50	0	0	0	0	0	40	44	103	173	62
2025/10/16 6:00	0	0	0	0	0	31	35	97	197	57
2025/10/16 6:10	0	0	0	0	0	33	36	98	210	51
2025/10/16 6:20	0	0	0	0	0	33	38	98	242	55
2025/10/16 6:30	0	0	0	0	0	33	38	98	217	51
2025/10/16 6:40	0	0	0	0	0	33	37	96	230	51
2025/10/16 6:50	0	0	0	0	0	34	41	95	271	52
2025/10/16 7:00	0	0	0	0	0	34	46	93	210	52
2025/10/16 7:10	0	0	0	0	0	38	39	96	241	55
2025/10/16 7:20	0	0	0	0	0	40	43	98	251	56
2025/10/16 7:30	0	0	0	0	0	42	53	99	219	57
2025/10/16 7:40	0	0	0	0	0	41	51	98	373	55
2025/10/16 7:50	0	0	0	0	0	42	42	97	479	55
2025/10/16 8:00	0	0	0	0	0	40	46	163	399	120
2025/10/16 8:10	0	0	0	0	0	42	45	93	240	87
2025/10/16 8:20	0	0	0	0	0	46	40	94	259	113
2025/10/16 8:30	0	0	0	0	0	39	43	94	219	86
2025/10/16 8:40	0	0	0	0	0	40	38	101	219	72
2025/10/16 8:50	0	0	0	0	0	44	99	175	172	118
2025/10/16 9:00	0	0	0	0	0	31	62	107	215	66
2025/10/16 9:10	0	0	0	0	0	33	78	89	163	60
2025/10/16 9:20	0	0	0	0	0	71	106	114	145	100
2025/10/16 9:30	0	0	0	0	0	59	110	104	158	83
2025/10/16 9:40	0	0	0	0	0	81	79	124	159	107
2025/10/16 9:50	0	0	0	0	0	56	52	103	147	94
2025/10/16 10:00	0	0	0	0	0	46	57	97	193	149
2025/10/16 10:10	0	0	0	0	0	42	55	97	186	86
2025/10/16 10:20	0	0	0	0	0	36	34	86	153	58
2025/10/16 10:30	0	0	0	0	0	27	41	85	161	66
2025/10/16 10:40	0	0	0	0	0	29	38	135	80	80
2025/10/16 10:50	0	0	0	0	0	81	38	142	83	165
2025/10/16 11:00	0	0	0	0	0	111	57	108	173	137
2025/10/16 11:10	0	0	0	0	0	60	78	106	136	80

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/16 11:20	0	0	0	0	0	134	90	110	82	102
2025/10/16 11:30	0	0	0	0	0	113	107	117	80	123
2025/10/16 11:40	0	0	0	0	0	142	116	122	79	123
2025/10/16 11:50	0	0	0	0	0	89	110	115	75	116
2025/10/16 12:00	0	0	0	0	0	97	57	148	65	141
2025/10/16 12:10	0	0	0	0	0	70	55	213	83	198
2025/10/16 12:20	0	0	0	0	0	82	62	139	69	138
2025/10/16 12:30	0	0	0	0	0	100	70	140	63	115
2025/10/16 12:40	0	0	0	0	0	102	54	135	65	160
2025/10/16 12:50	0	0	0	0	0	116	64	118	54	146
2025/10/16 13:00	0	0	0	0	0	88	109	134	118	139
2025/10/16 13:10	0	0	0	0	0	151	142	145	140	169
2025/10/16 13:20	0	0	0	0	0	172	276	124	74	177
2025/10/16 13:30	0	0	0	0	0	126	241	119	92	166
2025/10/16 13:40	0	0	0	0	0	118	222	111	57	148
2025/10/16 13:50	0	0	0	0	0	138	193	115	70	159
2025/10/16 14:00	0	0	0	0	0	107	168	102	64	131
2025/10/16 14:10	0	0	0	0	0	117	150	136	97	152
2025/10/16 14:20	0	0	0	0	0	97	121	104	61	145
2025/10/16 14:30	0	0	0	0	0	78	85	87	96	93
2025/10/16 14:40	0	0	0	0	0	111	102	115	89	137
2025/10/16 14:50	0	0	0	0	0	137	97	119	68	150
2025/10/16 15:00	0	0	0	0	0	96	79	117	58	147
2025/10/16 15:10	0	0	0	0	0	125	104	96	61	122
2025/10/16 15:20	0	0	0	0	0	108	126	94	71	92
2025/10/16 15:30	0	0	0	0	0	81	94	100	68	80
2025/10/16 15:40	0	0	0	0	0	99	90	130	60	156
2025/10/16 15:50	0	0	0	0	0	119	112	119	72	141
2025/10/16 16:00	0	0	0	0	0	131	141	126	126	200
2025/10/16 16:10	0	0	0	0	0	191	267	137	116	244
2025/10/16 16:20	0	0	0	0	0	182	204	149	80	157
2025/10/16 16:30	0	0	0	0	0	178	230	135	64	147
2025/10/16 16:40	0	0	0	0	0	123	314	149	340	160
2025/10/16 16:50	0	0	0	0	0	213	177	227	278	526
2025/10/16 17:00	0	0	0	0	0	108	142	327	225	202
2025/10/16 17:10	0	0	0	0	0	114	131	333	191	350
2025/10/16 17:20	0	0	0	0	0	98	161	242	308	262
2025/10/16 17:30	0	0	0	0	0	75	76	128	333	100
2025/10/16 17:40	0	0	0	0	0	76	76	136	148	88
2025/10/16 17:50	0	0	0	0	0	145	103	201	219	153
2025/10/16 18:00	0	0	0	0	0	142	134	170	356	147
2025/10/16 18:10	0	0	0	0	0	107	115	141	412	108
2025/10/16 18:20	0	0	0	0	0	157	105	205	434	178
2025/10/16 18:30	0	0	0	0	0	96	72	165	445	117
2025/10/16 18:40	0	0	0	0	0	71	63	138	299	100
2025/10/16 18:50	0	0	0	0	0	77	59	148	229	94
2025/10/16 19:00	0	0	0	0	0	60	56	125	319	90
2025/10/16 19:10	0	0	0	0	0	56	50	130	450	172
2025/10/16 19:20	0	0	0	0	0	49	42	120	530	143
2025/10/16 19:30	0	0	0	0	0	45	45	189	440	173
2025/10/16 19:40	0	0	0	0	0	66	57	157	570	245
2025/10/16 19:50	0	0	0	0	0	60	60	196	541	238
2025/10/16 20:00	0	0	0	0	0	278	49	421	290	489
2025/10/16 20:10	0	0	0	0	0	192	55	567	129	489
2025/10/16 20:20	0	0	0	0	0	161	51	347	841	229
2025/10/16 20:30	0	0	0	0	0	46	43	113	730	125
2025/10/16 20:40	0	0	0	0	0	45	41	119	662	185
2025/10/16 20:50	0	0	0	0	0	277	60	417	320	561
2025/10/16 21:00	0	0	0	0	0	44	42	141	581	128
2025/10/16 21:10	0	0	0	0	0	48	48	112	491	64
2025/10/16 21:20	0	0	0	0	0	54	63	115	381	64
2025/10/16 21:30	0	0	0	0	0	56	53	118	435	64
2025/10/16 21:40	0	0	0	0	0	57	49	117	614	65
2025/10/16 21:50	0	0	0	0	0	49	42	111	633	113
2025/10/16 22:00	0	0	0	0	0	46	40	104	802	160
2025/10/16 22:10	0	0	0	0	0	49	47	127	1014	186
2025/10/16 22:20	0	0	0	0.8	0	56	72	110	1009	62
2025/10/16 22:30	0	0	0	0.9	0	52	123	109	484	55
2025/10/16 22:40	0	0	0	0.3	0	46	62	104	477	52
2025/10/16 22:50	0	0	0	0	0	45	52	105	593	50
2025/10/16 23:00	0	0	0	0.3	0	49	48	107	514	51
2025/10/16 23:10	0	0	0	0	0	46	52	106	540	50
2025/10/16 23:20	0	0	0	0	0	46	33	107	667	65

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/16 23:30	0	0	0	0.1	0	49	42	110	744	84
2025/10/16 23:40	0	0	0	0.2	0	51	39	111	676	139
2025/10/16 23:50	0	0	0	0.4	0	54	43	150	778	174
2025/10/17 0:00	0	0	0	0.1	0	51	40	159	583	276
2025/10/17 0:10	0	0	0	0	0	50	44	123	538	64
2025/10/17 0:20	0	0	0	0.1	0	52	41	117	803	76
2025/10/17 0:30	0	0	0	0.2	0	53	39	118	672	63
2025/10/17 0:40	0	0	0	0.4	0	53	38	119	604	160
2025/10/17 0:50	0	0	0	0	0	48	35	115	619	50
2025/10/17 1:00	0	0	0	0	0	53	43	117	617	61
2025/10/17 1:10	0	0	0	0	0	54	42	122	554	106
2025/10/17 1:20	0	0	0	0	0	45	32	115	519	171
2025/10/17 1:30	0	0	0	0	0	50	31	122	733	102
2025/10/17 1:40	0	0	0	0	0	81	27	151	563	242
2025/10/17 1:50	0	0	0	0	0	34	22	118	618	227
2025/10/17 2:00	0	0	0	0	0	34	24	112	727	95
2025/10/17 2:10	0	0	0	0	0	37	29	107	825	46
2025/10/17 2:20	0	0	0	0.2	0	49	34	118	688	94
2025/10/17 2:30	0	0	0	0	0	71	45	136	756	95
2025/10/17 2:40	0	0	0	0	0	74	62	136	760	141
2025/10/17 2:50	0	0	0	0	0	74	57	159	595	145
2025/10/17 3:00	0	0	0	0	0	47	33	124	596	83
2025/10/17 3:10	0	0	0	0	0	39	23	113	441	83
2025/10/17 3:20	0	0	0	0	0	39	24	112	420	90
2025/10/17 3:30	0	0	0	0	0	43	25	118	471	96
2025/10/17 3:40	0	0	0	0	0	41	20	117	367	116
2025/10/17 3:50	0	0	0	0	0	32	16	124	435	94
2025/10/17 4:00	0	0	0	0	0	30	18	160	361	191
2025/10/17 4:10	0	0	0	0	0	32	22	287	206	204
2025/10/17 4:20	0	0	0	0	0	31	23	165	348	111
2025/10/17 4:30	0	0	0	0	0	29	17	100	318	60
2025/10/17 4:40	0	0	0	0	0	29	23	189	347	136
2025/10/17 4:50	0	0	0	0	0	35	17	236	387	139
2025/10/17 5:00	0	0	0	0	0	31	18	149	448	56
2025/10/17 5:10	0	0	0	0	0	38	20	127	408	56
2025/10/17 5:20	0	0	0	0	0	56	37	329	239	105
2025/10/17 5:30	0	0	0	0	0	47	30	354	254	105
2025/10/17 5:40	0	0	0	0	0	38	21	109	456	52
2025/10/17 5:50	0	0	0	0	0	40	23	109	418	55
2025/10/17 6:00	0	0	0	0	0	40	21	111	377	50
2025/10/17 6:10	0	0	0	0	0	50	24	199	196	85
2025/10/17 6:20	0	0	0	0	0	43	23	114	353	58
2025/10/17 6:30	0	0	0	0	0	53	32	229	286	113
2025/10/17 6:40	0	0	0	0	0	49	26	158	322	107
2025/10/17 6:50	0	0	0	0	0	41	25	136	429	57
2025/10/17 7:00	0	0	0	0	0	39	23	125	369	81
2025/10/17 7:10	0	0	0	0	0	44	23	107	462	52
2025/10/17 7:20	0	0	0	0	0	63	49	111	398	57
2025/10/17 7:30	0	0	0	0	0	53	46	104	227	52
2025/10/17 7:40	0	0	0	0	0	51	33	96	361	48
2025/10/17 7:50	0	0	0	0	0	41	47	91	268	41
2025/10/17 8:00	0	0	0	0	0	31	30	82	218	37
2025/10/17 8:10	0	0	0	0	0	25	25	71	82	84
2025/10/17 8:20	0	0	0	0	0	15	18	73	62	99
2025/10/17 8:30	0	0	0	0	0	4	8	62	82	47
2025/10/17 8:40	0	0	0	0	0	2	6	40	108	52
2025/10/17 8:50	0	0	0	0	0	1	15	71	107	89
2025/10/17 9:00	0	0	0	0	0	1	6	49	85	91
2025/10/17 9:10	0	0	0	0	0	1	7	44	56	77
2025/10/17 9:20	0	0	0	0	0	1	14	61	72	63
2025/10/17 9:30	0	0	0	0.1	0.1	6	74	94	113	75
2025/10/17 9:40	0	0	0	0.1	0.1	16	36	129	113	93
2025/10/17 9:50	0	0	0	0.1	0.1	52	38	78	55	92
2025/10/17 10:00	0	0	0	0.1	0.1	65	57	47	18	44
2025/10/17 10:10	0	0	0	0.1	0.1	23	32	85	20	82
2025/10/17 10:20	0	0	0	0.1	0.1	1	13	44	18	41
2025/10/17 10:30	0	0	0	0.1	0.1	1	1	34	16	25
2025/10/17 10:40	0	0	0	0.1	0.1	1	1	51	33	52
2025/10/17 10:50	0	0	0	0.1	0.1	7	1	55	37	70
2025/10/17 11:00	0	0	0	0.1	0.1	1	4	56	42	51
2025/10/17 11:10	0	0	0	0.1	0.1	23	56	55	19	70
2025/10/17 11:20	0	0	0	0.1	0.1	36	71	62	40	72
2025/10/17 11:30	0	0	0	0.1	0.1	6	18	63	20	58

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/17 11:40	0	0	0	0	0.1	7	30	82	29	63
2025/10/17 11:50	0	0	0	0	0.1	8	14	80	40	72
2025/10/17 12:00	0	0	0	0	0.1	2	1	76	16	68
2025/10/17 12:10	0.1	0	0	0	0.1	1	1	70	1	72
2025/10/17 12:20	0.1	0	0	0	0.1	5	8	75	10	73
2025/10/17 12:30	0.1	0	0	0	0.1	25	27	80	1	74
2025/10/17 12:40	0.1	0	0	0	0.1	26	25	75	1	65
2025/10/17 12:50	0.1	0	0	0	0.1	42	43	79	1	75
2025/10/17 13:00	0.1	0	0	0	0.1	57	65	90	11	121
2025/10/17 13:10	0.2	0	0	0	0.1	79	104	115	53	119
2025/10/17 13:20	0.2	0	0	0	0.1	111	140	151	64	173
2025/10/17 13:30	0.1	0	0	0	0.1	48	68	152	169	124
2025/10/17 13:40	0.1	0	0	0	0.1	141	271	173	143	203
2025/10/17 13:50	0.2	0	0	0	0.1	233	665	190	93	243
2025/10/17 14:00	0.2	0	0	0	0.1	111	567	203	210	186
2025/10/17 14:10	0.2	0	0	0	0.1	91	470	187	172	155
2025/10/17 14:20	0.2	0	0	0	0.1	130	442	132	78	159
2025/10/17 14:30	0.2	0	0	0	0.1	164	1288	175	68	193
2025/10/17 14:40	0.1	0	0	0	0.1	174	1066	250	179	263
2025/10/17 14:50	0.1	0	0	0	0.1	166	793	125	53	205
2025/10/17 15:00	0.1	0	0	0	0.1	135	409	131	16	170
2025/10/17 15:10	0.1	0	0	0	0	80	339	162	136	132
2025/10/17 15:20	0	0	0	0	0	124	328	184	57	195
2025/10/17 15:30	0	0	0	0	0	209	375	146	60	217
2025/10/17 15:40	0	0	0	0	0	118	676	209	239	169
2025/10/17 15:50	0	0	0	0	0	231	1158	128	35	250
2025/10/17 16:00	0	0	0	0	0	177	857	149	29	209
2025/10/17 16:10	0	0	0	0	0	110	595	165	97	175
2025/10/17 16:20	0	0	0	0	0	94	584	169	87	144
2025/10/17 16:30	0	0	0	0	0	81	616	144	94	140
2025/10/17 16:40	0	0	0	0	0	90	655	141	85	172
2025/10/17 16:50	0	0	0	0	0	69	550	174	87	143
2025/10/17 17:00	0	0	0	0	0	119	490	141	59	179
2025/10/17 17:10	0	0	0	0	0	93	359	111	32	133
2025/10/17 17:20	0	0	0	0	0	52	361	120	43	126
2025/10/17 17:30	0	0	0	0	0	44	570	173	43	118
2025/10/17 17:40	0	0	0	0	0	72	637	161	47	192
2025/10/17 17:50	0	0	0	0	0	43	649	169	18	110
2025/10/17 18:00	0	0	0	0	0	45	660	210	27	237
2025/10/17 18:10	0	0	0	0	0	43	540	332	37	264
2025/10/17 18:20	0	0	0	0	0	121	397	208	25	304
2025/10/17 18:30	0	0	0	0	0	162	429	162	1	305
2025/10/17 18:40	0	0	0	0	0	96	610	300	7	331
2025/10/17 18:50	0	0	0	0	0	42	530	372	65	256
2025/10/17 19:00	0	0	0	0	0	27	507	444	62	172
2025/10/17 19:10	0	0	0	0	0	55	245	286	45	238
2025/10/17 19:20	0	0	0	0	0	22	233	302	43	205
2025/10/17 19:30	0	0	0	0	0	49	301	259	45	227
2025/10/17 19:40	0	0	0	0	0	44	284	310	58	240
2025/10/17 19:50	0	0	0	0	0	84	328	282	72	295
2025/10/17 20:00	0	0	0	0	0	104	567	359	193	407
2025/10/17 20:10	0	0	0	0	0	330	501	314	72	469
2025/10/17 20:20	0	0	0	0	0	408	438	428	387	873
2025/10/17 20:30	0	0	0	0	0	196	276	202	1045	286
2025/10/17 20:40	0	0	0	0.7	0	17	284	225	796	223
2025/10/17 20:50	0	0	0	0	0	235	295	612	457	810
2025/10/17 21:00	0	0	0	0	0	447	449	581	471	868
2025/10/17 21:10	0	0	0	0	0	123	312	285	967	476
2025/10/17 21:20	0	0	0	0.5	0	321	359	455	652	808
2025/10/17 21:30	0	0	0	0	0.2	678	504	740	345	966
2025/10/17 21:40	0	0	0	0	0.2	402	373	515	157	878
2025/10/17 21:50	0	0	0	0	0	201	280	385	903	421
2025/10/17 22:00	0	0	0	0.4	0	54	147	191	902	146
2025/10/17 22:10	0	0	0	0	0	40	238	125	990	110
2025/10/17 22:20	0	0	0	0.1	0	315	342	276	1012	611
2025/10/17 22:30	0	0	0	1	0	42	554	718	958	184
2025/10/17 22:40	0	0	0	0	0	43	130	216	1067	123
2025/10/17 22:50	0	0	0	2.2	0	44	183	112	893	69
2025/10/17 23:00	0	0	0	0	0	54	250	151	982	108
2025/10/17 23:10	0	0	0	1	0	83	254	323	869	288
2025/10/17 23:20	0	0	0	0.5	0	74	417	758	903	380
2025/10/17 23:30	0	0	0	0	0	58	550	570	743	95
2025/10/17 23:40	0	0	0	0	0	62	425	336	817	108

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/17 23:50	0	0	0	0	0	63	187	168	845	87
2025/10/18 0:00	0	0	0	0	0	64	258	133	722	79
2025/10/18 0:10	0	0	0	0	0	71	184	134	858	84
2025/10/18 0:20	0	0	0	0	0	108	151	231	798	250
2025/10/18 0:30	0	0	0	0	0	770	189	503	483	720
2025/10/18 0:40	0	0	0	0	0	639	249	594	822	763
2025/10/18 0:50	0	0	0	0	0	177	244	626	857	436
2025/10/18 1:00	0	0	0	0	0	219	196	513	878	428
2025/10/18 1:10	0	0	0	0.1	0	136	108	192	791	168
2025/10/18 1:20	0	0	0	0	0	73	350	256	871	121
2025/10/18 1:30	0	0	0	0	0	64	270	136	920	79
2025/10/18 1:40	0	0	0	0.3	0	58	251	372	883	165
2025/10/18 1:50	0	0	0	0	0	72	128	278	844	335
2025/10/18 2:00	0	0	0	0	0	79	171	336	634	353
2025/10/18 2:10	0	0	0	0	0	75	164	244	769	262
2025/10/18 2:20	0	0	0	0	0	95	348	531	691	135
2025/10/18 2:30	0	0	0	0	0	70	329	317	795	80
2025/10/18 2:40	0	0	0	0	0	68	193	135	753	79
2025/10/18 2:50	0	0	0	0	0	65	263	415	628	94
2025/10/18 3:00	0	0	0	0	0	57	321	597	514	86
2025/10/18 3:10	0	0	0	0	0	72	303	665	329	150
2025/10/18 3:20	0	0	0	0	0	82	254	524	266	177
2025/10/18 3:30	0	0	0	0	0	73	239	285	506	136
2025/10/18 3:40	0	0	0	0	0	53	290	364	440	90
2025/10/18 3:50	0	0	0	0	0	55	351	221	596	77
2025/10/18 4:00	0	0	0	0	0	52	265	128	606	59
2025/10/18 4:10	0	0	0	0	0	56	238	219	415	64
2025/10/18 4:20	0	0	0	0	0	59	139	149	499	65
2025/10/18 4:30	0	0	0	0	0	62	276	234	516	68
2025/10/18 4:40	0	0	0	0	0	64	183	134	390	79
2025/10/18 4:50	0	0	0	0	0	64	351	302	168	115
2025/10/18 5:00	0	0	0	0	0	95	278	343	267	175
2025/10/18 5:10	0	0	0	0	0	68	148	225	291	81
2025/10/18 5:20	0	0	0	0	0	59	173	217	313	63
2025/10/18 5:30	0	0	0	0	0	61	55	132	215	58
2025/10/18 5:40	0	0	0	0	0	62	58	136	266	62
2025/10/18 5:50	0	0	0	0	0	67	82	150	277	74
2025/10/18 6:00	0	0	0	0	0	83	325	267	228	102
2025/10/18 6:10	0	0	0	0	0	86	311	167	291	92
2025/10/18 6:20	0	0	0	0	0	74	242	141	250	83
2025/10/18 6:30	0	0	0	0	0	79	107	143	281	81
2025/10/18 6:40	0	0	0	0	0	92	89	153	274	115
2025/10/18 6:50	0	0	0	0	0	80	105	151	297	95
2025/10/18 7:00	0	0	0	0	0	84	293	199	237	146
2025/10/18 7:10	0	0	0	0	0	80	250	375	113	185
2025/10/18 7:20	0	0	0	0	0	70	168	148	352	83
2025/10/18 7:30	0	0	0	0	0	66	121	129	414	109
2025/10/18 7:40	0	0	0	0	0	65	83	135	281	113
2025/10/18 7:50	0	0	0	0	0	62	109	125	208	80
2025/10/18 8:00	0	0	0	0	0	72	259	160	107	119
2025/10/18 8:10	0	0	0	0	0	69	172	125	115	83
2025/10/18 8:20	0	0	0	0	0	59	181	119	93	67
2025/10/18 8:30	0	0	0	0	0	59	103	116	99	65
2025/10/18 8:40	0	0	0	0	0	52	87	101	85	87
2025/10/18 8:50	0	0	0	0	0	41	99	91	67	76
2025/10/18 9:00	0	0	0	0	0	43	89	90	73	54
2025/10/18 9:10	0	0	0	0	0	26	152	110	36	133
2025/10/18 9:20	0	0	0	0	0	15	79	103	44	86
2025/10/18 9:30	0	0	0	0	0	17	42	82	65	93
2025/10/18 9:40	0	0	0	0.1	0	17	37	61	32	45
2025/10/18 9:50	0	0	0	0.1	0	18	163	78	34	93
2025/10/18 10:00	0	0	0	0.1	0.1	10	302	70	44	106
2025/10/18 10:10	0	0	0	0.1	0.1	14	373	63	33	42
2025/10/18 10:20	0	0	0	0.1	0.1	13	145	65	44	62
2025/10/18 10:30	0	0	0	0.1	0.1	11	26	58	21	56
2025/10/18 10:40	0	0	0	0.1	0.1	3	14	57	22	31
2025/10/18 10:50	0	0	0	0.1	0.1	15	26	93	27	86
2025/10/18 11:00	0	0	0	0.1	0.1	11	9	82	19	65
2025/10/18 11:10	0	0	0	0.1	0.1	34	27	67	17	76
2025/10/18 11:20	0	0	0	0	0.1	34	76	59	6	55
2025/10/18 11:30	0	0	0	0	0.1	35	132	56	20	68
2025/10/18 11:40	0	0	0	0	0.1	34	48	58	8	67
2025/10/18 11:50	0	0	0	0	0.1	50	47	59	21	61

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/18 12:00	0	0	0	0	0.1	26	53	56	7	41
2025/10/18 12:10	0.1	0	0	0	0.1	48	26	61	28	73
2025/10/18 12:20	0.1	0	0	0	0.1	40	33	61	9	65
2025/10/18 12:30	0.1	0	0	0	0.1	34	41	69	5	54
2025/10/18 12:40	0.1	0	0	0	0.1	10	37	59	1	32
2025/10/18 12:50	0.1	0	0	0	0.1	19	30	55	1	43
2025/10/18 13:00	0.1	0	0	0	0.1	20	39	54	1	40
2025/10/18 13:10	0.1	0	0	0	0.1	35	35	62	1	48
2025/10/18 13:20	0.1	0	0	0	0.1	26	102	55	1	47
2025/10/18 13:30	0.1	0	0	0	0.1	19	14	56	1	48
2025/10/18 13:40	0.1	0	0	0	0.1	12	45	51	1	34
2025/10/18 13:50	0.1	0	0	0	0.1	30	48	58	1	40
2025/10/18 14:00	0.1	0	0	0	0.1	12	5	43	1	28
2025/10/18 14:10	0.1	0	0	0	0	1	66	41	1	19
2025/10/18 14:20	0.1	0	0	0	0	1	140	41	1	21
2025/10/18 14:30	0.1	0	0	0	0	13	43	42	1	29
2025/10/18 14:40	0.1	0	0	0	0	9	18	40	1	16
2025/10/18 14:50	0.1	0	0	0	0	1	15	40	1	11
2025/10/18 15:00	0.1	0	0	0	0	1	21	45	1	18
2025/10/18 15:10	0.1	0	0	0	0	11	12	45	1	24
2025/10/18 15:20	0	0	0	0	0	10	14	45	1	18
2025/10/18 15:30	0	0	0	0	0	10	2	42	1	20
2025/10/18 15:40	0	0	0	0	0	3	1	44	1	30
2025/10/18 15:50	0	0	0	0	0	4	10	47	1	23
2025/10/18 16:00	0	0	0	0	0	18	16	52	1	22
2025/10/18 16:10	0	0	0	0	0	9	7	54	1	27
2025/10/18 16:20	0	0	0	0	0	1	1	55	1	14
2025/10/18 16:30	0	0	0	0	0	2	1	52	1	15
2025/10/18 16:40	0	0	0	0	0	2	1	51	1	15
2025/10/18 16:50	0	0	0	0	0	14	1	51	1	19
2025/10/18 17:00	0	0	0	0	0	1	1	49	1	12
2025/10/18 17:10	0	0	0	0	0	1	112	51	1	11
2025/10/18 17:20	0	0	0	0	0	3	62	54	1	14
2025/10/18 17:30	0	0	0	0	0	23	1	54	1	22
2025/10/18 17:40	0	0	0	0	0	12	2	57	1	20
2025/10/18 17:50	0	0	0	0	0	12	1	56	1	20
2025/10/18 18:00	0	0	0	0	0	6	1	55	1	17
2025/10/18 18:10	0	0	0	0	0	31	3	56	1	19
2025/10/18 18:20	0	0	0	0	0	20	1	58	1	14
2025/10/18 18:30	0	0	0	0	0	25	5	59	1	15
2025/10/18 18:40	0	0	0	0	0	20	5	59	1	18
2025/10/18 18:50	0	0	0	0	0	6	7	60	1	12
2025/10/18 19:00	0	0	0	0	0	4	6	58	1	13
2025/10/18 19:10	0	0	0	0	0	24	2	60	1	18
2025/10/18 19:20	0	0	0	0	0	48	11	61	1	24
2025/10/18 19:30	0	0	0	0	0	47	19	61	1	17
2025/10/18 19:40	0	0	0	0	0	55	40	58	1	18
2025/10/18 19:50	0	0	0	0	0	58	52	55	1	30
2025/10/18 20:00	0	0	0	0	0	16	25	52	1	15
2025/10/18 20:10	0	0	0	0	0	20	33	52	1	13
2025/10/18 20:20	0	0	0	0	0	4	70	54	1	9
2025/10/18 20:30	0	0	0	0	0	56	21	54	1	27
2025/10/18 20:40	0	0	0	0	0	34	24	53	1	13
2025/10/18 20:50	0	0	0	0	0	47	15	56	1	40
2025/10/18 21:00	0	0	0	0	0	54	22	56	1	28
2025/10/18 21:10	0	0	0	0	0	20	56	57	2	16
2025/10/18 21:20	0	0	0	0	0	129	36	58	1	71
2025/10/18 21:30	0	0	0	0	0	60	79	59	23	42
2025/10/18 21:40	0	0	0	0	0	28	77	60	31	18
2025/10/18 21:50	0	0	0	0	0	1	59	59	56	9
2025/10/18 22:00	0	0	0	0	0	24	58	65	43	12
2025/10/18 22:10	0	0	0	0	0	1	34	61	58	9
2025/10/18 22:20	0	0	0	0	0	77	67	63	45	14
2025/10/18 22:30	0	0	0	0	0	18	86	63	167	10
2025/10/18 22:40	0	0	0	0	0	50	45	66	257	30
2025/10/18 22:50	0	0	0	0	0	3	1	76	369	150
2025/10/18 23:00	0	0	0	0	0	9	1	164	508	534
2025/10/18 23:10	0	0	0	0	0	31	8	301	549	581
2025/10/18 23:20	0	0	0	0	0	36	12	512	539	861
2025/10/18 23:30	0	0	0	0	0	485	194	316	485	925
2025/10/18 23:40	0	0	0	0	0.3	266	112	305	863	411
2025/10/18 23:50	0	0	0	0.2	0	30	14	88	758	315
2025/10/19 0:00	0	0	0	0	0	35	13	85	801	885

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/19 0:10	0	0	0	0	1	32	11	152	755	811
2025/10/19 0:20	0	0	0	0	1.1	34	14	97	753	962
2025/10/19 0:30	0	0	0	0	1.6	42	24	114	815	938
2025/10/19 0:40	0	0	0	0	1.7	54	34	402	804	1002
2025/10/19 0:50	0	0	0	0	2.8	87	36	335	657	682
2025/10/19 1:00	0	0	0	0	0.3	55	25	112	665	620
2025/10/19 1:10	0	0	0	0	0.4	37	16	120	732	654
2025/10/19 1:20	0	0	0	0	0.4	34	16	204	593	451
2025/10/19 1:30	0	0	0	0	0	50	23	273	677	365
2025/10/19 1:40	0	0	0	0	0.1	43	31	139	769	545
2025/10/19 1:50	0	0	0	0	0.1	200	39	172	624	747
2025/10/19 2:00	0	0	0	0	0.3	280	107	257	656	571
2025/10/19 2:10	0	0	0	0	0.6	31	16	92	595	70
2025/10/19 2:20	0	0	0	0	0	255	67	91	540	324
2025/10/19 2:30	0	0	0	0	0	357	162	91	502	361
2025/10/19 2:40	0	0	0	0	0	37	87	94	593	64
2025/10/19 2:50	0	0	0	0	0	26	71	92	669	50
2025/10/19 3:00	0	0	0	0	0	22	2	86	628	240
2025/10/19 3:10	0	0	0	0	0	19	1	84	325	107
2025/10/19 3:20	0	0	0	0	0	21	3	84	299	38
2025/10/19 3:30	0	0	0	0	0	23	4	86	398	43
2025/10/19 3:40	0	0	0	0	0	24	7	87	368	84
2025/10/19 3:50	0	0	0	0	0	23	7	86	476	100
2025/10/19 4:00	0	0	0	0	0	23	5	86	657	582
2025/10/19 4:10	0	0	0	0	0.2	26	10	154	678	558
2025/10/19 4:20	0	0	0	0	0.5	35	17	182	555	588
2025/10/19 4:30	0	0	0	0	0.4	32	17	245	425	310
2025/10/19 4:40	0	0	0	0	0	42	22	105	466	66
2025/10/19 4:50	0	0	0	0	0	28	13	93	500	48
2025/10/19 5:00	0	0	0	0	0	24	11	87	399	71
2025/10/19 5:10	0	0	0	0	0	20	8	82	392	284
2025/10/19 5:20	0	0	0	0	0	43	13	312	302	711
2025/10/19 5:30	0	0	0	0	0.1	30	14	145	454	588
2025/10/19 5:40	0	0	0	0	0	29	7	93	446	462
2025/10/19 5:50	0	0	0	0	0	36	13	81	445	327
2025/10/19 6:00	0	0	0	0	0	8	1	67	335	219
2025/10/19 6:10	0	0	0	0	0	8	1	207	203	655
2025/10/19 6:20	0	0	0	0	0	52	2	333	181	639
2025/10/19 6:30	0	0	0	0	0	89	9	343	214	703
2025/10/19 6:40	0	0	0	0	0	79	8	396	260	707
2025/10/19 6:50	0	0	0	0	0	61	34	271	477	733
2025/10/19 7:00	0	0	0	0	0.1	39	1	392	430	898
2025/10/19 7:10	0	0	0	0	1.5	11	1	366	296	789
2025/10/19 7:20	0	0	0	0	0.2	1	1	128	525	592
2025/10/19 7:30	0	0	0	0	0.3	1	1	209	428	530
2025/10/19 7:40	0	0	0	0	0.2	13	1	377	128	549
2025/10/19 7:50	0	0	0	0	0.2	37	5	293	100	397
2025/10/19 8:00	0	0	0	0	0	45	13	263	18	229
2025/10/19 8:10	0	0	0	0	0	20	7	152	44	162
2025/10/19 8:20	0	0	0	0	0	14	1	167	36	175
2025/10/19 8:30	0	0	0	0	0	14	2	160	3	224
2025/10/19 8:40	0	0	0	0	0	48	1	111	1	142
2025/10/19 8:50	0	0	0	0	0	11	1	100	1	153
2025/10/19 9:00	0	0	0	0	0	1	1	126	1	86
2025/10/19 9:10	0	0	0	0.1	0	1	1	133	8	120
2025/10/19 9:20	0	0	0	0	0	13	1	114	1	174
2025/10/19 9:30	0	0	0	0	0	1	1	172	43	170
2025/10/19 9:40	0	0	0	0	0	1	1	183	50	182
2025/10/19 9:50	0	0	0	0	0	1	1	154	65	130
2025/10/19 10:00	0	0	0	0	0	9	1	183	3	197
2025/10/19 10:10	0	0	0	0	0	41	1	101	1	135
2025/10/19 10:20	0	0	0	0	0	1	1	132	1	102
2025/10/19 10:30	0	0	0	0	0	13	1	89	1	138
2025/10/19 10:40	0	0	0	0	0	7	1	96	1	115
2025/10/19 10:50	0	0	0	0	0	9	1	103	1	84
2025/10/19 11:00	0	0	0	0	0	22	1	82	1	123
2025/10/19 11:10	0	0	0	0	0	1	1	87	1	94
2025/10/19 11:20	0	0	0	0	0	1	1	102	1	59
2025/10/19 11:30	0	0	0	0	0	1	1	121	2	111
2025/10/19 11:40	0	0	0	0	0	1	1	130	1	111
2025/10/19 11:50	0	0	0	0	0	1	1	108	1	84
2025/10/19 12:00	0	0	0	0	0	1	1	96	1	84
2025/10/19 12:10	0	0	0	0	0	1	1	109	1	61

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/19 12:20	0	0	0	0	0	1	1	102	1	94
2025/10/19 12:30	0	0	0	0	0	1	1	136	1	122
2025/10/19 12:40	0	0	0	0	0	1	1	111	1	97
2025/10/19 12:50	0	0	0	0	0	1	1	88	1	64
2025/10/19 13:00	0	0	0	0	0	1	1	88	1	58
2025/10/19 13:10	0	0	0	0	0	1	1	91	1	81
2025/10/19 13:20	0	0	0	0	0	1	1	78	1	54
2025/10/19 13:30	0	0	0	0	0	1	1	100	1	72
2025/10/19 13:40	0	0	0	0	0	1	1	83	1	67
2025/10/19 13:50	0	0	0	0	0	1	1	91	1	61
2025/10/19 14:00	0	0	0	0	0	1	1	75	1	61
2025/10/19 14:10	0	0	0	0	0	1	1	79	1	43
2025/10/19 14:20	0	0	0	0	0	1	1	96	1	90
2025/10/19 14:30	0	0	0	0	0	1	1	93	1	57
2025/10/19 14:40	0	0	0	0	0	1	1	78	1	56
2025/10/19 14:50	0	0	0	0	0	1	1	78	1	39
2025/10/19 15:00	0	0	0	0	0	1	1	89	1	48
2025/10/19 15:10	0	0	0	0	0	1	1	80	1	60
2025/10/19 15:20	0	0	0	0	0	1	1	95	1	78
2025/10/19 15:30	0	0	0	0	0	1	1	79	1	33
2025/10/19 15:40	0	0	0	0	0	1	1	69	1	53
2025/10/19 15:50	0	0	0	0	0	1	1	68	1	39
2025/10/19 16:00	0	0	0	0	0	1	1	72	1	45
2025/10/19 16:10	0	0	0	0	0	1	1	75	1	44
2025/10/19 16:20	0	0	0	0	0	1	1	84	1	54
2025/10/19 16:30	0	0	0	0	0	1	1	89	1	49
2025/10/19 16:40	0	0	0	0	0	2	2	88	1	79
2025/10/19 16:50	0	0	0	0	0	1	1	80	2	26
2025/10/19 17:00	0	0	0	0	0	1	1	89	5	44
2025/10/19 17:10	0	0	0	0	0	1	1	114	8	86
2025/10/19 17:20	0	0	0	0	0	1	1	132	8	101
2025/10/19 17:30	0	0	0	0	0	1	5	144	11	105
2025/10/19 17:40	0	0	0	0	0	1	2	108	9	59
2025/10/19 17:50	0	0	0	0	0	2	3	106	9	64
2025/10/19 18:00	0	0	0	0	0	7	3	195	11	119
2025/10/19 18:10	0	0	0	0	0	61	3	274	23	309
2025/10/19 18:20	0	0	0	0	0	9	3	338	22	275
2025/10/19 18:30	0	0	0	0	0	33	3	214	6	319
2025/10/19 18:40	0	0	0	0	0	116	6	181	3	378
2025/10/19 18:50	0	0	0	0	0	123	6	276	42	384
2025/10/19 19:00	0	0	0	0	0	80	6	298	63	262
2025/10/19 19:10	0	0	0	0	0	45	6	230	4	344
2025/10/19 19:20	0	0	0	0	0	60	6	272	28	276
2025/10/19 19:30	0	0	0	0	0	58	6	249	45	373
2025/10/19 19:40	0	0	0	0	0	39	6	373	33	406
2025/10/19 19:50	0	0	0	0	0	44	6	327	41	361
2025/10/19 20:00	0	0	0	0	0	3	5	284	196	219
2025/10/19 20:10	0	0	0	0	0	3	3	300	70	231
2025/10/19 20:20	0	0	0	0	0	42	3	286	72	454
2025/10/19 20:30	0	0	0	0	0	7	3	263	208	259
2025/10/19 20:40	0	0	0	0	0	9	3	310	268	370
2025/10/19 20:50	0	0	0	0	0	3	4	170	399	140
2025/10/19 21:00	0	0	0	0	0	23	6	388	260	424
2025/10/19 21:10	0	0	0	0	0	3	6	165	613	70
2025/10/19 21:20	0	0	0	0	0	9	6	274	480	218
2025/10/19 21:30	0	0	0	0	0	6	6	98	715	91
2025/10/19 21:40	0	0	0	0	0	6	7	60	846	105
2025/10/19 21:50	0	0	0	0	0	6	9	61	752	25
2025/10/19 22:00	0	0	0	0	0	6	9	79	660	230
2025/10/19 22:10	0	0	0	0	0	9	9	83	728	314
2025/10/19 22:20	0	0	0	0	0	9	9	64	863	35
2025/10/19 22:30	0	0	0	0.2	0	9	9	68	756	192
2025/10/19 22:40	0	0	0	0.2	0	9	9	81	770	114
2025/10/19 22:50	0	0	0	0	0	9	9	73	829	171
2025/10/19 23:00	0	0	0	0.2	0	9	9	68	673	82
2025/10/19 23:10	0	0	0	0	0	9	11	79	634	393
2025/10/19 23:20	0	0	0	0	0	9	9	68	695	164
2025/10/19 23:30	0	0	0	0	0	9	9	68	461	36
2025/10/19 23:40	0	0	0	0	0	9	9	65	495	171
2025/10/19 23:50	0	0	0	0	0	9	9	76	443	162
2025/10/20 0:00	0	0	0	0	0	9	9	66	420	151
2025/10/20 0:10	0	0	0	0	0	9	9	68	555	74
2025/10/20 0:20	0	0	0	0	0	9	9	74	634	114

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/20 0:30	0	0	0	0	0	9	9	77	577	180
2025/10/20 0:40	0	0	0	0	0	9	9	71	483	52
2025/10/20 0:50	0	0	0	0	0	9	9	66	494	67
2025/10/20 1:00	0	0	0	0	0	9	9	65	532	69
2025/10/20 1:10	0	0	0	0	0	9	9	69	500	49
2025/10/20 1:20	0	0	0	0	0	9	9	216	550	311
2025/10/20 1:30	0	0	0	0	0	9	10	158	526	59
2025/10/20 1:40	0	0	0	0	0	9	12	107	377	145
2025/10/20 1:50	0	0	0	0	0	9	12	64	463	101
2025/10/20 2:00	0	0	0	0	0	11	12	65	650	77
2025/10/20 2:10	0	0	0	0	0	12	12	77	644	118
2025/10/20 2:20	0	0	0	0	0	12	12	74	549	54
2025/10/20 2:30	0	0	0	0	0	12	15	219	337	288
2025/10/20 2:40	0	0	0	0	0	15	17	75	466	55
2025/10/20 2:50	0	0	0	0	0	12	15	115	482	76
2025/10/20 3:00	0	0	0	0	0	12	15	81	484	50
2025/10/20 3:10	0	0	0	0	0	12	15	78	566	50
2025/10/20 3:20	0	0	0	0	0	12	15	76	554	21
2025/10/20 3:30	0	0	0	0	0	12	15	80	468	147
2025/10/20 3:40	0	0	0	0	0	12	15	80	531	27
2025/10/20 3:50	0	0	0	0	0	12	15	78	367	57
2025/10/20 4:00	0	0	0	0	0	12	15	81	370	90
2025/10/20 4:10	0	0	0	0	0	12	15	78	412	48
2025/10/20 4:20	0	0	0	0	0	12	15	207	387	149
2025/10/20 4:30	0	0	0	0	0	12	15	178	418	188
2025/10/20 4:40	0	0	0	0	0	12	25	120	398	31
2025/10/20 4:50	0	0	0	0	0	12	15	85	455	30
2025/10/20 5:00	0	0	0	0	0	12	14	83	438	23
2025/10/20 5:10	0	0	0	0	0	12	12	83	436	41
2025/10/20 5:20	0	0	0	0	0	12	12	84	421	49
2025/10/20 5:30	0	0	0	0	0	13	12	91	466	106
2025/10/20 5:40	0	0	0	0	0	13	16	90	450	32
2025/10/20 5:50	0	0	0	0	0	15	15	129	384	142
2025/10/20 6:00	0	0	0	0	0	25	17	353	191	227
2025/10/20 6:10	0	0	0	0	0	12	15	103	452	111
2025/10/20 6:20	0	0	0	0	0	13	15	202	370	84
2025/10/20 6:30	0	0	0	0	0	12	15	225	312	182
2025/10/20 6:40	0	0	0	0	0	12	15	87	495	67
2025/10/20 6:50	0	0	0	0	0	12	15	89	591	74
2025/10/20 7:00	0	0	0	0	0	12	58	93	710	36
2025/10/20 7:10	0	0	0	0.1	0	13	83	95	491	14
2025/10/20 7:20	0	0	0	0	0	15	17	91	513	13
2025/10/20 7:30	0	0	0	0.4	0	12	12	92	781	55
2025/10/20 7:40	0	0	0	0.1	0	17	12	93	592	16
2025/10/20 7:50	0	0	0	0	0	14	12	92	437	61
2025/10/20 8:00	0	0	0	0	0	17	36	131	257	135
2025/10/20 8:10	0	0	0	0	0	14	12	112	135	126
2025/10/20 8:20	0	0	0	0	0	13	13	95	173	38
2025/10/20 8:30	0	0	0	0	0	25	13	101	170	36
2025/10/20 8:40	0	0	0	0	0	28	13	103	202	60
2025/10/20 8:50	0	0	0	0	0	49	32	117	147	48
2025/10/20 9:00	0	0	0	0	0	52	37	125	136	103
2025/10/20 9:10	0	0	0	0	0	74	36	141	154	111
2025/10/20 9:20	0	0	0	0	0	73	31	154	150	112
2025/10/20 9:30	0	0	0	0	0	24	13	111	125	51
2025/10/20 9:40	0	0	0	0	0	24	9	104	111	59
2025/10/20 9:50	0	0	0	0	0	58	68	127	122	89
2025/10/20 10:00	0	0	0	0	0	56	34	121	101	50
2025/10/20 10:10	0	0	0	0	0	32	19	102	77	38
2025/10/20 10:20	0	0	0	0	0	56	46	114	133	91
2025/10/20 10:30	0	0	0	0	0	51	26	118	111	81
2025/10/20 10:40	0	0	0	0	0	99	74	151	112	176
2025/10/20 10:50	0	0	0	0	0	86	51	179	77	190
2025/10/20 11:00	0	0	0	0	0	21	3	97	48	123
2025/10/20 11:10	0	0	0	0	0	3	1	86	35	55
2025/10/20 11:20	0	0	0	0	0	4	1	120	32	84
2025/10/20 11:30	0	0	0	0	0	1	1	86	34	57
2025/10/20 11:40	0	0	0	0	0	7	2	140	28	110
2025/10/20 11:50	0	0	0	0	0	26	1	114	34	149
2025/10/20 12:00	0	0	0	0	0	1	1	109	42	84
2025/10/20 12:10	0	0	0	0	0	4	1	77	33	93
2025/10/20 12:20	0	0	0	0	0	39	1	109	23	148
2025/10/20 12:30	0	0	0	0	0	1	1	81	47	33

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/20 12:40	0	0	0	0	0	5	1	96	32	124
2025/10/20 12:50	0	0	0	0	0	13	1	124	21	198
2025/10/20 13:00	0	0	0	0	0	1	1	98	50	48
2025/10/20 13:10	0	0	0	0	0	1	1	69	53	61
2025/10/20 13:20	0	0	0	0	0	1	1	89	44	171
2025/10/20 13:30	0	0	0	0	0	1	9	69	64	47
2025/10/20 13:40	0	0	0	0	0	1	1	75	65	119
2025/10/20 13:50	0	0	0	0	0	1	1	89	80	163
2025/10/20 14:00	0	0	0	0	0	1	1	121	67	185
2025/10/20 14:10	0	0	0	0	0	3	14	81	78	94
2025/10/20 14:20	0	0	0	0	0	13	16	165	78	161
2025/10/20 14:30	0	0	0	0	0	27	13	211	116	190
2025/10/20 14:40	0	0	0	0	0	53	48	229	164	132
2025/10/20 14:50	0	0	0	0	0	25	30	186	137	117
2025/10/20 15:00	0	0	0	0	0	45	75	183	75	183
2025/10/20 15:10	0	0	0	0	0	129	110	206	48	237
2025/10/20 15:20	0	0	0	0	0	146	112	282	103	337
2025/10/20 15:30	0	0	0	0	0	124	78	310	89	293
2025/10/20 15:40	0	0	0	0	0	99	100	228	36	240
2025/10/20 15:50	0	0	0	0	0	130	179	180	20	252
2025/10/20 16:00	0	0	0	0	0	148	259	173	28	261
2025/10/20 16:10	0	0	0	0	0	180	300	254	41	253
2025/10/20 16:20	0	0	0	0	0	133	171	146	39	228
2025/10/20 16:30	0	0	0	0	0	100	122	195	47	170
2025/10/20 16:40	0	0	0	0	0	90	125	223	50	153
2025/10/20 16:50	0	0	0	0	0	87	103	219	35	167
2025/10/20 17:00	0	0	0	0	0	97	96	185	32	193
2025/10/20 17:10	0	0	0	0	0	78	81	276	44	180
2025/10/20 17:20	0	0	0	0	0	68	64	308	82	167
2025/10/20 17:30	0	0	0	0	0	65	64	258	39	155
2025/10/20 17:40	0	0	0	0	0	66	50	254	54	214
2025/10/20 17:50	0	0	0	0	0	70	45	288	45	211
2025/10/20 18:00	0	0	0	0	0	118	28	378	45	364
2025/10/20 18:10	0	0	0	0	0	152	47	493	57	412
2025/10/20 18:20	0	0	0	0	0	38	26	474	116	216
2025/10/20 18:30	0	0	0	0	0	49	34	496	109	395
2025/10/20 18:40	0	0	0	0	0	53	42	567	109	329
2025/10/20 18:50	0	0	0	0	0	66	24	385	66	300
2025/10/20 19:00	0	0	0	0	0	44	18	447	58	229
2025/10/20 19:10	0	0	0	0	0	8	7	325	125	206
2025/10/20 19:20	0	0	0	0	0	9	13	297	120	172
2025/10/20 19:30	0	0	0	0	0	37	21	410	39	295
2025/10/20 19:40	0	0	0	0	0	30	15	376	73	216
2025/10/20 19:50	0	0	0	0	0	26	4	372	57	247
2025/10/20 20:00	0	0	0	0	0	40	8	420	46	268
2025/10/20 20:10	0	0	0	0	0	74	7	316	37	395
2025/10/20 20:20	0	0	0	0	0	69	4	336	25	367
2025/10/20 20:30	0	0	0	0	0	33	4	382	18	326
2025/10/20 20:40	0	0	0	0	0	51	20	345	38	356
2025/10/20 20:50	0	0	0	0	0	43	7	348	44	259
2025/10/20 21:00	0	0	0	0	0	45	13	307	58	269
2025/10/20 21:10	0	0	0	0	0	22	7	371	55	327
2025/10/20 21:20	0	0	0	0	0	78	11	368	46	326
2025/10/20 21:30	0	0	0	0	0	53	7	413	84	302
2025/10/20 21:40	0	0	0	0	0	50	8	393	259	285
2025/10/20 21:50	0	0	0	0	0	8	7	312	300	243
2025/10/20 22:00	0	0	0	0	0	6	7	185	416	326
2025/10/20 22:10	0	0	0	0	0	8	6	220	448	242
2025/10/20 22:20	0	0	0	0	0	6	6	271	535	334
2025/10/20 22:30	0	0	0	0	0	6	6	325	367	327
2025/10/20 22:40	0	0	0	0	0	7	6	289	396	427
2025/10/20 22:50	0	0	0	0	0	6	6	361	437	455
2025/10/20 23:00	0	0	0	0	0	6	12	293	368	376
2025/10/20 23:10	0	0	0	0	0	7	9	379	355	429
2025/10/20 23:20	0	0	0	0	0	78	39	466	46	473
2025/10/20 23:30	0	0	0	0	0	30	24	393	100	279
2025/10/20 23:40	0	0	0	0	0	85	58	474	27	413
2025/10/20 23:50	0	0	0	0	0	88	44	454	46	398
2025/10/21 0:00	0	0	0	0	0	40	16	418	111	321
2025/10/21 0:10	0	0	0	0	0	11	11	398	284	268
2025/10/21 0:20	0	0	0	0	0	6	13	468	199	392
2025/10/21 0:30	0	0	0	0	0	23	16	477	225	436
2025/10/21 0:40	0	0	0	0	0	9	21	539	250	350

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/21 0:50	0	0	0	0	0	64	34	497	26	451
2025/10/21 1:00	0	0	0	0	0	22	39	478	143	416
2025/10/21 1:10	0	0	0	0	0	39	14	453	212	422
2025/10/21 1:20	0	0	0	0	0	75	45	431	129	358
2025/10/21 1:30	0	0	0	0	0	13	17	418	105	362
2025/10/21 1:40	0	0	0	0	0	12	15	452	187	398
2025/10/21 1:50	0	0	0	0	0	9	9	355	452	296
2025/10/21 2:00	0	0	0	0	0	9	18	355	155	272
2025/10/21 2:10	0	0	0	0	0	10	9	318	228	273
2025/10/21 2:20	0	0	0	0	0	9	17	403	234	336
2025/10/21 2:30	0	0	0	0	0	10	9	295	290	279
2025/10/21 2:40	0	0	0	0	0	10	15	366	201	366
2025/10/21 2:50	0	0	0	0	0	9	14	339	301	360
2025/10/21 3:00	0	0	0	0	0	9	12	232	447	247
2025/10/21 3:10	0	0	0	0	0	10	12	309	304	360
2025/10/21 3:20	0	0	0	0	0	9	12	316	302	342
2025/10/21 3:30	0	0	0	0	0	13	13	272	221	256
2025/10/21 3:40	0	0	0	0	0	15	22	389	136	320
2025/10/21 3:50	0	0	0	0	0	17	12	311	210	291
2025/10/21 4:00	0	0	0	0	0	13	15	342	161	312
2025/10/21 4:10	0	0	0	0	0	12	12	283	269	287
2025/10/21 4:20	0	0	0	0	0	12	14	298	124	252
2025/10/21 4:30	0	0	0	0	0	12	16	260	224	202
2025/10/21 4:40	0	0	0	0	0	14	15	241	163	209
2025/10/21 4:50	0	0	0	0	0	12	16	328	223	279
2025/10/21 5:00	0	0	0	0	0	15	20	319	194	274
2025/10/21 5:10	0	0	0	0	0	17	19	336	175	288
2025/10/21 5:20	0	0	0	0	0	27	17	355	135	323
2025/10/21 5:30	0	0	0	0	0	16	15	314	224	287
2025/10/21 5:40	0	0	0	0	0	15	17	321	187	382
2025/10/21 5:50	0	0	0	0	0	15	15	294	273	299
2025/10/21 6:00	0	0	0	0	0	15	17	280	121	211
2025/10/21 6:10	0	0	0	0	0	18	21	318	202	367
2025/10/21 6:20	0	0	0	0	0	15	19	385	391	344
2025/10/21 6:30	0	0	0	0	0	17	24	424	80	254
2025/10/21 6:40	0	0	0	0	0	18	16	483	159	320
2025/10/21 6:50	0	0	0	0	0	47	25	456	55	364
2025/10/21 7:00	0	0	0	0	0	59	23	501	48	404
2025/10/21 7:10	0	0	0	0	0	22	16	431	114	320
2025/10/21 7:20	0	0	0	0	0	44	33	425	37	371
2025/10/21 7:30	0	0	0	0	0	63	21	452	63	344
2025/10/21 7:40	0	0	0	0	0	19	54	362	20	289
2025/10/21 7:50	0	0	0	0	0	24	108	422	139	315
2025/10/21 8:00	0	0	0	0	0	98	33	434	77	408
2025/10/21 8:10	0	0	0	0	0	13	26	291	115	209
2025/10/21 8:20	0	0	0	0	0	46	46	298	100	362
2025/10/21 8:30	0	0	0	0	0	29	13	454	99	458
2025/10/21 8:40	0	0	0	0	0	48	30	310	43	370
2025/10/21 8:50	0	0	0	0	0.1	17	155	207	146	158
2025/10/21 9:00	0	0	0	0	0	37	164	242	116	242
2025/10/21 9:10	0	0	0	0	0	50	129	222	146	168
2025/10/21 9:20	0	0	0	0	0	11	46	154	139	119
2025/10/21 9:30	0	0	0	0	0	7	34	129	120	144
2025/10/21 9:40	0	0	0	0	0	6	54	129	64	199
2025/10/21 9:50	0	0	0	0	0	6	9	126	56	216
2025/10/21 10:00	0	0	0	0	0	6	13	74	52	118
2025/10/21 10:10	0	0	0	0	0	16	24	128	126	144
2025/10/21 10:20	0	0	0	0	0	4	20	125	70	137
2025/10/21 10:30	0	0	0	0	0	13	22	130	85	104
2025/10/21 10:40	0	0	0	0	0	28	33	139	94	136
2025/10/21 10:50	0	0	0	0	0	78	115	225	194	157
2025/10/21 11:00	0	0	0	0	0	74	96	247	131	198
2025/10/21 11:10	0	0	0	0	0	87	105	208	142	197
2025/10/21 11:20	0	0	0	0	0	25	60	171	182	124
2025/10/21 11:30	0	0	0	0	0	114	169	201	94	212
2025/10/21 11:40	0	0	0	0	0	28	70	146	89	112
2025/10/21 11:50	0	0	0	0	0	15	29	156	65	132
2025/10/21 12:00	0	0	0	0	0	1	1	97	32	101
2025/10/21 12:10	0	0	0	0	0	2	1	134	39	121
2025/10/21 12:20	0	0	0	0	0	3	3	159	38	172
2025/10/21 12:30	0	0	0	0	0	3	3	117	35	127
2025/10/21 12:40	0	0	0	0	0	3	3	121	22	133
2025/10/21 12:50	0	0	0	0	0	3	3	113	35	153

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/21 13:00	0	0	0	0	0	3	3	113	31	120
2025/10/21 13:10	0	0	0	0	0	18	39	152	127	108
2025/10/21 13:20	0	0	0	0	0	102	125	182	150	165
2025/10/21 13:30	0	0	0	0	0	148	182	208	117	205
2025/10/21 13:40	0	0	0	0	0	174	189	209	81	238
2025/10/21 13:50	0	0	0	0	0	159	183	260	199	259
2025/10/21 14:00	0	0	0	0	0	72	104	174	153	136
2025/10/21 14:10	0	0	0	0	0	141	206	191	100	202
2025/10/21 14:20	0	0	0	0	0	70	113	221	178	157
2025/10/21 14:30	0	0	0	0	0	137	183	214	145	214
2025/10/21 14:40	0	0	0	0	0	58	76	200	201	152
2025/10/21 14:50	0	0	0	0	0	18	33	142	152	99
2025/10/21 15:00	0	0	0	0	0	64	124	209	164	196
2025/10/21 15:10	0	0	0	0	0	44	94	174	169	141
2025/10/21 15:20	0	0	0	0	0	62	65	196	139	150
2025/10/21 15:30	0	0	0	0	0	51	61	190	125	131
2025/10/21 15:40	0	0	0	0	0	21	45	178	131	142
2025/10/21 15:50	0	0	0	0	0	76	115	198	148	186
2025/10/21 16:00	0	0	0	0	0	79	108	235	108	221
2025/10/21 16:10	0	0	0	0	0	66	71	188	126	165
2025/10/21 16:20	0	0	0	0	0	45	114	151	120	151
2025/10/21 16:30	0	0	0	0	0	18	68	164	132	148
2025/10/21 16:40	0	0	0	0	0	54	63	225	104	222
2025/10/21 16:50	0	0	0	0	0	34	62	240	97	197
2025/10/21 17:00	0	0	0	0	0	27	133	231	162	316
2025/10/21 17:10	0	0	0	0	0	20	67	250	108	257
2025/10/21 17:20	0	0	0	0	0	52	50	272	65	296
2025/10/21 17:30	0	0	0	0	0	18	20	210	98	250
2025/10/21 17:40	0	0	0	0	0	9	22	221	85	217
2025/10/21 17:50	0	0	0	0	0	9	17	238	60	229
2025/10/21 18:00	0	0	0	0	0	9	12	415	177	615
2025/10/21 18:10	0	0	0	0	0	11	12	221	466	251
2025/10/21 18:20	0	0	0	0	0	9	15	307	318	387
2025/10/21 18:30	0	0	0	0	0	19	12	443	377	498
2025/10/21 18:40	0	0	0	0	0	17	19	342	639	391
2025/10/21 18:50	0	0	0	0	0	41	28	106	675	378
2025/10/21 19:00	0	0	0	0	0	24	12	388	612	493
2025/10/21 19:10	0	0	0	0	0	22	20	267	681	409
2025/10/21 19:20	0	0	0	0	0	19	12	70	665	447
2025/10/21 19:30	0	0	0	0	0	13	12	88	597	536
2025/10/21 19:40	0	0	0	0	0	20	12	145	698	103
2025/10/21 19:50	0	0	0	0	0	18	12	78	588	167
2025/10/21 20:00	0	0	0	0	0	13	12	72	566	195
2025/10/21 20:10	0	0	0	0	0	12	15	61	642	232
2025/10/21 20:20	0	0	0	0	0	14	12	123	570	204
2025/10/21 20:30	0	0	0	0	0	25	12	76	668	211
2025/10/21 20:40	0	0	0	0	0	36	15	82	645	294
2025/10/21 20:50	0	0	0	0	0	30	13	82	619	199
2025/10/21 21:00	0	0	0	0	0	24	24	96	631	267
2025/10/21 21:10	0	0	0	0	0	69	18	357	738	491
2025/10/21 21:20	0	0	0	0.1	0	22	12	96	904	462
2025/10/21 21:30	0	0	0	0.2	0.2	25	13	72	820	271
2025/10/21 21:40	0	0	0	0.1	0	29	13	76	894	126
2025/10/21 21:50	0	0	0	0.3	0	39	20	87	767	230
2025/10/21 22:00	0	0	0	0	0	35	16	80	738	399
2025/10/21 22:10	0	0	0	0	0	35	20	89	778	182
2025/10/21 22:20	0	0	0	0	0	23	25	84	831	113
2025/10/21 22:30	0	0	0	0.2	0	15	15	65	759	248
2025/10/21 22:40	0	0	0	0.2	0	13	15	67	771	232
2025/10/21 22:50	0	0	0	0.1	0	13	15	85	720	307
2025/10/21 23:00	0	0	0	0.1	0	13	15	66	714	81
2025/10/21 23:10	0	0	0	0	0	12	15	65	636	64
2025/10/21 23:20	0	0	0	0	0	13	15	70	640	465
2025/10/21 23:30	0	0	0	0	0	16	15	73	620	382
2025/10/21 23:40	0	0	0	0	0	19	15	68	720	363
2025/10/21 23:50	0	0	0	0	0	16	15	94	687	272
2025/10/22 0:00	0	0	0	0	0	18	15	95	726	342
2025/10/22 0:10	0	0	0	0	0	18	15	72	686	425
2025/10/22 0:20	0	0	0	0	0.6	17	17	80	683	150
2025/10/22 0:30	0	0	0	0	0	14	15	67	619	119
2025/10/22 0:40	0	0	0	0	0	15	21	75	532	301
2025/10/22 0:50	0	0	0	0	0	15	15	176	646	429
2025/10/22 1:00	0	0	0	0	0	16	15	76	484	412

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/22 1:10	0	0	0	0	0	15	15	209	549	362
2025/10/22 1:20	0	0	0	0	0	22	15	443	422	538
2025/10/22 1:30	0	0	0	0	0	15	15	211	538	227
2025/10/22 1:40	0	0	0	0	0	18	15	321	319	528
2025/10/22 1:50	0	0	0	0	0	15	15	225	402	324
2025/10/22 2:00	0	0	0	0	0	21	15	423	266	362
2025/10/22 2:10	0	0	0	0	0	15	15	210	313	243
2025/10/22 2:20	0	0	0	0	0	15	15	208	346	301
2025/10/22 2:30	0	0	0	0	0	15	15	123	288	265
2025/10/22 2:40	0	0	0	0	0	15	15	71	291	169
2025/10/22 2:50	0	0	0	0	0	15	15	68	361	181
2025/10/22 3:00	0	0	—	0	0	15	18	60	335	133
2025/10/22 3:10	0	0	0	0	0	15	18	136	206	303
2025/10/22 3:20	0	0	0	0	0	17	18	246	287	327
2025/10/22 3:30	0	0	0	0	0	18	18	84	240	111
2025/10/22 3:40	0	0	0	0	0	18	18	257	196	191
2025/10/22 3:50	0	0	0	0	0	18	18	208	151	203
2025/10/22 4:00	0	0	0	0	0	18	20	206	136	213
2025/10/22 4:10	0	0	0	0	0	18	21	178	156	199
2025/10/22 4:20	0	0	0	0	0	19	21	96	187	126
2025/10/22 4:30	0	0	0	0	0	21	21	65	204	116
2025/10/22 4:40	0	0	0	0	0	21	21	67	282	86
2025/10/22 4:50	0	0	0	0	0	21	21	68	225	90
2025/10/22 5:00	0	0	0	0	0	21	21	74	170	71
2025/10/22 5:10	0	0	0	0	0	21	21	83	91	69
2025/10/22 5:20	0	0	0	0	0	21	21	77	92	33
2025/10/22 5:30	0	0	0	0	0	21	24	99	56	51
2025/10/22 5:40	0	0	0	0	0	23	24	104	51	74
2025/10/22 5:50	0	0	0	0	0	24	24	90	48	47
2025/10/22 6:00	0	0	0	0	0	24	24	161	46	57
2025/10/22 6:10	0	0	0	0	0	24	24	90	101	35
2025/10/22 6:20	0	0	0	0	0	24	25	95	83	36
2025/10/22 6:30	0	0	0	0	0	24	27	174	77	55
2025/10/22 6:40	0	0	0	0	0	24	27	109	78	35
2025/10/22 6:50	0	0	0	0	0	24	24	84	185	29
2025/10/22 7:00	0	0	0	0	0	24	24	83	200	28
2025/10/22 7:10	0	0	0	0	0	27	24	89	174	26
2025/10/22 7:20	0	0	0	0	0	29	24	91	212	29
2025/10/22 7:30	0	0	0	0	0	28	24	93	174	38
2025/10/22 7:40	0	0	0	0	0	28	24	95	119	33
2025/10/22 7:50	0	0	0	0	0	27	24	92	156	38
2025/10/22 8:00	0	0	0	0	0	38	29	98	110	42
2025/10/22 8:10	0	0	0	0	0	45	26	104	107	48
2025/10/22 8:20	0	0	0	0	0	37	28	98	115	37
2025/10/22 8:30	0	0	0	0	0	37	24	100	124	33
2025/10/22 8:40	0	0	0	0	0	37	29	100	107	46
2025/10/22 8:50	0	0	0	0	0	55	33	106	100	75
2025/10/22 9:00	0	0	0	0	0	66	23	115	144	64
2025/10/22 9:10	0	0	0	0	0	53	26	107	152	62
2025/10/22 9:20	0	0	0	0	0	55	32	110	120	144
2025/10/22 9:30	0	0	0	0	0	40	23	100	98	118
2025/10/22 9:40	0	0	0	0	0	23	21	81	145	35
2025/10/22 9:50	0	0	0	0	0	22	21	85	132	41
2025/10/22 10:00	0	0	0	0	0	25	21	85	126	73
2025/10/22 10:10	0	0	0	0	0	30	18	86	113	64
2025/10/22 10:20	0	0	0	0	0	25	18	81	92	56
2025/10/22 10:30	0	0	0	0	0	23	18	81	127	96
2025/10/22 10:40	0	0	0	0	0	20	18	98	81	98
2025/10/22 10:50	0	0	0	0	0	18	18	79	118	112
2025/10/22 11:00	0	0	0	0	0	21	18	78	163	51
2025/10/22 11:10	0	0	0	0	0	29	16	86	170	54
2025/10/22 11:20	0	0	0	0	0	20	16	82	122	58
2025/10/22 11:30	0	0	0	0	0	23	15	85	87	212
2025/10/22 11:40	0	0	0	0	0	15	15	94	137	83
2025/10/22 11:50	0	0	0	0	0	15	15	71	140	170
2025/10/22 12:00	0	0	0	0	0	15	15	65	108	163
2025/10/22 12:10	0	0	0	0	0	15	15	92	89	223
2025/10/22 12:20	0	0	0	0	0	15	15	85	84	181
2025/10/22 12:30	0	0	0	0	0	15	15	80	119	252
2025/10/22 12:40	0	0	0	0	0	15	15	126	112	248
2025/10/22 12:50	0	0	0	0	0	15	15	198	88	266
2025/10/22 13:00	0	0	0	0	0	15	15	163	98	222
2025/10/22 13:10	0	0	0	0	0	15	18	74	108	138

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/22 13:20	0	0	0	0	0	18	18	67	123	108
2025/10/22 13:30	0	0	0	0	0	18	18	72	93	39
2025/10/22 13:40	0	0	0	0	0	26	36	165	103	124
2025/10/22 13:50	0	0	0	0	0	24	25	87	87	49
2025/10/22 14:00	0	0	0	0	0	26	22	93	83	47
2025/10/22 14:10	0	0	0	0	0	25	25	108	61	76
2025/10/22 14:20	0	0	0	0	0	36	44	144	73	98
2025/10/22 14:30	0	0	0	0	0	43	41	169	70	87
2025/10/22 14:40	0	0	0	0	0	35	39	158	109	126
2025/10/22 14:50	0	0	0	0	0	71	66	310	257	167
2025/10/22 15:00	0	0	0	0	0	89	74	253	153	151
2025/10/22 15:10	0	0	0	0	0	100	80	262	150	186
2025/10/22 15:20	0	0	0	0	0	85	75	270	138	193
2025/10/22 15:30	0	0	0	0	0	76	53	305	200	179
2025/10/22 15:40	0	0	0	0	0	113	123	320	179	199
2025/10/22 15:50	0	0	0	0	0	97	81	273	174	137
2025/10/22 16:00	0	0	0	0	0	91	56	255	174	153
2025/10/22 16:10	0	0	0	0	0	147	130	223	82	257
2025/10/22 16:20	0	0	0	0	0	177	186	247	112	212
2025/10/22 16:30	0	0	0	0	0	144	125	212	133	180
2025/10/22 16:40	0	0	0	0	0	73	81	128	144	96
2025/10/22 16:50	0	0	0	0	0	50	49	139	131	87
2025/10/22 17:00	0	0	0	0	0	141	78	269	90	247
2025/10/22 17:10	0	0	0	0	0	86	183	231	205	100
2025/10/22 17:20	0	0	0	0	0	52	55	112	181	83
2025/10/22 17:30	0	0	0	0	0	38	33	95	171	33
2025/10/22 17:40	0	0	0	0	0	77	139	128	111	70
2025/10/22 17:50	0	0	0	0	0	260	159	274	200	324
2025/10/22 18:00	0	0	0	0	0	89	77	162	351	89
2025/10/22 18:10	0	0	0	0	0	88	77	129	462	81
2025/10/22 18:20	0	0	0	0	0	85	98	153	493	190
2025/10/22 18:30	0	0	0	0	0	83	311	125	622	299
2025/10/22 18:40	0	0	0	0	0	63	64	117	452	65
2025/10/22 18:50	0	0	0	0	0	73	45	125	583	68
2025/10/22 19:00	0	0	0	0	0	77	68	131	609	68
2025/10/22 19:10	0	0	0	0	0	74	44	139	632	177
2025/10/22 19:20	0	0	0	0	0	60	30	123	565	65
2025/10/22 19:30	0	0	0	0	0	68	177	125	682	77
2025/10/22 19:40	0	0	0	0	0	147	56	338	755	328
2025/10/22 19:50	0	0	0	0	0	68	39	121	694	98
2025/10/22 20:00	0	0	0	0	0	60	31	120	657	101
2025/10/22 20:10	0	0	0	0	0	61	38	120	391	69
2025/10/22 20:20	0	0	0	0	0	67	47	123	384	58
2025/10/22 20:30	0	0	0	0	0	50	25	112	502	70
2025/10/22 20:40	0	0	0	0	0	48	24	112	484	45
2025/10/22 20:50	0	0	0	0	0	50	25	169	593	168
2025/10/22 21:00	0	0	0	0	0	58	31	118	521	99
2025/10/22 21:10	0	0	0	0	0	66	38	125	566	83
2025/10/22 21:20	0	0	0	0	0	66	36	123	447	80
2025/10/22 21:30	0	0	0	0	0	61	32	117	297	63
2025/10/22 21:40	0	0	0	0	0	97	37	134	301	237
2025/10/22 21:50	0	0	0	0	0	69	36	121	432	88
2025/10/22 22:00	0	0	0	0	0	66	38	125	394	123
2025/10/22 22:10	0	0	0	0	0	83	57	136	425	128
2025/10/22 22:20	0	0	0	0	0	76	54	132	378	70
2025/10/22 22:30	0	0	0	0	0	78	51	136	389	70
2025/10/22 22:40	0	0	0	0	0	75	42	131	387	142
2025/10/22 22:50	0	0	0	0	0	67	44	125	446	75
2025/10/22 23:00	0	0	0	0	0	71	47	126	439	70
2025/10/22 23:10	0	0	0	0	0	69	48	124	489	77
2025/10/22 23:20	0	0	0	0	0	68	45	129	453	117
2025/10/22 23:30	0	0	0	0	0	77	52	128	396	106
2025/10/22 23:40	0	0	0	0	0	76	50	238	315	239
2025/10/22 23:50	0	0	0	0	0	60	28	132	344	87
2025/10/23 0:00	0	0	0	0	0	57	30	131	356	265
2025/10/23 0:10	0	0	0	0	0	55	31	185	367	255
2025/10/23 0:20	0	0	0	0	0	53	31	140	337	169
2025/10/23 0:30	0	0	0	0	0	44	24	177	379	270
2025/10/23 0:40	0	0	0	0	0	38	24	113	491	68
2025/10/23 0:50	0	0	0	0	0	36	24	107	539	78
2025/10/23 1:00	0	0	0	0	0	34	25	107	413	95
2025/10/23 1:10	0	0	0	0	0	35	28	112	474	51
2025/10/23 1:20	0	0	0	0	0	39	24	104	466	133

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/23 1:30	0	0	0	0	0	40	24	105	465	96
2025/10/23 1:40	0	0	0	0	0	38	24	106	350	119
2025/10/23 1:50	0	0	0	0	0	38	24	108	428	168
2025/10/23 2:00	0	0	0	0	0	34	24	105	434	228
2025/10/23 2:10	0	0	0	0	0	30	24	110	408	151
2025/10/23 2:20	0	0	0	0	0	28	24	109	378	175
2025/10/23 2:30	0	0	0	0	0	27	24	96	394	114
2025/10/23 2:40	0	0	0	0	0	25	24	96	384	201
2025/10/23 2:50	0	0	0	0	0	25	24	94	401	100
2025/10/23 3:00	0	0	0	0	0	25	24	90	340	118
2025/10/23 3:10	0	0	0	0	0	25	24	101	294	139
2025/10/23 3:20	0	0	0	0	0	25	24	92	373	96
2025/10/23 3:30	0	0	0	0	0	24	27	91	293	36
2025/10/23 3:40	0	0	0	0	0	25	27	90	280	62
2025/10/23 3:50	0	0	0	0	0	24	27	91	265	59
2025/10/23 4:00	0	0	0	0	0	24	27	90	242	93
2025/10/23 4:10	0	0	0	0	0	25	27	93	265	76
2025/10/23 4:20	0	0	0	0	0	24	27	91	218	46
2025/10/23 4:30	0	0	0	0	0	25	27	90	214	108
2025/10/23 4:40	0	0	0	0	0	25	27	90	200	158
2025/10/23 4:50	0	0	0	0	0	26	27	92	223	68
2025/10/23 5:00	0	0	0	0	0	26	27	99	167	149
2025/10/23 5:10	0	0	0	0	0	25	27	93	173	36
2025/10/23 5:20	0	0	0	0	0	28	27	99	158	90
2025/10/23 5:30	0	0	0	0	0	29	27	100	163	103
2025/10/23 5:40	0	0	0	0	0	28	27	99	167	75
2025/10/23 5:50	0	0	0	0	0	28	27	97	151	69
2025/10/23 6:00	0	0	0	0	0	29	27	96	148	51
2025/10/23 6:10	0	0	0	0	0	34	27	100	199	39
2025/10/23 6:20	0	0	0	0	0	33	27	98	218	134
2025/10/23 6:30	0	0	0	0	0	36	27	100	194	125
2025/10/23 6:40	0	0	0	0	0	39	27	101	201	42
2025/10/23 6:50	0	0	0	0	0	36	27	99	234	71
2025/10/23 7:00	0	0	0	0	0	40	27	101	214	120
2025/10/23 7:10	0	0	0	0	0	42	28	100	282	81
2025/10/23 7:20	0	0	0	0	0	41	26	101	319	132
2025/10/23 7:30	0	0	0	0	0	35	24	102	288	139
2025/10/23 7:40	0	0	0	0	0	29	24	96	189	62
2025/10/23 7:50	0	0	0	0	0	25	24	89	158	43
2025/10/23 8:00	0	0	0	0	0	29	24	91	185	139
2025/10/23 8:10	0	0	0	0	0	32	23	92	102	98
2025/10/23 8:20	0	0	0	0	0	23	21	82	97	84
2025/10/23 8:30	0	0	0	0	0	18	21	79	63	66
2025/10/23 8:40	0	0	0	0	0	18	21	74	104	76
2025/10/23 8:50	0	0	0	0	0	18	18	72	65	86
2025/10/23 9:00	0	0	0	0	0	18	18	71	68	96
2025/10/23 9:10	0	0	0	0	0	15	18	67	43	54
2025/10/23 9:20	0	0	0	0	0	15	18	75	57	65
2025/10/23 9:30	0	0	0	0	0	15	18	69	62	28
2025/10/23 9:40	0	0	0	0	0	15	18	68	47	23
2025/10/23 9:50	0	0	0	0	0	15	15	67	31	35
2025/10/23 10:00	0	0	0	0	0	13	15	63	26	40
2025/10/23 10:10	0	0	0	0	0	12	15	61	30	34
2025/10/23 10:20	0	0	0	0	0	12	12	58	46	12
2025/10/23 10:30	0	0	0	0	0	10	12	57	37	26
2025/10/23 10:40	0	0	0	0	0	9	12	57	38	50
2025/10/23 10:50	0	0	0	0	0	9	12	62	46	42
2025/10/23 11:00	0	0	0	0	0	9	10	58	42	22
2025/10/23 11:10	0	0	0	0	0	9	9	57	38	57
2025/10/23 11:20	0	0	0	0	0	7	9	57	27	87
2025/10/23 11:30	0	0	0	0	0	6	9	53	21	133
2025/10/23 11:40	0	0	0	0	0	6	9	50	37	33
2025/10/23 11:50	0	0	0	0	0	6	9	47	37	51
2025/10/23 12:00	0	0	0	0	0	6	9	69	40	89
2025/10/23 12:10	0	0	0	0	0	6	9	65	47	49
2025/10/23 12:20	0	0	0	0	0	5	7	64	35	36
2025/10/23 12:30	0	0	0	0	0	3	6	75	37	83
2025/10/23 12:40	0	0	0	0	0	3	6	59	26	114
2025/10/23 12:50	0	0	0	0	0	3	6	64	45	54
2025/10/23 13:00	0	0	0	0	0	3	6	61	49	57
2025/10/23 13:10	0	0	0	0	0	3	7	73	54	110
2025/10/23 13:20	0	0	0	0	0	3	6	61	57	36
2025/10/23 13:30	0	0	0	0	0	3	12	75	83	45

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/23 13:40	0.1	0	0	0	0	9	63	119	227	70
2025/10/23 13:50	0.1	0	0	0	0	25	56	160	216	115
2025/10/23 14:00	0.1	0	0	0	0	7	14	132	136	141
2025/10/23 14:10	0.1	0	0	0	0	1	5	74	45	66
2025/10/23 14:20	0	0	0	0	0	8	37	118	102	110
2025/10/23 14:30	0	0	0	0	0	12	46	134	130	77
2025/10/23 14:40	0	0	0	0	0	22	47	147	131	114
2025/10/23 14:50	0	0	0	0	0	19	42	144	185	95
2025/10/23 15:00	0	0	0	0	0	16	16	116	85	81
2025/10/23 15:10	0	0	0	0	0	18	30	126	103	82
2025/10/23 15:20	0	0	0	0	0	28	62	164	87	102
2025/10/23 15:30	0	0	0	0	0	39	89	192	154	118
2025/10/23 15:40	0	0	0	0	0	16	26	132	248	70
2025/10/23 15:50	0	0	0	0	0	16	46	115	119	67
2025/10/23 16:00	0	0	0	0	0	30	392	161	122	118
2025/10/23 16:10	0	0	0	0	0	22	25	179	182	82
2025/10/23 16:20	0	0	0	0	0	35	22	172	133	77
2025/10/23 16:30	0	0	0	0	0	40	42	189	108	116
2025/10/23 16:40	0	0	0	0	0	33	65	175	105	105
2025/10/23 16:50	0	0	0	0	0	38	57	156	114	123
2025/10/23 17:00	0	0	0	0	0	30	38	171	142	106
2025/10/23 17:10	0	0	0	0	0	25	33	174	267	127
2025/10/23 17:20	0	0	0	0	0	13	22	196	203	106
2025/10/23 17:30	0	0	0	0	0	14	26	159	194	86
2025/10/23 17:40	0	0	0	0	0	13	31	135	97	76
2025/10/23 17:50	0	0	0	0	0	12	15	126	77	84
2025/10/23 18:00	0	0	0	0	0	12	16	195	116	177
2025/10/23 18:10	0	0	0	0	0	14	21	276	174	216
2025/10/23 18:20	0	0	0	0	0	23	15	335	89	244
2025/10/23 18:30	0	0	0	0	0	12	15	297	188	278
2025/10/23 18:40	0	0	0	0	0	12	15	290	123	221
2025/10/23 18:50	0	0	0	0	0	14	15	323	103	267
2025/10/23 19:00	0	0	0	0	0	15	15	233	75	148
2025/10/23 19:10	0	0	0	0	0	15	15	158	104	108
2025/10/23 19:20	0	0	0	0	0	15	15	181	79	119
2025/10/23 19:30	0	0	0	0	0	15	16	211	98	195
2025/10/23 19:40	0	0	0	0	0	15	18	201	196	158
2025/10/23 19:50	0	0	0	0	0	15	18	240	177	254
2025/10/23 20:00	0	0	0	0	0	15	18	220	130	217
2025/10/23 20:10	0	0	0	0	0	15	18	207	159	203
2025/10/23 20:20	0	0	0	0	0	15	18	257	197	148
2025/10/23 20:30	0	0	0	0	0	15	18	224	265	169
2025/10/23 20:40	0	0	0	0	0	15	18	195	252	158
2025/10/23 20:50	0	0	0	0	0	15	19	189	214	182
2025/10/23 21:00	0	0	0	0	0	15	18	245	254	173
2025/10/23 21:10	0	0	0	0	0	15	18	118	411	151
2025/10/23 21:20	0	0	0	0	0	15	18	138	372	93
2025/10/23 21:30	0	0	0	0	0	15	18	125	424	109
2025/10/23 21:40	0	0	0	0	0	16	18	149	390	369
2025/10/23 21:50	0	0	0	0	0	18	18	137	496	90
2025/10/23 22:00	0	0	0	0	0	18	18	82	634	44
2025/10/23 22:10	0	0	0	0	0	18	18	79	592	166
2025/10/23 22:20	0	0	0	0	0	18	19	64	580	206
2025/10/23 22:30	0	0	0	0	0	18	21	67	593	27
2025/10/23 22:40	0	0	0	0	0	25	21	83	596	145
2025/10/23 22:50	0	0	0	0	0	29	21	87	729	40
2025/10/23 23:00	0	0	0	0	0	32	21	87	536	148
2025/10/23 23:10	0	0	0	0	0	31	23	93	569	254
2025/10/23 23:20	0	0	0	0	0	38	26	90	546	223
2025/10/23 23:30	0	0	0	0	0	42	26	89	607	51
2025/10/23 23:40	0	0	0	0	0	41	25	97	550	301
2025/10/23 23:50	0	0	0	0	0	49	26	98	732	364
2025/10/24 0:00	0	0	0	0	0	42	27	94	529	142
2025/10/24 0:10	0	0	0	0	0	32	27	100	575	165
2025/10/24 0:20	0	0	0	0	0	24	27	76	476	177
2025/10/24 0:30	0	0	0	0	0	24	27	74	496	103
2025/10/24 0:40	0	0	0	0	0	24	27	74	566	59
2025/10/24 0:50	0	0	0	0	0	24	27	72	488	79
2025/10/24 1:00	0	0	0	0	0	24	27	81	482	126
2025/10/24 1:10	0	0	0	0	0	24	27	78	390	89
2025/10/24 1:20	0	0	0	0	0	24	27	77	418	157
2025/10/24 1:30	0	0	0	0	0	24	27	84	449	235
2025/10/24 1:40	0	0	0	0	0	24	27	98	350	125

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/24 1:50	0	0	0	0	0	24	24	67	430	49
2025/10/24 2:00	0	0	0	0	0	24	24	69	333	160
2025/10/24 2:10	0	0	0	0	0	24	24	74	470	187
2025/10/24 2:20	0	0	0	0	0	24	24	78	522	102
2025/10/24 2:30	0	0	0	0	0	26	27	82	338	44
2025/10/24 2:40	0	0	0	0	0	28	27	86	383	68
2025/10/24 2:50	0	0	0	0	0	31	28	88	371	130
2025/10/24 3:00	0	0	0	0	0	43	27	100	330	93
2025/10/24 3:10	0	0	0	0	0	39	27	101	289	186
2025/10/24 3:20	0	0	0	0	0	42	31	96	426	134
2025/10/24 3:30	0	0	0	0	0	29	27	93	258	97
2025/10/24 3:40	0	0	0	0	0	28	27	91	329	96
2025/10/24 3:50	0	0	0	0	0	28	27	92	269	135
2025/10/24 4:00	0	0	0	0	0	33	27	101	355	141
2025/10/24 4:10	0	0	0	0	0	37	27	97	390	42
2025/10/24 4:20	0	0	0	0	0	33	27	91	308	61
2025/10/24 4:30	0	0	0	0	0	39	28	95	282	168
2025/10/24 4:40	0	0	0	0	0	42	28	99	289	141
2025/10/24 4:50	0	0	0	0	0	28	27	95	314	82
2025/10/24 5:00	0	0	0	0	0	25	27	81	202	96
2025/10/24 5:10	0	0	0	0	0	25	27	85	208	63
2025/10/24 5:20	0	0	0	0	0	28	27	93	252	230
2025/10/24 5:30	0	0	0	0	0	30	27	100	275	161
2025/10/24 5:40	0	0	0	0	0	27	27	89	203	102
2025/10/24 5:50	0	0	0	0	0	24	27	84	179	112
2025/10/24 6:00	0	0	0	0	0	27	27	86	194	94
2025/10/24 6:10	0	0	0	0	0	35	27	93	272	129
2025/10/24 6:20	0	0	0	0	0	30	27	93	220	128
2025/10/24 6:30	0	0	0	0	0	24	27	80	194	70
2025/10/24 6:40	0	0	0	0	0	24	27	79	232	78
2025/10/24 6:50	0	0	0	0	0	24	27	86	248	180
2025/10/24 7:00	0	0	0	0	0	24	27	84	300	122
2025/10/24 7:10	0	0	0	0	0	24	27	80	405	93
2025/10/24 7:20	0	0	0	0	0	24	27	83	398	75
2025/10/24 7:30	0	0	0	0	0	24	25	76	279	71
2025/10/24 7:40	0	0	0	0	0	24	24	77	306	69
2025/10/24 7:50	0	0	0	0	0	25	24	79	278	54
2025/10/24 8:00	0	0	0	0	0	22	27	79	147	79
2025/10/24 8:10	0	0	0	0	0	21	24	80	108	65
2025/10/24 8:20	0	0	0	0	0	21	23	76	116	23
2025/10/24 8:30	0	0	0	0	0	22	21	73	119	22
2025/10/24 8:40	0	0	0	0	0	19	21	78	122	38
2025/10/24 8:50	0	0	0	0	0	20	23	76	107	103
2025/10/24 9:00	0	0	0	0	0	18	20	65	90	41
2025/10/24 9:10	0	0	0	0	0	15	20	62	84	53
2025/10/24 9:20	0	0	0	0	0	15	24	70	78	98
2025/10/24 9:30	0	0	0	0	0	15	18	57	63	95
2025/10/24 9:40	0	0	0	0	0	12	18	70	72	108
2025/10/24 9:50	0	0	0	0	0	12	17	62	71	54
2025/10/24 10:00	0	0	0	0	0	12	19	102	52	181
2025/10/24 10:10	0	0	0	0	0	10	15	74	40	62
2025/10/24 10:20	0	0	0	0	0	9	13	61	37	78
2025/10/24 10:30	0	0	0	0	0	9	12	48	25	38
2025/10/24 10:40	0	0	0	0	0	8	12	43	50	58
2025/10/24 10:50	0	0	0	0	0	6	22	96	116	47
2025/10/24 11:00	0	0	0	0	0	17	121	139	248	94
2025/10/24 11:10	0	0	0	0	0	8	54	125	145	59
2025/10/24 11:20	0	0	0	0	0	19	55	178	142	125
2025/10/24 11:30	0	0	0	0	0	10	62	152	194	114
2025/10/24 11:40	0	0	0	0	0	12	44	142	124	91
2025/10/24 11:50	0	0	0	0	0	27	24	138	97	85
2025/10/24 12:00	0	0	0	0	0	1	1	87	74	38
2025/10/24 12:10	0	0	0	0	0	1	1	98	34	59
2025/10/24 12:20	0	0	0	0	0	2	1	99	55	83
2025/10/24 12:30	0	0	0	0	0	11	1	99	16	105
2025/10/24 12:40	0	0	0	0	0	1	1	91	45	82
2025/10/24 12:50	0	0	0	0	0	1	5	103	44	109
2025/10/24 13:00	0	0	0	0	0	12	11	142	96	170
2025/10/24 13:10	0	0	0	0	0	1	14	158	165	164
2025/10/24 13:20	0	0	0	0	0	99	167	213	292	171
2025/10/24 13:30	0	0	0	0	0	52	105	215	156	114
2025/10/24 13:40	0	0	0	0	0	55	124	182	147	105
2025/10/24 13:50	0	0	0	0	0	53	120	158	224	134

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/24 14:00	0	0	0	0	0	50	69	209	249	143
2025/10/24 14:10	0	0	0	0	0	14	59	158	266	114
2025/10/24 14:20	0	0	0	0	0	43	99	245	356	158
2025/10/24 14:30	0	0	0	0	0	30	89	206	255	109
2025/10/24 14:40	0	0	0	0	0	16	67	156	171	102
2025/10/24 14:50	0	0	0	0	0	13	42	146	84	92
2025/10/24 15:00	0	0	0	0	0	14	24	107	82	73
2025/10/24 15:10	0	0	0	0	0	15	30	131	66	88
2025/10/24 15:20	0	0	0	0	0	38	40	219	162	117
2025/10/24 15:30	0	0	0	0	0	18	35	178	204	120
2025/10/24 15:40	0	0	0	0	0	22	69	194	106	108
2025/10/24 15:50	0	0	0	0	0	35	83	195	181	88
2025/10/24 16:00	0	0	0	0	0	46	59	192	172	119
2025/10/24 16:10	0	0	0	0	0	46	71	219	148	185
2025/10/24 16:20	0	0	0	0	0	11	30	143	81	101
2025/10/24 16:30	0	0	0	0	0	11	37	147	80	69
2025/10/24 16:40	0	0	0	0	0	10	18	157	61	80
2025/10/24 16:50	0	0	0	0	0	11	11	148	74	89
2025/10/24 17:00	0	0	0	0	0	9	17	125	108	71
2025/10/24 17:10	0	0	0	0	0	13	13	144	74	107
2025/10/24 17:20	0	0	0	0	0	10	30	169	88	109
2025/10/24 17:30	0	0	0	0	0	9	13	191	119	120
2025/10/24 17:40	0	0	0	0	0	9	13	119	134	73
2025/10/24 17:50	0	0	0	0	0	10	12	73	84	44
2025/10/24 18:00	0	0	0	0	0	12	21	62	113	12
2025/10/24 18:10	0	0	0	0	0	12	17	152	277	247
2025/10/24 18:20	0	0	0	0	0	12	36	309	381	59
2025/10/24 18:30	0	0	0	0	0	23	120	122	194	177
2025/10/24 18:40	0	0	0	0	0	12	38	88	119	19
2025/10/24 18:50	0	0	0	0	0	13	295	85	195	19
2025/10/24 19:00	0	0	0	0	0	18	25	80	371	24
2025/10/24 19:10	0	0	0	0	0	36	24	118	422	51
2025/10/24 19:20	0	0	0	0	0	42	80	140	275	69
2025/10/24 19:30	0	0	0	0	0	23	304	95	146	27
2025/10/24 19:40	0	0	0	0	0	27	103	95	271	27
2025/10/24 19:50	0	0	0	0	0	25	25	102	245	28
2025/10/24 20:00	0	0	0	0	0	29	40	104	198	37
2025/10/24 20:10	0	0	0	0	0	42	27	119	248	47
2025/10/24 20:20	0	0	0	0	0	43	23	118	242	44
2025/10/24 20:30	0	0	0	0	0	38	37	111	258	55
2025/10/24 20:40	0	0	0	0	0	29	87	107	313	42
2025/10/24 20:50	0	0	0	0	0	24	55	101	343	31
2025/10/24 21:00	0	0	0	0	0	30	18	108	162	29
2025/10/24 21:10	0	0	0	0	0	26	22	99	155	38
2025/10/24 21:20	0	0	0	0	0	33	20	101	308	36
2025/10/24 21:30	0	0	0	0	0	32	26	101	253	35
2025/10/24 21:40	0	0	0	0	0	30	19	98	499	34
2025/10/24 21:50	0	0	0	0	0	31	21	99	300	33
2025/10/24 22:00	0	0	0	0	0	33	27	106	192	35
2025/10/24 22:10	0	0	0	0	0	41	34	120	160	44
2025/10/24 22:20	0	0	0	0	0	35	24	113	253	37
2025/10/24 22:30	0	0	0	0	0	37	59	112	107	34
2025/10/24 22:40	0	0	0	0	0	35	26	115	241	36
2025/10/24 22:50	0	0	0	0	0	29	18	112	399	97
2025/10/24 23:00	0	0	0	0	0	31	18	104	327	40
2025/10/24 23:10	0	0	0	0	0	34	23	107	348	34
2025/10/24 23:20	0	0	0	0	0	32	19	105	313	104
2025/10/24 23:30	0	0	0	0	0	35	19	106	279	32
2025/10/24 23:40	0	0	0	0	0	27	18	105	323	27
2025/10/24 23:50	0	0	0	0	0	25	18	104	297	25
2025/10/25 0:00	0	0	0	0	0	22	20	101	247	23
2025/10/25 0:10	0	0	0	0	0	21	20	101	389	27
2025/10/25 0:20	0	0	0	0	0	24	21	103	368	31
2025/10/25 0:30	0	0	0	0	0	23	21	103	348	65
2025/10/25 0:40	0	0	0	0	0	21	21	100	288	29
2025/10/25 0:50	0	0	0	0	0	21	22	97	360	67
2025/10/25 1:00	0	0	0	0	0	23	21	97	373	37
2025/10/25 1:10	0	0	0	0	0	24	21	97	414	33
2025/10/25 1:20	0	0	0	0	0	28	21	103	356	128
2025/10/25 1:30	0	0	0	0	0	43	23	113	266	57
2025/10/25 1:40	0	0	0	0	0	52	28	118	332	88
2025/10/25 1:50	0	0	0	0	0	51	36	119	282	53
2025/10/25 2:00	0	0	0	0	0	38	26	110	314	40

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/25 2:10	0	0	0	0	0	36	24	112	293	41
2025/10/25 2:20	0	0	0	0	0	35	24	111	295	46
2025/10/25 2:30	0	0	0	0	0	31	24	108	297	36
2025/10/25 2:40	0	0	0	0	0	27	25	104	288	31
2025/10/25 2:50	0	0	0	0	0	25	25	102	284	28
2025/10/25 3:00	0	0	0	0	0	27	24	111	287	38
2025/10/25 3:10	0	0	0	0	0	24	24	106	205	50
2025/10/25 3:20	0	0	0	0	0	21	24	98	172	55
2025/10/25 3:30	0	0	0	0	0	21	24	98	197	85
2025/10/25 3:40	0	0	0	0	0	21	24	96	201	34
2025/10/25 3:50	0	0	0	0	0	21	24	95	167	26
2025/10/25 4:00	0	0	0	0	0	21	24	97	202	25
2025/10/25 4:10	0	0	0	0	0	21	24	91	250	62
2025/10/25 4:20	0	0	0	0	0	21	24	95	214	53
2025/10/25 4:30	0	0	0	0	0	21	24	91	192	35
2025/10/25 4:40	0	0	0	0	0	23	24	93	189	40
2025/10/25 4:50	0	0	0	0	0	24	24	95	156	60
2025/10/25 5:00	0	0	0	0	0	24	24	91	198	52
2025/10/25 5:10	0	0	0	0	0	24	24	92	207	31
2025/10/25 5:20	0	0	0	0	0	24	24	89	166	27
2025/10/25 5:30	0	0	0	0	0	24	24	87	130	39
2025/10/25 5:40	0	0	0	0	0	24	24	87	127	44
2025/10/25 5:50	0	0	0	0	0	24	24	87	125	27
2025/10/25 6:00	0	0	0	0	0	24	24	89	110	29
2025/10/25 6:10	0	0	0	0	0	24	24	87	129	24
2025/10/25 6:20	0	0	0	0	0	24	24	88	103	25
2025/10/25 6:30	0	0	0	0	0	24	24	88	144	33
2025/10/25 6:40	0	0	0	0	0	24	24	93	212	25
2025/10/25 6:50	0	0	0	0	0	21	25	94	190	25
2025/10/25 7:00	0	0	0	0	0	21	25	98	197	25
2025/10/25 7:10	0	0	0	0	0	21	25	94	196	24
2025/10/25 7:20	0	0	0	0	0	21	24	93	236	24
2025/10/25 7:30	0	0	0	0	0	21	24	94	200	24
2025/10/25 7:40	0	0	0	0	0	21	24	95	193	24
2025/10/25 7:50	0	0	0	0	0	21	24	89	147	24
2025/10/25 8:00	0	0	0	0	0	21	24	94	103	26
2025/10/25 8:10	0	0	0	0	0	21	24	89	61	36
2025/10/25 8:20	0	0	0	0	0	21	24	89	62	28
2025/10/25 8:30	0	0	0	0	0	21	22	86	66	29
2025/10/25 8:40	0	0	0	0	0	21	21	84	57	23
2025/10/25 8:50	0	0	0	0	0	21	21	82	69	45
2025/10/25 9:00	0	0	0	0	0	21	21	81	54	24
2025/10/25 9:10	0	0	0	0	0	21	21	80	55	19
2025/10/25 9:20	0	0	0	0	0	21	21	89	31	36
2025/10/25 9:30	0	0	0	0	0	18	20	85	55	26
2025/10/25 9:40	0	0	0	0	0	18	18	84	45	24
2025/10/25 9:50	0	0	0	0	0	18	18	83	30	56
2025/10/25 10:00	0	0	0	0	0	18	18	82	41	39
2025/10/25 10:10	0	0	0	0	0	18	18	77	52	27
2025/10/25 10:20	0	0	0	0	0	18	18	76	52	30
2025/10/25 10:30	0	0	0	0	0	18	18	78	46	34
2025/10/25 10:40	0	0	0	0	0	18	18	82	34	34
2025/10/25 10:50	0	0	0	0	0	18	18	77	28	37
2025/10/25 11:00	0	0	0	0	0	18	18	75	32	26
2025/10/25 11:10	0	0	0	0	0	18	18	77	30	19
2025/10/25 11:20	0	0	0	0	0	18	18	77	34	35
2025/10/25 11:30	0	0	0	0	0	18	18	75	30	41
2025/10/25 11:40	0	0	0	0	0	18	18	70	30	25
2025/10/25 11:50	0	0	0	0	0	18	18	70	46	15
2025/10/25 12:00	0	0	0	0	0	18	18	71	30	17
2025/10/25 12:10	0	0	0	0	0	18	18	70	34	16
2025/10/25 12:20	0	0	0	0	0	18	18	70	40	36
2025/10/25 12:30	0	0	0	0	0	18	18	75	37	18
2025/10/25 12:40	0	0	0	0	0	24	18	86	57	22
2025/10/25 12:50	0	0	0	0	0	20	18	91	57	26
2025/10/25 13:00	0	0	0	0	0	22	18	100	60	30
2025/10/25 13:10	0	0	0	0	0	31	18	100	54	29
2025/10/25 13:20	0	0	0	0	0	24	18	105	33	44
2025/10/25 13:30	0	0	0	0	0	19	18	99	60	28
2025/10/25 13:40	0	0	0	0	0	19	19	98	71	23
2025/10/25 13:50	0	0	0	0	0	18	21	95	69	19
2025/10/25 14:00	0	0	0	0	0	19	21	100	62	39
2025/10/25 14:10	0	0	0	0	0	24	21	103	62	32

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/25 14:20	0	0	0	0	0	34	21	113	80	45
2025/10/25 14:30	0	0	0	0	0	22	22	103	62	41
2025/10/25 14:40	0	0	0	0	0	22	25	104	71	32
2025/10/25 14:50	0	0	0	0	0	37	21	130	49	83
2025/10/25 15:00	0	0	0	0	0	18	21	96	58	30
2025/10/25 15:10	0	0	0	0	0	19	21	100	63	35
2025/10/25 15:20	0	0	0	0	0	32	21	125	70	56
2025/10/25 15:30	0	0	0	0	0	24	21	115	71	47
2025/10/25 15:40	0	0	0	0	0	56	22	141	88	103
2025/10/25 15:50	0	0	0	0	0	23	21	98	49	48
2025/10/25 16:00	0	0	0	0	0	21	21	92	48	24
2025/10/25 16:10	0	0	0	0	0	52	21	140	79	71
2025/10/25 16:20	0	0	0	0	0	48	21	121	76	74
2025/10/25 16:30	0	0	0	0	0	30	21	114	61	45
2025/10/25 16:40	0	0	0	0	0	82	21	178	102	102
2025/10/25 16:50	0	0	0	0	0	23	21	120	63	35
2025/10/25 17:00	0	0	0	0	0	58	91	128	96	75
2025/10/25 17:10	0	0	0	0	0	81	470	130	121	81
2025/10/25 17:20	0	0	0	0	0	35	257	112	81	47
2025/10/25 17:30	0	0	0	0	0	30	22	117	67	47
2025/10/25 17:40	0	0	0	0	0	21	21	104	62	34
2025/10/25 17:50	0	0	0	0	0	40	22	113	74	48
2025/10/25 18:00	0	0	0	0	0	63	33	118	104	88
2025/10/25 18:10	0	0	0	0	0	23	21	98	122	92
2025/10/25 18:20	0	0	0	0	0	21	21	90	145	25
2025/10/25 18:30	0	0	0	0	0	24	21	98	121	28
2025/10/25 18:40	0	0	0	0	0	28	21	100	129	35
2025/10/25 18:50	0	0	0	0	0	21	21	89	95	28
2025/10/25 19:00	0	0	0	0	0	21	21	98	125	34
2025/10/25 19:10	0	0	0	0	0	21	21	96	144	26
2025/10/25 19:20	0	0	0	0	0	21	21	92	131	23
2025/10/25 19:30	0	0	0	0	0	18	21	87	136	21
2025/10/25 19:40	0	0	0	0	0	18	21	88	141	21
2025/10/25 19:50	0	0	0	0	0	18	21	93	142	24
2025/10/25 20:00	0	0	0	0	0	18	21	94	132	23
2025/10/25 20:10	0	0	0	0	0	18	21	95	118	27
2025/10/25 20:20	0	0	0	0	0	20	21	97	119	21
2025/10/25 20:30	0	0	0	0	0	21	21	104	124	25
2025/10/25 20:40	0	0	0	0	0	21	21	103	140	31
2025/10/25 20:50	0	0	0	0	0	21	21	103	110	22
2025/10/25 21:00	0	0	0	0	0	22	21	103	119	32
2025/10/25 21:10	0	0	0	0	0	21	21	106	126	22
2025/10/25 21:20	0	0	0	0	0	21	21	106	142	26
2025/10/25 21:30	0	0	0	0	0	23	21	109	167	26
2025/10/25 21:40	0	0	0	0	0	24	21	112	131	27
2025/10/25 21:50	0	0	0	0	0	22	21	109	83	23
2025/10/25 22:00	0	0	0	0	0	21	21	110	126	37
2025/10/25 22:10	0	0	0	0	0	22	21	112	140	25
2025/10/25 22:20	0	0	0	0	0	23	21	113	213	25
2025/10/25 22:30	0	0	0	0	0	23	23	114	182	26
2025/10/25 22:40	0	0	0	0	0	23	24	113	144	23
2025/10/25 22:50	0	0	0	0	0	22	26	116	211	25
2025/10/25 23:00	0	0	0	0	0	24	29	117	185	25
2025/10/25 23:10	0	0	0	0	0	19	21	117	189	26
2025/10/25 23:20	0	0	0	0	0	20	21	116	236	25
2025/10/25 23:30	0	0	0	0	0	19	25	109	199	24
2025/10/25 23:40	0	0	0	0	0	18	21	106	196	24
2025/10/25 23:50	0	0	0	0	0	18	21	106	227	24
2025/10/26 0:00	0	0	0	0	0	19	32	109	148	23
2025/10/26 0:10	0	0	0	0	0	18	21	107	223	22
2025/10/26 0:20	0	0	0	0	0	18	21	106	225	22
2025/10/26 0:30	0	0	0	0	0	18	21	106	246	33
2025/10/26 0:40	0	0	0	0	0	20	21	110	337	40
2025/10/26 0:50	0	0	0	0	0	32	21	121	326	52
2025/10/26 1:00	0	0	0	0	0	27	22	117	265	33
2025/10/26 1:10	0	0	0	0	0	21	22	111	323	34
2025/10/26 1:20	0	0	0	0	0	19	21	107	499	25
2025/10/26 1:30	0	0	0	0	0	19	21	105	443	30
2025/10/26 1:40	0	0	0	0	0	22	21	118	387	65
2025/10/26 1:50	0	0	0	0	0	25	21	112	403	32
2025/10/26 2:00	0	0	0	0	0	26	21	113	523	34
2025/10/26 2:10	0	0	0	0	0	25	22	112	402	46
2025/10/26 2:20	0	0	0	0	0	26	21	113	417	83

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/26 2:30	0	0	0	0	0	25	21	113	309	31
2025/10/26 2:40	0	0	0	0	0	25	21	113	375	30
2025/10/26 2:50	0	0	0	0	0	28	21	120	300	50
2025/10/26 3:00	0	0	0	0	0	24	21	113	376	45
2025/10/26 3:10	0	0	0	0	0	26	21	258	217	137
2025/10/26 3:20	0	0	0	0	0	23	22	125	363	79
2025/10/26 3:30	0	0	0	0	0	22	21	127	282	70
2025/10/26 3:40	0	0	0	0	0	22	21	111	290	48
2025/10/26 3:50	0	0	0	0	0	23	25	111	304	35
2025/10/26 4:00	0	0	0	0	0	21	19	111	455	28
2025/10/26 4:10	0	0	0	0	0	21	18	112	328	27
2025/10/26 4:20	0	0	0	0	0	22	18	116	344	51
2025/10/26 4:30	0	0	0	0	0	20	18	117	346	80
2025/10/26 4:40	0	0	0	0	0	25	18	123	320	29
2025/10/26 4:50	0	0	0	0	0	31	20	123	314	51
2025/10/26 5:00	0	0	0	0	0	24	34	117	191	26
2025/10/26 5:10	0	0	0	0	0	20	20	115	166	21
2025/10/26 5:20	0	0	0	0	0	23	18	118	273	23
2025/10/26 5:30	0	0	0	0	0	19	31	113	189	21
2025/10/26 5:40	0	0	0	0	0	18	19	110	99	19
2025/10/26 5:50	0	0	0	0	0	18	21	110	134	19
2025/10/26 6:00	0	0	0	0	0	19	18	112	195	20
2025/10/26 6:10	0	0	0	0	0	20	19	117	127	20
2025/10/26 6:20	0	0	0	0	0	19	18	118	124	29
2025/10/26 6:30	0	0	0	0	0	20	23	120	99	21
2025/10/26 6:40	0	0	0	0	0	22	18	125	113	21
2025/10/26 6:50	0	0	0	0	0	23	18	123	190	21
2025/10/26 7:00	0	0	0	0	0	19	18	118	160	22
2025/10/26 7:10	0	0	0	0	0	19	18	117	196	20
2025/10/26 7:20	0	0	0	0	0	19	18	117	239	26
2025/10/26 7:30	0	0	0	0	0	19	18	115	190	26
2025/10/26 7:40	0	0	0	0	0	18	18	114	247	19
2025/10/26 7:50	0	0	0	0	0	18	18	114	292	21
2025/10/26 8:00	0	0	0	0	0	20	18	119	238	52
2025/10/26 8:10	0	0	0	0	0	19	18	117	114	27
2025/10/26 8:20	0	0	0	0	0	19	18	113	128	40
2025/10/26 8:30	0	0	0	0	0	19	18	115	150	23
2025/10/26 8:40	0	0	0	0	0	18	18	115	137	23
2025/10/26 8:50	0	0	0	0	0	16	18	113	118	26
2025/10/26 9:00	0	0	0	0	0	16	18	112	140	41
2025/10/26 9:10	0	0	0	0	0	15	18	108	133	37
2025/10/26 9:20	0	0	0	0	0	15	18	109	74	79
2025/10/26 9:30	0	0	0	0	0	15	18	103	62	29
2025/10/26 9:40	0	0	0	0	0	15	18	100	104	49
2025/10/26 9:50	0	0	0	0	0	15	18	101	83	29
2025/10/26 10:00	0	0	0	0	0	15	18	102	99	17
2025/10/26 10:10	0	0	0	0	0	15	15	102	101	17
2025/10/26 10:20	0	0	0	0	0	15	15	102	71	21
2025/10/26 10:30	0	0	0	0	0	15	15	100	71	38
2025/10/26 10:40	0	0	0	0	0	15	15	100	72	17
2025/10/26 10:50	0	0	0	0	0	13	15	102	66	17
2025/10/26 11:00	0	0	0	0	0	12	15	100	43	15
2025/10/26 11:10	0	0	0	0	0	12	14	99	63	14
2025/10/26 11:20	0	0	0	0	0	12	12	101	79	21
2025/10/26 11:30	0	0	0	0	0	12	12	99	65	15
2025/10/26 11:40	0	0	0	0	0	12	12	97	52	49
2025/10/26 11:50	0	0	0	0	0	12	12	97	59	32
2025/10/26 12:00	0	0	0	0	0	12	12	98	58	17
2025/10/26 12:10	0	0	0	0	0	12	12	97	56	24
2025/10/26 12:20	0	0	0	0	0	9	12	97	62	20
2025/10/26 12:30	0	0	0	0	0	9	12	96	73	11
2025/10/26 12:40	0	0	0	0	0	9	12	96	73	16
2025/10/26 12:50	0	0	0	0	0	9	12	97	94	24
2025/10/26 13:00	0	0	0	0	0	9	12	101	60	21
2025/10/26 13:10	0	0	0	0	0	9	9	103	59	31
2025/10/26 13:20	0	0	0	0	0	9	9	103	74	19
2025/10/26 13:30	0	0	0	0	0	9	9	98	58	37
2025/10/26 13:40	0	0	0	0	0	9	9	94	48	49
2025/10/26 13:50	0	0	0	0	0	9	9	99	51	44
2025/10/26 14:00	0	0	0	0	0	9	9	98	76	22
2025/10/26 14:10	0	0	0	0	0	10	9	102	53	45
2025/10/26 14:20	0	0	0	0	0	9	9	140	25	71
2025/10/26 14:30	0	0	0	0	0	9	9	95	54	46

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/26 14:40	0	0	0	0	0	9	9	101	39	67
2025/10/26 14:50	0	0	0	0	0	9	9	101	60	54
2025/10/26 15:00	0	0	0	0	0	9	9	102	62	25
2025/10/26 15:10	0	0	0	0	0	10	9	106	84	15
2025/10/26 15:20	0	0	0	0	0	12	9	110	40	17
2025/10/26 15:30	0	0	0	0	0	12	9	110	69	18
2025/10/26 15:40	0	0	0	0	0	14	12	113	75	74
2025/10/26 15:50	0	0	0	0	0	20	12	111	86	25
2025/10/26 16:00	0	0	0	0	0	16	12	112	63	34
2025/10/26 16:10	0	0	0	0	0	16	12	114	65	34
2025/10/26 16:20	0	0	0	0	0	16	12	115	53	38
2025/10/26 16:30	0	0	0	0	0	18	12	119	76	33
2025/10/26 16:40	0	0	0	0	0	24	12	119	67	30
2025/10/26 16:50	0	0	0	0	0	25	12	122	68	40
2025/10/26 17:00	0	0	0	0	0	24	12	119	56	43
2025/10/26 17:10	0	0	0	0	0	17	12	115	40	24
2025/10/26 17:20	0	0	0	0	0	15	12	114	38	21
2025/10/26 17:30	0	0	0	0	0	16	12	116	50	21
2025/10/26 17:40	0	0	0	0	0	18	12	116	68	23
2025/10/26 17:50	0	0	0	0	0	18	14	117	46	23
2025/10/26 18:00	0	0	0	0	0	19	13	119	86	22
2025/10/26 18:10	0	0	0	0	0	21	12	122	106	23
2025/10/26 18:20	0	0	0	0	0	18	16	120	121	21
2025/10/26 18:30	0	0	0	0	0	17	13	120	87	38
2025/10/26 18:40	0	0	0	0	0	16	12	119	55	21
2025/10/26 18:50	0	0	0	0	0	19	39	123	88	21
2025/10/26 19:00	0	0	0	0	0	20	12	123	164	33
2025/10/26 19:10	0	0	0	0	0	16	12	118	49	20
2025/10/26 19:20	0	0	0	0	0	15	12	117	40	19
2025/10/26 19:30	0	0	0	0	0	17	26	120	51	19
2025/10/26 19:40	0	0	0	0	0	17	12	117	60	17
2025/10/26 19:50	0	0	0	0	0	17	12	120	78	18
2025/10/26 20:00	0	0	0	0	0	13	12	115	110	17
2025/10/26 20:10	0	0	0	0	0	12	12	111	190	23
2025/10/26 20:20	0	0	0	0	0	11	16	112	153	17
2025/10/26 20:30	0	0	0	0	0	11	24	112	182	17
2025/10/26 20:40	0	0	0	0	0	12	12	113	273	20
2025/10/26 20:50	0	0	0	0	0	13	12	114	130	19
2025/10/26 21:00	0	0	0	0	0	13	12	113	277	20
2025/10/26 21:10	0	0	0	0	0	11	13	112	222	25
2025/10/26 21:20	0	0	0	0	0	11	12	113	185	19
2025/10/26 21:30	0	0	0	0	0	11	16	112	124	18
2025/10/26 21:40	0	0	0	0	0	11	12	111	179	17
2025/10/26 21:50	0	0	0	0	0	10	12	113	188	17
2025/10/26 22:00	0	0	0	0	0	11	12	111	266	19
2025/10/26 22:10	0	0	0	0	0	12	16	113	225	18
2025/10/26 22:20	0	0	0	0	0	11	10	112	240	16
2025/10/26 22:30	0	0	0	0	0	11	10	116	257	15
2025/10/26 22:40	0	0	0	0	0	11	9	110	216	14
2025/10/26 22:50	0	0	0	0	0	10	9	111	359	17
2025/10/26 23:00	0	0	0	0	0	11	13	112	466	15
2025/10/26 23:10	0	0	0	0	0	16	14	113	397	20
2025/10/26 23:20	0	0	0	0	0	67	55	193	71	189
2025/10/26 23:30	0	0	0	0	0	366	78	253	51	351
2025/10/26 23:40	0	0	0	0	0	229	78	173	42	254
2025/10/26 23:50	0	0	0	0	0	201	66	195	55	249
2025/10/27 0:00	0	0	0	0	0	41	45	130	144	47
2025/10/27 0:10	0	0	0	0	0	136	31	155	38	327
2025/10/27 0:20	0	0	0	0	0	149	46	247	38	243
2025/10/27 0:30	0	0	0	0	0	132	44	212	59	152
2025/10/27 0:40	0	0	0	0	0	170	71	365	46	291
2025/10/27 0:50	0	0	0	0	0	153	80	186	36	306
2025/10/27 1:00	0	0	0	0	0	199	99	156	39	239
2025/10/27 1:10	0	0	0	0	0	95	92	160	74	73
2025/10/27 1:20	0	0	0	0	0	75	66	158	96	85
2025/10/27 1:30	0	0	0	0	0	121	78	219	139	175
2025/10/27 1:40	0	0	0	0	0	87	38	194	360	110
2025/10/27 1:50	0	0	0	0	0	63	27	182	347	76
2025/10/27 2:00	0	0	0	0	0	48	21	159	289	55
2025/10/27 2:10	0	0	0	0	0	49	34	173	130	70
2025/10/27 2:20	0	0	0	0	0	173	60	278	94	343
2025/10/27 2:30	0	0	0	0	0	207	94	276	82	286
2025/10/27 2:40	0	0	0	0	0	158	126	352	103	266

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/27 2:50	0	0	0	0	0	137	89	376	286	224
2025/10/27 3:00	0	0	0	0	0	82	57	220	401	104
2025/10/27 3:10	0	0	0	0	0	170	124	226	204	174
2025/10/27 3:20	0	0	0	0	0	143	121	233	141	139
2025/10/27 3:30	0	0	0	0	0	94	120	218	250	109
2025/10/27 3:40	0	0	0	0	0	71	76	185	342	77
2025/10/27 3:50	0	0	0	0	0	73	114	170	117	65
2025/10/27 4:00	0	0	0	0	0	112	84	164	47	149
2025/10/27 4:10	0	0	0	0	0	45	44	165	368	58
2025/10/27 4:20	0	0	0	0	0	43	22	148	213	42
2025/10/27 4:30	0	0	0	0	0	41	62	144	205	40
2025/10/27 4:40	0	0	0	0	0	55	55	156	63	116
2025/10/27 4:50	0	0	0	0	0	46	26	183	162	86
2025/10/27 5:00	0	0	0	0	0	47	28	220	126	73
2025/10/27 5:10	0	0	0	0	0	54	35	358	62	112
2025/10/27 5:20	0	0	0	0	0	48	36	327	58	117
2025/10/27 5:30	0	0	0	0	0	44	28	249	107	80
2025/10/27 5:40	0	0	0	0	0	39	22	168	119	49
2025/10/27 5:50	0	0	0	0	0	42	30	260	88	89
2025/10/27 6:00	0	0	0	0	0	39	36	154	81	49
2025/10/27 6:10	0	0	0	0	0	46	29	151	138	44
2025/10/27 6:20	0	0	0	0	0	52	28	151	145	48
2025/10/27 6:30	0	0	0	0	0	54	34	166	106	66
2025/10/27 6:40	0	0	0	0	0	52	37	178	168	61
2025/10/27 6:50	0	0	0	0	0	52	38	168	118	54
2025/10/27 7:00	0	0	0	0	0	52	33	152	192	53
2025/10/27 7:10	0	0	0	0	0	45	27	149	157	45
2025/10/27 7:20	0	0	0	0	0	48	27	149	114	121
2025/10/27 7:30	0	0	0	0	0	176	35	316	153	458
2025/10/27 7:40	0	0	0	0	0	20	23	167	117	169
2025/10/27 7:50	0	0	0	0	0	10	10	114	142	91
2025/10/27 8:00	0	0	0	0	0	10	8	73	121	16
2025/10/27 8:10	0	0	0	0	0	3	6	71	48	32
2025/10/27 8:20	0	0	0	0	0	1	3	72	41	58
2025/10/27 8:30	0	0	0	0	0	1	3	67	50	32
2025/10/27 8:40	0	0	0	0	0	1	2	68	86	20
2025/10/27 8:50	0	0	0	0	0	3	14	73	94	158
2025/10/27 9:00	0	0	0	0	0	11	49	149	56	168
2025/10/27 9:10	0	0	0	0	0	1	143	105	85	193
2025/10/27 9:20	0	0	0	0	0	1	105	87	66	132
2025/10/27 9:30	0	0	0	0	0	27	107	173	83	201
2025/10/27 9:40	0	0	0	0	0	6	5	108	97	130
2025/10/27 9:50	0	0	0	0	0	1	11	99	86	82
2025/10/27 10:00	0	0	0	0	0	1	8	87	56	64
2025/10/27 10:10	0	0	0	0	0	1	15	100	58	138
2025/10/27 10:20	0	0	0	0	0	8	25	109	62	80
2025/10/27 10:30	0	0	0	0	0	12	5	99	45	83
2025/10/27 10:40	0	0	0	0	0	26	38	99	48	109
2025/10/27 10:50	0	0	0	0	0	29	43	107	77	99
2025/10/27 11:00	0	0	0	0	0	106	145	169	39	139
2025/10/27 11:10	0	0	0	0	0	94	112	107	40	147
2025/10/27 11:20	0	0	0	0	0	16	62	104	58	100
2025/10/27 11:30	0	0	0	0	0.1	105	175	136	53	123
2025/10/27 11:40	0	0	0	0	0.1	47	56	143	77	90
2025/10/27 11:50	0	0	0	0	0.1	47	75	136	41	86
2025/10/27 12:00	0	0	0	0	0.1	20	37	81	24	50
2025/10/27 12:10	0	0	0	0	0.1	1	1	61	23	35
2025/10/27 12:20	0	0	0	0	0.1	1	1	49	4	46
2025/10/27 12:30	0	0	0	0	0.1	1	1	97	1	83
2025/10/27 12:40	0	0	0	0	0.1	1	1	88	17	88
2025/10/27 12:50	0	0	0	0	0.1	1	1	73	1	41
2025/10/27 13:00	0	0	0	0	0.1	1	1	93	14	75
2025/10/27 13:10	0.1	0	0	0	0	1	1	76	33	61
2025/10/27 13:20	0	0	0	0	0	1	1	57	21	112
2025/10/27 13:30	0	0	0	0	0	1	1	46	25	66
2025/10/27 13:40	0	0	0	0	0	1	1	55	32	75
2025/10/27 13:50	0	0	0	0	0	1	1	53	41	33
2025/10/27 14:00	0.1	0	0	0	0	1	1	64	39	67
2025/10/27 14:10	0	0	0	0	0	1	1	106	58	104
2025/10/27 14:20	0	0	0	0	0	1	1	60	74	61
2025/10/27 14:30	0	0	0	0	0	1	1	44	85	131
2025/10/27 14:40	0	0	0	0	0	32	19	103	40	295
2025/10/27 14:50	0	0	0	0	0	28	90	114	110	287

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/27 15:00	0	0	0	0	0	124	1	115	130	255
2025/10/27 15:10	0	0	0	0	0	77	63	90	67	182
2025/10/27 15:20	0	0	0	0	0	20	69	58	133	97
2025/10/27 15:30	0	0	0	0	0	166	30	62	77	281
2025/10/27 15:40	0	0	0	0	0	96	58	78	71	201
2025/10/27 15:50	0	0	0	0	0	27	10	64	71	28
2025/10/27 16:00	0	0	0	0	0	29	4	57	195	148
2025/10/27 16:10	0	0	0	0	0	57	30	53	71	15
2025/10/27 16:20	0	0	0	0	0	126	76	56	27	19
2025/10/27 16:30	0	0	0	0	0	72	57	57	56	17
2025/10/27 16:40	0	0	0	0	0	64	48	68	78	28
2025/10/27 16:50	0	0	0	0	0	51	74	74	68	38
2025/10/27 17:00	0	0	0	0	0	41	81	80	51	34
2025/10/27 17:10	0	0	0	0	0	84	92	99	38	61
2025/10/27 17:20	0	0	0	0	0	77	92	101	41	54
2025/10/27 17:30	0	0	0	0	0	38	73	98	34	43
2025/10/27 17:40	0	0	0	0	0	61	83	100	46	44
2025/10/27 17:50	0	0	0	0	0	79	86	104	40	44
2025/10/27 18:00	0	0	0	0	0	78	138	104	34	39
2025/10/27 18:10	0	0	0	0	0	75	401	102	383	37
2025/10/27 18:20	0	0	0	0	0	102	371	107	402	37
2025/10/27 18:30	0	0	0	0	0	192	153	109	128	46
2025/10/27 18:40	0	0	0	0	0	93	335	115	308	67
2025/10/27 18:50	0	0	0	0	0	68	481	133	654	69
2025/10/27 19:00	0	0.1	0	0	0	58	145	134	142	59
2025/10/27 19:10	0	0	0	0	0	37	123	112	197	46
2025/10/27 19:20	0	0	0	0	0	22	58	99	240	38
2025/10/27 19:30	0	0	0	0	0	12	17	88	196	26
2025/10/27 19:40	0	0	0	0	0	9	5	80	305	23
2025/10/27 19:50	0	0	0	0	0	5	15	74	271	20
2025/10/27 20:00	0	0	0	0	0	10	17	75	177	21
2025/10/27 20:10	0	0	0	0	0	8	31	75	169	24
2025/10/27 20:20	0	0	0	0	0	11	1	79	282	51
2025/10/27 20:30	0	0	0	0	0	4	3	74	158	17
2025/10/27 20:40	0	0	0	0	0	1	3	72	174	16
2025/10/27 20:50	0	0	0	0	0	5	3	72	276	17
2025/10/27 21:00	0	0	0	0	0	19	11	76	273	34
2025/10/27 21:10	0	0	0	0	0	22	16	83	268	61
2025/10/27 21:20	0	0	0	0	0	19	10	78	340	31
2025/10/27 21:30	0	0	0	0	0	6	4	68	270	16
2025/10/27 21:40	0	0	0	0	0	3	5	75	215	14
2025/10/27 21:50	0	0	0	0	0	6	7	85	185	17
2025/10/27 22:00	0	0	0	0	0	5	6	76	218	27
2025/10/27 22:10	0	0	0	0	0	3	7	68	195	14
2025/10/27 22:20	0	0	0	0	0	3	6	63	248	12
2025/10/27 22:30	0	0	0	0	0	3	6	59	188	11
2025/10/27 22:40	0	0	0	0	0	3	6	57	291	28
2025/10/27 22:50	0	0	0	0	0	3	7	57	181	10
2025/10/27 23:00	0	0	0	0	0	3	6	60	252	12
2025/10/27 23:10	0	0	0	0	0	5	6	58	256	11
2025/10/27 23:20	0	0	0	0	0	6	6	55	216	7
2025/10/27 23:30	0	0	0	0	0	6	8	58	260	118
2025/10/27 23:40	0	0	0	0	0	6	9	61	204	18
2025/10/27 23:50	0	0	0	0	0	6	10	63	254	31
2025/10/28 0:00	0	0	0	0	0	9	13	70	266	30
2025/10/28 0:10	0	0	0	0	0	13	16	71	300	109
2025/10/28 0:20	0	0	0	0	0	20	15	76	216	34
2025/10/28 0:30	0	0	0	0	0	25	21	81	253	52
2025/10/28 0:40	0	0	0	0	0	26	24	78	293	52
2025/10/28 0:50	0	0	0	0	0	25	26	78	255	90
2025/10/28 1:00	0	0	0	0	0	18	19	72	196	29
2025/10/28 1:10	0	0	0	0	0	14	17	67	198	22
2025/10/28 1:20	0	0	0	0	0	9	12	63	211	29
2025/10/28 1:30	0	0	0	0	0	11	16	63	198	23
2025/10/28 1:40	0	0	0	0	0	12	14	62	242	16
2025/10/28 1:50	0	0	0	0	0	12	15	59	188	15
2025/10/28 2:00	0	0	0	0	0	12	17	61	203	15
2025/10/28 2:10	0	0	0	0	0	12	45	68	195	16
2025/10/28 2:20	0	0	0	0	0	12	15	73	270	75
2025/10/28 2:30	0	0	0	0	0	12	15	67	308	103
2025/10/28 2:40	0	0	0	0	0	13	15	69	202	44
2025/10/28 2:50	0	0	0	0	0	12	15	67	282	43
2025/10/28 3:00	0	0	0	0	0	15	15	69	269	28

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/28 3:10	0	0	0	0	0	15	15	69	276	23
2025/10/28 3:20	0	0	0	0	0	16	19	69	208	22
2025/10/28 3:30	0	0	0	0	0	15	18	62	201	18
2025/10/28 3:40	0	0	0	0	0	15	18	61	221	18
2025/10/28 3:50	0	0	0	0	0	15	18	65	309	21
2025/10/28 4:00	0	0	0	0	0	15	18	62	247	22
2025/10/28 4:10	0	0	0	0	0	15	18	62	239	22
2025/10/28 4:20	0	0	0	0	0	15	18	60	209	23
2025/10/28 4:30	0	0	0	0	0	15	18	62	198	31
2025/10/28 4:40	0	0	0	0	0	15	18	63	260	18
2025/10/28 4:50	0	0	0	0	0	15	18	61	178	21
2025/10/28 5:00	0	0	0	0	0	15	18	63	239	22
2025/10/28 5:10	0	0	0	0	0	15	18	66	198	22
2025/10/28 5:20	0	0	0	0	0	15	18	68	156	18
2025/10/28 5:30	0	0	0	0	0	15	35	75	139	18
2025/10/28 5:40	0	0	0	0	0	15	47	76	143	18
2025/10/28 5:50	0	0	0	0	0	17	31	77	172	18
2025/10/28 6:00	0	0	0	0	0	18	36	79	95	18
2025/10/28 6:10	0	0	0	0	0	18	32	79	112	21
2025/10/28 6:20	0	0	0	0	0	19	35	84	121	22
2025/10/28 6:30	0	0	0	0	0	18	21	76	183	22
2025/10/28 6:40	0	0	0	0	0	18	21	74	203	22
2025/10/28 6:50	0	0	0	0	0	18	21	70	208	27
2025/10/28 7:00	0	0	0	0	0	18	21	70	190	21
2025/10/28 7:10	0	0	0	0	0	18	40	72	242	27
2025/10/28 7:20	0	0	0	0	0	18	35	74	192	52
2025/10/28 7:30	0	0	0	0	0	15	20	70	241	107
2025/10/28 7:40	0	0	0	0	0	15	29	63	189	134
2025/10/28 7:50	0	0	0	0	0	12	19	60	102	19
2025/10/28 8:00	0	0	0	0	0	15	15	51	75	15
2025/10/28 8:10	0	0	0	0	0	9	15	52	53	10
2025/10/28 8:20	0	0	0	0	0	9	15	49	42	9
2025/10/28 8:30	0	0	0	0	0	8	12	49	45	1
2025/10/28 8:40	0	0	0	0	0	6	12	46	56	1
2025/10/28 8:50	0	0	0	0	0	6	12	48	66	1
2025/10/28 9:00	0	0	0	0	0	6	11	49	53	1
2025/10/28 9:10	0	0	0	0	0	3	9	49	40	4
2025/10/28 9:20	0	0	0	0	0	3	9	50	55	3
2025/10/28 9:30	0	0	0	0	0	3	6	50	54	8
2025/10/28 9:40	0	0	0	0	0	3	6	53	62	1
2025/10/28 9:50	0	0	0	0	0	3	6	84	43	1
2025/10/28 10:00	0	0	0	0	0	1	6	58	36	26
2025/10/28 10:10	0	0	0	0	0	1	6	53	28	1
2025/10/28 10:20	0	0	0	0	0	1	6	53	19	1
2025/10/28 10:30	0	0	0	0	0.1	1	4	51	34	23
2025/10/28 10:40	0	0	0	0	0	1	3	54	22	15
2025/10/28 10:50	0	0	0	0	0	1	3	54	21	23
2025/10/28 11:00	0	0	0	0	0	1	1	51	17	46
2025/10/28 11:10	0	0	0	0	0	1	1	45	8	1
2025/10/28 11:20	0	0	0	0	0	1	1	49	20	1
2025/10/28 11:30	0	0	0	0	0	1	1	48	16	3
2025/10/28 11:40	0	0	0	0	0	1	1	40	19	1
2025/10/28 11:50	0	0	0	0	0	1	1	43	8	19
2025/10/28 12:00	0	0	0	0	0	1	1	44	16	1
2025/10/28 12:10	0	0	0	0	0	1	1	47	17	1
2025/10/28 12:20	0	0	0	0	0	1	1	42	15	36
2025/10/28 12:30	0	0	0	0	0	1	1	43	5	16
2025/10/28 12:40	0	0	0	0	0	1	1	52	1	29
2025/10/28 12:50	0	0	0	0	0	1	1	49	14	46
2025/10/28 13:00	0	0	0	0	0	1	1	46	12	11
2025/10/28 13:10	0	0	0	0	0	1	1	49	41	104
2025/10/28 13:20	0.1	0	0	0	0	1	1	49	10	15
2025/10/28 13:30	0.1	0	0	0	0.1	1	1	48	2	1
2025/10/28 13:40	0.1	0	0	0	0.1	1	1	47	1	6
2025/10/28 13:50	0.1	0	0	0	0.1	1	1	47	10	28
2025/10/28 14:00	0.2	0	0	0	0.1	1	1	74	33	49
2025/10/28 14:10	0.2	0	0	0	0.1	1	1	55	54	33
2025/10/28 14:20	0.2	0	0	0	0.1	1	1	52	33	6
2025/10/28 14:30	0.2	0	0	0	0.1	1	1	68	17	28
2025/10/28 14:40	0.1	0	0	0	0.1	1	1	89	40	69
2025/10/28 14:50	0.1	0	0	0	0.1	1	6	89	69	69
2025/10/28 15:00	0.1	0	0	0	0	1	1	77	47	64
2025/10/28 15:10	0.1	0	0	0	0	1	1	78	36	55

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/28 15:20	0	0	0	0	0	1	1	65	45	42
2025/10/28 15:30	0	0	0	0	0	1	1	115	47	141
2025/10/28 15:40	0	0	0	0	0	1	11	141	69	128
2025/10/28 15:50	0	0	0	0	0	9	65	145	92	268
2025/10/28 16:00	0	0	0	0	0	33	62	184	94	240
2025/10/28 16:10	0	0	0	0	0	42	46	164	144	239
2025/10/28 16:20	0	0	0	0	0	58	67	163	181	317
2025/10/28 16:30	0	0	0	0	0	77	101	173	244	308
2025/10/28 16:40	0	0	0	0	0	166	226	188	233	484
2025/10/28 16:50	0	0	0	0	0	131	224	253	259	382
2025/10/28 17:00	0	0	0	0	0	58	54	139	110	139
2025/10/28 17:10	0	0	0	0	0	65	61	140	112	106
2025/10/28 17:20	0	0	0	0	0	113	77	161	146	127
2025/10/28 17:30	0	0	0	0	0	99	113	131	100	98
2025/10/28 17:40	0	0	0	0	0	56	49	117	74	64
2025/10/28 17:50	0	0	0	0	0	53	34	116	79	60
2025/10/28 18:00	0	0	0	0	0	47	40	107	136	50
2025/10/28 18:10	0	0	0	0	0	31	22	100	149	34
2025/10/28 18:20	0	0	0	0	0	49	36	112	149	51
2025/10/28 18:30	0	0	0	0	0	47	33	110	160	52
2025/10/28 18:40	0	0	0	0	0	29	11	99	166	37
2025/10/28 18:50	0	0	0	0	0	35	16	101	125	40
2025/10/28 19:00	0	0	0	0	0	60	33	115	151	61
2025/10/28 19:10	0	0	0	0	0	68	30	120	149	80
2025/10/28 19:20	0	0	0	0	0	48	10	109	154	58
2025/10/28 19:30	0	0	0	0	0	32	9	100	155	46
2025/10/28 19:40	0	0	0	0	0	23	12	91	127	36
2025/10/28 19:50	0	0	0	0	0	25	13	89	137	30
2025/10/28 20:00	0	0	0	0	0	21	12	84	141	26
2025/10/28 20:10	0	0	0	0	0	17	12	90	80	25
2025/10/28 20:20	0	0	0	0	0	18	12	90	115	28
2025/10/28 20:30	0	0	0	0	0	14	13	80	107	24
2025/10/28 20:40	0	0	0	0	0	12	15	74	86	18
2025/10/28 20:50	0	0	0	0	0	12	15	75	71	17
2025/10/28 21:00	0	0	0	0	0	12	16	72	69	16
2025/10/28 21:10	0	0	0	0	0	12	16	70	56	15
2025/10/28 21:20	0	0	0	0	0	14	15	67	79	17
2025/10/28 21:30	0	0	0	0	0	15	18	67	87	18
2025/10/28 21:40	0	0	0	0	0	15	18	68	98	18
2025/10/28 21:50	0	0	0	0	0	15	18	61	170	22
2025/10/28 22:00	0	0	0	0	0	15	18	59	188	18
2025/10/28 22:10	0	0	0	0	0	15	21	56	120	18
2025/10/28 22:20	0	0	0	0	0	16	23	57	139	21
2025/10/28 22:30	0	0	0	0	0	18	24	56	176	21
2025/10/28 22:40	0	0	0	0	0	18	54	54	145	28
2025/10/28 22:50	0	0	0	0	0	18	29	49	138	21
2025/10/28 23:00	0	0	0	0	0	18	18	49	221	21
2025/10/28 23:10	0	0	0	0	0	18	19	48	254	25
2025/10/28 23:20	0	0	0	0	0	18	21	46	196	21
2025/10/28 23:30	0	0	0	0	0	18	21	45	236	21
2025/10/28 23:40	0	0	0	0	0	18	21	45	176	21
2025/10/28 23:50	0	0	0	0	0	18	21	46	201	21
2025/10/29 0:00	0	0	0	0	0	18	21	46	211	21
2025/10/29 0:10	0	0	0	0	0	18	22	46	193	21
2025/10/29 0:20	0	0	0	0	0	18	24	46	193	21
2025/10/29 0:30	0	0	0	0	0	18	25	47	167	48
2025/10/29 0:40	0	0	0	0	0	18	22	47	224	21
2025/10/29 0:50	0	0	0	0	0	20	21	49	201	21
2025/10/29 1:00	0	0	0	0	0	21	22	49	221	50
2025/10/29 1:10	0	0	0	0	0	21	22	46	176	35
2025/10/29 1:20	0	0	0	0	0	21	22	47	182	33
2025/10/29 1:30	0	0	0	0	0	21	24	50	189	25
2025/10/29 1:40	0	0	0	0	0	21	24	48	192	39
2025/10/29 1:50	0	0	0	0	0	21	24	49	167	30
2025/10/29 2:00	0	0	0	0	0	21	24	47	156	24
2025/10/29 2:10	0	0	0	0	0	21	24	45	129	24
2025/10/29 2:20	0	0	0	0	0	21	24	46	155	25
2025/10/29 2:30	0	0	0	0	0	21	24	46	102	24
2025/10/29 2:40	0	0	0	0	0	21	25	47	114	24
2025/10/29 2:50	0	0	0	0	0	21	24	48	115	25
2025/10/29 3:00	0	0	0	0	0	21	25	49	112	24
2025/10/29 3:10	0	0	0	0	0	21	24	50	157	24
2025/10/29 3:20	0	0	0	0	0	21	24	46	131	25

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/29 3:30	0	0	0	0	0	21	24	44	155	41
2025/10/29 3:40	0	0	0	0	0	21	24	48	140	27
2025/10/29 3:50	0	0	0	0	0	21	24	47	144	24
2025/10/29 4:00	0	0	0	0	0	21	24	47	151	24
2025/10/29 4:10	0	0	0	0	0	21	24	45	176	46
2025/10/29 4:20	0	0	0	0	0	21	24	47	153	24
2025/10/29 4:30	0	0	0	0	0	21	24	47	146	24
2025/10/29 4:40	0	0	0	0	0	21	24	47	128	31
2025/10/29 4:50	0	0	0	0	0	21	24	52	129	79
2025/10/29 5:00	0	0	0	0	0	21	24	55	117	37
2025/10/29 5:10	0	0	0	0	0	21	24	56	165	121
2025/10/29 5:20	0	0	0	0	0	21	24	158	82	110
2025/10/29 5:30	0	0	0	0	0	21	24	127	168	97
2025/10/29 5:40	0	0	0	0	0	22	24	105	136	101
2025/10/29 5:50	0	0	0	0	0	24	24	72	104	56
2025/10/29 6:00	0	0	0	0	0	24	24	126	164	69
2025/10/29 6:10	0	0	0	0	0	24	27	173	88	107
2025/10/29 6:20	0	0	0	0	0	24	27	151	164	104
2025/10/29 6:30	0	0	0	0	0	27	27	164	163	137
2025/10/29 6:40	0	0	0	0	0	27	27	148	205	133
2025/10/29 6:50	0	0	0	0	0	26	27	78	205	50
2025/10/29 7:00	0	0	0	0	0	24	27	67	216	59
2025/10/29 7:10	0	0	0	0	0	24	27	67	186	47
2025/10/29 7:20	0	0	0	0	0	24	24	71	168	85
2025/10/29 7:30	0	0	0	0	0	24	24	67	184	99
2025/10/29 7:40	0	0	0	0	0	22	24	78	188	219
2025/10/29 7:50	0	0	0	0	0	21	27	127	169	112
2025/10/29 8:00	0	0	0	0	0	22	24	97	99	70
2025/10/29 8:10	0	0	0	0	0	20	22	83	79	36
2025/10/29 8:20	0	0	0	0	0	18	21	143	110	140
2025/10/29 8:30	0	0	0	0	0	18	22	95	115	116
2025/10/29 8:40	0	0	0	0	0	18	26	147	96	144
2025/10/29 8:50	0	0	0	0	0	15	18	140	72	116
2025/10/29 9:00	0	0	0	0	0	15	18	100	114	107
2025/10/29 9:10	0	0	0	0	0	15	23	149	126	115
2025/10/29 9:20	0	0	0	0	0	14	18	92	78	67
2025/10/29 9:30	0	0	0	0	0	12	22	66	56	21
2025/10/29 9:40	0	0	0	0	0	12	18	64	44	74
2025/10/29 9:50	0	0	0	0	0	12	16	114	71	74
2025/10/29 10:00	0	0	0	0	0	9	16	90	70	45
2025/10/29 10:10	0	0	0	0	0	15	25	97	62	57
2025/10/29 10:20	0	0	0	0	0	32	56	116	81	69
2025/10/29 10:30	0	0	0	0	0	23	28	98	71	67
2025/10/29 10:40	0	0	0	0	0	42	54	128	46	89
2025/10/29 10:50	0	0	0	0	0	9	23	115	55	42
2025/10/29 11:00	0	0	0	0	0	8	15	96	74	47
2025/10/29 11:10	0	0	0	0	0	43	88	90	25	68
2025/10/29 11:20	0	0	0	0	0	26	59	92	69	54
2025/10/29 11:30	0	0	0	0	0	26	35	94	52	48
2025/10/29 11:40	0	0	0	0	0	20	28	110	37	41
2025/10/29 11:50	0	0	0	0	0	1	9	87	21	31
2025/10/29 12:00	0	0	0	0	0	9	10	95	11	58
2025/10/29 12:10	0	0	0	0	0	4	6	80	13	41
2025/10/29 12:20	0	0	0	0	0	1	7	92	10	28
2025/10/29 12:30	0	0	0	0	0	1	6	96	16	51
2025/10/29 12:40	0	0	0	0	0	1	8	82	21	25
2025/10/29 12:50	0	0	0	0	0	11	42	106	15	58
2025/10/29 13:00	0	0	0	0	0	113	158	108	67	95
2025/10/29 13:10	0	0	0	0	0	133	192	129	55	125
2025/10/29 13:20	0	0	0	0	0	26	59	132	66	79
2025/10/29 13:30	0	0	0	0	0	165	242	132	14	167
2025/10/29 13:40	0	0	0	0	0	180	294	166	38	193
2025/10/29 13:50	0	0	0	0	0	152	206	169	46	162
2025/10/29 14:00	0	0	0	0	0	148	218	223	75	177
2025/10/29 14:10	0	0	0	0	0	212	263	142	22	205
2025/10/29 14:20	0	0	0	0	0	188	239	128	21	166
2025/10/29 14:30	0	0	0	0	0	139	200	146	58	177
2025/10/29 14:40	0	0	0	0	0	66	156	169	64	115
2025/10/29 14:50	0	0	0	0	0	155	215	173	72	164
2025/10/29 15:00	0	0	0	0	0	82	107	104	16	116
2025/10/29 15:10	0	0	0	0	0	139	174	133	35	149
2025/10/29 15:20	0	0	0	0	0	127	203	161	69	125
2025/10/29 15:30	0	0	0	0	0	68	106	192	126	110

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/29 15:40	0	0	0	0	0	86	101	200	130	123
2025/10/29 15:50	0	0	0	0	0	84	130	231	165	149
2025/10/29 16:00	0	0	0	0	0	81	99	194	68	133
2025/10/29 16:10	0	0	0	0	0	143	162	169	75	172
2025/10/29 16:20	0	0	0	0	0	109	135	192	70	150
2025/10/29 16:30	0	0	0	0	0	63	75	174	75	104
2025/10/29 16:40	0	0	0	0	0	83	113	197	117	132
2025/10/29 16:50	0	0	0	0	0	122	163	235	126	174
2025/10/29 17:00	0	0	0	0	0	137	145	167	48	174
2025/10/29 17:10	0	0	0	0	0	117	155	160	33	168
2025/10/29 17:20	0	0	0	0	0	122	173	119	23	167
2025/10/29 17:30	0	0	0	0	0	282	357	145	30	261
2025/10/29 17:40	0	0	0	0	0	239	346	310	98	321
2025/10/29 17:50	0	0	0	0	0	102	101	249	113	159
2025/10/29 18:00	0	0	0	0	0	67	58	252	90	147
2025/10/29 18:10	0	0	0	0	0	51	31	276	123	142
2025/10/29 18:20	0	0	0	0	0	29	22	298	176	137
2025/10/29 18:30	0	0	0	0	0	28	21	238	149	103
2025/10/29 18:40	0	0	0	0	0	20	21	162	194	46
2025/10/29 18:50	0	0	0	0	0	20	22	259	139	113
2025/10/29 19:00	0	0	0	0	0	23	26	285	90	201
2025/10/29 19:10	0	0	0	0	0	27	22	316	131	124
2025/10/29 19:20	0	0	0	0	0	24	33	313	161	116
2025/10/29 19:30	0	0	0	0	0	19	21	254	157	83
2025/10/29 19:40	0	0	0	0	0	18	21	189	137	49
2025/10/29 19:50	0	0	0	0	0	18	21	179	167	81
2025/10/29 20:00	0	0	0	0	0	18	21	150	172	61
2025/10/29 20:10	0	0	0	0	0	18	23	276	104	110
2025/10/29 20:20	0	0	0	0	0	18	23	339	303	177
2025/10/29 20:30	0	0	0	0	0	18	21	276	195	117
2025/10/29 20:40	0	0	0	0	0	21	21	165	149	63
2025/10/29 20:50	0	0	0	0	0	22	22	164	125	68
2025/10/29 21:00	0	0	0	0	0	21	21	138	139	49
2025/10/29 21:10	0	0	0	0	0	21	21	168	106	69
2025/10/29 21:20	0	0	0	0	0	21	24	123	198	56
2025/10/29 21:30	0	0	0	0	0	21	24	163	174	106
2025/10/29 21:40	0	0	0	0	0	21	24	140	305	60
2025/10/29 21:50	0	0	0	0	0	21	24	108	300	41
2025/10/29 22:00	0	0	0	0	0	21	24	114	280	86
2025/10/29 22:10	0	0	0	0	0	21	24	111	385	39
2025/10/29 22:20	0	0	0	0	0	21	24	96	308	46
2025/10/29 22:30	0	0	0	0	0	23	24	83	330	72
2025/10/29 22:40	0	0	0	0	0	24	24	81	204	28
2025/10/29 22:50	0	0	0	0	0	25	24	86	196	31
2025/10/29 23:00	0	0	0	0	0	27	26	101	207	40
2025/10/29 23:10	0	0	0	0	0	26	27	88	214	61
2025/10/29 23:20	0	0	0	0	0	25	27	97	335	67
2025/10/29 23:30	0	0	0	0	0	28	27	187	337	134
2025/10/29 23:40	0	0	0	0	0	26	27	98	259	72
2025/10/29 23:50	0	0	0	0	0	26	27	92	184	85
2025/10/30 0:00	0	0	0	0	0	26	27	94	173	46
2025/10/30 0:10	0	0	0	0	0	29	27	92	157	35
2025/10/30 0:20	0	0	0	0	0	30	30	90	163	36
2025/10/30 0:30	0	0	0	0	0	28	30	88	203	34
2025/10/30 0:40	0	0	0	0	0	27	30	81	203	63
2025/10/30 0:50	0	0	0	0	0	27	30	80	201	31
2025/10/30 1:00	0	0	0	0	0	27	30	83	172	37
2025/10/30 1:10	0	0	0	0	0	30	30	81	187	49
2025/10/30 1:20	0	0	0	0	0	30	33	82	204	75
2025/10/30 1:30	0	0	0	0	0	30	33	84	190	42
2025/10/30 1:40	0	0	0	0	0	30	33	81	205	34
2025/10/30 1:50	0	0	0	0	0	30	33	84	202	65
2025/10/30 2:00	0	0	0	0	0	31	33	92	173	59
2025/10/30 2:10	0	0	0	0	0	31	33	98	171	149
2025/10/30 2:20	0	0	0	0	0	35	33	97	188	84
2025/10/30 2:30	0	0	0	0	0	33	33	91	244	96
2025/10/30 2:40	0	0	0	0	0	33	36	87	197	39
2025/10/30 2:50	0	0	0	0	0	33	36	86	189	71
2025/10/30 3:00	0	0	0	0	0	33	36	89	187	97
2025/10/30 3:10	0	0	0	0	0	33	36	95	183	140
2025/10/30 3:20	0	0	0	0	0	33	36	94	203	85
2025/10/30 3:30	0	0	0	0	0	34	36	99	162	77
2025/10/30 3:40	0	0	0	0	0	33	36	95	149	83

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/30 3:50	0	0	0	0	0	33	36	92	161	80
2025/10/30 4:00	0	0	0	0	0	33	36	98	182	89
2025/10/30 4:10	0	0	0	0	0	33	36	95	149	83
2025/10/30 4:20	0	0	0	0	0	33	36	99	153	103
2025/10/30 4:30	0	0	0	0	0	33	34	110	198	70
2025/10/30 4:40	0	0	0	0	0	34	33	99	151	49
2025/10/30 4:50	0	0	0	0	0	33	33	99	168	61
2025/10/30 5:00	0	0	0	0	0	30	33	92	205	72
2025/10/30 5:10	0	0	0	0	0	31	33	98	204	35
2025/10/30 5:20	0	0	0	0	0	44	33	117	233	53
2025/10/30 5:30	0	0	0	0	0	51	34	121	197	69
2025/10/30 5:40	0	0	0	0	0	43	33	115	209	42
2025/10/30 5:50	0	0	0	0	0	42	33	113	207	41
2025/10/30 6:00	0	0	0	0	0	47	34	115	214	53
2025/10/30 6:10	0	0	0	0	0	59	45	121	188	55
2025/10/30 6:20	0	0	0	0	0	55	52	121	198	121
2025/10/30 6:30	0	0	0	0	0	52	41	118	225	52
2025/10/30 6:40	0	0	0	0	0	55	43	119	249	78
2025/10/30 6:50	0	0	0	0	0	53	34	117	235	97
2025/10/30 7:00	0	0	0	0	0	52	35	120	313	48
2025/10/30 7:10	0	0	0	0	0	52	36	122	242	78
2025/10/30 7:20	0	0	0	0	0	53	50	128	262	103
2025/10/30 7:30	0	0	0	0	0	66	36	146	233	100
2025/10/30 7:40	0	0	0	0	0	61	34	123	168	112
2025/10/30 7:50	0	0	0	0	0	33	33	108	152	38
2025/10/30 8:00	0	0	0	0	0	26	31	99	121	83
2025/10/30 8:10	0	0	0	0	0	25	30	96	113	42
2025/10/30 8:20	0	0	0	0	0	23	30	102	99	77
2025/10/30 8:30	0	0	0	0	0	29	27	102	104	34
2025/10/30 8:40	0	0	0	0	0	18	27	89	117	35
2025/10/30 8:50	0	0	0	0	0	20	25	99	118	39
2025/10/30 9:00	0	0	0	0	0	16	24	90	105	27
2025/10/30 9:10	0	0	0	0	0	15	23	82	71	25
2025/10/30 9:20	0	0	0	0	0	15	21	79	65	5
2025/10/30 9:30	0	0	0	0	0	14	21	83	51	22
2025/10/30 9:40	0	0	0	0	0	12	20	85	73	2
2025/10/30 9:50	0	0	0	0	0	12	18	82	56	33
2025/10/30 10:00	0	0	0	0	0	11	18	77	54	17
2025/10/30 10:10	0	0	0	0	0	9	15	74	52	39
2025/10/30 10:20	0	0	0	0	0	9	14	72	54	35
2025/10/30 10:30	0	0	0	0	0	7	12	75	46	16
2025/10/30 10:40	0	0	0	0	0	6	12	76	32	29
2025/10/30 10:50	0	0	0	0	0	6	10	78	46	51
2025/10/30 11:00	0	0	0	0	0	6	9	90	51	76
2025/10/30 11:10	0	0	0	0	0	3	9	87	80	34
2025/10/30 11:20	0	0	0	0	0	3	7	92	56	43
2025/10/30 11:30	0	0	0	0	0.1	3	6	81	56	7
2025/10/30 11:40	0	0	0	0	0.1	3	6	80	32	8
2025/10/30 11:50	0	0	0	0	0.1	3	6	98	47	34
2025/10/30 12:00	0	0	0	0	0.1	1	6	89	34	33
2025/10/30 12:10	0	0	0	0	0.1	1	6	72	28	17
2025/10/30 12:20	0	0	0	0	0.1	1	6	75	19	26
2025/10/30 12:30	0	0	0	0	0.1	1	6	69	27	29
2025/10/30 12:40	0	0	0	0	0.1	1	6	82	45	40
2025/10/30 12:50	0	0	0	0	0.1	1	6	88	25	73
2025/10/30 13:00	0	0	0	0	0.1	1	6	94	18	72
2025/10/30 13:10	0.1	0	0	0	0.1	1	6	74	29	41
2025/10/30 13:20	0.1	0	0	0	0.1	1	31	90	129	24
2025/10/30 13:30	0	0	0	0	0.1	1	6	95	36	30
2025/10/30 13:40	0.1	0	0	0	0.1	1	3	107	50	60
2025/10/30 13:50	0.1	0	0	0	0.1	1	3	83	41	9
2025/10/30 14:00	0.1	0	0	0	0.1	1	3	87	38	35
2025/10/30 14:10	0.1	0	0	0	0.1	1	3	83	29	21
2025/10/30 14:20	0.2	0	0	0	0.1	8	5	157	96	92
2025/10/30 14:30	0.2	0	0	0	0.1	1	2	125	64	42
2025/10/30 14:40	0.2	0	0	0	0.1	1	2	93	107	25
2025/10/30 14:50	0.1	0	0	0	0.1	3	43	166	152	65
2025/10/30 15:00	0.1	0	0	0	0.1	1	1	151	90	80
2025/10/30 15:10	0.1	0	0	0	0	6	48	111	57	128
2025/10/30 15:20	0	0	0	0	0	48	136	135	72	129
2025/10/30 15:30	0	0	0	0	0	3	49	96	87	72
2025/10/30 15:40	0	0	0	0	0	12	7	136	63	77
2025/10/30 15:50	0	0	0	0	0	4	16	117	74	71

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/30 16:00	0	0	0	0	0	1	26	123	94	59
2025/10/30 16:10	0	0	0	0	0	3	7	128	81	40
2025/10/30 16:20	0	0	0	0	0	3	7	115	73	35
2025/10/30 16:30	0	0	0	0	0	7	10	177	104	89
2025/10/30 16:40	0	0	0	0	0	4	49	161	122	78
2025/10/30 16:50	0	0	0	0	0	9	47	124	127	96
2025/10/30 17:00	0	0	0	0	0	25	66	195	204	140
2025/10/30 17:10	0	0	0	0	0	16	137	154	249	55
2025/10/30 17:20	0	0	0	0	0	23	86	188	337	128
2025/10/30 17:30	0	0	0	0	0	69	92	293	247	207
2025/10/30 17:40	0	0	0	0	0	123	114	257	87	249
2025/10/30 17:50	0	0	0	0	0	84	70	220	95	174
2025/10/30 18:00	0	0	0	0	0	44	16	234	72	158
2025/10/30 18:10	0	0	0	0	0	34	18	292	76	170
2025/10/30 18:20	0	0	0	0	0	56	31	374	61	292
2025/10/30 18:30	0	0	0	0	0	30	39	253	71	110
2025/10/30 18:40	0	0	0	0	0	55	41	370	64	253
2025/10/30 18:50	0	0	0	0	0	39	21	261	142	141
2025/10/30 19:00	0	0	0	0	0	20	19	237	62	103
2025/10/30 19:10	0	0	0	0	0	17	26	205	95	83
2025/10/30 19:20	0	0	0	0	0	25	21	207	78	152
2025/10/30 19:30	0	0	0	0	0	28	30	181	90	106
2025/10/30 19:40	0	0	0	0	0	15	20	161	145	58
2025/10/30 19:50	0	0	0	0	0	15	18	156	203	67
2025/10/30 20:00	0	0	0	0	0	15	15	160	184	122
2025/10/30 20:10	0	0	0	0	0	14	15	103	101	37
2025/10/30 20:20	0	0	0	0	0	12	17	98	115	47
2025/10/30 20:30	0	0	0	0	0	12	19	131	123	114
2025/10/30 20:40	0	0	0	0	0	12	15	138	99	53
2025/10/30 20:50	0	0	0	0	0	12	15	170	96	58
2025/10/30 21:00	0	0	0	0	0	12	15	137	111	62
2025/10/30 21:10	0	0	0	0	0	12	15	139	128	56
2025/10/30 21:20	0	0	0	0	0	12	15	131	139	73
2025/10/30 21:30	0	0	0	0	0	13	15	138	125	76
2025/10/30 21:40	0	0	0	0	0	12	15	127	97	90
2025/10/30 21:50	0	0	0	0	0	110	15	199	33	223
2025/10/30 22:00	0	0	0	0	0	120	49	188	52	172
2025/10/30 22:10	0	0	0	0	0	44	15	130	78	113
2025/10/30 22:20	0	0	0	0	0	53	15	146	96	82
2025/10/30 22:30	0	0	0	0	0	19	16	146	161	92
2025/10/30 22:40	0	0	0	0	0	20	18	123	69	48
2025/10/30 22:50	0	0	0	0	0	23	18	122	101	39
2025/10/30 23:00	0	0	0	0	0	26	18	126	119	69
2025/10/30 23:10	0	0	0	0	0	26	18	138	105	55
2025/10/30 23:20	0	0	0	0	0	27	18	130	77	39
2025/10/30 23:30	0	0	0	0	0	38	21	136	99	81
2025/10/30 23:40	0	0	0	0	0	45	30	137	106	64
2025/10/30 23:50	0	0	0	0	0	51	36	142	124	56
2025/10/31 0:00	0	0	0	0	0	43	24	141	138	50
2025/10/31 0:10	0	0	0	0	0	58	40	156	119	75
2025/10/31 0:20	0	0	0	0	0	85	68	173	100	81
2025/10/31 0:30	0	0	0	0	0	92	94	183	120	89
2025/10/31 0:40	0	0	0	0	0	91	74	185	120	88
2025/10/31 0:50	0	0	0	0	0	94	77	188	83	90
2025/10/31 1:00	0	0	0	0	0	106	105	202	112	99
2025/10/31 1:10	0	0	0	0	0	90	71	186	123	84
2025/10/31 1:20	0	0	0	0	0	78	54	170	111	73
2025/10/31 1:30	0	0	0	0	0	81	60	173	129	74
2025/10/31 1:40	0	0	0	0	0	79	71	171	119	72
2025/10/31 1:50	0	0	0	0	0	74	69	168	109	71
2025/10/31 2:00	0	0	0	0	0	65	37	163	115	63
2025/10/31 2:10	0	0	0	0	0	67	42	164	165	69
2025/10/31 2:20	0	0	0	0	0	62	35	156	137	62
2025/10/31 2:30	0	0	0	0	0	56	32	150	127	56
2025/10/31 2:40	0	0	0	0	0	53	32	148	123	55
2025/10/31 2:50	0	0	0	0	0	51	32	148	83	69
2025/10/31 3:00	0	0	0	0	0	58	37	159	120	91
2025/10/31 3:10	0	0	0	0	0	55	31	154	97	63
2025/10/31 3:20	0	0	0	0	0	51	26	150	72	52
2025/10/31 3:30	0	0	0	0	0	56	34	155	103	75
2025/10/31 3:40	0	0	0	0	0	61	40	158	101	122
2025/10/31 3:50	0	0	0	0	0	63	41	162	109	94
2025/10/31 4:00	0	0	0	0	0	48	26	151	82	69

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/31 4:10	0	0	0	0	0	45	26	148	77	70
2025/10/31 4:20	0	0	0	0	0	48	25	146	104	70
2025/10/31 4:30	0	0	0	0	0	47	28	142	100	66
2025/10/31 4:40	0	0	0	0	0	64	34	160	109	59
2025/10/31 4:50	0	0	0	0	0	66	36	161	106	101
2025/10/31 5:00	0	0	0	0	0	61	31	160	100	148
2025/10/31 5:10	0	0	0	0	0	60	30	160	86	72
2025/10/31 5:20	0	0	0	0	0	59	31	161	110	56
2025/10/31 5:30	0	0	0	0	0	53	30	150	134	46
2025/10/31 5:40	0	0	0	0	0	49	24	151	130	51
2025/10/31 5:50	0	0	0	0	0	47	28	146	118	57
2025/10/31 6:00	0	0	0	0	0	48	26	148	146	45
2025/10/31 6:10	0	0	0	0	0	52	28	152	96	82
2025/10/31 6:20	0	0	0	0	0	56	32	158	131	50
2025/10/31 6:30	0	0	0	0	0	59	33	159	123	57
2025/10/31 6:40	0	0	0	0	0	59	35	162	162	56
2025/10/31 6:50	0	0	0	0	0	57	34	159	111	133
2025/10/31 7:00	0	0	0	0	0	55	34	157	108	66
2025/10/31 7:10	0	0	0	0	0	56	38	156	129	61
2025/10/31 7:20	0	0	0	0	0	55	39	162	115	73
2025/10/31 7:30	0	0	0	0	0	54	30	159	86	52
2025/10/31 7:40	0	0	0	0	0	49	27	151	115	46
2025/10/31 7:50	0	0	0	0	0	54	36	159	117	68
2025/10/31 8:00	0	0	0	0	0	56	23	145	135	50
2025/10/31 8:10	0	0	0	0	0	45	20	143	87	41
2025/10/31 8:20	0	0	0	0	0	34	19	136	103	42
2025/10/31 8:30	0	0	0	0	0	35	30	137	81	36
2025/10/31 8:40	0	0	0	0	0	50	22	142	156	43
2025/10/31 8:50	0	0	0	0	0	45	27	139	132	37
2025/10/31 9:00	0	0	0	0	0	34	27	134	101	34
2025/10/31 9:10	0	0	0	0	0	34	17	135	116	35
2025/10/31 9:20	0	0	0	0	0	33	15	129	108	141
2025/10/31 9:30	0	0	0	0	0	27	12	120	101	29
2025/10/31 9:40	0	0	0	0	0	33	20	119	89	30
2025/10/31 9:50	0	0	0	0	0	24	15	113	75	26
2025/10/31 10:00	0	0	0	0	0	39	21	180	98	54
2025/10/31 10:10	0	0	0	0	0	33	10	147	84	59
2025/10/31 10:20	0	0	0	0	0	15	8	125	104	68
2025/10/31 10:30	0	0	0	0	0	17	10	119	85	45
2025/10/31 10:40	0	0	0	0	0	23	11	118	77	28
2025/10/31 10:50	0	0	0	0	0	18	6	117	77	73
2025/10/31 11:00	0	0	0	0	0	13	6	112	84	77
2025/10/31 11:10	0	0	0	0	0	11	5	119	71	87
2025/10/31 11:20	0	0	0	0	0	17	3	117	65	81
2025/10/31 11:30	0	0	0	0	0	15	9	122	107	106
2025/10/31 11:40	0	0	0	0	0	15	17	135	58	128
2025/10/31 11:50	0	0	0	0	0	23	15	123	70	39
2025/10/31 12:00	0	0	0	0	0	38	23	132	81	112
2025/10/31 12:10	0	0	0	0	0	40	15	129	89	55
2025/10/31 12:20	0	0	0	0	0	36	13	128	86	83
2025/10/31 12:30	0	0	0	0	0	30	6	127	86	106
2025/10/31 12:40	0	0	0	0	0	22	5	150	75	155
2025/10/31 12:50	0	0	0	0	0	18	3	114	79	175
2025/10/31 13:00	0	0	0	0	0	19	5	123	63	245
2025/10/31 13:10	0	0	0	0	0	18	7	137	52	171
2025/10/31 13:20	0	0	0	0	0	18	15	131	77	179
2025/10/31 13:30	0	0	0	0	0	23	6	131	107	58
2025/10/31 13:40	0	0	0	0	0	23	6	122	93	124
2025/10/31 13:50	0	0	0	0	0	23	5	125	92	99
2025/10/31 14:00	0	0	0	0	0	30	9	137	93	132
2025/10/31 14:10	0	0	0	0	0	37	30	158	86	248
2025/10/31 14:20	0	0	0	0	0	35	21	149	118	153
2025/10/31 14:30	0	0	0	0	0	43	23	159	76	235
2025/10/31 14:40	0	0	0	0	0	47	33	173	100	162
2025/10/31 14:50	0	0	0	0	0	49	44	169	210	232
2025/10/31 15:00	0	0	0	0	0	51	43	223	138	342
2025/10/31 15:10	0	0	0	0	0	45	43	166	203	137
2025/10/31 15:20	0	0	0	0	0	42	28	166	120	146
2025/10/31 15:30	0	0	0	0	0	42	24	166	111	179
2025/10/31 15:40	0	0	0	0	0	53	40	170	92	97
2025/10/31 15:50	0	0	0	0	0	57	40	177	91	159
2025/10/31 16:00	0	0	0	0	0	60	40	181	94	97
2025/10/31 16:10	0	0	0	0	0	64	48	188	78	74

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/10/31 16:20	0	0	0	0	0	60	45	186	67	60
2025/10/31 16:30	0	0	0	0	0	63	49	186	64	64
2025/10/31 16:40	0	—	0	0	0	90	90	210	90	96
2025/10/31 16:50	0	—	0	0	0	109	109	220	108	105
2025/10/31 17:00	0	—	0	0	0	87	87	212	97	89
2025/10/31 17:10	0	—	0	0	0	84	84	207	102	94
2025/10/31 17:20	0	—	0	0	0	79	79	201	95	81
2025/10/31 17:30	0	—	0	0	0	82	82	203	96	83
2025/10/31 17:40	0	—	0	0	0	85	85	208	107	93
2025/10/31 17:50	0	—	0	0	0	83	83	209	87	88
2025/10/31 18:00	0	—	0	0	0	73	73	199	117	97
2025/10/31 18:10	0	—	0	0	0	73	73	198	147	85
2025/10/31 18:20	0	—	0	0	0	80	80	203	104	81
2025/10/31 18:30	0	—	0	0	0	73	73	194	85	67
2025/10/31 18:40	0	—	0	0	0	59	59	183	154	65
2025/10/31 18:50	0	—	0	0	0	66	66	187	128	61
2025/10/31 19:00	0	—	0	0	0	67	67	183	134	62
2025/10/31 19:10	0	—	0	0	0	60	60	181	124	60
2025/10/31 19:20	0	—	0	0	0	56	56	180	87	54
2025/10/31 19:30	0	—	0	0	0	56	56	181	81	52
2025/10/31 19:40	0	—	0	0	0	47	47	170	127	52
2025/10/31 19:50	0	—	0	0	0	35	35	162	69	43
2025/10/31 20:00	0	—	0	0	0	32	32	162	63	41
2025/10/31 20:10	0	—	0	0	0	23	23	156	48	45
2025/10/31 20:20	0	—	0	0	0	19	19	150	46	40
2025/10/31 20:30	0	—	0	0	0	16	16	141	42	39
2025/10/31 20:40	0	—	0	0	0	15	15	136	46	43
2025/10/31 20:50	0	—	0	0	0	16	16	132	40	42
2025/10/31 21:00	0	—	0	0	0	24	24	143	48	43
2025/10/31 21:10	0	—	0	0	0	20	20	140	46	45
2025/10/31 21:20	0	—	0	0	0	19	19	133	44	38
2025/10/31 21:30	0	—	0	0	0	18	18	132	47	42
2025/10/31 21:40	0	—	0	0	0	19	19	133	40	37
2025/10/31 21:50	0	—	0	0	0	33	33	140	61	39
2025/10/31 22:00	0	—	0	0	0	38	38	131	44	34
2025/10/31 22:10	0	—	0	0	0	23	23	133	81	30
2025/10/31 22:20	0	—	0	0	0	25	25	138	119	34
2025/10/31 22:30	0	—	0	0	0	26	26	139	84	34
2025/10/31 22:40	0	—	0	0	0	22	22	137	111	32
2025/10/31 22:50	0	—	0	0	0	19	19	131	96	32
2025/10/31 23:00	0	—	0	0	0	22	22	127	79	36
2025/10/31 23:10	0	—	0	0	0	22	22	125	47	24
2025/10/31 23:20	0	—	0	0	0	21	21	141	66	36
2025/10/31 23:30	0	—	0	0	0	22	22	128	88	42
2025/10/31 23:40	0	—	0	0	0	21	21	109	68	26
2025/10/31 23:50	0	—	0	0	0	21	21	127	59	53
2025/11/1 0:00	0	—	0	0	0	21	21	116	50	52
2025/11/1 0:10	0	—	0	0	0	67	67	142	52	74
2025/11/1 0:20	0	—	0	0	0	34	34	147	60	53
2025/11/1 0:30	0	—	0	0	0	21	21	116	39	27
2025/11/1 0:40	0	—	0	0	0	21	21	112	42	22
2025/11/1 0:50	0	—	0	0	0	21	21	111	70	22
2025/11/1 1:00	0	—	0	0	0	61	61	110	61	25
2025/11/1 1:10	0	—	0	0	0	21	21	110	69	21
2025/11/1 1:20	0	—	0	0	0	21	21	107	66	21
2025/11/1 1:30	0	—	0	0	0	21	21	107	41	21
2025/11/1 1:40	0	—	0	0	0	21	21	109	53	21
2025/11/1 1:50	0	—	0	0	0	21	21	109	74	22
2025/11/1 2:00	0	—	0	0	0	21	21	110	76	22
2025/11/1 2:10	0	—	0	0	0	21	21	112	69	22
2025/11/1 2:20	0	—	0	0	0	21	21	114	55	22
2025/11/1 2:30	0	—	0	0	0	21	21	117	43	22
2025/11/1 2:40	0	—	0	0	0	30	30	116	29	25
2025/11/1 2:50	0	—	0	0	0	58	58	118	25	31
2025/11/1 3:00	0	—	0	0	0	57	57	124	37	30
2025/11/1 3:10	0	—	0	0	0	27	27	130	34	27
2025/11/1 3:20	0	—	0	0	0	25	25	129	26	28
2025/11/1 3:30	0	—	0	0	0	27	27	131	27	29
2025/11/1 3:40	0	—	0	0	0	62	62	131	24	32
2025/11/1 3:50	0	—	0	0	0	89	89	137	29	64
2025/11/1 4:00	0	—	0	0	0	59	59	144	28	45
2025/11/1 4:10	0	—	0	0	0	39	39	145	28	38
2025/11/1 4:20	0	—	0	0	0	43	43	145	27	36

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/1 4:30	0	—	0	0	0	38	38	138	31	35
2025/11/1 4:40	0	—	0	0	0	38	38	130	23	30
2025/11/1 4:50	0	—	0	0	0	27	27	124	28	27
2025/11/1 5:00	0	—	0	0	0	37	37	124	22	26
2025/11/1 5:10	0	—	0	0	0	29	29	125	22	28
2025/11/1 5:20	0	—	0	0	0	38	38	137	21	33
2025/11/1 5:30	0	—	0	0	0	30	30	122	21	26
2025/11/1 5:40	0	—	0	0	0	26	26	115	21	22
2025/11/1 5:50	0	—	0	0	0	28	28	120	21	23
2025/11/1 6:00	0	—	0	0	0	31	31	128	22	26
2025/11/1 6:10	0	—	0	0	0	41	41	136	27	32
2025/11/1 6:20	0	—	0	0	0	52	52	131	21	28
2025/11/1 6:30	0	—	0	0	0	95	95	131	23	33
2025/11/1 6:40	0	—	0	0	0	86	86	141	23	56
2025/11/1 6:50	0	—	0	0	0	139	139	157	23	79
2025/11/1 7:00	0	—	0	0	0	91	91	150	22	61
2025/11/1 7:10	0	—	0	0	0	82	82	152	65	48
2025/11/1 7:20	0	—	0	0	0	47	47	153	39	36
2025/11/1 7:30	0	—	0	0	0	37	37	147	28	38
2025/11/1 7:40	0	—	0	0	0	36	36	147	23	30
2025/11/1 7:50	0	—	0	0	0	28	28	136	23	26
2025/11/1 8:00	0	—	0	0	0	27	27	130	25	26
2025/11/1 8:10	0	—	0	0	0	13	13	115	16	17
2025/11/1 8:20	0	—	0	0	0	5	5	100	15	11
2025/11/1 8:30	0	—	0	0	0	3	3	91	19	5
2025/11/1 8:40	0	—	0	0	0	1	1	85	15	1
2025/11/1 8:50	0	—	0	0	0	1	1	85	11	4
2025/11/1 9:00	0	—	0	0	0	1	1	84	9	2
2025/11/1 9:10	0	—	0	0.1	0	1	1	86	16	9
2025/11/1 9:20	0	—	0	0	0	1	1	84	26	33
2025/11/1 9:30	0	—	0	0	0	1	1	80	18	52
2025/11/1 9:40	0	—	0	0	0	1	1	83	13	35
2025/11/1 9:50	0	—	0	0	0	1	1	81	12	15
2025/11/1 10:00	0	—	0	0	0	1	1	75	6	26
2025/11/1 10:10	0	—	0	0	0	1	1	73	12	3
2025/11/1 10:20	0	—	0	0	0	1	1	76	19	3
2025/11/1 10:30	0	—	0	0	0	1	1	76	10	1
2025/11/1 10:40	0	—	0	0	0	1	1	73	2	1
2025/11/1 10:50	0	—	0	0	0	1	1	72	1	3
2025/11/1 11:00	0	—	0	0	0	1	1	70	1	7
2025/11/1 11:10	0	—	0	0	0	1	1	71	1	2
2025/11/1 11:20	0	—	0	0	0	1	1	69	2	1
2025/11/1 11:30	0	—	0	0	0	1	1	67	1	3
2025/11/1 11:40	0	—	0	0	0	1	1	66	5	6
2025/11/1 11:50	0	—	0	0	0	1	1	71	12	4
2025/11/1 12:00	0	—	0	0	0	1	1	70	14	3
2025/11/1 12:10	0	—	0	0	0	1	1	71	12	12
2025/11/1 12:20	0	—	0	0	0	1	1	68	14	12
2025/11/1 12:30	0	—	0	0	0	1	1	69	9	1
2025/11/1 12:40	0	—	0	0	0	1	1	69	4	1
2025/11/1 12:50	0	—	0	0	0	1	1	71	2	1
2025/11/1 13:00	0	—	0	0	0	1	1	69	1	1
2025/11/1 13:10	0	—	0	0	0	1	1	68	7	1
2025/11/1 13:20	0	—	0	0	0	1	1	68	6	1
2025/11/1 13:30	0	—	0	0	0	1	1	69	7	1
2025/11/1 13:40	0	—	0	0	0	1	1	68	42	1
2025/11/1 13:50	0	—	0	0	0	1	1	68	26	1
2025/11/1 14:00	0	—	0	0	0	1	1	68	31	1
2025/11/1 14:10	0	—	0	0	0	1	1	71	31	12
2025/11/1 14:20	0	—	0	0	0	26	26	71	15	28
2025/11/1 14:30	0	—	0	0	0	1	1	68	38	19
2025/11/1 14:40	0	—	0	0	0	52	52	71	39	136
2025/11/1 14:50	0	—	0	0	0	21	21	87	75	136
2025/11/1 15:00	0	—	0	0	0	49	49	90	68	73
2025/11/1 15:10	0	—	0	0	0	37	37	84	82	24
2025/11/1 15:20	0	—	0	0	0	60	60	84	42	78
2025/11/1 15:30	0	—	0	0	0	34	34	80	23	48
2025/11/1 15:40	0	—	0	0	0	37	37	79	62	36
2025/11/1 15:50	0	—	0	0	0	37	37	80	46	26
2025/11/1 16:00	0	—	0	0	0	24	24	84	41	52
2025/11/1 16:10	0	—	0	0	0	23	23	82	53	27
2025/11/1 16:20	0	—	0	0	0	55	55	85	46	148
2025/11/1 16:30	0	—	0	0	0	93	93	107	59	236

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/1 16:40	0	—	0	0	0	83	83	134	52	107
2025/11/1 16:50	0	—	0	0	0	74	74	128	47	74
2025/11/1 17:00	0	—	0	0	0	62	62	145	24	59
2025/11/1 17:10	0	—	0	0	0	52	52	114	35	58
2025/11/1 17:20	0	—	0	0	0	78	78	127	91	58
2025/11/1 17:30	0	—	0	0	0	100	100	148	52	95
2025/11/1 17:40	0	—	0	0	0	96	96	168	33	91
2025/11/1 17:50	0	—	0	0	0	81	81	140	37	73
2025/11/1 18:00	0	—	0	0	0	157	157	176	47	149
2025/11/1 18:10	0	—	0	0	0	163	163	196	114	149
2025/11/1 18:20	0	—	0	0	0	174	174	223	138	174
2025/11/1 18:30	0	—	0	0	0	177	177	189	41	178
2025/11/1 18:40	0	—	0	0	0	135	135	178	43	99
2025/11/1 18:50	0	—	0	0	0	97	97	172	92	116
2025/11/1 19:00	0	—	0	0	0	90	90	174	51	74
2025/11/1 19:10	0	—	0	0	0	73	73	176	36	90
2025/11/1 19:20	0	—	0	0	0	77	77	176	49	113
2025/11/1 19:30	0	—	0	0	0	63	63	178	64	68
2025/11/1 19:40	0	—	0	0	0	121	121	196	137	155
2025/11/1 19:50	0	—	0	0	0	75	75	193	126	87
2025/11/1 20:00	0	—	0	0	0	122	122	243	105	161
2025/11/1 20:10	0	—	0	0	0	120	120	236	135	160
2025/11/1 20:20	0	—	0	0	0	246	246	242	126	293
2025/11/1 20:30	0	—	0	0	0	242	242	254	121	266
2025/11/1 20:40	0	—	0	0	0	151	151	264	174	174
2025/11/1 20:50	0	—	0	0	0	160	160	259	185	175
2025/11/1 21:00	0	—	0	0	0	292	292	295	165	282
2025/11/1 21:10	0	—	0	0	0	248	248	298	154	265
2025/11/1 21:20	0	—	0	0	0	207	207	288	176	202
2025/11/1 21:30	0	—	0	0	0	170	170	275	188	180
2025/11/1 21:40	0	—	0	0	0	142	142	261	193	154
2025/11/1 21:50	0	—	0	0	0	120	120	223	151	124
2025/11/1 22:00	0	—	0	0	0	144	144	215	94	161
2025/11/1 22:10	0	—	0	0	0	123	123	212	87	136
2025/11/1 22:20	0	—	0	0	0	89	89	203	161	102
2025/11/1 22:30	0	—	0	0	0	93	93	201	146	90
2025/11/1 22:40	0	—	0	0	0	93	93	190	134	92
2025/11/1 22:50	0	—	0	0	0	107	107	283	125	177
2025/11/1 23:00	0	—	0	0	0	86	86	234	173	105
2025/11/1 23:10	0	—	0	0	0	95	95	233	206	113
2025/11/1 23:20	0	—	0	0	0	106	106	206	213	108
2025/11/1 23:30	0	—	0	0	0	96	96	202	219	205
2025/11/1 23:40	0	—	0	0	0	145	145	282	187	199
2025/11/1 23:50	0	—	0	0	0	219	219	279	123	275
2025/11/2 0:00	0	—	0	0	0	239	239	241	109	186
2025/11/2 0:10	0	—	0	0	0	157	157	211	106	140
2025/11/2 0:20	0	—	0	0	0	165	165	204	85	144
2025/11/2 0:30	0	—	0	0	0	134	134	199	76	100
2025/11/2 0:40	0	—	0	0	0	84	84	190	79	88
2025/11/2 0:50	0	—	0	0	0	199	199	200	73	135
2025/11/2 1:00	0	—	0	0	0	130	130	203	75	118
2025/11/2 1:10	0	—	0	0	0	159	159	199	69	125
2025/11/2 1:20	0	—	0	0	0	93	93	184	61	85
2025/11/2 1:30	0	—	0	0	0	74	74	182	85	76
2025/11/2 1:40	0	—	0	0	0	211	211	213	82	226
2025/11/2 1:50	0	—	0	0	0	114	114	188	100	129
2025/11/2 2:00	0	—	0	0	0	71	71	171	78	75
2025/11/2 2:10	0	—	0	0	0	141	141	186	61	194
2025/11/2 2:20	0	—	0	0	0	99	99	298	87	185
2025/11/2 2:30	0	—	0	0	0	62	62	180	100	79
2025/11/2 2:40	0	—	0	0	0	49	49	161	63	58
2025/11/2 2:50	0	—	0	0	0	49	49	165	86	60
2025/11/2 3:00	0	—	0	0	0	43	43	149	65	44
2025/11/2 3:10	0	—	0	0	0	45	45	146	61	44
2025/11/2 3:20	0	—	0	0	0	47	47	147	65	47
2025/11/2 3:30	0	—	0	0	0	43	43	148	79	72
2025/11/2 3:40	0	—	0	0	0	38	38	145	75	50
2025/11/2 3:50	0	—	0	0	0	38	38	144	68	43
2025/11/2 4:00	0	—	0	0	0	37	37	146	79	45
2025/11/2 4:10	0	—	0	0	0	40	40	152	99	43
2025/11/2 4:20	0	—	0	0	0	42	42	146	76	41
2025/11/2 4:30	0	—	0	0	0	38	38	144	63	40
2025/11/2 4:40	0	—	0	0	0	36	36	144	61	36

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/2 4:50	0	—	0	0	0	36	36	149	68	37
2025/11/2 5:00	0	—	0	0	0	40	40	152	81	39
2025/11/2 5:10	0	—	0	0	0	39	39	154	48	40
2025/11/2 5:20	0	—	0	0	0	38	38	151	67	38
2025/11/2 5:30	0	—	0	0	0	32	32	144	72	37
2025/11/2 5:40	0	—	0	0	0	31	31	137	79	30
2025/11/2 5:50	0	—	0	0	0	35	35	138	76	32
2025/11/2 6:00	0	—	0	0	0	43	43	175	67	38
2025/11/2 6:10	0	—	0	0	0	51	51	194	99	51
2025/11/2 6:20	0	—	0	0	0	64	64	176	85	95
2025/11/2 6:30	0	—	0	0	0	58	58	175	63	63
2025/11/2 6:40	0	—	0	0	0	59	59	173	55	63
2025/11/2 6:50	0	—	0	0	0	53	53	164	50	56
2025/11/2 7:00	0	—	0	0	0	48	48	166	79	49
2025/11/2 7:10	0	—	0	0	0	53	53	165	79	50
2025/11/2 7:20	0	—	0	0	0	54	54	177	88	60
2025/11/2 7:30	0	—	0	0	0	47	47	157	72	66
2025/11/2 7:40	0	—	0	0	0	38	38	145	64	43
2025/11/2 7:50	0	—	0	0	0	33	33	142	58	69
2025/11/2 8:00	0	—	0	0	0	35	35	139	67	65
2025/11/2 8:10	0	—	0	0	0	25	25	127	48	61
2025/11/2 8:20	0	—	0	0	0	19	19	116	34	28
2025/11/2 8:30	0	—	0	0	0	17	17	110	34	26
2025/11/2 8:40	0	—	0	0	0	17	17	111	47	32
2025/11/2 8:50	0	—	0	0	0	18	18	109	62	33
2025/11/2 9:00	0	—	0	0	0	14	14	98	53	24
2025/11/2 9:10	0	—	0	0	0	12	12	92	49	24
2025/11/2 9:20	0	—	0	0	0	9	9	91	40	47
2025/11/2 9:30	0	—	0	0	0	8	8	89	32	84
2025/11/2 9:40	0	—	0	0	0	6	6	83	33	9
2025/11/2 9:50	0	—	0	0	0	6	6	80	26	6
2025/11/2 10:00	0	—	0	0	0	5	5	81	27	5
2025/11/2 10:10	0	—	0	0	0	3	3	79	30	2
2025/11/2 10:20	0	—	0	0	0	3	3	80	38	1
2025/11/2 10:30	0	—	0	0	0	1	1	72	30	1
2025/11/2 10:40	0	—	0	0	0	1	1	76	33	1
2025/11/2 10:50	0	—	0	0	0	1	1	79	40	1
2025/11/2 11:00	0	—	0	0	0	1	1	74	47	4
2025/11/2 11:10	0	—	0	0	0	1	1	79	52	9
2025/11/2 11:20	0	—	0	0	0	1	1	74	41	3
2025/11/2 11:30	0	—	0	0	0	1	1	74	48	17
2025/11/2 11:40	0	—	0	0	0	1	1	79	60	8
2025/11/2 11:50	0	—	0	0	0	1	1	78	55	49
2025/11/2 12:00	0	—	0	0	0	1	1	77	40	108
2025/11/2 12:10	0	—	0	0	0	52	52	82	30	182
2025/11/2 12:20	0	—	0	0	0	73	73	84	40	123
2025/11/2 12:30	0	—	0	0	0	13	13	77	95	65
2025/11/2 12:40	0	—	0	0	0	9	9	76	33	8
2025/11/2 12:50	0	—	0	0	0	70	70	88	17	95
2025/11/2 13:00	0	—	0	0	0	34	34	82	81	52
2025/11/2 13:10	0	—	0	0	0	78	78	82	23	77
2025/11/2 13:20	0	—	0	0	0	28	28	81	141	37
2025/11/2 13:30	0	—	0	0	0	57	57	90	69	81
2025/11/2 13:40	0	—	0	0	0	89	89	111	53	146
2025/11/2 13:50	0	—	0	0	0	80	80	164	12	147
2025/11/2 14:00	0	—	0	0	0	101	101	118	12	109
2025/11/2 14:10	0	—	0	0	0	81	81	167	9	132
2025/11/2 14:20	0	—	0	0	0	62	62	182	8	149
2025/11/2 14:30	0	—	0	0	0	82	82	143	8	126
2025/11/2 14:40	0	—	0	0	0	84	84	134	5	150
2025/11/2 14:50	0	—	0	0	0	101	101	173	19	191
2025/11/2 15:00	0	—	0	0	0	76	76	228	8	237
2025/11/2 15:10	0	—	0	0	0	62	62	173	4	187
2025/11/2 15:20	0	—	0	0	0	92	92	135	6	144
2025/11/2 15:30	0	—	0	0	0	79	79	113	28	114
2025/11/2 15:40	0	—	0	0	0	83	83	124	44	103
2025/11/2 15:50	0	—	0	0	0	87	87	99	63	109
2025/11/2 16:00	0	—	0	0	0	73	73	90	38	51
2025/11/2 16:10	0	—	0	0	0	66	66	90	18	12
2025/11/2 16:20	0	—	0	0	0	27	27	86	7	11
2025/11/2 16:30	0	—	0	0	0	62	62	85	3	63
2025/11/2 16:40	0	—	0	0	0	65	65	101	44	111
2025/11/2 16:50	0	—	0	0	0	94	94	107	196	194

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/2 17:00	0	—	0	0	0	68	68	104	94	61
2025/11/2 17:10	0	—	0	0	0	155	155	105	111	363
2025/11/2 17:20	0	—	0	0	0	219	219	297	359	351
2025/11/2 17:30	0	—	0	0	0	74	74	348	295	197
2025/11/2 17:40	0	—	0	0	0	225	225	190	192	407
2025/11/2 17:50	0	—	0	0	0	240	240	183	270	188
2025/11/2 18:00	0	—	0	0	0	106	106	167	230	167
2025/11/2 18:10	0	—	0	0	0	169	169	453	456	417
2025/11/2 18:20	0	—	0	0	0	163	163	337	403	252
2025/11/2 18:30	0	—	0	0	0	221	221	337	399	378
2025/11/2 18:40	0	—	0	0	0	220	220	352	264	314
2025/11/2 18:50	0	—	0	0	0	256	256	244	83	202
2025/11/2 19:00	0	—	0	0	0	139	139	162	139	108
2025/11/2 19:10	0	—	0	0	0	82	82	180	288	123
2025/11/2 19:20	0	—	0	0	0	202	202	266	198	302
2025/11/2 19:30	0	—	0	0	0	218	218	239	198	200
2025/11/2 19:40	0	—	0	0	0	211	211	215	143	158
2025/11/2 19:50	0	—	0	0	0	133	133	190	123	123
2025/11/2 20:00	0	—	0	0	0	195	195	193	61	198
2025/11/2 20:10	0	—	0	0	0	160	160	187	50	124
2025/11/2 20:20	0	—	0	0	0	73	73	171	49	67
2025/11/2 20:30	0	—	0	0	0	73	73	156	60	56
2025/11/2 20:40	0	—	0	0	0	64	64	159	72	58
2025/11/2 20:50	0	—	0	0	0	64	64	167	44	59
2025/11/2 21:00	0	—	0	0	0	71	71	177	72	67
2025/11/2 21:10	0	—	0	0	0	72	72	180	71	72
2025/11/2 21:20	0	—	0	0	0	72	72	183	74	80
2025/11/2 21:30	0	—	0	0	0	73	73	183	62	88
2025/11/2 21:40	0	—	0	0	0	63	63	174	192	67
2025/11/2 21:50	0	—	0	0	0	94	94	181	146	253
2025/11/2 22:00	0	—	0	0	0	247	247	192	69	194
2025/11/2 22:10	0	—	0	0	0	222	222	205	88	249
2025/11/2 22:20	0	—	0	0	0	146	146	280	260	192
2025/11/2 22:30	0	—	0	0	0	93	93	220	159	114
2025/11/2 22:40	0	—	0	0	0	83	83	222	181	93
2025/11/2 22:50	0	—	0	0	0	127	127	330	220	176
2025/11/2 23:00	0	—	0	0	0	90	90	217	155	104
2025/11/2 23:10	0	—	0	0	0	89	89	213	159	97
2025/11/2 23:20	0	—	0	0	0	93	93	218	183	128
2025/11/2 23:30	0	—	0	0	0	95	95	217	109	99
2025/11/2 23:40	0	—	0	0	0	175	175	222	91	137
2025/11/2 23:50	0	—	0	0	0	223	223	229	144	153
2025/11/3 0:00	0	—	0	0	0	174	174	224	99	114
2025/11/3 0:10	0	—	0	0	0	108	108	223	121	109
2025/11/3 0:20	0	—	0	0	0	96	96	221	148	101
2025/11/3 0:30	0	—	0	0	0	94	94	220	76	99
2025/11/3 0:40	0	—	0	0	0	137	137	222	84	113
2025/11/3 0:50	0	—	0	0	0	136	136	223	128	171
2025/11/3 1:00	0	—	0	0	0	216	216	233	139	282
2025/11/3 1:10	0	—	0	0	0	151	151	236	171	202
2025/11/3 1:20	0	—	0	0	0	106	106	225	120	115
2025/11/3 1:30	0	—	0	0	0	91	91	220	141	93
2025/11/3 1:40	0	—	0	0	0	85	85	213	71	85
2025/11/3 1:50	0	—	0	0	0	84	84	211	127	83
2025/11/3 2:00	0	—	0	0	0	80	80	208	132	80
2025/11/3 2:10	0	—	0	0	0	77	77	205	99	76
2025/11/3 2:20	0	—	0	0	0	72	72	205	96	76
2025/11/3 2:30	0	—	0	0	0	73	73	204	79	100
2025/11/3 2:40	0	—	0	0	0	73	73	206	60	82
2025/11/3 2:50	0	—	0	0	0	75	75	207	63	77
2025/11/3 3:00	0	—	0	0	0	77	77	202	57	74
2025/11/3 3:10	0	—	0	0	0	71	71	200	56	71
2025/11/3 3:20	0	—	0	0	0	112	112	196	61	66
2025/11/3 3:30	0	—	0	0	0	63	63	195	71	61
2025/11/3 3:40	0	—	0	0	0	58	58	189	89	60
2025/11/3 3:50	0	—	0	0	0	59	59	188	116	57
2025/11/3 4:00	0	—	0	0	0	63	63	188	147	57
2025/11/3 4:10	0	—	0	0	0	70	70	256	106	93
2025/11/3 4:20	0	—	0	0	0	72	72	218	122	84
2025/11/3 4:30	0	—	0	0	0	72	72	200	131	72
2025/11/3 4:40	0	—	0	0	0	67	67	196	131	66
2025/11/3 4:50	0	—	0	0	0	138	138	211	75	116
2025/11/3 5:00	0	—	0	0	0	90	90	226	93	121

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/3 5:10	0	—	0	0	0	81	81	215	118	118
2025/11/3 5:20	0	—	0	0	0	65	65	200	105	67
2025/11/3 5:30	0	—	0	0	0	64	64	199	107	65
2025/11/3 5:40	0	—	0	0	0	68	68	203	109	68
2025/11/3 5:50	0	—	0	0	0	69	69	202	96	71
2025/11/3 6:00	0	—	0	0	0	70	70	202	102	68
2025/11/3 6:10	0	—	0	0	0	73	73	205	94	71
2025/11/3 6:20	0	—	0	0	0	77	77	219	89	72
2025/11/3 6:30	0	—	0	0	0	79	79	207	143	77
2025/11/3 6:40	0	—	0	0	0	87	87	210	155	81
2025/11/3 6:50	0	—	0	0	0	77	77	200	151	73
2025/11/3 7:00	0	—	0	0	0	69	69	195	116	73
2025/11/3 7:10	0	—	0	0	0	51	51	184	89	114
2025/11/3 7:20	0	—	0	0	0	46	46	172	78	64
2025/11/3 7:30	0	—	0	0	0	41	41	162	95	67
2025/11/3 7:40	0	—	0	0	0	40	40	164	99	39
2025/11/3 7:50	0	—	0	0	0	37	37	154	96	29
2025/11/3 8:00	0	—	0	0	0	25	25	140	91	37
2025/11/3 8:10	0	—	0	0	0	20	20	139	49	73
2025/11/3 8:20	0	—	0	0	0	18	18	150	29	78
2025/11/3 8:30	0	—	0	0	0	18	18	139	46	107
2025/11/3 8:40	0	—	0	0	0	16	16	126	68	29
2025/11/3 8:50	0	—	0	0	0	21	21	127	92	45
2025/11/3 9:00	0	—	0	0	0	24	24	127	100	32
2025/11/3 9:10	0	—	0	0	0	18	18	119	76	19
2025/11/3 9:20	0	—	0	0	0	9	9	107	68	75
2025/11/3 9:30	0	—	0	0.1	0	9	9	104	70	15
2025/11/3 9:40	0	—	0	0.1	0.1	7	7	96	47	9
2025/11/3 9:50	0	—	0	0.1	0.1	6	6	91	43	8
2025/11/3 10:00	0	—	0	0.1	0.1	5	5	90	29	14
2025/11/3 10:10	0	—	0	0.1	0.1	3	3	91	41	11
2025/11/3 10:20	0	—	0	0.1	0.1	3	3	91	29	29
2025/11/3 10:30	0	—	0	0.1	0.1	3	3	82	26	20
2025/11/3 10:40	0	—	0	0.1	0.1	2	2	85	30	29
2025/11/3 10:50	0	—	0	0.1	0.1	1	1	76	34	9
2025/11/3 11:00	0	—	0	0	0.1	1	1	73	30	18
2025/11/3 11:10	0	—	0	0	0.1	1	1	73	27	42
2025/11/3 11:20	0	—	0	0	0.1	1	1	73	35	1
2025/11/3 11:30	0	—	0	0	0	1	1	71	36	1
2025/11/3 11:40	0	—	0	0	0	1	1	73	38	1
2025/11/3 11:50	0	—	0	0	0	1	1	83	58	1
2025/11/3 12:00	0	—	0	0	0	1	1	73	45	1
2025/11/3 12:10	0	—	0	0	0	1	1	65	29	1
2025/11/3 12:20	0	—	0	0	0	1	1	63	24	1
2025/11/3 12:30	0	—	0	0	0	1	1	59	19	2
2025/11/3 12:40	0	—	0	0	0	1	1	63	24	1
2025/11/3 12:50	0	—	0	0	0.1	1	1	63	25	1
2025/11/3 13:00	0	—	0	0	0.1	1	1	71	37	1
2025/11/3 13:10	0	—	0	0	0.1	1	1	65	54	1
2025/11/3 13:20	0	—	0	0	0.1	1	1	67	36	1
2025/11/3 13:30	0	—	0	0	0.1	1	1	64	42	1
2025/11/3 13:40	0.1	—	0	0	0.1	1	1	63	65	1
2025/11/3 13:50	0.1	—	0	0	0.1	3	3	64	35	1
2025/11/3 14:00	0.1	—	0	0	0.1	3	3	61	18	1
2025/11/3 14:10	0.1	—	0	0	0.1	3	3	62	31	1
2025/11/3 14:20	0.1	—	0	0	0.1	3	3	61	35	1
2025/11/3 14:30	0.2	—	0	0	0.1	3	3	67	19	1
2025/11/3 14:40	0.2	—	0	0	0.1	3	3	63	34	1
2025/11/3 14:50	0.2	—	0	0	0.1	1	1	60	26	1
2025/11/3 15:00	0.1	—	0	0	0	1	1	60	23	1
2025/11/3 15:10	0.1	—	0	0	0	1	1	63	44	1
2025/11/3 15:20	0	—	0	0	0	3	3	63	67	2
2025/11/3 15:30	0	—	0	0	0	4	4	62	38	3
2025/11/3 15:40	0	—	0	0	0	6	6	62	27	3
2025/11/3 15:50	0	—	0	0	0	6	6	64	46	4
2025/11/3 16:00	0	—	0	0	0	8	8	65	30	6
2025/11/3 16:10	0	—	0	0	0	9	9	67	76	8
2025/11/3 16:20	0	—	0	0	0	9	9	65	31	9
2025/11/3 16:30	0	—	0	0	0	10	10	70	89	12
2025/11/3 16:40	0	—	0	0	0	12	12	71	34	12
2025/11/3 16:50	0	—	0	0	0	12	12	68	25	17
2025/11/3 17:00	0	—	0	0	0	12	12	65	39	16
2025/11/3 17:10	0	—	0	0	0	13	13	66	46	23

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/3 17:20	0	—	0	0	0	15	15	65	46	15
2025/11/3 17:30	0	—	0	0	0	15	15	65	46	21
2025/11/3 17:40	0	—	0	0	0	15	15	65	45	19
2025/11/3 17:50	0	—	0	0	0	15	15	64	48	32
2025/11/3 18:00	0	—	0	0	0	15	15	68	50	23
2025/11/3 18:10	0	—	0	0	0	15	15	68	74	18
2025/11/3 18:20	0	—	0	0	0	18	18	67	83	41
2025/11/3 18:30	0	—	0	0	0	18	18	68	61	27
2025/11/3 18:40	0	—	0	0	0	18	18	68	63	23
2025/11/3 18:50	0	—	0	0	0	18	18	69	67	22
2025/11/3 19:00	0	—	0	0	0	18	18	71	82	21
2025/11/3 19:10	0	—	0	0	0	21	21	70	71	24
2025/11/3 19:20	0	—	0	0	0	21	21	70	85	24
2025/11/3 19:30	0	—	0	0	0	21	21	70	83	25
2025/11/3 19:40	0	—	0	0	0	21	21	72	103	26
2025/11/3 19:50	0	—	0	0	0	21	21	74	67	24
2025/11/3 20:00	0	—	0	0	0	21	21	72	102	27
2025/11/3 20:10	0	—	0	0	0	24	24	75	91	27
2025/11/3 20:20	0	—	0	0	0	24	24	73	93	28
2025/11/3 20:30	0	—	0	0	0	24	24	69	84	27
2025/11/3 20:40	0	—	0	0	0	24	24	70	71	27
2025/11/3 20:50	0	—	0	0	0	24	24	71	75	27
2025/11/3 21:00	0	—	0	0	0	24	24	66	77	37
2025/11/3 21:10	0	—	0	0	0	24	24	64	77	33
2025/11/3 21:20	0	—	0	0	0	24	24	64	98	27
2025/11/3 21:30	0	—	0	0	0	24	24	67	122	43
2025/11/3 21:40	0	—	0	0	0	24	24	67	124	41
2025/11/3 21:50	0	—	0	0	0	24	24	69	108	83
2025/11/3 22:00	0	—	0	0	0	24	24	69	82	93
2025/11/3 22:10	0	—	0	0	0	24	24	69	114	31
2025/11/3 22:20	0	—	0	0	0	24	24	71	137	69
2025/11/3 22:30	0	—	0	0	0	24	24	70	149	31
2025/11/3 22:40	0	—	0	0	0	25	25	70	162	35
2025/11/3 22:50	0	—	0	0	0	27	27	70	142	109
2025/11/3 23:00	0	—	0	0	0	27	27	74	102	59
2025/11/3 23:10	0	—	0	0	0	27	27	75	117	143
2025/11/3 23:20	0	—	0	0	0	27	27	76	147	116
2025/11/3 23:30	0	—	0	0	0	27	27	73	131	31
2025/11/3 23:40	0	—	0	0	0	27	27	74	133	48
2025/11/3 23:50	0	—	0	0	0	27	27	78	141	66
2025/11/4 0:00	0	—	0	0	0	27	27	102	164	99
2025/11/4 0:10	0	—	0	0	0	27	27	92	151	48
2025/11/4 0:20	0	—	0	0	0	30	30	81	164	58
2025/11/4 0:30	0	—	0	0	0	30	30	83	184	88
2025/11/4 0:40	0	—	0	0	0	30	30	110	252	34
2025/11/4 0:50	0	—	0	0	0	30	30	179	243	34
2025/11/4 1:00	0	—	0	0	0	30	30	100	258	34
2025/11/4 1:10	0	—	0	0	0	31	31	246	224	43
2025/11/4 1:20	0	—	0	0	0	33	33	121	223	46
2025/11/4 1:30	0	—	0	0	0	33	33	210	90	72
2025/11/4 1:40	0	—	0	0	0	33	33	176	143	41
2025/11/4 1:50	0	—	0	0	0	33	33	110	147	41
2025/11/4 2:00	0	—	0	0	0	35	35	98	154	39
2025/11/4 2:10	0	—	0	0	0	36	36	97	168	39
2025/11/4 2:20	0	—	0	0	0	36	36	230	80	57
2025/11/4 2:30	0	—	0	0	0	36	36	125	200	39
2025/11/4 2:40	0	—	0	0	0	36	36	103	211	39
2025/11/4 2:50	0	—	0	0	0	39	39	103	152	39
2025/11/4 3:00	0	—	0	0	0	39	39	105	204	40
2025/11/4 3:10	0	—	0	0	0	39	39	105	215	40
2025/11/4 3:20	0	—	0	0	0	39	39	113	229	47
2025/11/4 3:30	0	—	0	0	0	39	39	123	220	80
2025/11/4 3:40	0	—	0	0	0	40	40	118	239	50
2025/11/4 3:50	0	—	0	0	0	39	39	108	257	46
2025/11/4 4:00	0	—	0	0	0	39	39	216	243	49
2025/11/4 4:10	0	—	0	0	0	39	39	122	313	44
2025/11/4 4:20	0	—	0	0	0	39	39	113	296	42
2025/11/4 4:30	0	—	0	0	0	39	39	178	173	43
2025/11/4 4:40	0	—	0	0	0	39	39	175	215	47
2025/11/4 4:50	0	—	0	0	0	39	39	118	205	42
2025/11/4 5:00	0	—	0	0	0	39	39	162	116	43
2025/11/4 5:10	0	—	0	0	0	42	42	275	60	48
2025/11/4 5:20	0	—	0	0	0	46	46	160	115	49

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/4 5:30	0	—	0	0	0	47	47	150	174	47
2025/11/4 5:40	0	—	0	0	0	47	47	169	127	48
2025/11/4 5:50	0	—	0	0	0	51	51	160	113	50
2025/11/4 6:00	0	—	0	0	0	52	52	156	108	50
2025/11/4 6:10	0	—	0	0	0	54	54	160	159	52
2025/11/4 6:20	0	—	0	0	0	64	64	159	110	54
2025/11/4 6:30	0	—	0	0	0	59	59	158	166	54
2025/11/4 6:40	0	—	0	0	0	64	64	163	199	57
2025/11/4 6:50	0	—	0	0	0	58	58	206	121	67
2025/11/4 7:00	0	—	0	0	0	53	53	196	180	68
2025/11/4 7:10	0	—	0	0	0	47	47	153	144	48
2025/11/4 7:20	0	—	0	0	0	41	41	145	150	108
2025/11/4 7:30	0	—	0	0	0	38	38	161	121	71
2025/11/4 7:40	0	—	0	0	0	37	37	139	118	32
2025/11/4 7:50	0	—	0	0	0	30	30	125	158	26
2025/11/4 8:00	0	—	0	0	0	30	30	127	119	119
2025/11/4 8:10	0	—	0	0	0	25	25	157	100	69
2025/11/4 8:20	0	—	0	0	0	24	24	116	90	18
2025/11/4 8:30	0	—	0	0	0	23	23	123	82	14
2025/11/4 8:40	0	—	0	0	0	22	22	122	105	27
2025/11/4 8:50	0	—	0	0	0	20	20	111	142	9
2025/11/4 9:00	0	—	0	0	0	18	18	105	142	18
2025/11/4 9:10	0	—	0	0	0	18	18	100	93	8
2025/11/4 9:20	0	—	0	0	0	16	16	151	119	135
2025/11/4 9:30	0	—	0	0	0	16	16	117	111	58
2025/11/4 9:40	0	—	0	0.1	0.1	15	15	103	95	36
2025/11/4 9:50	0	—	0	0.1	0.1	15	15	121	56	23
2025/11/4 10:00	0	—	0	0.1	0.1	12	12	108	63	125
2025/11/4 10:10	0	—	0	0.1	0.1	12	12	102	52	78
2025/11/4 10:20	0	—	0	0.1	0.1	14	14	133	50	83
2025/11/4 10:30	0	—	0	0.1	0.1	12	12	165	46	153
2025/11/4 10:40	0	—	0	0	0.1	13	13	155	103	135
2025/11/4 10:50	0	—	0	0	0.1	9	9	149	108	92
2025/11/4 11:00	0	—	0	0	0.1	9	9	139	72	83
2025/11/4 11:10	0	—	0	0	0.1	9	9	161	52	86
2025/11/4 11:20	0	—	0	0	0.1	37	37	152	69	86
2025/11/4 11:30	0	—	0	0	0.1	34	34	146	66	118
2025/11/4 11:40	0	—	0	0	0.1	7	7	167	48	106
2025/11/4 11:50	0	—	0	0	0.1	18	18	133	31	73
2025/11/4 12:00	0	—	0	0	0.1	11	11	150	36	80
2025/11/4 12:10	0	—	0	0	0.1	6	6	157	31	109
2025/11/4 12:20	0	—	0	0	0.1	10	10	141	4	107
2025/11/4 12:30	0	—	0	0	0.1	24	24	142	1	120
2025/11/4 12:40	0	—	0	0	0.1	9	9	148	7	89
2025/11/4 12:50	0	—	0	0	0.1	12	12	110	4	95
2025/11/4 13:00	0	—	0	0	0.1	2	2	119	26	62
2025/11/4 13:10	0	—	0	0	0.1	13	13	170	34	163
2025/11/4 13:20	0	—	0	0	0.1	1	1	104	46	49
2025/11/4 13:30	0	—	0	0	0.1	15	15	155	78	93
2025/11/4 13:40	0	—	0	0	0.1	25	25	145	5	101
2025/11/4 13:50	0.1	—	0	0	0.1	28	28	125	24	98
2025/11/4 14:00	0.1	—	0	0	0.1	21	21	205	113	103
2025/11/4 14:10	0.1	—	0	0	0.1	54	54	129	21	144
2025/11/4 14:20	0.1	—	0	0	0	108	108	187	70	227
2025/11/4 14:30	0.1	—	0	0	0	92	92	144	9	149
2025/11/4 14:40	0	—	0	0	0	130	130	143	8	167
2025/11/4 14:50	0.1	—	0	0	0	99	99	256	79	222
2025/11/4 15:00	0.1	—	0	0	0	39	39	204	65	175
2025/11/4 15:10	0.1	—	0	0	0	150	150	263	61	216
2025/11/4 15:20	0	—	0	0	0	159	159	229	71	230
2025/11/4 15:30	0	—	0	0	0	150	150	278	72	229
2025/11/4 15:40	0	—	0	0	0	171	171	277	39	282
2025/11/4 15:50	0	—	0	0	0	70	70	285	95	207
2025/11/4 16:00	0	—	0	0	0	147	147	301	68	277
2025/11/4 16:10	0	—	0	0	0	62	62	342	193	154
2025/11/4 16:20	0	—	0	0	0	91	91	334	188	223
2025/11/4 16:30	0	—	0	0	0	51	51	372	244	183
2025/11/4 16:40	0	—	0	0	0	134	134	294	109	255
2025/11/4 16:50	0	—	0	0	0	126	126	238	90	244
2025/11/4 17:00	0	—	0	0	0	110	110	218	49	187
2025/11/4 17:10	0	—	0	0	0	115	115	202	68	197
2025/11/4 17:20	0	—	0	0	0	102	102	217	84	184
2025/11/4 17:30	0	—	0	0	0	88	88	220	59	183

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/4 17:40	0	—	0	0	0	85	85	182	55	204
2025/11/4 17:50	0	—	0	0	0	92	92	194	46	183
2025/11/4 18:00	0	—	0	0	0	78	78	228	37	185
2025/11/4 18:10	0	—	0	0	0	100	100	246	43	246
2025/11/4 18:20	0	—	0	0	0	147	147	269	36	328
2025/11/4 18:30	0	—	0	0	0	101	101	303	42	296
2025/11/4 18:40	0	—	0	0	0	133	133	279	53	309
2025/11/4 18:50	0	—	0	0	0	128	128	253	44	295
2025/11/4 19:00	0	—	0	0	0	151	151	229	45	300
2025/11/4 19:10	0	—	0	0	0	157	157	199	30	316
2025/11/4 19:20	0	—	0	0	0	187	187	143	22	317
2025/11/4 19:30	0	—	0	0	0	238	238	146	28	308
2025/11/4 19:40	0	—	0	0	0	156	156	172	30	296
2025/11/4 19:50	0	—	0	0	0	235	235	179	65	397
2025/11/4 20:00	0	—	0	0	0	229	229	215	67	384
2025/11/4 20:10	0	—	0	0	0	86	86	225	44	294
2025/11/4 20:20	0	—	0	0	0	93	93	259	47	301
2025/11/4 20:30	0	—	0	0	0	77	77	332	70	128
2025/11/4 20:40	0	—	0	0	0	60	60	200	171	71
2025/11/4 20:50	0	—	0	0	0	51	51	315	73	113
2025/11/4 21:00	0	—	0	0	0	208	208	170	44	185
2025/11/4 21:10	0	—	0	0	0	118	118	212	188	136
2025/11/4 21:20	0	—	0	0	0	72	72	305	79	187
2025/11/4 21:30	0	—	0	0	0	106	106	240	79	232
2025/11/4 21:40	0	—	0	0	0	70	70	194	186	86
2025/11/4 21:50	0	—	0	0	0	62	62	160	260	72
2025/11/4 22:00	0	—	0	0	0	58	58	159	179	63
2025/11/4 22:10	0	—	0	0	0	62	62	160	234	60
2025/11/4 22:20	0	—	0	0	0	61	61	162	140	57
2025/11/4 22:30	0	—	0	0	0	60	60	164	286	58
2025/11/4 22:40	0	—	0	0	0	64	64	165	238	64
2025/11/4 22:50	0	—	0	0	0	70	70	168	156	64
2025/11/4 23:00	0	—	0	0	0	88	88	184	218	86
2025/11/4 23:10	0	—	0	0	0	100	100	202	201	95
2025/11/4 23:20	0	—	0	0	0	98	98	210	131	95
2025/11/4 23:30	0	—	0	0	0	92	92	204	329	103
2025/11/4 23:40	0	—	0	0	0	93	93	196	242	145
2025/11/4 23:50	0	—	0	0	0	101	101	209	264	102
2025/11/5 0:00	0	—	0	0	0	100	71	215	296	111
2025/11/5 0:10	0	—	0	0	0	90	63	200	256	92
2025/11/5 0:20	0	—	0	0	0	77	61	176	225	103
2025/11/5 0:30	0	—	0	0	0	78	54	179	283	80
2025/11/5 0:40	0	—	0	0	0	81	55	186	212	101
2025/11/5 0:50	0	—	0	0	0	90	62	196	213	90
2025/11/5 1:00	0	—	0	0	0	94	65	204	222	99
2025/11/5 1:10	0	—	0	0	0	87	66	196	237	90
2025/11/5 1:20	0	—	0	0	0	84	64	204	190	84
2025/11/5 1:30	0	—	0	0	0	81	61	195	170	94
2025/11/5 1:40	0	—	0	0	0	82	62	188	157	100
2025/11/5 1:50	0	—	0	0	0	89	69	197	156	100
2025/11/5 2:00	0	—	0	0	0	87	61	196	159	97
2025/11/5 2:10	0	—	0	0	0	76	46	188	155	82
2025/11/5 2:20	0	—	0	0	0	88	57	198	181	109
2025/11/5 2:30	0	—	0	0	0	92	69	202	208	97
2025/11/5 2:40	0	—	0	0	0	89	65	198	213	87
2025/11/5 2:50	0	—	0	0	0	91	65	202	222	89
2025/11/5 3:00	0	—	0	0	0	95	70	205	221	92
2025/11/5 3:10	0	—	0	0	0	95	70	203	130	93
2025/11/5 3:20	0	—	0	0	0	85	61	190	209	81
2025/11/5 3:30	0	—	0	0	0	80	57	186	213	77
2025/11/5 3:40	0	—	0	0	0	69	44	175	211	66
2025/11/5 3:50	0	—	0	0	0	64	43	172	160	63
2025/11/5 4:00	0	—	0	0	0	69	41	172	162	63
2025/11/5 4:10	0	—	0	0	0	68	40	171	179	62
2025/11/5 4:20	0	—	0	0	0	69	42	171	177	64
2025/11/5 4:30	0	—	0	0	0	70	51	175	184	67
2025/11/5 4:40	0	—	0	0	0	66	44	168	184	59
2025/11/5 4:50	0	—	0	0	0	61	39	166	165	54
2025/11/5 5:00	0	—	0	0	0	61	37	170	141	58
2025/11/5 5:10	0	—	0	0	0	65	43	176	111	62
2025/11/5 5:20	0	—	0	0	0	71	52	182	118	65
2025/11/5 5:30	0	—	0	0	0	77	62	184	135	71
2025/11/5 5:40	0	—	0	0	0	72	52	176	112	69

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/5 5:50	0	—	0	0	0	71	57	179	116	69
2025/11/5 6:00	0	—	0	0	0	81	74	188	111	73
2025/11/5 6:10	0	—	0	0	0	85	59	196	103	80
2025/11/5 6:20	0	—	0	0	0	71	45	191	147	74
2025/11/5 6:30	0	—	0	0	0	68	43	187	168	72
2025/11/5 6:40	0	—	0	0	0	71	44	187	172	67
2025/11/5 6:50	0	—	0	0	0	77	57	185	138	89
2025/11/5 7:00	0	—	0	0	0	79	65	184	184	90
2025/11/5 7:10	0	—	0	0	0	62	42	171	144	76
2025/11/5 7:20	0	—	0	0	0	57	38	167	162	94
2025/11/5 7:30	0	—	0	0	0	61	41	171	178	66
2025/11/5 7:40	0	—	0	0	0	54	40	161	194	74
2025/11/5 7:50	0	—	0	0	0	52	35	159	211	50
2025/11/5 8:00	0	—	0	0	0	54	36	162	172	69
2025/11/5 8:10	0	—	0	0	0	51	34	164	116	97
2025/11/5 8:20	0	—	0	0	0	52	35	165	116	116
2025/11/5 8:30	0	—	0	0	0	43	35	153	161	63
2025/11/5 8:40	0	—	0	0	0	36	30	144	122	103
2025/11/5 8:50	0	—	0	0	0	43	40	152	143	46
2025/11/5 9:00	0	—	0	0	0	51	34	166	181	52
2025/11/5 9:10	0	—	0	0	0	46	34	161	180	46
2025/11/5 9:20	0	—	0	0	0	48	37	165	176	60
2025/11/5 9:30	0	—	0	0	0	51	33	164	138	52
2025/11/5 9:40	0	—	0	0	0	48	34	164	152	61
2025/11/5 9:50	0	—	0	0	0	62	42	164	137	66
2025/11/5 10:00	0	—	0	0	0	60	44	170	129	64
2025/11/5 10:10	0	—	0	0	0	53	41	161	83	74
2025/11/5 10:20	0	—	0	0	0	58	47	166	91	59
2025/11/5 10:30	0	—	0	0	0	51	40	168	74	85
2025/11/5 10:40	0	—	0	0	0	26	26	170	58	77
2025/11/5 10:50	0	—	0	0	0	19	23	158	59	66
2025/11/5 11:00	0	—	0	0	0	27	33	169	63	64
2025/11/5 11:10	0	—	0	0	0	31	19	146	54	62
2025/11/5 11:20	0	—	0	0	0	27	23	164	61	79
2025/11/5 11:30	0	—	0	0	0	28	17	163	62	104
2025/11/5 11:40	0	—	0	0	0	23	27	158	63	110
2025/11/5 11:50	0	—	0	0	0	25	17	184	56	108
2025/11/5 12:00	0	—	0	0	0	20	12	179	52	136
2025/11/5 12:10	0	—	0	0	0	15	9	149	44	137
2025/11/5 12:20	0	—	0	0	0	8	10	152	54	132
2025/11/5 12:30	0	—	0	0	0	7	9	146	48	90
2025/11/5 12:40	0	—	0	0	0	7	10	126	55	88
2025/11/5 12:50	0	—	0	0	0	7	9	120	67	42
2025/11/5 13:00	0	—	0	0	0	6	9	126	60	106
2025/11/5 13:10	0	—	0	0	0	16	8	131	82	86
2025/11/5 13:20	0	—	0	0	0	24	13	131	62	145
2025/11/5 13:30	0	—	0	0	0	30	24	180	88	170
2025/11/5 13:40	0	—	0	0	0	24	11	150	89	159
2025/11/5 13:50	0	—	0	0	0	25	15	172	69	189
2025/11/5 14:00	0	—	0	0	0	11	16	138	104	103
2025/11/5 14:10	0	—	0	0	0	13	9	201	100	186
2025/11/5 14:20	0	—	0	0	0	15	13	169	98	149
2025/11/5 14:30	0	—	0	0	0	11	14	135	111	147
2025/11/5 14:40	0	—	0	0	0	14	10	137	103	149
2025/11/5 14:50	0	—	0	0	0	17	12	136	164	154
2025/11/5 15:00	0	—	0	0	0	25	18	134	154	353
2025/11/5 15:10	0	—	0	0	0	26	21	161	159	201
2025/11/5 15:20	0	—	0	0	0	32	15	147	156	265
2025/11/5 15:30	0	—	0	0	0	48	47	155	198	227
2025/11/5 15:40	0	—	0	0	0	51	44	196	187	205
2025/11/5 15:50	0	—	0	0	0	53	44	164	206	103
2025/11/5 16:00	0	—	0	0	0	75	78	190	206	409
2025/11/5 16:10	0	—	0	0	0	76	89	191	265	308
2025/11/5 16:20	0	—	0	0	0	89	101	242	230	383
2025/11/5 16:30	0	—	0	0	0	67	55	200	238	205
2025/11/5 16:40	0	—	0	0	0	205	171	277	242	432
2025/11/5 16:50	0	—	0	0	0	142	186	340	319	193
2025/11/5 17:00	0	—	0.4	0	0	162	163	284	305	194
2025/11/5 17:10	0	—	0	0	0	190	190	364	325	229
2025/11/5 17:20	0	—	0	0	0	190	164	334	255	222
2025/11/5 17:30	0	—	0	0	0	203	185	397	325	292
2025/11/5 17:40	0	—	0	0	0	211	203	402	285	236
2025/11/5 17:50	0	—	0	0	0	258	156	337	346	393

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/5 18:00	0	—	0	0	0	208	147	362	350	253
2025/11/5 18:10	0	—	0	0	0	157	120	300	262	255
2025/11/5 18:20	0	—	0	0	0	150	98	323	361	217
2025/11/5 18:30	0	—	0	0	0	106	71	249	343	120
2025/11/5 18:40	0	—	0	0	0	95	65	231	242	103
2025/11/5 18:50	0	—	0	0	0	117	83	251	272	127
2025/11/5 19:00	0	—	0	0	0	118	84	251	203	119
2025/11/5 19:10	0	—	0	0	0	119	87	253	190	180
2025/11/5 19:20	0	—	0	0	0	128	100	264	219	161
2025/11/5 19:30	0	—	0	0	0	139	112	265	213	144
2025/11/5 19:40	0	—	0	0	0	145	109	269	216	161
2025/11/5 19:50	0	—	0	0	0	136	109	376	268	157
2025/11/5 20:00	0	—	0	0	0	130	107	262	229	135
2025/11/5 20:10	0	—	0	0	0	137	110	271	204	142
2025/11/5 20:20	0	—	0	0	0	154	123	293	273	157
2025/11/5 20:30	0	—	0	0	0	157	126	285	236	161
2025/11/5 20:40	0	—	0	0	0	159	135	266	221	153
2025/11/5 20:50	0	—	0	0	0	123	109	238	181	125
2025/11/5 21:00	0	—	0	0	0	117	86	239	178	115
2025/11/5 21:10	0	—	0	0	0	119	86	237	183	137
2025/11/5 21:20	0	—	0	0	0	115	81	236	184	117
2025/11/5 21:30	0	—	0	0	0	116	86	238	198	114
2025/11/5 21:40	0	—	0	0	0	133	105	253	217	135
2025/11/5 21:50	0	—	0	0	0	142	119	259	257	137
2025/11/5 22:00	0	—	0	0	0	139	110	261	234	139
2025/11/5 22:10	0	—	0	0	0	152	119	278	224	162
2025/11/5 22:20	0	—	0	0	0	148	115	275	212	178
2025/11/5 22:30	0	—	0	0	0	137	103	259	216	134
2025/11/5 22:40	0	—	0	0	0	123	93	247	216	127
2025/11/5 22:50	0	—	0	0	0	111	81	234	178	120
2025/11/5 23:00	0	—	0	0	0	100	73	223	188	112
2025/11/5 23:10	0	—	0	0	0	96	68	221	183	122
2025/11/5 23:20	0	—	0	0	0	98	64	221	175	115
2025/11/5 23:30	0	—	0	0	0	98	64	219	176	102
2025/11/5 23:40	0	—	0	0	0	91	67	218	185	87
2025/11/5 23:50	0	—	0	0	0	102	72	223	175	93
2025/11/6 0:00	0	—	0	0	0	92	78	217	155	86
2025/11/6 0:10	0	—	0	0	0	87	70	217	161	83
2025/11/6 0:20	0	—	0	0	0	89	61	219	168	84
2025/11/6 0:30	0	—	0	0	0	92	65	221	166	95
2025/11/6 0:40	0	—	0	0	0	92	66	223	163	95
2025/11/6 0:50	0	—	0	0	0	77	51	210	167	82
2025/11/6 1:00	0	—	0	0	0	67	45	202	122	67
2025/11/6 1:10	0	—	0	0	0	62	37	195	126	61
2025/11/6 1:20	0	—	0	0	0	61	38	194	140	93
2025/11/6 1:30	0	—	0	0	0	59	37	192	135	94
2025/11/6 1:40	0	—	0	0	0	66	47	195	123	66
2025/11/6 1:50	0	—	0	0	0	64	39	197	111	83
2025/11/6 2:00	0	—	0	0	0	66	44	203	126	82
2025/11/6 2:10	0	—	0	0	0	71	52	228	116	139
2025/11/6 2:20	0	—	0	0	0	65	43	225	106	133
2025/11/6 2:30	0	—	0	0	0	62	42	214	102	124
2025/11/6 2:40	0	—	0	0	0	62	43	199	123	80
2025/11/6 2:50	0	—	0	0	0	59	37	199	97	78
2025/11/6 3:00	0	—	0	0	0	56	31	193	93	89
2025/11/6 3:10	0	—	0	0	0	62	37	202	108	71
2025/11/6 3:20	0	—	0	0	0	73	49	215	123	75
2025/11/6 3:30	0	—	0	0	0	78	54	220	128	76
2025/11/6 3:40	0	—	0	0	0	68	46	212	139	71
2025/11/6 3:50	0	—	0	0	0	59	30	200	103	57
2025/11/6 4:00	0	—	0	0	0	56	29	196	125	56
2025/11/6 4:10	0	—	0	0	0	58	40	196	108	55
2025/11/6 4:20	0	—	0	0	0	50	29	194	91	52
2025/11/6 4:30	0	—	0	0	0	49	28	192	127	49
2025/11/6 4:40	0	—	0	0	0	64	40	195	111	59
2025/11/6 4:50	0	—	0	0	0	62	42	192	123	60
2025/11/6 5:00	0	—	0	0	0	50	29	188	108	53
2025/11/6 5:10	0	—	0	0	0	52	32	192	89	56
2025/11/6 5:20	0	—	0	0	0	53	30	193	90	54
2025/11/6 5:30	0	—	0	0	0	63	38	200	120	63
2025/11/6 5:40	0	—	0	0	0	69	42	210	104	71
2025/11/6 5:50	0	—	0	0	0	91	62	221	120	83
2025/11/6 6:00	0	—	0	0	0	88	68	219	106	82

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/6 6:10	0	—	0	0	0	76	57	207	104	68
2025/11/6 6:20	0	—	0	0	0	68	49	198	90	62
2025/11/6 6:30	0	—	0	0	0	60	36	197	91	56
2025/11/6 6:40	0	—	0	0	0	63	38	198	111	66
2025/11/6 6:50	0	—	0	0	0	72	46	208	113	141
2025/11/6 7:00	0	—	0	0	0	69	46	203	152	81
2025/11/6 7:10	0	—	0	0	0	68	48	197	185	68
2025/11/6 7:20	0	—	0	0	0	69	49	202	177	77
2025/11/6 7:30	0	—	0	0	0	75	56	209	178	120
2025/11/6 7:40	0	—	0	0	0	75	54	210	171	73
2025/11/6 7:50	0	—	0	0	0	77	54	207	189	70
2025/11/6 8:00	0	—	0	0	0	88	50	206	155	71
2025/11/6 8:10	0	—	0	0	0	75	45	211	151	73
2025/11/6 8:20	0	—	0	0	0	68	43	205	166	66
2025/11/6 8:30	0	—	0	0	0	61	50	195	125	82
2025/11/6 8:40	0	—	0	0	0	66	56	197	130	100
2025/11/6 8:50	0	—	0	0	0	66	49	191	142	68
2025/11/6 9:00	0	—	0	0	0	44	24	179	106	55
2025/11/6 9:10	0	0	0	0	0	66	31	194	121	68
2025/11/6 9:20	0	0	0	0	0	71	47	197	125	74
2025/11/6 9:30	0	0	0	0	0	46	21	185	95	78
2025/11/6 9:40	0	0	0	0	0	30	18	162	75	46
2025/11/6 9:50	0	0	0	0	0	35	21	167	88	50
2025/11/6 10:00	0	0	0	0	0	50	25	170	92	82
2025/11/6 10:10	0	0	0	0	0	42	33	162	87	66
2025/11/6 10:20	0	0	0	0	0	35	28	156	84	50
2025/11/6 10:30	0	0	0	0	0	34	16	155	75	62
2025/11/6 10:40	0	0	0	0	0	36	12	161	55	83
2025/11/6 10:50	0	0	0	0	0	31	13	159	58	65
2025/11/6 11:00	0	0	0	0	0	36	19	169	73	57
2025/11/6 11:10	0	0	0	0	0	34	12	168	63	72
2025/11/6 11:20	0	0	0	0	0	35	9	167	68	76
2025/11/6 11:30	0	0	0	0	0	36	48	162	81	58
2025/11/6 11:40	0	0	0	0	0	22	3	151	66	66
2025/11/6 11:50	0	0	0	0	0	24	4	159	72	69
2025/11/6 12:00	0	0	0	0	0	20	4	148	54	85
2025/11/6 12:10	0	0	0	0	0	10	1	142	59	49
2025/11/6 12:20	0	0	0	0	0	1	1	132	41	54
2025/11/6 12:30	0	0	0	0	0	7	1	140	51	56
2025/11/6 12:40	0	0	0	0	0	5	1	138	43	71
2025/11/6 12:50	0	0	0	0	0	12	1	140	50	47
2025/11/6 13:00	0	0	0	0	0	2	1	137	35	74
2025/11/6 13:10	0	0	0	0	0	1	1	125	38	32
2025/11/6 13:20	0	0	0	0	0	1	12	128	44	70
2025/11/6 13:30	0	0	0	0	0	1	1	124	40	23
2025/11/6 13:40	0	0	0	0	0	2	1	127	42	58
2025/11/6 13:50	0	0	0	0	0	4	1	128	49	55
2025/11/6 14:00	0	0	0	0	0	1	1	123	40	41
2025/11/6 14:10	0	0	0	0	0	1	1	125	40	48
2025/11/6 14:20	0	0	0	0	0	1	1	127	32	52
2025/11/6 14:30	0	0	0	0	0	1	1	130	41	38
2025/11/6 14:40	0	0	0	0	0	1	1	128	40	69
2025/11/6 14:50	0	0	0	0	0	1	1	132	32	38
2025/11/6 15:00	0	0	0	0	0	3	1	132	44	25
2025/11/6 15:10	0	0	0	0	0	1	1	136	42	31
2025/11/6 15:20	0	0	0	0	0	1	1	136	43	50
2025/11/6 15:30	0	0	0	0	0	3	1	134	89	39
2025/11/6 15:40	0	0	0	0	0	5	1	136	64	71
2025/11/6 15:50	0	0	0	0	0	9	1	141	69	85
2025/11/6 16:00	0	0	0	0	0	14	1	147	78	79
2025/11/6 16:10	0	0	0	0	0	9	6	141	68	98
2025/11/6 16:20	0	0	0	0	0	19	4	150	84	77
2025/11/6 16:30	0	0	0	0	0	81	50	232	129	94
2025/11/6 16:40	0	0	0	0	0	122	39	276	154	170
2025/11/6 16:50	0	0	0	0	0	62	55	198	99	127
2025/11/6 17:00	0	0	0	0	0	66	49	210	109	92
2025/11/6 17:10	0	0	0	0	0	32	33	170	99	99
2025/11/6 17:20	0	0	0	0	0	27	165	159	87	44
2025/11/6 17:30	0	0	0	0	0	30	25	164	94	55
2025/11/6 17:40	0	0	0	0	0	43	24	177	100	65
2025/11/6 17:50	0	0	0	0	0	46	27	179	111	86
2025/11/6 18:00	0	0	0	0	0	41	28	185	100	120
2025/11/6 18:10	0	0	0	0	0	44	31	181	152	108

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/6 18:20	0	0	0	0	0	48	32	202	205	70
2025/11/6 18:30	0	0	0	0	0	56	54	303	216	121
2025/11/6 18:40	0	0	0	0	0	67	59	233	233	75
2025/11/6 18:50	0	0	0	0	0	78	60	210	202	74
2025/11/6 19:00	0	0	0	0	0	79	60	211	226	76
2025/11/6 19:10	0	0	0	0	0	77	61	212	186	77
2025/11/6 19:20	0	0	0	0	0	97	74	229	226	91
2025/11/6 19:30	0	0	0	0	0	113	82	251	216	173
2025/11/6 19:40	0	0	0	0	0	112	92	261	275	129
2025/11/6 19:50	0	0	0	0	0	115	105	261	288	123
2025/11/6 20:00	0	0	0	0	0	147	86	344	368	196
2025/11/6 20:10	0	0	0	0	0	174	99	628	211	291
2025/11/6 20:20	0	0	0	0	0	124	84	496	293	204
2025/11/6 20:30	0	0	0	0	0	108	137	279	192	120
2025/11/6 20:40	0	0	0	0	0	96	73	240	257	95
2025/11/6 20:50	0	0	0	0	0	90	61	295	285	279
2025/11/6 21:00	0	0	0	0	0	97	92	281	343	115
2025/11/6 21:10	0	0	0	0	0	103	86	496	205	239
2025/11/6 21:20	0	0	0	0	0	104	103	269	256	140
2025/11/6 21:30	0	0	0	0	0	100	65	235	254	140
2025/11/6 21:40	0	0	0	0	0	80	54	210	174	145
2025/11/6 21:50	0	0	0	0	0	63	33	196	197	130
2025/11/6 22:00	0	0	0	0	0	37	16	167	150	91
2025/11/6 22:10	0	0	0	0	0	19	15	147	142	76
2025/11/6 22:20	0	0	0	0	0	12	15	135	129	91
2025/11/6 22:30	0	0	0	0	0	12	15	123	175	93
2025/11/6 22:40	0	0	0	0	0	12	15	121	166	83
2025/11/6 22:50	0	0	0	0	0	12	15	121	235	66
2025/11/6 23:00	0	0	0	0	0	12	15	122	287	269
2025/11/6 23:10	0	0	0	0	0	13	15	123	334	60
2025/11/6 23:20	0	0	0	0	0	16	28	123	345	145
2025/11/6 23:30	0	0	0	0	0	16	61	126	216	21
2025/11/6 23:40	0	0	0	0	0	16	107	130	335	23
2025/11/6 23:50	0	0	0	0	0	22	18	131	496	33
2025/11/7 0:00	0	0	0	0	0	21	18	129	386	34
2025/11/7 0:10	0	0	0	0	0	21	23	132	428	27
2025/11/7 0:20	0	0	0	0	0	22	24	137	373	30
2025/11/7 0:30	0	0	0	0	0	25	21	133	381	49
2025/11/7 0:40	0	0	0	0	0	24	21	132	413	32
2025/11/7 0:50	0	0	0	0	0	50	26	332	278	287
2025/11/7 1:00	0	0	0	0	0	27	59	141	282	46
2025/11/7 1:10	0	0	0	0	0	181	315	464	225	427
2025/11/7 1:20	0	0	0	0	0	346	98	360	139	557
2025/11/7 1:30	0	0	0	0	0	333	259	312	100	403
2025/11/7 1:40	0	0	0	0	0	264	208	446	257	337
2025/11/7 1:50	0	0	0	0	0	226	189	591	232	306
2025/11/7 2:00	0	0	0	0	0	148	139	531	218	240
2025/11/7 2:10	0	0	0	0	0	164	133	462	188	255
2025/11/7 2:20	0	0	0	0	0	155	135	384	132	224
2025/11/7 2:30	0	0	0	0	0	136	131	356	169	174
2025/11/7 2:40	0	0	0	0	0	143	134	299	186	155
2025/11/7 2:50	0	0	0	0	0	142	147	294	182	146
2025/11/7 3:00	0	0	0	0	0	139	213	293	166	145
2025/11/7 3:10	0	0	0	0	0	129	205	290	176	131
2025/11/7 3:20	0	0	0	0	0	142	180	299	147	157
2025/11/7 3:30	0	0	0	0	0	145	186	287	136	150
2025/11/7 3:40	0	0	0	0	0	147	148	278	167	143
2025/11/7 3:50	0	0	0	0	0	140	135	259	229	134
2025/11/7 4:00	0	0	0	0	0	122	156	252	212	124
2025/11/7 4:10	0	0	0	0	0	123	100	255	237	123
2025/11/7 4:20	0	0	0	0	0	106	81	308	198	131
2025/11/7 4:30	0	0	0	0	0	91	54	258	124	91
2025/11/7 4:40	0	0	0	0	0	104	53	225	120	87
2025/11/7 4:50	0	0	0	0	0	126	141	231	102	104
2025/11/7 5:00	0	0	0	0	0	234	117	248	100	123
2025/11/7 5:10	0	0	0	0	0	164	114	251	94	123
2025/11/7 5:20	0	0	0	0	0	140	148	241	110	112
2025/11/7 5:30	0	0	0	0	0	147	134	350	171	149
2025/11/7 5:40	0	0	0	0	0	226	158	378	149	213
2025/11/7 5:50	0	0	0	0	0	226	177	329	165	213
2025/11/7 6:00	0	0	0	0	0	238	175	326	151	211
2025/11/7 6:10	0	0	0	0	0	212	203	296	143	185
2025/11/7 6:20	0	0	0	0	0	175	135	291	173	163

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/7 6:30	0	0	0	0	0	163	199	286	145	154
2025/11/7 6:40	0	0	0	0	0	152	161	276	144	150
2025/11/7 6:50	0	0	0	0	0	144	98	262	189	137
2025/11/7 7:00	0	0	0	0	0	125	142	261	147	122
2025/11/7 7:10	0	0	0	0	0	108	91	260	198	112
2025/11/7 7:20	0	0	0	0	0	87	69	268	166	263
2025/11/7 7:30	0	0	0	0	0	85	63	236	199	227
2025/11/7 7:40	0	0	0	0	0	62	79	216	189	91
2025/11/7 7:50	0	0	0	0	0	50	37	217	171	293
2025/11/7 8:00	0	0	0	0	0	93	34	208	134	255
2025/11/7 8:10	0	0	0	0	0	56	27	178	95	177
2025/11/7 8:20	0	0	0	0	0	39	32	159	125	105
2025/11/7 8:30	0	0	0	0	0	29	37	160	91	60
2025/11/7 8:40	0	0	0	0	0	50	41	154	73	101
2025/11/7 8:50	0	0	0	0	0	35	34	172	104	42
2025/11/7 9:00	0	0	0	0	0	78	42	188	53	61
2025/11/7 9:10	0	0	0	0	0	48	44	192	59	48
2025/11/7 9:20	0	0	0	0.1	0	30	42	184	61	40
2025/11/7 9:30	0	0	0	0.1	0	15	19	162	63	25
2025/11/7 9:40	0	0	0	0.1	0.1	1	13	147	54	12
2025/11/7 9:50	0	0	0	0.1	0.1	1	10	128	44	1
2025/11/7 10:00	0	0	0	0.1	0.1	1	8	115	19	1
2025/11/7 10:10	0	0	0	0.1	0.1	1	6	120	23	1
2025/11/7 10:20	0	0	0	0.1	0.1	1	5	121	31	1
2025/11/7 10:30	0	0	0	0.1	0.1	1	3	115	18	1
2025/11/7 10:40	0	0	0	0.1	0.1	1	3	114	21	1
2025/11/7 10:50	0	0	0	0	0.1	1	3	112	14	1
2025/11/7 11:00	0	0	0	0	0.1	1	1	115	21	1
2025/11/7 11:10	0	0	0	0	0.1	1	1	115	24	1
2025/11/7 11:20	0	0	0	0	0.1	1	1	118	22	1
2025/11/7 11:30	0	0	0	0	0.1	1	1	118	35	1
2025/11/7 11:40	0	0	0	0	0.1	1	1	120	51	1
2025/11/7 11:50	0	0	0	0	0.1	1	1	119	25	1
2025/11/7 12:00	0	0	0	0	0.1	1	1	119	27	1
2025/11/7 12:10	0	0	0	0	0.1	1	1	119	18	1
2025/11/7 12:20	0	0	0	0	0.1	1	1	121	26	1
2025/11/7 12:30	0	0	0	0	0.1	1	1	121	15	1
2025/11/7 12:40	0	0	0	0	0.1	1	1	123	15	1
2025/11/7 12:50	0	0	0	0	0.1	1	1	120	26	1
2025/11/7 13:00	0	0	0	0	0.1	1	1	117	14	10
2025/11/7 13:10	0	0	0	0	0.1	1	1	113	27	3
2025/11/7 13:20	0	0	0	0	0.1	1	1	118	51	33
2025/11/7 13:30	0	0	0	0	0.1	1	1	118	34	12
2025/11/7 13:40	0	0	0	0	0.1	1	1	118	34	66
2025/11/7 13:50	0.1	0	0	0	0.1	1	1	120	51	21
2025/11/7 14:00	0.1	0	0	0	0.1	1	1	120	37	7
2025/11/7 14:10	0.1	0	0	0	0.1	1	1	120	55	15
2025/11/7 14:20	0.1	0	0	0	0.1	1	1	121	61	17
2025/11/7 14:30	0.1	0	0	0	0.1	2	1	143	45	56
2025/11/7 14:40	0.1	0	0	0	0	5	1	139	57	39
2025/11/7 14:50	0.1	0	0	0	0	1	1	136	39	43
2025/11/7 15:00	0.1	0	0	0	0	21	1	168	81	65
2025/11/7 15:10	0.1	0	0	0	0	24	4	161	65	59
2025/11/7 15:20	0	0	0	0	0	1	1	137	57	33
2025/11/7 15:30	0	0	0	0	0	1	1	140	55	47
2025/11/7 15:40	0	0	0	0	0	2	12	143	54	70
2025/11/7 15:50	0	0	0	0	0	7	1	149	77	65
2025/11/7 16:00	0	0	0	0	0	1	1	133	54	88
2025/11/7 16:10	0	0	0	0	0	15	53	161	66	81
2025/11/7 16:20	0	0	0	0	0	7	27	147	83	73
2025/11/7 16:30	0	0	0	0	0	13	33	135	66	40
2025/11/7 16:40	0	0	0	0	0	4	24	120	59	20
2025/11/7 16:50	0	0	0	0	0	3	13	112	48	20
2025/11/7 17:00	0	0	0	0	0	3	36	113	59	29
2025/11/7 17:10	0	0	0	0	0	3	67	118	63	19
2025/11/7 17:20	0	0	0	0	0	6	36	121	67	31
2025/11/7 17:30	0	0	0	0	0	7	6	117	45	22
2025/11/7 17:40	0	0	0	0	0	6	9	107	68	19
2025/11/7 17:50	0	0	0	0	0	7	9	103	27	10
2025/11/7 18:00	0	0	0	0	0	9	9	108	47	12
2025/11/7 18:10	0	0	0	0	0	9	12	109	48	22
2025/11/7 18:20	0	0	0	0	0	9	12	113	58	12
2025/11/7 18:30	0	0	0	0	0	9	12	110	68	13

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/7 18:40	0	0	0	0	0	10	12	107	42	15
2025/11/7 18:50	0	0	0	0	0	12	12	106	36	15
2025/11/7 19:00	0	0	0	0	0	12	15	106	60	18
2025/11/7 19:10	0	0	0	0	0	12	15	106	32	15
2025/11/7 19:20	0	0	0	0	0	12	15	105	49	15
2025/11/7 19:30	0	0	0	0	0	12	15	103	59	16
2025/11/7 19:40	0	0	0	0	0	12	15	104	40	15
2025/11/7 19:50	0	0	0	0	0	12	15	114	55	15
2025/11/7 20:00	0	0	0	0	0	12	15	103	30	15
2025/11/7 20:10	0	0	0	0	0	12	15	99	40	15
2025/11/7 20:20	0	0	0	0	0	12	15	96	45	18
2025/11/7 20:30	0	0	0	0	0	14	15	96	49	18
2025/11/7 20:40	0	0	0	0	0	15	15	98	36	18
2025/11/7 20:50	0	0	0	0	0	15	15	96	40	18
2025/11/7 21:00	0	0	0	0	0	15	18	96	31	18
2025/11/7 21:10	0	0	0	0	0	15	18	94	33	18
2025/11/7 21:20	0	0	0	0	0	15	18	90	24	18
2025/11/7 21:30	0	0	0	0	0	15	18	94	23	18
2025/11/7 21:40	0	0	0	0	0	15	18	91	42	18
2025/11/7 21:50	0	0	0	0	0	15	18	89	35	18
2025/11/7 22:00	0	0	0	0	0	15	18	88	36	18
2025/11/7 22:10	0	0	0	0	0	15	18	89	54	18
2025/11/7 22:20	0	0	0	0	0	15	18	91	46	18
2025/11/7 22:30	0	0	0	0	0	15	18	94	38	21
2025/11/7 22:40	0	0	0	0	0	15	18	92	59	21
2025/11/7 22:50	0	0	0	0	0	18	18	91	65	21
2025/11/7 23:00	0	0	0	0	0	18	18	90	55	21
2025/11/7 23:10	0	0	0	0	0	18	18	92	80	21
2025/11/7 23:20	0	0	0	0	0	18	18	95	73	21
2025/11/7 23:30	0	0	0	0	0	18	21	96	69	21
2025/11/7 23:40	0	0	0	0	0	18	21	95	61	21
2025/11/7 23:50	0	0	0	0	0	18	21	95	51	21
2025/11/8 0:00	0	0	0	0	0	18	21	97	46	21
2025/11/8 0:10	0	0	0	0	0	18	21	93	65	26
2025/11/8 0:20	0	0	0	0	0	18	21	96	57	25
2025/11/8 0:30	0	0	0	0	0	18	21	96	42	21
2025/11/8 0:40	0	0	0	0	0	18	21	97	65	21
2025/11/8 0:50	0	0	0	0	0	18	21	96	65	67
2025/11/8 1:00	0	0	0	0	0	18	21	94	59	34
2025/11/8 1:10	0	0	0	0	0	18	21	95	71	22
2025/11/8 1:20	0	0	0	0	0	18	21	94	56	27
2025/11/8 1:30	0	0	0	0	0	18	21	90	39	27
2025/11/8 1:40	0	0	0	0	0	18	21	91	42	29
2025/11/8 1:50	0	0	0	0	0	20	21	92	30	106
2025/11/8 2:00	0	0	0	0	0	21	21	90	31	39
2025/11/8 2:10	0	0	0	0	0	21	21	93	49	84
2025/11/8 2:20	0	0	0	0	0	21	21	94	47	49
2025/11/8 2:30	0	0	0	0	0	21	22	98	55	68
2025/11/8 2:40	0	0	0	0	0	21	24	118	67	40
2025/11/8 2:50	0	0	0	0	0	21	24	113	50	43
2025/11/8 3:00	0	0	0	0	0	21	24	120	41	50
2025/11/8 3:10	0	0	0	0	0	21	24	168	36	56
2025/11/8 3:20	0	0	0	0	0	21	24	176	34	61
2025/11/8 3:30	0	0	0	0	0	23	24	111	96	30
2025/11/8 3:40	0	0	0	0	0	24	26	116	70	34
2025/11/8 3:50	0	0	0	0	0	24	27	178	50	108
2025/11/8 4:00	0	0	0	0	0	84	35	157	28	108
2025/11/8 4:10	0	0	0	0	0	70	40	238	59	103
2025/11/8 4:20	0	0	0	0	0	32	29	208	88	57
2025/11/8 4:30	0	0	0	0	0	59	43	236	55	229
2025/11/8 4:40	0	0	0	0	0	35	33	188	229	60
2025/11/8 4:50	0	0	0	0	0	30	45	172	163	49
2025/11/8 5:00	0	0	0	0	0	30	31	173	132	39
2025/11/8 5:10	0	0	0	0	0	30	30	176	92	45
2025/11/8 5:20	0	0	0	0	0	30	30	224	106	52
2025/11/8 5:30	0	0	0	0	0	33	31	258	51	59
2025/11/8 5:40	0	0	0	0	0	34	30	238	44	72
2025/11/8 5:50	0	0	0	0	0	124	44	191	39	198
2025/11/8 6:00	0	0	0	0	0	44	30	206	52	73
2025/11/8 6:10	0	0	0	0	0	45	38	187	128	58
2025/11/8 6:20	0	0	0	0	0	100	56	195	51	196
2025/11/8 6:30	0	0	0	0	0	90	36	201	48	145
2025/11/8 6:40	0	0	0	0	0	54	40	207	112	79

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/8 6:50	0	0	0	0	0	63	77	224	78	99
2025/11/8 7:00	0	0	0	0	0	35	28	157	134	43
2025/11/8 7:10	0	0	0	0	0	27	27	123	130	79
2025/11/8 7:20	0	0	0	0	0	27	29	126	134	35
2025/11/8 7:30	0	0	0	0	0	27	27	126	190	27
2025/11/8 7:40	0	0	0	0	0	24	27	128	128	55
2025/11/8 7:50	0	0	0	0	0	24	29	124	153	24
2025/11/8 8:00	0	0	0	0	0	24	27	123	125	54
2025/11/8 8:10	0	0	0	0	0	22	27	125	100	65
2025/11/8 8:20	0	0	0	0	0	21	27	134	58	80
2025/11/8 8:30	0	0	0	0	0	21	24	135	56	113
2025/11/8 8:40	0	0	0	0	0	20	24	163	60	62
2025/11/8 8:50	0	0	0	0	0	18	24	149	88	82
2025/11/8 9:00	0	0	0	0	0	18	21	129	111	23
2025/11/8 9:10	0	0	0	0	0	18	23	128	114	32
2025/11/8 9:20	0	0	0	0	0	24	24	130	99	18
2025/11/8 9:30	0	0	0	0	0	115	18	159	100	57
2025/11/8 9:40	0	0	0	0	0	86	18	151	75	105
2025/11/8 9:50	0	0	0	0	0	81	15	167	69	57
2025/11/8 10:00	0	0	0	0	0	115	15	179	56	98
2025/11/8 10:10	0	0	0	0	0	58	36	184	50	78
2025/11/8 10:20	0	0	0	0	0	43	134	165	56	78
2025/11/8 10:30	0	0	0	0	0	31	118	141	11	71
2025/11/8 10:40	0	0	0	0	0	85	250	190	93	100
2025/11/8 10:50	0	0	0	0	0	155	131	280	226	184
2025/11/8 11:00	0	0	0	0	0	88	151	311	225	129
2025/11/8 11:10	0	0	0	0	0	144	250	216	54	149
2025/11/8 11:20	0	0	0	0	0	70	108	199	31	124
2025/11/8 11:30	0	0	0	0	0	10	21	163	30	48
2025/11/8 11:40	0	0	0	0	0	15	28	149	2	61
2025/11/8 11:50	0	0	0	0	0.1	8	6	152	1	56
2025/11/8 12:00	0	0	0	0	0.1	13	9	151	1	62
2025/11/8 12:10	0	0	0	0	0	12	6	167	1	82
2025/11/8 12:20	0	0	0	0	0	9	7	158	1	76
2025/11/8 12:30	0	0	0	0	0	5	6	175	37	88
2025/11/8 12:40	0	0	0	0	0	14	9	175	1	111
2025/11/8 12:50	0	0	0	0	0	19	42	144	1	90
2025/11/8 13:00	0	0	0	0	0	19	20	187	3	118
2025/11/8 13:10	0	0	0	0	0	57	180	150	3	111
2025/11/8 13:20	0	0	0	0	0	174	157	178	3	169
2025/11/8 13:30	0	0	0	0	0	79	94	242	21	123
2025/11/8 13:40	0	0	0	0	0	101	162	213	21	120
2025/11/8 13:50	0	0	0	0	0	180	259	213	23	174
2025/11/8 14:00	0	0	0	0	0	172	224	349	123	213
2025/11/8 14:10	0	0	0	0	0	203	256	235	20	194
2025/11/8 14:20	0.1	0	0	0	0	58	112	241	67	117
2025/11/8 14:30	0.1	0	0	0	0	95	164	280	171	141
2025/11/8 14:40	0.1	0	0	0	0	153	210	346	130	190
2025/11/8 14:50	0	0	0	0	0	180	221	253	61	188
2025/11/8 15:00	0	0	0	0	0	157	168	321	76	214
2025/11/8 15:10	0	0	0	0	0	138	157	227	31	202
2025/11/8 15:20	0	0	0	0	0	53	72	257	45	120
2025/11/8 15:30	0	0	0	0	0	27	48	257	51	87
2025/11/8 15:40	0	0	0	0	0	30	45	238	24	92
2025/11/8 15:50	0	0	0	0	0	27	37	233	19	82
2025/11/8 16:00	0	0	0	0	0	26	28	213	12	76
2025/11/8 16:10	0	0	0	0	0	15	17	229	23	70
2025/11/8 16:20	0	0	0	0	0	15	15	203	18	75
2025/11/8 16:30	0	0	0	0	0	14	14	202	16	71
2025/11/8 16:40	0	0	0	0	0	23	21	185	13	87
2025/11/8 16:50	0	0	0	0	0	26	16	167	15	85
2025/11/8 17:00	0	0	0	0	0	18	17	167	15	68
2025/11/8 17:10	0	0	0	0	0	24	18	159	15	79
2025/11/8 17:20	0	0	0	0	0	27	18	168	15	92
2025/11/8 17:30	0	0	0	0	0	21	18	168	17	79
2025/11/8 17:40	0	0	0	0	0	25	19	173	18	99
2025/11/8 17:50	0	0	0	0	0	27	21	156	18	108
2025/11/8 18:00	0	0	0	0	0	27	22	159	19	83
2025/11/8 18:10	0	0	0	0	0	26	21	153	18	101
2025/11/8 18:20	0	0	0	0	0	35	21	153	18	116
2025/11/8 18:30	0	0	0	0	0	25	21	178	18	95
2025/11/8 18:40	0	0	0	0	0	24	21	163	18	109
2025/11/8 18:50	0	0	0	0	0	23	21	166	37	83

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/8 19:00	0	0	0	0	0	25	21	195	72	94
2025/11/8 19:10	0	0	0	0	0	22	21	186	47	107
2025/11/8 19:20	0	0	0	0	0	23	21	181	29	103
2025/11/8 19:30	0	0	0	0	0	21	21	169	39	145
2025/11/8 19:40	0	0	0	0	0	28	21	171	38	121
2025/11/8 19:50	0	0	0	0	0	20	21	164	28	105
2025/11/8 20:00	0	0	0	0	0	26	21	150	20	111
2025/11/8 20:10	0	0	0	0	0	30	21	148	18	135
2025/11/8 20:20	0	0	0	0	0	28	21	147	18	108
2025/11/8 20:30	0	0	0	0	0	19	21	150	18	94
2025/11/8 20:40	0	0	0	0	0	19	21	170	18	74
2025/11/8 20:50	0	0	0	0	0	23	21	157	18	112
2025/11/8 21:00	0	0	0	0	0	20	21	149	18	106
2025/11/8 21:10	0	0	0	0	0	21	21	156	18	102
2025/11/8 21:20	0	0	0	0	0	44	21	149	18	115
2025/11/8 21:30	0	0	0	0	0	26	21	181	18	149
2025/11/8 21:40	0	0	0	0	0	45	20	181	18	184
2025/11/8 21:50	0	0	0	0	0	20	18	195	38	118
2025/11/8 22:00	0	0	0	0	0	18	18	191	21	92
2025/11/8 22:10	0	0	0	0	0	18	18	205	53	66
2025/11/8 22:20	0	0	0	0	0	18	18	162	95	34
2025/11/8 22:30	0	0	0	0	0	18	18	134	107	38
2025/11/8 22:40	0	0	0	0	0	18	18	193	80	99
2025/11/8 22:50	0	0	0	0	0	18	18	167	105	38
2025/11/8 23:00	0	0	0	0	0	18	18	174	77	69
2025/11/8 23:10	0	0	0	0	0	19	18	225	32	159
2025/11/8 23:20	0	0	0	0	0	18	18	147	150	24
2025/11/8 23:30	0	0	0	0	0	18	20	137	107	22
2025/11/8 23:40	0	0	0	0	0	18	21	192	102	60
2025/11/8 23:50	0	0	0	0	0	18	21	241	32	131
2025/11/9 0:00	0	0	0	0	0	18	21	175	159	27
2025/11/9 0:10	0	0	0	0	0	19	21	145	117	23
2025/11/9 0:20	0	0	0	0	0	21	21	144	126	27
2025/11/9 0:30	0	0	0	0	0	21	21	139	114	46
2025/11/9 0:40	0	0	0	0	0	21	21	141	82	107
2025/11/9 0:50	0	0	0	0	0	21	21	135	141	22
2025/11/9 1:00	0	0	0	0	0	21	21	145	98	75
2025/11/9 1:10	0	0	0	0	0	21	21	138	85	54
2025/11/9 1:20	0	0	0	0	0	21	21	143	90	34
2025/11/9 1:30	0	0	0	0	0	21	21	145	94	25
2025/11/9 1:40	0	0	0	0	0	21	21	146	108	24
2025/11/9 1:50	0	0	0	0	0	21	21	143	123	26
2025/11/9 2:00	0	0	0	0	0	21	21	141	105	24
2025/11/9 2:10	0	0	0	0	0	21	21	140	96	31
2025/11/9 2:20	0	0	0	0	0	21	21	138	70	65
2025/11/9 2:30	0	0	0	0	0	21	21	137	96	21
2025/11/9 2:40	0	0	0	0	0	21	21	138	95	33
2025/11/9 2:50	0	0	0	0	0	21	21	136	86	28
2025/11/9 3:00	0	0	0	0	0	21	23	134	90	38
2025/11/9 3:10	0	0	0	0	0	21	24	136	114	21
2025/11/9 3:20	0	0	0	0	0	21	24	141	115	25
2025/11/9 3:30	0	0	0	0	0	21	24	141	84	27
2025/11/9 3:40	0	0	0	0	0	21	24	141	74	24
2025/11/9 3:50	0	0	0	0	0	23	24	139	127	33
2025/11/9 4:00	0	0	0	0	0	24	24	137	67	25
2025/11/9 4:10	0	0	0	0	0	24	24	139	63	34
2025/11/9 4:20	0	0	0	0	0	24	24	145	105	27
2025/11/9 4:30	0	0	0	0	0	24	24	145	105	26
2025/11/9 4:40	0	0	0	0	0	24	24	143	131	24
2025/11/9 4:50	0	0	0	0	0	24	24	151	91	34
2025/11/9 5:00	0	0	0	0	0	24	24	158	66	34
2025/11/9 5:10	0	0	0	0	0	24	24	158	101	35
2025/11/9 5:20	0	0	0	0	0	24	24	153	80	45
2025/11/9 5:30	0	0	0	0	0	24	24	155	73	35
2025/11/9 5:40	0	0	0	0	0	26	25	164	66	54
2025/11/9 5:50	0	0	0	0	0	25	27	164	66	44
2025/11/9 6:00	0	0	0	0	0	24	27	161	65	33
2025/11/9 6:10	0	0	0	0	0	25	27	161	86	42
2025/11/9 6:20	0	0	0	0	0	27	27	171	62	45
2025/11/9 6:30	0	0	0	0	0	27	28	176	65	36
2025/11/9 6:40	0	0	0	0	0	27	30	171	83	35
2025/11/9 6:50	0	0	0	0	0	28	30	172	119	37
2025/11/9 7:00	0	0	0	0	0	34	30	182	122	43

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/9 7:10	0	0	0	0	0	30	31	173	103	35
2025/11/9 7:20	0	0	0	0	0	30	30	165	103	36
2025/11/9 7:30	0	0	0	0	0	30	30	160	116	31
2025/11/9 7:40	0	0	0	0	0	30	30	159	108	32
2025/11/9 7:50	0	0	0	0	0	30	32	234	59	60
2025/11/9 8:00	0	0	0	0	0	30	32	168	89	34
2025/11/9 8:10	0	0	0	0	0	30	30	168	81	37
2025/11/9 8:20	0	0	0	0	0	30	30	166	140	33
2025/11/9 8:30	0	0	0	0	0	31	30	170	96	36
2025/11/9 8:40	0	0	0	0	0	31	30	170	96	48
2025/11/9 8:50	0	0	0	0	0	36	30	191	82	52
2025/11/9 9:00	0	0	0	0	0	32	30	178	104	63
2025/11/9 9:10	0	0	0	0	0	35	30	189	77	75
2025/11/9 9:20	0	0	0	0	0	37	35	184	73	65
2025/11/9 9:30	0	0	0	0	0	37	52	181	85	57
2025/11/9 9:40	0	0	0	0	0	34	70	180	68	41
2025/11/9 9:50	0	0	0	0	0	42	72	185	73	39
2025/11/9 10:00	0	0	0	0	0	36	36	226	80	59
2025/11/9 10:10	0	0	0	0	0	31	29	228	55	88
2025/11/9 10:20	0	0	0	0	0	41	34	197	62	60
2025/11/9 10:30	0	0	0	0	0	64	34	181	67	56
2025/11/9 10:40	0	0	0	0	0	33	27	175	85	40
2025/11/9 10:50	0	0	0	0	0	39	27	206	53	92
2025/11/9 11:00	0	0	0	0	0	39	35	192	62	53
2025/11/9 11:10	0	0	0	0	0	54	37	178	54	43
2025/11/9 11:20	0	0	0	0	0	74	32	178	42	63
2025/11/9 11:30	0	0	0	0	0	34	45	180	66	35
2025/11/9 11:40	0	0	0	0	0	43	44	179	43	51
2025/11/9 11:50	0	0	0	0	0	43	30	175	37	47
2025/11/9 12:00	0	0	0	0	0	52	34	172	56	56
2025/11/9 12:10	0	0	0	0	0	28	36	174	61	37
2025/11/9 12:20	0	0	0	0	0	24	18	174	74	34
2025/11/9 12:30	0	0	0	0	0	27	18	177	68	34
2025/11/9 12:40	0	0	0	0	0	23	18	177	67	37
2025/11/9 12:50	0	0	0	0	0	23	18	175	69	30
2025/11/9 13:00	0	0	0	0	0	23	19	176	83	31
2025/11/9 13:10	0	0	0	0	0	24	21	176	64	32
2025/11/9 13:20	0	0	0	0	0	23	22	177	77	31
2025/11/9 13:30	0	0	0	0	0	23	21	173	110	37
2025/11/9 13:40	0	0	0	0	0	22	22	171	104	46
2025/11/9 13:50	0	0	0	0	0	22	24	170	91	31
2025/11/9 14:00	0	0	0	0	0	27	24	170	56	35
2025/11/9 14:10	0	0	0	0	0	23	24	174	70	59
2025/11/9 14:20	0	0	0	0	0	22	21	166	87	33
2025/11/9 14:30	0	0	0	0	0	21	21	159	81	34
2025/11/9 14:40	0	0	0	0	0	20	21	162	60	47
2025/11/9 14:50	0	0	0	0	0	18	21	180	61	78
2025/11/9 15:00	0	0	0	0	0	18	18	160	92	28
2025/11/9 15:10	0	0	0	0	0	18	18	160	57	54
2025/11/9 15:20	0	0	0	0	0	18	18	155	44	35
2025/11/9 15:30	0	0	0	0	0	18	18	215	81	67
2025/11/9 15:40	0	0	0	0	0	21	18	171	48	48
2025/11/9 15:50	0	0	0	0	0	19	20	212	36	73
2025/11/9 16:00	0	0	0	0	0	21	21	207	51	80
2025/11/9 16:10	0	0	0	0	0	22	21	171	114	30
2025/11/9 16:20	0	0	0	0	0	21	21	162	116	31
2025/11/9 16:30	0	0	0	0	0	21	21	161	90	65
2025/11/9 16:40	0	0	0	0	0	21	21	168	97	66
2025/11/9 16:50	0	0	0	0	0	52	30	179	58	126
2025/11/9 17:00	0	0	0	0	0	87	60	187	60	197
2025/11/9 17:10	0	0	0	0	0	159	67	226	81	180
2025/11/9 17:20	0	0	0	0	0	128	22	268	73	182
2025/11/9 17:30	0	0	0	0	0	35	21	341	71	94
2025/11/9 17:40	0	0	0	0	0	59	23	227	49	122
2025/11/9 17:50	0	0	0	0	0	104	37	211	41	90
2025/11/9 18:00	0	0	0	0	0	60	101	190	37	53
2025/11/9 18:10	0	0	0	0	0	32	82	183	33	34
2025/11/9 18:20	0	0	0	0	0	90	58	186	36	56
2025/11/9 18:30	0	0	0	0	0	47	44	186	35	37
2025/11/9 18:40	0	0	0	0	0	33	33	188	59	36
2025/11/9 18:50	0	0	0	0	0	30	26	186	58	35
2025/11/9 19:00	0	0	0	0	0	29	22	189	55	37
2025/11/9 19:10	0	0	0	0	0	29	21	189	68	35

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/9 19:20	0	0	0	0	0	29	25	192	69	36
2025/11/9 19:30	0	0	0	0	0	30	33	197	48	39
2025/11/9 19:40	0	0	0	0	0	33	24	196	84	40
2025/11/9 19:50	0	0	0	0	0	33	24	196	103	39
2025/11/9 20:00	0	0	0	0	0	30	24	195	109	42
2025/11/9 20:10	0	0	0	0	0	29	24	195	103	34
2025/11/9 20:20	0	0	0	0	0	27	23	190	102	36
2025/11/9 20:30	0	0	0	0	0	29	21	189	84	41
2025/11/9 20:40	0	0	0	0	0	31	21	195	93	45
2025/11/9 20:50	0	0	0	0	0	27	21	191	100	36
2025/11/9 21:00	0	0	0	0	0	29	24	193	96	36
2025/11/9 21:10	0	0	0	0	0	30	24	192	115	36
2025/11/9 21:20	0	0	0	0	0	27	24	191	102	38
2025/11/9 21:30	0	0	0	0	0	27	24	191	109	37
2025/11/9 21:40	0	0	0	0	0	27	24	195	98	38
2025/11/9 21:50	0	0	0	0	0	27	24	195	92	38
2025/11/9 22:00	0	0	0	0	0	28	24	195	135	40
2025/11/9 22:10	0	0	0	0	0	29	24	198	166	39
2025/11/9 22:20	0	0	0	0	0	31	24	201	137	39
2025/11/9 22:30	0	0	0	0	0	32	24	202	151	41
2025/11/9 22:40	0	0	0	0	0	32	24	204	137	42
2025/11/9 22:50	0	0	0	0	0	32	24	202	132	40
2025/11/9 23:00	0	0	0	0	0	31	24	200	152	40
2025/11/9 23:10	0	0	0	0	0	34	24	204	117	42
2025/11/9 23:20	0	0	0	0	0	35	25	206	142	45
2025/11/9 23:30	0	0	0	0	0	35	25	205	153	42
2025/11/9 23:40	0	0	0	0	0	32	24	202	130	46
2025/11/9 23:50	0	0	0	0	0	34	24	205	140	43
2025/11/10 0:00	0	0	0	0	0	18	21	175	159	27
2025/11/10 0:10	0	0	0	0	0	19	21	145	117	23
2025/11/10 0:20	0	0	0	0	0	21	21	144	126	27
2025/11/10 0:30	0	0	0	0	0	21	21	139	114	46
2025/11/10 0:40	0	0	0	0	0	21	21	141	82	107
2025/11/10 0:50	0	0	0	0	0	21	21	135	141	22
2025/11/10 1:00	0	0	0	0	0	21	21	145	98	75
2025/11/10 1:10	0	0	0	0	0	21	21	138	85	54
2025/11/10 1:20	0	0	0	0	0	21	21	143	90	34
2025/11/10 1:30	0	0	0	0	0	21	21	145	94	25
2025/11/10 1:40	0	0	0	0	0	21	21	146	108	24
2025/11/10 1:50	0	0	0	0	0	21	21	143	123	26
2025/11/10 2:00	0	0	0	0	0	21	21	141	105	24
2025/11/10 2:10	0	0	0	0	0	21	21	140	96	31
2025/11/10 2:20	0	0	0	0	0	21	21	138	70	65
2025/11/10 2:30	0	0	0	0	0	21	21	137	96	21
2025/11/10 2:40	0	0	0	0	0	21	21	138	95	33
2025/11/10 2:50	0	0	0	0	0	21	21	136	86	28
2025/11/10 3:00	0	0	0	0	0	21	23	134	90	38
2025/11/10 3:10	0	0	0	0	0	21	24	136	114	21
2025/11/10 3:20	0	0	0	0	0	21	24	141	115	25
2025/11/10 3:30	0	0	0	0	0	21	24	141	84	27
2025/11/10 3:40	0	0	0	0	0	21	24	141	74	24
2025/11/10 3:50	0	0	0	0	0	23	24	139	127	33
2025/11/10 4:00	0	0	0	0	0	24	24	137	67	25
2025/11/10 4:10	0	0	0	0	0	24	24	139	63	34
2025/11/10 4:20	0	0	0	0	0	24	24	145	105	27
2025/11/10 4:30	0	0	0	0	0	24	24	145	105	26
2025/11/10 4:40	0	0	0	0	0	24	24	143	131	24
2025/11/10 4:50	0	0	0	0	0	24	24	151	91	34
2025/11/10 5:00	0	0	0	0	0	24	24	158	66	34
2025/11/10 5:10	0	0	0	0	0	24	24	158	101	35
2025/11/10 5:20	0	0	0	0	0	24	24	153	80	45
2025/11/10 5:30	0	0	0	0	0	24	24	155	73	35
2025/11/10 5:40	0	0	0	0	0	26	25	164	66	54
2025/11/10 5:50	0	0	0	0	0	25	27	164	66	44
2025/11/10 6:00	0	0	0	0	0	24	27	161	65	33
2025/11/10 6:10	0	0	0	0	0	25	27	161	86	42
2025/11/10 6:20	0	0	0	0	0	27	27	171	62	45
2025/11/10 6:30	0	0	0	0	0	27	28	176	65	36
2025/11/10 6:40	0	0	0	0	0	27	30	171	83	35
2025/11/10 6:50	0	0	0	0	0	28	30	172	119	37
2025/11/10 7:00	0	0	0	0	0	34	30	182	122	43
2025/11/10 7:10	0	0	0	0	0	30	31	173	103	35
2025/11/10 7:20	0	0	0	0	0	30	30	165	103	36

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/10 7:30	0	0	0	0	0	30	30	160	116	31
2025/11/10 7:40	0	0	0	0	0	30	30	159	108	32
2025/11/10 7:50	0	0	0	0	0	30	32	234	59	60
2025/11/10 8:00	0	0	0	0	0	30	32	168	89	34
2025/11/10 8:10	0	0	0	0	0	30	30	168	81	37
2025/11/10 8:20	0	0	0	0	0	30	30	166	140	33
2025/11/10 8:30	0	0	0	0	0	31	30	170	96	36
2025/11/10 8:40	0	0	0	0	0	31	30	170	96	48
2025/11/10 8:50	0	0	0	0	0	36	30	191	82	52
2025/11/10 9:00	0	0	0	0	0	32	30	178	104	63
2025/11/10 9:10	0	0	0	0	0	35	30	189	77	75
2025/11/10 9:20	0	0	0	0.1	0	37	35	184	73	65
2025/11/10 9:30	0	0	0	0.1	0	37	52	181	85	57
2025/11/10 9:40	0	0	0	0.1	0.1	34	70	180	68	41
2025/11/10 9:50	0	0	0	0.1	0.1	42	72	185	73	39
2025/11/10 10:00	0	0	0	0.1	0.1	36	36	226	80	59
2025/11/10 10:10	0	0	0	0.1	0.1	31	29	228	55	88
2025/11/10 10:20	0	0	0	0.1	0.1	41	34	197	62	60
2025/11/10 10:30	0	0	0	0.1	0.1	64	34	181	67	56
2025/11/10 10:40	0	0	0	0.1	0.1	33	27	175	85	40
2025/11/10 10:50	0	0	0	0.1	0.1	39	27	206	53	92
2025/11/10 11:00	0	0	0	0	0.1	39	35	192	62	53
2025/11/10 11:10	0	0	0	0	0.1	54	37	178	54	43
2025/11/10 11:20	0	0	0	0	0.1	74	32	178	42	63
2025/11/10 11:30	0	0	0	0	0	34	45	180	66	35
2025/11/10 11:40	0	0	0	0	0	43	44	179	43	51
2025/11/10 11:50	0	0	0	0	0	43	30	175	37	47
2025/11/10 12:00	0	0	0	0	0	52	34	172	56	56
2025/11/10 12:10	0	0	0	0	0	28	36	174	61	37
2025/11/10 12:20	0	0	0	0	0	24	18	174	74	34
2025/11/10 12:30	0	0	0	0	0	27	18	177	68	34
2025/11/10 12:40	0	0	0	0	0	23	18	177	67	37
2025/11/10 12:50	0	0	0	0	0	23	18	175	69	30
2025/11/10 13:00	0	0	0	0	0	23	19	176	83	31
2025/11/10 13:10	0	0	0	0	0	24	21	176	64	32
2025/11/10 13:20	0	0	0	0	0	23	22	177	77	31
2025/11/10 13:30	0	0	0	0	0	23	21	173	110	37
2025/11/10 13:40	0	0	0	0	0.1	22	22	171	104	46
2025/11/10 13:50	0	0	0	0	0.1	22	24	170	91	31
2025/11/10 14:00	0	0	0	0	0.1	27	24	170	56	35
2025/11/10 14:10	0.1	0	0	0	0.1	23	24	174	70	59
2025/11/10 14:20	0.1	0	0	0	0.1	22	21	166	87	33
2025/11/10 14:30	0.1	0	0	0	0.1	21	21	159	81	34
2025/11/10 14:40	0.1	0	0	0	0.1	20	21	162	60	47
2025/11/10 14:50	0.1	0	0	0	0	18	21	180	61	78
2025/11/10 15:00	0.1	0	0	0	0	18	18	160	92	28
2025/11/10 15:10	0.1	0	0	0	0	18	18	160	57	54
2025/11/10 15:20	0.1	0	0	0	0	18	18	155	44	35
2025/11/10 15:30	0	0	0	0	0	18	18	215	81	67
2025/11/10 15:40	0	0	0	0	0	21	18	171	48	48
2025/11/10 15:50	0	0	0	0	0	19	20	212	36	73
2025/11/10 16:00	0	0	0	0	0	21	21	207	51	80
2025/11/10 16:10	0	0	0	0	0	22	21	171	114	30
2025/11/10 16:20	0	0	0	0	0	21	21	162	116	31
2025/11/10 16:30	0	0	0	0	0	21	21	161	90	65
2025/11/10 16:40	0	0	0	0	0	21	21	168	97	66
2025/11/10 16:50	0	0	0	0	0	52	30	179	58	126
2025/11/10 17:00	0	0	0	0	0	87	60	187	60	197
2025/11/10 17:10	0	0	0	0	0	27	13	174	122	119
2025/11/10 17:20	0	0	0	0	0	29	15	178	164	98
2025/11/10 17:30	0	0	0	0	0	33	15	185	175	100
2025/11/10 17:40	0	0	0	0	0	21	17	159	137	92
2025/11/10 17:50	0	0	0	0	0	15	18	140	112	66
2025/11/10 18:00	0	0	0	0	0	15	18	130	121	109
2025/11/10 18:10	0	0	0	0	0	18	18	137	130	86
2025/11/10 18:20	0	0	0	0	0	18	21	133	96	66
2025/11/10 18:30	0	0	0	0	0	18	21	130	155	67
2025/11/10 18:40	0	0	0	0	0	18	21	131	135	73
2025/11/10 18:50	0	0	0	0	0	18	21	130	131	77
2025/11/10 19:00	0	0	0	0	0	20	21	134	108	92
2025/11/10 19:10	0	0	0	0	0	21	21	121	132	40
2025/11/10 19:20	0	0	0	0	0	21	22	118	128	63
2025/11/10 19:30	0	0	0	0	0	21	24	128	134	50

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/10 19:40	0	0	0	0	0	21	24	135	137	83
2025/11/10 19:50	0	0	0	0	0	21	24	142	110	71
2025/11/10 20:00	0	0	0	0	0	21	24	142	107	121
2025/11/10 20:10	0	0	0	0	0	22	24	142	143	65
2025/11/10 20:20	0	0	0	0	0	24	24	138	107	30
2025/11/10 20:30	0	0	0	0	0	24	25	134	122	28
2025/11/10 20:40	0	0	0	0	0	24	27	126	111	27
2025/11/10 20:50	0	0	0	0	0	24	27	119	107	27
2025/11/10 21:00	0	0	0	0	0	24	27	121	104	27
2025/11/10 21:10	0	0	0	0	0	24	27	121	110	31
2025/11/10 21:20	0	0	0	0	0	24	27	123	83	60
2025/11/10 21:30	0	0	0	0	0	24	27	121	132	88
2025/11/10 21:40	0	0	0	0	0	25	27	124	127	49
2025/11/10 21:50	0	0	0	0	0	27	27	118	97	158
2025/11/10 22:00	0	0	0	0	0	27	27	125	133	110
2025/11/10 22:10	0	0	0	0	0	27	27	127	130	183
2025/11/10 22:20	0	0	0	0	0	27	30	125	162	58
2025/11/10 22:30	0	0	0	0	0	27	30	126	152	30
2025/11/10 22:40	0	0	0	0	0	27	31	123	154	30
2025/11/10 22:50	0	0	0	0	0	27	30	119	156	30
2025/11/10 23:00	0	0	0	0	0	27	30	129	193	51
2025/11/10 23:10	0	0	0	0	0	27	31	131	146	34
2025/11/10 23:20	0	0	0	0	0	27	95	128	159	30
2025/11/10 23:30	0	0	0	0	0	27	30	118	193	32
2025/11/10 23:40	0	0	0	0	0	27	30	116	200	34
2025/11/10 23:50	0	0	0	0	0	27	30	115	231	33
2025/11/11 0:00	0	0	0	0	0	27	30	118	186	40
2025/11/11 0:10	0	0	0	0	0	27	30	121	174	33
2025/11/11 0:20	0	0	0	0	0	28	30	119	187	33
2025/11/11 0:30	0	0	0	0	0	30	30	125	196	33
2025/11/11 0:40	0	0	0	0	0	30	32	127	178	33
2025/11/11 0:50	0	0	0	0	0	30	33	125	217	33
2025/11/11 1:00	0	0	0	0	0	30	40	124	168	33
2025/11/11 1:10	0	0	0	0	0	30	36	125	208	33
2025/11/11 1:20	0	0	0	0	0	30	51	125	171	33
2025/11/11 1:30	0	0	0	0	0	30	62	126	209	33
2025/11/11 1:40	0	0	0	0	0	30	37	128	167	33
2025/11/11 1:50	0	0	0	0	0	30	34	131	197	35
2025/11/11 2:00	0	0	0	0	0	32	37	129	221	36
2025/11/11 2:10	0	0	0	0	0	33	33	129	211	36
2025/11/11 2:20	0	0	0	0	0	33	36	128	205	36
2025/11/11 2:30	0	0	0	0	0	33	36	130	235	39
2025/11/11 2:40	0	0	0	0	0	33	36	132	214	37
2025/11/11 2:50	0	0	0	0	0	33	36	126	204	49
2025/11/11 3:00	0	0	0	0	0	33	36	125	215	53
2025/11/11 3:10	0	0	0	0	0	33	36	122	218	50
2025/11/11 3:20	0	0	0	0	0	33	36	120	178	36
2025/11/11 3:30	0	0	0	0	0	33	35	120	191	36
2025/11/11 3:40	0	0	0	0	0	33	33	119	134	36
2025/11/11 3:50	0	0	0	0	0	33	33	118	129	36
2025/11/11 4:00	0	0	0	0	0	33	33	118	148	36
2025/11/11 4:10	0	0	0	0	0	31	33	118	207	38
2025/11/11 4:20	0	0	0	0	0	30	33	116	103	36
2025/11/11 4:30	0	0	0	0	0	30	33	118	97	36
2025/11/11 4:40	0	0	0	0	0	30	33	119	150	36
2025/11/11 4:50	0	0	0	0	0	30	33	120	146	33
2025/11/11 5:00	0	0	0	0	0	30	33	117	104	33
2025/11/11 5:10	0	0	0	0	0	30	33	119	159	33
2025/11/11 5:20	0	0	0	0	0	30	33	117	97	33
2025/11/11 5:30	0	0	0	0	0	30	33	118	97	34
2025/11/11 5:40	0	0	0	0	0	30	33	117	74	33
2025/11/11 5:50	0	0	0	0	0	30	33	119	63	33
2025/11/11 6:00	0	0	0	0	0	30	33	119	84	33
2025/11/11 6:10	0	0	0	0	0	30	33	120	69	33
2025/11/11 6:20	0	0	0	0	0	30	35	123	67	34
2025/11/11 6:30	0	0	0	0	0	30	30	119	100	34
2025/11/11 6:40	0	0	0	0	0	30	30	119	160	33
2025/11/11 6:50	0	0	0	0	0	30	31	120	146	33
2025/11/11 7:00	0	0	0	0	0	27	32	120	145	31
2025/11/11 7:10	0	0	0	0	0	27	43	124	185	30
2025/11/11 7:20	0	0	0	0	0	27	30	123	168	30
2025/11/11 7:30	0	0	0	0	0	27	30	119	181	28
2025/11/11 7:40	0	0	0	0	0	26	28	118	162	27

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/11 7:50	0	0	0	0	0	24	28	119	140	24
2025/11/11 8:00	0	0	0	0	0	29	27	116	181	24
2025/11/11 8:10	0	0	0	0	0	22	42	114	120	23
2025/11/11 8:20	0	0	0	0	0	21	58	118	97	21
2025/11/11 8:30	0	0	0	0	0	21	28	120	103	21
2025/11/11 8:40	0	0	0	0	0	20	29	122	104	21
2025/11/11 8:50	0	0	0	0	0	18	25	122	121	20
2025/11/11 9:00	0	0	0	0	0	18	21	126	104	18
2025/11/11 9:10	0	0	0	0	0	18	21	131	88	18
2025/11/11 9:20	0	0	0	0	0	18	27	126	68	19
2025/11/11 9:30	0	0	0	0	0	16	19	124	69	15
2025/11/11 9:40	0	0	0	0	0	15	95	125	57	20
2025/11/11 9:50	0	0	0	0	0	17	133	126	63	15
2025/11/11 10:00	0	0	0	0	0	18	56	136	70	37
2025/11/11 10:10	0	0	0	0	0	14	54	139	50	67
2025/11/11 10:20	0	0	0	0	0	19	26	144	57	33
2025/11/11 10:30	0	0	0	0	0	14	29	150	52	45
2025/11/11 10:40	0	0	0	0	0	9	31	133	44	13
2025/11/11 10:50	0	0	0	0	0	10	45	146	55	39
2025/11/11 11:00	0	0	0	0	0	9	49	141	44	41
2025/11/11 11:10	0	0	0	0	0	9	78	130	66	21
2025/11/11 11:20	0	0	0	0	0	9	24	126	73	8
2025/11/11 11:30	0	0	0	0	0	7	15	127	38	1
2025/11/11 11:40	0	0	0	0	0	6	29	125	41	1
2025/11/11 11:50	0	0	0	0	0	6	18	124	45	3
2025/11/11 12:00	0	0	0	0	0	6	6	124	55	1
2025/11/11 12:10	0	0	0	0	0	4	6	125	50	4
2025/11/11 12:20	0	0	0	0	0	5	6	141	49	32
2025/11/11 12:30	0	0	0	0	0	7	6	139	60	32
2025/11/11 12:40	0	0	0	0	0	6	9	128	43	29
2025/11/11 12:50	0	0	0	0	0	6	9	125	53	6
2025/11/11 13:00	0	0	0	0	0	6	28	124	43	5
2025/11/11 13:10	0	0	0	0	0	6	41	126	46	10
2025/11/11 13:20	0	0	0	0	0	6	32	133	52	6
2025/11/11 13:30	0	0	0	0	0	6	34	132	41	6
2025/11/11 13:40	0	0	0	0	0	6	63	131	39	6
2025/11/11 13:50	0	0	0	0	0	6	67	138	57	7
2025/11/11 14:00	0	0	0	0	0	6	64	136	66	17
2025/11/11 14:10	0	0	0	0	0	6	118	137	63	13
2025/11/11 14:20	0	0	0	0	0	6	20	124	30	8
2025/11/11 14:30	0	0	0	0	0	23	48	143	76	20
2025/11/11 14:40	0	0	0	0	0	6	13	124	39	6
2025/11/11 14:50	0	0	0	0	0	10	95	133	69	11
2025/11/11 15:00	0	0	0	0	0	48	91	182	102	77
2025/11/11 15:10	0	0	0	0	0	64	108	180	122	68
2025/11/11 15:20	0	0	0	0	0	52	42	194	107	124
2025/11/11 15:30	0	0	0	0	0	45	91	178	118	75
2025/11/11 15:40	0	0	0	0	0	20	76	166	84	92
2025/11/11 15:50	0	0	0	0	0	24	72	164	91	51
2025/11/11 16:00	0	0	0	0	0	27	35	195	88	61
2025/11/11 16:10	0	0	0	0	0	14	44	183	72	126
2025/11/11 16:20	0	0	0	0	0	15	141	169	90	56
2025/11/11 16:30	0	0	0	0	0	48	172	181	134	56
2025/11/11 16:40	0	0	0	0	0	13	142	148	94	26
2025/11/11 16:50	0	0	0	0	0	11	99	167	137	32
2025/11/11 17:00	0	0	0	0	0	12	98	154	100	24
2025/11/11 17:10	0	0	0	0	0	12	58	147	132	21
2025/11/11 17:20	0	0	0	0	0	12	26	142	147	40
2025/11/11 17:30	0	0	0	0	0	12	15	142	132	32
2025/11/11 17:40	0	0	0	0	0	13	15	138	127	34
2025/11/11 17:50	0	0	0	0	0	18	15	149	97	32
2025/11/11 18:00	0	0	0	0	0	16	17	144	146	25
2025/11/11 18:10	0	0	0	0	0	15	18	135	189	31
2025/11/11 18:20	0	0	0	0	0	15	18	130	207	21
2025/11/11 18:30	0	0	0	0	0	21	19	150	243	74
2025/11/11 18:40	0	0	0	0	0	22	21	143	218	61
2025/11/11 18:50	0	0	0	0	0	18	21	133	163	31
2025/11/11 19:00	0	0	0	0	0	18	21	133	192	23
2025/11/11 19:10	0	0	0	0	0	20	22	142	132	25
2025/11/11 19:20	0	0	0	0	0	21	24	139	121	24
2025/11/11 19:30	0	0	0	0	0	21	24	137	191	68
2025/11/11 19:40	0	0	0	0	0	21	24	149	224	98
2025/11/11 19:50	0	0	0	0	0	22	24	148	211	118

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/11 20:00	0	0	0	0	0	24	27	139	179	110
2025/11/11 20:10	0	0	0	0	0	25	27	152	239	79
2025/11/11 20:20	0	0	0	0	0	24	52	297	129	103
2025/11/11 20:30	0	0	0	0	0	26	204	160	191	59
2025/11/11 20:40	0	0	0	0	0	27	31	149	240	47
2025/11/11 20:50	0	0	0	0	0	27	33	157	164	37
2025/11/11 21:00	0	0	0	0	0	31	36	158	123	38
2025/11/11 21:10	0	0	0	0	0	30	30	158	152	40
2025/11/11 21:20	0	0	0	0	0	35	30	161	148	42
2025/11/11 21:30	0	0	0	0	0	32	31	157	152	41
2025/11/11 21:40	0	0	0	0	0	31	31	153	189	82
2025/11/11 21:50	0	0	0	0	0	33	82	163	154	47
2025/11/11 22:00	0	0	0	0	0	31	33	147	217	90
2025/11/11 22:10	0	0	0	0	0	30	33	161	225	103
2025/11/11 22:20	0	0	0	0	0	31	43	143	187	73
2025/11/11 22:30	0	0	0	0	0	30	33	129	170	134
2025/11/11 22:40	0	0	0	0	0	30	33	138	134	193
2025/11/11 22:50	0	0	0	0	0	30	33	152	167	102
2025/11/11 23:00	0	0	0	0	0	30	40	141	193	72
2025/11/11 23:10	0	0	0	0	0	165	93	159	123	154
2025/11/11 23:20	0	0	0	0	0	224	276	199	99	306
2025/11/11 23:30	0	0	0	0	0	78	73	248	347	212
2025/11/11 23:40	0	0	0	0	0	35	40	144	328	58
2025/11/11 23:50	0	0	0	0	0	34	36	144	267	82
2025/11/12 0:00	0	0	0	0	0	34	36	140	313	50
2025/11/12 0:10	0	0	0	0	0	33	37	149	278	166
2025/11/12 0:20	0	0	0	0	0	34	36	161	334	65
2025/11/12 0:30	0	0	0	0	0	33	36	149	348	49
2025/11/12 0:40	0	0	0	0	0	36	37	161	328	151
2025/11/12 0:50	0	0	0	0	0	36	36	202	261	114
2025/11/12 1:00	0	0	0	0	0	36	36	419	178	202
2025/11/12 1:10	0	0	0	0	0	36	39	192	276	106
2025/11/12 1:20	0	0	0	0	0	36	60	131	251	109
2025/11/12 1:30	0	0	0	0	0	36	40	128	211	53
2025/11/12 1:40	0	0	0	0	0	36	40	135	307	167
2025/11/12 1:50	0	0	0	0	0	36	40	345	97	132
2025/11/12 2:00	0	0	0	0	0	36	45	259	109	82
2025/11/12 2:10	0	0	0	0	0	37	191	144	98	53
2025/11/12 2:20	0	0	0	0	0	169	86	208	64	385
2025/11/12 2:30	0	0	0	0	0	42	113	362	193	126
2025/11/12 2:40	0	0	0	0	0	92	228	182	167	171
2025/11/12 2:50	0	0	0	0	0	183	190	234	115	193
2025/11/12 3:00	0	0	0	0	0	220	114	324	73	387
2025/11/12 3:10	0	0	0	0	0	271	209	166	46	140
2025/11/12 3:20	0	0	0	0	0	358	243	197	82	277
2025/11/12 3:30	0	0	0	0	0	308	176	239	94	281
2025/11/12 3:40	0	0	0	0	0	89	53	346	43	375
2025/11/12 3:50	0	0	0	0	0	140	72	314	88	365
2025/11/12 4:00	0	0	0	0	0	42	43	289	307	131
2025/11/12 4:10	0	0	0	0	0	115	59	315	52	258
2025/11/12 4:20	0	0	0	0	0	47	45	265	207	95
2025/11/12 4:30	0	0	0	0	0	39	43	218	122	181
2025/11/12 4:40	0	0	0	0	0	64	46	259	167	149
2025/11/12 4:50	0	0	0	0	0	146	96	345	77	262
2025/11/12 5:00	0	0	0	0	0	53	61	421	82	140
2025/11/12 5:10	0	0	0	0	0	66	181	242	126	123
2025/11/12 5:20	0	0	0	0	0	47	50	187	214	54
2025/11/12 5:30	0	0	0	0	0	41	43	208	91	51
2025/11/12 5:40	0	0	0	0	0	45	43	268	89	66
2025/11/12 5:50	0	0	0	0	0	51	43	220	155	62
2025/11/12 6:00	0	0	0	0	0	61	44	231	175	73
2025/11/12 6:10	0	0	0	0	0	56	44	194	106	55
2025/11/12 6:20	0	0	0	0	0	74	53	279	170	72
2025/11/12 6:30	0	0	0	0	0	97	296	248	107	87
2025/11/12 6:40	0	0	0	0	0	110	79	241	227	121
2025/11/12 6:50	0	0	0	0	0	164	183	322	124	290
2025/11/12 7:00	0	0	0	0	0	134	83	326	129	330
2025/11/12 7:10	0	0	0	0	0	73	94	293	161	151
2025/11/12 7:20	0	0	0	0	0	56	71	262	205	163
2025/11/12 7:30	0	0	0	0	0	33	42	168	150	45
2025/11/12 7:40	0	0	0	0	0	31	40	170	102	71
2025/11/12 7:50	0	0	0	0	0	30	40	168	123	88
2025/11/12 8:00	0	0	0	0	0	31	51	169	88	42

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/12 8:10	0	0	0	0	0	26	56	161	79	17
2025/11/12 8:20	0	0	0	0	0	24	38	146	90	11
2025/11/12 8:30	0	0	0	0	0	24	34	146	76	27
2025/11/12 8:40	0	0	0	0	0	21	61	145	58	17
2025/11/12 8:50	0	0	0	0	0	21	207	148	63	24
2025/11/12 9:00	0	0	0	0	0	20	275	227	99	118
2025/11/12 9:10	0	0	0	0	0	18	270	220	119	116
2025/11/12 9:20	0	0	0	0	0	29	348	249	89	68
2025/11/12 9:30	0	0	0	0	0	48	285	224	34	112
2025/11/12 9:40	0	0	0	0	0.1	96	379	314	63	118
2025/11/12 9:50	0	0	0	0	0.1	30	440	311	82	108
2025/11/12 10:00	0	0	0	0.1	0.1	53	348	219	43	87
2025/11/12 10:10	0	0	0	0	0.1	17	247	234	85	65
2025/11/12 10:20	0	0	0	0.1	0.1	29	278	210	156	55
2025/11/12 10:30	0	0	0	0	0.1	75	427	187	46	68
2025/11/12 10:40	0	0	0	0	0.1	65	322	239	92	84
2025/11/12 10:50	0	0	0	0	0.1	49	294	250	136	88
2025/11/12 11:00	0	0	0	0	0.1	54	394	170	29	78
2025/11/12 11:10	0	0	0	0	0	71	385	172	28	111
2025/11/12 11:20	0	0	0	0	0	43	275	175	32	97
2025/11/12 11:30	0	0	0	0	0	53	394	162	16	84
2025/11/12 11:40	0	0	0	0	0	57	449	192	143	100
2025/11/12 11:50	0	0	0	0	0	30	672	199	30	77
2025/11/12 12:00	0	0	0	0	0	30	97	184	29	76
2025/11/12 12:10	0	0	0	0	0	26	32	172	20	92
2025/11/12 12:20	0	0	0	0	0	23	77	157	4	47
2025/11/12 12:30	0	0	0	0	0.1	20	33	180	3	90
2025/11/12 12:40	0	0	0	0	0.1	36	23	160	3	89
2025/11/12 12:50	0	0	0	0	0.1	24	75	149	9	25
2025/11/12 13:00	0	0	0	0	0.1	26	461	155	6	90
2025/11/12 13:10	0	0	0	0	0	29	316	151	3	55
2025/11/12 13:20	0	0	0	0	0	18	634	147	7	44
2025/11/12 13:30	0	0	0	0	0	22	952	155	3	74
2025/11/12 13:40	0	0	0	0	0	18	954	154	2	59
2025/11/12 13:50	0	0	0	0	0	30	592	186	1	72
2025/11/12 14:00	0	0	0	0	0	18	283	169	9	56
2025/11/12 14:10	0	0	0	0	0	40	403	146	1	51
2025/11/12 14:20	0.1	0	0	0	0	62	763	160	4	98
2025/11/12 14:30	0.1	0	0	0	0	63	684	169	22	97
2025/11/12 14:40	0.1	0	0	0	0	54	1250	147	5	80
2025/11/12 14:50	0.1	0	0	0	0	85	1449	174	16	150
2025/11/12 15:00	0.1	0	0	0	0	78	1278	153	33	125
2025/11/12 15:10	0	0	0	0	0	55	770	158	9	82
2025/11/12 15:20	0	0	0	0	0	63	665	149	14	65
2025/11/12 15:30	0	0	0	0	0	58	745	170	15	78
2025/11/12 15:40	0	0	0	0	0	82	765	174	44	144
2025/11/12 15:50	0	0	0	0	0	65	831	155	19	91
2025/11/12 16:00	0	0	0	0	0	84	758	185	29	136
2025/11/12 16:10	0	0	0	0	0	111	588	163	44	114
2025/11/12 16:20	0	0	0	0	0	103	698	195	33	137
2025/11/12 16:30	0	0	0	0	0	86	676	167	34	91
2025/11/12 16:40	0	0	0	0	0	137	746	172	44	130
2025/11/12 16:50	0	0	0	0	0	106	511	167	35	157
2025/11/12 17:00	0	0	0	0	0	116	425	183	57	109
2025/11/12 17:10	0	0	0	0	0	109	392	182	38	141
2025/11/12 17:20	0	0	0	0	0	163	278	210	101	246
2025/11/12 17:30	0	0	0	0	0	221	335	198	153	162
2025/11/12 17:40	0	0	0	0	0	84	373	191	276	73
2025/11/12 17:50	0	0	0	0	0	247	338	213	94	513
2025/11/12 18:00	0	0	0	0	0	211	306	225	178	304
2025/11/12 18:10	0	0	0	0	0	253	356	265	126	359
2025/11/12 18:20	0	0	0	0	0	280	378	272	69	386
2025/11/12 18:30	0	0	0	0	0	347	372	300	74	414
2025/11/12 18:40	0	0	0	0	0	351	377	294	93	429
2025/11/12 18:50	0	0	0	0	0	338	308	297	309	425
2025/11/12 19:00	0	0	0	0	0	468	249	283	288	486
2025/11/12 19:10	0	0	0	0	0	362	171	269	216	605
2025/11/12 19:20	0	0	0	0	0	315	148	364	144	551
2025/11/12 19:30	0	0	0	0	0	377	154	349	91	519
2025/11/12 19:40	0	0	0	0	0	367	174	315	109	464
2025/11/12 19:50	0	0	0	0	0	297	160	308	103	406
2025/11/12 20:00	0	0	0	0	0	301	170	285	91	381
2025/11/12 20:10	0	0	0	0	0	284	262	278	95	375

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/12 20:20	0	0	0	0	0	263	171	309	105	348
2025/11/12 20:30	0	0	0	0	0	280	168	355	113	394
2025/11/12 20:40	0	0	0	0	0	296	235	308	107	345
2025/11/12 20:50	0	0	0	0	0	264	168	290	113	345
2025/11/12 21:00	0	0	0	0	0	271	133	257	75	338
2025/11/12 21:10	0	0	0	0	0	191	134	321	88	312
2025/11/12 21:20	0	0	0	0	0	264	145	301	92	321
2025/11/12 21:30	0	0	0	0	0	255	158	342	99	238
2025/11/12 21:40	0	0	0	0	0	313	224	273	136	354
2025/11/12 21:50	0	0	0	0	0	242	186	311	116	249
2025/11/12 22:00	0	0	0	0	0	284	178	364	117	345
2025/11/12 22:10	0	0	0	0	0	361	235	315	131	404
2025/11/12 22:20	0	0	0	0	0	258	416	363	245	267
2025/11/12 22:30	0	0	0	0	0	190	220	378	316	218
2025/11/12 22:40	0	0	0	0	0	163	143	343	389	182
2025/11/12 22:50	0	0	0	0	0	151	118	333	456	164
2025/11/12 23:00	0	0	0	0	0	226	208	409	328	288
2025/11/12 23:10	0	0	0	0	0	142	241	331	254	176
2025/11/12 23:20	0	0	0	0	0	125	102	305	140	138
2025/11/12 23:30	0	0	0	0	0	122	118	303	142	140
2025/11/12 23:40	0	0	0	0	0	125	165	307	157	141
2025/11/12 23:50	0	0	0	0	0	138	168	308	195	144
2025/11/13 0:00	0	0	0	0	0	139	165	302	226	142
2025/11/13 0:10	0	0	0	0	0	135	151	300	220	138
2025/11/13 0:20	0	0	0	0	0	134	125	300	169	137
2025/11/13 0:30	0	0	0	0	0	127	112	299	224	131
2025/11/13 0:40	0	0	0	0	0	123	80	295	353	142
2025/11/13 0:50	0	0	0	0	0	130	82	304	270	142
2025/11/13 1:00	0	0	0	0	0	127	80	301	289	138
2025/11/13 1:10	0	0	0	0	0	122	79	297	279	154
2025/11/13 1:20	0	0	0	0	0	119	77	292	271	123
2025/11/13 1:30	0	0	0	0	0	114	74	285	308	117
2025/11/13 1:40	0	0	0	0	0	115	77	286	333	116
2025/11/13 1:50	0	0	0	0	0	118	80	289	247	120
2025/11/13 2:00	0	0	0	0	0	129	88	304	223	134
2025/11/13 2:10	0	0	0	0	0	139	106	314	243	143
2025/11/13 2:20	0	0	0	0	0	136	100	311	230	139
2025/11/13 2:30	0	0	0	0	0	124	90	294	222	124
2025/11/13 2:40	0	0	0	0	0	114	85	282	239	118
2025/11/13 2:50	0	0	0	0	0	109	83	271	258	111
2025/11/13 3:00	0	0	0	0	0	110	84	271	257	112
2025/11/13 3:10	0	0	0	0	0	116	91	279	256	118
2025/11/13 3:20	0	0	0	0	0	115	86	279	282	117
2025/11/13 3:30	0	0	0	0	0	116	84	285	253	117
2025/11/13 3:40	0	0	0	0	0	123	91	286	268	121
2025/11/13 3:50	0	0	0	0	0	112	81	280	222	129
2025/11/13 4:00	0	0	0	0	0	90	68	252	187	98
2025/11/13 4:10	0	0	0	0	0	84	59	244	190	85
2025/11/13 4:20	0	0	0	0	0	83	56	242	215	82
2025/11/13 4:30	0	0	0	0	0	82	56	238	211	85
2025/11/13 4:40	0	0	0	0	0	83	54	237	216	80
2025/11/13 4:50	0	0	0	0	0	83	54	241	212	81
2025/11/13 5:00	0	0	0	0	0	84	53	243	220	82
2025/11/13 5:10	0	0	0	0	0	88	58	252	207	88
2025/11/13 5:20	0	0	0	0	0	90	64	255	152	87
2025/11/13 5:30	0	0	0	0	0	93	72	276	178	97
2025/11/13 5:40	0	0	0	0	0	85	62	255	157	121
2025/11/13 5:50	0	0	0	0	0	64	38	230	159	67
2025/11/13 6:00	0	0	0	0	0	66	37	229	152	67
2025/11/13 6:10	0	0	0	0	0	61	36	225	148	65
2025/11/13 6:20	0	0	0	0	0	59	35	222	192	61
2025/11/13 6:30	0	0	0	0	0	59	37	223	157	63
2025/11/13 6:40	0	0	0	0	0	56	43	222	162	59
2025/11/13 6:50	0	0	0	0	0	52	34	218	226	57
2025/11/13 7:00	0	0	0	0	0	58	37	227	225	62
2025/11/13 7:10	0	0	0	0	0	58	64	227	132	59
2025/11/13 7:20	0	0	0	0	0	60	43	228	165	60
2025/11/13 7:30	0	0	0	0	0	62	57	231	169	61
2025/11/13 7:40	0	0	0	0	0	66	52	233	218	65
2025/11/13 7:50	0	0	0	0	0	81	52	236	217	68
2025/11/13 8:00	0	0	0	0	0	79	92	242	200	73
2025/11/13 8:10	0	0	0	0	0	82	192	249	207	76
2025/11/13 8:20	0	0	0	0	0	80	62	252	228	79

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/13 8:30	0	0	0	0	0	84	58	252	203	85
2025/11/13 8:40	0	0	0	0	0	98	246	258	191	96
2025/11/13 8:50	0	0	0	0	0	98	196	272	190	126
2025/11/13 9:00	0	0	0	0	0	102	261	279	144	128
2025/11/13 9:10	0	0	0	0	0	93	391	276	168	122
2025/11/13 9:20	0	0	0	0	0	84	315	264	143	88
2025/11/13 9:30	0	0	0	0	0	93	546	268	147	100
2025/11/13 9:40	0	0	0	0	0	121	335	286	137	163
2025/11/13 9:50	0	0	0	0	0	166	376	323	131	218
2025/11/13 10:00	0	0	0	0	0	111	349	307	140	137
2025/11/13 10:10	0	0	0	0	0	89	341	303	123	130
2025/11/13 10:20	0	0	0	0	0	90	394	284	112	153
2025/11/13 10:30	0	0	0	0	0	76	682	246	178	112
2025/11/13 10:40	0	0	0	0	0	84	408	263	139	117
2025/11/13 10:50	0	0	0	0	0	86	385	276	139	133
2025/11/13 11:00	0	0	0	0	0	69	369	248	99	114
2025/11/13 11:10	0	0	0	0	0	67	326	266	97	117
2025/11/13 11:20	0	0	0	0	0	74	417	280	103	124
2025/11/13 11:30	0	0	0	0	0	69	394	261	89	126
2025/11/13 11:40	0	0	0	0	0	69	412	241	103	83
2025/11/13 11:50	0	0	0	0	0	70	989	238	108	87
2025/11/13 12:00	0	0	0	0	0	54	1040	224	89	137
2025/11/13 12:10	0	0	0	0	0	58	1084	231	83	72
2025/11/13 12:20	0	0	0	0	0	68	957	240	81	100
2025/11/13 12:30	0	0	0	0	0	59	719	235	113	71
2025/11/13 12:40	0	0	0	0	0	64	686	238	90	75
2025/11/13 12:50	0	0	0	0	0	59	501	232	122	83
2025/11/13 13:00	0	0	0	0	0	54	622	227	99	81
2025/11/13 13:10	0	0	0	0	0	64	497	238	140	75
2025/11/13 13:20	0	0	0	0	0	51	632	232	103	164
2025/11/13 13:30	0	0	0	0	0	52	616	227	97	110
2025/11/13 13:40	0	0	0	0	0	43	511	241	98	97
2025/11/13 13:50	0	0	0	0	0	39	862	219	105	85
2025/11/13 14:00	0	0	0	0	0	44	1464	232	114	110
2025/11/13 14:10	0	0	0	0	0	52	931	243	124	153
2025/11/13 14:20	0	0	0	0	0	39	434	220	155	62
2025/11/13 14:30	0	0	0	0	0	40	542	217	118	94
2025/11/13 14:40	0	0	0	0	0	56	588	226	102	75
2025/11/13 14:50	0	0	0	0	0	64	564	227	154	74
2025/11/13 15:00	0	0	0	0	0	90	416	226	128	129
2025/11/13 15:10	0	0	0	0	0	94	361	270	181	100
2025/11/13 15:20	0	0	0	0	0	115	509	290	210	121
2025/11/13 15:30	0	0	0	0	0	104	628	278	194	169
2025/11/13 15:40	0	0	0	0	0	95	739	267	175	101
2025/11/13 15:50	0	0	0	0	0	98	666	271	189	100
2025/11/13 16:00	0	0	0	0	0	99	637	270	295	101
2025/11/13 16:10	0	0	0	0	0	107	645	275	224	162
2025/11/13 16:20	0	0	0	0	0	146	665	300	250	213
2025/11/13 16:30	0	0	0	0	0	199	300	374	264	201
2025/11/13 16:40	0	0	0	0	0	168	329	311	282	168
2025/11/13 16:50	0	0	0	0	0	94	192	258	185	94
2025/11/13 17:00	0	0	0	0	0	95	154	257	187	90
2025/11/13 17:10	0	0	0	0	0	100	220	265	224	94
2025/11/13 17:20	0	0	0	0	0	128	162	282	277	116
2025/11/13 17:30	0	0	0	0	0	173	181	337	282	156
2025/11/13 17:40	0	0	0	0	0	218	223	359	351	203
2025/11/13 17:50	0	0	0	0	0	199	195	347	327	184
2025/11/13 18:00	0	0	0	0	0	214	222	331	251	238
2025/11/13 18:10	0	0	0	0	0	243	214	326	299	312
2025/11/13 18:20	0	0	0	0	0	284	301	320	369	283
2025/11/13 18:30	0	0	0	0	0	256	315	320	413	183
2025/11/13 18:40	0	0	0	0	0	171	147	319	246	163
2025/11/13 18:50	0	0	0	0	0	271	190	473	320	387
2025/11/13 19:00	0	0	0	0	0	173	162	379	317	211
2025/11/13 19:10	0	0	0	0	0	222	172	373	335	217
2025/11/13 19:20	0	0	0	0	0	203	181	381	314	254
2025/11/13 19:30	0	0	0	0	0	204	170	542	392	301
2025/11/13 19:40	0	0	0	0	0	185	146	427	307	209
2025/11/13 19:50	0	0	0	0	0	167	181	407	234	184
2025/11/13 20:00	0	0	0	0	0	173	277	381	175	185
2025/11/13 20:10	0	0	0	0	0	190	363	431	201	203
2025/11/13 20:20	0	0	0	0	0	195	242	407	314	224
2025/11/13 20:30	0	0	0	0	0	193	299	408	287	206

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/13 20:40	0	0	0	0	0	190	550	401	198	196
2025/11/13 20:50	0	0	0	0	0	193	417	395	196	204
2025/11/13 21:00	0	0	0	0	0	201	306	429	226	211
2025/11/13 21:10	0	0	0	0	0	187	189	395	317	195
2025/11/13 21:20	0	0	0	0	0	170	147	363	340	183
2025/11/13 21:30	0	0	0	0	0	164	137	359	344	169
2025/11/13 21:40	0	0	0	0	0	160	151	354	340	165
2025/11/13 21:50	0	0	0	0	0	152	133	349	321	159
2025/11/13 22:00	0	0	0	0	0	149	148	347	237	159
2025/11/13 22:10	0	0	0	0	0	149	257	345	214	170
2025/11/13 22:20	0	0	0	0	0	150	267	341	261	157
2025/11/13 22:30	0	0	0	0	0	146	197	337	222	152
2025/11/13 22:40	0	0	0	0	0	144	376	333	145	149
2025/11/13 22:50	0	0	0	0	0	144	184	332	219	146
2025/11/13 23:00	0	0	0	0	0	139	181	330	237	168
2025/11/13 23:10	0	0	0	0	0	139	103	342	404	151
2025/11/13 23:20	0	0	0	0	0	142	119	326	380	142
2025/11/13 23:30	0	0	0	0	0	143	116	334	354	144
2025/11/13 23:40	0	0	0	0	0	146	165	342	221	148
2025/11/13 23:50	0	0	0	0	0	149	127	343	359	192
2025/11/14 0:00	0	0	0	0	0	182	253	346	197	175
2025/11/14 0:10	0	0	0	0	0	331	266	347	168	224
2025/11/14 0:20	0	0	0	0	0	375	247	371	202	340
2025/11/14 0:30	0	0	0	0	0	168	147	343	309	173
2025/11/14 0:40	0	0	0	0	0	155	143	341	355	161
2025/11/14 0:50	0	0	0	0	0	161	152	345	297	164
2025/11/14 1:00	0	0	0	0	0	157	126	345	376	202
2025/11/14 1:10	0	0	0	0	0	163	141	355	390	183
2025/11/14 1:20	0	0	0	0	0	164	235	354	208	166
2025/11/14 1:30	0	0	0	0	0	166	161	358	417	182
2025/11/14 1:40	0	0	0	0	0	178	144	380	206	187
2025/11/14 1:50	0	0	0	0	0	173	134	485	217	188
2025/11/14 2:00	0	0	0	0	0	159	127	360	332	163
2025/11/14 2:10	0	0	0	0	0	183	135	433	184	246
2025/11/14 2:20	0	0	0	0	0	236	199	428	247	304
2025/11/14 2:30	0	0	0	0	0	161	150	371	233	178
2025/11/14 2:40	0	0	0	0	0	163	131	358	303	176
2025/11/14 2:50	0	0	0	0	0	164	140	356	214	169
2025/11/14 3:00	0	0	0	0	0	165	132	359	300	173
2025/11/14 3:10	0	0	0	0	0	167	135	361	303	175
2025/11/14 3:20	0	0	0	0	0	175	144	421	250	217
2025/11/14 3:30	0	0	0	0	0	166	140	391	268	180
2025/11/14 3:40	0	0	0	0	0	170	150	355	236	177
2025/11/14 3:50	0	0	0	0	0	167	165	346	208	179
2025/11/14 4:00	0	0	0	0	0	216	148	385	227	241
2025/11/14 4:10	0	0	0	0	0	393	200	449	217	310
2025/11/14 4:20	0	0	0	0	0	278	355	443	205	258
2025/11/14 4:30	0	0	0	0	0	230	228	416	211	229
2025/11/14 4:40	0	0	0	0	0	177	191	377	179	188
2025/11/14 4:50	0	0	0	0	0	163	185	355	164	170
2025/11/14 5:00	0	0	0	0	0	150	184	342	168	160
2025/11/14 5:10	0	0	0	0	0	143	108	345	201	153
2025/11/14 5:20	0	0	0	0	0	140	101	325	236	144
2025/11/14 5:30	0	0	0	0	0	133	101	317	211	134
2025/11/14 5:40	0	0	0	0	0	128	98	321	178	131
2025/11/14 5:50	0	0	0	0	0	129	99	362	191	135
2025/11/14 6:00	0	0	0	0	0	127	97	322	225	131
2025/11/14 6:10	0	0	0	0	0	127	99	326	210	132
2025/11/14 6:20	0	0	0	0	0	126	95	324	238	130
2025/11/14 6:30	0	0	0	0	0	125	101	316	219	127
2025/11/14 6:40	0	0	0	0	0	124	148	316	118	127
2025/11/14 6:50	0	0	0	0	0	123	148	317	122	129
2025/11/14 7:00	0	0	0	0	0	170	120	355	162	171
2025/11/14 7:10	0	0	0	0	0	112	83	322	133	148
2025/11/14 7:20	0	0	0	0	0	106	80	297	164	111
2025/11/14 7:30	0	0	0	0	0	103	108	294	127	111
2025/11/14 7:40	0	0	0	0	0	121	86	359	107	251
2025/11/14 7:50	0	0	0	0	0	166	122	358	118	211
2025/11/14 8:00	0	0	0	0	0	136	103	403	162	235
2025/11/14 8:10	0	0	0	0	0	133	97	378	200	185
2025/11/14 8:20	0	0	0	0	0	115	98	330	154	115
2025/11/14 8:30	0	0	0	0	0	94	77	301	133	91
2025/11/14 8:40	0	0	0	0	0	84	67	301	150	83

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/14 8:50	0	0	0	0	0	92	102	380	128	220
2025/11/14 9:00	0	0	0	0	0	82	96	366	149	202
2025/11/14 9:10	0	0	0	0	0	75	178	375	117	179
2025/11/14 9:20	0	0	0	0	0	70	129	372	111	189
2025/11/14 9:30	0	0	0	0	0	100	168	356	114	199
2025/11/14 9:40	0	0	0	0.1	0.1	98	178	325	111	151
2025/11/14 9:50	0	0	0	0.1	0.1	91	138	288	41	138
2025/11/14 10:00	0	0	0	0.1	0.1	53	80	278	47	115
2025/11/14 10:10	0	0	0	0.1	0.1	62	106	278	48	129
2025/11/14 10:20	0	0	0	0.1	0.1	6	46	232	65	37
2025/11/14 10:30	0	0	0	0.1	0.1	11	29	249	67	105
2025/11/14 10:40	0	0	0	0.1	0.1	23	54	283	97	134
2025/11/14 10:50	0	0	0	0.1	0.1	21	65	239	31	82
2025/11/14 11:00	0	0	0	0	0.1	1	13	225	88	76
2025/11/14 11:10	0	0	0	0	0.1	1	26	232	43	90
2025/11/14 11:20	0	0	0	0	0.1	1	11	248	56	111
2025/11/14 11:30	0	0	0	0	0.1	1	9	220	33	58
2025/11/14 11:40	0	0	0	0	0.1	37	18	242	17	116
2025/11/14 11:50	0	0	0	0	0.1	21	8	248	35	76
2025/11/14 12:00	0	0	0	0	0.1	6	6	264	25	139
2025/11/14 12:10	0	0	0	0	0.1	14	52	207	1	107
2025/11/14 12:20	0	0	0	0	0.1	19	15	207	5	67
2025/11/14 12:30	0	0	0	0	0.1	1	11	203	24	41
2025/11/14 12:40	0	0	0	0	0.1	6	6	221	18	106
2025/11/14 12:50	0	0	0	0	0.1	1	4	215	29	120
2025/11/14 13:00	0	0	0	0	0.1	2	11	244	32	157
2025/11/14 13:10	0	0	0	0	0.1	61	211	228	4	136
2025/11/14 13:20	0	0	0	0	0.1	54	112	252	85	144
2025/11/14 13:30	0	0	0	0	0.1	1	21	242	95	118
2025/11/14 13:40	0	0	0	0	0.1	1	16	261	165	107
2025/11/14 13:50	0	0	0	0	0.1	69	121	268	75	137
2025/11/14 14:00	0	0	0	0	0.1	130	171	254	50	196
2025/11/14 14:10	0.1	0	0	0	0.1	6	20	231	38	124
2025/11/14 14:20	0	0	0	0	0.1	58	148	201	27	156
2025/11/14 14:30	0.1	0	0	0	0.1	84	125	201	1	178
2025/11/14 14:40	0.1	0	0	0	0.1	9	18	296	28	218
2025/11/14 14:50	0.1	0	0	0	0	59	23	275	24	191
2025/11/14 15:00	0.1	0	0	0	0	53	18	205	14	173
2025/11/14 15:10	0.1	0	0	0	0	52	48	256	64	189
2025/11/14 15:20	0.1	0	0	0	0	39	27	327	44	385
2025/11/14 15:30	0	0	0	0	0	82	1	329	98	379
2025/11/14 15:40	0	0	0	0	0	85	19	356	94	302
2025/11/14 15:50	0	0	0	0	0	90	95	397	96	218
2025/11/14 16:00	0	0	0	0	0	99	102	388	70	254
2025/11/14 16:10	0	0	0	0	0	129	80	356	69	286
2025/11/14 16:20	0	0	0	0	0	162	105	279	51	247
2025/11/14 16:30	0	0	0	0	0	146	151	235	23	173
2025/11/14 16:40	0	0	0	0	0	143	141	230	29	135
2025/11/14 16:50	0	0	0	0	0	166	225	216	31	152
2025/11/14 17:00	0	0	0	0	0	164	182	226	37	118
2025/11/14 17:10	0	0	0	0	0	168	229	232	55	163
2025/11/14 17:20	0	0	0	0	0	154	169	255	103	249
2025/11/14 17:30	0	0	0	0	0	151	128	235	36	134
2025/11/14 17:40	0	0	0	0	0	155	107	228	47	168
2025/11/14 17:50	0	0	0	0	0	184	107	248	55	240
2025/11/14 18:00	0	0	0	0	0	173	114	235	41	204
2025/11/14 18:10	0	0	0	0	0	144	84	237	35	283
2025/11/14 18:20	0	0	0	0	0	188	85	267	46	351
2025/11/14 18:30	0	0	0	0	0	235	115	258	63	271
2025/11/14 18:40	0	0	0	0	0	256	188	281	87	257
2025/11/14 18:50	0	0	0	0	0	172	266	258	91	178
2025/11/14 19:00	0	0	0	0	0	146	363	234	79	124
2025/11/14 19:10	0	0	0	0	0	154	277	234	74	150
2025/11/14 19:20	0	0	0	0	0	161	350	232	51	132
2025/11/14 19:30	0	0	0	0	0	182	430	239	56	369
2025/11/14 19:40	0	0	0	0	0	284	442	252	168	536
2025/11/14 19:50	0	0	0	0	0	171	428	280	331	308
2025/11/14 20:00	0	0	0	0	0	409	280	455	174	586
2025/11/14 20:10	0	0	0	0	0	269	129	566	142	592
2025/11/14 20:20	0	0	0	0	0	206	217	421	165	377
2025/11/14 20:30	0	0	0	0	0	184	472	322	98	198
2025/11/14 20:40	0	0	0	0	0	224	364	283	92	231
2025/11/14 20:50	0	0	0	0	0	269	280	273	266	261

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/14 21:00	0	0	0	0	0	218	315	307	272	205
2025/11/14 21:10	0	0	0	0	0	194	465	313	101	140
2025/11/14 21:20	0	0	0	0	0	268	427	313	84	134
2025/11/14 21:30	0	0	0	0	0	143	297	304	97	174
2025/11/14 21:40	0	0	0	0	0	290	357	419	154	373
2025/11/14 21:50	0	0	0	0	0	192	393	373	90	181
2025/11/14 22:00	0	0	0	0	0	166	298	295	93	185
2025/11/14 22:10	0	0	0	0	0	277	211	460	306	367
2025/11/14 22:20	0	0	0	0	0	205	271	434	352	263
2025/11/14 22:30	0	0	0	0	0	232	331	499	210	280
2025/11/14 22:40	0	0	0	0	0	160	187	303	182	135
2025/11/14 22:50	0	0	0	0	0	97	73	305	290	120
2025/11/14 23:00	0	0	0	0	0	89	77	332	298	119
2025/11/14 23:10	0	0	0	0	0	87	69	311	233	108
2025/11/14 23:20	0	0	0	0	0	99	78	400	223	244
2025/11/14 23:30	0	0	0	0	0	80	65	399	228	133
2025/11/14 23:40	0	0	0	0	0	79	58	599	108	126
2025/11/14 23:50	0	0	0	0	0	52	29	393	233	113
2025/11/15 0:00	0	0	0	0	0	40	33	415	294	164
2025/11/15 0:10	0	0	0	0	0	32	22	331	207	96
2025/11/15 0:20	0	0	0	0	0	22	28	368	116	196
2025/11/15 0:30	0	0	0	0	0	29	26	451	145	154
2025/11/15 0:40	0	0	0	0	0	21	94	254	170	49
2025/11/15 0:50	0	0	0	0	0	25	33	232	225	37
2025/11/15 1:00	0	0	0	0	0	26	29	295	292	50
2025/11/15 1:10	0	0	0	0	0	24	28	231	328	51
2025/11/15 1:20	0	0	0	0	0	24	29	225	258	48
2025/11/15 1:30	0	0	0	0	0	26	27	461	116	101
2025/11/15 1:40	0	0	0	0	0	27	27	263	277	42
2025/11/15 1:50	0	0	0	0	0	27	27	222	272	49
2025/11/15 2:00	0	0	0	0	0	27	27	219	191	87
2025/11/15 2:10	0	0	0	0	0	31	28	230	218	137
2025/11/15 2:20	0	0	0	0	0	44	30	383	185	165
2025/11/15 2:30	0	0	0	0	0	50	32	293	267	104
2025/11/15 2:40	0	0	0	0	0	57	36	271	256	108
2025/11/15 2:50	0	0	0	0	0	63	47	464	214	161
2025/11/15 3:00	0	0	0	0	0	55	36	250	215	73
2025/11/15 3:10	0	0	0	0	0	63	42	264	215	73
2025/11/15 3:20	0	0	0	0	0	53	47	247	198	63
2025/11/15 3:30	0	0	0	0	0	48	32	242	265	60
2025/11/15 3:40	0	0	0	0	0	49	32	240	250	134
2025/11/15 3:50	0	0	0	0	0	45	32	239	220	58
2025/11/15 4:00	0	0	0	0	0	41	27	236	255	50
2025/11/15 4:10	0	0	0	0	0	33	27	237	219	65
2025/11/15 4:20	0	0	0	0	0	25	24	227	180	73
2025/11/15 4:30	0	0	0	0	0	25	25	222	151	44
2025/11/15 4:40	0	0	0	0	0	21	24	242	186	234
2025/11/15 4:50	0	0	0	0	0	21	24	255	163	155
2025/11/15 5:00	0	0	0	0	0	21	24	213	153	87
2025/11/15 5:10	0	0	0	0	0	21	24	231	153	58
2025/11/15 5:20	0	0	0	0	0	21	24	204	156	28
2025/11/15 5:30	0	0	0	0	0	21	24	218	161	91
2025/11/15 5:40	0	0	0	0	0	21	24	265	183	119
2025/11/15 5:50	0	0	0	0	0	21	24	207	201	41
2025/11/15 6:00	0	0	0	0	0	21	24	211	142	45
2025/11/15 6:10	0	0	0	0	0	21	24	221	173	47
2025/11/15 6:20	0	0	0	0	0	21	24	220	172	110
2025/11/15 6:30	0	0	0	0	0	22	28	224	191	65
2025/11/15 6:40	0	0	0	0	0	25	24	228	196	41
2025/11/15 6:50	0	0	0	0	0	32	24	226	189	41
2025/11/15 7:00	0	0	0	0	0	24	24	226	164	39
2025/11/15 7:10	0	0	0	0	0	21	24	220	162	75
2025/11/15 7:20	0	0	0	0	0	21	22	228	124	85
2025/11/15 7:30	0	0	0	0	0	21	21	210	152	26
2025/11/15 7:40	0	0	0	0	0	21	21	215	138	30
2025/11/15 7:50	0	0	0	0	0	19	22	278	106	193
2025/11/15 8:00	0	0	0	0	0	47	21	325	54	312
2025/11/15 8:10	0	0	0	0	0	21	21	242	73	124
2025/11/15 8:20	0	0	0	0	0	18	21	255	75	134
2025/11/15 8:30	0	0	0	0	0	13	21	264	51	117
2025/11/15 8:40	0	0	0	0	0	12	21	239	86	107
2025/11/15 8:50	0	0	0	0	0	11	20	221	80	51
2025/11/15 9:00	0	0	0	0	0	9	18	238	60	103

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/15 9:10	0	0	0	0	0	9	18	252	60	95
2025/11/15 9:20	0	0	0	0	0	9	18	274	41	95
2025/11/15 9:30	0	0	0	0	0	8	16	286	42	88
2025/11/15 9:40	0	0	0	0	0	6	15	266	44	64
2025/11/15 9:50	0	0	0	0	0	6	15	258	17	86
2025/11/15 10:00	0	0	0	0.1	0.1	11	15	280	14	68
2025/11/15 10:10	0	0	0	0	0.1	11	15	267	33	68
2025/11/15 10:20	0	0	0	0.1	0.1	19	15	262	10	63
2025/11/15 10:30	0	0	0	0	0.1	8	15	280	29	62
2025/11/15 10:40	0	0	0	0	0.1	3	15	269	14	46
2025/11/15 10:50	0	0	0	0	0.1	1	15	279	24	47
2025/11/15 11:00	0	0	0	0	0.1	6	15	233	28	67
2025/11/15 11:10	0	0	0	0	0.1	1	12	220	30	45
2025/11/15 11:20	0	0	0	0	0.1	1	13	210	18	25
2025/11/15 11:30	0	0	0	0	0.1	1	12	216	28	31
2025/11/15 11:40	0	0	0	0	0.1	1	12	223	37	41
2025/11/15 11:50	0	0	0	0	0.1	7	12	228	18	78
2025/11/15 12:00	0	0	0	0	0.1	4	12	221	15	59
2025/11/15 12:10	0	0	0	0	0.1	1	12	204	20	24
2025/11/15 12:20	0	0	0	0	0.1	1	11	206	31	42
2025/11/15 12:30	0	0	0	0	0.1	1	9	205	23	36
2025/11/15 12:40	0	0	0	0	0.1	1	9	218	32	33
2025/11/15 12:50	0	0	0	0	0.1	1	9	229	28	82
2025/11/15 13:00	0	0	0	0	0.1	1	9	205	55	34
2025/11/15 13:10	0	0	0	0	0.1	1	21	201	38	20
2025/11/15 13:20	0	0	0	0	0.1	1	9	200	44	46
2025/11/15 13:30	0	0	0	0	0.1	1	9	207	65	72
2025/11/15 13:40	0	0	0	0	0.1	1	9	240	35	112
2025/11/15 13:50	0	0	0	0	0.1	1	39	246	28	46
2025/11/15 14:00	0	0	0	0	0.1	14	9	223	8	88
2025/11/15 14:10	0	0	0	0	0.1	2	9	218	22	77
2025/11/15 14:20	0	0	0	0	0.1	1	7	221	25	82
2025/11/15 14:30	0.1	0	0	0	0.1	1	6	229	60	149
2025/11/15 14:40	0.1	0	0	0	0.1	1	6	222	47	74
2025/11/15 14:50	0.1	0	0	0	0.1	22	7	251	35	92
2025/11/15 15:00	0.1	0	0	0	0	10	3	239	53	100
2025/11/15 15:10	0.1	0	0	0	0	19	1	235	59	199
2025/11/15 15:20	0.1	0	0	0	0	7	1	339	59	235
2025/11/15 15:30	0.1	0	0	0	0	16	1	290	75	216
2025/11/15 15:40	0	0	0	0	0	74	114	273	23	147
2025/11/15 15:50	0	0	0	0	0	35	61	300	125	225
2025/11/15 16:00	0	0	0	0	0	32	1	304	27	193
2025/11/15 16:10	0	0	0	0	0	44	6	277	16	243
2025/11/15 16:20	0	0	0	0	0	45	13	306	27	227
2025/11/15 16:30	0	0	0	0	0	31	14	312	27	205
2025/11/15 16:40	0	0	0	0	0	46	14	284	22	174
2025/11/15 16:50	0	0	0	0	0	35	13	256	29	204
2025/11/15 17:00	0	0	0	0	0	100	20	235	17	192
2025/11/15 17:10	0	0	0	0	0	63	112	226	16	180
2025/11/15 17:20	0	0	0	0	0	63	155	236	22	233
2025/11/15 17:30	0	0	0	0	0	44	33	264	32	209
2025/11/15 17:40	0	0	0	0	0	58	17	258	49	221
2025/11/15 17:50	0	0	0	0	0	76	22	236	25	206
2025/11/15 18:00	0	0	0	0	0	171	45	227	31	169
2025/11/15 18:10	0	0	0	0	0	188	117	233	44	185
2025/11/15 18:20	0	0	0	0	0	229	114	245	48	243
2025/11/15 18:30	0	0	0	0	0	210	101	237	50	228
2025/11/15 18:40	0	0	0	0	0	204	115	263	74	222
2025/11/15 18:50	0	0	0	0	0	288	108	252	100	258
2025/11/15 19:00	0	0	0	0	0	230	88	276	76	325
2025/11/15 19:10	0	0	0	0	0	190	79	264	62	303
2025/11/15 19:20	0	0	0	0	0	224	89	246	44	278
2025/11/15 19:30	0	0	0	0	0	190	65	248	37	286
2025/11/15 19:40	0	0	0	0	0	238	61	225	28	322
2025/11/15 19:50	0	0	0	0	0	179	64	227	33	278
2025/11/15 20:00	0	0	0	0	0	218	65	272	48	314
2025/11/15 20:10	0	0	0	0	0	158	66	412	79	325
2025/11/15 20:20	0	0	0	0	0	264	73	245	91	285
2025/11/15 20:30	0	0	0	0	0	194	79	368	133	289
2025/11/15 20:40	0	0	0	0	0	64	49	506	145	124
2025/11/15 20:50	0	0	0	0	0	72	62	482	138	143
2025/11/15 21:00	0	0	0	0	0	168	170	348	112	200
2025/11/15 21:10	0	0	0	0	0	80	57	451	134	111

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/15 21:20	0	0	0	0	0	78	70	361	148	121
2025/11/15 21:30	0	0	0	0	0	70	287	282	168	86
2025/11/15 21:40	0	0	0	0	0	74	412	280	140	83
2025/11/15 21:50	0	0	0	0	0	78	392	306	126	92
2025/11/15 22:00	0	0	0	0	0	81	218	295	116	108
2025/11/15 22:10	0	0	0	0	0	80	96	283	234	90
2025/11/15 22:20	0	0	0	0	0	82	69	267	277	87
2025/11/15 22:30	0	0	0	0	0	85	53	261	277	85
2025/11/15 22:40	0	0	0	0	0	74	47	261	273	78
2025/11/15 22:50	0	0	0	0	0	73	50	262	253	78
2025/11/15 23:00	0	0	0	0	0	79	50	271	232	84
2025/11/15 23:10	0	0	0	0	0	75	49	273	144	82
2025/11/15 23:20	0	0	0	0	0	73	46	271	142	79
2025/11/15 23:30	0	0	0	0	0	75	45	275	132	79
2025/11/15 23:40	0	0	0	0	0	71	41	270	124	76
2025/11/15 23:50	0	0	0	0	0	75	38	276	132	87
2025/11/16 0:00	0	0	0	0	0	58	31	259	123	67
2025/11/16 0:10	0	0	0	0	0	68	41	266	130	82
2025/11/16 0:20	0	0	0	0	0	87	62	282	151	93
2025/11/16 0:30	0	0	0	0	0	88	59	285	179	105
2025/11/16 0:40	0	0	0	0	0	78	64	259	180	93
2025/11/16 0:50	0	0	0	0	0	89	63	377	157	109
2025/11/16 1:00	0	0	0	0	0	61	34	264	185	82
2025/11/16 1:10	0	0	0	0	0	47	33	241	154	63
2025/11/16 1:20	0	0	0	0	0	44	33	232	157	61
2025/11/16 1:30	0	0	0	0	0	43	34	229	156	53
2025/11/16 1:40	0	0	0	0	0	44	36	231	177	57
2025/11/16 1:50	0	0	0	0	0	43	36	228	151	52
2025/11/16 2:00	0	0	0	0	0	43	36	227	151	52
2025/11/16 2:10	0	0	0	0	0	43	36	230	130	52
2025/11/16 2:20	0	0	0	0	0	45	36	233	129	55
2025/11/16 2:30	0	0	0	0	0	47	36	234	205	53
2025/11/16 2:40	0	0	0	0	0	61	37	244	218	67
2025/11/16 2:50	0	0	0	0	0	72	43	247	159	78
2025/11/16 3:00	0	0	0	0	0	60	42	237	160	70
2025/11/16 3:10	0	0	0	0	0	45	36	226	188	59
2025/11/16 3:20	0	0	0	0	0	41	36	224	206	51
2025/11/16 3:30	0	0	0	0	0	43	36	225	191	53
2025/11/16 3:40	0	0	0	0	0	51	42	231	161	60
2025/11/16 3:50	0	0	0	0	0	61	44	248	196	75
2025/11/16 4:00	0	0	0	0	0	66	38	249	184	73
2025/11/16 4:10	0	0	0	0	0	47	36	235	154	57
2025/11/16 4:20	0	0	0	0	0	43	36	231	171	50
2025/11/16 4:30	0	0	0	0	0	47	36	231	206	52
2025/11/16 4:40	0	0	0	0	0	56	36	238	183	104
2025/11/16 4:50	0	0	0	0	0	56	41	240	172	108
2025/11/16 5:00	0	0	0	0	0	65	46	239	198	74
2025/11/16 5:10	0	0	0	0	0	65	44	236	170	73
2025/11/16 5:20	0	0	0	0	0	68	42	245	184	74
2025/11/16 5:30	0	0	0	0	0	65	40	253	131	87
2025/11/16 5:40	0	0	0	0	0	64	39	247	162	74
2025/11/16 5:50	0	0	0	0	0	63	37	239	177	64
2025/11/16 6:00	0	0	0	0	0	51	38	235	201	52
2025/11/16 6:10	0	0	0	0	0	49	36	236	168	52
2025/11/16 6:20	0	0	0	0	0	48	36	237	188	52
2025/11/16 6:30	0	0	0	0	0	51	38	247	124	55
2025/11/16 6:40	0	0	0	0	0	53	36	244	271	60
2025/11/16 6:50	0	0	0	0	0	42	36	233	221	52
2025/11/16 7:00	0	0	0	0	0	46	36	233	220	54
2025/11/16 7:10	0	0	0	0	0	47	36	233	191	54
2025/11/16 7:20	0	0	0	0	0	48	36	235	162	54
2025/11/16 7:30	0	0	0	0	0	42	34	234	176	51
2025/11/16 7:40	0	0	0	0	0	32	33	225	131	54
2025/11/16 7:50	0	0	0	0	0	30	33	224	141	45
2025/11/16 8:00	0	0	0	0	0	29	31	221	127	49
2025/11/16 8:10	0	0	0	0	0	24	30	215	130	54
2025/11/16 8:20	0	0	0	0	0	24	28	219	100	52
2025/11/16 8:30	0	0	0	0	0	21	27	218	124	26
2025/11/16 8:40	0	0	0	0	0	21	27	214	91	45
2025/11/16 8:50	0	0	0	0	0	18	24	218	75	19
2025/11/16 9:00	0	0	0	0	0	18	24	220	84	25
2025/11/16 9:10	0	0	0	0	0	16	24	221	58	21
2025/11/16 9:20	0	0	0	0	0	15	24	232	56	39

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/16 9:30	0	0	0	0	0	15	24	234	44	26
2025/11/16 9:40	0	0	0	0	0	15	21	238	56	21
2025/11/16 9:50	0	0	0	0	0	12	21	241	35	20
2025/11/16 10:00	0	0	0	0	0.1	12	21	246	40	31
2025/11/16 10:10	0	0	0	0	0.1	12	21	249	38	48
2025/11/16 10:20	0	0	0	0	0.1	10	19	247	35	34
2025/11/16 10:30	0	0	0	0	0.1	9	18	251	41	23
2025/11/16 10:40	0	0	0	0	0.1	9	18	255	39	32
2025/11/16 10:50	0	0	0	0	0.1	6	18	256	16	56
2025/11/16 11:00	0	0	0	0	0.1	7	17	278	17	87
2025/11/16 11:10	0	0	0	0	0.1	4	15	252	10	64
2025/11/16 11:20	0	0	0	0	0.1	3	16	251	14	30
2025/11/16 11:30	0	0	0	0	0.1	6	15	265	24	51
2025/11/16 11:40	0	0	0	0	0.1	3	20	247	7	15
2025/11/16 11:50	0	0	0	0	0.1	1	13	257	24	36
2025/11/16 12:00	0	0	0	0	0.1	1	12	254	5	66
2025/11/16 12:10	0	0	0	0	0.1	5	12	252	16	53
2025/11/16 12:20	0	0	0	0	0.1	2	10	244	21	57
2025/11/16 12:30	0	0	0	0	0.1	1	9	246	38	41
2025/11/16 12:40	0	0	0	0	0.1	1	9	256	39	73
2025/11/16 12:50	0	0	0	0	0.1	1	9	254	53	59
2025/11/16 13:00	0	0	0	0	0.1	13	9	255	1	51
2025/11/16 13:10	0	0	0	0	0.1	23	17	241	1	84
2025/11/16 13:20	0	0	0	0	0.1	8	27	236	4	33
2025/11/16 13:30	0	0	0	0	0	9	6	260	6	86
2025/11/16 13:40	0	0	0	0	0.1	23	5	257	1	107
2025/11/16 13:50	0	0	0	0	0	27	3	263	1	111
2025/11/16 14:00	0	0	0	0	0	13	5	254	1	88
2025/11/16 14:10	0.1	0	0	0	0.1	31	2	245	1	100
2025/11/16 14:20	0.1	0	0	0	0	42	1	247	1	118
2025/11/16 14:30	0.1	0	0	0	0	32	4	253	1	92
2025/11/16 14:40	0.1	0	0	0	0	48	1	253	1	119
2025/11/16 14:50	0.1	0	0	0	0	23	1	265	1	96
2025/11/16 15:00	0.1	0	0	0	0	39	1	254	1	125
2025/11/16 15:10	0.1	0	0	0	0	54	11	255	1	120
2025/11/16 15:20	0.1	0	0	0	0	50	1	266	1	122
2025/11/16 15:30	0.1	0	0	0	0	45	1	244	1	133
2025/11/16 15:40	0	0	0	0	0	54	1	258	4	148
2025/11/16 15:50	0	0	0	0	0	113	6	265	54	185
2025/11/16 16:00	0	0	0	0	0	85	16	267	28	170
2025/11/16 16:10	0	0	0	0	0	45	1	291	23	178
2025/11/16 16:20	0	0	0	0	0	48	1	293	22	223
2025/11/16 16:30	0	0	0	0	0	14	3	354	26	163
2025/11/16 16:40	0	0	0	0	0	30	4	288	57	206
2025/11/16 16:50	0	0	0	0	0	29	6	367	90	251
2025/11/16 17:00	0	0	0	0	0	26	8	345	47	239
2025/11/16 17:10	0	0	0	0	0	81	9	335	39	333
2025/11/16 17:20	0	0	0	0	0	83	10	341	38	326
2025/11/16 17:30	0	0	0	0	0	99	12	314	35	313
2025/11/16 17:40	0	0	0	0	0	99	12	292	27	355
2025/11/16 17:50	0	0	0	0	0	215	13	287	26	297
2025/11/16 18:00	0	0	0	0	0	146	12	408	46	301
2025/11/16 18:10	0	0	0	0	0	96	15	429	27	339
2025/11/16 18:20	0	0	0	0	0	168	18	335	27	376
2025/11/16 18:30	0	0	0	0	0	54	12	440	31	319
2025/11/16 18:40	0	0	0	0	0	102	20	398	47	361
2025/11/16 18:50	0	0	0	0	0	102	16	454	32	409
2025/11/16 19:00	0	0	0	0	0	104	15	571	48	343
2025/11/16 19:10	0	0	0	0	0	188	24	574	51	413
2025/11/16 19:20	0	0	0	0	0	122	35	582	112	311
2025/11/16 19:30	0	0	0	0	0	97	41	581	111	322
2025/11/16 19:40	0	0	0	0	0	59	66	577	157	281
2025/11/16 19:50	0	0	0	0	0	29	30	280	358	61
2025/11/16 20:00	0	0	0	0	0	105	183	446	342	169
2025/11/16 20:10	0	0	0	0	0	79	107	511	407	263
2025/11/16 20:20	0	0	0	0	0	31	95	251	156	51
2025/11/16 20:30	0	0	0	0	0	31	18	241	303	110
2025/11/16 20:40	0	0	0	0	0	85	33	458	411	103
2025/11/16 20:50	0	0	0	0	0	43	25	440	237	184
2025/11/16 21:00	0	0	0	0	0	35	18	257	242	80
2025/11/16 21:10	0	0	0	0	0	43	18	261	166	95
2025/11/16 21:20	0	0	0	0	0	43	22	254	95	45
2025/11/16 21:30	0	0	0	0	0	59	44	275	163	59

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/16 21:40	0	0	0	0	0	49	18	304	239	99
2025/11/16 21:50	0	0	0	0	0	47	20	268	170	62
2025/11/16 22:00	0	0	0	0	0	41	18	257	153	49
2025/11/16 22:10	0	0	0	0	0	39	33	257	139	57
2025/11/16 22:20	0	0	0	0	0	43	19	256	163	49
2025/11/16 22:30	0	0	0	0	0	41	18	254	153	60
2025/11/16 22:40	0	0	0	0	0	188	84	258	174	79
2025/11/16 22:50	0	0	0	0	0	86	27	260	194	60
2025/11/16 23:00	0	0	0	0	0	66	42	270	202	65
2025/11/16 23:10	0	0	0	0	0	70	77	273	116	63
2025/11/16 23:20	0	0	0	0	0	58	28	266	125	65
2025/11/16 23:30	0	0	0	0	0	50	30	266	155	63
2025/11/16 23:40	0	0	0	0	0	57	55	269	117	59
2025/11/16 23:50	0	0	0	0	0	61	32	265	214	64
2025/11/17 0:00	0	0	0	0	0	91	35	266	191	89
2025/11/17 0:10	0	0	0	0	0	95	56	271	223	78
2025/11/17 0:20	0	0	0	0	0	65	152	266	137	59
2025/11/17 0:30	0	0	0	0	0	53	23	268	194	92
2025/11/17 0:40	0	0	0	0	0	49	23	264	149	52
2025/11/17 0:50	0	0	0	0	0	47	25	267	195	54
2025/11/17 1:00	0	0	0	0	0	49	22	272	164	75
2025/11/17 1:10	0	0	0	0	0	53	24	275	167	51
2025/11/17 1:20	0	0	0	0	0	57	22	271	160	65
2025/11/17 1:30	0	0	0	0	0	55	21	267	133	49
2025/11/17 1:40	0	0	0	0	0	49	21	270	203	48
2025/11/17 1:50	0	0	0	0	0	47	22	266	178	48
2025/11/17 2:00	0	0	0	0	0	47	25	266	170	51
2025/11/17 2:10	0	0	0	0	0	43	25	262	196	49
2025/11/17 2:20	0	0	0	0	0	43	24	261	210	54
2025/11/17 2:30	0	0	0	0	0	43	25	261	198	48
2025/11/17 2:40	0	0	0	0	0	43	25	263	169	50
2025/11/17 2:50	0	0	0	0	0	46	25	263	182	48
2025/11/17 3:00	0	0	0	0	0	44	24	258	190	47
2025/11/17 3:10	0	0	0	0	0	38	24	255	195	49
2025/11/17 3:20	0	0	0	0	0	42	27	253	171	47
2025/11/17 3:30	0	0	0	0	0	42	32	261	217	50
2025/11/17 3:40	0	0	0	0	0	72	62	407	140	110
2025/11/17 3:50	0	0	0	0	0	168	85	364	91	185
2025/11/17 4:00	0	0	0	0	0	168	122	365	96	120
2025/11/17 4:10	0	0	0	0	0	75	136	329	143	102
2025/11/17 4:20	0	0	0	0	0	95	145	297	151	91
2025/11/17 4:30	0	0	0	0	0	387	254	293	115	108
2025/11/17 4:40	0	0	0	0	0	237	206	289	85	109
2025/11/17 4:50	0	0	0	0	0	208	246	290	79	85
2025/11/17 5:00	0	0	0	0	0	182	229	298	80	189
2025/11/17 5:10	0	0	0	0	0	344	258	317	90	207
2025/11/17 5:20	0	0	0	0	0	396	277	391	120	242
2025/11/17 5:30	0	0	0	0	0	350	206	326	93	255
2025/11/17 5:40	0	0	0	0	0	298	229	476	183	273
2025/11/17 5:50	0	0	0	0	0	260	429	446	286	243
2025/11/17 6:00	0	0	0	0	0	227	278	426	289	206
2025/11/17 6:10	0	0	0	0	0	221	289	386	204	162
2025/11/17 6:20	0	0	0	0	0	311	236	466	187	239
2025/11/17 6:30	0	0	0	0	0	231	151	423	261	186
2025/11/17 6:40	0	0	0	0	0	147	243	352	149	124
2025/11/17 6:50	0	0	0	0	0	121	180	337	155	107
2025/11/17 7:00	0	0	0	0	0	112	166	321	165	100
2025/11/17 7:10	0	0	0	0	0	102	235	322	149	94
2025/11/17 7:20	0	0	0	0	0	127	84	315	184	86
2025/11/17 7:30	0	0	0	0	0	126	54	313	146	121
2025/11/17 7:40	0	0	0	0	0	110	93	315	138	97
2025/11/17 7:50	0	0	0	0	0	171	79	324	154	151
2025/11/17 8:00	0	0	0	0	0	214	115	306	160	127
2025/11/17 8:10	0	0	0	0	0	140	112	294	90	126
2025/11/17 8:20	0	0	0	0	0	91	118	286	116	103
2025/11/17 8:30	0	0	0	0	0	48	84	287	120	50
2025/11/17 8:40	0	0	0	0	0	44	36	286	108	47
2025/11/17 8:50	0	0	0	0	0	50	46	304	78	140
2025/11/17 9:00	0	0	0	0	0	51	35	300	74	174
2025/11/17 9:10	0	0	0	0	0	57	25	308	139	69
2025/11/17 9:20	0	0	0	0	0	51	32	316	67	60
2025/11/17 9:30	0	0	0	0	0	55	59	337	97	69
2025/11/17 9:40	0	0	0	0	0	62	64	348	76	117

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/17 9:50	0	0	0	0.1	0.1	56	41	346	92	84
2025/11/17 10:00	0	0	0	0.1	0.1	67	163	352	84	82
2025/11/17 10:10	0	0	0	0.1	0.1	56	145	353	66	65
2025/11/17 10:20	0	0	0	0.1	0.1	61	140	348	60	70
2025/11/17 10:30	0	0	0	0.1	0.1	29	538	336	44	52
2025/11/17 10:40	0	0	0	0.1	0.1	58	460	335	51	90
2025/11/17 10:50	0	0	0	0	0.1	48	273	340	47	64
2025/11/17 11:00	0	0	0	0	0.1	49	442	335	39	62
2025/11/17 11:10	0	0	0	0	0.1	22	309	326	31	85
2025/11/17 11:20	0	0	0	0	0.1	1	232	307	18	30
2025/11/17 11:30	0	0	0	0	0.1	1	503	301	17	29
2025/11/17 11:40	0	0	0	0	0.1	1	635	295	13	24
2025/11/17 11:50	0	0	0	0	0.1	1	1169	296	16	26
2025/11/17 12:00	0	0	0	0	0.1	1	743	295	15	28
2025/11/17 12:10	0	0	0	0	0.1	3	463	289	11	32
2025/11/17 12:20	0	0	0	0	0.1	1	286	293	12	30
2025/11/17 12:30	0	0	0	0	0.1	1	205	280	2	22
2025/11/17 12:40	0	0	0	0	0.1	1	164	274	8	18
2025/11/17 12:50	0	0	0	0	0.1	1	198	276	1	19
2025/11/17 13:00	0	0	0	0	0.1	1	163	274	3	22
2025/11/17 13:10	0	0	0	0	0.1	1	87	277	4	21
2025/11/17 13:20	0	0	0	0	0.1	1	102	273	3	23
2025/11/17 13:30	0	0	0	0	0.1	11	357	276	5	37
2025/11/17 13:40	0	0	0	0	0.1	1	981	276	6	28
2025/11/17 13:50	0	0	0	0	0.1	6	1058	275	6	30
2025/11/17 14:00	0	0	0	0	0.1	35	775	274	6	31
2025/11/17 14:10	0.1	0	0	0	0.1	1	700	277	12	28
2025/11/17 14:20	0	0	0	0	0.1	1	845	273	18	23
2025/11/17 14:30	0.1	0	0	0	0.1	1	864	271	9	22
2025/11/17 14:40	0.1	0	0	0	0.1	1	524	273	33	22
2025/11/17 14:50	0.1	0	0	0	0.1	1	398	274	5	21
2025/11/17 15:00	0.2	0	0	0	0	1	322	269	10	19
2025/11/17 15:10	0.1	0	0	0	0	1	325	270	3	27
2025/11/17 15:20	0.1	0	0	0	0	1	311	269	23	21
2025/11/17 15:30	0.1	0	0	0	0	1	292	270	30	29
2025/11/17 15:40	0.1	0	0	0	0	73	480	271	12	82
2025/11/17 15:50	0	0	0	0	0	66	666	271	20	76
2025/11/17 16:00	0	0	0	0	0	120	591	274	22	96
2025/11/17 16:10	0	0	0	0	0	91	816	276	21	106
2025/11/17 16:20	0	0	0	0	0	155	756	277	29	166
2025/11/17 16:30	0	0	0	0	0	114	1085	280	36	87
2025/11/17 16:40	0	0	0	0	0	122	806	293	146	142
2025/11/17 16:50	0	0	0	0	0	271	981	312	94	247
2025/11/17 17:00	0	0	0	0	0	331	849	338	69	559
2025/11/17 17:10	0	0	0	0	0	214	796	340	298	211
2025/11/17 17:20	0	0	0	0	0	97	859	349	264	104
2025/11/17 17:30	0	0	0	0	0	92	434	348	454	174
2025/11/17 17:40	0	0	0	0	0	152	411	334	365	103
2025/11/17 17:50	0	0	0	0	0	400	464	345	105	230
2025/11/17 18:00	0	0	0	0	0	329	516	345	110	311
2025/11/17 18:10	0	0	0	0	0	446	618	351	132	424
2025/11/17 18:20	0	0	0	0	0	303	551	445	153	287
2025/11/17 18:30	0	0	0	0	0	336	406	345	112	445
2025/11/17 18:40	0	0	0	0	0	138	581	299	299	192
2025/11/17 18:50	0	0	0	0	0	146	195	309	291	337
2025/11/17 19:00	0	0	0	0	0.3	411	345	489	642	815
2025/11/17 19:10	0	0	0	0	0.5	301	242	653	884	456
2025/11/17 19:20	0	0	0	0	0	168	640	405	614	390
2025/11/17 19:30	0	0.1	0	0	0	82	812	333	370	146
2025/11/17 19:40	0	0	0	0	0	356	950	342	261	452
2025/11/17 19:50	0	0	0	0	0	212	993	346	385	281
2025/11/17 20:00	0	0	0	0	0	238	993	354	367	121
2025/11/17 20:10	0	0	0	0	0	118	943	357	315	117
2025/11/17 20:20	0	0	0	0	0	107	775	357	167	168
2025/11/17 20:30	0	0	0	0	0	117	703	353	112	158
2025/11/17 20:40	0	0	0	0	0	163	649	349	99	152
2025/11/17 20:50	0	0	0	0	0	101	563	337	95	113
2025/11/17 21:00	0	0	0	0	0	80	362	329	235	305
2025/11/17 21:10	0	0	0	0	0	89	65	329	427	133
2025/11/17 21:20	0	0	0	0	0	75	269	325	206	99
2025/11/17 21:30	0	0	0	0	0	75	149	319	308	210
2025/11/17 21:40	0	0	0	0	0	73	58	314	519	147
2025/11/17 21:50	0	0	0	0	0	70	38	309	364	84

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/17 22:00	0	0	0	0	0	75	38	313	317	85
2025/11/17 22:10	0	0	0	0	0	126	217	325	138	104
2025/11/17 22:20	0	0	0	0	0	395	327	329	89	599
2025/11/17 22:30	0	0	0	0	0	203	256	319	93	115
2025/11/17 22:40	0	0	0	0	0	125	286	322	156	102
2025/11/17 22:50	0	0	0	0	0	81	159	326	290	100
2025/11/17 23:00	0	0	0	0	0	78	47	319	201	90
2025/11/17 23:10	0	0	0	0	0	69	38	302	174	76
2025/11/17 23:20	0	0	0	0	0	60	30	297	159	70
2025/11/17 23:30	0	0	0	0	0	49	30	286	152	61
2025/11/17 23:40	0	0	0	0	0	59	27	296	119	66
2025/11/17 23:50	0	0	0	0	0	55	48	297	190	67
2025/11/18 0:00	0	0	0	0	0	26	19	271	253	53
2025/11/18 0:10	0	0	0	0	0	17	18	257	276	43
2025/11/18 0:20	0	0	0	0	0	16	18	254	260	110
2025/11/18 0:30	0	0	0	0	0	17	29	242	302	55
2025/11/18 0:40	0	0	0	0	0	20	33	246	211	41
2025/11/18 0:50	0	0	0	0	0	18	27	236	227	32
2025/11/18 1:00	0	0	0	0	0	15	19	235	188	28
2025/11/18 1:10	0	0	0	0	0	17	26	246	193	34
2025/11/18 1:20	0	0	0	0	0	20	27	242	278	62
2025/11/18 1:30	0	0	0	0	0	15	18	230	252	58
2025/11/18 1:40	0	0	0	0	0	18	18	227	304	44
2025/11/18 1:50	0	0	0	0	0	18	19	222	298	87
2025/11/18 2:00	0	0	0	0	0	18	21	255	449	152
2025/11/18 2:10	0	0	0	0	0	31	46	537	362	150
2025/11/18 2:20	0	0	0	0	0	162	58	490	365	370
2025/11/18 2:30	0	0	0	0	0	128	75	476	105	517
2025/11/18 2:40	0	0	0	0	0	200	76	441	83	403
2025/11/18 2:50	0	0	0	0	0	193	73	436	82	405
2025/11/18 3:00	0	0	0	0	0	147	53	436	299	231
2025/11/18 3:10	0	0	0	0	0	97	180	395	106	186
2025/11/18 3:20	0	0	0	0	0	256	226	351	184	259
2025/11/18 3:30	0	0	0	0	0	285	256	423	121	300
2025/11/18 3:40	0	0	0	0	0	225	208	355	179	203
2025/11/18 3:50	0	0	0	0	0	292	179	379	152	303
2025/11/18 4:00	0	0	0	0	0	282	134	366	117	322
2025/11/18 4:10	0	0	0	0	0	287	148	498	117	443
2025/11/18 4:20	0	0	0	0	0	395	152	409	133	409
2025/11/18 4:30	0	0	0	0	0	219	182	473	189	275
2025/11/18 4:40	0	0	0	0	0	147	138	532	429	308
2025/11/18 4:50	0	0	0	0	0	108	71	563	341	180
2025/11/18 5:00	0	0	0	0	0	109	50	350	302	145
2025/11/18 5:10	0	0	0	0	0	84	50	469	339	212
2025/11/18 5:20	0	0	0	0	0	74	29	309	287	123
2025/11/18 5:30	0	0	0	0	0	73	27	226	283	81
2025/11/18 5:40	0	0	0	0	0	74	30	249	341	81
2025/11/18 5:50	0	0	0	0	0	75	47	229	391	81
2025/11/18 6:00	0	0	0	0	0	74	35	234	311	97
2025/11/18 6:10	0	0	0	0	0	71	102	226	337	113
2025/11/18 6:20	0	0	0	0	0	70	369	224	137	110
2025/11/18 6:30	0	0	0	0	0	70	270	226	111	76
2025/11/18 6:40	0	0	0	0	0	111	362	229	99	106
2025/11/18 6:50	0	0	0	0	0	76	186	233	118	80
2025/11/18 7:00	0	0	0	0	0	78	38	227	397	90
2025/11/18 7:10	0	0	0	0	0	87	45	370	321	246
2025/11/18 7:20	0	0	0	0	0	86	43	308	218	154
2025/11/18 7:30	0	0	0	0	0	59	29	218	288	220
2025/11/18 7:40	0	0	0	0	0	54	41	191	236	69
2025/11/18 7:50	0	0	0	0	0	61	25	190	289	93
2025/11/18 8:00	0	0	0	0	0	45	23	174	229	231
2025/11/18 8:10	0	0	0	0	0	50	22	261	245	250
2025/11/18 8:20	0	0	0	0	0	39	21	206	212	271
2025/11/18 8:30	0	0	0	0	0	34	19	314	187	214
2025/11/18 8:40	0	0	0	0	0	27	19	262	205	229
2025/11/18 8:50	0	0	0	0	0	40	22	210	314	240
2025/11/18 9:00	0	0	0	0	0	27	25	171	145	126
2025/11/18 9:10	0	0	0	0	0	21	15	169	84	64
2025/11/18 9:20	0	0	0	0	0	18	16	166	61	57
2025/11/18 9:30	0	0	0	0	0	15	16	144	58	47
2025/11/18 9:40	0	0	0	0	0	13	122	147	73	49
2025/11/18 9:50	0	0	0	0	0	12	29	134	48	34
2025/11/18 10:00	0	0	0	0	0	12	12	131	57	30

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/18 10:10	0	0	0	0	0	12	13	126	104	34
2025/11/18 10:20	0	0	0	0	0	14	12	125	62	50
2025/11/18 10:30	0	0	0	0	0	12	12	125	62	41
2025/11/18 10:40	0	0	0	0	0	33	13	148	82	62
2025/11/18 10:50	0	0	0	0	0	18	12	130	67	58
2025/11/18 11:00	0	0	0	0	0	12	13	128	80	42
2025/11/18 11:10	0	0	0	0	0	12	12	128	60	53
2025/11/18 11:20	0	0	0	0	0	12	12	120	61	27
2025/11/18 11:30	0	0	0	0	0	12	12	123	74	32
2025/11/18 11:40	0	0	0	0	0	12	14	133	88	42
2025/11/18 11:50	0	0	0	0	0	12	13	132	65	44
2025/11/18 12:00	0	0	0	0	0	11	12	130	54	45
2025/11/18 12:10	0	0	0	0	0	9	12	126	57	44
2025/11/18 12:20	0	0	0	0	0	9	10	128	49	51
2025/11/18 12:30	0	0	0	0	0	9	9	126	42	75
2025/11/18 12:40	0	0	0	0	0	9	11	118	62	44
2025/11/18 12:50	0	0	0	0	0	13	12	144	44	100
2025/11/18 13:00	0	0	0	0	0	12	13	127	67	61
2025/11/18 13:10	0	0	0	0	0	15	16	141	141	76
2025/11/18 13:20	0	0	0	0	0	18	57	146	74	65
2025/11/18 13:30	0	0	0	0	0	85	212	150	53	88
2025/11/18 13:40	0	0	0	0	0	89	72	229	160	153
2025/11/18 13:50	0	0	0	0	0	112	81	194	72	146
2025/11/18 14:00	0	0	0	0	0	123	41	234	201	191
2025/11/18 14:10	0	0	0	0	0	81	84	215	158	130
2025/11/18 14:20	0	0	0	0	0	138	89	215	95	227
2025/11/18 14:30	0	0	0	0	0	134	199	198	67	162
2025/11/18 14:40	0	0	0	0	0	125	195	159	56	136
2025/11/18 14:50	0	0	0	0	0	140	125	238	107	178
2025/11/18 15:00	0	0	0	0	0	72	59	240	167	151
2025/11/18 15:10	0	0	0	0	0	29	44	211	137	123
2025/11/18 15:20	0	0	0	0	0	48	51	261	295	125
2025/11/18 15:30	0	0	0	0	0	259	308	269	100	269
2025/11/18 15:40	0	0	0	0	0	117	109	407	320	191
2025/11/18 15:50	0	0	0	0	0	62	106	293	288	142
2025/11/18 16:00	0	0	0	0	0	157	230	483	343	249
2025/11/18 16:10	0	0	0	0	0	194	289	628	336	300
2025/11/18 16:20	0	0	0	0	0	241	303	422	173	286
2025/11/18 16:30	0	0	0	0	0	244	299	459	205	336
2025/11/18 16:40	0	0	0	0	0	247	234	275	121	277
2025/11/18 16:50	0	0	0	0	0	263	275	286	116	276
2025/11/18 17:00	0	0	0	0	0	271	245	406	141	350
2025/11/18 17:10	0	0	0	0	0	234	160	529	308	331
2025/11/18 17:20	0	0	0	0	0	182	168	399	172	287
2025/11/18 17:30	0	0	0	0	0	176	137	258	90	257
2025/11/18 17:40	0	0	0	0	0	157	143	251	88	213
2025/11/18 17:50	0	0	0	0	0	207	183	247	94	227
2025/11/18 18:00	0	0	0	0	0	187	116	319	132	282
2025/11/18 18:10	0	0	0	0	0	198	115	328	118	352
2025/11/18 18:20	0	0	0	0	0	241	181	207	90	224
2025/11/18 18:30	0	0	0	0	0	239	171	198	98	264
2025/11/18 18:40	0	0	0	0	0	119	198	197	84	124
2025/11/18 18:50	0	0	0	0	0	171	210	190	105	181
2025/11/18 19:00	0	0	0	0	0	165	204	191	133	142
2025/11/18 19:10	0	0	0	0	0	114	120	184	95	147
2025/11/18 19:20	0	0	0	0	0	149	178	233	195	200
2025/11/18 19:30	0	0	0	0	0	76	53	386	183	213
2025/11/18 19:40	0	0	0	0	0	39	28	278	230	203
2025/11/18 19:50	0	0	0	0	0	42	27	325	221	134
2025/11/18 20:00	0	0	0	0	0	32	27	175	244	70
2025/11/18 20:10	0	0	0	0	0	28	30	172	220	108
2025/11/18 20:20	0	0	0	0	0	30	30	218	211	81
2025/11/18 20:30	0	0	0	0	0	40	30	209	178	103
2025/11/18 20:40	0	0	0	0	0	45	32	225	194	123
2025/11/18 20:50	0	0	0	0	0	47	34	229	157	130
2025/11/18 21:00	0	0	0	0	0	36	33	189	175	112
2025/11/18 21:10	0	0	0	0	0	34	33	160	186	67
2025/11/18 21:20	0	0	0	0	0	33	34	184	163	129
2025/11/18 21:30	0	0	0	0	0	33	36	175	153	84
2025/11/18 21:40	0	0	0	0	0	33	36	187	158	123
2025/11/18 21:50	0	0	0	0	0	36	36	144	147	80
2025/11/18 22:00	0	0	0	0	0	36	36	125	103	61
2025/11/18 22:10	0	0	0	0	0	36	39	117	109	50

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/18 22:20	0	0	0	0	0	36	40	117	95	47
2025/11/18 22:30	0	0	0	0	0	36	40	114	88	44
2025/11/18 22:40	0	0	0	0	0	37	40	122	98	41
2025/11/18 22:50	0	0	0	0	0	39	40	132	85	48
2025/11/18 23:00	0	0	0	0	0	39	42	139	94	49
2025/11/18 23:10	0	0	0	0	0	65	52	147	82	67
2025/11/18 23:20	0	0	0	0	0	99	71	165	119	89
2025/11/18 23:30	0	0	0	0	0	88	96	201	136	105
2025/11/18 23:40	0	0	0	0	0	69	49	187	146	84
2025/11/18 23:50	0	0	0	0	0	52	46	166	136	67
2025/11/19 0:00	0	0	0	0	0	44	46	239	148	65
2025/11/19 0:10	0	0	0	0	0	42	46	151	183	70
2025/11/19 0:20	0	0	0	0	0	44	46	157	192	49
2025/11/19 0:30	0	0	0	0	0	45	46	139	183	49
2025/11/19 0:40	0	0	0	0	0	45	46	135	163	47
2025/11/19 0:50	0	0	0	0	0	45	46	134	148	59
2025/11/19 1:00	0	0	0	0	0	45	46	188	109	69
2025/11/19 1:10	0	0	0	0	0	45	46	152	195	58
2025/11/19 1:20	0	0	0	0	0	45	48	145	194	60
2025/11/19 1:30	0	0	0	0	0	45	49	146	202	51
2025/11/19 1:40	0	0	0	0	0	45	50	163	195	56
2025/11/19 1:50	0	0	0	0	0	45	49	168	182	61
2025/11/19 2:00	0	0	0	0	0	45	49	138	179	56
2025/11/19 2:10	0	0	0	0	0	45	49	135	142	50
2025/11/19 2:20	0	0	0	0	0	45	49	132	144	56
2025/11/19 2:30	0	0	0	0	0	45	49	162	169	53
2025/11/19 2:40	0	0	0	0	0	45	49	150	202	49
2025/11/19 2:50	0	0	0	0	0	45	49	151	125	48
2025/11/19 3:00	0	0	0	0	0	45	49	130	164	48
2025/11/19 3:10	0	0	0	0	0	68	104	144	120	78
2025/11/19 3:20	0	0	0	0	0	81	94	176	103	102
2025/11/19 3:30	0	0	0	0	0	105	156	202	99	87
2025/11/19 3:40	0	0	0	0	0	63	137	178	89	71
2025/11/19 3:50	0	0	0	0	0	56	129	170	84	62
2025/11/19 4:00	0	0	0	0	0	173	141	188	89	143
2025/11/19 4:10	0	0	0	0	0	146	85	231	204	189
2025/11/19 4:20	0	0	0	0	0	53	52	165	176	62
2025/11/19 4:30	0	0	0	0	0	51	52	158	167	54
2025/11/19 4:40	0	0	0	0	0	55	52	163	189	55
2025/11/19 4:50	0	0	0	0	0	69	53	182	122	70
2025/11/19 5:00	0	0	0	0	0	69	52	185	204	72
2025/11/19 5:10	0	0	0	0	0	72	59	194	222	72
2025/11/19 5:20	0	0	0	0	0	79	62	245	128	85
2025/11/19 5:30	0	0	0	0	0	115	72	281	109	130
2025/11/19 5:40	0	0	0	0	0	85	80	237	112	97
2025/11/19 5:50	0	0	0	0	0	82	55	210	177	83
2025/11/19 6:00	0	0	0	0	0	64	52	189	152	73
2025/11/19 6:10	0	0	0	0	0	104	70	207	112	99
2025/11/19 6:20	0	0	0	0	0	150	121	223	96	132
2025/11/19 6:30	0	0	0	0	0	106	70	268	175	133
2025/11/19 6:40	0	0	0	0	0	88	64	225	183	91
2025/11/19 6:50	0	0	0	0	0	87	63	268	137	97
2025/11/19 7:00	0	0	0	0	0	81	57	287	115	133
2025/11/19 7:10	0	0	0	0	0	73	54	209	139	102
2025/11/19 7:20	0	0	0	0	0	70	53	203	154	108
2025/11/19 7:30	0	0	0	0	0	54	52	185	137	62
2025/11/19 7:40	0	0	0	0	0	47	51	181	125	124
2025/11/19 7:50	0	0	0	0	0	42	49	155	157	51
2025/11/19 8:00	0	0	0	0	0	39	65	162	124	78
2025/11/19 8:10	0	0	0	0	0	40	46	150	116	53
2025/11/19 8:20	0	0	0	0	0	36	48	141	121	64
2025/11/19 8:30	0	0	0	0	0	36	46	140	88	44
2025/11/19 8:40	0	0	0	0	0	33	43	154	78	64
2025/11/19 8:50	0	0	0	0	0	33	43	119	65	29
2025/11/19 9:00	0	0	0	0	0	33	42	112	56	31
2025/11/19 9:10	0	0	0	0	0	30	40	118	54	30
2025/11/19 9:20	0	0	0	0	0	30	52	117	60	36
2025/11/19 9:30	0	0	0	0	0	30	38	148	56	42
2025/11/19 9:40	0	0	0	0	0	28	37	311	95	101
2025/11/19 9:50	0	0	0	0	0	35	36	132	60	54
2025/11/19 10:00	0	0	0	0	0	27	34	152	88	60
2025/11/19 10:10	0	0	0	0	0	24	33	123	63	38
2025/11/19 10:20	0	0	0	0	0	24	35	110	68	44

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/19 10:30	0	0	0	0	0	24	33	104	44	41
2025/11/19 10:40	0	0	0	0	0	24	48	124	74	47
2025/11/19 10:50	0	0	0	0	0.1	22	30	107	56	33
2025/11/19 11:00	0	0	0	0	0.1	21	42	99	91	22
2025/11/19 11:10	0	0	0	0	0.1	21	27	110	63	36
2025/11/19 11:20	0	0	0	0	0.1	18	27	104	38	33
2025/11/19 11:30	0	0	0	0	0.1	18	27	107	47	39
2025/11/19 11:40	0	0	0	0	0.1	18	27	113	34	50
2025/11/19 11:50	0	0	0	0	0.1	18	27	112	31	41
2025/11/19 12:00	0	0	0	0	0.1	18	27	110	44	33
2025/11/19 12:10	0	0	0	0	0.1	18	24	109	41	34
2025/11/19 12:20	0	0	0	0	0.1	16	24	108	27	33
2025/11/19 12:30	0	0	0	0	0.1	15	24	97	32	31
2025/11/19 12:40	0	0	0	0	0.1	15	24	96	35	19
2025/11/19 12:50	0	0	0	0	0.1	17	40	128	31	56
2025/11/19 13:00	0	0	0	0	0.1	132	163	191	84	141
2025/11/19 13:10	0	0	0	0	0.1	81	229	136	51	111
2025/11/19 13:20	0	0	0	0	0	58	98	148	66	90
2025/11/19 13:30	0	0	0	0	0.1	37	58	125	36	91
2025/11/19 13:40	0	0	0	0	0.1	64	144	139	29	119
2025/11/19 13:50	0	0	0	0	0.1	16	31	129	43	51
2025/11/19 14:00	0	0	0	0	0.1	34	96	122	56	98
2025/11/19 14:10	0	0	0	0	0.1	34	75	156	83	104
2025/11/19 14:20	0	0	0	0	0.1	13	21	94	21	69
2025/11/19 14:30	0.1	0	0	0	0.1	15	21	94	25	86
2025/11/19 14:40	0.1	0	0	0	0.1	15	21	87	26	26
2025/11/19 14:50	0.1	0	0	0	0	15	21	92	40	68
2025/11/19 15:00	0.1	0	0	0	0	15	19	109	52	48
2025/11/19 15:10	0.1	0	0	0	0	13	16	99	35	73
2025/11/19 15:20	0.1	0	0	0	0	12	119	92	59	30
2025/11/19 15:30	0	0	0	0	0	12	12	87	35	33
2025/11/19 15:40	0	0	0	0	0	15	12	84	47	89
2025/11/19 15:50	0	0	0	0	0	15	311	90	100	150
2025/11/19 16:00	0	0	0	0	0	18	41	130	100	76
2025/11/19 16:10	0	0	0	0	0	50	56	262	183	161
2025/11/19 16:20	0	0	0	0	0	111	138	469	149	274
2025/11/19 16:30	0	0	0	0	0	121	105	207	152	160
2025/11/19 16:40	0	0	0	0	0	108	129	371	307	409
2025/11/19 16:50	0	0	0	0	0	386	600	312	217	353
2025/11/19 17:00	0	0	0	0	0	316	826	328	245	430
2025/11/19 17:10	0	0	0	0	0	403	852	320	153	355
2025/11/19 17:20	0	0	0	0	0	348	535	403	290	445
2025/11/19 17:30	0	0	0	0	0	349	492	409	189	400
2025/11/19 17:40	0	0	0	0	0	333	440	370	262	372
2025/11/19 17:50	0	0	0	0	0	280	367	381	362	294
2025/11/19 18:00	0	0	0	0	0	400	591	426	328	571
2025/11/19 18:10	0	0	0	0	0	389	666	392	216	470
2025/11/19 18:20	0	0	0	0	0	459	279	575	442	656
2025/11/19 18:30	0	0	0	0	0	494	231	435	197	572
2025/11/19 18:40	0	0	0	0	0	396	219	378	179	507
2025/11/19 18:50	0	0	0	0	0	302	198	370	159	469
2025/11/19 19:00	0	0	0	0	0	311	176	370	144	481
2025/11/19 19:10	0	0	0	0	0	320	181	328	133	478
2025/11/19 19:20	0	0	0	0	0	263	236	295	124	357
2025/11/19 19:30	0	0	0	0	0	372	261	265	128	342
2025/11/19 19:40	0	0	0	0	0	324	156	244	111	416
2025/11/19 19:50	0	0	0	0	0	218	159	222	78	317
2025/11/19 20:00	0	0	0	0	0	179	128	200	66	293
2025/11/19 20:10	0	0	0	0	0	154	83	323	90	274
2025/11/19 20:20	0	0	0	0	0	206	143	291	108	352
2025/11/19 20:30	0	0	0	0	0	268	126	254	101	349
2025/11/19 20:40	0	0	0	0	0	307	135	215	100	303
2025/11/19 20:50	0	0	0	0	0	163	123	251	291	209
2025/11/19 21:00	0	0	0	0	0	117	90	272	261	142
2025/11/19 21:10	0	0	0	0	0	121	85	407	304	137
2025/11/19 21:20	0	0	0	0	0	122	102	389	229	143
2025/11/19 21:30	0	0	0	0	0	124	327	312	231	140
2025/11/19 21:40	0	0	0	0	0	147	484	328	249	158
2025/11/19 21:50	0	0	0	0	0	410	403	402	207	351
2025/11/19 22:00	0	0	0	0	0	313	366	394	204	217
2025/11/19 22:10	0	0	0	0	0	148	145	309	156	163
2025/11/19 22:20	0	0	0	0	0	143	214	299	141	151
2025/11/19 22:30	0	0	0	0	0	148	172	301	153	151

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/19 22:40	0	0	0	0	0	148	113	308	214	156
2025/11/19 22:50	0	0	0	0	0	123	84	278	219	139
2025/11/19 23:00	0	0	0	0	0	103	75	238	198	120
2025/11/19 23:10	0	0	0	0	0	110	86	241	234	120
2025/11/19 23:20	0	0	0	0	0	113	87	241	221	122
2025/11/19 23:30	0	0	0	0	0	110	82	239	243	119
2025/11/19 23:40	0	0	0	0	0	110	80	240	263	118
2025/11/19 23:50	0	0	0	0	0	118	86	247	287	129
2025/11/20 0:00	0	0	0	0	0	119	92	252	255	128
2025/11/20 0:10	0	0	0	0	0	118	92	253	259	128
2025/11/20 0:20	0	0	0	0	0	120	91	254	258	126
2025/11/20 0:30	0	0	0	0	0	132	111	272	203	148
2025/11/20 0:40	0	0	0	0	0	155	118	310	235	176
2025/11/20 0:50	0	0	0	0	0	142	118	292	238	149
2025/11/20 1:00	0	0	0	0	0	121	97	261	273	127
2025/11/20 1:10	0	0	0	0	0	111	87	247	224	124
2025/11/20 1:20	0	0	0	0	0	120	103	250	214	123
2025/11/20 1:30	0	0	0	0	0	122	96	249	230	123
2025/11/20 1:40	0	0	0	0	0	112	86	246	213	117
2025/11/20 1:50	0	0	0	0	0	98	74	239	207	108
2025/11/20 2:00	0	0	0	0	0	88	59	224	173	93
2025/11/20 2:10	0	0	0	0	0	79	54	209	165	86
2025/11/20 2:20	0	0	0	0	0	62	43	187	173	90
2025/11/20 2:30	0	0	0	0	0	56	43	178	141	120
2025/11/20 2:40	0	0	0	0	0	57	43	182	165	82
2025/11/20 2:50	0	0	0	0	0	58	44	184	161	73
2025/11/20 3:00	0	0	0	0	0	65	49	188	136	75
2025/11/20 3:10	0	0	0	0	0	60	44	185	151	71
2025/11/20 3:20	0	0	0	0	0	64	43	194	174	73
2025/11/20 3:30	0	0	0	0	0	67	44	193	158	75
2025/11/20 3:40	0	0	0	0	0	68	43	192	194	79
2025/11/20 3:50	0	0	0	0	0	60	43	184	189	70
2025/11/20 4:00	0	0	0	0	0	55	43	179	160	67
2025/11/20 4:10	0	0	0	0	0	51	43	173	162	63
2025/11/20 4:20	0	0	0	0	0	53	43	170	186	64
2025/11/20 4:30	0	0	0	0	0	55	43	174	160	66
2025/11/20 4:40	0	0	0	0	0	48	45	166	119	59
2025/11/20 4:50	0	0	0	0	0	48	43	166	142	61
2025/11/20 5:00	0	0	0	0	0	52	43	169	188	66
2025/11/20 5:10	0	0	0	0	0	59	43	187	164	70
2025/11/20 5:20	0	0	0	0	0	65	43	193	200	75
2025/11/20 5:30	0	0	0	0	0	76	47	206	226	84
2025/11/20 5:40	0	0	0	0	0	88	61	222	187	95
2025/11/20 5:50	0	0	0	0	0	91	66	222	195	101
2025/11/20 6:00	0	0	0	0	0	97	70	235	211	105
2025/11/20 6:10	0	0	0	0	0	104	78	240	212	111
2025/11/20 6:20	0	0	0	0	0	106	76	241	206	114
2025/11/20 6:30	0	0	0	0	0	107	77	237	231	111
2025/11/20 6:40	0	0	0	0	0	101	77	234	205	108
2025/11/20 6:50	0	0	0	0	0	89	65	223	186	97
2025/11/20 7:00	0	0	0	0	0	87	64	217	158	93
2025/11/20 7:10	0	0	0	0	0	77	49	205	141	87
2025/11/20 7:20	0	0	0	0	0	72	47	197	166	87
2025/11/20 7:30	0	0	0	0	0	74	45	201	157	90
2025/11/20 7:40	0	0	0	0	0	78	50	200	155	93
2025/11/20 7:50	0	0	0	0	0	86	46	193	148	81
2025/11/20 8:00	0	0	0	0	0	72	44	190	169	88
2025/11/20 8:10	0	0	0	0	0	44	40	164	115	60
2025/11/20 8:20	0	0	0	0	0	48	42	169	136	78
2025/11/20 8:30	0	0	0	0	0	57	46	185	117	70
2025/11/20 8:40	0	0	0	0	0	39	40	164	97	63
2025/11/20 8:50	0	0	0	0	0	43	40	164	87	62
2025/11/20 9:00	0	0	0	0	0	51	43	181	118	64
2025/11/20 9:10	0	0	0	0	0	47	45	174	116	61
2025/11/20 9:20	0	0	0	0	0	44	36	174	107	64
2025/11/20 9:30	0	0	0	0	0	53	46	183	128	71
2025/11/20 9:40	0	0	0	0	0	55	38	180	111	74
2025/11/20 9:50	0	0	0	0	0	76	56	208	125	90
2025/11/20 10:00	0	0	0	0	0	92	67	242	149	123
2025/11/20 10:10	0	0	0	0	0	48	41	188	118	77
2025/11/20 10:20	0	0	0	0	0	33	37	153	95	67
2025/11/20 10:30	0	0	0	0	0	28	34	150	92	90
2025/11/20 10:40	0	0	0	0	0	26	33	155	87	106

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/20 10:50	0	0	0	0	0	25	30	139	105	83
2025/11/20 11:00	0	0	0	0	0	35	31	154	92	73
2025/11/20 11:10	0	0	0	0	0.1	22	30	125	59	44
2025/11/20 11:20	0	0	0	0	0.1	21	30	120	58	40
2025/11/20 11:30	0	0	0	0	0.1	22	29	127	60	44
2025/11/20 11:40	0	0	0	0	0.1	20	27	140	73	55
2025/11/20 11:50	0	0	0	0	0.1	18	29	134	62	70
2025/11/20 12:00	0	0	0	0	0.1	18	27	135	58	64
2025/11/20 12:10	0	0	0	0	0.1	18	25	119	54	39
2025/11/20 12:20	0	0	0	0	0.1	18	24	122	57	53
2025/11/20 12:30	0	0	0	0	0.1	15	24	117	54	49
2025/11/20 12:40	0	0	0	0	0.1	15	24	144	55	71
2025/11/20 12:50	0	0	0	0	0.1	15	35	120	44	72
2025/11/20 13:00	0	0	0	0	0.1	15	32	119	54	31
2025/11/20 13:10	0	0	0	0	0.1	25	58	140	64	74
2025/11/20 13:20	0	0	0	0	0.1	39	41	133	45	82
2025/11/20 13:30	0	0	0	0	0.1	20	62	128	46	50
2025/11/20 13:40	0	0	0	0	0.1	24	21	139	47	94
2025/11/20 13:50	0	0	0	0	0.1	12	23	128	66	57
2025/11/20 14:00	0	0	0	0	0.1	13	21	153	81	73
2025/11/20 14:10	0	0	0	0	0.1	12	49	141	71	45
2025/11/20 14:20	0	0	0	0	0.1	67	57	149	79	109
2025/11/20 14:30	0.1	0	0	0	0.1	30	23	155	63	73
2025/11/20 14:40	0.1	0	0	0	0	31	22	137	70	110
2025/11/20 14:50	0.1	0	0	0	0	27	44	132	51	78
2025/11/20 15:00	0.1	0	0	0	0	38	40	132	47	83
2025/11/20 15:10	0.1	0	0	0	0	36	21	135	45	79
2025/11/20 15:20	0.1	0	0	0	0	23	41	120	39	53
2025/11/20 15:30	0.1	0	0	0	0	61	170	158	54	102
2025/11/20 15:40	0	0	0	0	0	69	82	158	59	125
2025/11/20 15:50	0	0	0	0	0	91	152	160	55	114
2025/11/20 16:00	0	0	0	0	0	104	129	170	70	118
2025/11/20 16:10	0	0	0	0	0	129	206	184	74	127
2025/11/20 16:20	0	0	0	0	0	93	84	189	65	131
2025/11/20 16:30	0	0	0	0	0	127	296	167	78	131
2025/11/20 16:40	0	0	0	0	0	139	174	198	98	133
2025/11/20 16:50	0	0	0	0	0	181	316	189	97	115
2025/11/20 17:00	0	0	0	0	0	152	158	199	87	117
2025/11/20 17:10	0	0	0	0	0	188	173	236	109	175
2025/11/20 17:20	0	0	0	0	0	193	233	229	129	264
2025/11/20 17:30	0	0	0	0	0	159	274	241	191	185
2025/11/20 17:40	0	0	0	0	0	147	285	245	195	126
2025/11/20 17:50	0	0	0	0	0	127	198	258	303	143
2025/11/20 18:00	0	0	0	0	0	147	132	293	369	146
2025/11/20 18:10	0	0	0	0	0	169	161	325	352	166
2025/11/20 18:20	0	0	0	0	0	188	203	378	491	200
2025/11/20 18:30	0	0	0	0	0	211	210	426	615	220
2025/11/20 18:40	0	0	0	0	0	193	169	508	352	227
2025/11/20 18:50	0	0	0	0	0	133	123	743	212	171
2025/11/20 19:00	0	0	0	0	0	125	95	633	236	168
2025/11/20 19:10	0	0	0	0	0	131	117	538	241	150
2025/11/20 19:20	0	0	0	0	0	189	165	541	203	348
2025/11/20 19:30	0	0	0	0	0	269	178	352	168	453
2025/11/20 19:40	0	0	0	0	0	243	165	326	148	330
2025/11/20 19:50	0	0	0	0	0	231	129	274	132	323
2025/11/20 20:00	0	0	0	0	0	321	163	264	112	310
2025/11/20 20:10	0	0	0	0	0	279	140	277	131	303
2025/11/20 20:20	0	0	0	0	0	126	112	318	255	164
2025/11/20 20:30	0	0	0	0	0	154	159	304	292	181
2025/11/20 20:40	0	0	0	0	0	149	173	348	341	167
2025/11/20 20:50	0	0	0	0	0	157	145	367	277	158
2025/11/20 21:00	0	0	0	0	0	122	103	321	236	134
2025/11/20 21:10	0	0	0	0	0	116	92	315	286	122
2025/11/20 21:20	0	0	0	0	0	110	103	311	220	115
2025/11/20 21:30	0	0	0	0	0	107	75	315	309	112
2025/11/20 21:40	0	0	0	0	0	103	86	307	251	108
2025/11/20 21:50	0	0	0	0	0	115	93	323	177	119
2025/11/20 22:00	0	0	0	0	0	144	183	357	178	151
2025/11/20 22:10	0	0	0	0	0	152	233	358	148	160
2025/11/20 22:20	0	0	0	0	0	147	204	363	149	156
2025/11/20 22:30	0	0	0	0	0	139	120	359	157	151
2025/11/20 22:40	0	0	0	0	0	138	128	352	161	149
2025/11/20 22:50	0	0	0	0	0	132	100	345	210	140

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/20 23:00	0	0	0	0	0	146	117	348	189	143
2025/11/20 23:10	0	0	0	0	0	157	127	362	200	160
2025/11/20 23:20	0	0	0	0	0	154	123	361	208	159
2025/11/20 23:30	0	0	0	0	0	153	123	357	212	156
2025/11/20 23:40	0	0	0	0	0	157	122	371	204	162
2025/11/20 23:50	0	0	0	0	0	177	144	372	202	178
2025/11/21 0:00	0	0	0	0	0	171	143	373	231	177
2025/11/21 0:10	0	0	0	0	0	170	161	372	211	176
2025/11/21 0:20	0	0	0	0	0	173	142	383	301	178
2025/11/21 0:30	0	0	0	0	0	169	141	382	233	178
2025/11/21 0:40	0	0	0	0	0	169	142	386	223	183
2025/11/21 0:50	0	0	0	0	0	184	151	388	251	196
2025/11/21 1:00	0	0	0	0	0	176	154	366	202	192
2025/11/21 1:10	0	0	0	0	0	153	134	340	212	157
2025/11/21 1:20	0	0	0	0	0	137	108	318	225	147
2025/11/21 1:30	0	0	0	0	0	127	101	313	172	130
2025/11/21 1:40	0	0	0	0	0	134	106	324	163	135
2025/11/21 1:50	0	0	0	0	0	133	129	320	169	131
2025/11/21 2:00	0	0	0	0	0	131	103	316	242	129
2025/11/21 2:10	0	0	0	0	0	130	99	322	247	132
2025/11/21 2:20	0	0	0	0	0	128	96	334	235	127
2025/11/21 2:30	0	0	0	0	0	131	106	341	185	132
2025/11/21 2:40	0	0	0	0	0	136	110	330	225	134
2025/11/21 2:50	0	0	0	0	0	129	102	327	222	132
2025/11/21 3:00	0	0	0	0	0	125	98	315	140	123
2025/11/21 3:10	0	0	0	0	0	120	93	309	169	116
2025/11/21 3:20	0	0	0	0	0	110	80	302	220	110
2025/11/21 3:30	0	0	0	0	0	105	79	300	180	106
2025/11/21 3:40	0	0	0	0	0	103	77	295	135	103
2025/11/21 3:50	0	0	0	0	0	99	71	294	188	101
2025/11/21 4:00	0	0	0	0	0	101	91	299	139	102
2025/11/21 4:10	0	0	0	0	0	103	75	301	185	105
2025/11/21 4:20	0	0	0	0	0	101	71	300	192	108
2025/11/21 4:30	0	0	0	0	0	100	68	295	191	103
2025/11/21 4:40	0	0	0	0	0	103	75	293	179	102
2025/11/21 4:50	0	0	0	0	0	107	80	297	145	103
2025/11/21 5:00	0	0	0	0	0	111	89	302	191	107
2025/11/21 5:10	0	0	0	0	0	115	89	311	189	112
2025/11/21 5:20	0	0	0	0	0	114	107	312	121	112
2025/11/21 5:30	0	0	0	0	0	119	89	323	165	119
2025/11/21 5:40	0	0	0	0	0	116	83	323	181	120
2025/11/21 5:50	0	0	0	0	0	113	82	317	146	114
2025/11/21 6:00	0	0	0	0	0	109	93	314	133	109
2025/11/21 6:10	0	0	0	0	0	105	70	312	121	106
2025/11/21 6:20	0	0	0	0	0	164	130	324	121	112
2025/11/21 6:30	0	0	0	0	0	163	180	329	128	123
2025/11/21 6:40	0	0	0	0	0	147	103	323	142	119
2025/11/21 6:50	0	0	0	0	0	116	72	301	135	100
2025/11/21 7:00	0	0	0	0	0	106	84	309	171	100
2025/11/21 7:10	0	0	0	0	0	101	89	298	169	96
2025/11/21 7:20	0	0	0	0	0	96	68	292	165	93
2025/11/21 7:30	0	0	0	0	0	90	67	287	140	84
2025/11/21 7:40	0	0	0	0	0	91	61	289	151	87
2025/11/21 7:50	0	0	0	0	0	117	51	279	151	83
2025/11/21 8:00	0	0	0	0	0	79	48	273	124	70
2025/11/21 8:10	0	0	0	0	0	62	46	260	134	60
2025/11/21 8:20	0	0	0	0	0	58	47	259	91	58
2025/11/21 8:30	0	0	0	0	0	60	44	260	108	61
2025/11/21 8:40	0	0	0	0	0	60	49	267	102	61
2025/11/21 8:50	0	0	0	0	0	56	54	273	108	61
2025/11/21 9:00	0	0	0	0	0	51	41	271	156	58
2025/11/21 9:10	0	0	0	0	0	55	69	276	111	56
2025/11/21 9:20	0	0	0	0	0	75	59	306	107	85
2025/11/21 9:30	0	0	0	0	0	78	75	317	98	92
2025/11/21 9:40	0	0	0	0	0	77	53	319	84	99
2025/11/21 9:50	0	0	0	0	0	69	54	306	85	90
2025/11/21 10:00	0	0	0	0	0.1	49	60	308	80	78
2025/11/21 10:10	0	0	0	0	0.1	52	38	302	75	78
2025/11/21 10:20	0	0	0	0	0.1	69	112	304	78	102
2025/11/21 10:30	0	0	0	0	0.1	54	83	301	75	69
2025/11/21 10:40	0	0	0	0	0.1	70	112	311	77	95
2025/11/21 10:50	0	0	0	0	0.1	67	71	315	75	87
2025/11/21 11:00	0	0	0	0	0.1	62	66	318	86	202

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/21 11:10	0	0	0	0	0.1	63	95	326	85	262
2025/11/21 11:20	0	0	0	0	0.1	64	73	333	83	104
2025/11/21 11:30	0	0	0	0	0.1	69	59	337	86	107
2025/11/21 11:40	0	0	0	0	0.1	96	118	336	94	119
2025/11/21 11:50	0	0	0	0	0.1	70	74	335	89	100
2025/11/21 12:00	0	0	0	0	0.1	66	61	337	94	86
2025/11/21 12:10	0	0	0	0	0.1	56	69	334	87	83
2025/11/21 12:20	0	0	0	0	0.1	50	52	328	77	80
2025/11/21 12:30	0	0	0	0	0.1	54	63	333	80	82
2025/11/21 12:40	0	0	0	0	0.1	63	69	336	81	86
2025/11/21 12:50	0	0	0	0	0.1	66	76	330	79	87
2025/11/21 13:00	0	0	0	0	0.1	76	72	339	83	124
2025/11/21 13:10	0	0	0	0	0.1	102	168	344	87	115
2025/11/21 13:20	0	0	0	0	0	94	156	333	86	113
2025/11/21 13:30	0	0	0	0	0	80	81	335	83	123
2025/11/21 13:40	0	0	0	0	0	98	71	329	80	328
2025/11/21 13:50	0	0	0	0	0.1	85	63	241	76	281
2025/11/21 14:00	0	0	0	0	0.1	83	283	200	76	350
2025/11/21 14:10	0	0	0	0	0.1	75	382	194	74	394
2025/11/21 14:20	0	0	0	0	0.1	79	420	211	78	453
2025/11/21 14:30	0.1	0	0	0	0.1	89	423	203	76	422
2025/11/21 14:40	0.1	0	0	0	0.1	98	414	182	74	243
2025/11/21 14:50	0.1	0	0	0	0.1	72	477	192	78	142
2025/11/21 15:00	0.1	0	0	0	0	75	319	191	79	137
2025/11/21 15:10	0.1	0	0	0	0	95	347	203	93	144
2025/11/21 15:20	0.1	0	0	0	0	112	379	222	101	156
2025/11/21 15:30	0.1	0	0	0	0	111	731	215	100	140
2025/11/21 15:40	0	0	0	0	0	113	626	205	89	147
2025/11/21 15:50	0	0	0	0	0	106	512	204	90	193
2025/11/21 16:00	0	0	0	0	0	118	559	240	99	170
2025/11/21 16:10	0	0	0	0	0	104	550	222	94	141
2025/11/21 16:20	0	0	0	0	0	96	617	212	92	146
2025/11/21 16:30	0	0	0	0	0	127	1393	225	109	157
2025/11/21 16:40	0	0	0	0	0	164	1442	225	173	150
2025/11/21 16:50	0	0	0	0	0	150	1127	247	238	145
2025/11/21 17:00	0	0	0	0	0	262	822	344	215	321
2025/11/21 17:10	0	0	0	0	0	217	805	337	264	202
2025/11/21 17:20	0	0	0	0	0	270	439	342	266	316
2025/11/21 17:30	0	0	0	0	0	258	351	419	371	259
2025/11/21 17:40	0	0	0	0	0	280	370	495	318	281
2025/11/21 17:50	0	0	0	0	0	266	389	498	317	289
2025/11/21 18:00	0	0	0	0	0	275	412	503	333	293
2025/11/21 18:10	0	0	0	0	0	287	357	501	323	327
2025/11/21 18:20	0	0	0	0	0	280	365	505	344	325
2025/11/21 18:30	0	0	0	0	0	279	279	530	422	377
2025/11/21 18:40	0	0	0	0	0	557	337	550	385	593
2025/11/21 18:50	0	0	0	0	0	382	292	657	507	470
2025/11/21 19:00	0	0	0	0	0	305	280	564	498	345
2025/11/21 19:10	0	0	0	0	0	265	237	476	405	289
2025/11/21 19:20	0	0	0	0	0	240	213	446	441	260
2025/11/21 19:30	0	0	0	0	0	232	204	446	412	256
2025/11/21 19:40	0	0	0	0	0	220	189	429	370	239
2025/11/21 19:50	0	0	0	0	0	181	158	373	338	199
2025/11/21 20:00	0	0	0	0	0	172	151	458	289	195
2025/11/21 20:10	0	0	0	0	0	172	148	367	267	186
2025/11/21 20:20	0	0	0	0	0	172	177	377	277	183
2025/11/21 20:30	0	0	0	0	0	175	143	336	262	185
2025/11/21 20:40	0	0	0	0	0	170	166	329	257	179
2025/11/21 20:50	0	0	0	0	0	180	238	353	230	226
2025/11/21 21:00	0	0	0	0	0	211	217	390	300	233
2025/11/21 21:10	0	0	0	0	0	172	137	351	271	185
2025/11/21 21:20	0	0	0	0	0	159	135	325	297	166
2025/11/21 21:30	0	0	0	0	0	151	121	312	268	158
2025/11/21 21:40	0	0	0	0	0	146	125	316	309	156
2025/11/21 21:50	0	0	0	0	0	145	128	391	235	179
2025/11/21 22:00	0	0	0	0	0	145	225	327	203	172
2025/11/21 22:10	0	0	0	0	0	148	126	315	261	162
2025/11/21 22:20	0	0	0	0	0	229	213	328	200	200
2025/11/21 22:30	0	0	0	0	0	173	199	331	205	171
2025/11/21 22:40	0	0	0	0	0	168	162	338	185	174
2025/11/21 22:50	0	0	0	0	0	179	148	351	244	186
2025/11/21 23:00	0	0	0	0	0	179	147	346	241	190
2025/11/21 23:10	0	0	0	0	0	172	141	340	220	195

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/21 23:20	0	0	0	0	0	171	140	366	214	184
2025/11/21 23:30	0	0	0	0	0	166	137	376	210	204
2025/11/21 23:40	0	0	0	0	0	160	132	362	209	175
2025/11/21 23:50	0	0	0	0	0	160	130	335	198	167
2025/11/22 0:00	0	0	0	0	0	162	132	320	216	167
2025/11/22 0:10	0	0	0	0	0	168	161	334	208	178
2025/11/22 0:20	0	0	0	0	0	226	224	334	187	213
2025/11/22 0:30	0	0	0	0	0	220	199	351	249	222
2025/11/22 0:40	0	0	0	0	0	189	152	366	242	203
2025/11/22 0:50	0	0	0	0	0	180	212	351	201	189
2025/11/22 1:00	0	0	0	0	0	185	218	348	189	191
2025/11/22 1:10	0	0	0	0	0	173	166	335	230	183
2025/11/22 1:20	0	0	0	0	0	166	141	323	240	165
2025/11/22 1:30	0	0	0	0	0	160	144	315	233	162
2025/11/22 1:40	0	0	0	0	0	160	140	313	247	159
2025/11/22 1:50	0	0	0	0	0	178	158	416	217	191
2025/11/22 2:00	0	0	0	0	0	201	163	414	252	216
2025/11/22 2:10	0	0	0	0	0	189	137	385	234	203
2025/11/22 2:20	0	0	0	0	0	170	139	367	243	187
2025/11/22 2:30	0	0	0	0	0	154	121	355	180	162
2025/11/22 2:40	0	0	0	0	0	137	153	304	165	146
2025/11/22 2:50	0	0	0	0	0	138	198	306	160	148
2025/11/22 3:00	0	0	0	0	0	157	210	316	162	155
2025/11/22 3:10	0	0	0	0	0	157	217	324	180	168
2025/11/22 3:20	0	0	0	0	0	184	167	362	221	190
2025/11/22 3:30	0	0	0	0	0	165	138	330	208	168
2025/11/22 3:40	0	0	0	0	0	148	110	295	217	147
2025/11/22 3:50	0	0	0	0	0	201	160	337	187	179
2025/11/22 4:00	0	0	0	0	0	247	187	365	189	196
2025/11/22 4:10	0	0	0	0	0	214	203	361	205	203
2025/11/22 4:20	0	0	0	0	0	218	255	377	206	207
2025/11/22 4:30	0	0	0	0	0	253	229	385	250	227
2025/11/22 4:40	0	0	0	0	0	214	204	409	257	229
2025/11/22 4:50	0	0	0	0	0	181	149	368	241	195
2025/11/22 5:00	0	0	0	0	0	251	187	376	226	227
2025/11/22 5:10	0	0	0	0	0	261	216	406	225	242
2025/11/22 5:20	0	0	0	0	0	217	228	371	223	214
2025/11/22 5:30	0	0	0	0	0	222	256	361	208	201
2025/11/22 5:40	0	0	0	0	0	206	269	354	184	190
2025/11/22 5:50	0	0	0	0	0	187	239	356	189	189
2025/11/22 6:00	0	0	0	0	0	224	227	364	245	203
2025/11/22 6:10	0	0	0	0	0	218	197	383	240	214
2025/11/22 6:20	0	0	0	0	0	195	164	372	236	202
2025/11/22 6:30	0	0	0	0	0	186	152	380	221	200
2025/11/22 6:40	0	0	0	0	0	175	148	332	233	176
2025/11/22 6:50	0	0	0	0	0	173	170	319	189	167
2025/11/22 7:00	0	0	0	0	0	167	164	313	228	163
2025/11/22 7:10	0	0	0	0	0	162	130	309	213	161
2025/11/22 7:20	0	0	0	0	0	150	125	300	205	156
2025/11/22 7:30	0	0	0	0	0	125	110	271	207	140
2025/11/22 7:40	0	0	0	0	0	103	93	252	160	105
2025/11/22 7:50	0	0	0	0	0	85	112	225	211	86
2025/11/22 8:00	0	0	0	0	0	64	49	196	158	70
2025/11/22 8:10	0	0	0	0	0	55	40	172	121	95
2025/11/22 8:20	0	0	0	0	0	37	38	158	118	72
2025/11/22 8:30	0	0	0	0	0	28	36	150	98	59
2025/11/22 8:40	0	0	0	0	0	25	34	139	75	45
2025/11/22 8:50	0	0	0	0	0	22	33	134	102	48
2025/11/22 9:00	0	0	0	0	0	22	31	133	82	45
2025/11/22 9:10	0	0	0	0	0	22	30	129	74	50
2025/11/22 9:20	0	0	0	0	0	40	33	151	92	96
2025/11/22 9:30	0	0	0	0	0	24	27	124	72	53
2025/11/22 9:40	0	0	0	0	0	16	27	111	53	45
2025/11/22 9:50	0	0	0	0	0.1	15	25	101	42	36
2025/11/22 10:00	0	0	0	0	0.1	15	24	95	50	32
2025/11/22 10:10	0	0	0	0	0.1	12	24	98	45	32
2025/11/22 10:20	0	0	0	0	0.1	12	24	105	50	44
2025/11/22 10:30	0	0	0	0	0.1	12	22	112	57	43
2025/11/22 10:40	0	0	0	0	0.1	12	21	117	62	59
2025/11/22 10:50	0	0	0	0	0.1	14	340	119	65	67
2025/11/22 11:00	0	0	0	0	0.1	9	180	102	39	61
2025/11/22 11:10	0	0	0	0	0.1	13	51	100	42	53
2025/11/22 11:20	0	0	0	0	0.1	7	18	93	33	73

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/22 11:30	0	0	0	0	0.1	6	18	98	31	53
2025/11/22 11:40	0	0	0	0	0.1	6	18	80	27	52
2025/11/22 11:50	0	0	0	0	0.1	3	18	79	20	36
2025/11/22 12:00	0	0	0	0	0.1	3	18	83	24	43
2025/11/22 12:10	0	0	0	0	0.1	3	18	84	24	39
2025/11/22 12:20	0	0	0	0	0.1	3	16	75	23	43
2025/11/22 12:30	0	0	0	0	0.1	3	15	76	22	48
2025/11/22 12:40	0	0	0	0	0.1	3	15	72	15	40
2025/11/22 12:50	0	0	0	0	0.1	3	15	72	11	50
2025/11/22 13:00	0	0	0	0	0.1	3	15	82	16	60
2025/11/22 13:10	0	0	0	0	0.1	3	15	73	10	40
2025/11/22 13:20	0	0	0	0	0.1	3	15	77	16	45
2025/11/22 13:30	0	0	0	0	0.1	3	18	66	4	31
2025/11/22 13:40	0	0	0	0	0.1	4	137	70	10	34
2025/11/22 13:50	0	0	0	0	0.1	6	32	78	24	67
2025/11/22 14:00	0	0	0	0	0.1	19	23	90	22	71
2025/11/22 14:10	0	0	0	0	0.1	11	57	101	19	59
2025/11/22 14:20	0	0	0	0	0.1	6	112	93	25	57
2025/11/22 14:30	0.1	0	0	0	0.1	20	153	83	12	49
2025/11/22 14:40	0.1	0	0	0	0.1	7	699	72	9	41
2025/11/22 14:50	0.1	0	0	0	0.1	5	805	78	2	26
2025/11/22 15:00	0.1	0	0	0	0	19	513	78	21	84
2025/11/22 15:10	0.1	0	0	0	0	17	766	74	10	71
2025/11/22 15:20	0.1	0	0	0	0	10	337	91	17	68
2025/11/22 15:30	0.1	0	0	0	0	14	651	80	51	84
2025/11/22 15:40	0	0	0	0	0	11	166	123	75	90
2025/11/22 15:50	0	0	0	0	0	34	352	103	80	138
2025/11/22 16:00	0	0	0	0	0	131	311	116	59	187
2025/11/22 16:10	0	0	0	0	0	117	332	130	86	157
2025/11/22 16:20	0	0	0	0	0	85	264	135	63	130
2025/11/22 16:30	0	0	0	0	0	89	217	131	76	111
2025/11/22 16:40	0	0	0	0	0	178	383	335	125	134
2025/11/22 16:50	0	0	0	0	0	231	589	273	258	279
2025/11/22 17:00	0	0	0	0	0	162	466	293	276	192
2025/11/22 17:10	0	0	0	0	0	79	230	252	103	151
2025/11/22 17:20	0	0	0	0	0	58	290	137	44	95
2025/11/22 17:30	0	0	0	0	0	45	80	114	36	79
2025/11/22 17:40	0	0	0	0	0	58	27	112	38	89
2025/11/22 17:50	0	0	0	0	0	50	31	112	42	83
2025/11/22 18:00	0	0	0	0	0	63	25	125	58	107
2025/11/22 18:10	0	0	0	0	0	98	55	134	59	154
2025/11/22 18:20	0	0	0	0	0	81	61	144	50	154
2025/11/22 18:30	0	0	0	0	0	132	57	153	50	176
2025/11/22 18:40	0	0	0	0	0	155	53	163	70	217
2025/11/22 18:50	0	0	0	0	0	64	38	279	95	166
2025/11/22 19:00	0	0	0	0	0	63	44	230	73	218
2025/11/22 19:10	0	0	0	0	0	54	35	324	86	180
2025/11/22 19:20	0	0	0	0	0	45	39	310	77	166
2025/11/22 19:30	0	0	0	0	0	76	49	237	92	253
2025/11/22 19:40	0	0	0	0	0	101	49	235	118	262
2025/11/22 19:50	0	0	0	0	0	87	52	191	180	253
2025/11/22 20:00	0	0	0	0	0	79	65	207	168	274
2025/11/22 20:10	0	0	0	0	0	99	82	172	213	238
2025/11/22 20:20	0	0	0	0	0	103	122	175	218	174
2025/11/22 20:30	0	0	0	0	0	111	104	189	216	139
2025/11/22 20:40	0	0	0	0	0	101	174	174	189	128
2025/11/22 20:50	0	0	0	0	0	96	157	188	225	130
2025/11/22 21:00	0	0	0	0	0	97	95	216	241	196
2025/11/22 21:10	0	0	0	0	0	77	73	263	239	179
2025/11/22 21:20	0	0	0	0	0	73	62	218	243	124
2025/11/22 21:30	0	0	0	0	0	143	88	209	159	204
2025/11/22 21:40	0	0	0	0	0	168	121	178	229	209
2025/11/22 21:50	0	0	0	0	0	182	86	204	220	234
2025/11/22 22:00	0	0	0	0	0	84	57	272	212	135
2025/11/22 22:10	0	0	0	0	0	114	169	232	174	148
2025/11/22 22:20	0	0	0	0	0	133	136	214	175	166
2025/11/22 22:30	0	0	0	0	0	91	159	198	205	120
2025/11/22 22:40	0	0	0	0	0	66	71	185	186	90
2025/11/22 22:50	0	0	0	0	0	60	29	184	122	87
2025/11/22 23:00	0	0	0	0	0	54	26	178	117	80
2025/11/22 23:10	0	0	0	0	0	44	27	160	107	65
2025/11/22 23:20	0	0	0	0	0	40	27	149	114	65
2025/11/22 23:30	0	0	0	0	0	39	27	148	107	65

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/22 23:40	0	0	0	0	0	38	27	149	102	62
2025/11/22 23:50	0	0	0	0	0	36	30	147	106	57
2025/11/23 0:00	0	0	0	0	0	35	30	145	116	59
2025/11/23 0:10	0	0	0	0	0	34	30	143	112	56
2025/11/23 0:20	0	0	0	0	0	35	30	149	121	59
2025/11/23 0:30	0	0	0	0	0	37	30	151	118	60
2025/11/23 0:40	0	0	0	0	0	34	30	144	116	51
2025/11/23 0:50	0	0	0	0	0	35	31	145	107	56
2025/11/23 1:00	0	0	0	0	0	41	33	156	128	71
2025/11/23 1:10	0	0	0	0	0	42	33	156	123	62
2025/11/23 1:20	0	0	0	0	0	32	33	139	111	51
2025/11/23 1:30	0	0	0	0	0	31	33	140	111	56
2025/11/23 1:40	0	0	0	0	0	33	33	148	130	55
2025/11/23 1:50	0	0	0	0	0	47	33	164	147	63
2025/11/23 2:00	0	0	0	0	0	36	33	140	101	49
2025/11/23 2:10	0	0	0	0	0	34	33	139	99	47
2025/11/23 2:20	0	0	0	0	0	36	36	142	108	55
2025/11/23 2:30	0	0	0	0	0	34	36	137	154	48
2025/11/23 2:40	0	0	0	0	0	34	36	137	141	46
2025/11/23 2:50	0	0	0	0	0	33	36	133	117	44
2025/11/23 3:00	0	0	0	0	0	33	34	131	118	42
2025/11/23 3:10	0	0	0	0	0	33	33	130	129	41
2025/11/23 3:20	0	0	0	0	0	33	33	132	119	43
2025/11/23 3:30	0	0	0	0	0	33	33	134	130	45
2025/11/23 3:40	0	0	0	0	0	32	33	134	112	48
2025/11/23 3:50	0	0	0	0	0	30	33	134	99	52
2025/11/23 4:00	0	0	0	0	0	30	33	135	119	67
2025/11/23 4:10	0	0	0	0	0	32	33	136	139	53
2025/11/23 4:20	0	0	0	0	0	32	33	139	122	57
2025/11/23 4:30	0	0	0	0	0	32	33	137	138	49
2025/11/23 4:40	0	0	0	0	0	31	33	133	106	46
2025/11/23 4:50	0	0	0	0	0	30	33	129	129	44
2025/11/23 5:00	0	0	0	0	0	30	33	129	121	43
2025/11/23 5:10	0	0	0	0	0	30	33	127	143	52
2025/11/23 5:20	0	0	0	0	0	30	33	127	144	45
2025/11/23 5:30	0	0	0	0	0	30	33	129	124	42
2025/11/23 5:40	0	0	0	0	0	30	33	129	130	41
2025/11/23 5:50	0	0	0	0	0	30	33	125	124	40
2025/11/23 6:00	0	0	0	0	0	30	33	125	112	39
2025/11/23 6:10	0	0	0	0	0	31	33	139	111	44
2025/11/23 6:20	0	0	0	0	0	30	33	134	171	46
2025/11/23 6:30	0	0	0	0	0	30	33	127	174	45
2025/11/23 6:40	0	0	0	0	0	30	33	129	156	44
2025/11/23 6:50	0	0	0	0	0	30	33	132	179	54
2025/11/23 7:00	0	0	0	0	0	31	33	139	115	59
2025/11/23 7:10	0	0	0	0	0	30	33	134	152	54
2025/11/23 7:20	0	0	0	0	0	30	33	136	147	56
2025/11/23 7:30	0	0	0	0	0	30	33	138	144	47
2025/11/23 7:40	0	0	0	0	0	31	33	138	173	44
2025/11/23 7:50	0	0	0	0	0	30	32	126	154	55
2025/11/23 8:00	0	0	0	0	0	30	30	128	117	74
2025/11/23 8:10	0	0	0	0	0	30	30	129	130	49
2025/11/23 8:20	0	0	0	0	0	27	30	129	162	49
2025/11/23 8:30	0	0	0	0	0	27	30	127	113	53
2025/11/23 8:40	0	0	0	0	0	27	27	122	136	40
2025/11/23 8:50	0	0	0	0	0	24	27	116	116	33
2025/11/23 9:00	0	0	0	0	0	24	27	114	111	43
2025/11/23 9:10	0	0	0	0	0	24	24	114	86	35
2025/11/23 9:20	0	0	0	0	0	22	24	109	87	33
2025/11/23 9:30	0	0	0	0	0	21	24	111	71	30
2025/11/23 9:40	0	0	0	0	0	21	24	114	73	33
2025/11/23 9:50	0	0	0	0	0	21	23	118	95	32
2025/11/23 10:00	0	0	0	0	0	20	21	112	107	41
2025/11/23 10:10	0	0	0	0	0	18	21	113	84	29
2025/11/23 10:20	0	0	0	0	0	18	21	109	95	29
2025/11/23 10:30	0	0	0	0	0	21	18	102	93	39
2025/11/23 10:40	0	0	0	0	0	15	18	105	84	32
2025/11/23 10:50	0	0	0	0	0	15	18	109	87	31
2025/11/23 11:00	0	0	0	0	0	15	18	112	84	32
2025/11/23 11:10	0	0	0	0	0	15	17	112	102	32
2025/11/23 11:20	0	0	0	0	0	15	15	111	99	42
2025/11/23 11:30	0	0	0	0	0	15	15	111	98	38
2025/11/23 11:40	0	0	0	0	0	15	15	103	70	30

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/23 11:50	0	0	0	0	0	12	15	109	93	27
2025/11/23 12:00	0	0	0	0	0	12	15	104	97	55
2025/11/23 12:10	0	0	0	0	0	12	15	110	88	27
2025/11/23 12:20	0	0	0	0	0	12	15	108	95	30
2025/11/23 12:30	0	0	0	0	0	12	15	109	99	57
2025/11/23 12:40	0	0	0	0	0	12	15	106	89	60
2025/11/23 12:50	0	0	0	0	0	12	15	109	117	32
2025/11/23 13:00	0	0	0	0	0	12	15	111	143	32
2025/11/23 13:10	0	0	0	0	0	12	15	108	86	38
2025/11/23 13:20	0	0	0	0	0	12	15	110	120	38
2025/11/23 13:30	0	0	0	0	0	12	12	114	118	57
2025/11/23 13:40	0	0	0	0	0	12	12	110	98	77
2025/11/23 13:50	0	0	0	0	0	12	12	112	101	72
2025/11/23 14:00	0	0	0	0	0	12	12	112	94	50
2025/11/23 14:10	0	0	0	0	0	12	12	108	73	63
2025/11/23 14:20	0	0	0	0	0	12	12	100	81	64
2025/11/23 14:30	0	0	0	0	0	12	12	110	116	78
2025/11/23 14:40	0	0	0	0	0	12	12	107	91	54
2025/11/23 14:50	0	0	0	0	0	12	12	106	98	51
2025/11/23 15:00	0	0	0	0	0	12	12	104	85	47
2025/11/23 15:10	0	0	0	0	0	10	12	106	72	89
2025/11/23 15:20	0	0	0	0	0	9	12	140	58	91
2025/11/23 15:30	0	0	0	0	0	9	12	112	104	61
2025/11/23 15:40	0	0	0	0	0	10	12	113	91	49
2025/11/23 15:50	0	0	0	0	0	12	12	109	84	39
2025/11/23 16:00	0	0	0	0	0	12	12	109	120	79
2025/11/23 16:10	0	0	0	0	0	12	12	135	92	127
2025/11/23 16:20	0	0	0	0	0	12	12	180	74	168
2025/11/23 16:30	0	0	0	0	0	12	12	137	196	43
2025/11/23 16:40	0	0	0	0	0	13	15	118	108	31
2025/11/23 16:50	0	0	0	0	0	17	15	218	239	164
2025/11/23 17:00	0	0	0	0	0	16	18	358	240	143
2025/11/23 17:10	0	0	0	0	0	24	60	264	222	68
2025/11/23 17:20	0	0	0	0	0	129	128	155	281	150
2025/11/23 17:30	0	0	0	0	0	51	18	147	219	66
2025/11/23 17:40	0	0	0	0	0	53	30	152	226	63
2025/11/23 17:50	0	0	0	0	0	60	35	168	275	65
2025/11/23 18:00	0	0	0	0	0	61	22	178	307	80
2025/11/23 18:10	0	0	0	0	0	50	21	180	310	101
2025/11/23 18:20	0	0	0	0	0	56	59	192	319	74
2025/11/23 18:30	0	0	0	0	0	105	91	220	344	215
2025/11/23 18:40	0	0	0	0	0	162	435	259	377	263
2025/11/23 18:50	0	0	0	0	0	120	383	191	423	119
2025/11/23 19:00	0	0	0	0	0	79	79	190	434	93
2025/11/23 19:10	0	0	0	0	0	70	126	178	360	83
2025/11/23 19:20	0	0	0	0	0	71	239	181	278	79
2025/11/23 19:30	0	0	0	0	0	146	273	223	171	153
2025/11/23 19:40	0	0	0	0	0	425	329	273	142	213
2025/11/23 19:50	0	0	0	0	0	260	358	287	258	179
2025/11/23 20:00	0	0	0	0	0	548	302	304	187	397
2025/11/23 20:10	0	0	0	0	0	472	255	299	154	323
2025/11/23 20:20	0	0	0	0	0	412	252	430	232	311
2025/11/23 20:30	0	0	0	0	0	350	477	550	247	290
2025/11/23 20:40	0	0	0	0	0	350	435	414	246	304
2025/11/23 20:50	0	0	0	0	0	299	323	361	279	316
2025/11/23 21:00	0	0	0	0	0	353	291	421	322	358
2025/11/23 21:10	0	0	0	0	0	246	203	509	415	313
2025/11/23 21:20	0	0	0	0	0	195	306	414	294	223
2025/11/23 21:30	0	0	0	0	0	192	332	386	325	212
2025/11/23 21:40	0	0	0	0	0	424	431	437	278	333
2025/11/23 21:50	0	0	0	0	0	398	392	392	244	302
2025/11/23 22:00	0	0	0	0	0	367	328	339	199	311
2025/11/23 22:10	0	0	0	0	0	294	321	307	172	176
2025/11/23 22:20	0	0	0	0	0	186	341	301	209	166
2025/11/23 22:30	0	0	0	0	0	152	364	297	229	158
2025/11/23 22:40	0	0	0	0	0	183	286	300	296	159
2025/11/23 22:50	0	0	0	0	0	209	244	312	376	168
2025/11/23 23:00	0	0	0	0	0	186	230	301	207	164
2025/11/23 23:10	0	0	0	0	0	144	91	278	272	152
2025/11/23 23:20	0	0	0	0	0	120	78	262	142	122
2025/11/23 23:30	0	0	0	0	0	107	95	252	130	111
2025/11/23 23:40	0	0	0	0	0	95	58	235	224	101
2025/11/23 23:50	0	0	0	0	0	87	54	218	244	88

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/24 0:00	0	0	0	0	0	82	200	214	111	87
2025/11/24 0:10	0	0	0	0	0	78	80	209	105	83
2025/11/24 0:20	0	0	0	0	0	65	50	195	97	72
2025/11/24 0:30	0	0	0	0	0	59	40	185	107	66
2025/11/24 0:40	0	0	0	0	0	58	38	185	101	65
2025/11/24 0:50	0	0	0	0	0	63	35	183	221	69
2025/11/24 1:00	0	0	0	0	0	67	37	185	234	73
2025/11/24 1:10	0	0	0	0	0	60	36	187	218	72
2025/11/24 1:20	0	0	0	0	0	58	44	182	189	66
2025/11/24 1:30	0	0	0	0	0	57	36	179	246	64
2025/11/24 1:40	0	0	0	0	0	58	37	176	277	62
2025/11/24 1:50	0	0	0	0	0	59	34	175	284	64
2025/11/24 2:00	0	0	0	0	0	61	34	177	182	68
2025/11/24 2:10	0	0	0	0	0	64	36	184	267	69
2025/11/24 2:20	0	0	0	0	0	68	41	188	180	71
2025/11/24 2:30	0	0	0	0	0	67	42	192	184	71
2025/11/24 2:40	0	0	0	0	0	67	40	189	261	72
2025/11/24 2:50	0	0	0	0	0	76	51	299	167	84
2025/11/24 3:00	0	0	0	0	0	80	49	219	232	85
2025/11/24 3:10	0	0	0	0	0	73	49	200	170	82
2025/11/24 3:20	0	0	0	0	0	65	40	186	197	72
2025/11/24 3:30	0	0	0	0	0	57	37	176	161	68
2025/11/24 3:40	0	0	0	0	0	54	40	173	181	63
2025/11/24 3:50	0	0	0	0	0	57	44	174	142	61
2025/11/24 4:00	0	0	0	0	0	56	54	176	111	60
2025/11/24 4:10	0	0	0	0	0	58	202	178	80	60
2025/11/24 4:20	0	0	0	0	0	59	137	183	103	67
2025/11/24 4:30	0	0	0	0	0	165	93	283	158	222
2025/11/24 4:40	0	0	0	0	0	114	82	349	195	168
2025/11/24 4:50	0	0	0	0	0	84	54	213	308	92
2025/11/24 5:00	0	0	0	0	0	77	52	203	99	80
2025/11/24 5:10	0	0	0	0	0	74	47	199	232	75
2025/11/24 5:20	0	0	0	0	0	79	53	204	183	77
2025/11/24 5:30	0	0	0	0	0	83	54	213	254	81
2025/11/24 5:40	0	0	0	0	0	89	56	233	169	88
2025/11/24 5:50	0	0	0	0	0	84	46	222	292	83
2025/11/24 6:00	0	0	0	0	0	78	46	214	283	75
2025/11/24 6:10	0	0	0	0	0	83	94	222	120	80
2025/11/24 6:20	0	0	0	0	0	82	66	220	129	78
2025/11/24 6:30	0	0	0	0	0	88	52	212	186	80
2025/11/24 6:40	0	0	0	0	0	67	45	195	157	69
2025/11/24 6:50	0	0	0	0	0	63	43	189	166	63
2025/11/24 7:00	0	0	0	0	0	62	46	188	148	62
2025/11/24 7:10	0	0	0	0	0	61	43	187	114	61
2025/11/24 7:20	0	0	0	0	0	61	43	187	216	60
2025/11/24 7:30	0	0	0	0	0	63	47	189	146	62
2025/11/24 7:40	0	0	0	0	0	65	44	200	227	67
2025/11/24 7:50	0	0	0	0	0	66	42	205	192	77
2025/11/24 8:00	0	0	0	0	0	69	43	196	168	63
2025/11/24 8:10	0	0	0	0	0	60	40	185	128	56
2025/11/24 8:20	0	0	0	0	0	53	41	181	138	52
2025/11/24 8:30	0	0	0	0	0	55	42	185	138	52
2025/11/24 8:40	0	0	0	0	0	52	37	180	151	53
2025/11/24 8:50	0	0	0	0	0	44	36	167	162	44
2025/11/24 9:00	0	0	0	0	0	42	35	160	120	41
2025/11/24 9:10	0	0	0	0	0	32	34	147	82	37
2025/11/24 9:20	0	0	0	0	0	26	37	138	133	47
2025/11/24 9:30	0	0	0	0	0	28	42	139	74	63
2025/11/24 9:40	0	0	0	0	0	46	54	161	99	99
2025/11/24 9:50	0	0	0	0	0	34	31	146	126	55
2025/11/24 10:00	0	0	0	0	0	37	33	143	155	52
2025/11/24 10:10	0	0	0	0	0	33	71	141	120	71
2025/11/24 10:20	0	0	0	0	0	35	47	139	116	109
2025/11/24 10:30	0	0	0	0	0	26	74	133	82	50
2025/11/24 10:40	0	0	0	0	0.1	34	50	130	102	47
2025/11/24 10:50	0	0	0	0	0.1	17	38	115	75	38
2025/11/24 11:00	0	0	0	0	0.1	14	48	117	96	56
2025/11/24 11:10	0	0	0	0	0.1	17	43	117	128	51
2025/11/24 11:20	0	0	0	0	0.1	22	47	120	76	62
2025/11/24 11:30	0	0	0	0	0.1	14	44	113	80	64
2025/11/24 11:40	0	0	0	0	0.1	8	51	112	65	74
2025/11/24 11:50	0	0	0	0	0.1	10	35	114	66	56
2025/11/24 12:00	0	0	0	0	0.1	3	16	119	78	139

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/24 12:10	0	0	0	0	0.1	3	14	115	57	124
2025/11/24 12:20	0	0	0	0	0.1	7	12	97	53	91
2025/11/24 12:30	0	0	0	0	0.1	33	23	96	25	103
2025/11/24 12:40	0	0	0	0	0.1	12	19	103	46	98
2025/11/24 12:50	0	0	0	0	0.1	3	12	144	54	91
2025/11/24 13:00	0	0	0	0	0.1	2	12	117	42	127
2025/11/24 13:10	0	0	0	0	0.1	29	14	111	29	140
2025/11/24 13:20	0	0	0	0	0.1	34	9	154	25	144
2025/11/24 13:30	0	0	0	0	0.1	56	12	97	32	119
2025/11/24 13:40	0	0	0	0	0.1	24	9	166	32	173
2025/11/24 13:50	0	0	0	0	0.1	8	124	84	17	51
2025/11/24 14:00	0	0	0	0	0.1	65	53	87	23	142
2025/11/24 14:10	0	0	0	0	0.1	38	114	85	25	88
2025/11/24 14:20	0	0	0	0	0.1	46	12	92	17	204
2025/11/24 14:30	0.1	0	0	0	0.1	21	85	102	108	106
2025/11/24 14:40	0.1	0	0	0	0.1	75	39	116	24	169
2025/11/24 14:50	0.1	0	0	0	0.1	84	15	92	15	135
2025/11/24 15:00	0.1	0	0	0	0	30	126	86	17	73
2025/11/24 15:10	0.1	0	0	0	0	45	198	87	86	70
2025/11/24 15:20	0.1	0	0	0	0	52	65	90	15	100
2025/11/24 15:30	0.1	0	0	0	0	55	51	92	22	131
2025/11/24 15:40	0	0	0	0	0	87	14	115	20	167
2025/11/24 15:50	0	0	0	0	0	86	14	108	24	170
2025/11/24 16:00	0	0	0	0	0	83	41	110	25	166
2025/11/24 16:10	0	0	0	0	0	64	42	112	30	92
2025/11/24 16:20	0	0	0	0	0	51	146	110	37	48
2025/11/24 16:30	0	0	0	0	0	43	228	116	68	51
2025/11/24 16:40	0	0	0	0	0	44	259	117	48	46
2025/11/24 16:50	0	0	0	0	0	71	294	166	158	52
2025/11/24 17:00	0	0	0	0	0	106	212	249	51	54
2025/11/24 17:10	0	0	0	0	0	108	264	213	87	142
2025/11/24 17:20	0	0	0	0	0	173	248	243	133	119
2025/11/24 17:30	0	0	0	0	0	170	224	252	330	118
2025/11/24 17:40	0	0	0	0	0	266	205	224	301	277
2025/11/24 17:50	0	0	0	0	0	242	193	323	474	293
2025/11/24 18:00	0	0	0	0	0	335	245	313	355	527
2025/11/24 18:10	0	0	0	0	0	527	179	339	508	677
2025/11/24 18:20	0	0	0	0	0	343	166	533	408	588
2025/11/24 18:30	0	0	0	0	0	379	131	328	278	644
2025/11/24 18:40	0	0	0	0	0	207	120	360	583	534
2025/11/24 18:50	0	0	0	0	0	354	103	577	664	589
2025/11/24 19:00	0	0	0	0	0	589	100	503	687	815
2025/11/24 19:10	0	0	0	0	0	480	125	527	669	581
2025/11/24 19:20	0	0	0	0	0	569	260	611	697	609
2025/11/24 19:30	0	0	0	0	0	630	124	812	602	732
2025/11/24 19:40	0	0	0	0	0	630	122	463	475	820
2025/11/24 19:50	0	0	0	0	0	474	523	418	511	452
2025/11/24 20:00	0	0	0	0	0	540	600	461	498	472
2025/11/24 20:10	0	0	0	0	0	674	425	405	587	684
2025/11/24 20:20	0	0	0	0	0	680	383	408	432	552
2025/11/24 20:30	0	0	0	0	0	771	335	539	412	619
2025/11/24 20:40	0	0	0	0	0	641	484	457	210	369
2025/11/24 20:50	0	0	0	0	0	596	221	409	331	520
2025/11/24 21:00	0	0	0	0	0	428	315	599	298	435
2025/11/24 21:10	0	0	0	0	0	413	369	589	355	430
2025/11/24 21:20	0	0	0	0	0	252	243	516	434	298
2025/11/24 21:30	0	0	0	0	0	207	153	408	531	251
2025/11/24 21:40	0	0	0	0	0	230	175	418	519	300
2025/11/24 21:50	0	0	0	0	0	375	306	686	361	439
2025/11/24 22:00	0	0	0	0	0	347	347	528	429	306
2025/11/24 22:10	0	0	0	0	0	174	174	356	482	208
2025/11/24 22:20	0	0	0	0	0	174	242	354	368	195
2025/11/24 22:30	0	0	0	0	0	198	439	358	283	196
2025/11/24 22:40	0	0	0	0	0	202	499	371	243	205
2025/11/24 22:50	0	0	0	0	0	176	259	346	376	195
2025/11/24 23:00	0	0	0	0	0	169	115	326	367	180
2025/11/24 23:10	0	0	0	0	0	175	131	335	374	185
2025/11/24 23:20	0	0	0	0	0	185	142	353	376	197
2025/11/24 23:30	0	0	0	0	0	195	176	363	387	208
2025/11/24 23:40	0	0	0	0	0	234	256	431	360	239
2025/11/24 23:50	0	0	0	0	0	234	205	412	399	243
2025/11/25 0:00	0	0	0	0	0	236	205	417	350	242
2025/11/25 0:10	0	0	0	0	0	238	193	422	453	248

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/25 0:20	0	0	0	0	0	234	166	425	409	248
2025/11/25 0:30	0	0	0	0	0	221	161	428	231	237
2025/11/25 0:40	0	0	0	0	0	217	181	370	264	218
2025/11/25 0:50	0	0	0	0	0	173	122	313	409	178
2025/11/25 1:00	0	0	0	0	0	159	118	305	391	162
2025/11/25 1:10	0	0	0	0	0	159	121	307	368	162
2025/11/25 1:20	0	0	0	0	0	157	117	301	299	159
2025/11/25 1:30	0	0	0	0	0	152	109	298	364	159
2025/11/25 1:40	0	0	0	0	0	150	117	298	239	153
2025/11/25 1:50	0	0	0	0	0	151	112	301	263	154
2025/11/25 2:00	0	0	0	0	0	145	111	288	235	146
2025/11/25 2:10	0	0	0	0	0	136	109	278	168	138
2025/11/25 2:20	0	0	0	0	0	127	97	265	315	133
2025/11/25 2:30	0	0	0	0	0	124	99	261	343	135
2025/11/25 2:40	0	0	0	0	0	113	86	248	255	120
2025/11/25 2:50	0	0	0	0	0	107	110	244	140	115
2025/11/25 3:00	0	0	0	0	0	105	91	239	160	109
2025/11/25 3:10	0	0	0	0	0	98	73	232	214	102
2025/11/25 3:20	0	0	0	0	0	98	65	234	173	102
2025/11/25 3:30	0	0	0	0	0	102	71	240	275	106
2025/11/25 3:40	0	0	0	0	0	98	80	232	188	101
2025/11/25 3:50	0	0	0	0	0	93	66	226	230	111
2025/11/25 4:00	0	0	0	0	0	89	60	220	266	95
2025/11/25 4:10	0	0	0	0	0	85	63	216	207	88
2025/11/25 4:20	0	0	0	0	0	86	171	216	103	89
2025/11/25 4:30	0	0	0	0	0	92	156	224	231	97
2025/11/25 4:40	0	0	0	0	0	97	97	229	220	100
2025/11/25 4:50	0	0	0	0	0	98	70	230	333	100
2025/11/25 5:00	0	0	0	0	0	94	70	226	381	97
2025/11/25 5:10	0	0	0	0	0	86	67	218	322	90
2025/11/25 5:20	0	0	0	0	0	80	62	198	311	79
2025/11/25 5:30	0	0	0	0	0	82	133	204	171	79
2025/11/25 5:40	0	0	0	0	0	81	51	210	296	101
2025/11/25 5:50	0	0	0	0	0	83	61	213	201	85
2025/11/25 6:00	0	0	0	0	0	83	53	214	373	88
2025/11/25 6:10	0	0	0	0	0	83	55	214	415	85
2025/11/25 6:20	0	0	0	0	0	94	81	221	421	89
2025/11/25 6:30	0	0	0	0	0	89	80	224	321	95
2025/11/25 6:40	0	0	0	0	0	107	81	355	211	127
2025/11/25 6:50	0	0	0	0	0	91	67	242	333	97
2025/11/25 7:00	0	0	0	0	0	84	58	218	230	85
2025/11/25 7:10	0	0	0	0	0	90	68	230	174	92
2025/11/25 7:20	0	0	0	0	0	79	48	208	319	82
2025/11/25 7:30	0	0	0	0	0	74	44	204	369	80
2025/11/25 7:40	0	0	0	0	0	68	132	195	198	74
2025/11/25 7:50	0	0	0	0	0	74	82	195	261	73
2025/11/25 8:00	0	0	0	0	0	90	60	195	277	73
2025/11/25 8:10	0	0	0	0	0	76	47	199	345	93
2025/11/25 8:20	0	0	0	0	0	87	73	222	274	91
2025/11/25 8:30	0	0	0	0	0	91	62	229	309	107
2025/11/25 8:40	0	0	0	0	0	88	55	224	235	91
2025/11/25 8:50	0	0	0	0	0	85	76	216	148	84
2025/11/25 9:00	0	0	0	0	0	79	73	209	135	82
2025/11/25 9:10	0	0	0	0	0	79	48	209	211	78
2025/11/25 9:20	0	0	0	0	0	110	73	236	224	103
2025/11/25 9:30	0	0	0	0	0	151	147	276	250	148
2025/11/25 9:40	0	0	0	0	0	128	112	279	222	139
2025/11/25 9:50	0	0	0	0	0	130	117	349	181	217
2025/11/25 10:00	0	0	0	0	0	89	72	265	162	150
2025/11/25 10:10	0	0	0	0	0	85	63	224	185	124
2025/11/25 10:20	0	0	0	0	0	88	72	270	184	141
2025/11/25 10:30	0	0	0	0	0	91	98	231	137	101
2025/11/25 10:40	0	0	0	0	0	110	88	250	200	112
2025/11/25 10:50	0	0	0	0	0	88	90	218	133	91
2025/11/25 11:00	0	0	0	0	0	85	53	216	196	88
2025/11/25 11:10	0	0	0	0	0	109	69	227	216	105
2025/11/25 11:20	0	0	0	0	0	114	88	254	178	125
2025/11/25 11:30	0	0	0	0	0	107	98	250	224	132
2025/11/25 11:40	0	0	0	0	0	100	94	239	197	110
2025/11/25 11:50	0	0	0	0	0	114	78	269	199	133
2025/11/25 12:00	0	0	0	0	0	106	149	246	178	114
2025/11/25 12:10	0	0	0	0	0	104	78	234	259	103
2025/11/25 12:20	0	0	0	0	0	103	88	238	243	107

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/25 12:30	0	0	0	0	0	102	78	234	288	131
2025/11/25 12:40	0	0	0	0	0	111	86	231	329	108
2025/11/25 12:50	0	0	0	0	0	105	73	227	236	102
2025/11/25 13:00	0	0	0	0	0	88	81	213	287	113
2025/11/25 13:10	0	0	0	0	0	113	109	248	238	140
2025/11/25 13:20	0	0	0	0	0	119	90	245	250	117
2025/11/25 13:30	0	0	0	0	0	127	130	269	288	135
2025/11/25 13:40	0	0	0	0	0	116	91	249	334	117
2025/11/25 13:50	0	0	0	0	0	123	91	312	249	137
2025/11/25 14:00	0	0	0	0	0	101	84	252	202	114
2025/11/25 14:10	0	0	0	0	0	116	88	244	250	110
2025/11/25 14:20	0	0	0	0	0	146	101	285	207	130
2025/11/25 14:30	0	0	0	0	0	144	120	304	224	151
2025/11/25 14:40	0	0	0	0	0	116	87	256	235	123
2025/11/25 14:50	0	0	0	0	0	118	85	259	265	117
2025/11/25 15:00	0	0	0	0	0	193	148	328	256	177
2025/11/25 15:10	0	0	0	0	0	167	169	287	244	142
2025/11/25 15:20	0	0	0	0	0	184	182	318	255	165
2025/11/25 15:30	0	0	0	0	0	174	149	344	220	173
2025/11/25 15:40	0	0	0	0	0	170	139	329	222	175
2025/11/25 15:50	0	0	0	0	0	141	112	285	219	135
2025/11/25 16:00	0	0	0	0	0	157	124	322	276	152
2025/11/25 16:10	0	0	0	0	0	191	166	348	265	179
2025/11/25 16:20	0	0	0	0	0	203	190	364	275	196
2025/11/25 16:30	0	0	0	0	0	211	162	396	373	215
2025/11/25 16:40	0	0	0	0	0	164	118	365	308	184
2025/11/25 16:50	0	0	0	0	0	138	105	331	264	153
2025/11/25 17:00	0	0	0	0	0	154	169	370	194	173
2025/11/25 17:10	0	0	0	0	0	209	276	397	200	236
2025/11/25 17:20	0	0	0	0	0	180	330	355	186	170
2025/11/25 17:30	0	0	0	0	0	127	244	272	136	117
2025/11/25 17:40	0	0	0	0	0	121	137	256	133	112
2025/11/25 17:50	0	0	0	0	0	128	199	277	136	117
2025/11/25 18:00	0	0	0	0	0	173	345	334	138	157
2025/11/25 18:10	0	0	0	0	0	364	395	303	161	279
2025/11/25 18:20	0	0	0	0	0	253	622	314	156	172
2025/11/25 18:30	0	0	0	0	0	158	506	316	154	156
2025/11/25 18:40	0	0	0	0	0	171	388	338	165	163
2025/11/25 18:50	0	0	0	0	0	261	385	350	172	189
2025/11/25 19:00	0	0	0	0	0	186	231	349	214	185
2025/11/25 19:10	0	0	0	0	0	207	346	352	188	221
2025/11/25 19:20	0	0	0	0	0	314	387	379	197	248
2025/11/25 19:30	0	0	0	0	0	233	398	385	216	202
2025/11/25 19:40	0	0	0	0	0	265	403	386	391	212
2025/11/25 19:50	0	0	0	0	0	462	269	434	478	369
2025/11/25 20:00	0	0	0	0	0	472	362	614	320	386
2025/11/25 20:10	0	0	0	0	0	427	361	536	398	356
2025/11/25 20:20	0	0	0	0	0	438	477	542	406	329
2025/11/25 20:30	0	0	0	0	0	423	485	590	346	318
2025/11/25 20:40	0	0	0	0	0	522	378	553	362	365
2025/11/25 20:50	0	0	0	0	0	435	607	532	351	329
2025/11/25 21:00	0	0	0	0	0	386	497	507	294	323
2025/11/25 21:10	0	0	0	0	0	377	522	474	297	288
2025/11/25 21:20	0	0	0	0	0	419	523	479	419	313
2025/11/25 21:30	0	0	0	0	0	331	286	564	564	341
2025/11/25 21:40	0	0	0	0	0	302	429	561	483	306
2025/11/25 21:50	0	0	0	0	0	328	523	512	450	295
2025/11/25 22:00	0	0	0	0	0	580	536	520	418	347
2025/11/25 22:10	0	0	0	0	0	493	383	649	460	365
2025/11/25 22:20	0	0	0	0	0	379	589	559	369	297
2025/11/25 22:30	0	0	0	0	0	260	439	416	281	252
2025/11/25 22:40	0	0	0	0	0	219	543	378	237	236
2025/11/25 22:50	0	0	0	0	0	212	517	374	229	222
2025/11/25 23:00	0	0	0	0	0	205	411	382	205	212
2025/11/25 23:10	0	0	0	0	0	200	422	364	203	205
2025/11/25 23:20	0	0	0	0	0	208	348	365	202	215
2025/11/25 23:30	0	0	0	0	0	223	465	389	209	234
2025/11/25 23:40	0	0	0	0	0	214	440	385	298	226
2025/11/25 23:50	0	0	0	0	0	196	608	371	268	210
2025/11/26 0:00	0	0	0	0	0	182	175	348	331	190
2025/11/26 0:10	0	0	0	0	0	172	132	331	271	183
2025/11/26 0:20	0	0	0	0	0	180	140	346	235	180
2025/11/26 0:30	0	0	0	0	0	192	140	433	197	204

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/26 0:40	0	0	0	0	0	178	126	364	288	182
2025/11/26 0:50	0	0	0	0	0	170	122	322	306	169
2025/11/26 1:00	0	0	0	0	0	167	117	316	212	165
2025/11/26 1:10	0	0	0	0	0	169	121	334	270	170
2025/11/26 1:20	0	0	0	0	0	169	123	323	244	170
2025/11/26 1:30	0	0	0	0	0	192	137	375	183	201
2025/11/26 1:40	0	0	0	0	0	174	127	329	214	177
2025/11/26 1:50	0	0	0	0	0	168	124	316	245	168
2025/11/26 2:00	0	0	0	0	0	173	132	325	231	171
2025/11/26 2:10	0	0	0	0	0	178	144	327	188	174
2025/11/26 2:20	0	0	0	0	0	179	162	324	173	172
2025/11/26 2:30	0	0	0	0	0	180	150	323	166	171
2025/11/26 2:40	0	0	0	0	0	188	157	325	170	173
2025/11/26 2:50	0	0	0	0	0	172	161	325	166	172
2025/11/26 3:00	0	0	0	0	0	170	149	325	162	170
2025/11/26 3:10	0	0	0	0	0	164	128	318	160	165
2025/11/26 3:20	0	0	0	0	0	158	114	308	216	158
2025/11/26 3:30	0	0	0	0	0	157	114	304	246	153
2025/11/26 3:40	0	0	0	0	0	159	125	302	196	154
2025/11/26 3:50	0	0	0	0	0	157	115	300	161	152
2025/11/26 4:00	0	0	0	0	0	152	123	294	172	146
2025/11/26 4:10	0	0	0	0	0	146	100	282	225	138
2025/11/26 4:20	0	0	0	0	0	150	109	284	217	141
2025/11/26 4:30	0	0	0	0	0	164	128	316	220	161
2025/11/26 4:40	0	0	0	0	0	172	165	310	189	162
2025/11/26 4:50	0	0	0	0	0	161	141	295	213	155
2025/11/26 5:00	0	0	0	0	0	158	119	296	177	151
2025/11/26 5:10	0	0	0	0	0	154	107	297	202	149
2025/11/26 5:20	0	0	0	0	0	147	104	286	188	140
2025/11/26 5:30	0	0	0	0	0	148	104	293	205	144
2025/11/26 5:40	0	0	0	0	0	151	108	307	150	150
2025/11/26 5:50	0	0	0	0	0	155	114	319	199	157
2025/11/26 6:00	0	0	0	0	0	160	116	303	160	155
2025/11/26 6:10	0	0	0	0	0	160	116	304	210	155
2025/11/26 6:20	0	0	0	0	0	162	129	307	185	157
2025/11/26 6:30	0	0	0	0	0	174	128	323	172	169
2025/11/26 6:40	0	0	0	0	0	169	127	320	200	169
2025/11/26 6:50	0	0	0	0	0	166	126	315	174	164
2025/11/26 7:00	0	0	0	0	0	165	118	324	158	164
2025/11/26 7:10	0	0	0	0	0	157	110	302	181	155
2025/11/26 7:20	0	0	0	0	0	157	116	302	225	151
2025/11/26 7:30	0	0	0	0	0	157	115	298	202	151
2025/11/26 7:40	0	0	0	0	0	154	112	295	198	146
2025/11/26 7:50	0	0	0	0	0	148	102	277	177	131
2025/11/26 8:00	0	0	0	0	0	140	101	271	180	123
2025/11/26 8:10	0	0	0	0	0	151	129	270	187	127
2025/11/26 8:20	0	0	0	0	0	163	124	319	179	155
2025/11/26 8:30	0	0	0	0	0	158	108	323	194	157
2025/11/26 8:40	0	0	0	0	0	133	141	303	183	157
2025/11/26 8:50	0	0	0	0	0	111	87	293	128	164
2025/11/26 9:00	0	0	0	0	0	108	106	244	127	100
2025/11/26 9:10	0	0	0	0	0	117	105	242	147	101
2025/11/26 9:20	0	0	0	0	0	141	122	268	159	127
2025/11/26 9:30	0	0	0	0	0	153	159	293	165	146
2025/11/26 9:40	0	0	0	0	0	136	156	274	151	131
2025/11/26 9:50	0	0	0	0	0	91	116	205	126	87
2025/11/26 10:00	0	0	0	0	0	114	90	234	133	128
2025/11/26 10:10	0	0	0	0	0	109	92	217	134	110
2025/11/26 10:20	0	0	0	0	0	133	94	249	146	134
2025/11/26 10:30	0	0	0	0	0	96	87	209	125	114
2025/11/26 10:40	0	0	0	0	0	92	70	198	134	137
2025/11/26 10:50	0	0	0	0	0	33	32	140	74	56
2025/11/26 11:00	0	0	0	0	0	44	52	148	98	78
2025/11/26 11:10	0	0	0	0	0	29	24	151	67	74
2025/11/26 11:20	0	0	0	0	0	16	24	127	60	44
2025/11/26 11:30	0	0	0	0	0	14	26	115	64	51
2025/11/26 11:40	0	0	0	0	0	14	21	112	58	39
2025/11/26 11:50	0	0	0	0	0	14	22	115	66	44
2025/11/26 12:00	0	0	0	0	0	14	17	116	60	52
2025/11/26 12:10	0	0	0	0	0	11	15	116	52	45
2025/11/26 12:20	0	0	0	0	0	12	17	116	59	43
2025/11/26 12:30	0	0	0	0	0	10	16	115	50	33
2025/11/26 12:40	0	0	0	0	0	6	12	107	52	36

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/26 12:50	0	0	0	0	0	6	12	108	48	34
2025/11/26 13:00	0	0	0	0	0	6	16	107	45	40
2025/11/26 13:10	0	0	0	0	0	4	26	105	58	48
2025/11/26 13:20	0	0	0	0	0	3	15	95	57	62
2025/11/26 13:30	0	0	0	0	0	3	10	83	42	33
2025/11/26 13:40	0	0	0	0	0	3	9	84	34	29
2025/11/26 13:50	0	0	0	0	0	3	12	83	62	24
2025/11/26 14:00	0	0	0	0	0	4	9	81	63	28
2025/11/26 14:10	0	0	0	0	0	6	18	104	66	72
2025/11/26 14:20	0	0	0	0	0	4	34	90	50	34
2025/11/26 14:30	0	0	0	0	0	3	15	71	44	8
2025/11/26 14:40	0.1	0	0	0	0	11	11	88	96	19
2025/11/26 14:50	0.1	0	0	0	0	12	7	115	83	54
2025/11/26 15:00	0.1	0	0	0	0	13	6	137	83	87
2025/11/26 15:10	0	0	0	0	0	15	5	128	107	45
2025/11/26 15:20	0	0	0	0	0	40	6	139	127	92
2025/11/26 15:30	0	0	0	0	0	17	3	163	99	105
2025/11/26 15:40	0	0	0	0	0	38	2	176	130	122
2025/11/26 15:50	0	0	0	0	0	6	1	102	98	33
2025/11/26 16:00	0	0	0	0	0	7	2	130	96	51
2025/11/26 16:10	0	0	0	0	0	18	3	176	113	83
2025/11/26 16:20	0	0	0	0	0	46	11	225	160	119
2025/11/26 16:30	0	0	0	0	0	81	10	232	203	190
2025/11/26 16:40	0	0	0	0	0	18	11	156	128	88
2025/11/26 16:50	0	0	0	0	0	44	21	202	158	93
2025/11/26 17:00	0	0	0	0	0	63	23	186	155	122
2025/11/26 17:10	0	0	0	0	0	27	171	132	169	111
2025/11/26 17:20	0	0	0	0	0	21	15	122	216	112
2025/11/26 17:30	0	0	0	0	0	18	16	116	154	121
2025/11/26 17:40	0	0	0	0	0	14	15	116	141	89
2025/11/26 17:50	0	0	0	0	0	17	15	113	179	131
2025/11/26 18:00	0	0	0	0	0	15	15	172	183	59
2025/11/26 18:10	0	0	0	0	0	17	17	121	243	68
2025/11/26 18:20	0	0	0	0	0	25	18	141	250	49
2025/11/26 18:30	0	0	0	0	0	40	20	165	138	64
2025/11/26 18:40	0	0	0	0	0	49	24	159	155	66
2025/11/26 18:50	0	0	0	0	0	43	27	150	273	57
2025/11/26 19:00	0	0	0	0	0	51	37	150	243	62
2025/11/26 19:10	0	0	0	0	0	46	53	143	243	57
2025/11/26 19:20	0	0	0	0	0	46	62	147	313	56
2025/11/26 19:30	0	0	0	0	0	55	46	160	301	66
2025/11/26 19:40	0	0	0	0	0	40	26	138	250	51
2025/11/26 19:50	0	0	0	0	0	29	21	129	238	43
2025/11/26 20:00	0	0	0	0	0	26	21	133	189	48
2025/11/26 20:10	0	0	0	0	0	24	21	134	250	48
2025/11/26 20:20	0	0	0	0	0	24	21	142	295	73
2025/11/26 20:30	0	0	0	0	0	22	21	371	260	91
2025/11/26 20:40	0	0	0	0	0	22	34	183	215	70
2025/11/26 20:50	0	0	0	0	0	47	23	291	426	220
2025/11/26 21:00	0	0	0	0	0	59	27	405	462	154
2025/11/26 21:10	0	0	0	0	0	360	135	349	137	459
2025/11/26 21:20	0	0	0	0	0	262	127	220	299	356
2025/11/26 21:30	0	0	0	0	0	283	171	235	312	371
2025/11/26 21:40	0	0	0	0	0	210	119	346	202	438
2025/11/26 21:50	0	0	0	0	0	119	96	387	297	265
2025/11/26 22:00	0	0	0	0	0	100	89	397	179	286
2025/11/26 22:10	0	0	0	0	0	87	80	485	126	138
2025/11/26 22:20	0	0	0	0	0	70	57	365	168	106
2025/11/26 22:30	0	0	0	0	0	79	73	271	261	156
2025/11/26 22:40	0	0	0	0	0	108	77	291	185	207
2025/11/26 22:50	0	0	0	0	0	120	85	266	189	255
2025/11/26 23:00	0	0	0	0	0	102	78	311	174	202
2025/11/26 23:10	0	0	0	0	0	74	66	304	194	122
2025/11/26 23:20	0	0	0	0	0	52	81	197	240	74
2025/11/26 23:30	0	0	0	0	0	43	118	158	166	58
2025/11/26 23:40	0	0	0	0	0	80	319	176	128	60
2025/11/26 23:50	0	0	0	0	0	207	219	236	196	166
2025/11/27 0:00	0	0	0	0	0	93	84	255	323	133
2025/11/27 0:10	0	0	0	0	0	56	70	165	291	72
2025/11/27 0:20	0	0	0	0	0	54	367	177	236	65
2025/11/27 0:30	0	0	0	0	0	56	181	176	143	64
2025/11/27 0:40	0	0	0	0	0	89	87	192	308	81
2025/11/27 0:50	0	0	0	0	0	63	95	418	130	93

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/27 1:00	0	0	0	0	0	61	188	202	163	74
2025/11/27 1:10	0	0	0	0	0	60	94	185	135	64
2025/11/27 1:20	0	0	0	0	0	62	315	192	107	64
2025/11/27 1:30	0	0	0	0	0	63	347	191	94	69
2025/11/27 1:40	0	0	0	0	0	64	439	198	89	71
2025/11/27 1:50	0	0	0	0	0	155	459	207	89	75
2025/11/27 2:00	0	0	0	0	0	79	199	201	145	73
2025/11/27 2:10	0	0	0	0	0	84	90	194	193	74
2025/11/27 2:20	0	0	0	0	0	89	71	201	182	80
2025/11/27 2:30	0	0	0	0	0	98	65	218	324	91
2025/11/27 2:40	0	0	0	0	0	88	67	209	234	90
2025/11/27 2:50	0	0	0	0	0	75	73	192	195	82
2025/11/27 3:00	0	0	0	0	0	69	52	185	203	73
2025/11/27 3:10	0	0	0	0	0	68	51	180	111	71
2025/11/27 3:20	0	0	0	0	0	70	51	179	207	69
2025/11/27 3:30	0	0	0	0	0	70	44	183	189	70
2025/11/27 3:40	0	0	0	0	0	74	52	184	377	71
2025/11/27 3:50	0	0	0	0	0	72	48	184	273	68
2025/11/27 4:00	0	0	0	0	0	71	45	188	234	69
2025/11/27 4:10	0	0	0	0	0	93	78	217	203	86
2025/11/27 4:20	0	0	0	0	0	113	111	228	294	104
2025/11/27 4:30	0	0	0	0	0	135	101	255	210	127
2025/11/27 4:40	0	0	0	0	0	115	88	243	199	110
2025/11/27 4:50	0	0	0	0	0	116	89	243	254	111
2025/11/27 5:00	0	0	0	0	0	124	96	253	231	118
2025/11/27 5:10	0	0	0	0	0	149	120	285	269	141
2025/11/27 5:20	0	0	0	0	0	161	135	307	231	156
2025/11/27 5:30	0	0	0	0	0	152	123	291	180	145
2025/11/27 5:40	0	0	0	0	0	123	97	251	123	115
2025/11/27 5:50	0	0	0	0	0	114	95	245	140	110
2025/11/27 6:00	0	0	0	0	0	116	94	248	120	111
2025/11/27 6:10	0	0	0	0	0	118	94	248	121	109
2025/11/27 6:20	0	0	0	0	0	138	110	276	232	131
2025/11/27 6:30	0	0	0	0	0	151	118	289	176	143
2025/11/27 6:40	0	0	0	0	0	137	120	269	135	126
2025/11/27 6:50	0	0	0	0	0	128	121	265	140	122
2025/11/27 7:00	0	0	0	0	0	130	102	269	130	124
2025/11/27 7:10	0	0	0	0	0	131	99	268	187	126
2025/11/27 7:20	0	0	0	0	0	131	103	261	235	123
2025/11/27 7:30	0	0	0	0	0	133	108	268	210	138
2025/11/27 7:40	0	0	0	0	0	119	89	255	154	131
2025/11/27 7:50	0	0	0	0	0	107	78	234	138	108
2025/11/27 8:00	0	0	0	0	0	98	68	222	159	99
2025/11/27 8:10	0	0	0	0	0	92	73	222	148	112
2025/11/27 8:20	0	0	0	0	0	102	88	237	158	106
2025/11/27 8:30	0	0	0	0	0	123	92	253	194	120
2025/11/27 8:40	0	0	0	0	0	116	94	241	171	110
2025/11/27 8:50	0	0	0	0	0	99	70	225	159	93
2025/11/27 9:00	0	0	0	0	0	106	76	228	153	102
2025/11/27 9:10	0	0	0	0	0	105	75	229	164	101
2025/11/27 9:20	0	0	0	0	0	119	87	244	168	114
2025/11/27 9:30	0	0	0	0	0	125	95	260	218	125
2025/11/27 9:40	0	0	0	0	0	123	92	238	196	119
2025/11/27 9:50	0	0	0	0	0	99	73	215	143	99
2025/11/27 10:00	0	0	0	0	0	112	102	231	148	114
2025/11/27 10:10	0	0	0	0	0	111	79	217	162	112
2025/11/27 10:20	0	0	0	0	0	76	55	181	130	77
2025/11/27 10:30	0	0	0	0	0	64	42	193	108	94
2025/11/27 10:40	0	0	0	0	0	31	33	146	78	56
2025/11/27 10:50	0	0	0	0	0	42	28	152	128	61
2025/11/27 11:00	0	0	0	0	0	33	27	137	114	57
2025/11/27 11:10	0	0	0	0	0	31	24	138	104	66
2025/11/27 11:20	0	0	0	0	0	28	25	136	73	62
2025/11/27 11:30	0	0	0	0	0	22	24	134	81	62
2025/11/27 11:40	0	0	0	0	0	18	22	122	60	62
2025/11/27 11:50	0	0	0	0	0	20	23	126	84	47
2025/11/27 12:00	0	0	0	0	0	18	22	124	62	96
2025/11/27 12:10	0	0	0	0	0	17	27	125	48	81
2025/11/27 12:20	0	0	0	0	0	10	18	113	51	39
2025/11/27 12:30	0	0	0	0	0	18	19	141	49	84
2025/11/27 12:40	0	0	0	0	0	19	16	137	63	112
2025/11/27 12:50	0	0	0	0	0	48	48	145	68	95
2025/11/27 13:00	0	0	0	0	0	27	63	166	63	82

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/27 13:10	0	0	0	0	0	65	92	139	56	105
2025/11/27 13:20	0	0	0	0	0	44	62	128	62	103
2025/11/27 13:30	0	0	0	0	0	43	158	127	63	50
2025/11/27 13:40	0	0	0	0	0	55	83	129	55	70
2025/11/27 13:50	0	0	0	0	0	26	71	135	64	70
2025/11/27 14:00	0	0	0	0	0	60	287	130	51	95
2025/11/27 14:10	0	0	0	0	0	48	748	138	56	62
2025/11/27 14:20	0	0	0	0	0	48	447	135	53	66
2025/11/27 14:30	0	0	0	0	0	31	513	136	55	52
2025/11/27 14:40	0	0	0	0	0	46	354	149	57	76
2025/11/27 14:50	0	0	0	0	0	81	715	182	112	97
2025/11/27 15:00	0	0	0	0	0	59	196	184	102	105
2025/11/27 15:10	0	0	0	0	0	34	217	143	218	54
2025/11/27 15:20	0	0	0	0	0	74	204	149	180	140
2025/11/27 15:30	0	0	0	0	0	55	295	150	161	93
2025/11/27 15:40	0	0	0	0	0	84	291	163	164	94
2025/11/27 15:50	0	0	0	0	0	71	250	159	131	120
2025/11/27 16:00	0	0	0	0	0	123	219	194	102	145
2025/11/27 16:10	0	0	0	0	0	99	211	185	127	105
2025/11/27 16:20	0	0	0	0	0	74	158	189	170	93
2025/11/27 16:30	0	0	0	0	0	127	269	214	247	267
2025/11/27 16:40	0	0	0	0	0	166	299	251	248	324
2025/11/27 16:50	0	0	0	0	0	169	330	257	227	179
2025/11/27 17:00	0	0	0	0	0	113	284	307	229	239
2025/11/27 17:10	0	0	0	0	0	148	237	277	137	142
2025/11/27 17:20	0	0	0	0	0	225	244	310	241	308
2025/11/27 17:30	0	0	0	0	0	299	300	356	262	388
2025/11/27 17:40	0	0	0	0	0	221	283	304	157	225
2025/11/27 17:50	0	0	0	0	0	136	248	292	200	141
2025/11/27 18:00	0	0	0	0	0	132	192	291	308	156
2025/11/27 18:10	0	0	0	0	0	139	227	287	295	141
2025/11/27 18:20	0	0	0	0	0	135	162	291	386	146
2025/11/27 18:30	0	0	0	0	0	143	113	298	327	156
2025/11/27 18:40	0	0	0	0	0	143	114	336	301	171
2025/11/27 18:50	0	0	0	0	0	126	104	283	285	147
2025/11/27 19:00	0	0	0	0	0	121	89	265	254	128
2025/11/27 19:10	0	0	0	0	0	135	131	362	388	153
2025/11/27 19:20	0	0	0	0	0	165	155	590	327	218
2025/11/27 19:30	0	0	0	0	0	173	122	695	211	275
2025/11/27 19:40	0	0	0	0	0	173	140	696	204	351
2025/11/27 19:50	0	0	0	0	0	185	323	503	404	288
2025/11/27 20:00	0	0	0	0	0	249	343	551	402	316
2025/11/27 20:10	0	0	0	0	0	230	496	434	220	237
2025/11/27 20:20	0	0	0	0	0	369	283	433	194	412
2025/11/27 20:30	0	0	0	0	0	275	385	403	220	306
2025/11/27 20:40	0	0	0	0	0	290	186	477	175	435
2025/11/27 20:50	0	0	0	0	0	260	179	383	156	380
2025/11/27 21:00	0	0	0	0	0	356	306	323	163	277
2025/11/27 21:10	0	0	0	0	0	364	343	480	189	366
2025/11/27 21:20	0	0	0	0	0	230	440	318	163	195
2025/11/27 21:30	0	0	0	0	0	168	427	322	162	174
2025/11/27 21:40	0	0	0	0	0	221	496	329	163	204
2025/11/27 21:50	0	0	0	0	0	506	334	371	211	497
2025/11/27 22:00	0	0	0	0	0	390	494	354	168	266
2025/11/27 22:10	0	0	0	0	0	286	400	351	212	230
2025/11/27 22:20	0	0	0	0	0	436	321	436	309	437
2025/11/27 22:30	0	0	0	0	0	482	257	457	238	534
2025/11/27 22:40	0	0	0	0	0	281	194	769	199	421
2025/11/27 22:50	0	0	0	0	0	209	188	674	200	289
2025/11/27 23:00	0	0	0	0	0	326	199	520	177	413
2025/11/27 23:10	0	0	0	0	0	327	283	368	157	415
2025/11/27 23:20	0	0	0	0	0	307	293	314	151	334
2025/11/27 23:30	0	0	0	0	0	377	316	364	292	403
2025/11/27 23:40	0	0	0	0	0	458	517	342	235	250
2025/11/27 23:50	0	0	0	0	0	278	579	360	190	269
2025/11/28 0:00	0	0	0	0	0	440	422	389	155	498
2025/11/28 0:10	0	0	0	0	0	454	252	334	146	511
2025/11/28 0:20	0	0	0	0	0	336	221	514	246	446
2025/11/28 0:30	0	0	0	0	0	405	453	525	301	439
2025/11/28 0:40	0	0	0	0	0	490	253	884	262	645
2025/11/28 0:50	0	0	0	0	0	328	302	560	586	363
2025/11/28 1:00	0	0	0	0	0	163	147	310	483	195
2025/11/28 1:10	0	0	0	0	0	274	208	769	349	389

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/28 1:20	0	0	0	0	0	169	157	430	346	312
2025/11/28 1:30	0	0	0	0	0	183	253	328	376	208
2025/11/28 1:40	0	0	0	0	0	127	134	263	423	143
2025/11/28 1:50	0	0	0	0	0	136	131	269	389	152
2025/11/28 2:00	0	0	0	0	0	139	396	274	312	148
2025/11/28 2:10	0	0	0	0	0	138	152	278	360	142
2025/11/28 2:20	0	0	0	0	0	156	133	311	382	162
2025/11/28 2:30	0	0	0	0	0	173	141	333	452	183
2025/11/28 2:40	0	0	0	0	0	173	202	447	356	233
2025/11/28 2:50	0	0	0	0	0	159	211	349	390	225
2025/11/28 3:00	0	0	0	0	0	151	192	462	344	184
2025/11/28 3:10	0	0	0	0	0	139	227	364	347	177
2025/11/28 3:20	0	0	0	0	0	152	119	317	256	204
2025/11/28 3:30	0	0	0	0	0	127	147	258	195	132
2025/11/28 3:40	0	0	0	0	0	116	117	244	296	117
2025/11/28 3:50	0	0	0	0	0	123	234	251	260	164
2025/11/28 4:00	0	0	0	0	0	114	219	242	302	118
2025/11/28 4:10	0	0	0	0	0	104	105	230	270	104
2025/11/28 4:20	0	0	0	0	0	119	123	242	292	120
2025/11/28 4:30	0	0	0	0	0	103	78	227	265	105
2025/11/28 4:40	0	0	0	0	0	93	75	223	225	98
2025/11/28 4:50	0	0	0	0	0	90	69	221	166	93
2025/11/28 5:00	0	0	0	0	0	89	77	216	178	89
2025/11/28 5:10	0	0	0	0	0	87	61	214	236	87
2025/11/28 5:20	0	0	0	0	0	189	88	242	179	235
2025/11/28 5:30	0	0	0	0	0	140	93	324	214	162
2025/11/28 5:40	0	0	0	0	0	110	147	393	211	155
2025/11/28 5:50	0	0	0	0	0	110	78	263	161	117
2025/11/28 6:00	0	0	0	0	0	100	76	237	136	100
2025/11/28 6:10	0	0	0	0	0	105	79	238	173	102
2025/11/28 6:20	0	0	0	0	0	108	90	240	179	105
2025/11/28 6:30	0	0	0	0	0	112	88	244	226	110
2025/11/28 6:40	0	0	0	0	0	119	86	253	175	114
2025/11/28 6:50	0	0	0	0	0	123	191	261	171	121
2025/11/28 7:00	0	0	0	0	0	127	148	260	148	121
2025/11/28 7:10	0	0	0	0	0	129	117	249	139	128
2025/11/28 7:20	0	0	0	0	0	165	205	248	128	115
2025/11/28 7:30	0	0	0	0	0	115	260	251	121	110
2025/11/28 7:40	0	0	0	0	0	117	184	249	134	110
2025/11/28 7:50	0	0	0	0	0	127	165	246	227	111
2025/11/28 8:00	0	0	0	0	0	113	85	234	276	102
2025/11/28 8:10	0	0	0	0	0	109	255	246	180	102
2025/11/28 8:20	0	0	0	0	0	107	377	236	137	97
2025/11/28 8:30	0	0	0	0	0	105	144	247	192	121
2025/11/28 8:40	0	0	0	0	0	81	79	222	141	99
2025/11/28 8:50	0	0	0	0	0	73	60	218	263	81
2025/11/28 9:00	0	0	0	0	0	74	76	214	226	81
2025/11/28 9:10	0	0	0	0	0	91	87	222	173	102
2025/11/28 9:20	0	0	0	0	0	83	93	216	164	128
2025/11/28 9:30	0	0	0	0	0	96	80	224	179	221
2025/11/28 9:40	0	0	0	0	0	94	68	218	155	225
2025/11/28 9:50	0	0	0	0	0	70	57	195	124	120
2025/11/28 10:00	0	0	0	0	0	88	68	202	159	113
2025/11/28 10:10	0	0	0	0	0	107	104	222	169	127
2025/11/28 10:20	0	0	0	0	0	98	91	204	151	117
2025/11/28 10:30	0	0	0	0	0	70	64	165	160	88
2025/11/28 10:40	0	0	0	0	0	36	25	137	144	76
2025/11/28 10:50	0	0	0	0	0	41	37	138	142	72
2025/11/28 11:00	0	0	0	0	0	43	39	135	142	82
2025/11/28 11:10	0	0	0	0	0	45	32	137	127	92
2025/11/28 11:20	0	0	0	0	0	36	20	139	124	97
2025/11/28 11:30	0	0	0	0	0	33	21	135	108	76
2025/11/28 11:40	0	0	0	0	0	27	18	122	121	88
2025/11/28 11:50	0	0	0	0	0	14	18	106	100	51
2025/11/28 12:00	0	0	0	0	0	17	11	124	101	71
2025/11/28 12:10	0	0	0	0	0	27	14	119	124	77
2025/11/28 12:20	0	0	0	0	0	3	6	87	102	54
2025/11/28 12:30	0	0	0	0	0	1	6	84	92	44
2025/11/28 12:40	0	0	0	0	0	1	4	90	109	51
2025/11/28 12:50	0	0	0	0	0	1	3	80	108	50
2025/11/28 13:00	0	0	0	0	0	1	3	73	89	38
2025/11/28 13:10	0	0	0	0	0	1	46	75	91	50
2025/11/28 13:20	0	0	0	0	0	1	271	73	82	35

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/28 13:30	0	0	0	0	0	1	42	72	79	53
2025/11/28 13:40	0	0	0	0	0	1	327	77	61	63
2025/11/28 13:50	0	0	0	0	0	1	249	72	51	57
2025/11/28 14:00	0	0	0	0	0	1	196	77	75	69
2025/11/28 14:10	0	0	0	0	0	1	137	89	87	83
2025/11/28 14:20	0	0	0	0	0	1	225	89	120	108
2025/11/28 14:30	0	0	0	0	0	2	303	85	120	79
2025/11/28 14:40	0.1	0	0	0	0	1	225	88	100	124
2025/11/28 14:50	0.1	0	0	0	0	12	155	100	114	91
2025/11/28 15:00	0.1	0	0	0	0	1	218	96	80	78
2025/11/28 15:10	0.1	0	0	0	0	1	282	70	81	69
2025/11/28 15:20	0	0	0	0	0	3	255	73	75	60
2025/11/28 15:30	0	0	0	0	0	3	171	79	73	76
2025/11/28 15:40	0	0	0	0	0	4	297	91	149	59
2025/11/28 15:50	0	0	0	0	0	12	254	112	112	80
2025/11/28 16:00	0	0	0	0	0	8	163	108	123	92
2025/11/28 16:10	0	0	0	0	0	6	178	98	107	123
2025/11/28 16:20	0	0	0	0	0	7	277	97	118	74
2025/11/28 16:30	0	0	0	0	0	9	303	81	100	43
2025/11/28 16:40	0	0	0	0	0	9	338	86	154	44
2025/11/28 16:50	0	0	0	0	0	12	298	102	181	68
2025/11/28 17:00	0	0	0	0	0	40	315	121	180	73
2025/11/28 17:10	0	0	0	0	0	105	480	167	290	112
2025/11/28 17:20	0	0	0	0	0	133	138	205	247	138
2025/11/28 17:30	0	0	0	0	0	65	76	126	233	98
2025/11/28 17:40	0	0	0	0	0	54	49	117	189	64
2025/11/28 17:50	0	0	0	0	0	16	15	95	162	34
2025/11/28 18:00	0	0	0	0	0	15	18	94	166	32
2025/11/28 18:10	0	0	0	0	0	17	18	112	244	33
2025/11/28 18:20	0	0	0	0	0	53	97	155	147	73
2025/11/28 18:30	0	0	0	0	0	43	37	143	192	58
2025/11/28 18:40	0	0	0	0	0	20	39	123	184	39
2025/11/28 18:50	0	0	0	0	0	19	31	120	120	37
2025/11/28 19:00	0	0	0	0	0	20	21	109	116	30
2025/11/28 19:10	0	0	0	0	0	21	21	115	134	38
2025/11/28 19:20	0	0	0	0	0	21	45	116	159	38
2025/11/28 19:30	0	0	0	0	0	21	24	111	126	31
2025/11/28 19:40	0	0	0	0	0	21	24	108	144	30
2025/11/28 19:50	0	0	0	0	0	21	24	101	136	30
2025/11/28 20:00	0	0	0	0	0	21	24	98	146	25
2025/11/28 20:10	0	0	0	0	0	21	24	97	177	28
2025/11/28 20:20	0	0	0	0	0	24	24	98	213	31
2025/11/28 20:30	0	0	0	0	0	24	25	100	156	30
2025/11/28 20:40	0	0	0	0	0	24	27	104	165	32
2025/11/28 20:50	0	0	0	0	0	24	27	102	125	31
2025/11/28 21:00	0	0	0	0	0	24	27	96	119	28
2025/11/28 21:10	0	0	0	0	0	24	27	95	97	27
2025/11/28 21:20	0	0	0	0	0	24	27	93	126	27
2025/11/28 21:30	0	0	0	0	0	24	27	91	134	28
2025/11/28 21:40	0	0	0	0	0	24	27	91	121	28
2025/11/28 21:50	0	0	0	0	0	24	27	89	118	28
2025/11/28 22:00	0	0	0	0	0	24	27	87	115	27
2025/11/28 22:10	0	0	0	0	0	24	27	85	94	27
2025/11/28 22:20	0	0	0	0	0	24	27	83	124	28
2025/11/28 22:30	0	0	0	0	0	24	27	82	89	28
2025/11/28 22:40	0	0	0	0	0	24	27	80	90	27
2025/11/28 22:50	0	0	0	0	0	24	27	80	112	27
2025/11/28 23:00	0	0	0	0	0	24	27	79	126	27
2025/11/28 23:10	0	0	0	0	0	24	27	78	118	27
2025/11/28 23:20	0	0	0	0	0	24	27	77	170	34
2025/11/28 23:30	0	0	0	0	0	24	27	78	199	34
2025/11/28 23:40	0	0	0	0	0	24	27	77	203	46
2025/11/28 23:50	0	0	0	0	0	24	27	76	229	28
2025/11/29 0:00	0	0	0	0	0	26	27	76	253	58
2025/11/29 0:10	0	0	0	0	0	27	27	75	243	32
2025/11/29 0:20	0	0	0	0	0	27	27	75	194	30
2025/11/29 0:30	0	0	0	0	0	27	27	75	192	37
2025/11/29 0:40	0	0	0	0	0	27	29	73	171	32
2025/11/29 0:50	0	0	0	0	0	27	30	74	134	33
2025/11/29 1:00	0	0	0	0	0	27	30	75	127	30
2025/11/29 1:10	0	0	0	0	0	27	30	74	120	30
2025/11/29 1:20	0	0	0	0	0	27	30	75	111	30
2025/11/29 1:30	0	0	0	0	0	27	30	75	125	40

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/29 1:40	0	0	0	0	0	27	30	74	100	30
2025/11/29 1:50	0	0	0	0	0	27	30	74	91	31
2025/11/29 2:00	0	0	0	0	0	27	30	75	90	34
2025/11/29 2:10	0	0	0	0	0	30	30	72	63	38
2025/11/29 2:20	0	0	0	0	0	30	30	71	84	33
2025/11/29 2:30	0	0	0	0	0	30	30	74	91	33
2025/11/29 2:40	0	0	0	0	0	30	30	73	89	33
2025/11/29 2:50	0	0	0	0	0	30	30	74	96	34
2025/11/29 3:00	0	0	0	0	0	30	33	73	78	34
2025/11/29 3:10	0	0	0	0	0	30	33	73	59	34
2025/11/29 3:20	0	0	0	0	0	30	33	75	94	33
2025/11/29 3:30	0	0	0	0	0	30	33	74	110	36
2025/11/29 3:40	0	0	0	0	0	30	33	74	95	35
2025/11/29 3:50	0	0	0	0	0	30	33	74	81	41
2025/11/29 4:00	0	0	0	0	0	30	33	75	84	35
2025/11/29 4:10	0	0	0	0	0	30	33	75	70	62
2025/11/29 4:20	0	0	0	0	0	30	33	75	104	48
2025/11/29 4:30	0	0	0	0	0	30	33	76	77	35
2025/11/29 4:40	0	0	0	0	0	30	33	75	87	36
2025/11/29 4:50	0	0	0	0	0	31	33	76	118	46
2025/11/29 5:00	0	0	0	0	0	33	33	76	81	42
2025/11/29 5:10	0	0	0	0	0	33	33	75	123	38
2025/11/29 5:20	0	0	0	0	0	33	33	76	114	40
2025/11/29 5:30	0	0	0	0	0	33	36	76	142	46
2025/11/29 5:40	0	0	0	0	0	33	36	80	160	48
2025/11/29 5:50	0	0	0	0	0	33	36	88	137	45
2025/11/29 6:00	0	0	0	0	0	33	36	85	108	58
2025/11/29 6:10	0	0	0	0	0	33	36	85	134	36
2025/11/29 6:20	0	0	0	0	0	33	36	82	133	36
2025/11/29 6:30	0	0	0	0	0	33	36	82	167	38
2025/11/29 6:40	0	0	0	0	0	33	36	85	147	47
2025/11/29 6:50	0	0	0	0	0	33	36	97	81	46
2025/11/29 7:00	0	0	0	0	0	36	36	93	158	47
2025/11/29 7:10	0	0	0	0	0	36	36	102	145	48
2025/11/29 7:20	0	0	0	0	0	36	36	96	96	41
2025/11/29 7:30	0	0	0	0	0	35	36	100	78	45
2025/11/29 7:40	0	0	0	0	0	33	36	145	80	61
2025/11/29 7:50	0	0	0	0	0	33	36	93	114	31
2025/11/29 8:00	0	0	0	0	0	30	36	93	63	57
2025/11/29 8:10	0	0	0	0	0	30	34	88	79	30
2025/11/29 8:20	0	0	0	0	0	27	33	94	73	41
2025/11/29 8:30	0	0	0	0	0	27	40	93	72	41
2025/11/29 8:40	0	0	0	0	0	27	33	93	77	39
2025/11/29 8:50	0	0	0	0	0	25	30	92	58	32
2025/11/29 9:00	0	0	0	0	0	24	30	86	74	14
2025/11/29 9:10	0	0	0	0	0	23	30	85	59	37
2025/11/29 9:20	0	0	0	0	0	21	31	87	30	37
2025/11/29 9:30	0	0	0	0	0	21	28	80	40	21
2025/11/29 9:40	0	0	0	0	0	21	101	79	40	24
2025/11/29 9:50	0	0	0	0	0	19	220	75	36	19
2025/11/29 10:00	0	0	0	0	0	18	266	69	27	12
2025/11/29 10:10	0	0	0	0	0	18	191	73	28	24
2025/11/29 10:20	0	0	0	0	0	18	24	66	49	23
2025/11/29 10:30	0	0	0	0	0	18	24	73	29	20
2025/11/29 10:40	0	0	0	0	0	18	24	87	21	40
2025/11/29 10:50	0	0	0	0	0	15	24	62	44	16
2025/11/29 11:00	0	0	0	0	0	15	24	67	21	28
2025/11/29 11:10	0	0	0	0	0	15	24	67	38	21
2025/11/29 11:20	0	0	0	0	0	15	24	91	26	68
2025/11/29 11:30	0	0	0	0	0	79	24	105	43	111
2025/11/29 11:40	0	0	0	0	0	65	24	95	109	102
2025/11/29 11:50	0	0	0	0	0	14	24	78	95	96
2025/11/29 12:00	0	0	0	0	0	34	40	82	52	112
2025/11/29 12:10	0	0	0	0	0	12	52	65	32	43
2025/11/29 12:20	0	0	0	0	0	101	21	114	19	157
2025/11/29 12:30	0	0	0	0	0	64	21	105	19	117
2025/11/29 12:40	0	0	0	0	0	20	21	88	24	98
2025/11/29 12:50	0	0	0	0	0	68	21	99	15	145
2025/11/29 13:00	0	0	0	0	0	137	21	128	16	171
2025/11/29 13:10	0	0	0	0	0	83	37	90	10	117
2025/11/29 13:20	0	0	0	0	0	25	18	96	99	128
2025/11/29 13:30	0	0	0	0	0	66	18	157	35	172
2025/11/29 13:40	0	0	0	0	0	275	114	107	5	192

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/29 13:50	0	0	0	0	0	174	304	85	17	111
2025/11/29 14:00	0	0	0	0	0	416	201	158	11	221
2025/11/29 14:10	0	0	0	0	0	315	203	148	39	322
2025/11/29 14:20	0	0	0	0	0	253	93	131	10	247
2025/11/29 14:30	0	0	0	0	0	276	480	129	11	169
2025/11/29 14:40	0	0	0	0	0	346	666	94	26	120
2025/11/29 14:50	0	0	0	0	0	389	407	110	31	211
2025/11/29 15:00	0	0	0	0	0	401	240	135	17	202
2025/11/29 15:10	0	0	0	0	0	452	82	240	25	429
2025/11/29 15:20	0	0	0	0	0	444	209	141	18	289
2025/11/29 15:30	0	0	0	0	0	267	277	114	17	128
2025/11/29 15:40	0	0	0	0	0	454	120	130	24	154
2025/11/29 15:50	0	0	0	0	0	260	472	106	19	108
2025/11/29 16:00	0	0	0	0	0	396	420	116	24	145
2025/11/29 16:10	0	0	0	0	0	477	464	121	28	101
2025/11/29 16:20	0	0	0	0	0	644	257	175	56	406
2025/11/29 16:30	0	0	0	0	0	531	149	290	62	500
2025/11/29 16:40	0	0	0	0	0	241	111	330	90	449
2025/11/29 16:50	0	0	0	0	0	198	141	184	50	268
2025/11/29 17:00	0	0	0	0	0	168	268	207	59	277
2025/11/29 17:10	0	0	0	0	0	146	180	236	97	277
2025/11/29 17:20	0	0	0	0	0	133	86	211	71	278
2025/11/29 17:30	0	0	0	0	0	205	78	153	76	271
2025/11/29 17:40	0	0	0	0	0	223	105	247	175	270
2025/11/29 17:50	0	0	0	0	0	218	87	236	181	300
2025/11/29 18:00	0	0	0	0	0	155	82	320	221	337
2025/11/29 18:10	0	0	0	0	0	137	88	421	227	287
2025/11/29 18:20	0	0	0	0	0	109	68	364	120	210
2025/11/29 18:30	0	0	0	0	0	94	43	310	112	229
2025/11/29 18:40	0	0	0	0	0	89	38	295	97	217
2025/11/29 18:50	0	0	0	0	0	102	36	290	99	199
2025/11/29 19:00	0	0	0	0	0	110	55	299	111	245
2025/11/29 19:10	0	0	0	0	0	111	60	280	165	271
2025/11/29 19:20	0	0	0	0	0	87	48	298	317	174
2025/11/29 19:30	0	0	0	0	0	84	86	196	289	105
2025/11/29 19:40	0	0	0	0	0	72	60	166	289	82
2025/11/29 19:50	0	0	0	0	0	62	39	152	264	73
2025/11/29 20:00	0	0	0	0	0	69	34	156	267	76
2025/11/29 20:10	0	0	0	0	0	73	37	164	263	75
2025/11/29 20:20	0	0	0	0	0	78	42	171	197	78
2025/11/29 20:30	0	0	0	0	0	83	47	179	165	80
2025/11/29 20:40	0	0	0	0	0	90	49	193	276	87
2025/11/29 20:50	0	0	0	0	0	92	54	201	294	90
2025/11/29 21:00	0	0	0	0	0	91	52	208	260	93
2025/11/29 21:10	0	0	0	0	0	106	53	209	260	96
2025/11/29 21:20	0	0	0	0	0	95	55	210	238	94
2025/11/29 21:30	0	0	0	0	0	97	58	212	215	92
2025/11/29 21:40	0	0	0	0	0	98	57	212	289	94
2025/11/29 21:50	0	0	0	0	0	103	63	215	250	96
2025/11/29 22:00	0	0	0	0	0	109	63	219	220	99
2025/11/29 22:10	0	0	0	0	0	101	61	218	244	100
2025/11/29 22:20	0	0	0	0	0	104	68	221	252	102
2025/11/29 22:30	0	0	0	0	0	129	95	241	278	123
2025/11/29 22:40	0	0	0	0	0	140	107	269	262	141
2025/11/29 22:50	0	0	0	0	0	129	98	257	253	130
2025/11/29 23:00	0	0	0	0	0	121	85	246	221	122
2025/11/29 23:10	0	0	0	0	0	97	65	206	182	98
2025/11/29 23:20	0	0	0	0	0	80	48	188	201	83
2025/11/29 23:30	0	0	0	0	0	72	38	174	199	76
2025/11/29 23:40	0	0	0	0	0	72	38	177	185	75
2025/11/29 23:50	0	0	0	0	0	77	39	183	178	78
2025/11/30 0:00	0	0	0	0	0	72	47	180	162	74
2025/11/30 0:10	0	0	0	0	0	67	41	174	158	69
2025/11/30 0:20	0	0	0	0	0	63	39	168	185	66
2025/11/30 0:30	0	0	0	0	0	59	40	164	168	64
2025/11/30 0:40	0	0	0	0	0	55	40	161	188	60
2025/11/30 0:50	0	0	0	0	0	51	40	158	207	58
2025/11/30 1:00	0	0	0	0	0	50	40	156	205	56
2025/11/30 1:10	0	0	0	0	0	47	40	151	207	53
2025/11/30 1:20	0	0	0	0	0	39	40	143	164	49
2025/11/30 1:30	0	0	0	0	0	39	40	142	166	48
2025/11/30 1:40	0	0	0	0	0	46	40	150	164	53
2025/11/30 1:50	0	0	0	0	0	57	50	160	101	63

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/30 2:00	0	0	0	0	0	59	44	163	138	64
2025/11/30 2:10	0	0	0	0	0	60	—	163	173	64
2025/11/30 2:20	0	0	0	0	0	—	—	—	166	63
2025/11/30 2:30	0	0	0	0	0	—	—	—	200	64
2025/11/30 2:40	0	0	0	0	0	—	—	—	159	67
2025/11/30 2:50	0	0	0	0	0	59	43	165	148	66
2025/11/30 3:00	0	0	0	0	0	56	45	163	151	63
2025/11/30 3:10	0	0	0	0	0	57	45	166	169	66
2025/11/30 3:20	0	0	0	0	0	57	43	160	211	65
2025/11/30 3:30	0	0	0	0	0	54	46	154	151	59
2025/11/30 3:40	0	0	0	0	0	51	46	153	143	57
2025/11/30 3:50	0	0	0	0	0	51	46	153	146	56
2025/11/30 4:00	0	0	0	0	0	52	46	158	153	57
2025/11/30 4:10	0	0	0	0	0	55	46	160	191	59
2025/11/30 4:20	0	0	0	0	0	51	46	157	210	59
2025/11/30 4:30	0	0	0	0	0	48	46	154	177	55
2025/11/30 4:40	0	0	0	0	0	46	46	150	199	54
2025/11/30 4:50	0	0	0	0	0	44	46	147	225	53
2025/11/30 5:00	0	0	0	0	0	47	46	148	230	55
2025/11/30 5:10	0	0	0	0	0	58	46	157	246	62
2025/11/30 5:20	0	0	0	0	0	72	46	184	232	81
2025/11/30 5:30	0	0	0	0	0	63	46	174	207	73
2025/11/30 5:40	0	0	0	0	0	68	46	177	209	76
2025/11/30 5:50	0	0	0	0	0	67	49	175	208	76
2025/11/30 6:00	0	0	0	0	0	71	49	178	216	78
2025/11/30 6:10	0	0	0	0	0	74	49	179	238	81
2025/11/30 6:20	0	0	0	0	0	57	49	157	189	63
2025/11/30 6:30	0	0	0	0	0	46	49	147	162	53
2025/11/30 6:40	0	0	0	0	0	46	49	146	148	51
2025/11/30 6:50	0	0	0	0	0	47	49	148	146	53
2025/11/30 7:00	0	0	0	0	0	47	49	149	158	54
2025/11/30 7:10	0	0	0	0	0	47	49	148	175	54
2025/11/30 7:20	0	0	0	0	0	46	49	149	140	54
2025/11/30 7:30	0	0	0	0	0	43	48	147	165	51
2025/11/30 7:40	0	0	0	0	0	43	46	155	143	51
2025/11/30 7:50	0	0	0	0	0	39	46	147	137	49
2025/11/30 8:00	0	0	0	0	0	38	46	138	144	41
2025/11/30 8:10	0	0	0	0	0	36	43	132	162	37
2025/11/30 8:20	0	0	0	0	0	47	43	130	147	45
2025/11/30 8:30	0	0	0	0	0	36	41	131	137	55
2025/11/30 8:40	0	0	0	0	0	33	40	133	116	39
2025/11/30 8:50	0	0	0	0	0	30	40	134	87	42
2025/11/30 9:00	0	0	0	0	0	30	38	121	116	36
2025/11/30 9:10	0	0	0	0	0	28	36	137	113	40
2025/11/30 9:20	0	0	0	0	0	33	36	158	109	54
2025/11/30 9:30	0	0	0	0	0	31	34	136	101	46
2025/11/30 9:40	0	0	0	0	0	24	34	115	93	34
2025/11/30 9:50	0	0	0	0	0	24	33	107	88	46
2025/11/30 10:00	0	0	0	0	0	22	31	109	107	37
2025/11/30 10:10	0	0	0	0	0	21	30	110	83	34
2025/11/30 10:20	0	0	0	0	0	20	30	99	75	32
2025/11/30 10:30	0	0	0	0	0	18	28	97	71	45
2025/11/30 10:40	0	0	0	0	0	18	27	94	57	30
2025/11/30 10:50	0	0	0	0	0	15	27	86	57	25
2025/11/30 11:00	0	0	0	0	0	15	25	81	54	26
2025/11/30 11:10	0	0	0	0	0	15	24	79	62	29
2025/11/30 11:20	0	0	0	0	0	14	24	82	45	22
2025/11/30 11:30	0	0	0	0	0	12	24	80	37	17
2025/11/30 11:40	0	0	0	0	0	12	22	83	34	17
2025/11/30 11:50	0	0	0	0	0	12	21	84	49	30
2025/11/30 12:00	0	0	0	0	0	9	21	82	45	32
2025/11/30 12:10	0	0	0	0	0	9	21	86	53	24
2025/11/30 12:20	0	0	0	0	0	9	21	81	43	24
2025/11/30 12:30	0	0	0	0	0	9	19	91	39	51
2025/11/30 12:40	0	0	0	0	0	10	18	85	41	27
2025/11/30 12:50	0	0	0	0	0	7	18	88	63	39
2025/11/30 13:00	0	0	0	0	0	6	22	90	43	31
2025/11/30 13:10	0	0	0	0	0	6	19	84	98	22
2025/11/30 13:20	0	0	0	0	0	6	16	84	75	21
2025/11/30 13:30	0	0	0	0	0	6	17	84	72	24
2025/11/30 13:40	0	0	0	0	0	6	19	84	25	20
2025/11/30 13:50	0	0	0	0	0	6	17	83	63	69
2025/11/30 14:00	0	0	0	0	0	26	15	88	27	88

陥没箇所付近の「硫化水素濃度」・「臭気」の測定結果(令和7年11月末まで)

日時	硫化水素					臭 気				
	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)	地点1 (工事現場外)	地点2 (工事現場内)	地点3 (工事現場外)	地点4 (工事現場内)	地点5 (工事現場内)
2025/11/30 14:10	0	0	0	0	0	18	15	80	24	26
2025/11/30 14:20	0	0	0	0	0	23	16	94	20	87
2025/11/30 14:30	0	0	0	0	0	36	18	83	70	61
2025/11/30 14:40	0	0	0	0	0	38	12	96	52	98
2025/11/30 14:50	0.1	0	0	0	0	36	12	102	51	215
2025/11/30 15:00	0.1	0	0	0	0	38	25	85	97	70
2025/11/30 15:10	0.1	0	0	0	0	6	12	83	90	131
2025/11/30 15:20	0.1	0	0	0	0	72	9	90	37	151
2025/11/30 15:30	0.1	0	0	0	0	56	7	131	65	150
2025/11/30 15:40	0	0	0	0	0	71	6	117	114	126
2025/11/30 15:50	0	0	0	0	0	131	4	124	101	174
2025/11/30 16:00	0	0	0	0	0	89	5	116	270	282
2025/11/30 16:10	0	0	0	0	0	189	150	175	262	328
2025/11/30 16:20	0	0	0	0	0	225	126	170	233	392
2025/11/30 16:30	0	0	0	0	0	204	228	140	137	265
2025/11/30 16:40	0	0	0	0	0	141	188	117	205	58
2025/11/30 16:50	0	0	0	0	0	103	173	132	286	64
2025/11/30 17:00	0	0	0	0	0	47	122	147	321	61
2025/11/30 17:10	0	0	0	0	0	214	169	163	336	426
2025/11/30 17:20	0	0	0	0	0	334	137	207	405	356
2025/11/30 17:30	0	0	0	0	0	170	291	228	367	187
2025/11/30 17:40	0	0	0	0	0	272	237	283	376	381
2025/11/30 17:50	0	0	0	0	0	140	104	470	283	179
2025/11/30 18:00	0	0	0	0	0	97	115	272	366	137
2025/11/30 18:10	0	0	0	0	0	94	201	249	460	128
2025/11/30 18:20	0	0	0	0	0	97	62	220	414	111
2025/11/30 18:30	0	0	0	0	0	105	172	222	372	107
2025/11/30 18:40	0	0	0	0	0	115	362	242	295	114
2025/11/30 18:50	0	0	0	0	0	114	178	257	410	122
2025/11/30 19:00	0	0	0	0	0	163	179	285	409	226
2025/11/30 19:10	0	0	0	0	0	261	233	700	477	374
2025/11/30 19:20	0	0	0	0	0	146	147	460	576	167
2025/11/30 19:30	0	0	0	0	0	311	224	577	407	394
2025/11/30 19:40	0	0	0	0	0	444	203	524	271	535
2025/11/30 19:50	0	0	0	0	0	242	168	426	281	424
2025/11/30 20:00	0	0	0	0	0	212	170	561	375	323
2025/11/30 20:10	0	0	0	0	0	163	292	508	293	256
2025/11/30 20:20	0	0	0	0	0	178	361	425	180	243
2025/11/30 20:30	0	0	0	0	0	219	300	388	237	245
2025/11/30 20:40	0	0	0	0	0	290	278	656	342	377
2025/11/30 20:50	0	0	0	0	0	179	266	504	327	236
2025/11/30 21:00	0	0	0	0	0	177	248	389	300	208
2025/11/30 21:10	0	0	0	0	0	180	342	375	291	203
2025/11/30 21:20	0	0	0	0	0	208	218	376	372	220
2025/11/30 21:30	0	0	0	0	0	174	173	363	364	197
2025/11/30 21:40	0	0	0	0	0	244	232	388	417	279
2025/11/30 21:50	0	0	0	0	0	408	225	521	335	431
2025/11/30 22:00	0	0	0	0	0	346	246	634	304	394
2025/11/30 22:10	0	0	0	0	0	211	206	520	299	316
2025/11/30 22:20	0	0	0	0	0	194	158	387	232	236
2025/11/30 22:30	0	0	0	0	0	183	144	341	228	205
2025/11/30 22:40	0	0	0	0	0	166	137	313	272	185
2025/11/30 22:50	0	0	0	0	0	152	116	299	252	164
2025/11/30 23:00	0	0	0	0	0	151	118	282	197	160
2025/11/30 23:10	0	0	0	0	0	144	105	277	272	149
2025/11/30 23:20	0	0	0	0	0	129	86	276	284	140
2025/11/30 23:30	0	0	0	0	0	102	63	236	232	114
2025/11/30 23:40	0	0	0	0	0	96	72	218	181	97
2025/11/30 23:50	0	0	0	0	0	93	82	215	227	97